



December 20<sup>th</sup>, 2024

To: All potential Respondents  
From: Michael Bradbury – Statewide Procurement Officer  
Subject: 005-RFB-1408-2025

### **Addendum One**

**Please amend the subject RFB to include answers to the following timely received questions:**

- Q1.** Are Deep Cleaning Services include as a part of this solicitation.  
**A1.** Deep Cleaning needs to occur on each unit, at least once per year.
- Q2.** Coil cleaning is listed as needed, but also states at least 6 times per year, which is a lot. Is this accurate?  
**A2.** Coil cleaning will be based on an as needed basis. A separate service item will be added to the solicitation for the cost per each unit coil cleaning.
- Q3.** Current solicitation is set-up for one award. Will update verbiage to reflect potential for multiple awards (i.e. HVAC and MetaSys are two different systems within solicitation).  
**A3.** This solicitation may be awarded to multiple vendors. For example, one vendor may be awarded the overall mechanical systems, the other vendor may be awarded only the MetaSys systems.
- Q4.** Are the humidifiers included.  
**A5.** Yes, the humidifiers are included
- Q5.** Is water sampling done by others?  
**A5.** Yes, water sampling is done by others.
- Q6.** There is minimal verbiage about service documentation, how is that handled?  
**A6.** Service documents are to be kept and maintained at each unit (clear pocket envelope attached to each machine) in conjunction with electronic record keeping.
- Q7.** What is the expectation on stocked parts?  
**A7.** The vendor must provide a suggested list of parts for Iowa PBS to purchase and stock onsite as a contingency for emergency repairs.
- Q8.** On Schedule B, there are 2 service manuals referenced that are not included in the attachments for bidders. Will the relevant scope be added to the boiler section or attachments be provided?  
**A8.** Yes, that's the OEM manuals, we have several copies of each piece of equipment that the contractor will have easy access to.

**\*\* End of Addendum One \*\***