



RFQ 245

DB18245009 1

ABOVE RFQ NUMBER MUST APPEAR ON ALL  
CORRESPONDENCE.STATE OF IOWA  
**REQUEST FOR QUOTE****\*\*THIS IS NOT AN ORDER\*\***DATE: 09/20/2017  
PAGE: 1 of 6  
FUNCTION: New  
PHASE: Final  
DUE DATE: 09/29/2017  
DUE TIME: 9:00:00 AM CST**NOTICE: DIRECT ALL QUESTIONS TO THE FOLLOWING:**

Debra Bleakney

Debra.Bleakney@iowa.gov

641-792-7552

EXT: 609

FAX: 641-791-1683

**REQUEST FOR QUOTE (RFQ)**

REQUEST FOR QUOTE DOCUMENTS MUST INCLUDE THE RFQ NUMBER , DUE DATE , SIGNATURE , AND MAY BE FAXED OR E-MAILED TO THE ISSUER LISTED ABOVE. LATE BIDS WILL NOT BE CONSIDERED. A LATE BID IS ANY BID RECEIVED AFTER THE DUE DATE AND TIME (CENTRAL TIME ZONE), AS NOTED ABOVE. THE STATE RESERVES THE RIGHT TO REJECT ANY OR ALL BIDS.

RFQ DOCUMENTS MAY BE SENT BY MAIL OR COURIER SERVICE ADDRESSED TO THE BID RECEIVING LOCATION LISTED BELOW:

**BID RECEIVING LOCATION:****SOLICITATION DESCRIPTION****Powder Coated Commercial Weight Yard Equipment**

The bidder accepts the following unless otherwise specified:	Approved By: Authorized Signature	
FOB Destination/	Company	
Payment terms	Address	
Bid is valid for 90 Days	City, St, Zip	
Delivery Date	Phone Fax	
FEIN #	E-mail Address	



RFQ 245

DB18245009 1

ABOVE RFQ NUMBER MUST APPEAR ON ALL  
CORRESPONDENCE.

STATE OF IOWA  
**REQUEST FOR QUOTE**

**\*\*THIS IS NOT AN ORDER\*\***

DATE: 09/20/2017  
PAGE: 2 of 6  
FUNCTION: New  
PHASE: Final  
DUE DATE: 09/29/2017  
DUE TIME: 9:00:00 AM CST

LINE NO.	QUANTITY / SERVICE DATES	UNIT	COMMODITY / DESCRIPTION	UNIT COST	EXT COST / CONTRACT AMT
----------	--------------------------	------	-------------------------	-----------	-------------------------

1	3.00000	EA	80594	\$ _____	\$ _____
---	---------	----	-------	----------	----------

**Weight Lifting Equipment and Accessories**

**Flat Bench**

Commercial Grade Flat Olympic bench press  
Minimum 11 gauge steel frame with heavy duty bolts and mig welding.  
Angled uprights with protective wear guards to protect the finish.  
Minimum one bar catch and one safety catch.  
Welded end caps and feet  
Chip resistant Powder Coated Finish- Wrinkle Black or equivalent  
Minimum 29 ounce marine grade vinyl Stone Hedge Gray color or equivalent.  
High density foam padding  
Equal to or better than Bomb Proof BP-1

2	1.00000	EA	80594	\$ _____	\$ _____
---	---------	----	-------	----------	----------

**Weight Lifting Equipment and Accessories**

**Hack Squat / Leg Press**

Commercial Grade 45 Degree Combo Hack Squat/Leg Press with Rollers  
Bolt down tabs  
Non-slip squatting platform adjusts to 30, 35, 40 and 45 degrees.  
Non-slip diamond plate pressing platform.  
Weight plate carriage system with 1,500 lb capacity rollers.  
Carriage track minimum 7 gauge steel. Minimum 11 gauge steel frame with heavy duty bolts and mig welding.  
Welded end caps and feet  
Compatible with Olympic plates with 2" center hole.  
Dual weight horns minimum 7" long per side.  
Safety catches  
Chip resistant Powder Coated Finish- Wrinkle Black or equivalent  
Minimum 29 ounce marine grade vinyl Stone Hedge Gray color or equivalent.  
High density foam padding  
Equal to or better than Bomb Proof BP-20

3	1.00000	EA	80594	\$ _____	\$ _____
---	---------	----	-------	----------	----------

**Weight Lifting Equipment and Accessories**

**Incline Bench Press**

Commercial Grade Olympic Incline Bench Press  
30 degree incline  
Bolt down tabs  
Minimum 11 gauge steel frame with heavy duty bolts and mig welding  
80 degree angled uprights with protective wear guards to protect the finish. Minimum one bar catch and one safety catch.  
Adjustable seat  
Welded end caps and feet  
Chip resistant Powder Coated Finish- Wrinkle Black or equivalent  
Minimum 29 ounce marine grade vinyl Stone Hedge Gray color or equivalent.  
High density foam padding on seat and back  
Equal to or better than Bomb Proof BP-2



RFQ 245

DB18245009 1

ABOVE RFQ NUMBER MUST APPEAR ON ALL  
CORRESPONDENCE.

STATE OF IOWA  
**REQUEST FOR QUOTE**

**\*\*THIS IS NOT AN ORDER\*\***

DATE: 09/20/2017  
PAGE: 3 of 6  
FUNCTION: New  
PHASE: Final  
DUE DATE: 09/29/2017  
DUE TIME: 9:00:00 AM CST

LINE NO.	QUANTITY / SERVICE DATES	UNIT	COMMODITY / DESCRIPTION	UNIT COST	EXT COST / CONTRACT AMT
----------	--------------------------	------	-------------------------	-----------	-------------------------

4	1.00000	EA	80594	\$ _____	\$ _____
---	---------	----	-------	----------	----------

**Weight Lifting Equipment and Accessories**

**Adjustable decline ab bench**

Commercial Grade Adjustable Decline Abdominal Bench  
10 decline settings adjust from 17 to 27 degrees.  
Bolt down tabs  
Minimum 11 gauge steel frame with heavy duty bolts and mig welding  
Large diameter padded rollers for feet and back of the knees  
Welded end caps and feet  
Chip resistant Powder Coated Finish- Wrinkle Black or equivalent  
Minimum 29 ounce marine grade vinyl Stone Hedge Gray color or equivalent.  
High density foam padding on hams, glutes and back  
Equal to or better than Bomb Proof BP-9

5	1.00000	EA	80594	\$ _____	\$ _____
---	---------	----	-------	----------	----------

**Weight Lifting Equipment and Accessories**

**Plate Loaded Pec Dec**

Commercial Grade Plate loaded Pec Dec  
Bolt down tabs  
Minimum 11 gauge steel frame with heavy duty bolts and mig welding  
19 strand 2,000 lb capacity cable with protective coating  
Reinforced pulleys with sealed bearings  
Adjustable seat  
Dual weight posts minimum 7" long per side  
No handles- arm pads  
Welded end caps and feet  
Compatible with Olympic plates with 2" center hole  
Safety catches  
Chip resistant Powder Coated Finish- Wrinkle Black or equivalent  
Minimum 29 ounce marine grade vinyl Stone Hedge Gray color or equivalent.  
High density foam padding on arm pads, back and seat  
Equal to or better than Bomb Proof BP-24

6	1.00000	EA	80594	\$ _____	\$ _____
---	---------	----	-------	----------	----------

**Weight Lifting Equipment and Accessories**

**Preacher Curl Machine**

Commercial Grade Seated Adjustable Preacher Curl Bench  
Bolt down tabs  
Minimum 11 gauge steel frame with heavy duty bolts and mig welding  
Adjustable seat  
Angled upright with forward sitting bar catch compatible with EZ-Curl or straight bars  
Bar Catch with wear guards to protect frame finish  
Welded end caps and feet  
Chip resistant Powder Coated Finish- Wrinkle Black or equivalent  
Minimum 29 ounce marine grade vinyl Stone Hedge Gray color or equivalent.  
High density foam padding on seat and arm pads  
Equal to or better than Bomb Proof BP-11



RFQ 245

DB18245009 1

ABOVE RFQ NUMBER MUST APPEAR ON ALL  
CORRESPONDENCE.

STATE OF IOWA  
**REQUEST FOR QUOTE**

**\*\*THIS IS NOT AN ORDER\*\***

DATE: 09/20/2017  
PAGE: 4 of 6  
FUNCTION: New  
PHASE: Final  
DUE DATE: 09/29/2017  
DUE TIME: 9:00:00 AM CST

LINE NO.	QUANTITY / SERVICE DATES	UNIT	COMMODITY / DESCRIPTION	UNIT COST	EXT COST / CONTRACT AMT
7	1.00000	EA	80594	\$ _____	\$ _____

**Weight Lifting Equipment and Accessories**

**Seated Calf Machine**

Commercial Grade Plate loaded Seated Calf Machine  
Bolt down tabs  
Minimum 11 gauge steel frame with heavy duty bolts and mig welding  
Adjustable thigh pads  
Angled foot platform with non-slip surface  
Assist Handles  
Compatible with Olympic plates with 2" center hole  
Dual weight posts minimum 7" long per side  
Welded end caps and feet  
Chip resistant Powder Coated Finish- Wrinkle Black or equivalent  
Minimum 29 ounce marine grade vinyl Stone Hedge Gray color or equivalent.  
High density foam padding on seat and thigh pads  
Equal to or better than Bomb Proof BP-22

8	2.00000	EA	80594	\$ _____	\$ _____
---	---------	----	-------	----------	----------

**Weight Lifting Equipment and Accessories**

**Pull up bars**

Commercial Grade Wall Mount Pull-Up Bar  
Standard 4 foot length with oversized 1 1/4" diameter steel pull-up bar.  
Minimum 11 gauge steel with heavy duty bolts.  
Chip resistant Powder Coated Finish- Wrinkle Black or equivalent  
Equal to or better than Bomb Proof BP-1001.

9	1.00000	EA	80594	\$ _____	\$ _____
---	---------	----	-------	----------	----------

**Weight Lifting Equipment and Accessories**

**Two Tier Dumbbell Rack**

Commercial Grade 2 Tier Horizontal Dumbbell Rack 5 foot long  
Bolt down tabs  
Minimum 11 gauge steel frame with heavy duty bolts and mig welding  
Angled, heavy gauge angle iron trays  
Can accommodate cast iron hex dumbbells.  
Welded end caps and feet  
Chip resistant Powder Coated Finish- Wrinkle Black or equivalent  
Equal to or better than Bomb Proof BP-46



RFQ 245

DB18245009 1

ABOVE RFQ NUMBER MUST APPEAR ON ALL  
CORRESPONDENCE.STATE OF IOWA  
**REQUEST FOR QUOTE****\*\*THIS IS NOT AN ORDER\*\***DATE: 09/20/2017  
PAGE: 5 of 6  
FUNCTION: New  
PHASE: Final  
DUE DATE: 09/29/2017  
DUE TIME: 9:00:00 AM CST

LINE NO.	QUANTITY / SERVICE DATES	UNIT	COMMODITY / DESCRIPTION	UNIT COST	EXT COST / CONTRACT AMT
10	1.00000	EA	80594	\$ _____	\$ _____

**Weight Lifting Equipment and Accessories****Decline Bench Press**

Commercial Grade Olympic Decline Bench Press  
20 degree decline  
Bolt down tabs  
Minimum 11 gauge steel frame with heavy duty bolts and mig welding  
80 degree angled uprights.  
Bar catch with wear guards to protect finish and one safety catch.  
Adjustable Leg Rollers  
Welded end caps and feet  
Chip resistant Powder Coated Finish- Wrinkle Black or equivalent  
Minimum 29 ounce marine grade vinyl Stone Hedge Gray color or equivalent.  
High density foam padding on back and rollers  
Equal to or better than Bomb Proof BP-3

WARRANTY on all items above shall be a minimum of limited lifetime on frames, 5 years on pulleys, guide rods, flange bearings, 1 year on linear bearings, cables and cylinders, 120 days on upholstery and grips.

IF quoting other than specified send all specification sheets with the bid- including warranty information.

QUOTE DELIVERED TO OUR DOCK.

**Preference**

By virtue of statutory authority, a preference will be given to products and provisions grown and coal produced within the state of Iowa. Preference application: Tied responses to solicitations, regardless of the type of solicitation, are decided in favor of Iowa products and Iowa-based businesses per 11 IAC 117.5(1)-(2), 117.12(4).

**BILL TO:** NEWTON CORRECTIONAL FACILITY  
PO BOX 218  
NEWTON , IA 50208

**SHIP TO:** NEWTON CORRECTIONAL FACILITY  
307 S 60TH AVE W  
NEWTON , IA 50208  
QUOTE DELIVERED TO OUR DOCK



**RFQ 245**

**DB18245009 1**

**ABOVE RFQ NUMBER MUST APPEAR ON ALL  
CORRESPONDENCE.**

**STATE OF IOWA  
REQUEST FOR QUOTE**

**\*\*THIS IS NOT AN ORDER\*\***

**DATE:** 09/20/2017  
**PAGE:** 6 of 6  
**FUNCTION:** New  
**PHASE:** Final  
**DUE DATE:** 09/29/2017  
**DUE TIME:** 9:00:00 AM CST

**TERMS AND CONDITIONS**

**Goods Effective 1 May 16**

The parties agree to comply with the terms and conditions on the following web site which are by this reference made a part of the Agreement. General Terms and Conditions for goods contracts are posted at: <https://das.iowa.gov/sites/default/files/procurement/pdf/050116%20terms%20goods.pdf>