

# **CONSTRUCTION EQUIPMENT**

## **U.S. PRICE LIST**

### **C063**

### **EXCAVATORS**

**PL-200 CX SAP REVISION 23**

**EFFECTIVE JANUARY 1, 2017**

Below is a list of Family(s) and Model(s) that are included in this price list.

#### **Crawler Excavator (Midi)**

CX75C Tier 4 Final

CX80C Tier 4 Final

#### **Crawler Excavator (Conventional)**

CX130D Tier 4 Final

CX145D Tier 4 Final

CX160D Tier 4 Final

CX210D Tier 4 Final

CX245D Tier 4 Final

CX250D Tier 4 Final

CX300D Tier 4 Final

CX350D Tier 4 Final

**Copyright 2016 By**

**CNH Industrial America LLC**

**CX75C MIN SWING RADIUS CRAWLER EXCAVATOR  
US PRICE LIST**

**(Ex Works Port of Entry)  
Standard Equipment**

**HYDRAULICS:**

Control pattern change selector  
Open-center system  
Two - variable displacement axial  
piston pumps with regulating system  
One - pilot control gear pump  
Auxiliary hydraulic valve  
Boom anti-drift valve  
5000 hour hydraulic oil change interval  
1000 hour hydraulic filter change  
interval

**ATTACHMENTS:**

Arm: 5'6" (less bucket)  
Boom: 12'4" one piece  
Hammer operation adaptable -  
Reinforcing required for  
crusher/cutter operation  
Swing brake

**MISCELLANEOUS:**

Parts catalogue  
Single key lock-up  
Travel alarm and horn  
Centralized lube bank  
Rubber bumpers for upper sides  
(order through Service Parts)  
Working lights: 1x boom, 1 x cab

**OPTIONAL EQUIPMENT:**

**Attachments:**

- Offset boom: 12' 9"
- Arm: 7' 2"
- Arm: 5' 9" (for offset boom)
- Arm: 6' 10" (for offset boom)

FOPS cab top guard (Level 2)

Front grill guard (2" x 2" mesh)

Front rock guard (OPG 2)

Rear View Camera

Hose Burst Check Valve (HBCV)

Refuel Pump

Auxiliary hydraulics

Steel shoes: 3-bar/24"

**Rubber shoes:**

- 18" (450 mm) Rubber track pads  
bolted on steel
- 17.7" (450 mm) Full Rubber Track

Order from Factory Supplied

**Attachments:**

Please consult excavator  
attachments weight limits prior to  
selecting a coupler and large bucket.  
Excessive bucket and coupler weight  
will negatively impact machine  
performance.



**CX75C MIN SWING RADIUS CRAWLER EXCAVATOR  
US PRICE LIST**

**(Ex Works Port of Entry)**

**Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price
CX75C W/DOZER BLADE	16,200 LBS		\$133,699.00

**CX75C MIN SWING RADIUS CRAWLER EXCAVATOR  
US PRICE LIST**

**(Ex Works Port of Entry)  
Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**BOOMS**

SD\_E5311 BOOM

	481858	Std Boom <b>12'4" (3.75 M) Standard Boom</b>			No Charge
	461025	Offset Boom <b>12'9" (3.89 M) Offset Boom</b> <b>For use with CX75C w/dozer blade</b>			\$8,919.00

**ARMS**

SD\_E5320 ARM/DIPPERSTICK

For use with Standard Boom					
	781172	5'6" (1.7 M) Arm			No Charge
	481265	7'2" (2.2 M) Arm			\$2,054.00
For use with Offset Boom					
	481062	5'9" (1.75 M) Standard Arm <b>For use with CX75C w/Dozer Blade</b>			\$1,087.00
	481063	6' 10" (2.11 M) Standard Arm <b>For use with CX75C w/Dozer Blade</b>			\$1,712.00

**TRACK SHOES**

SD\_E5199 TRACK SHOES

	9560017	18" (450mm) Steel Shoes, 3-bar			No Charge
	9560002	23.6"(600mm) Steel Shoes <b>Blade will not fully cover track width when using 24" shoes</b>			\$550.00
	9560018	18"(450mm)Bolt-on Rubber Track <b>Rubber pads bolted on regular 18" track</b>			\$6,787.00
	9560020	17.7"(450mm)Full Rubber Tracks			\$4,140.00

**LANGUAGE**

SD\_47083 OPERATOR'S MANUAL

	781981	English Literature			No Charge
	461540	French Canadian Literature			No Charge
	781980	Spanish Literature			No Charge

**CX75C MIN SWING RADIUS CRAWLER EXCAVATOR  
US PRICE LIST**

**(Ex Works Port of Entry)**

**ADDITIONAL EQUIPMENT CXM**

ADDITIONAL OPTIONS

SD\_E5443 CAB GUARD (FOPS)

		XE5443X	No FOPS Top Cab Guard			No Charge
		481070	FOPS Top Cab Guard			\$1,322.00

SD\_E5444 CAB GUARD (FRONT)

		XE5444X	No Front Guard			No Charge
		461142	Front grill guard - 2 x 2 mesh			\$1,530.00
		461024	Front Stone Guard (OPG L2) <b>vertical bars (one piece/full length)</b>			\$2,681.00

SD\_E6410 AUXILIARY HYDRAULICS

		XE6410X	No Optional Hydraulics			No Charge
For use with Standard Boom						
		461865	Single Acting Auxiliary Hyd <b>Single Acting Auxiliary Hydraulics</b> <b>For use with hammers or vibratory compaction plate applications</b>  <b>Joystick activated with Electronic Proportional Controls</b> <b>Provides single direction flow</b> <b>Includes manually adjustable relief valve to set required pressures</b>  <b>Notes:</b> <b>1) Not for use with other Auxiliary Hydraulic options, with the exception of Low Flow.</b> <b>2) Heavy duty bucket linkage is standard equipment on C series excavators.</b> <b>3) For dealer installed auxiliary hydraulic kits contact: HKX (1-800-493-5487 or www.HKX.com)</b>			\$4,890.00

**CX75C MIN SWING RADIUS CRAWLER EXCAVATOR  
US PRICE LIST**

**(Ex Works Port of Entry)**

	461871	<p>Thumb - Proportional SW <b>Double Acting Auxiliary Hydraulics</b> For use with thumb applications</p> <p>Joystick Activated with Electronic Proportional Controls Provides single pump, two-way flow Hydraulic plumbing provided to the end of the boom only, no piping to the arm This system is not switchable to single acting flow</p> <p>Notes: 1) Not for use other Auxiliary Hydraulics options with the exception of Low Flow. 2) Heavy duty bucket linkage is standard equipment on C series excavators. 3) For dealer installed auxiliary hydraulic kits contact: <b>HKX (1-800-493-5487 or www.HKX.com).</b></p>			\$3,503.00
	461868	<p>Multi Function - Proportional <b>Multi-Function Auxiliary Hydraulics</b> For use with multiple applications: hammers/thumbs/grapples/crushers</p> <p>Does not include the in-cab Electronic Pressure Control feature</p> <p>Joystick activated with Electronic Proportional Controls Provides single or dual pump, two-way flow Secondary Low-flow Auxiliary Hydraulics can be added Includes manually adjustable relief valve to set required pressures Is switchable to single acting flow for hammer applications</p> <p>Notes: 1) Not for use with other Auxiliary Hydraulics options with the exception of Low Flow. 2) Heavy duty bucket linkage is standard equipment on C Series excavators. 3) For dealer installed auxiliary hydraulic kits contact: <b>HKX (1-800-493-5487 or www.HKX.com)</b></p>			\$7,342.00

**CX75C MIN SWING RADIUS CRAWLER EXCAVATOR  
US PRICE LIST**

**(Ex Works Port of Entry)**

For use with Offset Boom					
	461866	<p>Offset Boom Single Aux Hyd</p> <p><b>Offset Boom Single Acting Auxiliary Hydraulics</b></p> <p>For use with Offset Boom option 461025 ONLY</p> <p>For use with Offset Short Arm 481062 ONLY</p> <p>For use with hammer applications</p> <p>Joystick Activated with Electronic Proportional Controls</p> <p>Provides single direction flow</p> <p>Includes manually adjustable relief valve to set required pressures</p> <p>Notes:</p> <p>1) Not for use other Auxiliary Hydraulics options, with the exception of Low Flow.</p> <p>2) Heavy duty bucket linkage is standard equipment on C series excavators.</p> <p>3) For dealer installed auxiliary hydraulic kits contact: HKX (1-800-493-5487 or <a href="http://www.HKX.com">www.HKX.com</a>).</p>			\$5,414.00
	461873	<p>Offset Boom Double Aux Hyd</p> <p><b>Offset Boom Double Acting Auxiliary Hydraulics</b></p> <p>For use with Offset Boom option 461025 ONLY</p> <p>For use with Offset Short Arm 481062 ONLY</p> <p>For use with thumb applications</p> <p>Joystick Activated with Electronic Proportional Controls</p> <p>Provides single pump, two-way flow</p> <p>Hydraulic plumbing provided to the end of the boom only, no piping to the arm</p> <p>This system is not switchable to single acting flow</p> <p>Notes:</p> <p>1) Not for use other Auxiliary Hydraulics options with the exception of Low Flow.</p> <p>2) Heavy duty bucket linkage is standard equipment on C series excavators.</p> <p>3) For dealer installed auxiliary hydraulic kits contact: HKX (1-800-493-5487 or <a href="http://www.HKX.com">www.HKX.com</a>).</p>			\$4,034.00
SD_E6417 SECONDARY AUXILIARY HYDRAULICS					
	XE6417X	No Low Flow Circuit			No Charge

**CX75C MIN SWING RADIUS CRAWLER EXCAVATOR  
US PRICE LIST**

**(Ex Works Port of Entry)**

		461863	Secondary Auxiliary Hydraulics <b>Secondary Low Flow Auxiliary Hydraulics</b> <b>Provides low-flow for rotation or tilt hydraulic attachments.</b>  <b>For use with Standard Boom option 481858</b> <b>Not for use with Offset Boom option 461025</b> <b>Joystick Activated with Electronic Proportional Controls</b>			\$4,306.00
--	--	--------	---	--	--	------------

**SD\_E9702 REAR VIEW CAMERA**

		XE9702X	No Rear View Camera			No Charge
		461504	Rear View Camera			\$689.00

**SD\_E9730 SAFETY VALVE**

		XE9730X	No Hose Burst Check Valve			No Charge
		461559	Hose Burst Check Valve			\$2,782.00

**SD\_E9874 REFUEL PUMP**

		XE9874X	No Refuel Pump			No Charge
		481257	Refuel Pump			\$1,495.00



**CX75C MIN SWING RADIUS CRAWLER EXCAVATOR  
US PRICE LIST**

(Ex Works Port of Entry)

**Factory Supplied Attachments**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**Case Coupler Buckets**

	84422902	18" Heavy Duty Coupler Bucket with 3 teeth (.24 cu. yd.)	440 LB		\$2,018.00
	84422903	24" Heavy Duty Coupler Bucket with 4 teeth (.32 cu. yd.)	520 LB		\$2,385.00
	84422906	30" Heavy Duty Coupler Bucket with 5 teeth (.41 cu. yd.)	585 LB		\$2,645.00
	84422909	36" Heavy Duty Coupler Bucket with 5 teeth (.50 cu. yd.)	670 LB		\$2,942.00
	84422911	42" Heavy Duty Coupler Bucket with 6 teeth (.59 cu. yd.)	760 LB		\$3,228.00

**Case Multi Fit Coupler**

	47603261	Multi-Fit S Coupler Kit Full Kit and Pins Optimized for use with Case coupler buckets. Also can be used with a wide range of buckets from other manufacturers including pin-on types. Includes hydraulic installation kit and instructions.	205 LB		\$7,146.00
--	----------	---	--------	--	------------

**Case Pin On Buckets**

	84404122	42" Ditching Bucket (.60 cu. yd.)	535 LB		\$2,159.00
	84404123	48" Ditching Bucket (.70 cu. yd.)	550 LB		\$2,247.00
	84422873	18" Heavy Duty Bucket with 3 teeth (.21 cu. yd.)	450 LB		\$1,587.00
	84422885	24" Heavy Duty Bucket with 4 teeth (.31 cu. yd.)	530 LB		\$1,866.00
	84422889	30" Heavy Duty Bucket with 5 teeth (.39 cu. yd.)	600 LB		\$2,079.00
	84422894	36" Heavy Duty Bucket	685 LB		\$2,311.00
	84422897	42" Heavy Duty Bucket with 6 teeth (.57 cu. yd.)	790 LB		\$2,534.00

**Direct Link Thumb**

	47609053	KIT, THUMB, HYD, 2-TINE, use with bucket only (2 tine - odd teeth)	425 LB		\$4,665.00
	47609054	KIT, THUMB, HYD, 2-TINE, use with bucket and coupler (2 tine - odd teeth)	475 LB		\$4,944.00
	47625914	KIT, THUMB, HYD, 2-TINE, use with bucket only (2 tine - even teeth)	425 LB		\$4,665.00
	47625915	KIT, THUMB, HYD, 2-TINE, use with bucket and coupler (2 tine - even teeth)	475 LB		\$4,944.00

**CX80C CRAWLER EXCAVATOR - W/ DOZER BLADE**  
**US PRICE LIST**

**(Ex Works Port of Entry)**  
**Standard Equipment**

**ENGINE:**

Isuzu AU-4LE2X turbocharged  
Tier 4 Final Certified  
4 Cylinder liquid cooled diesel  
High pressure common rail  
Cooled EGR with variable  
controlled valve  
DOC - diesel oxidation catalyst  
133 cu. in. (2.2 liter) displacement  
Horsepower:  
- Net (SAE) 55.2 (41.2kw) at  
2000 RPM  
Fuel Tank Capacity: 31.7 gal. (US)  
Long Life Anti-freeze  
(protect to - 34°F)

**OPERATOR'S CAB:**

4-point iso-mounted ROPS cab  
Pressurized cab  
- Climate control: AC/Heat/Defrost  
- Fully adjustable deluxe seat with  
3" seat-belt  
- AM/FM radio with dual speakers  
- Floor mats  
- 12-volt outlet  
- In-cab light  
Cab roof skylight  
Safety glass:  
- Two-piece front window  
- Front windshield wiper with washer  
Waterproof/illuminated membrane  
switches  
Low-effort pilot controls  
Full-color LCD display - rearview  
camera ready  
Dial type throttle control for engine  
speed  
Work mode selector: SP, H, Auto  
One-touch idle  
External rearview mirrors  
Programmable anti-theft protection

**ELECTRICAL:**

24 Volt system  
Alternator: 50 AMP  
Batteries: 2

**BLADE:**

Hydraulically controlled dozer blade  
- Blade width: 7'7"  
- Blade height: 1'6"

**UPPER STRUCTURE:**

Swing brake  
Casted counterweight  
Upper undercovers  
500 hour greasing interval - turntable  
bearing

**UNDERCARRIAGE:**

X-pattern car-body  
LC/long undercarriage: 9'4" (2.85M)  
Track gauge: 6'2" (1.99M)  
Shoes: 3-bar/18" (39 per side)  
Hydraulic adjustable track tension  
Tapered upper track frame  
Front track guides  
Lower under covers

**TRACK DRIVE:**

2 speed independent hydrostatic travel  
(max. 3.2 mph)  
SAHR disc brakes  
Drive motor guards

**CX80C CRAWLER EXCAVATOR - W/ DOZER BLADE**  
**US PRICE LIST**

**(Ex Works Port of Entry)**  
**Standard Equipment**

**HYDRAULICS:**

Control pattern change selector  
Open-center system  
Two - variable displacement axial  
piston pumps with regulating  
system  
One - pilot control gear pump  
One position mode selector  
Auxiliary hydraulic valve  
Boom anti-drift valve  
5000 hour hydraulic oil change interval  
1000 hour hydraulic filter change  
interval

**ATTACHMENTS:**

Arm: 5'6" (less bucket)  
Swing Boom: 11'6" one piece  
Hammer operation adaptable -  
Reinforcing required for  
crusher/cutter operation

**MISCELLANEOUS:**

Parts catalogue  
Single key lock-up  
Travel alarm and horn  
Centralized lube bank  
Rubber bumpers for upper sides  
(order through Service Parts)

Working lights: 1 x boom, 1 x cab

**OPTIONAL EQUIPMENT:**

**Attachments:**

- Arm: 7'2"

FOPS cab top guard (Level 2)

Front grill guard (2" x 2" mesh)

Front rock guard (OPG 2)

Rear View Camera

Hose Burst Check Valve (HBCV)

Refuel Pump

Auxiliary hydraulics

Steel shoes: 3-bar/24"

**Rubber shoes:**

- 18" (450 mm) Rubber track pads  
bolted on steel

- 17.7" (450 mm) Full rubber track

Order from Factory Supplied

**Attachments:**

Please consult excavator

attachments weight limits prior to  
selecting a coupler and large bucket.

Excessive bucket and coupler weight  
will negatively impact machine  
performance.



**CX80C CRAWLER EXCAVATOR - W/ DOZER BLADE  
US PRICE LIST**

**(Ex Works Port of Entry)**

**Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price
CX80C	18,800 LBS		\$139,704.00

**CX80C CRAWLER EXCAVATOR - W/ DOZER BLADE  
US PRICE LIST**

**(Ex Works Port of Entry)  
Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**BOOMS**

SD\_E5311 BOOM

		481858	Std Boom			No Charge
--	--	--------	----------	--	--	-----------

**ARMS**

SD\_E5320 ARM/DIPPERSTICK

		781172	5'6" (1.7 M) Arm			No Charge
		481265	7'2" (2.2 M) Arm			\$2,054.00

**TRACK SHOES**

SD\_E5199 TRACK SHOES

		9560017	18" (450mm) Steel Shoes, 3-bar			No Charge
		9560002	23.6"(600mm) Steel Shoes			\$550.00
		9560018	18"(450mm)Bolt-on Rubber Track <b>Rubber pads bolted on regular 18" track</b>			\$6,787.00
		9560020	17.7"(450mm)Full Rubber Tracks			\$4,140.00

**LANGUAGE**

SD\_47083 OPERATOR'S MANUAL

		781981	English Literature			No Charge
		461540	French Canadian Literature			No Charge
		781980	Spanish Literature			No Charge

**ADDITIONAL EQUIPMENT CXM**

**ADDITIONAL OPTIONS**

SD\_E5443 CAB GUARD (FOPS)

		XE5443X	No FOPS Top Cab Guard			No Charge
		481070	FOPS Top Cab Guard			\$1,322.00

SD\_E5444 CAB GUARD (FRONT)

		XE5444X	No Front Guard			No Charge
--	--	---------	----------------	--	--	-----------

**CX80C CRAWLER EXCAVATOR - W/ DOZER BLADE  
US PRICE LIST**

**(Ex Works Port of Entry)**

	461142	Front grill guard - 2 x 2 mesh			\$1,530.00
	461024	Front Stone Guard (OPG L2) <b>vertical bars (one piece/full length)</b>			\$2,681.00

**SD\_E6410 AUXILIARY HYDRAULICS**

	XE6410X	No Optional Hydraulics			No Charge
	461865	Single Acting Auxiliary Hyd <b>Single Acting Auxiliary Hydraulics</b> <b>For use with hammers or vibratory compaction plate applications</b>  <b>Joystick activated with Electronic Proportional Controls</b> <b>Provides single direction flow</b> <b>Includes manually adjustable relief valve to set required pressures</b>  <b>Notes:</b> <b>1) Not for use with other Auxiliary Hydraulic options, with the exception of Low Flow.</b> <b>2) Heavy duty bucket linkage is standard equipment on C series excavators.</b> <b>3) For dealer installed auxiliary hydraulic kits contact: HKX (1-800-493-5487 or www.HKX.com)</b>			\$4,890.00
	461871	Thumb - Proportional SW <b>Double Acting Auxiliary Hydraulics</b> <b>For use with thumb applications</b>  <b>Joystick Activated with Electronic Proportional Controls</b> <b>Provides single pump, two-way flow</b> <b>Hydraulic plumbing provided to the end of the boom only, no piping to the arm</b> <b>This system is not switchable to single acting flow</b>  <b>Notes:</b> <b>1) Not for use other Auxiliary Hydraulics options with the exception of Low Flow.</b> <b>2) Heavy duty bucket linkage is standard equipment on C series excavators.</b> <b>3) For dealer installed auxiliary hydraulic kits contact: HKX (1-800-493-5487 or www.HKX.com).</b>			\$3,503.00

**CX80C CRAWLER EXCAVATOR - W/ DOZER BLADE  
US PRICE LIST**

**(Ex Works Port of Entry)**

		461868	Multi Function - Proporcional <b>Multi-Function Auxiliary Hydraulics</b> For use with multiple applications: hammers/thumbs/grapples/crushers  Does not include the in-cab Electronic Pressure Control feature  Joystick activated with Electronic Proportional Controls Provides single or dual pump, two-way flow Secondary Low-flow Auxiliary Hydraulics can be added Includes manually adjustable relief valve to set required pressures Is switchable to single acting flow for hammer applications  Notes: 1) Not for use with other Auxiliary Hydraulics options with the exception of Low Flow. 2) Heavy duty bucket linkage is standard equipment on C Series excavators. 3) For dealer installed auxiliary hydraulic kits contact: HKX (1-800-493-5487 or <a href="http://www.HKX.com">www.HKX.com</a> )			\$7,342.00
--	--	--------	---	--	--	------------

**SD\_E6417 SECONDARY AUXILIARY HYDRAULICS**

		XE6417X	No Low Flow Circuit			No Charge
		461863	Secondary Auxiliary Hydraulics <b>Secondary Low Flow Auxiliary Hydraulics</b> Provides low-flow for rotation or tilt hydraulic attachments. For use with Standard Boom option 481858 Not for use with Offset Boom option 461025 Joystick Activated with Electronic Proportional Controls			\$4,306.00

**SD\_E9702 REAR VIEW CAMERA**

		XE9702X	No Rear View Camera			No Charge
		461504	Rear View Camera			\$689.00

**SD\_E9730 SAFETY VALVE**

		XE9730X	No Hose Burst Check Valve			No Charge
		461559	Hose Burst Check Valve			\$2,782.00

**SD\_E9874 REFUEL PUMP**

		XE9874X	No Refuel Pump			No Charge
		481257	Refuel Pump			\$1,495.00

**CX80C CRAWLER EXCAVATOR - W/ DOZER BLADE  
US PRICE LIST**

(Ex Works Port of Entry)

**Factory Supplied Attachments**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**Case Coupler Buckets**

	84422902	18" Heavy Duty Coupler Bucket with 3 teeth (.24 cu. yd.)	440 LB		\$2,018.00
	84422903	24" Heavy Duty Coupler Bucket with 4 teeth (.32 cu. yd.)	520 LB		\$2,385.00
	84422906	30" Heavy Duty Coupler Bucket with 5 teeth (.41 cu. yd.)	585 LB		\$2,645.00
	84422909	36" Heavy Duty Coupler Bucket with 5 teeth (.50 cu. yd.)	670 LB		\$2,942.00
	84422911	42" Heavy Duty Coupler Bucket with 6 teeth (.59 cu. yd.)	760 LB		\$3,228.00

**Case Multi Fit Coupler**

	47603261	Multi-Fit S Coupler Kit Full Kit and Pins Optimized for use with Case coupler buckets. Also can be used with a wide range of buckets from other manufacturers including pin-on types. Includes hydraulic installation kit and instructions.	205 LB		\$7,146.00
--	----------	---	--------	--	------------

**Case Pin On Buckets**

	84404122	42" Ditching Bucket (.60 cu. yd.)	535 LB		\$2,159.00
	84404123	48" Ditching Bucket (.70 cu. yd.)	550 LB		\$2,247.00
	84422873	18" Heavy Duty Bucket with 3 teeth (.21 cu. yd.)	450 LB		\$1,587.00
	84422885	24" Heavy Duty Bucket with 4 teeth (.31 cu. yd.)	530 LB		\$1,866.00
	84422889	30" Heavy Duty Bucket with 5 teeth (.39 cu. yd.)	600 LB		\$2,079.00
	84422894	36" Heavy Duty Bucket	685 LB		\$2,311.00
	84422897	42" Heavy Duty Bucket with 6 teeth (.57 cu. yd.)	790 LB		\$2,534.00

**Direct Link Thumb**

	47609053	KIT, THUMB, HYD, 2-TINE, use with bucket only (2 tine - odd teeth)	425 LB		\$4,665.00
	47609054	KIT, THUMB, HYD, 2-TINE, use with bucket and coupler (2 tine - odd teeth)	475 LB		\$4,944.00
	47625914	KIT, THUMB, HYD, 2-TINE, use with bucket only (2 tine - even teeth)	425 LB		\$4,665.00
	47625915	KIT, THUMB, HYD, 2-TINE, use with bucket and coupler (2 tine - even teeth)	475 LB		\$4,944.00



**CX130D CRAWLER EXCAVATOR  
US PRICE LIST**

**(Ex Works Port of Entry)  
Standard Equipment**

**ENGINE:**

Isuzu AR-4JJ1X  
Tier 4 Final Certified  
Selective Catalytic Reduction (SCR)  
Diesel Oxidation Catalyst (DOC)  
Cooled Exhaust Gas Recirculation  
(CEGR)  
EGR Coolers  
Four-cylinder turbo-charged diesel  
VGT turbocharger  
Electronic fuel injection  
High pressure common rail system  
Neutral safety start  
Auto-engine warm up  
Glow-plug pre-heat  
Fuel Economy Assist System (FEA)  
Engine Protection Feature (EPF)  
Dual-stage fuel filtration  
Dual element air filter  
Remote oil filter  
Drain for fuel tank  
Remote engine oil drain  
500-hour engine oil change interval  
24-volt system  
Engine oil sample port  
Battery disconnect switch  
Emergency engine stop  
External Fuel and DEF gauges  
Fan housing  
Fuel cooler  
Fuel filter restriction indicator  
Fuel shut-off valve  
Idle start  
Radiator, oil cooler, intercooler -  
protective screen

**FUEL ECONOMY SYSTEMS:**

Engine Idle / Fuel Economy System:  
Auto-idle  
One-touch idle  
Auto-idle shut-down  
BEC- Boom Economy Control  
AEC- Auto Economy Control  
SWC- Swing Relief Control  
SSC- Spool Stroke Control

**HYDRAULICS:**

Auto power boost  
Auto swing priority  
Arm speed assistance (2 pump flow)  
Auxiliary flow control  
Auxiliary valve  
Boom speed assistance (2 pump flow)  
Bucket curl assist  
Control levers pre-wired for auxiliary  
hydraulics  
Electronically controlled hydraulic  
pumps  
Holding valve (Boom and Arm)  
Fire wall  
Hydraulic filter restriction indicator  
Neutral pump de-stroke  
Oil cooler  
Power save  
Pump stand-by pressure  
Auto travel speed change  
Selectable work modes  
Free swing  
Hydraulic oil sample port  
Control pattern selector  
Pre-set auxiliary pump settings  
Auxiliary valve  
5,000-hour hydraulic oil change  
interval  
1,000-hour hydraulic filter change  
interval  
SAHR brake

**UPPER STRUCTURE:**

ISO mirrors (3)  
Cab ISO-mounts (fluid and spring)  
Upper mounted work light (70 watt)  
Swivel guard belly pan  
Center cover (over main CV)  
Fuel tank belly pan  
Handrail (RH access)  
Lifting eyes for counterweight  
Lockable fuel cap, service doors and  
toolbox

**CX130D CRAWLER EXCAVATOR  
US PRICE LIST****(Ex Works Port of Entry)  
Standard Equipment****ATTACHMENTS:**

Boom— 15 ft. 2 in. (4.63 m)  
Arm— 8 ft. 2 in. (2.50 m)  
Heavy-duty bucket linkage  
Boom mounted work light (70 watt)  
Auxiliary pipe brackets  
Centralized grease fittings  
Attachment cushion valve  
Arm and boom regeneration  
Bucket anti-clatter device  
Chrome pins  
Easy Maintenance System (EMS)  
bushings  
Teardrop pin retention keepers

**OPERATOR STATION:**

ROPS protection  
FOPS cab (Level 1)  
Pressurized cab  
Face vent  
Cab lights (2)  
Interior dome light  
One-touch lock front window  
One piece window (right)  
Safety glass windows  
Gate lock hydraulic activation  
Emergency exit and hammer  
Clear (polycarbonate) roof window w/  
sunshade  
AC/heat/defrost w/ auto climate  
control  
LED Color monitor— 7 in (180 mm)  
26 selectable languages for monitor  
On-board diagnostic system  
10 programmable attachments settings  
on monitor - 5 single flow, 5 dual  
flow  
Seatbelt— 3 in. (76 mm)  
Heated high-back cloth seat with air  
suspension and 65° tilt adjustment  
Sliding seat — 3.54 in. (90 mm)  
Adjustable armrests  
Tilting consoles— 4-position  
Sliding cockpit — 3.15 in. (80 mm)  
Low-effort joystick controls

**OPERATOR STATION (continued):**

Controls pre-wired for auxiliary  
Straight travel  
AM/FM radio w/ antenna, 2 speakers  
and Bluetooth capabilities  
Aux-in port for personal electronics  
Radio mute switch (joystick)  
Rear-view camera  
Anti-theft system (start code system)  
Rubber floormat  
12-volt electric outlet  
24-volt cigarette lighter  
Windshield wiper/washer  
Cup holder  
Storage compartments  
Warm/cool storage compartment  
Travel alarm with cancel switch  
Ignition keys  
One key start & lock-up  
Cab filter (external)  
Cab handrails  
Operator's manual

**UNDERCARRIAGE:**

Long undercarriage  
23.6 in. (600 mm) steel shoes, triple  
semi-grouser  
Full overlap turntable bearing tub  
No track chain guides  
Hydraulic track adjustment  
Sealed link chain  
Steps  
Carbody belly pan (swivel guard)  
X-pattern carbody  
Lashing points (tie downs)

**FRONT DOZER BLADE:**

8 ft. 6 in. (2.59m) width - comes with  
23.6 in. (600 mm) steel shoes

**CX130D CRAWLER EXCAVATOR  
US PRICE LIST**

**(Ex Works Port of Entry)  
Standard Equipment**

**EXTRA FILTER KIT:**

Engine oil filter  
Filter wrench  
Fuel filters  
Grease gun  
Green plug oil drain hose for  
engine oil drain  
Hydraulic return filter  
Pilot circuit hydraulic filter

**CASE ProCare**

3-yr/3000-hr factory warranty,  
planned maintenance and  
SiteWatch™ telematics

**CASE SiteWatch™ Telematics**

includes hardware and a 3-yr  
Advanced data subscription

**OPTIONAL EQUIPMENT:**
**ENGINE**

Refueling pump

**HYDRAULICS**
**Auxiliary hydraulics:**

Single acting/joystick activated  
Double acting/joystick activated  
(thumb)  
Multi-function/joystick activated  
Secondary low-flow/joystick  
activated  
Proportional hydraulic controls

Hose Burst Check Valve (HBCV)

**ATTACHMENTS**

Heavy-duty arm- 6 ft. 11 In.  
(2.11 m)  
Long arm - 9ft. 11 In. (3.01 m)  
Quick Coupler/Case multi-pin grabber  
Buckets: Heavy-duty/Extreme-  
duty/Ditching  
Load holding control

**OPTIONAL EQUIPMENT (continued):**
**UNDERCARRIAGE**

19.7 in. (500 mm) rubber link chain,  
bolt-on rubber pads on steel chain  
27.6 in. (700 mm) steel shoes, triple  
semi-grouser

Double track chain guides

**FRONT DOZER BLADE**

Hydraulically controlled front dozer  
blade

8 ft. 2 in. (2.49 m) width - comes  
with 19.7 in. (500 mm) rubber link  
chain

8 ft. 10 in. (2.69 m) width - comes  
with 27.6 in. (700 mm) steel shoes

**OPERATOR STATION**

FOPS cab top guard (Level 2)

Front grill guard- 2 x 2 in.

(50.8 x 50.8 mm) screen mesh

Front rock guard- vertical bars (two  
piece)/OPG 1

Front rock guard- vertical bars (one  
piece)/OPG 2

Vandal guard (front window) w/  
common key

Rain deflector (not available with  
Front guards)

Sun visor

Side-view camera

LED Package: includes 1 Side view  
camera and 6 LED Lights (2 front  
cab mounted, 2 rear mounted and  
1 mounted on each side)

**PARTS OFFERING:**

Hammers; Thumbs  
Rubber bumper guard



**CX130D CRAWLER EXCAVATOR  
US PRICE LIST**

**(Ex Works Port of Entry)**

**Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price
CX130D STD LC	27,800 LB		\$206,859.00
CX130D STD DZB	27,800 LB		\$221,550.00

**CX130D CRAWLER EXCAVATOR  
US PRICE LIST**

**(Ex Works Port of Entry)  
Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**LIGHTS**

SD\_E5408 WORKING LIGHTS

	488134	HALOGEN WORKING LIGH			No Charge
	488135	LED WORKING LIGHTS 8 LED light and 1 side camera: 2 LED light are mounted on the front of the cab 2 LED lights are mounted on the rear (above the rear view camera) 1 LED light mounted on each side (2) 2 LED lights mounted on the top of the cab			\$4,956.00

**BOOMS**

SD\_E5311 BOOM

	481858	Std Boom 15'2" (4.63 M) Boom			No Charge
	781917	No Boom Less boom, hoist and arm cylinders and plumbing. Boom-foot and cylinder pins are provided.			(\$3,800.00)

**ARMS**

SD\_E5320 ARM/DIPPERSTICK

	461574	6'10" (2.11 m) HD Arm			(\$500.00)
	781174	8'2" (2.50 m) Std Arm			No Charge
	781178	9'10" (3.01 m) Std Arm			\$850.00
	XE5320X	No Arm/Dipperstick Less arm, bucket cylinder and linkage			(\$2,400.00)

**TRACK SHOES**

SD\_E5199 TRACK SHOES

	9560013	23.6" (600 mm) Steel Shoes Triple-Grouser Steel Shoes			No Charge
--	---------	--	--	--	-----------

**CX130D CRAWLER EXCAVATOR  
US PRICE LIST**

**(Ex Works Port of Entry)**

		9560003	27.6" (700mm) Steel Shoes <b>Triple-Grouser Steel Shoes</b>			\$1,436.00
		9560052	20" (500mm) Rubber Track <b>Steel Chain with individual rubber tracks (steel base coated with rubber)</b>			\$11,660.00

**LANGUAGE**

SD\_47083 OPERATOR'S MANUAL

		461540	French Canadian Literature			No Charge
		781980	Spanish Literature			No Charge
		781981	English Literature			No Charge

**ADDITIONAL EQUIPMENT CXC**

HYDRAULIC OPTIONS

SD\_E6410 AUXILIARY HYDRAULICS

		XE6410X	No Optional Hydraulics			No Charge
		461865	Single Acting Auxiliary Hyd <b>Single Acting Auxiliary Hydraulics</b> <b>For use with hammers or vibratory compaction plate applications</b>  <b>Joystick activated with Electronic Proportional Controls</b> <b>Provides single direction flow</b> <b>Includes manually adjustable relief valve to set required pressures</b>  <b>Notes:</b> <b>1) Not for use with other Auxiliary Hydraulic options, with the exception of Low Flow.</b> <b>2) Heavy duty bucket linkage is standard equipment on C/D series excavators.</b> <b>3) For dealer installed auxiliary hydraulic kits contact: HKX (1-800-493-5487 or www.HKX.com)</b>			\$6,838.00

**CX130D CRAWLER EXCAVATOR  
US PRICE LIST**

**(Ex Works Port of Entry)**

		461871	<p>Thumb - Proportional SW <b>Double Acting Auxiliary Hydraulics</b> For use with thumb applications</p> <p>Joystick Activated with Electronic Proportional Controls Provides single pump, two-way flow Hydraulic plumbing provided to the end of the boom only, no piping to the arm This system is not switchable to single acting flow</p> <p>Notes: 1) Not for use other Auxiliary Hydraulics options with the exception of Low Flow. 2) Heavy duty bucket linkage is standard equipment on C/D series excavators. 3) For dealer installed auxiliary hydraulic kits contact: <b>HKX (1-800-493-5487 or www.HKX.com).</b></p>			\$5,762.00
		461869	<p>MF w/ pressure setting - Prop <b>Multi-Function Auxiliary Hydraulics with Electronic Pressure Control (EPC)</b> For use with multiple applications: hammers/thumbs/grapples/crushers.</p> <p>Includes in-cab Electronic Pressure Control feature</p> <p>Pressure Control feature allows hydraulic pressure setting from the cab monitor and maintaining pressure settings in memory when multiple tools are used. Joystick Activated with Electronic Proportional Controls</p> <p>Provides single or dual pump, two-way flow, Secondary Low-flow Auxiliary Hydraulics can be added Includes in-cab electronically controlled pressure setting feature Is switchable to single acting flow for hammer application.</p> <p>Notes: 1) Not for use with other Auxiliary Hydraulics options, with the exception of Low Flow. 2) Heavy duty bucket linkage is standard equipment on C/D series excavators. 3) For dealer installed auxiliary hydraulic kits contact: <b>HKX (1-800-493-5487 or www.HKX.com)</b></p>			\$10,767.00

**SD\_E6417 SECONDARY AUXILIARY HYDRAULICS**

		XE6417X	No Low Flow Circuit			No Charge
--	--	---------	---------------------	--	--	-----------

**CX130D CRAWLER EXCAVATOR  
US PRICE LIST**

**(Ex Works Port of Entry)**

		461863	Secondary Auxiliary Hydraulics <b>Low Flow Electrical Proportional Control</b> <b>Joystick Activated</b> <b>Provides low-flow for rotation or tilt of hydraulic tools.</b>  <b>Notes:</b> 1) May be used stand alone or with any Case Excavator Auxiliary Hydraulics option. 2) For dealer installed auxiliary hydraulic kits contact: <b>HKX (1-800-493-5487 or www.HKX.com).</b>			\$6,697.00
--	--	--------	--	--	--	------------

**CAB OPTIONS**

**SD\_E5443 CAB GUARD (FOPS)**

		XE5443X	No FOPS Top Cab Guard			No Charge
		481070	FOPS Top Cab Guard			\$1,322.00

**SD\_E5444 CAB GUARD (FRONT)**

		XE5444X	No Front Guard			No Charge
		461142	Front grill guard - 2 x 2 mesh			\$1,530.00
		781986	Front Stone Guard (OPG L1) <b>vertical bars (two piece/upper and lower)</b>			\$2,276.00
		461024	Front Stone Guard (OPG L2) <b>vertical bars (one piece/full length)</b>			\$2,681.00
		461552	Vandal Guard			\$662.00

**SD\_E5449 RAIN DEFLECTOR**

		XE5449X	No Rain Deflector			No Charge
		461555	Rain Deflector <b>Not for use with Front grill guard - 2 x 2 mesh option 461142,</b> <b>Front rock guard (OPG 1) option 781986, or</b> <b>Front rock guard (OPG 2) option 461024.</b>			\$438.00

**SD\_E5451 SUN VISOR**

		XE5451X	No Sun Visor			No Charge
		461554	Sun Visor			\$125.00

**BUCKETS**

**SD\_E6300 EXCAVATOR BUCKET(S)**

		XE6300X	No Bucket <b>Buckets may be ordered using Order Codes listed in the</b> <b>Factory Supplied Attachments Section</b>			No Charge
--	--	---------	---	--	--	-----------

**ADDITIONAL OPTIONS**

**SD\_E5206 TRACK CHAIN GUIDE**

		XE5206X	No Track Chain Guide			No Charge
--	--	---------	----------------------	--	--	-----------



**CX130D CRAWLER EXCAVATOR  
US PRICE LIST**

**(Ex Works Port of Entry)**

		461542	Double Track Chain Guide			\$840.00
--	--	--------	--------------------------	--	--	----------

**SD\_E6400 MEC/HYD QUICK COUPLER**

		XE6400X	No Quick Coupler			No Charge
		781128	Hydraulic Quick Coupler Ready <b>Does not come with coupler. Must order coupler from Factory Supplied Attachments section</b>			\$2,278.00

**SD\_E9730 SAFETY VALVE**

		XE9730X	No Hose Burst Check Valve			No Charge
		481064	Hose Burst Check Valve (HBCV) <b>boom and arm</b>			\$9,130.00

**SD\_E9739 FULL VIEW CAMERA**

		488055	CASE MAX VIEW MONITO			\$2,200.00
		XE9739X	NO FULL VIEW CAMERA			No Charge

**SD\_E9740 SIDE VIEW CAMERA**

		XE9740X	No Side View Camera			No Charge
		461560	Side View Camera			\$801.00

**SD\_E9874 REFUEL PUMP**

		XE9874X	No Refuel Pump			No Charge
		481257	Refuel Pump			\$1,495.00

**CX130D CRAWLER EXCAVATOR  
US PRICE LIST**

(Ex Works Port of Entry)

**Factory Supplied Attachments**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**Case Coupler Buckets**

	84404117	24" Heavy Duty Coupler Bucket with 4 teeth (.43 cu. yd.)	775 LB		\$4,702.00
	84404118	30" Heavy Duty Coupler Bucket with 4 teeth (.56 cu. yd.)	870 LB		\$5,219.00
	84404119	36" Heavy Duty Coupler Bucket with 5 teeth (.70 cu. yd.)	970 LB		\$5,660.00
	84404121	42" Heavy Duty Coupler Bucket with 5 teeth (.83 cu. yd.)	1,055 LB		\$5,923.00

**Case Pin On Buckets**

	84404093	24" Heavy Duty Bucket with 4 teeth (.43 cu. yd.)	969 LB		\$3,402.00
	84404095	30" Heavy Duty Bucket with 4 teeth (.56 cu. yd.)	1,073 LB		\$3,546.00
	84404103	36" Heavy Duty Bucket with 5 teeth (.70 cu. yd.)	1,227 LB		\$3,841.00
	84404105	24" Extra Heavy Duty Bucket with 4 teeth (.51 cu. yd.)	1,050 LB		\$3,644.00
	84404108	30" Extra Heavy Duty Bucket with 4 teeth (.66 cu. yd.)	1,200 LB		\$4,044.00
	84404109	36" Extra Heavy Duty Bucket with 5 teeth (.81 cu. yd.)	1,375 LB		\$4,429.00
	84404110	42" Extra Heavy Duty Bucket with 5 teeth (.97 cu. yd.)	1,500 LB		\$4,727.00
	84404113	48" Ditching Bucket (.79 cu. yd.)	860 LB		\$3,452.00
	84404115	60" Ditching Bucket (1.02 cu. yd.)	1,000 LB		\$3,916.00
	84406310	42" Heavy Duty Bucket with 5 teeth (.83 cu. yd.)	1,351 LB		\$4,315.00

**Coupler**

	47867959	Multi-Fit S Coupler Kit	551 LB		\$5,997.00
--	----------	-------------------------	--------	--	------------

**Direct Link Thumb**

	47609058	Hydraulic Main Pin Direct Link Thumb use with bucket only (2 tine)	830 LB		\$7,580.00
	47609059	KIT, THUMB, HYD, 4-TINE, use with bucket only (3 tine)	860 LB		\$8,023.00
	47609060	KIT, THUMB, HYD, 3-TINE, use with bucket and coupler (2 tine)	870 LB		\$7,861.00
	47609061	KIT, THUMB, HYD, 4-TINE, use with bucket and coupler (3 tine)	910 LB		\$8,415.00

**Progressive Link Thumb**

	47609095	KIT, THUMB, PROG LINK, 3-use with bucket only (2 tine)	1,170 LB		\$9,526.00
	47609096	KIT, THUMB, PROG LINK, 4-use with bucket only (3 tine)	1,200 LB		\$9,969.00

**CX130D CRAWLER EXCAVATOR  
US PRICE LIST**

**(Ex Works Port of Entry)**

		47609097	KIT, THUMB, PROG LINK, 3- use with bucket and coupler (2 tine)	1,200 LB		\$9,812.00
		47609098	KIT, THUMB, PROG LINK, 4- use with bucket and coupler (3 tine)	1,210 LB		\$10,362.00

**CX145D LC AND CX145D STD/DZ  
US PRICE LIST**

**(Ex Works Port of Entry)  
Standard Equipment**

**ENGINE:**

Isuzu AM-4JJ1X  
Tier-4 Final Certified (cooled EGR)  
183 cubic in. displacement/3.0 Liter  
Turbocharged/air cooled intercooler  
Horsepower:  
    Net: 100 (74.9 kW) @ 2000 RPM  
High pressure common rail system  
Auto engine warm-up  
FEA (Fuel Economy Assist System)  
Engine Idle/Fuel Economy System:  
    Auto Idle  
    One-touch Idle  
    Idle Shut-down  
Fuel Capacity:  
    53 gallons (200 L)  
AEC (auto economy control)  
BEC (boom economy control)

**OPERATOR'S CAB:**

ROPS protection  
Pressurized cab area  
AC/heat/defrost with auto control  
Electronics:  
    Color monitor (7 in/180 mm)  
        with Rearview camera view  
Rear-view camera  
Side-view camera  
AM/FM radio with antenna and  
    2-speakers  
Aux-in port for personal electronics  
12-volt electric socket  
24-volt cigarette lighter  
KAB ® Air-suspension seat (cloth)  
    Seat belt  
    Adjustable arm rests  
    4-position tilting consoles  
    Sliding cockpit (7 in/180 mm)  
Low-effort joystick controls  
Clear (poly carbonate) roof window  
External rearview mirrors  
Rubber floormat

**OPERATOR'S CAB (Continued):**

Cab interior features:  
    Cup holder  
    Storage compartments  
    Warm/cool storage compartments  
    Easy access fuse box  
    Interior dome light  
    One touch lock front window  
    One key start & lock-up  
    Interior Light (1 x 10 watt)  
Two-speed independent travel  
Straight travel  
Travel alarm and horn  
Windshield wiper and washer  
Programmable anti-theft system

**ELECTRICAL:**

24-volt system  
Two batteries (12 volt/92 Ah)  
50 Amp Alternator  
Worklights (4 x 70 watt)  
    Boom mounted (1)  
    Upper mounted (1)  
    Cab top mounted (2)

**HYDRAULICS:**

Open-center system design  
Optional auxiliary hydraulics  
Selectable work modes (3)  
Auto power boost  
Auto swing priority  
SWC (swing relief control)  
SSC (spool stroke control)  
5000 hour hydraulic oil change interval  
1000 hour hyd. filter change interval

**CX145D LC AND CX145D STD/DZ  
US PRICE LIST**

**(Ex Works Port of Entry)  
Standard Equipment**

**UNDERCARRIAGE:**

X-pattern carbody

Undercarriage:

STD LC: 12' 4" (3.76 M) length

STD DZB: 11' 6" (3.50 M) length

Track Gauge:

STD: 6' 6" (1.99 M) gauge

Shoe:

STD: 23.6" triple grouser

6.75" pitch

43 shoes per side

LC: Carrier rollers (2 per side)

DZB: Carrier rollers (1 per side)

LC: Track rollers (7 per side)

DZB: Track rollers (7 per side)

Grease lubricated and strutted track chains

Hydraulic track adjustment

Single track chain guides

SAHR disc parking break

Tapered upper track frame

3-yr/3000-hr factory warranty,  
planned maintenance and  
SiteWatch™ telematics

CASE SiteWatch™ Telematics  
includes hardware and a 3-yr  
Advanced data subscription

**OPTIONAL EQUIPMENT:**

Cab and Operator's Station:

Side view camera

Sun visor

FOPS top cab guard (Level 2)

Front grill guard (2" x 2" mesh)

Front rock guard (OPG 1)

Front rock guard (OPG 2)

Vandal guard

Rain deflector

Control pattern change selector

Free swing

Hose burst check valve (HBCV)

Refueling Pump

Auxiliary hydraulics

Attachments:

Arm: 6'10" (2.10 M) Standard Arm  
(for offset boom only)

Arm: 6'10" (2.10 M) Heavy-duty

Arm: 9'10" (3.00 M) Standard Arm

**DOZER BLADE:**

Dozer blade width: 8' 6" (2590 mm)

Dozer blade height: 22" (570 mm)

**ATTACHMENTS:**

Standard LC and DZB Versions:

Boom: 15' 2" (4.63M)

Arm: 8' 2" (2.50 M)

Heavy-duty bucket linkage

Auxiliary pipe brackets

Attachment cushion valve

Arm and boom regeneration

Arm and boom holding valves

Centralized grease bank

Undercarriage:

Rubber shoes: 20.0" (500 mm)

Steel/triple-grouser: 27.6" (700 mm)

Track chain guides - double

Order from Wholegood Attachments

-Third Party section:

Buckets

Coupler/Case multi-pin grabber

CASE ProCare



**CX145D LC AND CX145D STD/DZ  
US PRICE LIST**

**(Ex Works Port of Entry)**

**Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price
CX145D MSR LC	31,747 LB		\$199,352.00
CX145D MSR W/DOZER	33,069 LB		\$210,530.00

CX145D LC AND CX145D STD/DZ  
US PRICE LIST

(Ex Works Port of Entry)  
**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**LIGHTS**

## SD\_E5408 WORKING LIGHTS

	488134	HALOGEN WORKING LIGH			No Charge
	488135	LED WORKING LIGHTS <b>8 LED light and 1 side camera:</b> <b>2 LED light are mounted on the front of the cab</b> <b>2 LED lights are mounted on the rear</b> <b>(above the rear view camera)</b> <b>1 LED light mounted on each side (2)</b> <b>2 LED lights mounted on the top of the cab</b>			\$4,956.00

**BOOMS**

## SD\_E5311 BOOM

	481858	Std Boom <b>15' 6" (4.72 M) Standard Boom</b>			No Charge
	781917	No Boom <b>Less boom, hoist and arm cylinders and plumbing.</b> <b>Boom foot and cylinder pins are provided.</b>			(\$3,898.00)

**ARMS**

## SD\_E5320 ARM/DIPPERSTICK

	781174	8'2" (2.50 m) Std Arm <b>FOR USE WITH STANDARD BOOM (options 481858)</b>			No Charge
	461574	6'10" (2.11 m) HD Arm <b>FOR USE WITH STANDARD BOOM (options 481858)</b> <b>(Recommended for heavy-duty applications - example: hammer)</b>			\$665.00
	781178	9'10" (3.01 m) Std Arm <b>FOR USE WITH STANDARD BOOM (options 481858)</b>			\$1,257.00
	XE5320X	No Arm/Dipperstick <b>Less arm, bucket cylinder and linkage</b>			(\$2,367.00)

**CX145D LC AND CX145D STD/DZ  
US PRICE LIST**

**(Ex Works Port of Entry)**

**TRACK SHOES**

SD\_E5199 TRACK SHOES

		9560013	23.6" (600 mm) Steel Shoes			(\$1,785.00)
		9560039	27.5" (700 mm) Steel Shoes			No Charge
		9560052	20" (500mm) Rubber Track <b>Steel Chain with individual rubber tracks (steel base coated with rubber)</b>			\$9,550.00

**LANGUAGE**

SD\_47083 OPERATOR'S MANUAL

		781981	English Literature			No Charge
		461540	French Canadian Literature			No Charge
		781980	Spanish Literature			No Charge

**ADDITIONAL EQUIPMENT CXC**

HYDRAULIC OPTIONS

SD\_E6410 AUXILIARY HYDRAULICS

		461869	MF w/ pressure setting - Prop			\$11,428.00
		XE6410X	No Optional Hydraulics			No Charge

For use with Standard Boom

		461865	Single Acting Auxiliary Hyd <b>Single Acting Auxiliary Hydraulics</b> <b>For use with hammers or vibratory compaction plate applications</b>  <b>Joystick activated with Electronic Proportional Controls</b> <b>Provides single direction flow</b> <b>Includes manually adjustable relief valve to set required pressures</b>  <b>Notes:</b> 1) Not for use with other Auxiliary Hydraulic options, with the exception of Low Flow. 2) Heavy duty bucket linkage is standard equipment on C series excavators. 3) For dealer installed auxiliary hydraulic kits contact: HKX (1-800-493-5487 or www.HKX.com)			\$6,368.00
--	--	--------	---	--	--	------------



**CX145D LC AND CX145D STD/DZ  
US PRICE LIST**

**(Ex Works Port of Entry)**

For use with Offset Boom					
		461871	<p>Thumb - Proportional SW <b>Double Acting Auxiliary Hydraulics</b> For use with thumb applications</p> <p>Joystick Activated with Electronic Proportional Controls Provides single pump, two-way flow Hydraulic plumbing provided to the end of the boom only, no piping to the arm This system is not switchable to single acting flow</p> <p>Notes: 1) Not for use other Auxiliary Hydraulics options with the exception of Low Flow. 2) Heavy duty bucket linkage is standard equipment on C series excavators. 3) For dealer installed auxiliary hydraulic kits contact: HKX (1-800-493-5487 or <a href="http://www.HKX.com">www.HKX.com</a>).</p>		\$5,315.00
		461868	<p>Multi Function - Proportional <b>Multi-Function Auxiliary Hydraulics</b> For use with multiple applications: hammers/thumbs/grapples/crushers</p> <p>Does not include the in-cab Electronic Pressure Control feature</p> <p>Joystick activated with Electronic Proportional Controls Provides single or dual pump, two-way flow Secondary Low-flow Auxiliary Hydraulics can be added Includes manually adjustable relief valve to set required pressures Is switchable to single acting flow for hammer applications</p> <p>Notes: 1) Not for use with other Auxiliary Hydraulics options with the exception of Low Flow. 2) Heavy duty bucket linkage is standard equipment on C Series excavators. 3) For dealer installed auxiliary hydraulic kits contact: HKX (1-800-493-5487 or <a href="http://www.HKX.com">www.HKX.com</a>).</p>		\$8,961.00

**SD\_E6417 SECONDARY AUXILIARY HYDRAULICS**

		XE6417X	No Low Flow Circuit		No Charge
--	--	---------	---------------------	--	-----------

**CX145D LC AND CX145D STD/DZ  
US PRICE LIST**

**(Ex Works Port of Entry)**

		461863	Secondary Auxiliary Hydraulics <b>Secondary Low Flow Auxiliary Hydraulics</b> Provides low-flow for rotation or tilt hydraulic attachments.  For use with Standard Boom option 481858 Not for use with Offset Boom option 461025 Joystick Activated with Electronic Proportional Controls  <b>Notes:</b> 1) May be used stand alone or with any Case Excavator Auxiliary Hydraulics option. 2) For dealer installed auxiliary hydraulic kits contact: <b>HKX (1-800-493-5487 or www.HKX.com).</b>			\$6,057.00
--	--	--------	--	--	--	------------

**SD\_E6423 CONTROL PATTERN SELECTION**

		461558	Control Pattern Selector Valve			No Charge
--	--	--------	--------------------------------	--	--	-----------

**CAB OPTIONS**

**SD\_E5443 CAB GUARD (FOPS)**

		XE5443X	No FOPS Top Cab Guard			No Charge
		481070	FOPS Top Cab Guard			\$1,322.00

**SD\_E5444 CAB GUARD (FRONT)**

		XE5444X	No Front Guard			No Charge
		461142	Front grill guard - 2 x 2 mesh			\$1,530.00
		781986	Front Stone Guard (OPG L1) <b>vertical bars (two piece/upper and lower)</b>			\$2,276.00
		461024	Front Stone Guard (OPG L2) <b>vertical bars (one piece/full length)</b>			\$2,681.00
		461552	Vandal Guard			\$662.00

**SD\_E5449 RAIN DEFLECTOR**

		XE5449X	No Rain Deflector			No Charge
		461555	Rain Deflector <b>Not for use with Front grill guard - 2 x 2 mesh option 461142,</b> <b>Front rock guard (OPG 1) option 781986, or</b> <b>Front rock guard (OPG 2) option 461024.</b>			\$438.00

**SD\_E5451 SUN VISOR**

		XE5451X	No Sun Visor			No Charge
		461554	Sun Visor			\$125.00

**CX145D LC AND CX145D STD/DZ  
US PRICE LIST**

**(Ex Works Port of Entry)**

**BUCKETS**

**SD\_E6300 EXCAVATOR BUCKET(S)**

		XE6300X	No Bucket <b>Buckets may be ordered using Order Codes listed in the Factory Supplied Attachments Section</b>			No Charge
--	--	---------	---	--	--	-----------

**ADDITIONAL OPTIONS**

**SD\_E5206 TRACK CHAIN GUIDE**

		XE5206X	No Track Chain Guide			No Charge
		461542	Double Track Chain Guide			\$840.00

**SD\_E6400 MEC/HYD QUICK COUPLER**

		781128	Hydraulic Quick Coupler Ready <b>Only available on the D series</b>			\$2,658.00
		XE6400X	No Quick Coupler			No Charge

**SD\_E9727 HANDRAILS/HANDHOLDS**

		XE9727X	Standard Handrails			No Charge
--	--	---------	--------------------	--	--	-----------

**SD\_E9730 SAFETY VALVE**

		481064	Hose Burst Check Valve (HBCV)			\$10,000.00
		XE9730X	No Hose Burst Check Valve			No Charge

**SD\_E9739 FULL VIEW CAMERA**

		488055	CASE MAX VIEW MONITO			\$2,200.00
		XE9739X	NO FULL VIEW CAMERA			No Charge

**SD\_E9740 SIDE VIEW CAMERA**

		461560	Side View Camera			No Charge
--	--	--------	------------------	--	--	-----------

**SD\_E9741 FREE SWING**

		461568	Free Swing <b>switch activated</b>			No Charge
--	--	--------	---------------------------------------	--	--	-----------

**CX145D LC AND CX145D STD/DZ  
US PRICE LIST**

(Ex Works Port of Entry)

**Factory Supplied Attachments**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**Case Pin On Buckets**

	84404093	24" Heavy Duty Bucket with 4 teeth (.43 cu. yd.)	969 LB		\$3,402.00
	84404095	30" Heavy Duty Bucket with 4 teeth (.56 cu. yd.)	1,073 LB		\$3,546.00
	84404103	36" Heavy Duty Bucket with 5 teeth (.70 cu. yd.)	1,227 LB		\$3,841.00
	84406310	42" Heavy Duty Bucket with 5 teeth (.83 cu. yd.)	1,351 LB		\$4,315.00
	84404105	24" Extra Heavy Duty Bucket with 4 teeth (.51 cu. yd.)	1,050 LB		\$3,644.00
	84404108	30" Extra Heavy Duty Bucket with 4 teeth (.66 cu. yd.)	1,200 LB		\$4,044.00
	84404109	36" Extra Heavy Duty Bucket with 5 teeth (.81 cu. yd.)	1,375 LB		\$4,429.00
	84404110	42" Extra Heavy Duty Bucket with 5 teeth (.97 cu. yd.)	1,500 LB		\$4,727.00
	84404113	48" Ditching Bucket (.79 cu. yd.)	860 LB		\$3,452.00
	84404115	60" Ditching Bucket (1.02 cu. yd.)	1,000 LB		\$3,916.00

**CX160D CRAWLER EXCAVATOR (STD LC)**  
**US PRICE LIST**

**(Ex Works Port of Entry)**  
**Standard Equipment**

**ENGINE:**

Isuzu AR-4JJ1X  
Tier 4 Final Certified  
Selective Catalytic Reduction (SCR)  
Diesel Oxidation Catalyst (DOC)  
Cooled Exhaust Gas Recirculation  
(CEGR)  
EGR Coolers  
Four-cylinder turbo-charged diesel  
VGT turbocharger  
Electronic fuel injection  
High pressure common rail system  
Neutral safety start  
Auto-engine warm up  
Glow-plug pre-heat  
Fuel Economy Assist System (FEA)  
Engine Protection Feature (EPF)  
Dual-stage fuel filtration  
Dual element air filter  
Remote oil filter  
Drain for fuel tank  
Remote engine oil drain  
500-hour engine oil change interval  
24-volt system  
Engine oil sample port  
Battery disconnect switch  
Emergency engine stop  
External Fuel and DEF gauges  
Fan housing  
Fuel cooler  
Fuel filter restriction indicator  
Fuel shut-off valve  
Idle start  
Radiator, oil cooler, intercooler -  
protective screen

**FUEL ECONOMY SYSTEMS:**

Engine Idle / Fuel Economy System:  
Auto-idle  
One-touch idle  
Auto-idle shut-down  
BEC- Boom Economy Control  
AEC- Auto Economy Control  
SWC- Swing Relief Control  
SSC- Spool Stroke Control

**HYDRAULICS:**

Auto power boost  
Auto swing priority  
Arm speed assistance (2 pump flow)  
Auxiliary flow control  
Auxiliary valve  
Boom speed assistance (2 pump flow)  
Bucket curl assist  
Control levers pre-wired for auxiliary  
hydraulics  
Electronically controlled hydraulic  
pumps  
Holding valve (Boom and Arm)  
Fire wall  
Hydraulic filter restriction indicator  
Neutral pump de-stroke  
Oil cooler  
Power save  
Pump stand-by pressure  
Auto travel speed change  
Selectable work modes  
Free swing  
Hydraulic oil sample port  
Control pattern selector  
Pre-set auxiliary pump settings  
Auxiliary valve  
5,000-hour hydraulic oil change  
interval  
1,000-hour hydraulic filter change  
interval  
SAHR brake

**UPPER STRUCTURE:**

ISO mirrors (3)  
Cab ISO-mounts (fluid and spring)  
Upper mounted work light (70 watt)  
Swivel guard belly pan  
Center cover (over main CV)  
Fuel tank belly pan  
Handrail (RH access)  
ISO guard rails (2 right side)  
Lifting eyes for counterweight  
Lockable fuel cap, service doors and  
tool box

**CX160D CRAWLER EXCAVATOR (STD LC)  
US PRICE LIST**

**(Ex Works Port of Entry)  
Standard Equipment**

**ATTACHMENTS:**

Boom- 16 ft. 11 in. (5.15 m)  
 Arm- 8 ft. 7 in. (2.62 m)  
 Heavy-duty bucket linkage  
 Boom mounted work light (70 watt)  
 Auxiliary pipe brackets  
 Centralized grease fittings  
 Attachment cushion valve  
 Arm and boom regeneration  
 Bucket anti-clatter device  
 Chrome pins  
 Easy Maintenance System (EMS)  
     bushings  
 Teardrop pin retention keepers

**OPERATOR STATION:**

ROPS protection  
 FOPS cab (Level 1)  
 Pressurized cab  
 Face vent  
 Cab lights (2)  
 Interior dome light  
 One-touch lock front window  
 One piece window (right)  
 Safety glass windows  
 Gate lock hydraulic activation  
 Emergency exit and hammer  
 Clear (polycarbonate) roof window w/  
     sunshade  
 AC/heat/defrost w/ auto climate  
     control  
 LED Color monitor- 7 in (180 mm)  
 26 selectable languages for monitor  
 On-board diagnostic system  
 10 programmable attachments settings  
     on monitor - 5 single flow, 5 dual  
     flow  
 Seatbelt- 3 in. (76 mm)  
 Heated high-back cloth seat with air  
     suspension and 65o tilt adjustment  
 Sliding seat - 3.54 in. (90 mm)  
 Adjustable armrests  
 Tilting consoles- 4-position  
 Sliding cockpit - 3.15 in. (80 mm)  
 Low-effort joystick controls

**OPERATOR STATION (continued):**

Controls pre-wired for auxiliary  
 Straight travel  
 AM/FM radio w/ antenna, 2 speakers  
     and Bluetooth capabilities  
 Aux-in port for personal electronics  
 Radio mute switch (joystick)  
 Rear-view camera  
 Anti-theft system (start code system)  
 Rubber floormat  
 12-volt electric outlet  
 24-volt cigarette lighter  
 Windshield wiper/washer  
 Cup holder  
 Storage compartments  
 Warm/cool storage compartment  
 Travel alarm with cancel switch  
 Ignition keys  
 One key start & lock-up  
 Cab filter (external)  
 Cab handrails  
 Operator's manual

**UNDERCARRIAGE:**

23.6 in. (600 mm) steel shoes, triple  
     semi-grouser  
 Full overlap turntable bearing tub  
 Single track chain guides  
 Hydraulic track adjustment  
 Sealed link chain  
 Steps  
 Carbody belly pan (swivel guard)  
 X-pattern carbody  
 Lashing points (tie downs)

**EXTRA FILTER KIT:**

Engine oil filter  
 Filter wrench  
 Fuel filters  
 Grease gun  
 Green plug oil drain hose for  
     engine oil drain  
 Hydraulic return filter  
 Pilot circuit hydraulic filter

**CX160D CRAWLER EXCAVATOR (STD LC)  
US PRICE LIST**

**(Ex Works Port of Entry)  
Standard Equipment**

**CASE ProCare**

3-yr/3000-hr factory warranty,  
planned maintenance and  
SiteWatch™ telematics

**CASE SiteWatch™ Telematics**

includes hardware and a 3-yr  
Advanced data subscription

**OPTIONAL EQUIPMENT:**

**ENGINE**

Refueling pump

**HYDRAULICS**

Auxiliary hydraulics:

Single acting/joystick activated

Double acting/joystick activated  
(thumb)

Multi-function/joystick activated

Secondary low-flow/joystick  
activated

Proportional hydraulic controls

Hose Burst Check Valve (HBCV)

**ATTACHMENTS**

Long arm- 10 ft. (3.05 m)

Quick Coupler/Case multi-pin grabber

Buckets: Heavy-duty/Extreme-  
duty/Ditching

Load holding control

**UNDERCARRIAGE**

27.6 in. (700 mm) steel shoes, triple  
semi-grouser

Track guides- triple

**OPTIONAL EQUIPMENT (continued):**

**OPERATOR STATION**

FOPS cab top guard (Level 2)

Front grill guard- 2 x 2 in.

(50.8 x 50.8 mm) screen mesh

Front rock guard- vertical bars (two  
piece)/OPG 1

Front rock guard- vertical bars (one  
piece)/OPG 2

Vandal guard (front window) w/  
common key

Rain deflector (not available with  
Front guards)

Sun visor

Side-view camera

LED Package: includes 1 Side view  
camera and 6 LED Lights (2 front  
cab mounted, 2 rear mounted and  
1 mounted on each side)

**PARTS OFFERING:**

Hammers; Thumbs

Rubber bumper guard



**CX160D CRAWLER EXCAVATOR (STD LC)  
US PRICE LIST**

**(Ex Works Port of Entry)  
Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price
CX160D STD LC	39,500 LB		\$248,032.00



**CX160D CRAWLER EXCAVATOR (STD LC)  
US PRICE LIST**

**(Ex Works Port of Entry)  
Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**LIGHTS**

SD\_E5408 WORKING LIGHTS

	488134	HALOGEN WORKING LIGH			No Charge
	488135	LED WORKING LIGHTS 8 LED light and 1 side camera 2 LED light are mounted on the front of the cab 2 LED lights are mounted on the rear (above the rear view camera) 1 LED light mounted on each side (2) 2 LED lights mounted on the top of the cab			\$4,956.00

**BOOMS**

SD\_E5311 BOOM

	481858	Std Boom 16' 11" (5.15 m) Standard Boom			No Charge
	781917	No Boom Less boom, hoist and arm cylinders and plumbing. Boom-foot and cylinder pins are provided.			(\$5,500.00)

**ARMS**

SD\_E5320 ARM/DIPPERSTICK

	781176	8'7" (2.63 m) Std Arm			No Charge
	781178	9'10" (3.01 m) Std Arm			\$1,500.00
	XE5320X	No Arm/Dipperstick Less arm, bucket cylinder and linkage			(\$3,000.00)

**TRACK SHOES**

SD\_E5199 TRACK SHOES

	9560013	23.6" (600 mm) Steel Shoes Triple-Grouser Steel Shoes			No Charge
	9560003	27.6" (700mm) Steel Shoes Triple-Grouser Steel Shoes			\$1,860.00

**CX160D CRAWLER EXCAVATOR (STD LC)  
US PRICE LIST**

**(Ex Works Port of Entry)**

**LANGUAGE**

SD\_47083 OPERATOR'S MANUAL

		781981	English Literature			No Charge
		461540	French Canadian Literature			No Charge
		781980	Spanish Literature			No Charge

**ADDITIONAL EQUIPMENT CXC**

HYDRAULIC OPTIONS

SD\_E6410 AUXILIARY HYDRAULICS

		XE6410X	No Optional Hydraulics			No Charge
		461865	<p>Single Acting Auxiliary Hyd</p> <p><b>Single Acting Auxiliary Hydraulics</b></p> <p>For use with hammers or vibratory compaction plate applications</p> <p>Joystick activated with Electronic Proportional Controls</p> <p>Provides single direction flow</p> <p>Includes manually adjustable relief valve to set required pressures</p> <p>Notes:</p> <p>1) Not for use with other Auxiliary Hydraulic options, with the exception of Low Flow.</p> <p>2) Heavy duty bucket linkage is standard equipment on C/D series excavators.</p> <p>3) For dealer installed auxiliary hydraulic kits contact: HKX (1-800-493-5487 or www.HKX.com)</p>			\$7,331.00
		461871	<p>Thumb - Proportional SW</p> <p><b>Double Acting Auxiliary Hydraulics</b></p> <p>For use with thumb applications</p> <p>Joystick Activated with Electronic Proportional Controls</p> <p>Provides single pump, two-way flow</p> <p>Hydraulic plumbing provided to the end of the boom only, no piping to the arm</p> <p>This system is not switchable to single acting flow</p> <p>Notes:</p> <p>1) Not for use other Auxiliary Hydraulics options with the exception of Low Flow.</p> <p>2) Heavy duty bucket linkage is standard equipment on C/D series excavators.</p> <p>3) For dealer installed auxiliary hydraulic kits contact: HKX (1-800-493-5487 or www.HKX.com).</p>			\$6,062.00

**CX160D CRAWLER EXCAVATOR (STD LC)  
US PRICE LIST**

**(Ex Works Port of Entry)**

		461869	<p>MF w/ pressure setting - Prop</p> <p><b>Multi-Function Auxiliary Hydraulics with Electronic Pressure Control (EPC)</b></p> <p>For use with multiple applications: hammers/thumbs/grapples/crushers.</p> <p>Includes in-cab Electronic Pressure Control feature Pressure Control feature allows hydraulic pressure setting from the cab monitor and maintaining pressure settings in memory when multiple tools are used. Joystick Activated with Electronic Proportional Controls</p> <p>Provides single or dual pump, two-way flow, Secondary Low-flow Auxiliary Hydraulics can be added Includes in-cab electronically controlled pressure setting feature Is switchable to single acting flow for hammer application.</p> <p>Notes: 1) Not for use with other Auxiliary Hydraulics options, with the exception of Low Flow. 2) Heavy duty bucket linkage is standard equipment on C/D series excavators. 3) For dealer installed auxiliary hydraulic kits contact: HKX (1-800-493-5487 or <a href="http://www.HKX.com">www.HKX.com</a>)</p>			\$11,428.00
--	--	--------	---	--	--	-------------

**SD\_E6417 SECONDARY AUXILIARY HYDRAULICS**

		XE6417X	No Low Flow Circuit			No Charge
		461863	<p>Secondary Auxiliary Hydraulics</p> <p><b>Secondary Low Flow Auxiliary Hydraulics</b></p> <p>Provides low-flow for rotation or tilt hydraulic attachments.</p> <p>For use with Standard Boom option 481858 Not for use with Offset Boom option 461025 Joystick Activated with Electronic Proportional Controls</p> <p>Notes: 1) May be used stand alone or with any Case Excavator Auxiliary Hydraulics option. 2) For dealer installed auxiliary hydraulic kits contact: HKX (1-800-493-5487 or <a href="http://www.HKX.com">www.HKX.com</a>).</p>			\$6,777.00

**CAB OPTIONS**

**SD\_E5443 CAB GUARD (FOPS)**

		XE5443X	No FOPS Top Cab Guard			No Charge
		481070	FOPS Top Cab Guard			\$1,322.00

**CX160D CRAWLER EXCAVATOR (STD LC)  
US PRICE LIST**

**(Ex Works Port of Entry)**

**SD\_E5444 CAB GUARD (FRONT)**

		XE5444X	No Front Guard			No Charge
		461142	Front grill guard - 2 x 2 mesh			\$1,530.00
		781986	Front Stone Guard (OPG L1) <b>vertical bars (two piece/upper and lower)</b>			\$2,276.00
		461024	Front Stone Guard (OPG L2) <b>vertical bars (one piece/full length)</b>			\$2,681.00
		461552	Vandal Guard			\$662.00

**SD\_E5449 RAIN DEFLECTOR**

		XE5449X	No Rain Deflector			No Charge
		461555	Rain Deflector <b>Not for use with Front grill guard - 2 x 2 mesh option 461142, Front rock guard (OPG 1) option 781986, or Front rock guard (OPG 2) option 461024.</b>			\$438.00

**SD\_E5451 SUN VISOR**

		XE5451X	No Sun Visor			No Charge
		461554	Sun Visor			\$125.00

**BUCKETS**

**SD\_E6300 EXCAVATOR BUCKET(S)**

		XE6300X	No Bucket <b>Buckets may be ordered using Order Codes listed in the Factory Supplied Attachments Section</b>			No Charge
--	--	---------	---	--	--	-----------

**ADDITIONAL OPTIONS**

**SD\_E5206 TRACK CHAIN GUIDE**

		461541	Single Track Chain Guide			No Charge
		461143	Triple Track Chain Guide			\$1,296.00

**SD\_E6400 MEC/HYD QUICK COUPLER**

		XE6400X	No Quick Coupler			No Charge
		781128	Hydraulic Quick Coupler Ready <b>Does not come with coupler. Must order coupler from Factory Supplied Attachments section</b>			\$2,399.00

**SD\_E9730 SAFETY VALVE**

		XE9730X	No Hose Burst Check Valve			No Charge
		481064	Hose Burst Check Valve (HBCV) <b>boom and arm</b>			\$9,130.00

**SD\_E9739 FULL VIEW CAMERA**

		488055	CASE MAX VIEW MONITO			\$2,200.00
		XE9739X	NO FULL VIEW CAMERA			No Charge

**CX160D CRAWLER EXCAVATOR (STD LC)  
US PRICE LIST**

**(Ex Works Port of Entry)**

**SD\_E9740 SIDE VIEW CAMERA**

		XE9740X	No Side View Camera			No Charge
		461560	Side View Camera			\$801.00

**SD\_E9874 REFUEL PUMP**

		XE9874X	No Refuel Pump			No Charge
		481257	Refuel Pump			\$1,495.00

**CX160D CRAWLER EXCAVATOR (STD LC)  
US PRICE LIST**

(Ex Works Port of Entry)

**Factory Supplied Attachments**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**Case Coupler Buckets**

	84404140	24" Heavy Duty Coupler Bucket with 4 teeth (.51 cu. yd.)	1,030 LB		\$5,186.00
	84404141	30" Heavy Duty Coupler Bucket with 4 teeth (.66 cu. yd.)	1,160 LB		\$5,682.00
	84404142	36" Heavy Duty Coupler Bucket with 5 teeth (.81 cu. yd.)	1,265 LB		\$5,992.00
	84404143	42" Heavy Duty Coupler Bucket with 5 teeth (.97 cu. yd.)	1,400 LB		\$6,335.00

**Case Pin On Buckets**

	84404124	24" Heavy Duty Bucket with 4 teeth (.51 cu. yd.)	1,000 LB		\$4,124.00
	84404125	30" Heavy Duty Bucket with 4 teeth (.66 cu. yd.)	1,085 LB		\$4,290.00
	84404126	36" Heavy Duty Bucket with 5 teeth (.81 cu. yd.)	1,185 LB		\$4,536.00
	84404129	42" Heavy Duty Bucket with 5 teeth (.97 cu. yd.)	1,265 LB		\$4,803.00
	84404131	24" Extra Heavy Duty Bucket with 4 teeth (.58 cu. yd.)	1,220 LB		\$4,064.00
	84404132	30" Extra Heavy Duty Bucket with 4 teeth (.76 cu. yd.)	1,375 LB		\$4,352.00
	84404133	36" Extra Heavy Duty Bucket with 5 teeth (.93 cu. yd.)	1,550 LB		\$4,607.00
	84404134	42" Heavy Duty Bucket with 5 teeth (1.11 cu. yd.)	1,700 LB		\$5,068.00
	84404136	48" Ditching Bucket (.79 cu. yd.)	860 LB		\$3,230.00
	84404139	60" Ditching Bucket (1.02 cu. yd.)	1,000 LB		\$3,665.00

**Coupler**

	47867960	KIT, COUPLER, MULTI-FIT S	793 LB		\$6,485.00
--	----------	---------------------------	--------	--	------------

**Direct Link Thumb**

	47609064	KIT, THUMB, HYD, 3-TINE, use with bucket only (3 tine)	840 LB		\$8,331.00
	47609065	KIT, THUMB, HYD, 4-TINE, use with bucket only (4 tine)	860 LB		\$8,814.00
	47609066	KIT, THUMB, HYD, 3-TINE, use with bucket and coupler (3 tine)	985 LB		\$8,658.00
	47609067	KIT, THUMB, HYD, 4-TINE, use with bucket and coupler (4 tine)	1,005 LB		\$9,174.00

**Progressive Link Thumb**

	47609102	KIT, THUMB, PROG LINK, 3-use with bucket only (3 tine)	1,180 LB		\$10,739.00
	47609103	KIT, THUMB, PROG LINK, 4-use with bucket only (4 tine)	1,200 LB		\$11,221.00

**CX160D CRAWLER EXCAVATOR (STD LC)  
US PRICE LIST**

**(Ex Works Port of Entry)**

	47609104	KIT, THUMB, PROG LINK, 3-	1,325 LB		\$11,067.00
	47609106	KIT, THUMB, PROG LINK, 4- use with bucket and coupler (4 tine)	1,345 LB		\$11,581.00

**CX210D CRAWLER EXCAVATOR (STD LC & NRRW)  
US PRICE LIST**

**(Ex Works Port of Entry)  
Standard Equipment**

**ENGINE:**

Isuzu AR-4HK1X  
Tier 4 Final Certified  
Selective Catalytic Reduction (SCR)  
Diesel Oxidation Catalyst (DOC)  
Cooled Exhaust Gas Recirculation  
(CEGR)  
EGR Coolers  
Four-cylinder turbo-charged diesel  
VGT turbocharger  
Electronic fuel injection  
High pressure common rail system  
Neutral safety start  
Auto-engine warm up  
Glow-plug pre-heat  
Fuel Economy Assist System (FEA)  
Engine Protection Feature (EPF)  
Dual-stage fuel filtration  
Dual element air filter  
Remote oil filter  
Drain for fuel tank  
Remote engine oil drain  
500-hour engine oil change interval  
24-volt system  
Engine oil sample port  
Battery disconnect switch  
Emergency engine stop  
External Fuel and DEF gauges  
Fan housing  
Fuel cooler  
Fuel filter restriction indicator  
Fuel shut-off valve  
Idle start  
Radiator, oil cooler, intercooler -  
protective screen

**FUEL ECONOMY SYSTEMS:**

Engine Idle / Fuel Economy System:  
Auto-idle  
One-touch idle  
Auto-idle shut-down  
BEC- Boom Economy Control  
AEC- Auto Economy Control  
SWC- Swing Relief Control  
SSC- Spool Stroke Control

**HYDRAULICS:**

Auto power boost  
Auto swing priority  
Arm speed assistance (2 pump flow)  
Auxiliary flow control  
Auxiliary valve  
Boom speed assistance (2 pump flow)  
Bucket curl assist  
Control levers pre-wired for auxiliary  
hydraulics  
Electronically controlled hydraulic  
pumps  
Holding valve (Boom and Arm)  
Fire wall  
Hydraulic filter restriction indicator  
Neutral pump de-stroke  
Oil cooler  
Power save  
Pump stand-by pressure  
Auto travel speed change  
Selectable work modes  
Free swing  
Hydraulic oil sample port  
Control pattern selector  
Pre-set auxiliary pump settings  
Auxiliary valve  
5,000-hour hydraulic oil change  
interval  
1,000-hour hydraulic filter change  
interval  
SAHR brake

**UPPER STRUCTURE:**

ISO mirrors (3)  
Cab ISO-mounts (fluid and spring)  
Upper mounted work light (70 watt)  
Swivel guard belly pan  
Center cover (over main CV)  
Fuel tank belly pan  
Handrail (RH access)  
ISO guard rails  
Lifting eyes for counterweight  
Lockable fuel cap, service doors and  
tool box



**CX210D CRAWLER EXCAVATOR (STD LC & NRRW)  
US PRICE LIST**

**(Ex Works Port of Entry)  
Standard Equipment**

**ATTACHMENTS:**

Boom— 18 ft. 8 in. (5.70 m)  
 Arm— 9 ft. 8 in. (2.94 m)  
 Heavy-duty bucket linkage  
 Boom mounted work light (70 watt)  
 Auxiliary pipe brackets  
 Centralized grease fittings  
 Attachment cushion valve  
 Arm and boom regeneration  
 Bucket anti-clatter device  
 Chrome pins  
 Easy Maintenance System (EMS)  
     bushings  
 Teardrop pin retention keepers

**OPERATOR STATION:**

ROPS protection  
 FOPS cab (Level 1)  
 Pressurized cab  
 Face vent  
 Cab lights (2)  
 Interior dome light  
 One-touch lock front window  
 One piece window (right)  
 Safety glass windows  
 Gate lock hydraulic activation  
 Emergency exit and hammer  
 Clear (polycarbonate) roof window w/  
     sunshade  
 AC/heat/defrost w/ auto climate  
     control  
 LED Color monitor— 7 in (180 mm)  
 26 selectable languages for monitor  
 On-board diagnostic system  
 10 programmable attachments settings  
     on monitor - 5 single flow, 5 dual  
     flow  
 Seatbelt— 3 in. (76 mm)  
 Heated high-back cloth seat with air  
     suspension and 65° tilt adjustment  
 Sliding seat — 3.54 in. (90 mm)  
 Adjustable armrests  
 Tilting consoles— 4-position  
 Sliding cockpit — 3.15 in. (80 mm)  
 Low-effort joystick controls

**OPERATOR STATION (continued):**

Controls pre-wired for auxiliary  
 Straight travel  
 AM/FM radio w/ antenna, 2 speakers  
     and Bluetooth capabilities  
 Aux-in port for personal electronics  
 Radio mute switch (joystick)  
 Rear-view camera  
 Anti-theft system (start code system)  
 Rubber floormat  
 12-volt electric outlet  
 24-volt cigarette lighter  
 Windshield wiper/washer  
 Cup holder  
 Storage compartments  
 Warm/cool storage compartment  
 Travel alarm with cancel switch  
 Ignition keys  
 One key start & lock-up  
 Cab filter (external)  
 Cab handrails  
 Operator's manual

**UNDERCARRIAGE:**

Long undercarriage  
     31.5 in. (800 mm) steel shoes, triple  
     semi-grouser  
 Narrow  
     23.6 in. (600 mm) steel shoes, triple  
     semi-grouser  
 Full overlap turntable bearing tub  
 Single track chain guides  
 Hydraulic track adjustment  
 Sealed link chain  
 Steps  
 Carbody belly pan (swivel guard)  
 X-pattern carbody  
 Lashing points (tie downs)

**CX210D CRAWLER EXCAVATOR (STD LC & NRRW)  
US PRICE LIST**

**(Ex Works Port of Entry)  
Standard Equipment**

**EXTRA FILTER KIT:**

Engine oil filter  
Filter wrench  
Fuel filters  
Grease gun  
Green plug oil drain hose for  
engine oil drain  
Hydraulic return filter  
Pilot circuit hydraulic filter

**CASE ProCare**

3-yr/3000-hr factory warranty,  
planned maintenance and  
SiteWatch™ telematics

**CASE SiteWatch™ Telematics**

includes hardware and a 3-yr  
Advanced data subscription

**OPTIONAL EQUIPMENT:**
**ENGINE**

Refueling pump  
Air pre-cleaner (Cyclone)  
High ambient temperature cooling  
package

**HYDRAULICS**

Auxiliary hydraulics:  
Single acting/joystick activated  
Double acting/joystick activated  
(thumb)  
Multi-function w/ electronic pressure  
control/joystick activated with  
electronic proportional controls  
Secondary low-flow/joystick  
activated  
Proportional hydraulic controls  
Hose Burst Check Valve (HBCV)

**ATTACHMENTS**

Heavy-duty arm- 7 ft. 10 in (2.40 m)  
Quick Coupler/Case multi-pin grabber  
Buckets: Heavy-duty/Extreme-  
duty/Ditching  
Load holding control

**OPTIONAL EQUIPMENT (continued):**
**UNDERCARRIAGE**

For use with STD and NRRW  
23.6 in. (600 mm) rubber link chain,  
bolt-on rubber pads on steel chain  
For use with STD  
23.6 in. (600 mm) steel shoes,  
triple semi-grouser  
27.6 in. (700 mm) steel shoes,  
triple semi-grouser  
Track guides- triple

**OPERATOR STATION**

FOPS cab top guard (Level 2)  
Front grill guard- 2 x 2 in.  
(50.8 x 50.8 mm) screen mesh  
Front rock guard- vertical bars (two  
piece)/OPG 1  
Front rock guard- vertical bars (one  
piece)/OPG 2  
Vandal guard (front window) w/  
common key  
Rain deflector (not available with  
Front guards)  
Sun visor  
Side-view camera  
LED Package: includes 1 Side view  
camera and 6 LED Lights (2 front  
cab mounted, 2 rear mounted and  
1 mounted on each side)

**PARTS OFFERING:**

Hammers; Thumbs  
Rubber bumper guard



**CX210D CRAWLER EXCAVATOR (STD LC & NRRW)  
US PRICE LIST**

**(Ex Works Port of Entry)**

**Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price
CX210D STD LC	42,000 LB		\$286,994.00
CX210D NRRW	42,000 LB		\$284,770.00
Includes the following Equipment 23.6" (600 mm) Steel Shoes (9560013) (\$1,000.00)			

**CX210D CRAWLER EXCAVATOR (STD LC & NRRW)  
US PRICE LIST**

**(Ex Works Port of Entry)  
Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**LIGHTS**

SD\_E5408 WORKING LIGHTS

	488134	HALOGEN WORKING LIGH			No Charge
	488135	LED WORKING LIGHTS <b>8 LED light and 1 side camera:</b> <b>2 LED light are mounted on the front of the cab</b> <b>2 LED lights are mounted on the rear</b> <b>(above the rear view camera)</b> <b>1 LED light mounted on each side (2)</b> <b>2 LED lights mounted on the top of the cab</b>			\$4,956.00

**BOOMS**

SD\_E5311 BOOM

	481858	Std Boom <b>18'8" (5.70 M) Standard Boom</b>			No Charge
	781917	No Boom <b>Less boom, hoist and arm cylinders and plumbing.</b> <b>Boom-foot and cylinder pins are provided.</b> <b>Not for use with CX210D NRRW</b>			(\$6,200.00)

**ARMS**

SD\_E5320 ARM/DIPPERSTICK

	461501	7'10" (2.40 m) HD Arm <b>For use with 18'8" Standard Boom (option 481858)</b> <b>(Recommended for heavy-duty applications - example: hammer)</b>			(\$632.00)
	481268	9'8" (2.94 M) Arm <b>For use with 18'8" Standard Boom (option 481858)</b>			No Charge
	XE5320X	No Arm/Dipperstick <b>Less arm, bucket cylinder and linkage</b>			(\$3,500.00)

**CX210D CRAWLER EXCAVATOR (STD LC & NRRW)  
US PRICE LIST**

**(Ex Works Port of Entry)**

**TRACK SHOES**

SD\_E5199 TRACK SHOES

		9560013	23.6" (600 mm) Steel Shoes <b>Triple-Grouser Steel Shoes</b> <b>For use with CX210D STD LC and CX210D NRRW</b>			(\$1,000.00)
		9560003	27.6" (700mm) Steel Shoes <b>Triple-Grouser Steel Shoes</b> <b>For use with CX210D STD LC</b>			(\$405.00)
		9560005	31.5" (800 mm) Steel Shoes <b>Triple-Grouser Steel Shoes</b> <b>For use with CX210D STD LC</b>			No Charge
		9560007	35.4" (900 mm) Steel Shoes <b>Triple-Grouser Steel Shoes</b> <b>For use with CX210D STD LC commercial model only</b>			\$1,680.00
		9560055	23.6" (600 mm) Rubber Pads <b>Rubber pads molded to steel base on standard chain</b> <b>For use with CX210D STD LC and CX210D NRRW</b>			\$14,000.00

**LANGUAGE**

SD\_47083 OPERATOR'S MANUAL

		781981	English Literature			No Charge
		461540	French Canadian Literature			No Charge
		781980	Spanish Literature			No Charge

**ADDITIONAL EQUIPMENT CXC**

HYDRAULIC OPTIONS

SD\_E6410 AUXILIARY HYDRAULICS

		XE6410X	No Optional Hydraulics			No Charge
--	--	---------	------------------------	--	--	-----------

**CX210D CRAWLER EXCAVATOR (STD LC & NRRW)  
US PRICE LIST**

**(Ex Works Port of Entry)**

		461865	<p>Single Acting Auxiliary Hyd</p> <p><b>Single Acting Auxiliary Hydraulics</b></p> <p>For use with hammers or vibratory compaction plate applications</p> <p>Joystick activated with Electronic Proportional Controls</p> <p>Provides single direction flow</p> <p>Includes manually adjustable relief valve to set required pressures</p> <p>Notes:</p> <p>1) Not for use with other Auxiliary Hydraulic options, with the exception of Low Flow.</p> <p>2) Heavy duty bucket linkage is standard equipment on C/D series excavators.</p> <p>3) For dealer installed auxiliary hydraulic kits contact: HKX (1-800-493-5487 or <a href="http://www.HKX.com">www.HKX.com</a>)</p>			\$8,569.00
		461871	<p>Thumb - Proportional SW</p> <p><b>Double Acting Auxiliary Hydraulics</b></p> <p>For use with thumb applications</p> <p>Joystick Activated with Electronic Proportional Controls</p> <p>Provides single pump, two-way flow</p> <p>Hydraulic plumbing provided to the end of the boom only, no piping to the arm</p> <p>This system is not switchable to single acting flow</p> <p>Notes:</p> <p>1) Not for use other Auxiliary Hydraulics options with the exception of Low Flow.</p> <p>2) Heavy duty bucket linkage is standard equipment on C/D series excavators.</p> <p>3) For dealer installed auxiliary hydraulic kits contact: HKX (1-800-493-5487 or <a href="http://www.HKX.com">www.HKX.com</a>).</p>			\$6,654.00

**CX210D CRAWLER EXCAVATOR (STD LC & NRRW)  
US PRICE LIST**

**(Ex Works Port of Entry)**

		461869	<p>MF w/ pressure setting - Prop</p> <p><b>Multi-Function Auxiliary Hydraulics with Electronic Pressure Control (EPC)</b></p> <p>For use with multiple applications: hammers/thumbs/grapples/crushers.</p> <p>Includes in-cab Electronic Pressure Control feature</p> <p>Pressure Control feature allows hydraulic pressure setting from the cab monitor and maintaining pressure settings in memory when multiple tools are used.</p> <p>Joystick Activated with Electronic Proportional Controls</p> <p>Provides single or dual pump, two-way flow, Secondary Low-flow Auxiliary Hydraulics can be added Includes in-cab electronically controlled pressure setting feature Is switchable to single acting flow for hammer application.</p> <p>Notes:</p> <p>1) Not for use with other Auxiliary Hydraulics options, with the exception of Low Flow.</p> <p>2) Heavy duty bucket linkage is standard equipment on C/D series excavators.</p> <p>3) For dealer installed auxiliary hydraulic kits contact: HKX (1-800-493-5487 or <a href="http://www.HKX.com">www.HKX.com</a>)</p>			\$13,123.00
--	--	--------	--	--	--	-------------

**SD\_E6417 SECONDARY AUXILIARY HYDRAULICS**

		XE6417X	No Low Flow Circuit			No Charge
		461863	<p>Secondary Auxiliary Hydraulics</p> <p><b>Secondary Low Flow Auxiliary Hydraulics</b></p> <p>Provides low-flow for rotation or tilt hydraulic attachments.</p> <p>For use with Standard Boom option 481858</p> <p>Joystick Activated with Electronic Proportional Controls</p> <p>Notes:</p> <p>1) May be used stand alone or with any Case Excavator Auxiliary Hydraulics option.</p> <p>2) For dealer installed auxiliary hydraulic kits contact: HKX (1-800-493-5487 or <a href="http://www.HKX.com">www.HKX.com</a>).</p>			\$7,097.00

**CAB OPTIONS**

**SD\_E5443 CAB GUARD (FOPS)**

		XE5443X	No FOPS Top Cab Guard			No Charge
		481070	FOPS Top Cab Guard			\$1,322.00

**CX210D CRAWLER EXCAVATOR (STD LC & NRRW)  
US PRICE LIST**

**(Ex Works Port of Entry)**

**SD\_E5444 CAB GUARD (FRONT)**

		XE5444X	No Front Guard			No Charge
		461142	Front grill guard - 2 x 2 mesh			\$1,530.00
		781986	Front Stone Guard (OPG L1) <b>vertical bars (two piece/upper and lower)</b>			\$2,276.00
		461024	Front Stone Guard (OPG L2) <b>vertical bars (one piece/full length)</b>			\$2,681.00
		461552	Vandal Guard			\$662.00

**SD\_E5449 RAIN DEFLECTOR**

		XE5449X	No Rain Deflector			No Charge
		461555	Rain Deflector <b>Not for use with Front grill guard - 2 x 2 mesh option 461142, Front rock guard (OPG 1) option 781986, or Front rock guard (OPG 2) option 461024.</b>			\$438.00

**SD\_E5451 SUN VISOR**

		XE5451X	No Sun Visor			No Charge
		461554	Sun Visor			\$125.00

**BUCKETS**

**SD\_E6300 EXCAVATOR BUCKET(S)**

		XE6300X	No Bucket <b>Buckets may be ordered using Order Codes listed in the Factory Supplied Attachments Section</b>			No Charge
--	--	---------	---	--	--	-----------

**ADDITIONAL OPTIONS**

**SD\_02005 ENGINE PRE-CLEANER**

		X02005X	No Pre-Cleaner			No Charge
		488031	Pre-Cleaner Cyclone			\$542.00

**SD\_E5206 TRACK CHAIN GUIDE**

		461541	Single Track Chain Guide			No Charge
		461143	Triple Track Chain Guide			\$1,296.00

**SD\_E5407 COOLING PACKAGE**

		XE5407X	Standard Cooling Package			No Charge
		481027	Tropical Cooling Package <b>High ambient temperature cooling package Includes Pre-Cleaner Cyclone option 488031 Note: Recommended for machines operating in high heat conditions not to exceed 122°F (50°C) Not for use with CX210D NRRW</b>			\$582.00



**CX210D CRAWLER EXCAVATOR (STD LC & NRRW)  
US PRICE LIST**

**(Ex Works Port of Entry)**

**SD\_E6400 MEC/HYD QUICK COUPLER**

		XE6400X	No Quick Coupler			No Charge
		781128	Hydraulic Quick Coupler Ready <b>Does not come with coupler. Must order coupler from Factory Supplied Attachments section</b>			\$2,524.00

**SD\_E9730 SAFETY VALVE**

		XE9730X	No Hose Burst Check Valve			No Charge
		481064	Hose Burst Check Valve (HBCV) <b>boom and arm</b>			\$9,130.00

**SD\_E9739 FULL VIEW CAMERA**

		488055	CASE MAX VIEW MONITO			\$2,200.00
		XE9739X	NO FULL VIEW CAMERA			No Charge

**SD\_E9740 SIDE VIEW CAMERA**

		XE9740X	No Side View Camera			No Charge
		461560	Side View Camera			\$801.00

**SD\_E9874 REFUEL PUMP**

		XE9874X	No Refuel Pump			No Charge
		481257	Refuel Pump			\$1,495.00

**CX210D CRAWLER EXCAVATOR (STD LC & NRRW)  
US PRICE LIST**

(Ex Works Port of Entry)

**Factory Supplied Attachments**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**Case Coupler Buckets**

	84404187	24" Heavy Duty Coupler Bucket with 4 teeth (.63 cu. yd.)	1,350 LB		\$6,252.00
	84404188	30" Heavy Duty Coupler Bucket with 4 teeth (.82 cu. yd.)	1,525 LB		\$6,875.00
	84404189	36" Heavy Duty Coupler Bucket with 5 teeth (1.02 cu. yd.)	1,660 LB		\$7,565.00
	84404190	42" Heavy Duty Coupler Bucket with 5 teeth (1.20 cu. yd.)	1,835 LB		\$8,323.00
	84404191	48" Heavy Duty Coupler Bucket with 6 teeth (1.48 cu. yd.)	1,990 LB		\$8,795.00

**Case Pin On Buckets**

	84404166	24" Heavy Duty Bucket with 4 teeth (.55 cu. yd.)	1,420 LB		\$4,612.00
	84404167	30" Heavy Duty Bucket with 4 teeth (.73 cu. yd.)	1,630 LB		\$5,164.00
	84404168	36" Heavy Duty Bucket with 5 teeth (.90 cu. yd.)	1,835 LB		\$5,635.00
	84404169	42" Heavy Duty Bucket with 5 teeth (1.08 cu. yd.)	1,975 LB		\$6,075.00
	84404170	24" Heavy Duty High Capacity Bucket with 4 teeth (.75 cu. yd.)	1,500 LB		\$4,987.00
	84404175	30" Heavy Duty High Capacity Bucket with 4 teeth (.94 cu. yd.)	1,700 LB		\$5,510.00
	84404178	36" Heavy Duty High Capacity Bucket with 5 teeth (1.15 cu. yd.)	1,925 LB		\$6,090.00
	84404179	42" Heavy Duty High Capacity Bucket with 5 teeth (1.37 cu. yd.)	2,110 LB		\$6,395.00
	84404180	48" Heavy Duty High Capacity Bucket with 6 teeth (1.59 cu. yd.)	2,407 LB		\$6,988.00
	84404181	24" Severe Duty Bucket with 4 teeth (.55 cu. yd.)	1,635 LB		\$6,235.00
	84404182	30" Severe Duty Bucket with 4 teeth (.73 cu. yd.)	1,875 LB		\$6,985.00
	84404183	36" Severe Duty Bucket with 5 teeth (.90 cu. yd.)	2,110 LB		\$7,823.00
	84404184	42" Severe Duty Bucket with 5 teeth (1.08 cu. yd.)	2,270 LB		\$8,094.00
	84404185	60" Ditching Bucket (1.02 cu. yd.)	1,000 LB		\$4,177.00
	84404186	72" Ditching Bucket (1.22 cu. yd.)	1,000 LB		\$4,524.00

**Coupler**

	47855901	KIT, COUPLER, MULTI-FIT S	888 LB		\$6,787.00
--	----------	---------------------------	--------	--	------------

**Direct Link Thumb**

	47609071	KIT, THUMB, HYD, 3-TINE, use with bucket only (3 tine)	1,155 LB		\$9,928.00
--	----------	--	----------	--	------------

**CX210D CRAWLER EXCAVATOR (STD LC & NRRW)  
US PRICE LIST**

**(Ex Works Port of Entry)**

		47609072	KIT, THUMB, HYD, 4-TINE, use with bucket only (4 tine)	1,190 LB		\$10,487.00
		47609073	KIT, THUMB, HYD, 3-TINE, use with bucket and coupler (3 tine)	1,300 LB		\$10,352.00
		47609074	KIT, THUMB, HYD, 4-TINE, use with bucket and coupler (4 tine)	1,325 LB		\$11,046.00

**Progressive Link Thumb**

		47609109	KIT, THUMB, PROG LINK, 3- use with bucket only (3 tine)	1,680 LB		\$12,895.00
		47609110	KIT, THUMB, PROG LINK, 4- use with bucket only (4 tine)	1,680 LB		\$12,895.00
		47609111	KIT, THUMB, PROG LINK, 3- use with bucket and coupler (4 tine)	1,825 LB		\$12,760.00
		47609112	KIT, THUMB, PROG LINK, 4- use with bucket and coupler (3 tine)	1,850 LB		\$13,454.00

**CX210D LONG REACH CRAWLER EXCAVATOR (LR)  
US PRICE LIST**

**(Ex Works Port of Entry)  
Standard Equipment**

**ENGINE:**

Isuzu AR-4HK1X  
Tier 4 Final Certified  
Selective Catalytic Reduction (SCR)  
Diesel Oxidation Catalyst (DOC)  
Cooled Exhaust Gas Recirculation  
(CEGR)  
EGR Coolers  
Four-cylinder turbo-charged diesel  
VGT turbocharger  
Electronic fuel injection  
High pressure common rail system  
Neutral safety start  
Auto-engine warm up  
Glow-plug pre-heat  
Fuel Economy Assist System (FEA)  
Engine Protection Feature (EPF)  
Dual-stage fuel filtration  
Dual element air filter  
Remote oil filter  
Drain for fuel tank  
Remote engine oil drain  
500-hour engine oil change interval  
24-volt system  
Engine oil sample port  
Battery disconnect switch  
Emergency engine stop  
External Fuel and DEF gauges  
Fan housing  
Fuel cooler  
Fuel filter restriction indicator  
Fuel shut-off valve  
Idle start  
Radiator, oil cooler, intercooler -  
protective screen

**FUEL ECONOMY SYSTEMS:**

Engine Idle / Fuel Economy System:  
Auto-idle  
One-touch idle  
Auto-idle shut-down  
BEC- Boom Economy Control  
AEC- Auto Economy Control  
SWC- Swing Relief Control  
SSC- Spool Stroke Control

**HYDRAULICS:**

Auto power boost  
Auto swing priority  
Arm speed assistance (2 pump flow)  
Auxiliary flow control  
Auxiliary valve  
Boom speed assistance (2 pump flow)  
Bucket curl assist  
Control levers pre-wired for auxiliary  
hydraulics  
Electronically controlled hydraulic  
pumps  
Holding valve (Boom and Arm)  
Fire wall  
Hydraulic filter restriction indicator  
Neutral pump de-stroke  
Oil cooler  
Power save  
Pump stand-by pressure  
Auto travel speed change  
Selectable work modes  
Free swing  
Hydraulic oil sample port  
Control pattern selector  
Pre-set auxiliary pump settings  
Auxiliary valve  
5,000-hour hydraulic oil change  
interval  
1,000-hour hydraulic filter change  
interval  
SAHR brake

**UPPER STRUCTURE:**

ISO mirrors (3)  
Cab ISO-mounts (fluid and spring)  
Upper mounted work light (70 watt)  
Swivel guard belly pan  
Center cover (over main CV)  
Fuel tank belly pan  
Handrail (RH access)  
ISO guard rails  
Lifting eyes for counterweight  
Lockable fuel cap, service doors and  
tool box

**CX210D LONG REACH CRAWLER EXCAVATOR (LR)  
US PRICE LIST**

**(Ex Works Port of Entry)  
Standard Equipment**

**ATTACHMENTS:**

Boom- 28 ft. 7 in. (8.70 m)  
 Arm- 21 ft. (6.40 m)  
 Heavy-duty bucket linkage  
 Boom mounted work light (70 watt)  
 Auxiliary pipe brackets  
 Centralized grease fittings  
 Attachment cushion valve  
 Arm and boom regeneration  
 Bucket anti-clatter device  
 Chrome pins  
 Easy Maintenance System (EMS)  
     bushings  
 Teardrop pin retention keepers

**OPERATOR STATION:**

ROPS protection  
 FOPS cab (Level 1)  
 Pressurized cab  
 Face vent  
 Cab lights (2)  
 Interior dome light  
 One-touch lock front window  
 One piece window (right)  
 Safety glass windows  
 Gate lock hydraulic activation  
 Emergency exit and hammer  
 Clear (polycarbonate) roof window w/  
     sunshade  
 AC/heat/defrost w/ auto climate  
     control  
 LED Color monitor- 7 in (180 mm)  
 26 selectable languages for monitor  
 On-board diagnostic system  
 10 programmable attachments settings  
     on monitor - 5 single flow, 5 dual  
     low  
 Seatbelt- 3 in. (76 mm)  
 Heated high-back cloth seat with air  
     suspension and 65o tilt adjustment  
 Sliding seat - 3.54 in. (90 mm)  
 Adjustable armrests  
 Tilting consoles- 4-position  
 Sliding cockpit - 3.15 in. (80 mm)  
 Low-effort joystick controls

**OPERATOR STATION (continued):**

Controls pre-wired for auxiliary  
 Straight travel  
 AM/FM radio w/ antenna, 2 speakers  
     and Bluetooth capabilities  
 Aux-in port for personal electronics  
 Radio mute switch (joystick)  
 Rear-view camera  
 Anti-theft system (start code system)  
 Rubber floormat  
 12-volt electric outlet  
 24-volt cigarette lighter  
 Windshield wiper/washer  
 Cup holder  
 Storage compartments  
 Warm/cool storage compartment  
 Travel alarm with cancel switch  
 Ignition keys  
 One key start & lock-up  
 Cab filter (external)  
 Cab handrails  
 Operator's manual

**UNDERCARRIAGE:**

Long undercarriage  
 31.5 in. (800 mm) steel shoes, triple  
     semi-grouser  
 Full overlap turntable bearing tub  
 Single track chain guides  
 Hydraulic track adjustment  
 Sealed link chain  
 Steps  
 Carbody belly pan (swivel guard)  
 X-pattern carbody  
 Lashing points (tie downs)

**EXTRA FILTER KIT:**

Engine oil filter  
 Filter wrench  
 Fuel filters  
 Grease gun  
 Green plug oil drain hose for  
     engine oil drain  
 Hydraulic return filter  
 Pilot circuit hydraulic filter

**CX210D LONG REACH CRAWLER EXCAVATOR (LR)  
US PRICE LIST**

**(Ex Works Port of Entry)  
Standard Equipment**

CASE ProCare  
3-yr/3000-hr factory warranty,  
planned maintenance and  
SiteWatch™ telematics

CASE SiteWatch™ Telematics  
includes hardware and a 3-yr  
Advanced data subscription

**OPTIONAL EQUIPMENT:**

**ENGINE**

Refueling pump  
Air pre-cleaner (Cyclone)  
High ambient temperature cooling  
package

**HYDRAULICS**

Auxiliary hydraulics:  
Secondary low-flow/joystick  
activated  
Proportional hydraulic controls  
Hose Burst Check Valve (HBCV)

**ATTACHMENTS**

Tools: Heavy-duty/Extreme  
duty/Ditching buckets  
Load holding control

**UNDERCARRIAGE**

Track guides- triple

**OPTIONAL EQUIPMENT (continued):**

**OPERATOR STATION**

FOPS cab top guard (Level 2)  
Front grill guard- 2 x 2 in.  
(50.8 x 50.8 mm) screen mesh  
Front rock guard- vertical bars (two  
piece)/OPG 1  
Front rock guard- vertical bars (one  
piece)/OPG 2  
Vandal guard (front window) w/  
common key  
Rain deflector (not available with  
Front guards)  
Sun visor  
Side-view camera  
LED Package: includes 1 Side view  
camera and 6 LED Lights (2 front cab  
mounted, 2 rear mounted and 1  
mounted on each side)

**PARTS OFFERING:**

Rubber bumper guard



**CX210D LONG REACH CRAWLER EXCAVATOR (LR)  
US PRICE LIST**

**(Ex Works Port of Entry)**

**Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price
CX210D LR	49,090 LB		\$314,350.00

**CX210D LONG REACH CRAWLER EXCAVATOR (LR)  
US PRICE LIST**

**(Ex Works Port of Entry)  
Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**LIGHTS**

SD\_E5408 WORKING LIGHTS

	488134	HALOGEN WORKING LIGH			No Charge
	488135	LED WORKING LIGHTS 8 LED light and 1 side camera 2 LED light are mounted on the front of the cab 2 LED lights are mounted on the rear (above the rear view camera) 1 LED light mounted on each side (2) 2 LED lights mounted on the top of the cab			\$4,956.00

**BOOMS**

SD\_E5311 BOOM

	461029	Standard Long Reach Boom 28'7" (8.70 M) Long Reach Boom			No Charge
--	--------	--	--	--	-----------

**ARMS**

SD\_E5320 ARM/DIPPERSTICK

	481248	21'0" (6.40 M) Arm			No Charge
--	--------	--------------------	--	--	-----------

**TRACK SHOES**

SD\_E5199 TRACK SHOES

	9560005	31.5" (800 mm) Steel Shoes Triple-Grouser Steel Shoes			No Charge
	9560007	35.4" (900 mm) Steel Shoes Triple-Grouser Steel Shoes			\$1,680.00

**LANGUAGE**

SD\_47083 OPERATOR'S MANUAL

	781981	English Literature			No Charge
--	--------	--------------------	--	--	-----------



**CX210D LONG REACH CRAWLER EXCAVATOR (LR)  
US PRICE LIST**

**(Ex Works Port of Entry)**

		461540	French Canadian Literature			No Charge
		781980	Spanish Literature			No Charge

**ADDITIONAL EQUIPMENT CXC**

**HYDRAULIC OPTIONS**

**SD\_E6417 SECONDARY AUXILIARY HYDRAULICS**

		XE6417X	No Low Flow Circuit			No Charge
		461863	Secondary Auxiliary Hydraulics <b>Secondary Low Flow Auxiliary Hydraulics</b> <b>Provides low-flow for rotation or tilt hydraulic attachments.</b>  <b>Joystick Activated with Electronic Proportional Controls</b>  <b>Notes:</b> 1) May be used stand alone or with any Case Excavator Auxiliary Hydraulics option. 2) For dealer installed auxiliary hydraulic kits contact: <b>HKX (1-800-493-5487 or www.HKX.com).</b>			\$9,085.00

**CAB OPTIONS**

**SD\_E5443 CAB GUARD (FOPS)**

		XE5443X	No FOPS Top Cab Guard			No Charge
		481070	FOPS Top Cab Guard			\$1,322.00

**SD\_E5444 CAB GUARD (FRONT)**

		XE5444X	No Front Guard			No Charge
		461142	Front grill guard - 2 x 2 mesh			\$1,530.00
		781986	Front Stone Guard (OPG L1) <b>vertical bars (two piece/upper and lower)</b>			\$2,276.00
		461024	Front Stone Guard (OPG L2) <b>vertical bars (one piece/full length)</b>			\$2,681.00
		461552	Vandal Guard			\$662.00

**SD\_E5449 RAIN DEFLECTOR**

		XE5449X	No Rain Deflector			No Charge
		461555	Rain Deflector <b>Not for use with Front grill guard - 2 x 2 mesh option 461142,</b> <b>Front rock guard (OPG 1) option 781986, or</b> <b>Front rock guard (OPG 2) option 461024.</b>			\$438.00

**SD\_E5451 SUN VISOR**

		XE5451X	No Sun Visor			No Charge
		461554	Sun Visor			\$125.00

**CX210D LONG REACH CRAWLER EXCAVATOR (LR)  
US PRICE LIST**

**(Ex Works Port of Entry)**

**BUCKETS**

**SD\_E6300 EXCAVATOR BUCKET(S)**

		XE6300X	No Bucket <b>Buckets may be ordered using Order Codes listed in the Factory Supplied Attachments section</b>			No Charge
--	--	---------	---	--	--	-----------

**ADDITIONAL OPTIONS**

**SD\_02005 ENGINE PRE-CLEANER**

		X02005X	No Pre-Cleaner			No Charge
		488031	Pre-Cleaner Cyclone			\$542.00

**SD\_E5206 TRACK CHAIN GUIDE**

		461541	Single Track Chain Guide			No Charge
		461143	Triple Track Chain Guide			\$1,296.00

**SD\_E5407 COOLING PACKAGE**

		XE5407X	Standard Cooling Package			No Charge
		481027	Tropical Cooling Package <b>High ambient temperature cooling package Includes Pre-Cleaner Cyclone option 488031 Note: Recommended for machines operating in high heat conditions not to exceed 122°F (50°C)</b>			\$582.00

**SD\_E9730 SAFETY VALVE**

		XE9730X	No Hose Burst Check Valve			No Charge
		481064	Hose Burst Check Valve (HBCV) <b>boom and arm</b>			\$9,130.00

**SD\_E9739 FULL VIEW CAMERA**

		488055	CASE MAX VIEW MONITO			\$2,200.00
		XE9739X	NO FULL VIEW CAMERA			No Charge

**SD\_E9740 SIDE VIEW CAMERA**

		XE9740X	No Side View Camera			No Charge
		461560	Side View Camera			\$801.00

**SD\_E9874 REFUEL PUMP**

		XE9874X	No Refuel Pump			No Charge
		481257	Refuel Pump			\$1,495.00

**CX210D LONG REACH CRAWLER EXCAVATOR (LR)  
US PRICE LIST**

(Ex Works Port of Entry)

**Factory Supplied Attachments**

Order Code		Description	Weight	Factory Data	List Price
	84404113	48" Ditching Bucket (.79 cu. yd.)	860 LB		\$3,452.00
	84404115	60" Ditching Bucket (1.02 cu. yd.)	1,000 LB		\$3,916.00

**Direct Link Thumb**

	47609058	Hydraulic Main Pin Direct Link Thumb use with bucket only (2 tine)	830 LB		\$7,580.00
	47609059	KIT, THUMB, HYD, 4-TINE, use with bucket only (3 tine)	860 LB		\$8,023.00
	47609060	KIT, THUMB, HYD, 3-TINE, use with bucket and coupler (2 tine)	870 LB		\$7,861.00
	47609061	KIT, THUMB, HYD, 4-TINE, use with bucket and coupler (3 tine)	910 LB		\$8,415.00

**CX245D LC AND CX245D LC DZ  
US PRICE LIST**

**(Ex Works Port of Entry)  
Standard Equipment**

**ENGINE:**

Isuzu AM-4HK1X  
Tier4 Final Certified  
Selective Catalytic Reduction - SCR  
Diesel Oxidation Catalyst - DOC  
Cooled Exhaust Gas Recirculation -  
CEGR  
EGR Coolers  
  
317 cubic in. displacement/5.2 Liter  
Turbocharged/air cooled intercooler

**Horsepower:**

Net: 160 (119.3 kW) @ 1800 RPM  
Electronic fuel injection  
High pressure common rail system  
Auto engine warm-up  
FEA (Fuel Economy Assist System)  
Engine Idle/Fuel Economy System:  
Auto Idle  
One-touch Idle  
Idle Shut-down  
Fuel Capacity:  
85 gallons (320 L)  
AEC (auto economy control)  
BEC (boom economy control)

**OPERATOR ENVIRONMENT:**

ROPS protection  
FOPS cab top guard - Level 1  
Pressurized cab  
Face vent  
Cab lights - 2  
Interior dome light  
One-touch lock front window  
One piece window - right  
Safety glass windows  
Gate lock hydraulic activation  
Emergency exit and hammer  
Clear polycarbonate roof window with  
sunshade  
AC/heat/defrost with auto climate  
control  
LED Color monitor - 7 in (180 mm)  
26 selectable languages for monitor

On-board diagnostic system  
10 programmable attachments settings  
on monitor - 5 single flow, 5 dual  
flow  
Seat belt - 3 in (76 mm)  
Heated high-back cloth seat with air  
suspension and 65° tilt adjustment  
Sliding seat - 3.54 in (90 mm)  
Adjustable armrests  
Tilting consoles - 4-position  
Sliding cockpit - 3.15 in (80 mm)  
Low-effort joystick controls  
Controls pre-wired for auxiliary  
Single pedal travel  
AM/FM radio with antenna, 2 speakers  
and Bluetooth capabilities  
Aux-in port for personal electronics  
Radio mute switch - joystick  
Rear-view camera  
Side-view camera  
Anti-theft system - start code system  
Rubber floormat  
12 Volt electric outlet  
24 Volt cigarette lighter  
Windshield wiper/washer  
Cup holder  
Storage compartments  
Warm/cool storage compartment  
Travel alarm with cancel switch  
Ignition keys  
One key start & lock-up  
Cab filter - external  
Cab handrails  
Operator's manual

**ELECTRICAL:**

24-volt system  
Two batteries (12 volt/92 Ah)  
50 Amp Alternator  
Worklights (2 x 70 watt)  
Boom mounted (1)  
Upper mounted (1)

**CX245D LC AND CX245D LC DZ  
US PRICE LIST**

**(Ex Works Port of Entry)  
Standard Equipment**

**HYDRAULICS:**

Open-center system design  
Optional auxiliary hydraulics  
Selectable work modes (3)  
Auto power boost  
Auto swing priority  
SWC (swing relief control)  
SSC (spool stroke control)  
5000 hour hydraulic oil change interval  
1000 hour hyd. filter change interval  
Control pattern change selector

Arm and boom holding valves  
Centralized grease bank

**CASE ProCare**

3-yr/3000-hr factory warranty,  
planned maintenance and  
SiteWatch™ telematics

**CASE SiteWatch™ Telematics**

includes hardware and a 3-yr  
Advanced data subscription

**UNDERCARRIAGE:**

X-pattern carbody  
Undercarriage:  
STD LC: 14' 8" (4.47 M) length  
Track Gauge:  
STD: 7' 10" (2.39 M) gauge  
Shoe:  
STD: 31.5" (800 mm) Rubber Shoe  
7.5" pitch  
49 shoes per side  
Carrier rollers (2 per side)  
Track rollers (8 per side)  
Grease lubricated and strutted track  
chains  
Hydraulic track adjustment  
Single track chain guides  
SAHR disc parking break  
Tapered upper track frame

**OPTIONAL EQUIPMENT**
**Cab and Operator's Station:**

Sun visor  
FOPS top cab guard (Level 2)  
Front grill guard (2" x 2" mesh)  
Front rock guard (OPG 1)  
Front rock guard (OPG 2)  
Vandal guard  
Rain deflector

**Hose burst check valve (HBCV)**
**Refueling Pump**
**Auxiliary hydraulics**
**Attachments:**

Arm: 7' 10" (2.40 M) Heavy-duty

**Under carriage:**

Steel shoes/triple-grouser:

23.6" (600 mm)

Rubber shoes: 23.6" (600 mm)

Steel shoes/triple-grouser:

27.6" (700 mm)

Steel shoes/triple-grouser:

35.4" (900 mm)

Track chain guides - triple

**DOZER BLADE:**

Dozer blade width: 9' 1" (2800 mm)  
Dozer blade height: 24" (610 mm)

**ATTACHMENTS:**
**Standard LC Version:**

Boom: 18' 8" (5.70 M)

Arm: 9' 8" (2.94 M)

**Heavy-duty bucket linkage**
**Auxiliary pipe brackets**
**Attachment cushion valve**
**Arm and boom regeneration**
**Order from Factory Supplied**
**Attachments Section:**
**Buckets**
**Coupler/Case multi-pin grabber**
**Order from Service Parts:**
**Rubber bumpers for upper**



**CX245D LC AND CX245D LC DZ  
US PRICE LIST**

**(Ex Works Port of Entry)**

**Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price
CX245D MSR LC	55,997 LB		\$302,343.00
CX245D MSR LC W/DOZER	56,879 LB		\$352,054.00

**CX245D LC AND CX245D LC DZ  
US PRICE LIST**

**(Ex Works Port of Entry)  
Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**LIGHTS**

SD\_E5408 WORKING LIGHTS

	488134	HALOGEN WORKING LIGH			No Charge
	488135	LED WORKING LIGHTS <b>8 LED light and 1 side camera:</b> <b>2 LED light are mounted on the front of the cab</b> <b>2 LED lights are mounted on the rear</b> <b>(above the rear view camera)</b> <b>1 LED light mounted on each side (2)</b> <b>2 LED lights mounted on the top of the cab</b>			\$4,956.00

**BOOMS**

SD\_E5311 BOOM

	481858	Std Boom <b>18'8" (5.70 M) Standard Boom</b> <b>For use with CX235C MSR LC and CX235C MSR w/dozer commercial models.</b>			No Charge
	781917	No Boom <b>Less boom, hoist and arm cylinders and plumbing.</b> <b>Boom-foot and cylinder pins are provided.</b>			(\$6,989.00)

**ARMS**

SD\_E5320 ARM/DIPPERSTICK

	481268	9'8" (2.94 M) Arm <b>For use with 18'8" Standard Boom (option 481858)</b>			No Charge
	461501	7'10" (2.40 m) HD Arm <b>For use with 18'8" Standard Boom (option 481858)</b> <b>(Recommended for heavy-duty applications - example: hammer)</b>			(\$315.00)
	XE5320X	No Arm/Dipperstick <b>Less arm, bucket cylinder and linkage</b>			(\$3,625.00)

**CX245D LC AND CX245D LC DZ  
US PRICE LIST**

**(Ex Works Port of Entry)**

**TRACK SHOES**

SD\_E5199 TRACK SHOES

		9560007	35.4" (900 mm) Steel Shoes <b>Triple-Grouser Steel Shoes</b> <b>Not for use with the CX245D MSR with Dozer Blade</b>			\$1,680.00
		9560013	23.6" (600 mm) Steel Shoes			(\$1,785.00)
		9560039	27.5" (700 mm) Steel Shoes			(\$205.00)
		9560046	31.5" (800 mm) Steel Shoes			No Charge
		9560055	23.6" (600 mm) Rubber Pads <b>Continous belt bolted on standard chain</b>			\$13,982.00

**LANGUAGE**

SD\_47083 OPERATOR'S MANUAL

		781981	English Literature			No Charge
		461540	French Canadian Literature			No Charge
		781980	Spanish Literature			No Charge

**BUCKETS**

SD\_E6300 EXCAVATOR BUCKET(S)

		XE6300X	No Bucket			No Charge
--	--	---------	-----------	--	--	-----------

**ADDITIONAL EQUIPMENT CXC**

HYDRAULIC OPTIONS

SD\_E6410 AUXILIARY HYDRAULICS

		XE6410X	No Optional Hydraulics			No Charge
--	--	---------	------------------------	--	--	-----------



**CX245D LC AND CX245D LC DZ  
US PRICE LIST**

**(Ex Works Port of Entry)**

		461865	<p>Single Acting Auxiliary Hyd</p> <p><b>Single Acting Auxiliary Hydraulics</b></p> <p>For use with hammers or vibratory compaction plate applications</p> <p>Joystick activated with Electronic Proportional Controls</p> <p>Provides single direction flow</p> <p>Includes manually adjustable relief valve to set required pressures</p> <p>Notes:</p> <p>1) Not for use with other Auxiliary Hydraulic options, with the exception of Low Flow.</p> <p>2) Heavy duty bucket linkage is standard equipment on C series excavators.</p> <p>3) For dealer installed auxiliary hydraulic kits contact: HKX (1-800-493-5487 or <a href="http://www.HKX.com">www.HKX.com</a>)</p>			\$7,799.00
		461871	<p>Thumb - Proportional SW</p> <p><b>Double Acting Auxiliary Hydraulics</b></p> <p>For use with thumb applications</p> <p>Joystick Activated with Electronic Proportional Controls</p> <p>Provides single pump, two-way flow</p> <p>Hydraulic plumbing provided to the end of the boom only, no piping to the arm</p> <p>This system is not switchable to single acting flow</p> <p>Notes:</p> <p>1) Not for use other Auxiliary Hydraulics options with the exception of Low Flow.</p> <p>2) Heavy duty bucket linkage is standard equipment on C series excavators.</p> <p>3) For dealer installed auxiliary hydraulic kits contact: HKX (1-800-493-5487 or <a href="http://www.HKX.com">www.HKX.com</a>).</p>			\$6,089.00

**CX245D LC AND CX245D LC DZ  
US PRICE LIST**

**(Ex Works Port of Entry)**

		461869	<p>MF w/ pressure setting - Prop</p> <p><b>Multi-Function Auxiliary Hydraulics with Electronic Pressure Control (EPC)</b></p> <p>For use with multiple applications: hammers/thumbs/grapples/crushers.</p> <p>Includes in-cab Electronic Pressure Control feature</p> <p>Pressure Control feature allows hydraulic pressure setting from the cab monitor and maintaining pressure settings in memory when multiple tools are used.</p> <p>Joystick Activated with Electronic Proportional Controls</p> <p>Provides single or dual pump, two-way flow, Secondary Low-flow Auxiliary Hydraulics can be added Includes in-cab electronically controlled pressure setting feature Is switchable to single acting flow for hammer application.</p> <p>Notes:</p> <p>1) Not for use with other Auxiliary Hydraulics options, with the exception of Low Flow.</p> <p>2) Heavy duty bucket linkage is standard equipment on C series excavators.</p> <p>3) For dealer installed auxiliary hydraulic kits contact: HKX (1-800-493-5487 or <a href="http://www.HKX.com">www.HKX.com</a>)</p>			\$11,881.00
--	--	--------	--	--	--	-------------

**SD\_E6417 SECONDARY AUXILIARY HYDRAULICS**

		XE6417X	No Low Flow Circuit			No Charge
		461863	<p>Secondary Auxiliary Hydraulics</p> <p><b>Secondary Low Flow Auxiliary Hydraulics</b></p> <p>Provides low-flow for rotation or tilt hydraulic attachments.</p> <p>For use with Standard Boom option 481858 Not for use with Offset Boom option 461025 Joystick Activated with Electronic Proportional Controls</p> <p>Notes:</p> <p>1) May be used stand alone or with any Case Excavator Auxiliary Hydraulics option.</p> <p>2) For dealer installed auxiliary hydraulic kits contact: HKX (1-800-493-5487 or <a href="http://www.HKX.com">www.HKX.com</a>).</p>			\$6,440.00

**CAB OPTIONS**

**SD\_E5443 CAB GUARD (FOPS)**

		XE5443X	No FOPS Top Cab Guard			No Charge
--	--	---------	-----------------------	--	--	-----------

**CX245D LC AND CX245D LC DZ  
US PRICE LIST**

**(Ex Works Port of Entry)**

		481070	FOPS Top Cab Guard			\$1,322.00
--	--	--------	--------------------	--	--	------------

**SD\_E5444 CAB GUARD (FRONT)**

		XE5444X	No Front Guard			No Charge
		461142	Front grill guard - 2 x 2 mesh			\$1,530.00
		781986	Front Stone Guard (OPG L1) <b>vertical bars (two piece/upper and lower)</b>			\$2,276.00
		461024	Front Stone Guard (OPG L2) <b>vertical bars (one piece/full length)</b>			\$2,681.00
		461552	Vandal Guard			\$662.00

**SD\_E5449 RAIN DEFLECTOR**

		XE5449X	No Rain Deflector			No Charge
		461555	Rain Deflector <b>Not for use with Front grill guard - 2 x 2 mesh option 461142, Front rock guard (OPG 1) option 781986, or Front rock guard (OPG 2) option 461024.</b>			\$438.00

**SD\_E5451 SUN VISOR**

		XE5451X	No Sun Visor			No Charge
		461554	Sun Visor			\$125.00

**ADDITIONAL OPTIONS**

**SD\_E5206 TRACK CHAIN GUIDE**

		461541	Single Track Chain Guide			No Charge
		461143	Triple Track Chain Guide			\$2,440.00

**SD\_E6400 MEC/HYD QUICK COUPLER**

		781128	Hydraulic Quick Coupler Ready			\$2,658.00
		XE6400X	No Quick Coupler			No Charge

**SD\_E6423 CONTROL PATTERN SELECTION**

		461558	Control Pattern Selector Valve			No Charge
--	--	--------	--------------------------------	--	--	-----------

**SD\_E9727 HANDRAILS/HANDHOLDS**

		461573	Additional Handrail (Right)			No Charge
--	--	--------	-----------------------------	--	--	-----------

**SD\_E9730 SAFETY VALVE**

		481064	Hose Burst Check Valve (HBCV) <b>(BOOM/ARM) WARNING DEVICE</b>			\$10,000.00
		XE9730X	No Hose Burst Check Valve			No Charge

**SD\_E9739 FULL VIEW CAMERA**

		488055	CASE MAX VIEW MONITO			\$2,200.00
		XE9739X	NO FULL VIEW CAMERA			No Charge

**CX245D LC AND CX245D LC DZ  
US PRICE LIST**

**(Ex Works Port of Entry)**

SD\_E9741 FREE SWING

		461568	Free Swing			No Charge
--	--	--------	------------	--	--	-----------

SD\_E9901 CUSTOMER COLOUR

		XE9901X	No Special Color			No Charge
--	--	---------	------------------	--	--	-----------

**CX250D STD CRAWLER EXCAVATOR  
US PRICE LIST**

**(Ex Works Port of Entry)  
Standard Equipment**

**ENGINE:**

Isuzu AQ-4HK1X  
Tier 4 Final Certified  
Selective Catalytic Reduction (SCR)  
Diesel Oxidation Catalyst (DOC)  
Cooled Exhaust Gas Recirculation  
(CEGR)  
EGR Coolers  
Four-cylinder turbo-charged diesel  
VGT turbocharger  
Electronic fuel injection  
High pressure common rail system  
Neutral safety start  
Auto-engine warm up  
Glow-plug pre-heat  
Fuel Economy Assist System (FEA)  
Engine Protection Feature (EPF)  
Dual-stage fuel filtration  
Dual element air filter  
Remote oil filter  
Drain for fuel tank  
Remote engine oil drain  
500-hour engine oil change interval  
24-volt system  
Engine oil sample port  
Battery disconnect switch  
Emergency engine stop  
External Fuel and DEF gauges  
Fan housing  
Fuel cooler  
Fuel filter restriction indicator  
Fuel shut-off valve  
Idle start  
Radiator, oil cooler, intercooler -  
protective screen

**FUEL ECONOMY SYSTEMS:**

Engine Idle / Fuel Economy System:  
Auto-idle  
One-touch idle  
Auto Idle shut-down  
BEC- Boom Economy Control  
AEC- Auto Economy Control  
SWC- Swing Relief Control  
SSC- Spool Stroke Control

**HYDRAULICS:**

Auto power boost  
Auto swing priority  
Arm speed assistance (2 pump flow)  
Auxiliary flow control  
Auxiliary valve  
Boom speed assistance (2 pump flow)  
Bucket curl assist  
Control levers pre-wired for auxiliary  
hydraulics  
Electronically controlled hydraulic  
pumps  
Holding valve (Boom and Arm)  
Fire wall  
Hydraulic filter restriction indicator  
Neutral pump de-stroke  
Oil cooler  
Power save  
Pump stand-by pressure  
Auto travel speed change  
Selectable work modes  
Free swing  
Hydraulic oil sample port  
Control pattern selector  
Pre-set auxiliary pump settings  
Auxiliary valve  
5,000-hour hydraulic oil change  
interval  
1,000-hour hydraulic filter change  
interval  
SAHR brake

**CX250D STD CRAWLER EXCAVATOR  
US PRICE LIST**

**(Ex Works Port of Entry)  
Standard Equipment**

**UPPER STRUCTURE:**

ISO mirrors (3)  
Cab ISO-Mounts (fluid and spring)  
Upper mounted work light (70 watt)  
Swivel guard belly pan  
Center cover (over main CV)  
Fuel tank belly pan  
Handrail (RH access)  
ISO guard rails  
Lifting eyes for counterweight  
Lockable fuel cap, service doors and tool box

**ATTACHMENTS:**

Boom- 19 ft. 2 in. (5.85 m)  
Arm- 9 ft. 10 in. (3.00 m)  
Heavy-duty bucket linkage  
Boom mounted work light (70 watt)  
Auxiliary pipe brackets  
Centralized grease fittings  
Attachment cushion valve  
Arm and boom regeneration  
Bucket anti-clatter device  
Chrome pins  
Easy Maintenance System (EMS) bushings  
Teardrop pin retention keepers

**OPERATOR STATION:**

ROPS protection  
FOPS cab (Level 1)  
Pressurized cab  
Face vent  
Cab lights (2)  
Interior dome light  
One-touch lock front window  
One piece window (right)  
Safety glass windows  
Gate lock hydraulic activation  
Emergency exit and hammer  
Clear (polycarbonate) roof window w/ sunshade  
AC/heat/defrost w/ auto climate control

**OPERATOR STATION (continued):**

LED Color monitor- 7 in (180 mm)  
26 selectable languages for monitor  
On-board diagnostic system  
10 programmable attachments settings on monitor - 5 single flow, 5 dual flow  
Seatbelt- 3 in. (76 mm)  
Heated high-back cloth seat with air suspension and 65o tilt adjustment  
Sliding seat - 3.54 in. (90 mm)  
Adjustable armrests  
Tilting consoles- 4-position  
Sliding cockpit - 3.15 in. (80 mm)  
Low-effort joystick controls  
Controls pre-wired for auxiliary  
Single pedal travel  
Straight travel  
AM/FM radio w/ antenna, 2 speakers and Bluetooth capabilities  
Aux-in port for personal electronics  
Radio mute switch (joystick)  
Rear-view camera  
Anti-theft system (start code system)  
Rubber floormat  
12-volt electric outlet  
24-volt cigarette lighter  
Windshield wiper/washer  
Cup holder  
Storage compartments  
Warm/cool storage compartment  
Travel alarm with cancel switch  
Ignition keys  
One key start & lock-up  
Cab filter (external)  
Cab handrails  
Operator's manual

**CX250D STD CRAWLER EXCAVATOR  
US PRICE LIST**

**(Ex Works Port of Entry)  
Standard Equipment**

**UNDERCARRIAGE:**

Long undercarriage  
31.5 in. (800 mm) steel shoes, triple  
semi-grouser  
Full overlap turntable bearing tub  
Single track chain guides  
Hydraulic track adjustment  
Sealed link chain  
Steps  
Carbody belly pan (swivel guard)  
X-pattern carbody  
Lashing points (tie downs)

**EXTRA FILTER KIT:**

Engine oil filter  
Filter wrench  
Fuel filters  
Grease gun  
Green plug oil drain hose for  
engine oil drain  
Hydraulic return filter  
Pilot circuit hydraulic filter

**CASE ProCare**

3-yr/3000-hr factory warranty,  
planned maintenance and  
SiteWatch™ telematics

**CASE SiteWatch™ Telematics**

includes hardware and a 3-yr  
Advanced data subscription

**OPTIONAL EQUIPMENT:**

**ENGINE**

Refueling pump  
Air pre-cleaner (Cyclone)  
High ambient temperature cooling  
package

**HYDRAULICS**

Auxiliary hydraulics:  
Single acting/joystick activated  
Double acting/joystick activated  
(thumb)

**OPTIONAL EQUIPMENT (continued):**

Multi-function w/ electronic pressure  
control/joystick activated with  
electronic proportional controls  
Secondary low-flow/joystick  
activated

Proportional hydraulic controls  
Hose Burst Check Valve (HBCV)

**ATTACHMENTS**

Heavy-duty arm— 8 ft. 4 in (2.50 m)  
Long Arm— 11 ft. 6 in. (3.52 m)  
Quick Coupler/Case multi-pin grabber  
Buckets: Heavy-duty/Extreme-  
duty/Ditching  
Load holding control

**UNDERCARRIAGE**

23.6 in. (600 mm) steel shoes, triple  
semi-grouser  
27.6 in. (700 mm) steel shoes, triple  
semi-grouser  
Track guides— triple

**OPERATOR STATION**

FOPS cab top guard (Level 2)  
Front grill guard— 2 x 2 in.  
(50.8 x 50.8 mm) screen mesh  
Front rock guard— vertical bars (two  
piece)/OPG 1  
Front rock guard— vertical bars (one  
piece)/OPG 2  
Vandal guard (front window) w/  
common key  
Rain deflector (not available with  
Front guards)  
Sun visor  
Side-view camera  
LED Package: includes 1 Side view  
camera and 6 LED Lights (2 front  
cab mounted, 2 rear mounted and  
1 mounted on each side)

**PARTS OFFERING:**

Hammers; Thumbs  
Rubber bumper guard



**CX250D STD CRAWLER EXCAVATOR  
US PRICE LIST**

**(Ex Works Port of Entry)**

**Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price
CX250D STD	56,909 LBS		\$373,008.00



**CX250D STD CRAWLER EXCAVATOR  
US PRICE LIST**

**(Ex Works Port of Entry)  
Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**LIGHTS**

SD\_E5408 WORKING LIGHTS

	488134	HALOGEN WORKING LIGH			No Charge
	488135	LED WORKING LIGHTS 8 LED light and 1 side camera 2 LED light are mounted on the front of the cab 2 LED lights are mounted on the rear (above the rear view camera) 1 LED light mounted on each side (2) 2 LED lights mounted on the top of the cab			\$4,956.00

**BOOMS**

SD\_E5311 BOOM

	481858	Std Boom 19'2" (5.85 M) Standard Boom			No Charge
	781917	No Boom Less boom, hoist and arm cylinders and plumbing. Boom-foot and cylinder pins are provided.			(\$7,810.00)

**ARMS**

SD\_E5320 ARM/DIPPERSTICK

	461548	8'2" (2.50 m) HD Arm For use with 19'2" Standard Boom (option 481858) (Recommended for heavy-duty applications - example: hammer)			\$250.00
	781178	9'10" (3.01 m) Std Arm For use with 19'2" Standard Boom (option 481858)			No Charge
	781149	11'6" (3.52 M) Standard Arm For use with 19'2" Standard Boom (option 481858)			\$1,500.00
	XE5320X	No Arm/Dipperstick Less arm, bucket cylinder and linkage.			(\$4,000.00)

**CX250D STD CRAWLER EXCAVATOR  
US PRICE LIST**

**(Ex Works Port of Entry)**

**TRACK SHOES**

SD\_E5199 TRACK SHOES

		9560013	23.6" (600 mm) Steel Shoes <b>Triple-Grouser Steel Shoes</b>			(\$1,330.00)
		9560003	27.6" (700mm) Steel Shoes <b>Triple-Grouser Steel Shoes</b>			(\$655.00)
		9560005	31.5" (800 mm) Steel Shoes <b>Triple-Grouser Steel Shoes</b>			No Charge
		9560007	35.4" (900 mm) Steel Shoes			\$1,589.00

**LANGUAGE**

SD\_47083 OPERATOR'S MANUAL

		781981	English Literature			No Charge
		461540	French Canadian Literature			No Charge
		781980	Spanish Literature			No Charge

**ADDITIONAL EQUIPMENT CXC**

HYDRAULIC OPTIONS

SD\_E6410 AUXILIARY HYDRAULICS

		XE6410X	No Optional Hydraulics			No Charge
		461865	Single Acting Auxiliary Hyd <b>Single Acting Auxiliary Hydraulics</b> <b>For use with hammers or vibratory compaction plate applications</b>  <b>Joystick activated with Electronic Proportional Controls</b> <b>Provides single direction flow</b> <b>Includes manually adjustable relief valve to set required pressures</b>  <b>Notes:</b> <b>1) Not for use with other Auxiliary Hydraulic options, with the exception of Low Flow.</b> <b>2) Heavy duty bucket linkage is standard equipment on C/D series excavators.</b> <b>3) For dealer installed auxiliary hydraulic kits contact: HKX (1-800-493-5487 or www.HKX.com)</b>			\$8,782.00

**CX250D STD CRAWLER EXCAVATOR  
US PRICE LIST**

**(Ex Works Port of Entry)**

	461871	<p>Thumb - Proportional SW <b>Double Acting Auxiliary Hydraulics</b> For use with thumb applications</p> <p>Joystick Activated with Electronic Proportional Controls Provides single pump, two-way flow Hydraulic plumbing provided to the end of the boom only, no piping to the arm This system is not switchable to single acting flow</p> <p>Notes: 1) Not for use other Auxiliary Hydraulics options with the exception of Low Flow. 2) Heavy duty bucket linkage is standard equipment on C/D series excavators. 3) For dealer installed auxiliary hydraulic kits contact: <b>HKX (1-800-493-5487 or www.HKX.com).</b></p>			\$6,895.00
	461869	<p>MF w/ pressure setting - Prop <b>Multi-Function Auxiliary Hydraulics with Electronic Pressure Control (EPC)</b></p> <p>For use with multiple applications: hammers/thumbs/grapples/crushers.</p> <p>Includes in-cab Electronic Pressure Control feature Pressure Control feature allows hydraulic pressure setting from the cab monitor and maintaining pressure settings in memory when multiple tools are used. Joystick Activated with Electronic Proportional Controls</p> <p>Provides single or dual pump, two-way flow, Secondary Low-flow Auxiliary Hydraulics can be added Includes in-cab electronically controlled pressure setting feature Is switchable to single acting flow for hammer application.</p> <p>Notes: 1) Not for use with other Auxiliary Hydraulics options, with the exception of Low Flow. 2) Heavy duty bucket linkage is standard equipment on C/D series excavators. 3) For dealer installed auxiliary hydraulic kits contact: <b>HKX (1-800-493-5487 or www.HKX.com)</b></p>			\$13,310.00

**SD\_E6417 SECONDARY AUXILIARY HYDRAULICS**

	XE6417X	No Low Flow Circuit			No Charge
--	---------	---------------------	--	--	-----------

**CX250D STD CRAWLER EXCAVATOR  
US PRICE LIST**

**(Ex Works Port of Entry)**

		461863	Secondary Auxiliary Hydraulics <b>Secondary Low Flow Auxiliary Hydraulics</b> <b>Provides low-flow for rotation or tilt hydraulic attachments.</b>  <b>For use with Standard Boom option 481858</b> <b>Not for use with Offset Boom option 461025</b> <b>Joystick Activated with Electronic Proportional Controls</b>  <b>Notes:</b> 1) May be used stand alone or with any Case Excavator Auxiliary Hydraulics option. 2) For dealer installed auxiliary hydraulic kits contact: <b>HKX (1-800-493-5487 or www.HKX.com).</b>			\$7,231.00
--	--	--------	--	--	--	------------

**CAB OPTIONS**

**SD\_E5443 CAB GUARD (FOPS)**

		XE5443X	No FOPS Top Cab Guard			No Charge
		481070	FOPS Top Cab Guard			\$1,322.00

**SD\_E5444 CAB GUARD (FRONT)**

		XE5444X	No Front Guard			No Charge
		461142	Front grill guard - 2 x 2 mesh			\$1,530.00
		781986	Front Stone Guard (OPG L1) <b>vertical bars (two piece/upper and lower)</b>			\$2,276.00
		461024	Front Stone Guard (OPG L2) <b>vertical bars (one piece/full length)</b>			\$2,681.00
		461552	Vandal Guard			\$662.00

**SD\_E5449 RAIN DEFLECTOR**

		XE5449X	No Rain Deflector			No Charge
		461555	Rain Deflector <b>Not for use with Front grill guard - 2 x 2 mesh option 461142,</b> <b>Front rock guard (OPG 1) option 781986, or</b> <b>Front rock guard (OPG 2) option 461024.</b>			\$438.00

**SD\_E5451 SUN VISOR**

		XE5451X	No Sun Visor			No Charge
		461554	Sun Visor			\$125.00

**BUCKETS**

**SD\_E6300 EXCAVATOR BUCKET(S)**

		XE6300X	No Bucket <b>Buckets may be ordered using Order Codes listed in the</b> <b>Factory Supplied Attachments Section</b>			No Charge
--	--	---------	---	--	--	-----------

**CX250D STD CRAWLER EXCAVATOR  
US PRICE LIST**

**(Ex Works Port of Entry)**

**ADDITIONAL OPTIONS**

**SD\_02005 ENGINE PRE-CLEANER**

		X02005X	No Pre-Cleaner			No Charge
		488031	Pre-Cleaner Cyclone			\$542.00

**SD\_E5206 TRACK CHAIN GUIDE**

		461541	Single Track Chain Guide			No Charge
		461143	Triple Track Chain Guide			\$1,296.00

**SD\_E5407 COOLING PACKAGE**

		XE5407X	Standard Cooling Package			No Charge
		481027	Tropical Cooling Package <b>High ambient temperature cooling package</b> <b>Includes Pre-Cleaner Cyclone option 488031</b> <b>Note: Recommended for machines operating in high heat conditions not to exceed 122°F (50°C)</b>			\$582.00

**SD\_E6400 MEC/HYD QUICK COUPLER**

		XE6400X	No Quick Coupler			No Charge
		781128	Hydraulic Quick Coupler Ready <b>Does not come with coupler. Must order coupler from Factory Supplied Attachments section</b>			\$2,658.00

**SD\_E9730 SAFETY VALVE**

		XE9730X	No Hose Burst Check Valve			No Charge
		481064	Hose Burst Check Valve (HBCV) <b>boom and arm, comes with lift eye on bucket linkage</b>			\$9,130.00

**SD\_E9739 FULL VIEW CAMERA**

		488055	CASE MAX VIEW MONITO			\$2,200.00
		XE9739X	NO FULL VIEW CAMERA			No Charge

**SD\_E9740 SIDE VIEW CAMERA**

		XE9740X	No Side View Camera			No Charge
		461560	Side View Camera			\$801.00

**SD\_E9874 REFUEL PUMP**

		XE9874X	No Refuel Pump			No Charge
		481257	Refuel Pump			\$1,495.00

**CX250D STD CRAWLER EXCAVATOR  
US PRICE LIST**

(Ex Works Port of Entry)

**Factory Supplied Attachments**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**Case Pin On Buckets**

	84404217	36" Heavy Duty Bucket with 5 teeth (1.11 cu. yd.)	1,950 LB		\$6,530.00
	84404219	42" Heavy Duty Bucket with 5 teeth (1.32 cu. yd.)	2,186 LB		\$7,184.00
	84404220	48" Heavy Duty Bucket with 6 teeth (1.54 cu. yd.)	2,407 LB		\$7,512.00
	84404224	36" Extra Heavy Duty Bucket with 5 teeth (1.32 cu. yd.)	2,150 LB		\$7,042.00
	84404228	42" Extra Heavy Duty Bucket with 5 teeth (1.58 cu. yd.)	2,350 LB		\$7,746.00
	84404230	48" Extra Heavy Duty Bucket with 6 teeth (1.84 cu. yd.)	2,600 LB		\$8,196.00
	84404232	54" Extra Heavy Duty Bucket with 6 teeth (2.09 cu. yd.)	2,800 LB		\$8,582.00
	84404234	36" Severe Duty Bucket with 5 teeth (1.11 cu. yd.)	2,200 LB		\$8,413.00
	84404237	42" Severe Duty Bucket with 5 teeth (1.32 cu. yd.)	2,450 LB		\$9,256.00
	84404240	48" Severe Duty Bucket with 6 teeth (1.54 cu. yd.)	2,650 LB		\$10,181.00
	84404242	60" Ditching Bucket (1.38 cu. yd.)	1,475 LB		\$5,837.00
	84404244	72" Ditching Bucket (1.77 cu. yd.)	1,650 LB		\$6,228.00

**Case Coupler Buckets**

	84404245	36" Heavy Duty Coupler Bucket with 5 teeth (1.16 cu. yd.)	2,040 LB		\$8,208.00
	84404246	42" Heavy Duty Coupler Bucket with 5 teeth (1.38 cu. yd.)	2,210 LB		\$8,756.00
	84404249	48" Heavy Duty Coupler Bucket with 6 teeth (1.60 cu. yd.)	2,350 LB		\$9,594.00
	84404251	54" Heavy Duty Coupler Bucket with 6 teeth (1.84 cu. yd.)	2,610 LB		\$10,383.00

**Coupler**

	47848464	Multi-Fit S Coupler Kit	1,265 LB		\$9,709.00
--	----------	-------------------------	----------	--	------------

**Direct Link Thumb**

	47609075	KIT, THUMB, HYD, 3-TINE, use with bucket only (3 tine)	1,235 LB		\$10,542.00
	47609076	KIT, THUMB, HYD, 4-TINE, use with bucket only (4 tine)	1,275 LB		\$11,101.00
	47609077	KIT, THUMB, HYD, 3-TINE, use with bucket and coupler (3 tine)	1,380 LB		\$11,007.00
	47609078	KIT, THUMB, HYD, 4-TINE, use with bucket and coupler (4 tine)	1,415 LB		\$11,717.00



**CX250D STD CRAWLER EXCAVATOR  
US PRICE LIST**

**(Ex Works Port of Entry)**

**Progressive Link Thumb**

	47609115	KIT, THUMB, PROG LINK, 3- use with bucket only (3 tine)	1,760 LB		\$13,588.00
	47609116	KIT, THUMB, PROG LINK, 4- use with bucket only (4 tine)	1,800 LB		\$14,147.00
	47609117	KIT, THUMB, PROG LINK, 3- use with bucket and coupler (3 tine)	1,905 LB		\$14,053.00
	47609118	KIT, THUMB, PROG LINK, 4- use with bucket and coupler (4 tine)	1,940 LB		\$14,763.00

**CX250D LONG REACH CRAWLER EXCAVATOR  
US PRICE LIST**

**(Ex Works Port of Entry)  
Standard Equipment**

**ENGINE:**

Isuzu AQ-4HK1X  
Tier 4 Final Certified  
Selective Catalytic Reduction (SCR)  
Diesel Oxidation Catalyst (DOC)  
Cooled Exhaust Gas Recirculation  
(CEGR)  
EGR Coolers  
Four-cylinder turbo-charged diesel  
VGT turbocharger  
Electronic fuel injection  
High pressure common rail system  
Neutral safety start  
Auto-engine warm up  
Glow-plug pre-heat  
Fuel Economy Assist System (FEA)  
Engine Protection Feature (EPF)  
Dual-stage fuel filtration  
Dual element air filter  
Remote oil filter  
Drain for fuel tank  
Remote engine oil drain  
500-hour engine oil change interval  
24-volt system  
Engine oil sample port  
Battery disconnect switch  
Emergency engine stop  
External Fuel and DEF gauges  
Fan housing  
Fuel cooler  
Fuel filter restriction indicator  
Fuel shut-off valve  
Idle start  
Radiator, oil cooler, intercooler -  
protective screen

**FUEL ECONOMY SYSTEMS:**

Engine Idle/Fuel Economy System:  
Auto-idle  
One-touch idle  
Auto-Idle shut-down  
BEC- Boom Economy Control  
AEC- Auto Economy Control  
SWC- Swing Relief Control  
SSC- Spool Stroke Control

**HYDRAULICS:**

Auto power boost  
Auto swing priority  
Arm speed assistance (2 pump flow)  
Auxiliary flow control  
Auxiliary valve  
Boom speed assistance (2 pump flow)  
Bucket curl assist  
Control levers pre-wired for auxiliary  
hydraulics  
Electronically controlled hydraulic  
pumps  
Holding valve (Boom and Arm)  
Fire wall  
Hydraulic filter restriction indicator  
Neutral pump de-stroke  
Oil cooler  
Power save  
Pump stand-by pressure  
Auto travel speed change  
Selectable work modes  
Free swing  
Hydraulic oil sample port  
Control pattern selector  
Pre-set auxiliary pump settings  
Auxiliary valve  
5,000-hour hydraulic oil change  
interval  
1,000-hour hydraulic filter change  
interval  
SAHR brake



**CX250D LONG REACH CRAWLER EXCAVATOR  
US PRICE LIST**

**(Ex Works Port of Entry)  
Standard Equipment**

**UPPER STRUCTURE:**

ISO mirrors (3)  
Cab ISO-Mounts (fluid and spring)  
Upper mounted work light (70 watt)  
Swivel guard belly pan  
Center cover (over main CV)  
Fuel tank belly pan  
Handrail (RH access)  
ISO guard rails  
Lifting eyes for counterweight  
Lockable fuel cap, service doors and tool box

**ATTACHMENTS:**

Boom- 33 ft. 10 in. (10.30 m)  
Arm- 26 ft. 3 in. (8.00 m)  
Heavy-duty bucket linkage  
Boom mounted work light (70 watt)  
Auxiliary pipe brackets  
Centralized grease fittings  
Attachment cushion valve  
Arm and boom regeneration  
Bucket anti-clatter device  
Chrome pins  
Easy Maintenance System (EMS) bushings  
Teardrop pin retention keepers

**OPERATOR STATION:**

ROPS protection  
FOPS cab (Level 1)  
Pressurized cab  
Face vent  
Cab lights (2)  
Interior dome light  
One-touch lock front window  
One piece window (right)  
Safety glass windows  
Gate lock hydraulic activation  
Emergency exit and hammer  
Clear (polycarbonate) roof window w/sunshade

**OPERATOR STATION (continued):**

AC/heat/defrost w/ auto climate control  
LED Color monitor- 7 in (180 mm)  
26 selectable languages for monitor  
On-board diagnostic system  
10 programmable attachments settings on monitor - 5 single flow, 5 dual flow  
Seatbelt- 3 in. (76 mm)  
Heated high-back cloth seat with air suspension and 65o tilt adjustment  
Sliding seat - 3.54 in. (90 mm)  
Adjustable armrests  
Tilting consoles- 4-position  
Sliding cockpit - 3.15 in. (80 mm)  
Low-effort joystick controls  
Controls pre-wired for auxiliary  
Single pedal travel  
Straight travel  
AM/FM radio w/ antenna, 2 speakers and Bluetooth capabilities  
Aux-in port for personal electronics  
Radio mute switch (joystick)  
Rear-view camera  
Anti-theft system (start code system)  
Rubber floormat  
12-volt electric outlet  
24-volt cigarette lighter  
Windshield wiper/washer  
Cup holder  
Storage compartments  
Warm/cool storage compartment  
Travel alarm with cancel switch  
Ignition keys  
One key start & lock-up  
Cab filter (external)  
Cab handrails  
Operators manual

**CX250D LONG REACH CRAWLER EXCAVATOR  
US PRICE LIST**

**(Ex Works Port of Entry)  
Standard Equipment**

**UNDERCARRIAGE:**

Long undercarriage  
31.5 in. (800 mm) steel shoes, triple  
semi-grouser  
Full overlap turntable bearing tub  
Single track chain guides  
Hydraulic track adjustment  
Sealed link chain  
Steps  
Carbody belly pan (swivel guard)  
X-pattern carbody  
Lashing points (tie downs)

**EXTRA FILTER KIT:**

Engine oil filter  
Filter wrench  
Fuel filters  
Grease gun  
Green plug oil drain hose for  
engine oil drain  
Hydraulic return filter  
Pilot circuit hydraulic filter

**CASE ProCare**

3-yr/3000-hr factory warranty,  
planned maintenance and  
SiteWatch™ telematics

**CASE SiteWatch™ Telematics**

includes hardware and a 3-yr  
Advanced data subscription

**OPTIONAL EQUIPMENT:**

**ENGINE**

Refueling pump  
Air pre-cleaner (Cyclone)  
High ambient temperature cooling  
package

**HYDRAULICS**

Auxiliary hydraulics:  
Secondary low-flow/joystick  
activated  
Proportional hydraulic controls  
Hose Burst Check Valve (HBCV)

**ATTACHMENTS**

Buckets: Heavy-duty/Extreme-  
duty/Ditching  
Load holding control

**UNDERCARRIAGE**

Track guides- triple

**OPERATOR STATION**

FOPS cab top guard (Level 2)  
Front grill guard- 2 x 2 in.  
(50.8 x 50.8mm) screen mesh  
Front rock guard- vertical bars  
(two piece)/OPG 1  
Front rock guard- vertical bars (one  
piece)/OPG 2  
Vandal guard (front window) w/  
common key  
Rain deflector (not available with  
Front guards)  
Sun visor  
Side-view camera  
LED Package: includes 1 Side view  
camera and 6 LED Lights (2 front  
cab mounted, 2 rear mounted and  
1 mounted on each side)

**PARTS OFFERING:**

Rubber bumper guard



**CX250D LONG REACH CRAWLER EXCAVATOR  
US PRICE LIST**

**(Ex Works Port of Entry)**

**Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price
CX250D LR	62,100 LBS		\$416,476.00

**CX250D LONG REACH CRAWLER EXCAVATOR  
US PRICE LIST**

**(Ex Works Port of Entry)  
Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**LIGHTS**

SD\_E5408 WORKING LIGHTS

	488134	HALOGEN WORKING LIGH			No Charge
	488135	LED WORKING LIGHTS 8 LED light and 1 side camera 2 LED light are mounted on the front of the cab 2 LED lights are mounted on the rear (above the rear view camera) 1 LED light mounted on each side (2) 2 LED lights mounted on the top of the cab			\$4,956.00

**BOOMS**

SD\_E5311 BOOM

	461029	Standard Long Reach Boom 33'10" (10.30 M) Long Reach Boom			No Charge
--	--------	--	--	--	-----------

**ARMS**

SD\_E5320 ARM/DIPPERSTICK

	481238	26'3" (8.00 M) Arm For use with 33'10" Standard Long Reach Boom (option 461029)			No Charge
--	--------	--	--	--	-----------

**TRACK SHOES**

SD\_E5199 TRACK SHOES

	9560005	31.5" (800 mm) Steel Shoes Triple-Grouser Steel Shoes			No Charge
--	---------	--	--	--	-----------

**LANGUAGE**

SD\_47083 OPERATOR'S MANUAL

	781981	English Literature			No Charge
	461540	French Canadian Literature			No Charge

**CX250D LONG REACH CRAWLER EXCAVATOR  
US PRICE LIST**

**(Ex Works Port of Entry)**

		781980	Spanish Literature			No Charge
--	--	--------	--------------------	--	--	-----------

**ADDITIONAL EQUIPMENT CXC**

**HYDRAULIC OPTIONS**

**SD\_E6417 SECONDARY AUXILIARY HYDRAULICS**

		XE6417X	No Low Flow Circuit			No Charge
		461863	Secondary Auxiliary Hydraulics <b>Secondary Low Flow Auxiliary Hydraulics</b> <b>Provides low-flow for rotation or tilt hydraulic attachments.</b>  <b>Joystick Activated with Electronic Proportional Controls</b>  <b>Notes:</b> <b>1) May be used stand alone or with any Case Excavator Auxiliary Hydraulics option.</b> <b>2) For dealer installed auxiliary hydraulic kits contact:</b> <b>HKX (1-800-493-5487 or www.HKX.com).</b>			\$9,326.00

**CAB OPTIONS**

**SD\_E5443 CAB GUARD (FOPS)**

		XE5443X	No FOPS Top Cab Guard			No Charge
		481070	FOPS Top Cab Guard			\$1,322.00

**SD\_E5444 CAB GUARD (FRONT)**

		XE5444X	No Front Guard			No Charge
		461142	Front grill guard - 2 x 2 mesh			\$1,530.00
		781986	Front Stone Guard (OPG L1) <b>vertical bars (two piece/upper and lower)</b>			\$2,276.00
		461024	Front Stone Guard (OPG L2) <b>vertical bars (one piece/full length)</b>			\$2,681.00
		461552	Vandal Guard			\$662.00

**SD\_E5449 RAIN DEFLECTOR**

		XE5449X	No Rain Deflector			No Charge
		461555	Rain Deflector <b>Not for use with Front grill guard - 2 x 2 mesh option 461142,</b> <b>Front rock guard (OPG 1) option 781986, or</b> <b>Front rock guard (OPG 2) option 461024.</b>			\$438.00

**SD\_E5451 SUN VISOR**

		XE5451X	No Sun Visor			No Charge
		461554	Sun Visor			\$125.00

**CX250D LONG REACH CRAWLER EXCAVATOR  
US PRICE LIST**

**(Ex Works Port of Entry)**

**BUCKETS**

**SD\_E6300 EXCAVATOR BUCKET(S)**

		XE6300X	No Bucket <b>Buckets may be ordered using Order Codes listed in the Factory Supplied Attachments Section</b>			No Charge
--	--	---------	---	--	--	-----------

**ADDITIONAL OPTIONS**

**SD\_02005 ENGINE PRE-CLEANER**

		X02005X	No Pre-Cleaner			No Charge
		488031	Pre-Cleaner Cyclone			\$542.00

**SD\_E5206 TRACK CHAIN GUIDE**

		461541	Single Track Chain Guide			No Charge
		461143	Triple Track Chain Guide			\$1,296.00

**SD\_E5407 COOLING PACKAGE**

		XE5407X	Standard Cooling Package			No Charge
		481027	Tropical Cooling Package <b>High ambient temperature cooling package Includes Pre-Cleaner Cyclone option 488031 Note: Recommended for machines operating in high heat conditions not to exceed 122°F (50°C)</b>			\$582.00

**SD\_E9730 SAFETY VALVE**

		XE9730X	No Hose Burst Check Valve			No Charge
		481064	Hose Burst Check Valve (HBCV) <b>boom and arm</b>			\$9,130.00

**SD\_E9739 FULL VIEW CAMERA**

		488055	CASE MAX VIEW MONITO			\$2,200.00
		XE9739X	NO FULL VIEW CAMERA			No Charge

**SD\_E9740 SIDE VIEW CAMERA**

		XE9740X	No Side View Camera			No Charge
		461560	Side View Camera			\$801.00

**SD\_E9874 REFUEL PUMP**

		XE9874X	No Refuel Pump			No Charge
		481257	Refuel Pump			\$1,495.00

**CX250D LONG REACH CRAWLER EXCAVATOR  
US PRICE LIST**

(Ex Works Port of Entry)

**Factory Supplied Attachments**

Order Code		Description	Weight	Factory Data	List Price
	84404113	48" Ditching Bucket (.79 cu. yd.)	860 LB		\$3,452.00
	84404115	60" Ditching Bucket (1.02 cu. yd.)	1,000 LB		\$3,916.00

**Direct Link Thumb**

	47609058	Hydraulic Main Pin Direct Link Thumb use with bucket only (2 tine)	830 LB		\$7,580.00
	47609059	KIT, THUMB, HYD, 4-TINE, use with bucket only (3 tine)	860 LB		\$8,023.00
	47609060	KIT, THUMB, HYD, 3-TINE, use with bucket and coupler (2 tine)	870 LB		\$7,861.00
	47609061	KIT, THUMB, HYD, 4-TINE, use with bucket and coupler (3 tine)	910 LB		\$8,415.00

**CX300D CRAWLER EXCAVATOR  
US PRICE LIST****(Ex Works Port of Entry)  
Standard Equipment****ENGINE:**

Isuzu AQ-6HK1X  
Tier 4 Final Certified  
Selective Catalytic Reduction (SCR)  
Diesel Oxidation Catalyst (DOC)  
Cooled Exhaust Gas Recirculation  
(CEGR)  
EGR Coolers  
Six-cylinder turbo-charged diesel  
VGT turbocharger  
Electronic fuel injection  
High pressure common rail system  
Neutral safety start  
Auto-engine warm up  
Glow-plug pre-heat  
Fuel Economy Assist System (FEA)  
Engine Protection Feature (EPF)  
Dual-stage fuel filtration  
Dual element air filter  
Remote oil filter  
Drain for fuel tank  
Remote engine oil drain  
500-hour engine oil change interval  
24-volt system  
Engine oil sample port  
Battery disconnect switch  
High ambient temperature cooling  
package  
Emergency engine stop  
External Fuel and DEF gauges  
Fan housing  
Fuel cooler  
Fuel filter restriction indicator  
Fuel shut-off valve  
Idle start  
Radiator, oil cooler, intercooler -  
protective screen

**FUEL ECONOMY SYSTEMS:**

Engine Idle / Fuel Economy System:  
Auto-idle  
One-touch idle  
Auto-Idle shut-down  
BEC- Boom Economy Control  
AEC- Auto Economy Control  
SWC- Swing Relief Control  
SSC- Spool Stroke Control

**HYDRAULICS:**

Auto power boost  
Auto swing priority  
Arm speed assistance (2 pump flow)  
Auxiliary flow control  
Auxiliary valve  
Boom speed assistance (2 pump flow)  
Bucket curl assist  
Control levers pre-wired for auxiliary  
hydraulics  
Electronically controlled hydraulic  
pumps  
Holding valve (Boom and Arm)  
Fire wall  
Hydraulic filter restriction indicator  
Neutral pump de-stroke  
Oil cooler  
Power save  
Pump stand-by pressure  
Auto travel speed change  
Selectable work modes  
Free swing  
Hydraulic oil sample port  
Control pattern selector  
Pre-set auxiliary pump settings  
Auxiliary valve  
5,000-hour hydraulic oil change  
interval  
1,000-hour hydraulic filter change  
interval  
SAHR brake



**CX300D CRAWLER EXCAVATOR  
US PRICE LIST**
**(Ex Works Port of Entry)  
Standard Equipment**
**UPPER STRUCTURE:**

ISO mirrors (3)  
Cab ISO-mounts (fluid and spring)  
Upper mounted work light (70 watt)  
Swivel guard belly pan  
Center cover (over main CV)  
Fuel tank belly pan  
Handrail (RH access)  
ISO guard rails  
Lifting eyes for counterweight  
Lockable fuel cap, service doors and tool box

**ATTACHMENTS:**

Boom- 20 ft. 2 in. (6.15 m)  
Arm- 10 ft. 5 in. (3.18 m)  
Heavy-duty bucket linkage  
Boom mounted work light (70 watt)  
Auxiliary pipe brackets  
Centralized grease fittings  
Attachment cushion valve  
Arm and boom regeneration  
Bucket anti-clatter device  
Chrome pins  
Easy Maintenance System (EMS) bushings  
Teardrop pin retention keepers

**OPERATOR STATION:**

ROPS protection  
FOPS cab (Level 1)  
Pressurized cab  
Face vent  
Cab lights (2)  
Interior dome light  
One-touch lock front window  
One piece window (right)  
Safety glass windows  
Gate lock hydraulic activation  
Emergency exit and hammer  
Clear (polycarbonate) roof window w/ sunshade

**OPERATOR STATION (Continued):**

AC/heat/defrost w/ auto climate control  
LED Color monitor- 7 in (180 mm)  
26 selectable languages for monitor  
On-board diagnostic system  
10 programmable attachments settings on monitor - 5 single flow, 5 dual flow  
Seatbelt- 3 in. (76 mm)  
Heated high-back cloth seat with air suspension and 65o tilt adjustment  
Sliding seat - 3.54 in. (90 mm)  
Adjustable armrests  
Tilting consoles- 4-position  
Sliding cockpit - 3.15 in. (80 mm)  
Low-effort joystick controls  
Controls pre-wired for auxiliary  
Single pedal travel  
Straight travel  
AM/FM radio w/ antenna, 2 speakers and Bluetooth capabilities  
Aux-in port for personal electronics  
Radio mute switch (joystick)  
Rear-view camera  
Anti-theft system (start code system)  
Rubber floormat  
12-volt electric outlet  
24-volt cigarette lighter  
Windshield wiper/washer  
Cup holder  
Storage compartments  
Warm/cool storage compartment  
Travel alarm with cancel switch  
Ignition keys  
One key start & lock-up  
Cab filter (external)  
Cab handrails  
Operator's manual

**CX300D CRAWLER EXCAVATOR  
US PRICE LIST****(Ex Works Port of Entry)  
Standard Equipment****UNDERCARRIAGE:**

Long undercarriage  
31.5 in. (800 mm) steel shoes, triple  
semi-grouser  
Full overlap turntable bearing tub  
Single track chain guides  
Hydraulic track adjustment  
Sealed link chain  
Steps  
Carbody belly pan (swivel guard)  
X-pattern carbody  
Lashing points (tie downs)

**EXTRA FILTER KIT:**

Engine oil filter  
Filter wrench  
Fuel filters  
Grease gun  
Green plug oil drain hose for  
engine oil drain  
Hydraulic return filter  
Pilot circuit hydraulic filter

**CASE ProCare**

3-yr/3000-hr factory warranty,  
planned maintenance and  
SiteWatch™ telematics

**CASE SiteWatch™ Telematics**

includes hardware and a 3-yr  
Advanced data subscription

**OPTIONAL EQUIPMENT:****ENGINE**

Refueling pump  
Air pre-cleaner (Cyclone)

**HYDRAULICS**

Auxiliary hydraulics:  
Single acting/joystick activated  
Double acting/joystick activated  
(thumb)

**OPTIONAL EQUIPMENT (continued):**

Multi-function w/ electronic pressure  
control/joystick activated with  
electronic proportional controls  
Secondary low-flow/joystick activated  
Proportional hydraulic controls  
Hose Burst Check Valve (HBCV)

**ATTACHMENTS**

Heavy-duty arm— 8 ft. 8 in (2.65 m)  
Long Arm— 12 ft. (3.66 m)  
Quick Coupler/Case multi-pin grabber  
Buckets: Heavy-duty/Extreme-  
duty/Ditching  
Load holding control

**UNDERCARRIAGE**

23.6 in. (600 mm) steel shoes, triple  
semi-grouser  
27.6 in. (700 mm) steel shoes, triple  
semi-grouser  
Track guides— triple

**OPERATOR STATION**

FOPS cab top guard (Level 2)  
Front grill guard— 2 x 2 in. (50.8 x  
50.8 mm) screen mesh  
Front rock guard— vertical bars (two  
piece)/OPG 1  
Front rock guard— vertical bars (one  
piece)/OPG 2  
Vandal guard (front window) w/  
common key  
Rain deflector (not available with  
Front guards)  
Sun visor  
Side-view camera  
LED Package: includes 1 Side view  
camera and 6 LED Lights (2 front  
cab mounted, 2 rear mounted and  
1 mounted on each side)

**PARTS OFFERING:**

Hammers; Shears; Thumbs;  
Compaction plates; Grapples  
Rubber bumper guard



**CX300D CRAWLER EXCAVATOR  
US PRICE LIST**

**(Ex Works Port of Entry)**

**Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price
CX300D STD	67,271 LBS		\$437,663.00



**CX300D CRAWLER EXCAVATOR  
US PRICE LIST**

**(Ex Works Port of Entry)  
Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**LIGHTS**

SD\_E5408 WORKING LIGHTS

	488134	HALOGEN WORKING LIGH			No Charge
	488135	LED WORKING LIGHTS 8 LED light and 1 side camera: 2 LED light are mounted on the front of the cab 2 LED lights are mounted on the rear (above the rear view camera) 1 LED light mounted on each side (2) 2 LED lights mounted on the top of the cab			\$4,956.00

**BOOMS**

SD\_E5311 BOOM

	481858	Std Boom 20'2" (6.15 M) Standard Boom			No Charge
	781917	No Boom Less boom, hoist and arm cylinders and plumbing. Boom-foot and cylinder pins are provided.			(\$8,500.00)

**ARMS**

SD\_E5320 ARM/DIPPERSTICK

	481243	8'8" (2.65 M) Standard Arm For use with 20'2" Standard Boom (option 481858)			(\$500.00)
	781180	10'5" (3.18 M) Standard Arm For use with 20'2" Standard Boom (option 481858)			No Charge
	481850	12' (3.66 M) Standard Arm For use with 20'2" Standard Boom (option 481858)			\$1,300.00
	XE5320X	No Arm/Dipperstick Less arm, bucket cylinder and linkage			(\$4,510.00)

**CX300D CRAWLER EXCAVATOR  
US PRICE LIST**
**(Ex Works Port of Entry)**
**TRACK SHOES**

## SD\_E5199 TRACK SHOES

		9560013	23.6" (600 mm) Steel Shoes <b>Triple-Grouser Steel Shoes</b>			(\$1,005.00)
		9560003	27.6" (700mm) Steel Shoes <b>Triple-Grouser Steel Shoes</b>			(\$775.00)
		9560005	31.5" (800 mm) Steel Shoes <b>Triple-Grouser Steel Shoes</b>			No Charge

**LANGUAGE**

## SD\_47083 OPERATOR'S MANUAL

		781981	English Literature			No Charge
		461540	French Canadian Literature			No Charge
		781980	Spanish Literature			No Charge

**ADDITIONAL EQUIPMENT CXC**

## HYDRAULIC OPTIONS

## SD\_E6410 AUXILIARY HYDRAULICS

		XE6410X	No Optional Hydraulics			No Charge
		461865	Single Acting Auxiliary Hyd <b>Single Acting Auxiliary Hydraulics</b> <b>For use with hammers or vibratory compaction plate applications</b>  <b>Joystick activated with Electronic Proportional Controls</b> <b>Provides single direction flow</b> <b>Includes manually adjustable relief valve to set required pressures</b>  <b>Notes:</b> <b>1) Not for use with other Auxiliary Hydraulic options, with the exception of Low Flow.</b> <b>2) Heavy duty bucket linkage is standard equipment on C/D series excavators.</b> <b>3) For dealer installed auxiliary hydraulic kits contact: HKX (1-800-493-5487 or www.HKX.com)</b>			\$9,456.00

**CX300D CRAWLER EXCAVATOR  
US PRICE LIST**

**(Ex Works Port of Entry)**

		461871	<p>Thumb - Proportional SW <b>Double Acting Auxiliary Hydraulics</b> For use with thumb applications</p> <p>Joystick Activated with Electronic Proportional Controls Provides single pump, two-way flow Hydraulic plumbing provided to the end of the boom only, no piping to the arm This system is not switchable to single acting flow</p> <p>Notes: 1) Not for use other Auxiliary Hydraulics options with the exception of Low Flow. 2) Heavy duty bucket linkage is standard equipment on C/D series excavators. 3) For dealer installed auxiliary hydraulic kits contact: <b>HKX (1-800-493-5487 or www.HKX.com).</b></p>			\$7,054.00
		461869	<p>MF w/ pressure setting - Prop <b>Multi-Function Auxiliary Hydraulics with Electronic Pressure Control (EPC)</b> For use with multiple applications: hammers/thumbs/grapples/crushers.</p> <p>Includes in-cab Electronic Pressure Control feature</p> <p>Pressure Control feature allows hydraulic pressure setting from the cab monitor and maintaining pressure settings in memory when multiple tools are used. Joystick Activated with Electronic Proportional Controls</p> <p>Provides single or dual pump, two-way flow, Secondary Low-flow Auxiliary Hydraulics can be added Includes in-cab electronically controlled pressure setting feature Is switchable to single acting flow for hammer application.</p> <p>Notes: 1) Not for use with other Auxiliary Hydraulics options, with the exception of Low Flow. 2) Heavy duty bucket linkage is standard equipment on C/D series excavators. 3) For dealer installed auxiliary hydraulic kits contact: <b>HKX (1-800-493-5487 or www.HKX.com)</b></p>			\$13,769.00

**SD\_E6417 SECONDARY AUXILIARY HYDRAULICS**

		XE6417X	No Low Flow Circuit			No Charge
--	--	---------	---------------------	--	--	-----------

**CX300D CRAWLER EXCAVATOR  
US PRICE LIST**

**(Ex Works Port of Entry)**

		461863	Secondary Auxiliary Hydraulics <b>Secondary Low Flow Auxiliary Hydraulics</b> <b>Provides low-flow for rotation or tilt hydraulic attachments.</b>  <b>For use with Standard Boom option 481858</b> <b>Not for use with Offset Boom option 461025</b> <b>Joystick Activated with Electronic Proportional Controls</b>  <b>Notes:</b> <b>1) May be used stand alone or with any Case Excavator Auxiliary Hydraulics option.</b> <b>2) For dealer installed auxiliary hydraulic kits contact:</b> <b>HKX (1-800-493-5487 or www.HKX.com).</b>			\$7,710.00
--	--	--------	--	--	--	------------

**CAB OPTIONS**

**SD\_E5443 CAB GUARD (FOPS)**

		XE5443X	No FOPS Top Cab Guard			No Charge
		481070	FOPS Top Cab Guard			\$1,322.00

**SD\_E5444 CAB GUARD (FRONT)**

		XE5444X	No Front Guard			No Charge
		461142	Front grill guard - 2 x 2 mesh			\$1,530.00
		781986	Front Stone Guard (OPG L1) <b>vertical bars (two piece/upper and lower)</b>			\$2,276.00
		461024	Front Stone Guard (OPG L2) <b>vertical bars (one piece/full length)</b>			\$2,681.00
		461552	Vandal Guard			\$662.00

**SD\_E5449 RAIN DEFLECTOR**

		XE5449X	No Rain Deflector			No Charge
		461555	Rain Deflector <b>Not for use with Front grill guard - 2 x 2 mesh option 461142,</b> <b>Front rock guard (OPG 1) option 781986, or</b> <b>Front rock guard (OPG 2) option 461024.</b>			\$438.00

**SD\_E5451 SUN VISOR**

		XE5451X	No Sun Visor			No Charge
		461554	Sun Visor			\$125.00

**BUCKETS**

**SD\_E6300 EXCAVATOR BUCKET(S)**

		XE6300X	No Bucket <b>Buckets may be ordered using Order Codes listed in the</b> <b>Factory Supplied Attachments Section</b>			No Charge
--	--	---------	---	--	--	-----------

**CX300D CRAWLER EXCAVATOR  
US PRICE LIST**

**(Ex Works Port of Entry)**

**ADDITIONAL OPTIONS**

**SD\_02005 ENGINE PRE-CLEANER**

		X02005X	No Pre-Cleaner			No Charge
		488031	Pre-Cleaner Cyclone			\$1,121.00

**SD\_E5206 TRACK CHAIN GUIDE**

		461541	Single Track Chain Guide			No Charge
		461143	Triple Track Chain Guide			\$2,303.00

**SD\_E6400 MEC/HYD QUICK COUPLER**

		XE6400X	No Quick Coupler			No Charge
		781128	Hydraulic Quick Coupler Ready <b>Does not come with coupler. Must order coupler from Factory Supplied Attachments section</b>			\$3,189.00

**SD\_E9730 SAFETY VALVE**

		XE9730X	No Hose Burst Check Valve			No Charge
		481064	Hose Burst Check Valve (HBCV) <b>boom and arm, comes with lift eye on bucket linkage</b>			\$9,130.00

**SD\_E9739 FULL VIEW CAMERA**

		488055	CASE MAX VIEW MONITO			\$2,200.00
		XE9739X	NO FULL VIEW CAMERA			No Charge

**SD\_E9740 SIDE VIEW CAMERA**

		XE9740X	No Side View Camera			No Charge
		461560	Side View Camera			\$801.00

**SD\_E9874 REFUEL PUMP**

		XE9874X	No Refuel Pump			No Charge
		481257	Refuel Pump			\$1,495.00



**CX300D CRAWLER EXCAVATOR  
US PRICE LIST**

(Ex Works Port of Entry)

**Factory Supplied Attachments**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**Case Pin On Buckets**

	84404254	36" Heavy Duty Bucket with 5 teeth (1.18 cu. yd.)	2,157 LB		\$7,335.00
	84404255	42" Heavy Duty Bucket with 5 teeth (1.42 cu. yd.)	2,311 LB		\$7,874.00
	84404256	48" Heavy Duty Bucket with 6 teeth (1.65 cu. yd.)	2,600 LB		\$8,661.00
	84404257	36" Heavy Duty High Capacity Bucket with 5 teeth (1.52 cu. yd.)	2,875 LB		\$8,317.00
	84404258	42" Heavy Duty High Capacity Bucket with 5 teeth (1.85 cu. yd.)	3,100 LB		\$8,818.00
	84404259	48" Heavy Duty High Capacity Bucket with 6 teeth (2.12 cu. yd.)	3,400 LB		\$9,698.00
	84404260	54" Heavy Duty High Capacity Bucket with 6 teeth (2.42 cu. yd.)	3,625 LB		\$10,668.00
	84404261	36" Severe Duty Bucket with 5 teeth (1.18 cu. yd.)	2,500 LB		\$8,590.00
	84404262	42" Severe Duty Bucket with 5 teeth (1.42 cu. yd.)	2,650 LB		\$9,228.00
	84404265	48" Severe Duty Bucket with 6 teeth (1.65 cu. yd.)	3,000 LB		\$10,151.00
	84404266	60" Ditching Bucket (1.71 cu. yd.)	1,950 LB		\$6,569.00
	84404267	72" Ditching Bucket (2.09 cu. yd.)	2,250 LB		\$7,002.00

**Case Coupler Buckets**

	84404268	36" Heavy Duty Coupler Bucket with 5 teeth (1.26 cu. yd.)	2,120 LB		\$8,786.00
	84404269	42" Heavy Duty Coupler Bucket with 5 teeth (1.52 cu. yd.)	2,300 LB		\$9,664.00
	84404270	48" Heavy Duty Coupler Bucket with 6 teeth (1.78 cu. yd.)	2,440 LB		\$10,630.00
	84404272	54" Heavy Duty Coupler Bucket with 6 teeth (2.03 cu. yd.)	2,725 LB		\$11,692.00

**Coupler**

	47848465	KIT, COUPLER, MULTI-FIT S	2,033 LB		\$9,709.00
--	----------	---------------------------	----------	--	------------

**Direct Link Thumb**

	47609082	KIT, THUMB, HYD, 3-TINE, use with bucket only (3 tine)	1,235 LB		\$12,572.00
	47609084	KIT, THUMB, HYD, 4-TINE, use with bucket only (4 tine)	1,275 LB		\$13,315.00
	47609085	KIT, THUMB, HYD, 3-TINE, use with bucket and coupler (3 tine)	1,380 LB		\$12,922.00
	47609086	KIT, THUMB, HYD, 4-TINE, use with bucket and coupler (4 tine)	1,415 LB		\$13,546.00

**CX300D CRAWLER EXCAVATOR  
US PRICE LIST****(Ex Works Port of Entry)****Progressive Link Thumb**

	47609119	KIT, THUMB, PROG LINK, 3- use with bucket only (3 tine)	1,760 LB		\$15,157.00
	47609120	KIT, THUMB, PROG LINK, 4- use with bucket only (4 tine)	1,800 LB		\$15,438.00
	47609121	KIT, THUMB, PROG LINK, 3- use with bucket and coupler (3 tine)	1,905 LB		\$15,507.00
	47609122	KIT, THUMB, PROG LINK, 4- use with bucket and coupler (4 tine)	1,940 LB		\$16,037.00

**CX350D CRAWLER EXCAVATOR  
US PRICE LIST**

**(Ex Works Port of Entry)  
Standard Equipment**

**ENGINE:**

Isuzu AQ-6HK1X  
Tier 4 Final Certified  
Selective Catalytic Reduction (SCR)  
Diesel Oxidation Catalyst (DOC)  
Cooled Exhaust Gas Recirculation  
(CEGR)  
EGR Coolers  
Six-cylinder turbo-charged diesel  
VGT turbocharger  
Electronic fuel injection  
High pressure common rail system  
Neutral safety start  
Auto-engine warm up  
Glow-plug pre-heat  
Fuel Economy Assist System (FEA)  
Engine Protection Feature (EPF)  
Dual-stage fuel filtration  
Dual element air filter  
Remote oil filter  
Drain for fuel tank  
Remote engine oil drain  
500-hour engine oil change interval  
24-volt system  
Engine oil sample port  
Battery disconnect switch  
Air pre-cleaner (Cyclone)  
High ambient temperature cooling  
package  
Emergency engine stop  
External Fuel and DEF gauges  
Fan housing  
Fuel cooler  
Fuel filter restriction indicator  
Fuel shut-off valve  
Idle start  
Radiator, oil cooler, intercooler -  
protective screen

**FUEL ECONOMY SYSTEMS:**

Engine Idle / Fuel Economy System:  
Auto-idle  
One-touch idle  
Auto-Idle shut-down  
BEC- Boom Economy Control  
AEC- Auto Economy Control  
SWC- Swing Relief Control  
SSC- Spool Stroke Control

**HYDRAULICS:**

Auto power boost  
Auto swing priority  
Arm speed assistance (2 pump flow)  
Auxiliary flow control  
Auxiliary valve  
Boom speed assistance (2 pump flow)  
Bucket curl assist  
Control levers pre-wired for auxiliary  
hydraulics  
Electronically controlled hydraulic  
pumps  
Holding valve (Boom and Arm)  
Fire wall  
Hydraulic filter restriction indicator  
Neutral pump de-stroke  
Oil cooler  
Power save  
Pump stand-by pressure  
Auto travel speed change  
Selectable work modes  
Free swing  
Hydraulic oil sample port  
Control pattern selector  
Pre-set auxiliary pump settings  
Auxiliary valve  
5,000-hour hydraulic oil change  
interval  
1,000-hour hydraulic filter change  
interval  
SAHR brake

**CX350D CRAWLER EXCAVATOR  
US PRICE LIST**
**(Ex Works Port of Entry)  
Standard Equipment**
**UPPER STRUCTURE:**

ISO mirrors (3)  
Cab ISO-mounts (fluid and spring)  
Upper mounted work light (70 watt)  
Swivel guard belly pan  
Center cover (over main CV)  
Fuel tank belly pan  
Handrail (RH access)  
ISO guard rails  
Lifting eyes for counterweight  
Lockable fuel cap, service doors and tool box

**ATTACHMENTS:**

Boom- 21 ft. 2 in. (6.45 m)  
Arm- 10 ft. 8 in. (3.25 m)  
Heavy-duty bucket linkage  
Boom mounted work light (70 watt)  
Auxiliary pipe brackets  
Centralized grease fittings  
Attachment cushion valve  
Arm and boom regeneration  
Bucket anti-clatter device  
Chrome pins  
Easy Maintenance System (EMS) bushings  
Teardrop pin retention keepers

**OPERATOR STATION:**

ROPS protection  
FOPS cab (Level 1)  
Pressurized cab  
Face vent  
Cab lights (2)  
Interior dome light  
One-touch lock front window  
One piece window (right)  
Safety glass windows  
Gate lock hydraulic activation  
Emergency exit and hammer  
Clear (polycarbonate) roof window w/ sunshade

**OPERATOR STATION (continued):**

AC/heat/defrost w/ auto climate control  
LED Color monitor- 7 in (180 mm)  
26 selectable languages for monitor  
On-board diagnostic system  
10 programmable attachments settings on monitor - 5 single flow, 5 dual flow  
Seatbelt- 3 in. (76 mm)  
Heated high-back cloth seat with air suspension and 65o tilt adjustment  
Sliding seat - 3.54 in. (90 mm)  
Adjustable armrests  
Tilting consoles- 4-position  
Sliding cockpit - 3.15 in. (80 mm)  
Low-effort joystick controls  
Controls pre-wired for auxiliary  
Single pedal travel  
Straight travel  
AM/FM radio w/ antenna, 2 speakers and Bluetooth capabilities  
Aux-in port for personal electronics  
Radio mute switch (joystick)  
Rear-view camera  
Anti-theft system (start code system)  
Rubber floormat  
12-volt electric outlet  
24-volt cigarette lighter  
Windshield wiper/washer  
Cup holder  
Storage compartments  
Warm/cool storage compartment  
Travel alarm with cancel switch  
Ignition keys  
One key start & lock-up  
Cab filter (external)  
Cab handrails  
Operator's manual

**CX350D CRAWLER EXCAVATOR  
US PRICE LIST**
**(Ex Works Port of Entry)  
Standard Equipment**
**UNDERCARRIAGE:**

Long undercarriage  
31.5 in. (800 mm) steel shoes, triple  
semi-grouser  
Full overlap turntable bearing tub  
Double track chain guides  
Hydraulic track adjustment  
Sealed link chain  
Steps  
Carbody belly pan (swivel guard)  
X-pattern carbody  
Lashing points (tie downs)

**EXTRA FILTER KIT:**

Engine oil filter  
Filter wrench  
Fuel filters  
Grease gun  
Green plug oil drain hose for  
engine oil drain  
Hydraulic return filter  
Pilot circuit hydraulic filter

**CASE ProCare**

3-yr/3000-hr factory warranty,  
planned maintenance and  
SiteWatch™ telematics

**CASE SiteWatch™ Telematics**

includes hardware and a 3-yr  
Advanced data subscription

**OPTIONAL EQUIPMENT:**
**ENGINE**

Refueling pump

**HYDRAULICS**
**Auxiliary hydraulics:**

Single acting/joystick activated  
Double acting/joystick activated  
(thumb)  
Multi-function w/ electronic pressure  
control/joystick activated with  
electronic proportional controls  
Secondary low-flow/joystick  
activated

**OPTIONAL EQUIPMENT (continued):**

Proportional hydraulic controls  
Hose Burst Check Valve (HBCV)

**ATTACHMENTS**

Heavy-duty boom - 21 ft. 2 in.  
(6.45 m)  
Short arm - 8 ft. 8 in. (2.63 m)  
Heavy Duty arm - 10 ft. 8 in.  
(3.25 m)  
Long Arm - 13 ft. 3 in. (4.04 m)  
Quick Coupler/Case multi-pin grabber  
Buckets: Heavy-duty/Extreme-  
duty/Ditching  
Load holding control

**UPPER STRUCTURE**

Catwalk- left and right side

**UNDERCARRIAGE**

27.6 in. (700 mm) steel shoes, triple  
semi-grouser  
33.5 in. (850 mm) steel shoes, triple  
semi-grouser

**OPERATOR STATION**

FOPS cab top guard (Level 2)  
Front grill guard- 2 x 2 in.  
(50.8 x 50.8 mm) screen mesh  
Front rock guard- vertical bars (two  
piece)/OPG 1  
Front rock guard- vertical bars (one  
piece)/OPG 2  
Vandal guard (front window) w/  
common key  
Rain deflector (not available with  
Front guards)  
Sun visor  
Side-view camera  
LED Package: includes 1 Side view  
camera and 6 LED Lights (2 front  
cab mounted, 2 rear mounted and  
1 mounted on each side)

**PARTS OFFERING:**

Hammers; Thumbs  
Rubber bumper guard



**CX350D CRAWLER EXCAVATOR  
US PRICE LIST**

**(Ex Works Port of Entry)**

**Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price
CX350D STD	82,483 LBS		\$486,569.00

**CX350D CRAWLER EXCAVATOR  
US PRICE LIST**

**(Ex Works Port of Entry)  
Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**LIGHTS**

SD\_E5408 WORKING LIGHTS

	488134	HALOGEN WORKING LIGH			No Charge
	488135	LED WORKING LIGHTS 8 LED light and 1 side camera 2 LED light are mounted on the front of the cab 2 LED lights are mounted on the rear (above the rear view camera) 1 LED light mounted on each side (2) 2 LED lights mounted on the top of the cab			\$4,956.00

**BOOMS**

SD\_E5311 BOOM

	481858	Std Boom 21'2" (6.45 M) Standard Boom			No Charge
	461543	Heavy-Duty Boom 21'2" (6.45 M)			\$3,045.00
	781917	No Boom Less boom, hoist and arm cylinders and plumbing. Boom-foot and cylinder pins are provided.			(\$9,000.00)

**ARMS**

SD\_E5320 ARM/DIPPERSTICK

	481245	10' 8" (3.25 m) Std Arm For use with 21'2" Standard Boom (option 481858)			No Charge
	781184	13'3" (4.03 m) Std Arm For use with 21'2" Standard Boom (option 481858)			\$3,195.00
	461546	8'8" (2.63 m) HD Arm For use with either boom option 481858 or 461543			\$160.00
	461545	10'8" (3.25 m) HD Arm For use with either boom option 481858 or 461543			\$2,630.00
	XE5320X	No Arm/Dipperstick Less arm, bucket cylinder and linkage.			(\$6,000.00)

**CX350D CRAWLER EXCAVATOR  
US PRICE LIST**

**(Ex Works Port of Entry)**

**TRACK SHOES**

SD\_E5199 TRACK SHOES

		9560003	27.6" (700mm) Steel Shoes <b>Triple-Grouser Steel Shoes</b>			(\$900.00)
		9560005	31.5" (800 mm) Steel Shoes <b>Triple-Grouser Steel Shoes</b>			No Charge
		9560006	33.5" (850 mm) Steel Shoes <b>Triple-Grouser Steel Shoes</b>			\$785.00

**LANGUAGE**

SD\_47083 OPERATOR'S MANUAL

		781981	English Literature			No Charge
		461540	French Canadian Literature			No Charge
		781980	Spanish Literature			No Charge

**ADDITIONAL EQUIPMENT CXC**

HYDRAULIC OPTIONS

SD\_E6410 AUXILIARY HYDRAULICS

		XE6410X	No Optional Hydraulics			No Charge
		461865	Single Acting Auxiliary Hyd <b>Single Acting Auxiliary Hydraulics</b> <b>For use with hammers or vibratory compaction plate applications</b>  <b>Joystick activated with Electronic Proportional Controls</b> <b>Provides single direction flow</b> <b>Includes manually adjustable relief valve to set required pressures</b>  <b>Notes:</b> 1) Not for use with other Auxiliary Hydraulic options, with the exception of Low Flow. 2) Heavy duty bucket linkage is standard equipment on C/D series excavators. 3) For dealer installed auxiliary hydraulic kits contact: HKX (1-800-493-5487 or <a href="http://www.HKX.com">www.HKX.com</a> )			\$9,518.00



**CX350D CRAWLER EXCAVATOR  
US PRICE LIST**

**(Ex Works Port of Entry)**

	461871	<p>Thumb - Proportional SW <b>Double Acting Auxiliary Hydraulics</b> For use with thumb applications</p> <p>Joystick Activated with Electronic Proportional Controls Provides single pump, two-way flow Hydraulic plumbing provided to the end of the boom only, no piping to the arm This system is not switchable to single acting flow</p> <p>Notes: 1) Not for use other Auxiliary Hydraulics options with the exception of Low Flow. 2) Heavy duty bucket linkage is standard equipment on C/D series excavators. 3) For dealer installed auxiliary hydraulic kits contact: <b>HKX (1-800-493-5487 or www.HKX.com).</b></p>			\$7,277.00
	461869	<p>MF w/ pressure setting - Prop <b>Multi-Function Auxiliary Hydraulics with Electronic Pressure Control (EPC)</b></p> <p>For use with multiple applications: hammers/thumbs/grapples/crushers.</p> <p>Includes in-cab Electronic Pressure Control feature Pressure Control feature allows hydraulic pressure setting from the cab monitor and maintaining pressure settings in memory when multiple tools are used. Joystick Activated with Electronic Proportional Controls</p> <p>Provides single or dual pump, two-way flow, Secondary Low-flow Auxiliary Hydraulics can be added Includes in-cab electronically controlled pressure setting feature Is switchable to single acting flow for hammer application.</p> <p>Notes: 1) Not for use with other Auxiliary Hydraulics options, with the exception of Low Flow. 2) Heavy duty bucket linkage is standard equipment on C/D series excavators. 3) For dealer installed auxiliary hydraulic kits contact: <b>HKX (1-800-493-5487 or www.HKX.com)</b></p>			\$14,505.00

**SD\_E6417 SECONDARY AUXILIARY HYDRAULICS**

	XE6417X	No Low Flow Circuit			No Charge
--	---------	---------------------	--	--	-----------

**CX350D CRAWLER EXCAVATOR  
US PRICE LIST**

**(Ex Works Port of Entry)**

		461863	Secondary Auxiliary Hydraulics <b>Secondary Low Flow Auxiliary Hydraulics</b> <b>Provides low-flow for rotation or tilt hydraulic attachments.</b>  <b>For use with Standard Boom option 481858</b> <b>Not for use with Offset Boom option 461025</b> <b>Joystick Activated with Electronic Proportional Controls</b>  <b>Notes:</b> 1) May be used stand alone or with any Case Excavator Auxiliary Hydraulics option. 2) For dealer installed auxiliary hydraulic kits contact: <b>HKX (1-800-493-5487 or <a href="http://www.HKX.com">www.HKX.com</a>).</b>			\$9,362.00
--	--	--------	---	--	--	------------

**CAB OPTIONS**

**SD\_E5443 CAB GUARD (FOPS)**

		XE5443X	No FOPS Top Cab Guard			No Charge
		481070	FOPS Top Cab Guard			\$1,322.00

**SD\_E5444 CAB GUARD (FRONT)**

		XE5444X	No Front Guard			No Charge
		461142	Front grill guard - 2 x 2 mesh			\$1,530.00
		781986	Front Stone Guard (OPG L1) <b>vertical bars (two piece/upper and lower)</b>			\$2,276.00
		461024	Front Stone Guard (OPG L2) <b>vertical bars (one piece/full length)</b>			\$2,681.00
		461552	Vandal Guard			\$662.00

**SD\_E5449 RAIN DEFLECTOR**

		XE5449X	No Rain Deflector			No Charge
		461555	Rain Deflector <b>Not for use with Front grill guard - 2 x 2 mesh option 461142,</b> <b>Front rock guard (OPG 1) option 781986, or</b> <b>Front rock guard (OPG 2) option 461024.</b>			\$438.00

**SD\_E5451 SUN VISOR**

		XE5451X	No Sun Visor			No Charge
		461554	Sun Visor			\$125.00

**BUCKETS**

**SD\_E6300 EXCAVATOR BUCKET(S)**

		XE6300X	No Bucket <b>Buckets may be ordered using Order Codes listed in the</b> <b>Factory Supplied Attachments Section</b>			No Charge
--	--	---------	---	--	--	-----------

**CX350D CRAWLER EXCAVATOR  
US PRICE LIST**

**(Ex Works Port of Entry)**

**ADDITIONAL OPTIONS**

**SD\_E5448 CATWALK**

		XE5448X	No Catwalk			No Charge
		461553	Catwalk - Left and Right Sides <b>(Note: catwalk is not compliant with ISO standards)</b>			\$2,435.00

**SD\_E6400 MEC/HYD QUICK COUPLER**

		XE6400X	No Quick Coupler			No Charge
		781128	Hydraulic Quick Coupler Ready <b>Does not come with coupler. Must order coupler from Factory Supplied Attachments section</b>			\$3,356.00

**SD\_E9730 SAFETY VALVE**

		XE9730X	No Hose Burst Check Valve			No Charge
		481064	Hose Burst Check Valve (HBCV) <b>boom and arm, comes with lift eye on bucket linkage</b>			\$9,130.00

**SD\_E9739 FULL VIEW CAMERA**

		488055	CASE MAX VIEW MONITO			\$2,200.00
		XE9739X	NO FULL VIEW CAMERA			No Charge

**SD\_E9740 SIDE VIEW CAMERA**

		XE9740X	No Side View Camera			No Charge
		461560	Side View Camera			\$801.00

**SD\_E9874 REFUEL PUMP**

		XE9874X	No Refuel Pump			No Charge
		481257	Refuel Pump			\$1,495.00

**CX350D CRAWLER EXCAVATOR  
US PRICE LIST**

(Ex Works Port of Entry)

**Factory Supplied Attachments**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**Case Pin On Buckets**

	84404275	36" Heavy Duty Bucket with 4 teeth (1.13 cu. yd.)	2,530 LB		\$8,447.00
	84404276	42" Heavy Duty Bucket with 5 teeth (1.39 cu. yd.)	2,670 LB		\$9,087.00
	84404277	48" Heavy Duty Bucket with 5 teeth (1.64 cu. yd.)	3,040 LB		\$9,408.00
	84404278	42" Heavy Duty High Capacity Bucket with 5 teeth (1.52 cu. yd.)	2,870 LB		\$10,578.00
	84404279	48" Heavy Duty High Capacity Bucket with 5 teeth (1.85 cu. yd.)	3,270 LB		\$11,289.00
	84404280	54" Heavy Duty High Capacity Bucket with 6 teeth (2.12 cu. yd.)	3,450 LB		\$12,070.00
	84404282	36" Severe Duty Bucket with 4 teeth (1.13 cu. yd.)	2,910 LB		\$9,501.00
	84404284	42" Severe Duty Bucket with 5 teeth (1.39 cu. yd.)	3,075 LB		\$10,622.00
	84404286	48" Severe Duty Bucket with 5 teeth (1.64 cu. yd.)	3,500 LB		\$11,577.00
	84405399	60" Heavy Duty Bucket with 6 teeth (2.42 cu. yd.)	3,870 LB		\$12,440.00

**Case Coupler Buckets**

	84404288	42" Heavy Duty Coupler Bucket with 5 teeth (1.73 cu. yd.)	2,745 LB		\$10,834.00
	84404289	48" Heavy Duty Coupler Bucket with 5 teeth (2.03 cu. yd.)	3,200 LB		\$11,627.00
	84404290	54" Heavy Duty Coupler Bucket with 6 teeth (2.33 cu. yd.)	3,410 LB		\$12,635.00

**Coupler**

	47848466	KIT, COUPLER, MULTI-FIT S	2,100 LB		\$11,039.00
--	----------	---------------------------	----------	--	-------------

**Direct Link Thumb**

	47609087	KIT, THUMB, HYD, 3-TINE, use with bucket only (3 tine)	1,365 LB		\$13,662.00
	47609088	KIT, THUMB, HYD, 4-TINE, use with bucket only (4 tine)	1,425 LB		\$14,811.00
	47609089	KIT, THUMB, HYD, 3-TINE, use with bucket and coupler (3 tine)	1,445 LB		\$14,169.00
	47609090	KIT, THUMB, HYD, 4-TINE, use with bucket and coupler (4 tine)	1,505 LB		\$15,373.00

**Progressive Link Thumb**

	47609123	KIT, THUMB, PROG LINK, 3-use with bucket only (3 tine)	1,890 LB		\$17,400.00
	47609124	KIT, THUMB, PROG LINK, 4-use with bucket and coupler (3 tine)	1,950 LB		\$17,742.00

**CX350D CRAWLER EXCAVATOR  
US PRICE LIST**

**(Ex Works Port of Entry)**

		47609125	KIT, THUMB, PROG LINK, 3- use with bucket only (4 tine)	1,970 LB		\$17,677.00
		47609126	KIT, THUMB, PROG LINK, 4- use with bucket and coupler (4 tine)	2,030 LB		\$18,419.00

**CX800B CRAWLER EXCAVATOR  
US PRICE LIST**
**(Ex Works Port of Entry)**
**BUCKETS**

## SD\_E6300 EXCAVATOR BUCKET(S)

		423469	No Bucket <b>Buckets may be ordered using Order Codes listed in the Direct Ship Attachment Section</b>			No Charge
--	--	--------	---	--	--	-----------

**ADDITIONAL EQUIPMENT CXC**

## HYDRAULIC OPTIONS

## SD\_E6410 AUXILIARY HYDRAULICS

		XE6410X	No Optional Hydraulics			No Charge
		423308	Single Acting/Joystick Active <b>(Not for use with options 481294, 423315, &amp; 423314)</b>  Provides single pump flow plumbing to end of arm and return to tank through additional filter. Includes remote adjustable relief valve to match attachment pressure requirements.  - Order 2 of code 284600A1, Adapter fittings, from Parts to connect 3/4" BSPP to SAE-12 Male JIC. - Includes heavy duty bucket linkage. Recommended for heavy hammer use and thumb applications. - For dealer installed hydraulic kits contact HKX at 800-493-5487 or <a href="http://www.hkx.com">www.hkx.com</a>	421 LB		\$12,838.00
		423315	Double Acting, Bi-directional <b>(Not for use with options 481294, 423308 &amp; 423314)</b>  Provides single or dual pump bi-directional flow to end of arm. Includes plumbing and valving to operate single direction flow with return to tank through additional filter (included). Includes remote relief valve for single direction operations. This kit allows the use of two different types of attachments on an excavator, such as a breaker and a grapple.  - Order 2 of code 284600A1, Adapter fittings, from Parts to connect 3/4" BSPP to SAE - 12 Male JIC. - Includes heavy duty bucket linkage. Recommended for heavy hammer use and thumb applications. - For dealer installed hydraulic kits contact HKX at 800-493-5487 or <a href="http://www.hkx.com">www.hkx.com</a>	434 LB		\$17,720.00

**CX800B CRAWLER EXCAVATOR  
US PRICE LIST**

**(Ex Works Port of Entry)**

		423314	Double Acting, General Purpose <b>(Not for use with 481294, 423308 &amp; 423315)</b>  Recommended for use with a thumb kit. Plumbing to the end of the boom, no hydraulics provided on the arm. Actuated by trigger switches in the right and left hand controls. Right controls one-way flow, left controls opposite flow. Right hand switch is the same switch that controls power boost.  - Order 2 code 284600A1, Adapter fittings, from Parts to connect 3/4" BSPP to SAE-12 Male JIC. - For dealer installed hydraulic kits contact HKX at 800-493-5487 or <a href="http://www.hkx.com">www.hkx.com</a>	340 LB		\$9,897.00
--	--	--------	---	--------	--	------------

**SD\_E6417 SECONDARY AUXILIARY HYDRAULICS**

		XE6417X	No Low Flow Circuit			No Charge
		423329	Secondary Auxiliary Hydraulic <b>Secondary auxiliary hydraulics – low flow (joystick operated, provides rotation or tilt for hydraulic attachments such as shears and tilt buckets). Order two of code 284600A, adaptor fittings, from parts to connect 3/4" BSPP to SAE-12 male JIC. Includes heavy duty bucket linkage. Recommended for heavy hammer use and thumb applications</b>			\$12,838.00

**SD\_E6423 CONTROL PATTERN SELECTION**

		XE6423X	No Control Pattern Valve			No Charge
		423311	Control Pattern Selector valve	30 LB		\$1,474.00

**CAB OPTIONS**

**SD\_E5402 OPERATOR SEAT**

		XE5402X	Standard Seat			No Charge
		781277	Air Suspension Seat			\$457.00

**SD\_E5441 CAB GUARDS**

		XE5441X	No Cab Guards			No Charge
		423323	Vandal Guard <b>Not for use with FOPS Top Cab Guard option 423310</b>	50 LB		\$492.00
		423313	Front Screen - 2 x 2 mesh	70 LB		\$1,453.00
		423312	Front Grill <b>Vertical bars with 6" spacing</b>	70 LB		\$2,546.00

**SD\_E5443 CAB GUARD (FOPS)**

		XE5443X	No FOPS Top Cab Guard			No Charge
		423310	FOPS Top Cab Guard/level 2 <b>Not for use with Vandal Guard option 423323</b>	223 LB		\$1,256.00

**CX800B CRAWLER EXCAVATOR  
US PRICE LIST**

**(Ex Works Port of Entry)**

## SD\_E5449 RAIN DEFLECTOR

		XE5449X	No Rain Deflector			No Charge
		423322	Rain Protection <b>Not for use with Front Grill Guard or Front Rock Guard options listed in the Cab Guard Section</b>			\$381.00

## SD\_E5450 CAB TOP SUN ROOF

		XE5450X	No cab roof skylight			No Charge
		781356	Cab roof skylight <b>opening cover, steel, tilts open 18"</b>			\$964.00

## SD\_E5451 SUN VISOR

		XE5451X	No Sun Visor			No Charge
		742882	Sun Visor			\$122.00

ADDITIONAL OPTIONS

## SD\_E5206 TRACK CHAIN GUIDE

		XE5206X	No Track Chain Guide			No Charge
		481264	Full Track Chain Guide -3 <b>Three sections</b>	728 LB		\$8,738.00

## SD\_E5302 HYDRAULIC CWT REMOVAL DEVICE

		XE5302X	No Hyd CWT Removal Device			No Charge
		481263	Hydraulic CWT Removal Device	967 LB		\$27,417.00

## SD\_E6422 HOIST CYLINDER ONLY

		XE6422X	No Boom Hoist Cylinders Only <b>Option is for use with any boom or no choice boom option</b>			No Charge
		423316	Boom hoist cylinders (2) <b>For units ordered with No Boom option 781917</b>	557 LB		\$25,396.00





(This page intentionally left blank)



**CX800B CRAWLER EXCAVATOR  
US PRICE LIST**

(Ex Works Port of Entry)

**Factory Supplied Attachments**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**MUST ORDER TELEMATICS**

	84557015	CASE SiteWatch Telematics To order Service Subscription contact Service Parts.	625 LB		\$1.00
--	----------	---	--------	--	--------

**Heavy Duty**

	47526854	42" Heavy Duty, Standard Capacity Bucket with 4 teeth, 2.85 cu. yd. (2.18 cu. m.)	6,100 LB		\$18,190.00
	47526856	48" Heavy Duty, Standard Capacity Bucket with 4 teeth, 3.31 cu. yd. (2.53 cu. m.)	6,500 LB		\$19,666.00
	47526859	54" Heavy Duty, Standard Capacity Bucket with 5 teeth, 3.78 cu. yd. (2.89 cu. m.)	7,000 LB		\$21,261.00
	47526872	60" Heavy Duty, Standard Capacity Bucket with 5 teeth, 4.26 cu. yd. (3.26 cu. m.)	7,400 LB		\$22,984.00
	47526878	66" Heavy Duty, Standard Capacity Bucket with 6 teeth, 4.74 cu. yd. (3.62 cu. m.)	7,900 LB		\$24,843.00
	47526883	72" Heavy Duty, Standard Capacity Bucket with 6 teeth, 5.21 cu. yd. (3.98 cu. m.)	8,150 LB		\$25,509.00
	47526889	78" Heavy Duty, Standard Capacity Bucket with 7 teeth, 5.69 cu. yd. (4.35 cu. m.)	8,650 LB		\$26,540.00
	47526892	84" Heavy Duty, Standard Capacity Bucket with 7 teeth, 6.17 cu. yd. (4.72 cu. m.)	9,100 LB		\$27,573.00

**Severe Duty**

	47526903	42" Severe Duty Bucket with 4 teeth, 2.85 cu. yd. (2.18 cu. m.)	7,100 LB		\$20,331.00
	47526907	48" Severe Duty Bucket with 4 teeth, 3.31 cu. yd. (2.53 cu. m.)	7,550 LB		\$21,921.00
	47526912	54" Severe Duty Bucket with 5 teeth, 3.78 cu. yd. (2.89 cu. m.)	8,120 LB		\$25,125.00
	47526916	60" Severe Duty Bucket with 5 teeth, 4.26 cu. yd. (3.26 cu. m.)	8,600 LB		\$27,173.00
	47526929	66" Severe Duty Bucket with 6 teeth, 4.74 cu. yd. (3.62 cu. m.)	9,200 LB		\$29,394.00