

# **CONSTRUCTION EQUIPMENT**

## **U.S. PRICE LIST**

### **C062**

## **COMPACT EXCAVATORS**

**PL-200 MX SAP REVISION 1a**

**EFFECTIVE NOVEMBER 17<sup>th</sup>, 2016**

Below is a list of Family(s) and Model(s) that are included in this price list.

#### **Crawler Excavator (Mini)**

CX17C CANOPY T4 FINAL  
CX26C CANOPY T4 FINAL  
CX26C CAB T4 FINAL  
CX33C CANOPY T4 FINAL  
CX37C CANOPY T4 FINAL  
CX37C CAB T4 FINAL  
CX57C CAB T4 FINAL  
CX60C CAB T4 FINAL

**Copyright 2016 By**

**CNH Industrial America LLC**

**CX17C CANOPY  
US PRICE LIST****Standard Equipment****ENGINE:**

Kubota D902 3 Cyl. water-  
cooled, mechanical injection diesel  
54.8 CID (0.898L)  
Tier 4 Final  
Glow plugs  
Horsepower:  
Gross 16.8 HP (12.5 Kw) at  
2,300 RPM  
Dry type air cleaner

**OPERATOR PROTECTIVE STRUCTURE:****ROPS/FOPS:**

Two post canopy design  
Mechanical Suspension seat, with  
seat belt  
Pilot operated joysticks for boom,  
arm, bucket and swing with  
adjustable wrist rests  
Foot pedals for travel control and  
swing tower control

**Gauges:**

Engine coolant temperature and fuel  
level

**Indicator Lights:**

Engine oil pressure, coolant  
temperature, battery  
charge, low fuel warning, engine  
preheat, air cleaner warning,  
hyd. quick coupler  
lock, and high travel speed

**ELECTRICAL:**

12 Volt electrical starting system  
includes heavy-duty battery and  
starting motor  
40 Amp Alternator  
Battery Master Switch  
Key Start  
Anti-Theft-Engine starting passwords  
Dual 12V power plug recepticals  
Front working light

**BLADE:**

Hydraulically controlled dozer blade  
with adjustable width

**UNDERCARRIAGE:**

Variable undercarriage (3'3" to 4'3")  
Track pad width: 9" (230 mm)  
Track length: 5'3" (1590 mm)  
Gradeability: 30 degrees  
Ground Clearance: 6.7" (170 mm)

**TRACK DRIVE:**

Two speed auto shift travel  
Fully hydrostatic drive system  
Track tension adjustment  
(grease type)

Sealed and lubricated track

**HYDRAULICS:**

Control pattern selector valve  
Hydraulic oil filter  
Total Auxiliary Flow:  
7.2 gpm @ 2,466 psi  
(27.4 L/min @ 170 bar)  
Main Pump: 2,990 PSI  
Auxiliary valve and piping  
Proportional auxiliary hydraulic flow  
control  
Selector valve for single or  
two-way aux flow  
Large capacity hydraulic oil cooler  
Cylinder rod protection covers  
-Dozer, Boom Arm & Bucket

**UPPER:**

Standard Arm: 3'2" (0.96 m)  
Optional Long Arm: 3'8" (1.12 m)  
Boom: 5'11" (1.8 m)  
Boom Swing: 70° left / 54° right  
Zero Tail Swing

**MISCELLANEOUS:**

Operating weight:  
Canopy, short arm - 3,750 lbs.  
(1700kg)  
Canopy, long arm with additional  
counterweight - 3,950 lbs.  
(1790 kg)  
Additional Counterweight - 180 lbs

**CX17C CANOPY  
US PRICE LIST**

## Models

COMMERCIAL MODEL	TECHNICAL TYPE	Weight	Factory Data	List Price
CX17C CANOPY	698891711-CX17C CANOPY	3748		\$32,002.00

Packet	Description			Weight	Factory Data	List Price
CX17C Long Arm Pack						\$684.00
SD_30180-TRAVEL ALARM			Travel Alarm			
SD_40003-COUNTERWEIGHT			Additional Counterweight.			
SD_X5406-1ST AUX HYD TWO WAYS			2Way Aux Joystick Proportional			
SD_X6100-ARM			Long Arm			
SD_X6207-HYDR Q/C PROV.			W/O Q/C Provision			
CX17C Short Arm Pack						\$178.00
SD_30180-TRAVEL ALARM			Travel Alarm			
SD_40003-COUNTERWEIGHT			Standard Counterweight.			
SD_X5406-1ST AUX HYD TWO WAYS			2Way Aux Joystick Proportional			
SD_X6100-ARM			Short Arm			
SD_X6207-HYDR Q/C PROV.			W/O Q/C Provision			

Pre-Configured Packages are full model packages for Short Arm or Long Arm configurations. Once a package is selected, you can then select the required Buckets/Attachments to go along with your unit. Keep in mind, it is not possible to modify (add/remove) any other vehicle options when you select a Pre-Configured package. If a Pre-Configured unit is ordered, it will be matched to one that is already built and ready to ship, which will reduce the lead-time by several months. Independent Option ordering is still available if the package is not desired, however you may experience a longer lead-time.

CX17C CANOPY  
US PRICE LIST

## Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

### OPERATOR'S MANUAL

## SD\_47181 OPERATOR'S MANUAL

		747460	Operators Manual- English			No Charge
		747490	Operators Manual- French			No Charge
		747464	Operators Manual- Spanish			No Charge

### VERSION

## SD\_10181 CRAWLER TYPE

		9552700	Rubber Tracks			No Charge
--	--	---------	---------------	--	--	-----------

### ADDITIONAL EQUIPMENT MEX

## SD\_30180 TRAVEL ALARM

		747994	W/O Travel Alarm			No Charge
		747453	Travel Alarm			\$178.00

## SD\_40003 COUNTERWEIGHT

		747995	Standard Counterweight.			No Charge
		747996	Additional Counterweight.			\$156.00

## SD\_X5406 1ST AUX HYD TWO WAYS

		747054	2Way Aux Pedal Proportional			No Charge
		747055	2Way Aux Joystick Proportional			No Charge

## SD\_X6100 ARM

		747320	Short Arm <b>Please refer to the Standard pages for arm lengths</b>			No Charge
		747329	Long Arm <b>Please refer to the Standard pages for arm lengths</b>			\$350.00

## SD\_X6207 HYDR Q/C PROV.

		747065	W/O Q/C Provision			No Charge
		747064	Hydraulic Q/C Provision <b>Includes switch &amp; hydraulic lines to end of arm</b>			\$536.00

CX17C CANOPY  
US PRICE LIST

SD\_X6210 BEACON

		747070	Beacon			\$300.00
		XX6210X	W/O Beacon			No Charge

CX17C CANOPY  
US PRICE LIST

## Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
<b>KLAC Buckets &amp; Coupler</b>				
47422586	10" HD Bucket (KLAC Coupler)	80 LB		\$572.00
47422587	12" HD Bucket (KLAC Coupler)	85 LB		\$603.00
47422588	16" HD Bucket (KLAC Coupler)	105 LB		\$662.00
47422589	18" HD Bucket (KLAC Coupler)	120 LB		\$739.00
47422602	KLAC Base Plate (To adapt other buckets)	11 LB		\$268.00
48057632	Coupler, KLAC Compatible with Coupler Bucket	53 LB		\$957.00

**Pin-On/Mech. Buckets & Coupler**

48057605	10" HD Bucket (Pin-on/Mechanical)	80 LB		\$402.00
48057606	12"HD Bucket (Pin-on/Mechanical Coupler)	86 LB		\$433.00
48057607	16"HD Bucket (Pin-on/Mechanical Coupler)	97 LB		\$493.00
48057608	18"HD Bucket (Pin-on/Mechanical Coupler)	106 LB		\$569.00
48057609	Coupler, Mechanical Pin-Grabber Compatible with Pin Bucket	57 LB		\$1,731.00
48057610	Dead Pin Kit (for additional buckets)	6 LB		\$179.00

Most C-Series attachments have been set up, the remaining C-Series attachments are still under final validation and release. At the start of 2017, the price pages will be updated to include the Thumbs, Hammers, Compactors, Hydraulic Couplers and Augers so that all these attachments can be ordered and financed together with the wholegood vehicle purchase. Dealers will be permitted to update their orders with the missing attachments at that time.

**CX26C CANOPY  
US PRICE LIST****Standard Equipment****ENGINE:**

Kubota D1305 3 Cyl. water-cooled, mechanical injection diesel  
77.0 CID (1.261L)  
Tier 4 Final

Glow plugs

Horsepower:

Gross 24.8 HP (18.5 Kw) at  
2,400 RPM

Dry type air cleaner dual element

**OPERATOR PROTECTIVE STRUCTURE:****ROPS/FOPS:**

Four post canopy design

Mechanical suspension seat, with seat belt

Pilot operated joysticks for boom, arm bucket, and swing with adjustable wrist rests

Foot pedals for travel control and swing tower control

**Gauges:**

Engine coolant temperature and fuel level

**Indicator Lights:**

Engine oil pressure, coolant temperature, battery charge, low fuel warning, engine preheat, air cleaner warning, hyd. quick coupler lock, and high travel speed

**ELECTRICAL:**

12 Volt electrical starting system includes heavy-duty battery and starting motor

40 Amp Alternator

Battery Master Switch

Key Start

Anti-Theft-Engine starting passwords

Dual 12V power plug recepticals

Front working light

**BLADE:**

Hydraulically controlled dozer blade

**UNDERCARRIAGE:**

Rubber tracks

Track pad width: 9.8" (250 mm)

Track length: 6'3" (1910 mm)

Gradeability: 30 degrees

Ground Clearance: 11" (290 mm)

**TRACK DRIVE:**

Two speed Auto shift travel

Fully hydrostatic drive system

Track tension adjustment

(grease type)

Sealed and lubricated track

**HYDRAULICS:**

Control pattern selector valve

Hydraulic oil filter

Total Auxiliary Flow:

12.5 gpm @ 2,538 psi

(47.2 L/min @ 175 bar)

Main Pump: 3,130 PSI

Auxiliary valve and piping

Proportional auxiliary hydraulic flow control

Selector valve for single or two-way aux flow

Large capacity hydraulic oil cooler

Cylinder rod protection covers

-Dozer & Boom

**UPPER:**

Standard Arm: 3'8" (1.12 m)

Optional Long Arm: 4'5" (1.35 m)

Boom: 6'5" (1.95 m)

Boom Swing: 75° left / 50° right

Zero Tail Swing

Bucket linkage with lifting hook

**MISCELLANEOUS:**

Operating weight:

Canopy short arm - 5,360 lbs.  
(2430 kg)

Canopy, long arm, additional counterweight - 5,670 lbs  
(2570 kg)

Additional Counterweight - 286 lbs

**CX26C CANOPY  
US PRICE LIST**

## Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
CX26C CANOPY	5357		\$40,992.00

Packet	Description			Weight	Factory Data	List Price
CX26C Long Arm Pack						\$1093.00
SD_30180-TRAVEL ALARM			Travel Alarm			
SD_40003-COUNTERWEIGHT			Additional Counterweight.			
SD_X5405-2ND AUX. CIRCUIT			W/O 2nd Aux 2-Way Proportional			
SD_X5406-1ST AUX HYD TWO WAYS			2Way Aux Joystick Proportional			
SD_X5414-AUX WORKLIGHTS CAB			Working Lights			
SD_X5430-THUMB CYL BRACKET			W/O Thumb Bracket			
SD_X6100-ARM			Long Arm			
SD_X6206-LINKAGE			Linkage With Hook			
SD_X6207-HYDR Q/C PROV.			W/O Q/C Provision			
SD_X6210-BEACON			Beacon			
CX26C Short Arm Pack						\$522.00
SD_30180-TRAVEL ALARM			Travel Alarm			
SD_40003-COUNTERWEIGHT			Standard Counterweight.			
SD_X5405-2ND AUX. CIRCUIT			W/O 2nd Aux 2-Way Proportional			
SD_X5406-1ST AUX HYD TWO WAYS			2Way Aux Joystick Proportional			
SD_X5414-AUX WORKLIGHTS CAB			Working Lights			
SD_X5430-THUMB CYL BRACKET			W/O Thumb Bracket			
SD_X6100-ARM			Short Arm			
SD_X6206-LINKAGE			Linkage With Hook			
SD_X6207-HYDR Q/C PROV.			W/O Q/C Provision			
SD_X6210-BEACON			Beacon			

Pre-Configured Packages are full model packages for Short Arm or Long Arm configurations. Once a package is selected, you can then select the required Buckets/Attachments to go along with your unit. Keep in mind, it is not possible to modify (add/remove) any other vehicle options when you select a Pre-Configured package. If a Pre-Configured unit is ordered, it will be matched to one that is already built and ready to ship, which will reduce the lead-time by several months. Independent Option ordering is still available if the package is not desired, however you may experience a longer lead-time.



CX26C CANOPY  
US PRICE LIST

## Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

### OPERATOR'S MANUAL

## SD\_47181 OPERATOR'S MANUAL

	747460	Operators Manual- English		No Charge
	747490	Operators Manual- French		No Charge
	747464	Operators Manual- Spanish		No Charge

### VERSION

## SD\_10181 CRAWLER TYPE

	9552700	Rubber Tracks		No Charge
--	---------	---------------	--	-----------

### ADDITIONAL EQUIPMENT MEX

## SD\_30180 TRAVEL ALARM

	747453	Travel Alarm		\$222.00
	747994	W/O Travel Alarm		No Charge

## SD\_40003 COUNTERWEIGHT

	747995	Standard Counterweight.		No Charge
	747996	Additional Counterweight.		\$221.00

## SD\_X5405 2ND AUX. CIRCUIT

	747999	W/O 2nd Aux 2-Way Proportional		No Charge
	747053	2nd Aux 2-Way Proportional		\$1,750.00

## SD\_X5406 1ST AUX HYD TWO WAYS

	747054	2Way Aux Pedal Proportional		No Charge
	747055	2Way Aux Joystick Proportional		No Charge

## SD\_X5430 THUMB CYL BRACKET

	747059	W/O Thumb Bracket		No Charge
	747058	Thumb Bracket		\$475.00

## SD\_X6100 ARM

	747320	Short Arm Please refer to the Standard pages for arm lengths		No Charge
	747329	Long Arm Please refer to the Standard pages for arm lengths		\$350.00

**CX26C CANOPY  
US PRICE LIST**

## SD\_X6206 LINKAGE

		747063	Linkage Without Hook			(\$65.00)
		747062	Linkage With Hook			No Charge

## SD\_X6207 HYDR Q/C PROV.

		747065	W/O Q/C Provision			No Charge
		747064	Hydraulic Q/C Provision <b>Includes switch &amp; hydraulic lines to end of arm</b>			\$536.00

## SD\_X6210 BEACON

		XX6210X	W/O Beacon			No Charge
		747070	Beacon			\$300.00

CX26C CANOPY  
US PRICE LIST

## Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

### KLAC Buckets & Coupler

	47422627	12" HD Bucket (KLAC Coupler)	135 LB		\$590.00
	47422628	18" HD Bucket (KLAC Coupler)	155 LB		\$705.00
	47422630	24" HD Bucket (KLAC Coupler)	180 LB		\$902.00
	47422632	KLAC Base Plate (To adapt other buckets)	20 LB		\$321.00
	48057633	Coupler, KLAC	71 LB		\$1,243.00

### Pin-On/Mech. Buckets & Coupler

	47457879	Dead Pin Kit	8 LB		\$200.00
	48057611	12"HD Bucket (Pin-on/Mechanical Coupler)	122 LB		\$587.00
	48057612	18"HD Bucket (Pin-on/Mechanical Coupler)	155 LB		\$702.00
	48057613	24"HD Bucket (Pin-on/Mechanical Coupler)	186 LB		\$899.00
	48057615	Coupler, Mechanical Pin-Grabber	57 LB		\$1,734.00

Most C-Series attachments have been set up, the remaining C-Series attachments are still under final validation and release. At the start of 2017, the price pages will be updated to include the Thumbs, Hammers, Compactors, Hydraulic Couplers and Augers so that all these attachments can be ordered and financed together with the wholegood vehicle purchase. Dealers will be permitted to update their orders with the missing attachments at that time.

**CX26C CAB  
US PRICE LIST****Standard Equipment****ENGINE:**

Kubota D1305 3 Cyl. water-cooled, mechanical injection diesel  
77.0 CID (1.261L)  
Tier 4 Final  
Glow plugs  
Horsepower:  
Gross 24.8 HP (18.5 Kw) at  
2,400 RPM  
Dry type air cleaner dual element

**OPERATOR PROTECTIVE STRUCTURE:****ROPS/FOPS:**

Enclosed Cab with overhead opening  
front window, sliding side window,  
lockable door, heater and defroster,  
radio/USB player + 2 speakers  
Mechanical suspension seat, with seat  
belt  
Pilot operated joysticks for boom,  
arm, bucket and swing with  
adjustable wrist rests  
Foot pedals for travel control and  
swing tower control

**Gauges:**

Engine coolant temperature and fuel  
level

**Indicator Lights:**

Engine oil pressure, coolant  
temperature, battery  
charge, low fuel warning, engine  
preheat, air cleaner warning,  
hyd. quick coupler  
lock, and high travel speed

**ELECTRICAL:**

12 Volt electrical starting system  
includes heavy-duty battery and  
starting motor  
40 Amp Alternator  
Battery master switch  
Key start  
Anti-theft-engine starting passwords  
Dual 12V power plug recepticals  
Front working Light

**BLADE:**

Hydraulically controlled dozer blade

**UNDERCARRIAGE:**

Rubber tracks  
Track pad width: 9.8" (250 mm)  
Track length: 6'3" (1910 mm)  
Gradeability: 30 degrees  
Ground clearance: 11" (290 mm)

**TRACK DRIVE:**

Two speed auto shift travel  
Fully hydrostatic drive system  
Track tension adjustment  
(grease type)  
Sealed and lubricated track

**HYDRAULICS:**

Control pattern selector valve  
Hydraulic oil filter  
Total Auxiliary Flow:  
12.5 gpm @ 2,538 psi  
(47.2 L/min @ 175 bar)  
Main Pump: 3,130 PSI  
Auxiliary valve and piping  
Proportional auxiliary hydraulic flow  
control  
Selector valve for single or  
two-way aux flow  
Large capacity hydraulic oil cooler  
Cylinder rod protection covers  
-Dozer & Boom

**UPPER:**

Standard Arm: 3'8" (1.12 m)  
Optional Long Arm: 4'5" (1.35 m)  
Boom: 6'5" (1.95 m)  
Boom Swing: 75° left / 50° right  
Zero Tail Swing  
Bucket Linkage with lifting hook

**MISCELLANEOUS:**

Operating weight:  
Cab, short arm - 5,690 lbs  
(2580 kg)  
Cab, long arm, additional  
counterweight - 6,000 lbs  
(2720 kg)  
Additional Counterweight - 286 lbs

**CX26C CAB  
US PRICE LIST**

## Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
CX26C CAB	5688		\$45,564.00

Packet	Description		Weight	Factory Data	List Price
CX26C CAB Long Arm					\$1093.00
SD_05136-RADIO OPTION		Radio and USB			
SD_30180-TRAVEL ALARM		Travel Alarm			
SD_40003-COUNTERWEIGHT		Additional Counterweight.			
SD_X5183-AIR COND/HEATER		Heater Only			
SD_X5405-2ND AUX. CIRCUIT		W/O 2nd Aux 2-Way Proportional			
SD_X5406-1ST AUX HYD TWO WAYS		2Way Aux Joystick Proportional			
SD_X5414-AUX WORKLIGHTS CAB		Working Lights			
SD_X5430-THUMB CYL BRACKET		W/O Thumb Bracket			
SD_X6100-ARM		Long Arm			
SD_X6206-LINKAGE		Linkage With Hook			
SD_X6207-HYDR Q/C PROV.		W/O Q/C Provision			
SD_X6210-BEACON		Beacon			
CX26C CAB Short Arm					\$522.00
SD_05136-RADIO OPTION		Radio and USB			
SD_30180-TRAVEL ALARM		Travel Alarm			
SD_40003-COUNTERWEIGHT		Standard Counterweight.			
SD_X5183-AIR COND/HEATER		Heater Only			
SD_X5406-1ST AUX HYD TWO WAYS		2Way Aux Joystick Proportional			
SD_X5414-AUX WORKLIGHTS CAB		Working Lights			
SD_X5430-THUMB CYL BRACKET		W/O Thumb Bracket			
SD_X6100-ARM		Short Arm			
SD_X6206-LINKAGE		Linkage With Hook			
SD_X6207-HYDR Q/C PROV.		W/O Q/C Provision			
SD_X6210-BEACON		Beacon			

Pre-Configured Packages are full model packages for Short Arm or Long Arm configurations. Once a package is selected, you can then select the required Buckets/Attachments to go along with your unit. Keep in mind, it is not possible to modify (add/remove) any other vehicle options when you select a Pre-Configured package. If a Pre-Configured unit is ordered, it will be matched to one that is already built and ready to ship, which will reduce the lead-time by several months. Independent Option ordering is still available if the package is not desired, however you may experience a longer lead-time.

CX26C CAB  
US PRICE LIST

## Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

### OPERATOR'S MANUAL

## SD\_47181 OPERATOR'S MANUAL

	747460	Operators Manual- English		No Charge
	747490	Operators Manual- French		No Charge
	747464	Operators Manual- Spanish		No Charge

### VERSION

## SD\_10181 CRAWLER TYPE

	9552700	Rubber Tracks		No Charge
--	---------	---------------	--	-----------

### ADDITIONAL EQUIPMENT MEX

## SD\_30180 TRAVEL ALARM

	747453	Travel Alarm		\$222.00
	747994	W/O Travel Alarm		No Charge

## SD\_40003 COUNTERWEIGHT

	747995	Standard Counterweight.		No Charge
	747996	Additional Counterweight.		\$221.00

## SD\_X5405 2ND AUX. CIRCUIT

	747999	W/O 2nd Aux 2-Way Proportional		No Charge
	747053	2nd Aux 2-Way Proportional		\$1,750.00

## SD\_X5406 1ST AUX HYD TWO WAYS

	747054	2Way Aux Pedal Proportional		No Charge
	747055	2Way Aux Joystick Proportional		No Charge

## SD\_X5430 THUMB CYL BRACKET

	747059	W/O Thumb Bracket		No Charge
	747058	Thumb Bracket		\$475.00

## SD\_X6100 ARM

	747320	Short Arm Please refer to the Standard pages for arm lengths		No Charge
	747329	Long Arm Please refer to the Standard pages for arm lengths		\$350.00

**CX26C CAB  
US PRICE LIST**

## SD\_X6206 LINKAGE

		747063	Linkage Without Hook			(\$65.00)
		747062	Linkage With Hook			No Charge

## SD\_X6207 HYDR Q/C PROV.

		747065	W/O Q/C Provision			No Charge
		747064	Hydraulic Q/C Provision <b>Includes switch &amp; hydraulic lines to end of arm</b>			\$536.00

## SD\_X6210 BEACON

		XX6210X	W/O Beacon			No Charge
		747070	Beacon			\$300.00

CX26C CAB  
US PRICE LIST

## Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

### KLAC Buckets & Coupler

	47422627	12" HD Bucket (KLAC Coupler)	135 LB		\$590.00
	47422628	18" HD Bucket (KLAC Coupler)	155 LB		\$705.00
	47422630	24" HD Bucket (KLAC Coupler)	180 LB		\$902.00
	47422632	KLAC Base Plate (To adapt other buckets)	20 LB		\$321.00
	48057633	Coupler, KLAC	71 LB		\$1,243.00

### Pin-On/Mech. Buckets & Coupler

	47457879	Dead Pin Kit	8 LB		\$200.00
	48057611	12"HD Bucket (Pin-on/Mechanical Coupler)	122 LB		\$587.00
	48057612	18"HD Bucket (Pin-on/Mechanical Coupler)	155 LB		\$702.00
	48057613	24"HD Bucket (Pin-on/Mechanical Coupler)	186 LB		\$899.00
	48057615	Coupler, Mechanical Pin-Grabber	57 LB		\$1,734.00

Most C-Series attachments have been set up, the remaining C-Series attachments are still under final validation and release. At the start of 2017, the price pages will be updated to include the Thumbs, Hammers, Compactors, Hydraulic Couplers and Augers so that all these attachments can be ordered and financed together with the wholegood vehicle purchase. Dealers will be permitted to update their orders with the missing attachments at that time.



**CX33C CANOPY  
US PRICE LIST****Standard Equipment****ENGINE:**

Yanmar 3TNV88F-ESHYB  
3 Cyl. water-cooled,  
direct injection diesel  
100.2 CID (1.642 L)  
Tier 4 Final  
Glow plugs  
Horsepower:  
Gross 24.4 HP (18.2 Kw) at  
2,200 RPM  
Dry type air cleaner

**OPERATOR PROTECTIVE STRUCTURE:****ROPS/FOPS:**

Four post canopy design  
Mechanical suspension seat, with seat  
belt  
Pilot operated joysticks for boom, arm,  
bucket, and swing with adjustable  
wrist rests  
Foot pedals for travel control and  
swing tower control

**Gauges:**

Engine coolant temperature and fuel  
level

**Indicator Lights:**

Engine oil pressure, coolant  
temperature, battery charge,  
low fuel warning, engine preheat,  
air cleaner warning, hyd. quick  
coupler lock, and high travel speed

**ELECTRICAL:**

12 Volt electrical starting system  
includes heavy-duty battery and  
starting motor  
50 Amp alternator  
Battery master switch  
Key start  
Anti-theft-engine starting passwords  
Dual 12V power plug recepticals  
Front working Light  
Auto idle feature with on/off switch

**BLADE:**

Hydraulically controlled dozer blade

**UNDERCARRIAGE:**

Rubber tracks  
Track pad width: 12" (300 mm)  
Track length: 7'0" (2130 mm)  
Gradeability: 30 degrees  
Ground clearance: 11" (290 mm)

**TRACK DRIVE:**

Two speed auto shift travel  
Fully hydrostatic drive system  
Track tension adjustment  
(grease type)  
Sealed and lubricated track

**HYDRAULICS:**

Control pattern selector valve  
Hydraulic oil filter  
Total Auxiliary Flow:  
16.0 gpm @ 2,973 psi  
(60.5 L/min @ 205 bar)  
Main Pump: 3,270 PSI  
Auxiliary valve and piping  
Proportional auxiliary hydraulic flow  
control  
Selector valve for single or two way  
aux flow  
Large capacity hydraulic oil cooler  
Cylinder rod protection covers  
-Dozer & Boom

**UPPER:**

Standard Arm: 4'3" (1.3 m)  
Optional Long Arm: 5'3" (1.6 m)  
Boom: 7'10" (2.38 m)  
Boom Swing: 75° left / 50° right  
Zero Tail Swing  
Swing brake: disc type, spring applied  
and hydraulically released  
Bucket linkage with lifting hook

**MISCELLANEOUS:**

Operating weight:  
Canopy, short arm - 6,945 lbs.  
(3150 kg)  
Canopy, long arm, additional counter  
weight - 7,255 lbs. (3290 Kg)  
Additional counterweight - 286 lbs

**CX33C CANOPY  
US PRICE LIST**

## Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
CX33C CANOPY	6945		\$46,720.00

Packet	Description			Weight	Factory Data	List Price
CX33C Long Arm Pack						\$1093.00
SD_10181-CRAWLER TYPE			Rubber Tracks			
SD_30180-TRAVEL ALARM			Travel Alarm			
SD_40003-COUNTERWEIGHT			Additional Counterweight.			
SD_X5405-2ND AUX. CIRCUIT			W/O 2nd Aux 2-Way Proportional			
SD_X5406-1ST AUX HYD TWO WAYS			2Way Aux Joystick Proportional			
SD_X5414-AUX WORKLIGHTS CAB			Working Lights			
SD_X5430-THUMB CYL BRACKET			W/O Thumb Bracket			
SD_X6100-ARM			Long Arm			
SD_X6206-LINKAGE			Linkage With Hook			
SD_X6207-HYDR Q/C PROV.			W/O Q/C Provision			
SD_X6210-BEACON			Beacon			
CX33C Short Arm Pack						\$522.00
SD_10181-CRAWLER TYPE			Rubber Tracks			
SD_30180-TRAVEL ALARM			Travel Alarm			
SD_40003-COUNTERWEIGHT			Standard Counterweight.			
SD_X5405-2ND AUX. CIRCUIT			W/O 2nd Aux 2-Way Proportional			
SD_X5406-1ST AUX HYD TWO WAYS			2Way Aux Joystick Proportional			
SD_X5414-AUX WORKLIGHTS CAB			Working Lights			
SD_X5430-THUMB CYL BRACKET			W/O Thumb Bracket			
SD_X6100-ARM			Short Arm			
SD_X6206-LINKAGE			Linkage With Hook			
SD_X6207-HYDR Q/C PROV.			W/O Q/C Provision			
SD_X6210-BEACON			Beacon			

Pre-Configured Packages are full model packages for Short Arm or Long Arm configurations. Once a package is selected, you can then select the required Buckets/Attachments to go along with your unit. Keep in mind, it is not possible to modify (add/remove) any other vehicle options when you select a Pre-Configured package. If a Pre-Configured unit is ordered, it will be matched to one that is already built and ready to ship, which will reduce the lead-time by several months. Independent Option ordering is still available if the package is not desired, however you may experience a longer lead-time.

CX33C CANOPY  
US PRICE LIST

## Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

### OPERATOR'S MANUAL

## SD\_47181 OPERATOR'S MANUAL

	747460	Operators Manual- English		No Charge
	747490	Operators Manual- French		No Charge
	747464	Operators Manual- Spanish		No Charge

### VERSION

## SD\_10181 CRAWLER TYPE

	9552700	Rubber Tracks		No Charge
	9553700	Steel Tracks		\$1,416.00

### ADDITIONAL EQUIPMENT MEX

## SD\_30180 TRAVEL ALARM

	747453	Travel Alarm		\$222.00
	747994	W/O Travel Alarm		No Charge

## SD\_40003 COUNTERWEIGHT

	747995	Standard Counterweight.		No Charge
	747996	Additional Counterweight.		\$221.00

## SD\_X5405 2ND AUX. CIRCUIT

	747999	W/O 2nd Aux 2-Way Proportional		No Charge
	747053	2nd Aux 2-Way Proportional		\$1,744.00

## SD\_X5406 1ST AUX HYD TWO WAYS

	747054	2Way Aux Pedal Proportional		No Charge
	747055	2Way Aux Joystick Proportional		No Charge

## SD\_X5430 THUMB CYL BRACKET

	747059	W/O Thumb Bracket		No Charge
	747058	Thumb Bracket		\$475.00

## SD\_X6100 ARM

	747320	Short Arm Please refer to the Standard pages for arm lengths		No Charge
--	--------	---	--	-----------

CX33C CANOPY  
US PRICE LIST

		747329	Long Arm <b>Please refer to the Standard pages for arm lengths</b>			\$350.00
--	--	--------	---	--	--	----------

## SD\_X6206 LINKAGE

		747063	Linkage Without Hook			(\$65.00)
		747062	Linkage With Hook			No Charge

## SD\_X6207 HYDR Q/C PROV.

		747065	W/O Q/C Provision			No Charge
		747064	Hydraulic Q/C Provision <b>Includes switch &amp; hydraulic lines to end of arm</b>			\$536.00

## SD\_X6210 BEACON

		XX6210X	W/O Beacon			No Charge
		747070	Beacon			\$300.00

CX33C CANOPY  
US PRICE LIST

## Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
<b>KLAC Buckets &amp; Coupler</b>				
47422654	12" HD Bucket (KLAC Coupler)	189 LB		\$1,137.00
47422655	18" HD Bucket (KLAC Coupler)	84 LB		\$1,231.00
47422656	24" HD Bucket (KLAC Coupler)	31 LB		\$1,390.00
47422657	36" HD Bucket (KLAC Coupler)	346 LB		\$1,698.00
47422658	36" Ditch Bucket (KLAC Coupler)	313 LB		\$1,285.00
47422660	KLAC Base Plate (To adapt other buckets)	31 LB		\$392.00
47873455	Ripper Tooth KLAC	220 LB		\$1,047.00
48057634	Coupler, KLAC	84 LB		\$1,398.00

**Pin-On/Mech. Buckets & Coupler**

47457880	Dead Pin Kit	11 LB		\$222.00
48057617	12"HD Bucket (Pin-on/Mechanical Coupler)	161 LB		\$872.00
48057619	18"HD Bucket (Pin-on/Mechanical Coupler)	205 LB		\$966.00
48057620	24"HD Bucket (Pin-on/Mechanical Coupler)	247 LB		\$1,126.00
48057621	36"HD Bucket (Pin-on/Mechanical Coupler)	331 LB		\$1,433.00
48057622	36" Ditch Bucket (Pin-on/Mech Coupler)	313 LB		\$1,189.00
48057623	Coupler, Mechanical Pin-Grabber	95 LB		\$1,743.00
48057638	Ripper Tooth Pin-On	220 LB		\$1,047.00

Most C-Series attachments have been set up, the remaining C-Series attachments are still under final validation and release. At the start of 2017, the price pages will be updated to include the Thumbs, Hammers, Compactors, Hydraulic Couplers and Augers so that all these attachments can be ordered and financed together with the wholegood vehicle purchase. Dealers will be permitted to update their orders with the missing attachments at that time.

**CX37C CANOPY  
US PRICE LIST****Standard Equipment****ENGINE:**

Yanmar 3TNV88F-ESHYB  
3 Cyl. water-cooled  
direct injection diesel  
100.2 CID (1.642L)  
Tier 4 Final  
Glow plugs  
Horsepower:  
Gross 24.4 HP (18.2 Kw) at  
2,200 RPM  
Dry type air cleaner

**OPERATOR PROTECTIVE STRUCTURE:****ROPS/FOPS:**

Four post canopy design  
Mechanical suspension seat, with seat  
belt  
Pilot operated joysticks for boom, arm,  
bucket, and swing with adjustable  
wrist rests  
Foot pedals for travel control and  
swing tower control

**Gauges:**

Engine Coolant temp and fuel level

**Indicator Lights:**

Engine oil pressure, coolant  
temperature, battery  
charge, low fuel warning, engine  
preheat, air cleaner warning,  
hyd. quick coupler  
lock, and high travel speed

**ELECTRICAL:**

12 Volt electrical starting system  
includes heavy-duty battery and  
starting motor  
55 Amp alternator  
Battery master switch  
Key start  
Anti-theft-engine starting passwords  
Dual 12V power plug recepticals  
Front working light  
Auto idle feature with on/off switch

**BLADE:**

Hydraulically controlled dozer blade

**UNDERCARRIAGE:**

Rubber tracks  
Track pad width: 12" (300 mm)  
Track length: 7'0" (2130 mm)  
Gradeability: 30 degrees  
Ground clearance: 11" (290 mm)

**TRACK DRIVE:**

Two speed travel  
Fully hydrostatic drive system  
Track tension adjustment  
(grease type)  
Sealed and lubricated track

**HYDRAULICS:**

Control pattern selector valve  
Hydraulic oil filter  
Total Auxiliary Flow:  
16.0 gpm @ 2,973 psi  
(60.5 L/min @ 205 bar)  
Main Pump: 3,270 PSI  
Auxiliary valve and piping  
Proportional auxillary hydraulic flow  
control  
Selector valve for single or  
two-way aux flow  
Large capacity hydraulic oil cooler  
Cylinder rod protection covers  
-Dozer & Boom

**UPPER:**

Standard Arm: 4'3" (1.3 m)  
Optional Long Arm: 5'3" (1.6 m)  
Boom: 8'2" (2.5 m)  
Boom Swing: 75° left / 50° right  
Zero Tail Swing  
Swing brake: disc type, spring applied  
and hydraulically released  
Bucket linkage with lifting hook

**MISCELLANEOUS:**

Operating weight:  
Canopy, short arm - 7,830 lbs.  
(3,550 Kg)  
Canopy, long arm additional  
counterweight - 8,180 lbs.  
(3710 Kg.)  
Additional counterweight - 330 lbs

**CX37C CANOPY  
US PRICE LIST**

## Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
CX37C CANOPY	7826		\$50,957.00

Packet	Description			Weight	Factory Data	List Price
CX37C Long Arm Pack						\$1572.00
SD_10181-CRAWLER TYPE			Rubber Tracks			
SD_30180-TRAVEL ALARM			Travel Alarm			
SD_40003-COUNTERWEIGHT			Additional Counterweight.			
SD_X5405-2ND AUX. CIRCUIT			W/O 2nd Aux 2-Way Proportional			
SD_X5406-1ST AUX HYD TWO WAYS			2Way Aux Joystick Proportional			
SD_X5414-AUX WORKLIGHTS CAB			Working Lights			
SD_X5430-THUMB CYL BRACKET			Thumb Bracket			
SD_X6100-ARM			Long Arm			
SD_X6206-LINKAGE			Linkage With Hook			
SD_X6207-HYDR Q/C PROV.			W/O Q/C Provision			
SD_X6210-BEACON			Beacon			
CX37C Short Arm Pack						\$997.00
SD_10181-CRAWLER TYPE			Rubber Tracks			
SD_30180-TRAVEL ALARM			Travel Alarm			
SD_40003-COUNTERWEIGHT			Standard Counterweight.			
SD_X5405-2ND AUX. CIRCUIT			W/O 2nd Aux 2-Way Proportional			
SD_X5406-1ST AUX HYD TWO WAYS			2Way Aux Joystick Proportional			
SD_X5414-AUX WORKLIGHTS CAB			Working Lights			
SD_X5430-THUMB CYL BRACKET			Thumb Bracket			
SD_X6100-ARM			Short Arm			
SD_X6206-LINKAGE			Linkage With Hook			
SD_X6207-HYDR Q/C PROV.			W/O Q/C Provision			
SD_X6210-BEACON			Beacon			

Pre-Configured Packages are full model packages for Short Arm or Long Arm configurations. Once a package is selected, you can then select the required Buckets/Attachments to go along with your unit. Keep in mind, it is not possible to modify (add/remove) any other vehicle options when you select a Pre-Configured package. If a Pre-Configured unit is ordered, it will be matched to one that is already built and ready to ship, which will reduce the lead-time by several months. Independent Option ordering is still available if the package is not desired, however you may experience a longer lead-time.

CX37C CANOPY  
US PRICE LIST

## Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

### OPERATOR'S MANUAL

## SD\_47181 OPERATOR'S MANUAL

	747460	Operators Manual- English		No Charge
	747490	Operators Manual- French		No Charge
	747464	Operators Manual- Spanish		No Charge

### VERSION

## SD\_10181 CRAWLER TYPE

	9552700	Rubber Tracks		No Charge
	9553700	Steel Tracks		\$1,646.00

### ADDITIONAL EQUIPMENT MEX

## SD\_30180 TRAVEL ALARM

	747453	Travel Alarm		\$222.00
	747994	W/O Travel Alarm		No Charge

## SD\_40003 COUNTERWEIGHT

	747995	Standard Counterweight.		No Charge
	747996	Additional Counterweight.		\$225.00

## SD\_X5405 2ND AUX. CIRCUIT

	747999	W/O 2nd Aux 2-Way Proportional		No Charge
	747053	2nd Aux 2-Way Proportional		\$2,027.00

## SD\_X5406 1ST AUX HYD TWO WAYS

	747054	2Way Aux Pedal Proportional		No Charge
	747055	2Way Aux Joystick Proportional		No Charge

## SD\_X5430 THUMB CYL BRACKET

	747059	W/O Thumb Bracket		No Charge
	747058	Thumb Bracket		\$475.00

## SD\_X6100 ARM

	747320	Short Arm Please refer to the Standard pages for arm lengths		No Charge
--	--------	---	--	-----------



CX37C CANOPY  
US PRICE LIST

		747329	Long Arm <b>Please refer to the Standard pages for arm lengths</b>			\$350.00
--	--	--------	---	--	--	----------

## SD\_X6206 LINKAGE

		747063	Linkage Without Hook			(\$65.00)
		747062	Linkage With Hook			No Charge

## SD\_X6207 HYDR Q/C PROV.

		747065	W/O Q/C Provision			No Charge
		747064	Hydraulic Q/C Provision <b>Includes switch &amp; hydraulic lines to end of arm</b>			\$536.00

## SD\_X6210 BEACON

		XX6210X	W/O Beacon			No Charge
		747070	Beacon			\$300.00

CX37C CANOPY  
US PRICE LIST

## Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
<b>KLAC Buckets &amp; Coupler</b>				
47422654	12" HD Bucket (KLAC Coupler)	189 LB		\$1,137.00
47422655	18" HD Bucket (KLAC Coupler)	84 LB		\$1,231.00
47422656	24" HD Bucket (KLAC Coupler)	31 LB		\$1,390.00
47422657	36" HD Bucket (KLAC Coupler)	346 LB		\$1,698.00
47422658	36" Ditch Bucket (KLAC Coupler)	313 LB		\$1,285.00
47422660	KLAC Base Plate (To adapt other buckets)	31 LB		\$392.00
47873455	Ripper Tooth KLAC	220 LB		\$1,047.00
48057634	Coupler, KLAC	84 LB		\$1,398.00

**Pin-On/Mech. Buckets & Coupler**

47457880	Dead Pin Kit	11 LB		\$222.00
48057617	12"HD Bucket (Pin-on/Mechanical Coupler)	161 LB		\$872.00
48057619	18"HD Bucket (Pin-on/Mechanical Coupler)	205 LB		\$966.00
48057620	24"HD Bucket (Pin-on/Mechanical Coupler)	247 LB		\$1,126.00
48057621	36"HD Bucket (Pin-on/Mechanical Coupler)	331 LB		\$1,433.00
48057622	36" Ditch Bucket (Pin-on/Mech Coupler)	313 LB		\$1,189.00
48057623	Coupler, Mechanical Pin-Grabber	95 LB		\$1,743.00
48057638	Ripper Tooth Pin-On	220 LB		\$1,047.00

Most C-Series attachments have been set up, the remaining C-Series attachments are still under final validation and release. At the start of 2017, the price pages will be updated to include the Thumbs, Hammers, Compactors, Hydraulic Couplers and Augers so that all these attachments can be ordered and financed together with the whole good vehicle purchase. Dealers will be permitted to update their orders with the missing attachments at that time.

**CX37C CAB  
US PRICE LIST****Standard Equipment****ENGINE:**

Yanmar 3TNV88F-ESHYB  
3 Cyl. water-cooled  
direct injection diesel  
100.2 CID (1.642L)  
Tier 4 Final  
Glow plugs  
Horsepower:  
Gross 24.4 HP (18.2 Kw) at  
2,200 RPM

Dry type air cleaner

**OPERATOR PROTECTIVE STRUCTURE:****ROPS/FOPS:**

Enclosed cab with overhead opening  
front window, sliding side window,  
lockable door, heater, defroster, air  
conditioner and radio/USB player + 2  
speakers

Mechanical suspension seat, with seat  
belt

Pilot operated joysticks for boom, arm,  
bucket and swing with adjustable  
wrist rests

Foot pedals for travel control and  
swing tower control

**Gauges:**

Engine coolant temp and fuel level

**Indicator Lights:**

Engine oil pressure, coolant  
temperature, battery charge, low fuel  
warning, engine preheat, air cleaner  
warning, hyd. quick coupler lock, and  
high travel speed

**ELECTRICAL:**

12 Volt electrical starting system  
includes heavy-duty battery and  
starting motor

40 Amp alternator

Battery master switch

Key start

Anti-theft-engine starting passwords

Dual 12V power plug recepticals

Front working Light

Auto idle feature with on/off switch

**BLADE:**

Hydraulically controlled dozer blade

**UNDERCARRIAGE:**

Rubber tracks

Track pad width: 12" (300 mm)

Track length: 7'0" (2130 mm)

Gradeability: 30 degrees

Ground Clearance: 11" (290 mm)

**TRACK DRIVE:**

Two speed travel

Fully hydrostatic drive system

Track tension adjustment

(grease type)

Sealed and lubricated track

**HYDRAULICS:**

Control pattern selector valve

Hydraulic oil filter

Total Auxiliary Flow:

16.0 gpm @ 2,973 psi

(60.5 L/min @ 205 bar)

Main Pump: 3,270 PSI

Auxiliary valve and piping

Proportional auxillary hydraulic flow  
control

Selector valve for single or  
two-way aux flow

Large capacity hydraulic oil cooler

Cylinder rod protection covers

-Dozer & Boom

**UPPER:**

Standard Arm: 4'3" (1.3 m)

Optional Long Arm: 5'3" (1.6 m)

Boom: 8'2" (2.5 m)

Boom Swing: 75° left / 50° right

Zero Tail Swing

Swing brake: disc type, spring applied  
and hydraulically released

Bucket linkage with lifting hook

**MISCELLANEOUS:**

Operating weight:

Cab, shot arm - 8140 lbs (3690 kg)

Cab, long arm, additional

counterweight - 8490 lbs (3850 kg)

Additional counterweight - 330lbs

**CX37C CAB  
US PRICE LIST**

## Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
CX37C CAB	8135		\$60,146.00

Packet	Description		Weight	Factory Data	List Price
CX37C CAB Long Arm					\$1572.00
SD_05136-RADIO OPTION		Radio and USB			
SD_10181-CRAWLER TYPE		Rubber Tracks			
SD_30180-TRAVEL ALARM		Travel Alarm			
SD_40003-COUNTERWEIGHT		Additional Counterweight.			
SD_X5183-AIR COND/HEATER		A/C AND HEATER			
SD_X5405-2ND AUX. CIRCUIT		W/O 2nd Aux 2-Way Proportional			
SD_X5406-1ST AUX HYD TWO WAYS		2Way Aux Joystick Proportional			
SD_X5414-AUX WORKLIGHTS CAB		Working Lights			
SD_X5430-THUMB CYL BRACKET		Thumb Bracket			
SD_X6100-ARM		Long Arm			
SD_X6206-LINKAGE		Linkage With Hook			
SD_X6207-HYDR Q/C PROV.		W/O Q/C Provision			
SD_X6210-BEACON		Beacon			
CX37C CAB Short Arm					\$997.00
SD_05136-RADIO OPTION		Radio and USB			
SD_10181-CRAWLER TYPE		Rubber Tracks			
SD_30180-TRAVEL ALARM		Travel Alarm			
SD_40003-COUNTERWEIGHT		Standard Counterweight.			
SD_X5183-AIR COND/HEATER		A/C AND HEATER			
SD_X5405-2ND AUX. CIRCUIT		W/O 2nd Aux 2-Way Proportional			
SD_X5406-1ST AUX HYD TWO WAYS		2Way Aux Joystick Proportional			
SD_X5414-AUX WORKLIGHTS CAB		Working Lights			
SD_X5430-THUMB CYL BRACKET		Thumb Bracket			
SD_X6100-ARM		Short Arm			
SD_X6206-LINKAGE		Linkage With Hook			
SD_X6207-HYDR Q/C PROV.		W/O Q/C Provision			
SD_X6210-BEACON		Beacon			

Pre-Configured Packages are full model packages for Short Arm or Long Arm configurations. Once a package is selected, you can then select the required Buckets/Attachments to go along with your unit. Keep in mind, it is not possible to modify (add/remove) any other vehicle options when you select a Pre-Configured package. If a Pre-Configured unit is ordered, it will be matched to one that is already built and ready to ship, which will reduce the lead-time by several months. Independent Option ordering is still available if the package is not desired, however you may experience a longer lead-time.

CX37C CAB  
US PRICE LIST

## Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

### OPERATOR'S MANUAL

## SD\_47181 OPERATOR'S MANUAL

	747460	Operators Manual- English		No Charge
	747490	Operators Manual- French		No Charge
	747464	Operators Manual- Spanish		No Charge

### VERSION

## SD\_10181 CRAWLER TYPE

	9552700	Rubber Tracks		No Charge
	9553700	Steel Tracks		\$1,646.00

### ADDITIONAL EQUIPMENT MEX

## SD\_30180 TRAVEL ALARM

	747453	Travel Alarm		\$222.00
	747994	W/O Travel Alarm		No Charge

## SD\_40003 COUNTERWEIGHT

	747995	Standard Counterweight.		No Charge
	747996	Additional Counterweight.		\$225.00

## SD\_X5405 2ND AUX. CIRCUIT

	747999	W/O 2nd Aux 2-Way Proportional		No Charge
	747053	2nd Aux 2-Way Proportional		\$2,027.00

## SD\_X5406 1ST AUX HYD TWO WAYS

	747054	2Way Aux Pedal Proportional		No Charge
	747055	2Way Aux Joystick Proportional		No Charge

## SD\_X5430 THUMB CYL BRACKET

	747059	W/O Thumb Bracket		No Charge
	747058	Thumb Bracket		\$475.00

## SD\_X6100 ARM

	747320	Short Arm Please refer to the Standard pages for arm lengths		No Charge
--	--------	---	--	-----------

**CX37C CAB  
US PRICE LIST**

		747329	Long Arm <b>Please refer to the Standard pages for arm lengths</b>			\$350.00
--	--	--------	---	--	--	----------

## SD\_X6206 LINKAGE

		747063	Linkage Without Hook			(\$65.00)
		747062	Linkage With Hook			No Charge

## SD\_X6207 HYDR Q/C PROV.

		747065	W/O Q/C Provision			No Charge
		747064	Hydraulic Q/C Provision <b>Includes switch &amp; hydraulic lines to end of arm</b>			\$536.00

## SD\_X6210 BEACON

		XX6210X	W/O Beacon			No Charge
		747070	Beacon			\$300.00

CX37C CAB  
US PRICE LIST

## Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
<b>KLAC Buckets &amp; Coupler</b>				
47422654	12" HD Bucket (KLAC Coupler)	189 LB		\$1,137.00
47422655	18" HD Bucket (KLAC Coupler)	84 LB		\$1,231.00
47422656	24" HD Bucket (KLAC Coupler)	31 LB		\$1,390.00
47422657	36" HD Bucket (KLAC Coupler)	346 LB		\$1,698.00
47422658	36" Ditch Bucket (KLAC Coupler)	313 LB		\$1,285.00
47422660	KLAC Base Plate (To adapt other buckets)	31 LB		\$392.00
47873455	Ripper Tooth KLAC	220 LB		\$1,047.00
48057634	Coupler, KLAC	84 LB		\$1,398.00

**Pin-On/Mech. Buckets & Coupler**

47457880	Dead Pin Kit	11 LB		\$222.00
48057617	12"HD Bucket (Pin-on/Mechanical Coupler)	161 LB		\$872.00
48057619	18"HD Bucket (Pin-on/Mechanical Coupler)	205 LB		\$966.00
48057620	24"HD Bucket (Pin-on/Mechanical Coupler)	247 LB		\$1,126.00
48057621	36"HD Bucket (Pin-on/Mechanical Coupler)	331 LB		\$1,433.00
48057622	36" Ditch Bucket (Pin-on/Mech Coupler)	313 LB		\$1,189.00
48057623	Coupler, Mechanical Pin-Grabber	95 LB		\$1,743.00
48057638	Ripper Tooth Pin-On	220 LB		\$1,047.00

Most C-Series attachments have been set up, the remaining C-Series attachments are still under final validation and release. At the start of 2017, the price pages will be updated to include the Thumbs, Hammers, Compactors, Hydraulic Couplers and Augers so that all these attachments can be ordered and financed together with the wholegood vehicle purchase. Dealers will be permitted to update their orders with the missing attachments at that time.

**CX57C COMPACT EXCAVATOR  
US PRICE LIST**

## Standard Equipment

**ENGINE:**

Yanmar 4TNV98C  
4 Cyl. water-cooled,  
electronic common rail diesel  
203 CID (3.319L)  
Tier 4 Final  
Glow plugs  
Horsepower:  
Gross 66.9 HP (49.9 Kw) at  
2,400 RPM  
Dry type air cleaner

**OPERATOR PROTECTIVE STRUCTURE:****ROPS/FOPS:**

Enclosed cab with overhead  
opening front window, sliding side  
window, lockable door, heater,  
defroster and air conditioner,  
radio/USB player + 2 speakers  
bluetooth with remote control and  
5.7" color LCD display screen  
Mechanical suspension seat, with seat  
belt, and seat heater  
Pilot operated joysticks for boom, arm  
bucket, and swing with adjustable  
wrist rests  
Foot pedals for travel control and  
swing tower control  
Gauges: Engine coolant temperature,  
hydraulic oil temperature,  
and fuel level  
Indicator Lights: Hydraulic oil temp,  
Air cleaner, engine stop, check  
engine, water in fuel, battery  
charging, emergency warning, low  
fuel level, engine coolant  
temperature, engine oil  
pressure, DPF regeneration inhibit  
warning and regeneration  
acknowledge, DPF warning, and high  
exhaust temperature

**ELECTRICAL:**

12 Volt electrical starting system  
includes heavy-duty battery and  
starting motor  
60 Amp Alternator  
Battery master switch  
Key start  
Anti-theft-engine starting passwords  
Dual 12V power plug recepticals  
Front and rear working lights  
Auto idle feature with on/off switch

**BLADE:**

Hydraulically controlled dozer blade

**UNDERCARRIAGE:**

Rubber tracks  
Track pad width: 15" (380 mm)  
Track length: 8'4" (2530 mm)  
Gradeability: 35 degrees  
Ground clearance: 1'3" (380 mm)

**TRACK DRIVE:**

Two speed travel  
Fully hydrostatic drive system  
Track tension adjustment  
(grease type)  
Sealed and lubricated track

**HYDRAULICS:**

Control pattern selector valve  
Hydraulic oil filter  
Total Auxiliary Flow:  
25.4 gpm @ 3,191 psi  
(96.2 L/min @ 220 bar)  
Main Pump: 3,130 PSI  
Auxiliary valves and piping  
for independent one way aux and  
two way aux circuits.  
Proportional auxiliary hydraulic flow  
control  
Large capacity hydraulic oil cooler  
Cylinder rod protection covers  
-Boom



<b>CX57C COMPACT EXCAVATOR US PRICE LIST</b>
--

## Standard Equipment

**UPPER:**

Standard Arm w/Thumb bracket:

5'3" (1.6 m)

Optional Long Arm w/Thumb bracket:

6'3" (1.9 m)

Boom: 9'10" (2.5 m)

Boom Swing: 80° left / 50° right

Conventional Swing Radius

Swing brake: disc type, spring applied  
and hydraulically released

Bucket linkage with lifting hook

**MISCELLANEOUS:**

Operating weight:

Cab, short arm - 12,460 lbs (5650 kg)

Cab, long arm with Heavy

Counterweight - 12,720 lbs  
(5770 kg)

Heavy Counterweight - 220 lbs

**CX57C COMPACT EXCAVATOR  
US PRICE LIST**

## Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
CX57C CAB	12456		\$82,351.00

Packet	Description		Weight	Factory Data	List Price
CX57C CAB Long Arm					\$2027.00
SD_10181-CRAWLER TYPE		Rubber Tracks 400MM			
SD_30180-TRAVEL ALARM		Travel Alarm			
SD_40003-COUNTERWEIGHT		Additional Counterweight			
SD_X5202-TRACK GUIDE		3-Piece Track Guide			
SD_X5405-2ND AUX. CIRCUIT		W/O 2nd Aux 2-Way Proportional			
SD_X5407-1ST AUX HYD CIRCUIT		2Way Aux Joystick Proportional			
SD_X5414-AUX WORKLIGHTS CAB		Working Lights			
SD_X6100-ARM		Arm Long w/Thumb Bracket			
SD_X6206-LINKAGE		Linkage With Hook			
SD_X6207-HYDR Q/C PROV.		W/O Q/C Provision			
SD_X6210-BEACON		Beacon			
SD_X9908-CAMERA		W/O Rear View Camera			
CX57C CAB Short Arm					\$326.00
SD_10181-CRAWLER TYPE		Rubber Tracks 400MM			
SD_30180-TRAVEL ALARM		Travel Alarm			
SD_40003-COUNTERWEIGHT		Standard Counterweight.			
SD_X5202-TRACK GUIDE		3-Piece Track Guide			
SD_X5405-2ND AUX. CIRCUIT		W/O 2nd Aux 2-Way Proportional			
SD_X5407-1ST AUX HYD CIRCUIT		2Way Aux Joystick Proportional			
SD_X5414-AUX WORKLIGHTS CAB		Working Lights			
SD_X6100-ARM		Arm Short w/Thumb Bracket			
SD_X6206-LINKAGE		Linkage With Hook			
SD_X6207-HYDR Q/C PROV.		W/O Q/C Provision			
SD_X6210-BEACON		Beacon			
SD_X9908-CAMERA		W/O Rear View Camera			

Pre-Configured Packages are full model packages for Short Arm or Long Arm configurations. Once a package is selected, you can then select the required Buckets/Attachments to go along with your unit. Keep in mind, it is not possible to modify (add/remove) any other vehicle options when you select a Pre-Configured package. If a Pre-Configured unit is ordered, it will be matched to one that is already built and ready to ship, which will reduce the lead-time by several months. Independent Option ordering is still available if the package is not desired, however you may experience a longer lead-time.



**CX57C COMPACT EXCAVATOR  
US PRICE LIST**

**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**OPERATOR'S MANUAL**

SD\_47181 OPERATOR'S MANUAL

	747460	Operators Manual- English		No Charge
	747464	Operators Manual- Spanish		No Charge
	747490	Operators Manual- French		No Charge

**VERSION**

SD\_10181 CRAWLER TYPE

	9552610	Steel Tracks 450 MM		\$2,486.00
	9552611	Steel Tracks 380 MM		\$2,024.00
	9552612	Steel w/Pads 400 MM		\$4,544.00
	9552710	Rubber Link Tracks 400MM		\$12,843.00
	9552711	Rubber Tracks 400MM		No Charge

**ADDITIONAL EQUIPMENT MEX**

SD\_30180 TRAVEL ALARM

	747453	Travel Alarm		\$326.00
	747994	W/O Travel Alarm		No Charge

SD\_40003 COUNTERWEIGHT

	747084	Additional Counterweight		\$724.00
	747995	Standard Counterweight.		No Charge

SD\_X5202 TRACK GUIDE

	747096	Full Track Guide		\$724.00
	747097	3-Piece Track Guide		No Charge

SD\_X5405 2ND AUX. CIRCUIT

	747053	2nd Aux 2-Way Proportional		\$2,830.00
	747999	W/O 2nd Aux 2-Way Proportional		No Charge

SD\_X5407 1ST AUX HYD CIRCUIT

	747122	2Way Aux Joystick Proportional		No Charge
	747123	2Way Aux Pedal Proportional		\$692.00

**CX57C COMPACT EXCAVATOR  
US PRICE LIST**

## SD\_X6100 ARM

		747078	Arm Short w/Thumb Bracket			No Charge
		747079	Arm Long w/Thumb Bracket			\$977.00

## SD\_X6206 LINKAGE

		747062	Linkage With Hook			No Charge
		747063	Linkage Without Hook			(\$150.00)

## SD\_X6207 HYDR Q/C PROV.

		747064	Hydraulic Q/C Provision			\$687.00
		747065	W/O Q/C Provision			No Charge

## SD\_X6210 BEACON

		747070	Beacon			No Charge
		747087	W/O - Beacon			(\$50.00)

## SD\_X9908 CAMERA

		747089	W/O Rear View Camera			No Charge
		747090	Rear View Camera			\$635.00

**CX57C COMPACT EXCAVATOR  
US PRICE LIST**

## Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
<b>KLAC Buckets &amp; Coupler</b>				
47422660	KLAC Base Plate (To adapt other buckets)	31 LB		\$392.00
47422702	12" HD Bucket (KLAC Coupler)	267 LB		\$1,314.00
47422703	18" HD Bucket (KLAC Coupler)	320 LB		\$1,394.00
47422704	24" HD Bucket (KLAC Coupler)	419 LB		\$1,554.00
47422705	36" HD Bucket (KLAC Coupler)	326 LB		\$1,852.00
47422658	36" Ditch Bucket (KLAC Coupler)	313 LB		\$1,285.00
47872281	36" Cemetery Bucket (KLAC Coupler)	266 LB		\$1,354.00
47873455	Ripper Tooth KLAC	220 LB		\$1,047.00
48057636	Coupler, KLAC	110 LB		\$1,441.00

### Pin-On/Mech. Buckets & Coupler

48057625	12"HD Bucket (Pin-on/Mechanical Coupler)	189 LB		\$1,049.00
48057626	18"HD Bucket (Pin-on/Mechanical Coupler)	240 LB		\$1,130.00
48057627	24"HD Bucket (Pin-on/Mechanical Coupler)	291 LB		\$1,290.00
48057628	36"HD Bucket (Pin-on/Mechanical Coupler)	388 LB		\$1,588.00
48057629	36" Ditch Bucket (Pin-on/Mech Coupler)	313 LB		\$1,191.00
48057637	36"Cemetery Bucket (Pin-on/Mech Coupler)	305 LB		\$1,354.00
48057630	Coupler, Mechanical Pin-Grabber	95 LB		\$1,743.00
48057631	Dead Pin Kit (for additional buckets)	11 LB		\$236.00
48057639	Ripper Tooth Pin-On	220 LB		\$1,047.00

Most C-Series attachments have been set up, the remaining C-Series attachments are still under final validation and release. At the start of 2017, the price pages will be updated to include the Thumbs, Hammers, Compactors, Hydraulic Couplers and Augers so that all these attachments can be ordered and financed together with the wholegood vehicle purchase. Dealers will be permitted to update their orders with the missing attachments at that time.

**CX60C COMPACT EXCAVATOR  
US PRICE LIST****Standard Equipment****ENGINE:**

Yanmar 4TNV98C  
4 Cyl. water-cooled,  
electronic common rail diesel  
203 CID (3.319L)  
Tier 4 Final  
Glow plugs  
Horsepower:  
Gross 67.7 HP (48.3 Kw) at  
2,200 RPM  
Dry type air cleaner

**ELECTRICAL:**

12 Volt electrical starting system  
includes heavy-duty battery and  
starting motor  
60 Amp alternator  
Battery master switch  
Key start  
Anti-theft-engine starting passwords  
Dual 12V power plug recepticals  
Front and rear working lights  
Auto idle feature with on/off switch

**OPERATOR PROTECTIVE STRUCTURE:****ROPS/FOPS:**

Enclosed cab with overhead  
opening front window, sliding side  
window, lockable door, heater,  
defroster and air conditioner,  
radio/USB player + 2 speakers  
bluetooth with remote control and  
5.7" color LCD display screen  
Mechanical suspension seat, with seat  
belt, and seat heater  
Pilot operated joysticks for boom,  
arm, bucket and swing with  
adjustable wrist rests  
Foot pedals for travel control and  
swing tower control

Gauges: Engine coolant temperature,  
hydraulic oil temperature,  
and fuel level

Indicator Lights: Hydraulic oil temp,  
air cleaner, engine stop, check  
engine, water in fuel, battery  
charging, emergency warning, low  
fuel level, engine coolant  
temperature, engine oil  
pressure, DPF regeneration inhibit  
warning and regeneration  
acknowledge, DPF warning, and high  
exhaust temperature

**BLADE:**

Hydraulically controlled dozer blade

**UNDERCARRIAGE:**

Rubber tracks  
Track pad width: 15" (380 mm)  
Track length: 8'4" (2530 mm)  
Gradeability: 35 degrees  
Ground clearance: 1'3" (380 mm)

**TRACK DRIVE:**

Two speed travel  
Fully hydrostatic drive system  
Track tension adjustment  
(grease type)  
Sealed and lubricated track

**HYDRAULICS:**

Control pattern selector valve  
Hydraulic oil filter  
Total Auxiliary Flow:  
24.2 gpm @ 3,191 psi  
(91.6 L/min @ 220 bar)  
Main Pump: 3,130 PSI  
Auxiliary valves and piping  
for independent one way aux and  
two way aux circuits.  
Proportional auxiliary hydraulic flow  
control  
Large capacity hydraulic oil cooler  
Cylinder rod protection covers  
-Boom

<b>CX60C COMPACT EXCAVATOR US PRICE LIST</b>
--

## Standard Equipment

and hydraulically released  
Bucket linkage with lifting hook

### UPPER:

Standard Arm w/Thumb bracket:  
4'10" (1.48 m)  
Optional Long Arm w/Thumb bracket:  
6'3" (1.9 m)  
Boom: 9'6" (2.9 m)  
Boom Swing: 70° left / 50° right  
Short Tail Swing Radius  
Swing brake: disc type, spring applied

### MISCELLANEOUS:

Operating weight:  
Cab, short arm - 12,790 lbs (5800 kg)  
Cab, long arm with additional  
counterweight - 13,290 lbs  
(6025 kg)  
Additional counterweight - 440 lbs

**CX60C COMPACT EXCAVATOR  
US PRICE LIST**

## Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
CX60C CAB	12787		\$87,110.00

Packet	Description		Weight	Factory Data	List Price
CX60C CAB Long Arm					\$2728.00
SD_10181-CRAWLER TYPE		Rubber Tracks 400MM			
SD_30180-TRAVEL ALARM		Travel Alarm			
SD_40003-COUNTERWEIGHT		Additional Counterweight			
SD_X5202-TRACK GUIDE		3-Piece Track Guide			
SD_X5405-2ND AUX. CIRCUIT		W/O 2nd Aux 2-Way Proportional			
SD_X5407-1ST AUX HYD CIRCUIT		2Way Aux Joystick Proportional			
SD_X5414-AUX WORKLIGHTS CAB		Working Lights			
SD_X6100-ARM		Arm Long w/Thumb Bracket			
SD_X6206-LINKAGE		Linkage With Hook			
SD_X6207-HYDR Q/C PROV.		W/O Q/C Provision			
SD_X6210-BEACON		Beacon			
SD_X9850-HYDRAULIC OIL		STD HYD OIL VG46			
SD_X9908-CAMERA		W/O Rear View Camera			
CX60C CAB Short Arm					\$326.00
SD_10181-CRAWLER TYPE		Rubber Tracks 400MM			
SD_30180-TRAVEL ALARM		Travel Alarm			
SD_40003-COUNTERWEIGHT		Standard Counterweight.			
SD_X5202-TRACK GUIDE		3-Piece Track Guide			
SD_X5405-2ND AUX. CIRCUIT		W/O 2nd Aux 2-Way Proportional			
SD_X5407-1ST AUX HYD CIRCUIT		2Way Aux Joystick Proportional			
SD_X5414-AUX WORKLIGHTS CAB		Working Lights			
SD_X6100-ARM		Arm Short w/Thumb Bracket			
SD_X6206-LINKAGE		Linkage With Hook			
SD_X6207-HYDR Q/C PROV.		W/O Q/C Provision			
SD_X6210-BEACON		Beacon			
SD_X9850-HYDRAULIC OIL		STD HYD OIL VG46			
SD_X9908-CAMERA		W/O Rear View Camera			

Pre-Configured Packages are full model packages for Short Arm or Long Arm configurations. Once a package is selected, you can then select the required Buckets/Attachments to go along with your unit. Keep in mind, it is not possible to modify (add/remove) any other vehicle options when you select a Pre-Configured package. If a Pre-Configured unit is ordered, it will be matched to one that is already built and ready to ship, which will reduce the lead-time by several months. Independent Option ordering is still available if the package is not desired, however you may experience a longer lead-time.



**CX60C COMPACT EXCAVATOR  
US PRICE LIST**

## Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

### OPERATOR'S MANUAL

#### SD\_47181 OPERATOR'S MANUAL

		747460	Operators Manual- English			No Charge
		747464	Operators Manual- Spanish			No Charge
		747490	Operators Manual- French			No Charge

### VERSION

#### SD\_10181 CRAWLER TYPE

		9552610	Steel Tracks 450 MM			\$2,486.00
		9552611	Steel Tracks 380 MM			\$2,024.00
		9552612	Steel w/Pads 400 MM			\$4,740.00
		9552710	Rubber Link Tracks 400MM			\$13,396.00
		9552711	Rubber Tracks 400MM			No Charge

### ADDITIONAL EQUIPMENT MEX

#### SD\_30180 TRAVEL ALARM

		747453	Travel Alarm			\$326.00
		747994	W/O Travel Alarm			No Charge

#### SD\_40003 COUNTERWEIGHT

		747084	Additional Counterweight			\$1,425.00
		747995	Standard Counterweight.			No Charge

#### SD\_X5202 TRACK GUIDE

		747097	3-Piece Track Guide			No Charge
--	--	--------	---------------------	--	--	-----------

#### SD\_X5405 2ND AUX. CIRCUIT

		747053	2nd Aux 2-Way Proportional			\$2,830.00
		747999	W/O 2nd Aux 2-Way Proportional			No Charge

#### SD\_X5407 1ST AUX HYD CIRCUIT

		747122	2Way Aux Joystick Proportional			No Charge
--	--	--------	--------------------------------	--	--	-----------

#### SD\_X6100 ARM

		747078	Arm Short w/Thumb Bracket			No Charge
		747079	Arm Long w/Thumb Bracket			\$977.00

**CX60C COMPACT EXCAVATOR  
US PRICE LIST**

## SD\_X6206 LINKAGE

		747062	Linkage With Hook			No Charge
		747063	Linkage Without Hook			(\$150.00)

## SD\_X6207 HYDR Q/C PROV.

		747064	Hydraulic Q/C Provision			\$687.00
		747065	W/O Q/C Provision			No Charge

## SD\_X6210 BEACON

		747070	Beacon			No Charge
		747087	W/O - Beacon			(\$50.00)

## SD\_X9908 CAMERA

		747089	W/O Rear View Camera			No Charge
		747090	Rear View Camera			\$635.00

**CX60C COMPACT EXCAVATOR  
US PRICE LIST**

## Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
<b>KLAC Buckets &amp; Coupler</b>				
47422660	KLAC Base Plate (To adapt other buckets)	31 LB		\$392.00
47422702	12" HD Bucket (KLAC Coupler)	267 LB		\$1,314.00
47422703	18" HD Bucket (KLAC Coupler)	320 LB		\$1,394.00
47422704	24" HD Bucket (KLAC Coupler)	419 LB		\$1,554.00
47422705	36" HD Bucket (KLAC Coupler)	326 LB		\$1,852.00
47422658	36" Ditch Bucket (KLAC Coupler)	313 LB		\$1,285.00
47872281	36" Cemetery Bucket (KLAC Coupler)	266 LB		\$1,354.00
47873455	Ripper Tooth KLAC	220 LB		\$1,047.00
48057636	Coupler, KLAC	110 LB		\$1,441.00

### Pin-On/Mech. Buckets & Coupler

48057625	12"HD Bucket (Pin-on/Mechanical Coupler)	189 LB		\$1,049.00
48057626	18"HD Bucket (Pin-on/Mechanical Coupler)	240 LB		\$1,130.00
48057627	24"HD Bucket (Pin-on/Mechanical Coupler)	291 LB		\$1,290.00
48057628	36"HD Bucket (Pin-on/Mechanical Coupler)	388 LB		\$1,588.00
48057629	36" Ditch Bucket (Pin-on/Mech Coupler)	313 LB		\$1,191.00
48057637	36"Cemetery Bucket (Pin-on/Mech Coupler)	305 LB		\$1,354.00
48057630	Coupler, Mechanical Pin-Grabber	95 LB		\$1,743.00
48057631	Dead Pin Kit (for additional buckets)	11 LB		\$236.00
48057639	Ripper Tooth Pin-On	220 LB		\$1,047.00

Most C-Series attachments have been set up, the remaining C-Series attachments are still under final validation and release. At the start of 2017, the price pages will be updated to include the Thumbs, Hammers, Compactors, Hydraulic Couplers and Augers so that all these attachments can be ordered and financed together with the wholegood vehicle purchase. Dealers will be permitted to update their orders with the missing attachments at that time.