

CONSTRUCTION EQUIPMENT

U.S. PRICE LIST

WHEEL LOADERS – CE

PL-200 CE SAP REVISION 21

EFFECTIVE NOVEMBER 7, 2016

Below is a list of Family(s) and Model(s) that are included in this price list.

Wheel Loaders

521G Tier 4 Final

621G Tier 4 Final

721G Tier 4 Final

821G Tier 4 Final

921G Tier 4 Final

1021G Tier 4 Final

1121G Tier 4 Final

Copyright 2016 By

CNH Industrial America LLC

**521G T4 FINAL WHEEL LOADERS
US PRICE LIST****Standard Equipment****ENGINE:**

FPT (F4HFE413NB)
Tier 4 - Final Certified (SCR)
Displacement: 275 cu in (4.5 L)
Power:

Standard:

- Rated Gross: 118 HP (88 kW)
@ 2000 RPM
- Rated Net: 106 HP (79 kW)
@ 2000 RPM

Boosted Power:

- Rated Gross: 141 HP (105 kW)
@ 2000 RPM
- Rated Net: 129 HP (96 kW)
@ 2000 RPM

Economy:

- Rated Gross: 88 HP (66 kW)
@ 2000 RPM
- Rated Net: 76 HP (57 kW)
@ 2000 RPM

Air-to-Air aftercooler
Anti-freeze solution -34°F (-37°C)
Fuel Tank: 50 gal. U.S. (189 L)
DEF Tank: 11.7 gal. U.S. (44.2 L)
Air cleaner - 2 stage with radial seal elements
Hydraulically driven fan with guard
Mid-mounted cooling module
Auto idle control
Auto shutdown (idle reduction device)
Common Rail Electronic Fuel Injector

OPERATOR'S PROTECTIVE**STRUCTURE:**

Cab with ROPS, AC and heater
Wipers, rear and intermittent front
Rear grid defroster
Suspension seat, with 2" (50 mm) seat belt
Storage tray, cup holder
Tilt-steering wheel with integral steering knob
Fully adjustable wrist rest
Front sunscreen
(1) Interior rearview mirror

TRANSMISSION:

Speeds: 4F-3R
Computer controlled, full-power, proportional shifting
Single lever electronic shift control on steering column
FNR shuttle shift on hydraulic controller
Programmable gear selection
Selectable fully-automatic and manual modes
Electronic transmission disconnect
On-board diagnostics with fault code storage and retrieval
Single, vertically mounted, spin-on oil filter
Low Temperature Cooler by-pass valve

DRIVE TRAIN:**AXLES:**

Limited slip differentials - Front and Rear

HYDRAULICS:

Closed center hydraulics, Load Sensing
Vertically mounted, spin-on oil filter
O-ring face seal hydraulic fittings
Full-flow oil cooler
Cushioned steering cylinders
Low temperature cooler by-pass valve

LOADER SYSTEM:

Electro-hydraulic (EH) Joystick loader control
Automatic return-to-dig, automatic height control, and automatic return-to-travel
Position indicator on bucket
Z-bar loader linkage - standard version
Single piece, flame cut, loader arms
-Ground level lubrication points

**521G T4 FINAL WHEEL LOADERS
US PRICE LIST****Standard Equipment****INSTRUMENTATION:**

LCD Monitor Display of:

1. Tachometer
2. Speedometer
3. Gear selected
4. Time
5. Transmission Diagnostics
6. Digital Gauges
7. Trip computer A/B
8. Warning Prompts
9. DeCluth Indication
10. Diff. Lock (if equipped)
11. Error Reporting
12. Engine Mode Indicator

Digital Gauges for:

1. Trans. Oil Temp.
2. DEF level
3. Fuel Level
4. Engine Coolant Temp.

Indicator Lights for:

1. Master warning (cautionary)
2. Master warning (critical)
3. Turn signals
4. Steering pressure (low)
5. Low fuel
6. Brake pressure
7. High beam
8. Grid heater
9. Parking brake

Maintenance Reminders

1. Cab air filters
2. DEF tank vent filter
3. Engine air & oil filter
4. SCR supply filter
5. Hydraulic oil and filter
6. Engine coolant
7. Fuel pre-filter

BRAKES:

- 4-Wheel, outboard mounted, wet disc hydraulic brakes
- Parking brake; switch actuated, spring

applied hydraulic release

Separate front and rear brake systems

Single brake pedal

ELECTRICAL:

24 volt system

2 - 12V (CCA) batteries

Halogen lights:

2 front flood (top mtd.)

2 front driving (hi/lo beam)

2 rear flood (top mtd.)

LED stop/tail lights

Front and rear turn signals and
flashers

Alternator: 70 amp

Battery isolator / Electrical disconnect

Horn

Backup alarm

Mechanical shock assist hood

Remote jump start posts

OTHER BASIC EQUIPMENT:Articulation and loader lift arm locking
bars

Heavy Counterweight

Drawbar hitch (pins not included)

Front and rear fenders, partial
coverage

Remote drain points

Front and rear lift and tie down points

CASE ProCare3-yr/3000-hr factory warranty,
planned maintenance and
SiteWatch™ telematics**CASE SiteWatch™ Telematics**

includes hardware and a 3-yr

Advanced data subscription

Telematics antenna installed under cab
roofSpecial Paint available upon request
please contact your SSM for pricing
and availabilityFactory Supplied Attachments require
a loose attachment order. Cannot be
ordered as an added attachment.

Tire Matrix								
Model	Tire & Rim Type	OPT (FCS 16012)	Brand (FCS 16072)					
			482595 No Brand	482596 Bridgestone (Radial) Firestone(Bias)	482597 Goodyear	482598 Galaxy(Bias) Primex(Radial)	482599 Michelin	482600 Titan
521G	17.5x25 L2 Bias-1pc 12 PR	9420431	Available	Available	NA	Available	NA	Available
	17.5R25 L2 Radial-3pc	9420432	Available	Available	NA	Available	Available	Available
	17.5x25 L3 Bias-1pc 12 PR	9420434	Available	Available	NA	NA	NA	NA
	17.5R25 L3 Radial-3pc	9420435	Available	Available	NA	Available	Available	NA
	20.5x25 L2 Bias-3pc 12 PR	9420437	Available	Available	NA	Available	NA	Available
	20.5R25 L2 Radial-3pc	9420438	Available	Available	NA	Available	Available	NA
	20.5x25 L3 Bias-3pc 12PR	9420439	Available	Available	NA	Available	NA	NA
	20.5R25 L3 Radial-3pc	9420440	Available	Available	Available	Available	Available	Available
	20.5R25 Radial Michelin Snoplus - 3pc	9420466	NA	NA	NA	NA	Available	NA
	20.5R25 Radial Bridgestone SnowWedge - 3pc	9420474	NA	Available	NA	NA	NA	NA



**521G T4 FINAL WHEEL LOADERS
US PRICE LIST**

Models

COMMERCIAL MODEL	BOOM	Weight	Factory Data	List Price
521G ZBAR T4 FINAL	ZBAR ZB	26,000 LB		\$196,497.00
521G XR T4 FINAL	Extended Reach	26,000 LB		\$198,200.00
521G XT T4 FINAL	Tool Carrier/Parallel Linkage	26,000 LB		\$199,266.00

521G T4 FINAL WHEEL LOADERS
US PRICE LIST

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

AXLES

SD_15001 AXLES

		782122	Limited Slip Differentials Not for use with Trans Control Unit option 482918			No Charge
		424235	Heavy-duty Axles with hydraulically-actuated differential lock on front axle, open differential on rear axle. Recommended for applications on hard surfaces, or with solid tires. Axles have studs for lug nuts.			\$3,707.00

COOLING SYSTEM

SD_02018 RADIATOR OPTIONS

		782454	Cooling System w/Hyd. Cooler Includes hydraulic oil cooler Not for use with Cold Weather Package option 482322			No Charge
		482585	Cooling System w/Reversing Fan Includes hydraulic oil cooler and reversing fan. This is recommended for use in trash and high debris applications.			\$585.00

NOISE SUPPRESSION

SD_05134 SOUND SUPPRESSION

		X05134X	NO SOUND SUPPRESSION PACKAGE			No Charge
		782559	Sound Supression Package This package includes sound insulating material to reduce the exterior noise by 1 to 2 dBA.			\$400.00

OPERATOR'S PROTECTIVE STRUCTURE

SD_05127 CAB

		782439	Cab with heater			(\$2,500.00)
		782440	Cab with heater and a/c			No Charge

521G T4 FINAL WHEEL LOADERS
US PRICE LIST

SD_05105 SEAT BELT

		734056	2 Inch Seat Belt			No Charge
		734057	3 Inch Seat Belt CA State Requirement			\$25.00

SD_05129 OPERATOR'S SEAT

		734072	Mechanical Suspension Seat			No Charge
		734073	Heated Air Suspension Seat			\$525.00
		734085	Premium Seat w/ Headrest *** Estimated Available Date to Order: January 2017 *** Contact your SSM for more details Premium leather seat with active suspension. Has an electronic auto-weight adjustment and Dynamic Dampening System. Comes with a heating switch, wider armrests, an adjustable backrest and you can adjust the seats height. Also includes a Low Frequency Absorber and a Fore/Aft Isolator for a comfortable ride.			\$4,285.00

SD_05060 HEADREST

		X05060X	No Headrest			No Charge
		782774	Headrest			\$130.00

SD_05136 RADIO OPTION

		X05136X	No Radio			No Charge
		482134	Radio ready Includes two 12V outlets, antenna, speakers, radio bracket, wiring harness, fuse, and 20 amp 24V to 12V converter.			\$465.00
		782114	AM/FM Bluetooth Stereo Radio Includes remote tuner/amplifier chassis, antenna, speakers, and auxiliary input jack for portable MP3 or CD players. This is a 12V radio with 20 amp converter.			\$899.00

SD_05042 CONVENIENCE PACKAGE

		X05042X	No Convenience Package			No Charge
		782777	Operator Convenience Package Includes a rear sun shade, an interior mirror, an under the seat drawer, a coat hook, a 12V accessory port, and an ash tray.			\$281.00

**521G T4 FINAL WHEEL LOADERS
US PRICE LIST**

STEERING SYSTEM

SD_20111 HYDRAULIC STEERING

		782441	Standard Hydraulic Steering Does NOT include secondary steering system.			No Charge
		782442	Secondary Steering System Includes secondary steering system that supplies hydraulic pressure to the steering circuit in a dead engine situation.			\$3,450.00
		482930	Joystick w/oSecondary Steering Redesigned Joystick steering without secondary steering system. Left-hand mounted joystick steering package with separate transmission speed and transmission control. Steering-wheel steering system is also included, allows operator to quickly switch between joystick and steering wheel steering.			\$6,562.00
		482913	Joystick w/ Secondary Steering Redesigned Joystick steering with secondary steering system that supplies hydraulic pressure to the steering circuit, if required. Left-hand mounted joystick steering package with separate transmission speed and transmission control. Steering-wheel steering system is also included, allows operator to quickly switch between joystick and steering wheel steering.			\$10,788.00

HYDRAULIC CONTROL VALVES

SD_20195 CONTROL VALVES

		734052	Joystick One Joystick controls loader lift arms and bucket.			No Charge
		734051	2 Levers *** Estimated Available Date to Order: January 2017 *** Contact your SSM for more details Left lever controls bucket and right lever controls loader lift arms.			\$212.00
		734053	2 Lever with 1 Aux Function *** Estimated Available Date to Order: January 2017 *** Contact your SSM for more details First lever controls auxiliary functions, second lever controls bucket and third lever controls loader lift arms (includes hydraulic lines to lift arm cross tubes)			\$1,630.00
		734054	Joystick with 1 Aux Function Joystick controls loader lift arms and bucket, a proportional roller switch on the joystick controls auxiliary hydraulics (includes hydraulic lines to lift arm cross tube).			\$1,849.00

**521G T4 FINAL WHEEL LOADERS
US PRICE LIST**

		734055	Joystick with 2 Aux Functions Joystick controls loader lift arms and bucket, two proportional roller switches on the joystick controls auxiliary hydraulics (includes hydraulic lines to lift arm cross tube).			\$3,636.00
--	--	--------	--	--	--	------------

STEPS, PLATFORMS AND FENDERS

SD_18009 STEPS/REAR FENDERS

		782509	STANDARD FENDERS W/ LH STEPS Left hand steps with front and rear standard width fenders			No Charge
		782510	STANDARD FENDERS W/LH/RH STEPS Left hand and right hand steps with front and rear standard width fenders			\$387.00
		782511	Wide Fenders w/RH & LH Steps Left hand and right hand steps with front and rear full coverage.			\$1,276.00

WHEELS AND TIRES

SD_16072 TIRE BRAND PREFERENCE

		482595	No Tire Brand Preference			No Charge
		482596	Firestone/Bridgestone Brand			\$1,363.00
		482597	Goodyear Brand			\$908.00
		482598	Galaxy/Primex Brand			\$908.00
		482599	Michelin Brand			\$3,407.00
		482600	Titan/General Brand			\$908.00

TIRES

SD_16012 4WS WHEELS

		9420431	17.5x25 L2 Bias (1 pc rim) Reference "Tire Matrix" page for brand availability. Note: No tire ballast is permitted.			No Charge
		9420432	17.5R25 L2 Radial (3 pc rim) Reference "Tire Matrix" page for brand availability. Note: No tire ballast is permitted.			\$4,900.00
		9420434	17.5x25 L3 Bias (1 pc rim) Reference "Tire Matrix" page for brand availability. Note: No tire ballast is permitted.			\$1,278.00
		9420435	17.5R25 L3 Radial (3 pc rim) Reference "Tire Matrix" page for brand availability. Note: No tire ballast is permitted.			\$6,605.00

**521G T4 FINAL WHEEL LOADERS
US PRICE LIST**

		9420437	20.5x25 L2 Bias (3 pc rim) Reference "Tire Matrix" page for brand availability. Requires Axle Oscillation Stops option 782983. Note: No tire ballast is permitted.			\$959.00
		9420438	20.5R25 L2 Radial (3 pc rim) Reference "Tire Matrix" page for brand availability. Requires Axle Oscillation Stops option 782983. Note: No tire ballast is permitted.			\$5,859.00
		9420439	20.5x25 L3 Bias (3 pc rim) Reference "Tire Matrix" page for brand availability. Requires Axle Oscillation Stops option 782983. Note: No tire ballast is permitted.			\$2,238.00
		9420440	20.5R25 L3 Radial (3 pc rim) Reference "Tire Matrix" page for brand availability. Requires Axle Oscillation Stops option 782983. Note: No tire ballast is permitted.			\$7,563.00
		9420466	20.5R25 Michelin Snoplus 3 pc Requires Axle Oscillation Stops option 782983. Note: No tire ballast is permitted.			\$13,455.00
		9420474	20.5R25 Bridgestone SnowWedge Bridgestone Snow Wedge (3 pc rim) Requires Axle Oscillation Stops option 782983. Note: No tire ballast is permitted.			\$12,105.00

SD_21015 CONTROL UNIT FOR TRANS

		X21015X	No Control Unit for Power			No Charge
		482918	Trans Control Unit Transmission speed limit to 20 kph/12.4 mph			No Charge

SPARE TIRES

SD_16043 SPARE RIM

		X16043X	NO SPARE WHEEL			No Charge
		424240	1 Piece Rim for 25x13 Tires			\$642.00
		424241	3 Piece Rim for 25x14 Tires			\$1,015.00
		782585	3 Piece Rim for 20.5x25 Tires			\$1,034.00

SD_16049 EXTRA WHEELS, TIRES AND RIMS

		X16049X	No Extra Wheels and Tires			No Charge
		424780	17.5x25 L2 Bias (1 pc rim)			
			if TIRE BRAND PREFERENCE is No Tire Brand Preference			\$2,148.00
			if TIRE BRAND PREFERENCE is Galaxy/Primex Brand			\$2,148.00
			if TIRE BRAND PREFERENCE is Goodyear Brand			\$2,148.00
			if TIRE BRAND PREFERENCE is Titan/General Brand			\$2,148.00
			if TIRE BRAND PREFERENCE is Firestone/Bridgestone Brand			\$2,262.00
			if TIRE BRAND PREFERENCE is Michelin Brand			\$2,773.00
		424781	17.5x25 L2 Radial			
			if TIRE BRAND PREFERENCE is Titan/General Brand			\$3,991.00

**521G T4 FINAL WHEEL LOADERS
US PRICE LIST**

		if TIRE BRAND PREFERENCE is Galaxy/Primex Brand			\$3,991.00
		if TIRE BRAND PREFERENCE is No Tire Brand Preference			\$3,991.00
		if TIRE BRAND PREFERENCE is Goodyear Brand			\$3,991.00
		if TIRE BRAND PREFERENCE is Firestone/Bridgestone Brand			\$4,104.00
		if TIRE BRAND PREFERENCE is Michelin Brand			\$4,616.00
	424782	17.5x25 L3 Bias (3 pc rim)			
		if TIRE BRAND PREFERENCE is Galaxy/Primex Brand			\$2,176.00
		if TIRE BRAND PREFERENCE is No Tire Brand Preference			\$2,176.00
		if TIRE BRAND PREFERENCE is Goodyear Brand			\$2,176.00
		if TIRE BRAND PREFERENCE is Titan/General Brand			\$2,176.00
		if TIRE BRAND PREFERENCE is Firestone/Bridgestone Brand			\$2,290.00
		if TIRE BRAND PREFERENCE is Michelin Brand			\$2,801.00
	424783	17.5x25 L3 Radial (3 pc rim)			
		if TIRE BRAND PREFERENCE is Goodyear Brand			\$4,044.00
		if TIRE BRAND PREFERENCE is Galaxy/Primex Brand			\$4,044.00
		if TIRE BRAND PREFERENCE is No Tire Brand Preference			\$4,044.00
		if TIRE BRAND PREFERENCE is Titan/General Brand			\$4,044.00
		if TIRE BRAND PREFERENCE is Firestone/Bridgestone Brand			\$4,157.00
		if TIRE BRAND PREFERENCE is Michelin Brand			\$4,669.00
	424784	20.5x25 L2 Bias (3 pc rim)			
		if TIRE BRAND PREFERENCE is Goodyear Brand			\$3,267.00
		if TIRE BRAND PREFERENCE is Galaxy/Primex Brand			\$3,267.00
		if TIRE BRAND PREFERENCE is No Tire Brand Preference			\$3,267.00
		if TIRE BRAND PREFERENCE is Titan/General Brand			\$3,267.00
		if TIRE BRAND PREFERENCE is Firestone/Bridgestone Brand			\$3,380.00
		if TIRE BRAND PREFERENCE is Michelin Brand			\$3,892.00
	424785	20.5x25 L2 Radial (3 pc rim)			
		if TIRE BRAND PREFERENCE is Galaxy/Primex Brand			\$5,337.00
		if TIRE BRAND PREFERENCE is Goodyear Brand			\$5,337.00
		if TIRE BRAND PREFERENCE is No Tire Brand Preference			\$5,337.00
		if TIRE BRAND PREFERENCE is Titan/General Brand			\$5,337.00
		if TIRE BRAND PREFERENCE is Firestone/Bridgestone Brand			\$5,451.00
		if TIRE BRAND PREFERENCE is Michelin Brand			\$5,962.00
	424786	20.5x25 L3 Bias (3 pc rim)			
		if TIRE BRAND PREFERENCE is Goodyear Brand			\$3,483.00
		if TIRE BRAND PREFERENCE is No Tire Brand Preference			\$3,483.00
		if TIRE BRAND PREFERENCE is Titan/General Brand			\$3,483.00
		if TIRE BRAND PREFERENCE is Firestone/Bridgestone Brand			\$3,596.00
		if TIRE BRAND PREFERENCE is Michelin Brand			\$4,108.00
	424787	20.5x25 L3 Radial (3 pc rim)			
		if TIRE BRAND PREFERENCE is No Tire Brand Preference			\$5,493.00
		if TIRE BRAND PREFERENCE is Titan/General Brand			\$5,493.00
		if TIRE BRAND PREFERENCE is Galaxy/Primex Brand			\$5,493.00
		if TIRE BRAND PREFERENCE is Goodyear Brand			\$5,493.00
		if TIRE BRAND PREFERENCE is Firestone/Bridgestone Brand			\$5,607.00
		if TIRE BRAND PREFERENCE is Michelin Brand			\$6,118.00
	424919	20.5R25 Michelin Snoplus 3 pc			\$7,780.00
	424998	20.5R25 Bridgestone SnowWedge			\$7,005.00

**521G T4 FINAL WHEEL LOADERS
US PRICE LIST**

PIN-ON ATTACHMENTS

SD_V5202 BUCKETS, PINS & COUPLERS

		XV5202X	No Bucket No Pins Included			(\$536.00)
		782537	Bucket Pins, No Bkt or Coupler Includes pins to attach bucket or coupler.			No Charge
		424920	2.1 cu. yd. w/pin on bucket 2.1 cu. yd. with bolt on cutting edge, 2 cu. yd. with teeth Not for use with 521G XT T4 commercial model			\$6,333.00
		424986	2.3 cu. yd. w/pin on bucket 2.3 cu. yd. with bolt on cutting edge, 2.2 cu. yd. with teeth Not for use with 521G XT T4 commercial model			\$6,762.00
Coupler System						
		482047	CNH Coupler - JRB Compatible New Case Coupler is compatible with JRB buckets.			\$6,479.00
		734006	CNH Coupler - ACS Compatible Case Coupler is comparable to the ACS Pro Series 2000 Size 30 Coupler.			\$6,477.00
		424988	2.1 cu. yd. bkt w/CNH Coupler JRB Compatible 2.1 cu. yd. with bolt on cutting edge, 2 cu. yd. with teeth			\$13,243.00
		734007	2.1 cu. yd. w/CNH Coupler(ACS) 2.1 cu. yd. (1.6m) with bolt on cutting edge, 2.0 cu. yd. (1.5m) with teeth.			\$13,999.00
High Density Materials						
		424914	2.6 cu. yd. pin on bucket General purpose bucket. 2.6 cu. yd. (2.0 cu. m.) when ordered with bolt on cutting edge. Only available with bolt on cutting edge. Not for use with 521G XT T4 commercial model			\$7,192.00

SD_V5203 BUCKET ACCESSORIES

		XV5203X	No Bucket Accessories For use with No bucket, Bucket pins only			No Charge
		424250	Full length bolt-on edge Includes bolt-on cutting edge (BOCE). All sections are reversible. Skid plates included.			No Charge
		424249	Teeth Accessory CNH Smart-fit teeth. Skid plates included. Does not include segmented edges. Segmented edges are only available through Parts.			\$535.00

521G T4 FINAL WHEEL LOADERS
US PRICE LIST

SD_50060 LOCKING HYDRAULICS

		X50060X	No Locking Hydraulics			No Charge
		424911	Locking Hydraulic for Coupler Used to actuate coupler locking pins and latching mechanisms fitted to machine. Oil supplied by pilot circuit 3447 KPa (500 psi) maximum pressure. Includes rocker switch, solenoid valve, hoses to lift arm cross tube and mounting hardware. Provides hydraulic lines to operate an aftermarket coupler. The factory-supplied couplers include the hydraulic lines to operate the coupler.			\$673.00

COUNTERWEIGHTS

SD_40003 COUNTERWEIGHT

		782895	Light Counterweight			(\$900.00)
		482059	Heavy Counterweight Additional 1050 lbs.			No Charge

DECALS AND LITERATURE

SD_32003 DECALS & LITERATURE

		482105	English Literature			No Charge
		482106	French Literature			No Charge
		482107	Spanish Literature			No Charge

ADDITIONAL EQUIPMENT WHL

MISCELLANEOUS

SD_02025 COLD WEATHER STARTING

		X02025X	No Grid Heater/Cold Start			No Charge
		482322	Cold Weather package Includes Low temp - Hytran Ultra hydraulic oil, block heater, heavy duty batteries (2 x 950 CCA), grid heater, and fuel warmer. Requires: 482585 Cooling System w/Reversing Fan			\$2,080.00

SD_05093 EXTERIOR REAR VIEW MIRRORS

		X05093X	NO RIGHT/LEFT REAR VIEW MIRROR			No Charge
		782203	RIGHT/LEFT REAR VIEW MIRRORS			\$245.00
		734005	Right/Left Heated Mirrors			\$710.00

SD_06069 ADDITIONAL WORK LIGHTS

		734067	Halogen 2 front 2 rear			No Charge
--	--	--------	------------------------	--	--	-----------

521G T4 FINAL WHEEL LOADERS
US PRICE LIST

		734068	LED 2 front 2 rear			\$498.00
		734069	LED 4 front 2 rear			\$942.00

SD_15002 AXLE STOPS

		X15002X	NO REAR AXLE STOP TIRE 20.5X25			No Charge
		782983	Axle Oscillation Stops Used when 17.5 R25 tires are fitted with tire chains or with the use of 20.5 R25 tires. Use of the stops prevents chains or tires from contacting the fender mounting brackets.			\$205.00

SD_30002 BRACKET LICENSE PLATE

		X30002X	No License Plate Bracket			No Charge
		482140	License Plate Bracket Rear lighted bracket			\$93.00

SD_30047 BEACON

		X30047X	No Beacon Light Wire Ready - No Switch/Mounting Plate			No Charge
		782108	Rotating LED amber beacon Includes switch, wiring, fuse and beacon; Beacon is shipped loose in cab.			\$489.00

SD_43004 TOOL BOX RH

		X43004X	No Tool Box			No Charge
		482141	TOOL BOX			\$275.00

SD_V9001 REAR VIEW ACCESSORIES

		XV9001X	No Rear View Camera			No Charge
		424234	Rear View Camera Rear view camera with overlay lines.			\$1,300.00

OPERATOR'S PROTECTIVE STRUCTURE OPTIONS

SD_30005 FIRE EXTINGUISHER

		X30005X	No Fire Extinguisher			No Charge
		780100	Fire Extinguisher			\$144.00

HYDRAULIC SYSTEM AND LATCHING OPTIONS

SD_20178 RIDE CONTROL

		X20178X	No Ride Control			No Charge
		782503	RIDE CONTROL Provides hydraulic cushioning of loader lift arms for smoother ride when traveling with loads.			\$3,699.00



521G T4 FINAL WHEEL LOADERS
US PRICE LIST

PROTECTION AND SHIELDING OPTIONS

SD_39008 SIDE COVERS

		X39008X	No Side Covers			No Charge
		782897	Rear Frame Side Covers Enclose the access openings to the transmission and remote drain cover; bolt-on covers.			\$476.00

SD_39038 SKID PLATE

		X39038X	No Skid Plate/Transmission Grd			No Charge
		482027	Skid Plate/Transmission Guard and front chassis bottom guard			\$1,318.00

**621G T4 FINAL ARTICULATED WHEEL LOADER
US PRICE LIST**

Standard Equipment

ENGINE:

FPT F4HFE613W
Tier 4 Final Certified (SCR)
Displacement: 411 cu in (6.7 L)
Power:

Boosted Power Range:

- Net HP @ rated: 151 HP
(113 kW) @ 2000 RPM
- Peak Net HPt: 162 HP
(121 kW) @ 1800 RPM

Standard Power Range:

- Net HP @ rated: 138 HP
(103 kW) @ 2000 RPM
- Peak Net HPt: 146 HP
(109 kW) @ 1800 RPM

Economy Power Range:

- Net HP @ rated: 101 HP
(75 kW) @ 2000 RPM
- Peak Net HP: 125 HP
(93 kW) @ 2000 RPM

Air-to-Air aftercooler
Anti-freeze solution -34°F (-37°C)
Fuel Tank: 65 gal. U.S. (246 L)
DEF tank 15.6 gal. US (58.9 L)
Air cleaner - 2 stage with radial seal elements
Hydraulically driven fan with guard
Common rail electronic fuel injector
Mid-mounted cooling module
Auto idle control
Auto shutdown (idle reduction device)

OPERATOR'S PROTECTIVE
STRUCTURE:

Cab with ROPS, AC and heater
Wipers, rear and intermittent front
Rear grid defroster
Suspension seat, with 2" (50 mm) seat belt
Storage tray, cup holder
Tilt-steering wheel with integral steering knob
Fully adjustable wrist rest
Front sunscreen
(1) Interior rearview mirror

TRANSMISSION:

Speeds: 4F-3R
Computer controlled, full-power, proportional shifting
Single lever electronic shift control on steering column
FNR shuttle shift on hydraulic controller
Programmable gear selection
Selectable fully-automatic and manual modes
Electronic transmission disconnect
On-board diagnostics with fault code storage and retrieval
Single, vertically mounted, spin-on oil filter
Low Temperature Cooler by-pass valve

DRIVE TRAIN:
AXLES:

Limited slip differentials - Front and Rear

HYDRAULICS:

Closed center hydraulics, Load Sensing
Vertically mounted, spin-on oil filter
O-ring face seal hydraulic fittings
Full-flow oil cooler
Cushioned steering cylinders
Low temperature cooler by-pass valve

LOADER SYSTEM:

Electro-hydraulic (EH) Joystick loader control
Automatic return-to-dig, automatic height control, and automatic return-to-travel
Position indicator on bucket
Z-bar loader linkage - standard version
Single piece, flame cut, loader arms
-Ground level lubrication points

**621G T4 FINAL ARTICULATED WHEEL LOADER
US PRICE LIST**

Standard Equipment

INSTRUMENTATION:
LCD Monitor Display of:

1. Tachometer
2. Speedometer
3. Gear selected
4. Time
5. Transmission Diagnostics
6. Digital Gauges
7. Trip computer A/B
8. Warning Prompts
9. DeClutch Indication
10. Diff. Lock (if equipped)
11. Error Reporting
12. Engine Mode Indicator

Digital Gauges for:

1. Trans. Oil Temp.
2. DEF level
3. Fuel Level
4. Engine Coolant Temp.

Indicator Lights for:

1. Master warning (cautionary)
2. Master warning (critical)
3. Turn signals
4. Steering pressure (low)
5. Low fuel
6. Brake pressure
7. High beam
8. Grid heater
9. Parking brake

Maintenance Reminders

1. Cab air filters
2. DEF tank vent filter
3. Engine air & oil filter
4. SCR supply filter
5. Hydraulic oil and filter
6. Engine coolant
7. Fuel pre-filter

BRAKES:

- 4-Wheel, outboard mounted, wet disc hydraulic brakes
- Parking brake; switch actuated, spring

applied hydraulic release

Separate front and rear brake systems

Single brake pedal

ELECTRICAL:

24 volt system

2 - 12V (CCA) batteries

Halogen lights:

2 front flood (top mtd.)

2 front driving (hi/lo beam)

2 rear flood (top mtd.)

LED stop/tail lights

Front and rear turn signals and

flashers

Alternator: 120 amp

Battery isolator / Electrical disconnect

Horn

Backup alarm

Electric hood

Remote jump start posts

OTHER BASIC EQUIPMENT:

Articulation and loader lift arm locking bars

Heavy Counterweight

Drawbar hitch (pins not included)

Front and rear fenders, partial

coverage

Remote drain points

Front and rear lift and tie down points

CASE ProCare

3-yr/3000-hr factory warranty,
planned maintenance and

SiteWatch™ telematics

CASE SiteWatch™ Telematics

includes hardware and a 3-yr

Advanced data subscription

Telematics antenna installed under cab roof

Special Paint available upon request

please contact your SSM for pricing and availability

Factory Supplied Attachments require

a loose attachment order. Cannot be ordered as an added attachment.

Tire Matrix								
Model	Tire & Rim Type	OPT (FCS 16012)	Brand (FCS 16072)					
			482595 No Brand	482596 Bridgestone (Radial) Firestone(Bias)	482597 Goodyear	482598 Galaxy(Bias) Primex(Radial)	482599 Michelin	482600 Titan
621G	20.5x25 L2 Bias-3pc 12PR	9420437	Available	Available	NA	Available	NA	Available
	20.5R25 L2 Radial-3pc	9420438	Available	Available	NA	Available	Available	NA
	20.5x25 L3 Bias-3pc 12PR	9420439	Available	Available	NA	Available	NA	NA
	20.5R25 L3 Radial-3pc	9420440	Available	Available	Available	Available	Available	Available
	20.5R25 Radial Michelin Snoplus-3pc	9420466	NA	NA	NA	NA	Available	NA
	20.5R25 Radial Bridgestone SnowWedge-3pc	9420474	NA	Available	NA	NA	NA	NA
	20.5x25 Brawler HD Solid Tires	9420492	Available	NA	NA	NA	NA	NA



**621G T4 FINAL ARTICULATED WHEEL LOADER
US PRICE LIST**

Models

COMMERCIAL MODEL	BOOM	Weight	Factory Data	List Price
621G ZBAR T4F	ZBAR ZB	29,000 LB		\$238,294.00
621G XR T4F	Extended Reach	29,000 LB		\$245,607.00
621G XT T4F	Tool Carrier/Parallel Linkage	29,000 LB		\$245,941.00

**621G T4 FINAL ARTICULATED WHEEL LOADER
US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

AXLES

SD_15001 AXLES

	782122	Limited Slip Differentials Not for use with Trans Control Unit option 482918 or 20.5x25 Brawler HD Solid Tires option 9420492			No Charge
	424235	Heavy-duty Axles Recommended for applications on hard surfaces, or with solid tires. Axles have studs for lug nuts. Larger size axles front and rear with automatic hydraulically-actuated differential lock on front axle, open differential on rear axle.			\$3,707.00

COOLING SYSTEM

SD_02018 RADIATOR OPTIONS

	782454	Cooling System w/Hyd. Cooler Includes hydraulic oil cooler Not for use with Cold Weather Package option 482322			No Charge
	482585	Cooling System w/Reversing Fan Includes hydraulic oil cooler, reversing and variable speed fan.			\$763.00
	482931	Heavy Debris Cooling System Also known as the Commodity King, this option includes enhanced sealing of the cooling module covers, wider radiator, hydraulic, and transmission cooler fin spacing (radiator = 6.5 fins/in, trans/hyd = 7.5 fins/in), "Commodity King" decal. and variable speed reversing fan. Recommend for use with option 424235 Heavy Duty Axle. This code is recommended for use in trash and high debris applications. Must also order Syklone engine air precleaner.			\$2,500.00

NOISE SUPPRESSION

SD_05134 SOUND SUPPRESSION

	X05134X	NO SOUND SUPPRESSION PACKAGE			No Charge
--	---------	------------------------------	--	--	-----------

**621G T4 FINAL ARTICULATED WHEEL LOADER
US PRICE LIST**

		782559	Sound Supression Package This package includes sound insulating material to reduce the exterior noise by 1 to 2 dBA.			\$400.00
--	--	--------	--	--	--	----------

OPERATOR'S PROTECTIVE STRUCTURE

SD_05127 CAB

		782439	Cab with heater			(\$2,500.00)
		782440	Cab with heater and a/c			No Charge

SD_05105 SEAT BELT

		734056	2 Inch Seat Belt			No Charge
		734057	3 Inch Seat Belt CA State Requirement			\$25.00

SD_05129 OPERATOR'S SEAT

		734072	Mechanical Suspension Seat			No Charge
		734073	Heated Air Suspension Seat			\$525.00
		734085	Premium Seat w/ Headrest *** Estimated Available Date to Order: January 2017 *** Contact your SSM for more details Premium leather seat with active suspension. Has an electronic auto-weight adjustment and Dynamic Dampening System. Comes with a heating switch, wider armrests, an adjustable backrest and you can adjust the seats height. Also includes a Low Frequency Absorber and a Fore/Aft Isolator for a comfortable ride.			\$4,285.00

SD_05060 HEADREST

		X05060X	No Headrest			No Charge
		782774	Headrest			\$130.00

SD_05136 RADIO OPTION

		X05136X	No Radio			No Charge
		482134	Radio ready Includes two 12V outlets, antenna, speakers, radio bracket, wiring harness, fuse and 20 amp 24V to 12V converter.			\$465.00
		782114	AM/FM Bluetooth Stereo Radio Includes remote tuner/amplifier chassis, antenna, speakers, and auxiliary input jack for portable MP3 or CD players. This is a 12V radio with 20 amp converter.			\$899.00

**621G T4 FINAL ARTICULATED WHEEL LOADER
US PRICE LIST**

SD_05042 CONVENIENCE PACKAGE

		X05042X	No Convenience Package			No Charge
		782777	Operator Convenience Package Includes a rear sun shade, an interior mirror, an under the seat drawer, a coat hook, a 12V accessory port, and an ash tray.			\$281.00

STEERING SYSTEM

SD_20111 HYDRAULIC STEERING

		782441	Standard Hydraulic Steering Does NOT include secondary steering.			No Charge
		782442	Secondary Steering System Includes secondary steering system that supplies hydraulic pressure to the steering circuit in a dead engine situation.			\$4,148.00
		482930	Joystick w/oSecondary Steering Redesigned Joystick steering without secondary steering system. Left-hand mounted joystick steering package with separate transmission speed and transmission control. Steering-wheel steering system is also included, allows operator to quickly switch between joystick and steering wheel steering.			\$6,641.00
		482913	Joystick w/ Secondary Steering Redesigned Joystick steering with secondary steering system that supplies hydraulic pressure to the steering circuit, if required. Left-hand mounted joystick steering package with separate transmission speed and transmission control. Steering-wheel steering system is also included, allows operator to quickly switch between joystick and steering wheel steering.			\$10,788.00

HYDRAULIC CONTROL VALVES

SD_20195 CONTROL VALVES

		734052	Joystick One Joystick controls loader lift arms and bucket.			No Charge
		734051	2 Levers *** Estimated Available Date to Order: January 2017 *** Contact your SSM for more details Left lever controls bucket and right lever controls loader lift arms.			\$212.00

**621G T4 FINAL ARTICULATED WHEEL LOADER
US PRICE LIST**

		734053	2 Lever with 1 Aux Function *** Estimated Available Date to Order: January 2017 *** Contact your SSM for more details First lever controls auxiliary functions, second lever controls bucket and third lever controls loader lift arms (includes hydraulic lines to lift arm cross tubes)			\$1,630.00
		734054	Joystick with 1 Aux Function Joystick controls loader lift arms and bucket, a proportional roller switch on the joystick controls auxiliary hydraulics (includes hydraulic lines to lift arm cross tube).			\$2,352.00
		734055	Joystick with 2 Aux Functions Joystick controls loader lift arms and bucket, two proportional roller switches on the joystick controls auxiliary hydraulics (includes hydraulic lines to lift arm cross tube).			\$3,636.00

STEPS, PLATFORMS AND FENDERS

SD_18009 STEPS/REAR FENDERS

		782509	STANDARD FENDERS W/ LH STEPS Left hand steps with front and rear standard width fenders			No Charge
		782510	STANDARD FENDERS W/LH/RH STEPS Left Hand and Right Hand steps with front and rear standard width fenders			\$387.00
		782511	Wide Fenders w/RH & LH Steps Left Hand and Right Hand steps with front and rear FULL COVERAGE (wide fenders)			\$1,276.00

WHEELS AND TIRES

SD_16072 TIRE BRAND PREFERENCE

		482595	No Tire Brand Preference			No Charge
		482596	Firestone/Bridgestone Brand			\$1,318.00
		482597	Goodyear Brand			\$878.00
		482598	Galaxy/Primex Brand			\$878.00
		482599	Michelin Brand			\$3,293.00
		482600	Titan/General Brand			\$878.00

**621G T4 FINAL ARTICULATED WHEEL LOADER
US PRICE LIST**

		9420438	20.5R25 L2 Radial (3 pc rim) Reference "Tire Matrix" page for brand availability. Note: No tire ballast is permitted.			\$5,460.00
		9420439	20.5x25 L3 Bias (3 pc rim) 12 PR. Reference "Tire Matrix" page for brand availability. Note: No tire ballast is permitted.			\$930.00
		9420440	20.5R25 L3 Radial (3 pc rim) Reference "Tire Matrix" page for brand availability. Note: No tire ballast is permitted.			\$6,075.00
		9420466	20.5R25 Michelin Snoplus 3 pc (3 pc rim) Note: No tire ballast is permitted.			\$13,445.00
		9420474	20.5R25 Bridgestone SnowWedge Bridgestone Snow Wedge (3 pc rim) Note: No tire ballast is permitted.			\$12,105.00
		9420492	20.5x25 Brawler HD Solid Tires Reference "Tire Matrix" page for brand availability. Brawler SolidFlex HD solid tires size 59x12x20.5 slick surface without traction cuts, with aperture holes for deflection and better ride, molded on 2-piece solid-specific adapter rims. Recommended for slow speed applications and to avoid excessive tire damage, for materials such as waste, recycling, scrap and demolition. For these applications, consider the belly pan and side guard options. Additionally, guarding is available from JRB. Requires options: Heavy Duty Axles option 424235, Axle Oscillation Stops option 782983, Light Counterweight 782895 and Trans Control Unit option 482918.			\$44,667.00

SD_21015 CONTROL UNIT FOR TRANS

		X21015X	No Control Unit for Power			No Charge
		482918	Trans Control Unit Transmission speed limit to 20 kph/12.4 mph			No Charge

SPARE TIRES

SD_16043 SPARE RIM

		X16043X	NO SPARE WHEEL			No Charge
		782585	3 Piece Rim for 20.5x25 Tires			\$962.00

SD_16049 EXTRA WHEELS, TIRES AND RIMS

		X16049X	No Extra Wheels and Tires			No Charge
		424784	20.5x25 L2 Bias (3 pc rim)			
			if TIRE BRAND PREFERENCE is Galaxy/Primex Brand			\$3,427.00
			if TIRE BRAND PREFERENCE is Titan/General Brand			\$3,427.00
			if TIRE BRAND PREFERENCE is No Tire Brand Preference			\$3,427.00
			if TIRE BRAND PREFERENCE is Firestone/Bridgestone Brand			\$3,537.00

**621G T4 FINAL ARTICULATED WHEEL LOADER
US PRICE LIST**

	424785	20.5x25 L2 Radial (3 pc rim)			
		if TIRE BRAND PREFERENCE is No Tire Brand Preference			\$5,545.00
		if TIRE BRAND PREFERENCE is Galaxy/Primex Brand			\$5,545.00
		if TIRE BRAND PREFERENCE is Firestone/Bridgestone Brand			\$5,655.00
		if TIRE BRAND PREFERENCE is Michelin Brand			\$6,150.00
	424786	20.5x25 L3 Bias (3 pc rim)			
		if TIRE BRAND PREFERENCE is Galaxy/Primex Brand			\$3,196.00
		if TIRE BRAND PREFERENCE is No Tire Brand Preference			\$3,196.00
		if TIRE BRAND PREFERENCE is Firestone/Bridgestone Brand			\$3,306.00
	424787	20.5x25 L3 Radial (3 pc rim)			
		if TIRE BRAND PREFERENCE is Galaxy/Primex Brand			\$5,708.00
		if TIRE BRAND PREFERENCE is No Tire Brand Preference			\$5,708.00
		if TIRE BRAND PREFERENCE is Titan/General Brand			\$5,708.00
		if TIRE BRAND PREFERENCE is Goodyear Brand			\$5,708.00
		if TIRE BRAND PREFERENCE is Firestone/Bridgestone Brand			\$5,818.00
		if TIRE BRAND PREFERENCE is Michelin Brand			\$6,313.00
	424919	20.5R25 Michelin Snoplus 3 pc			\$7,780.00
	424998	20.5R25 Bridgestone SnowWedge			\$7,005.00

PIN-ON ATTACHMENTS

SD_V5202 BUCKETS, PINS & COUPLERS

	XV5202X	No Bucket No Pins Included.			(\$584.00)
	782537	Bucket Pins, No Bkt or Coupler Includes pins to attach bucket or coupler. ADDITIONAL BUCKETS AVAILABLE from Attachment Catalog: refer to PM-15851 CASE CE-US, PM-15852 CASE CE-CAN Light Material, pin-on buckets with BOE, sizes: 4.0, 4.5, 5.0 yd3 Multi-Purpose 4-1, pin-on buckets with BOE, sizes: 2.25, 2.5 yd3 (Refer to catalog for max. material densities)			No Charge
High Density Materials					
	424914	2.6 cu. yd. pin on bucket General purpose bucket. 2.5 cu. yd. (1.9 cu. m.) when ordered with bolt on cutting edge or teeth and segments; 2.4 cu. yd. (1.8 cu. m.) with teeth only. Order with teeth or bolt-on cutting edge from BUCKET ACCESSORIES section. Segmented edges are only available through Parts. Not for use with 621G XT commercial model			\$7,144.00

**621G T4 FINAL ARTICULATED WHEEL LOADER
US PRICE LIST**

Medium Density Materials					
	424915	2.75 cu. yd. pin on bucket General purpose bucket. 2.75 cu. yd. (2.1 cu. m.) when ordered with bolt on cutting edge or teeth and segments; 2.6 cu. yd. (2.0 cu. m.) with teeth only. Order with teeth or bolt-on cutting edge from BUCKET ACCESSORIES section. Segmented edges are only available through Parts. Not for use with 621G XT commercial model			\$7,564.00
	482396	3.0 cu. yd. pin on bucket Stockpiling bucket. 3.0 cu yd. (2.3 cu. m.) when ordered with bolt on cutting edge. Only available with bolt-on cutting edge. Not for use with 621G XT commercial model			\$7,979.00
Coupler System					
	482047	CNH Coupler - JRB Compatible New Case coupler is compatible with JRB 416 series attachments			\$6,431.00
	734006	CNH Coupler - ACS Compatible Case Coupler is comparable to the ACS Pro Series 2000 Size 30 Coupler.			\$6,429.00
	734008	2.5 cu. yd. w/CNH Coupler(ACS) General purpose bucket. 2.5 cu. yd. (1.9 cu. m.) when ordered with bolt on cutting edge or teeth and segments; 2.4 cu. yd. (1.8 cu. m.) with teeth only. Case Coupler is comparable to the ACS Pro Series 2000 Size 30 Coupler. Hydraulic latching and hydraulic supply kit. Order with teeth or bolt-on cutting edge from BUCKET ACCESSORIES section Segmented edges are only available through Parts.			\$16,248.00
	424248	3.0 cu. yd. w/CNH Coupler(JRB)			\$15,915.00
	424917	2.5 cu. yd. w/CNH Coupler(JRB) General purpose bucket. 2.5 cu. yd. (1.9 cu. m.) when ordered with bolt on cutting edge or teeth and segments; 2.4 cu. yd. (1.8 cu. m.) with teeth only. CNH Coupler and Bucket package are compatible with JRB 416 Series attachments. Order with teeth or bolt-on cutting edge from BUCKET ACCESSORIES section. Segmented edges are only available through Parts.			\$14,604.00
	734009	3.0 cu. yd. w/CNH Coupler(ACS)			\$17,819.00

**621G T4 FINAL ARTICULATED WHEEL LOADER
US PRICE LIST**

Low Density Materials					
		424918	3.0 cu. yd. w/pin on & Grapple Grapple bucket, developed for Commodity King. 3.0 cu. yd. (2.3 cu. m.) when ordered with bolt on cutting edge. Order with bolt-on cutting edge from BUCKET ACCESSORIES section. Not available with 621G XT Commercial Model and 2 spool valve with joystick option 782489. Maximum material density: 2,400 lb/cu. yd.		\$21,377.00
		424259	4.5 cu. yd. pin on bucket Light material bucket, developed for Commodity King. 4.5 cu. yd. (3.44 cu. m.) when ordered with bolt on cutting edge, not available with teeth. Order with bolt-on cutting edge from BUCKET ACCESSORIES section. Not available with 621G XT Commercial Model. Maximum material density: 1,600 lb/cu. yd.		\$9,081.00

SD_V5203 BUCKET ACCESSORIES

		XV5203X	No Bucket Accessories For use with No Bucket, bucket pins only and couplers only		No Charge
		424250	Full length bolt-on edge Includes bolt-on cutting edge (BOCE). All sections are reversible. Skid plates included.		No Charge
		424249	Teeth Accessory CNH Smart-fit teeth. Skid plates included. Does not include segmented edges. Segmented edges are only available through Parts.		\$535.00

SD_50060 LOCKING HYDRAULICS

		X50060X	No Locking Hydraulics		No Charge
		424911	Locking Hydraulic for Coupler Used to actuate coupler locking pins and latching mechanisms fitted to machine. Oil supplied by pilot circuit 3447 kPa (500 psi) maximum pressure. Includes rocker switch, solenoid valve, hoses to lift arm cross tube and mouting hardware. Provides hydraulic lines to operate an aftermarket coupler. The factory-supplied couplers include the hydraulic lines to operate the coupler.		\$673.00

COUNTERWEIGHTS

SD_40003 COUNTERWEIGHT

		782895	Light Counterweight		(\$1,000.00)
--	--	--------	---------------------	--	--------------

**621G T4 FINAL ARTICULATED WHEEL LOADER
US PRICE LIST**

		482059	Heavy Counterweight Additional 850 lbs.			No Charge
--	--	--------	---	--	--	-----------

DECALS AND LITERATURE

SD_32003 DECALS & LITERATURE

		482105	English Literature			No Charge
		482106	French Literature			No Charge
		482107	Spanish Literature			No Charge

ADDITIONAL EQUIPMENT WHL

MISCELLANEOUS

SD_02025 COLD WEATHER STARTING

		X02025X	No Grid Heater/Cold Start			No Charge
		482322	Cold Weather package Includes: Heavy duty batteries (2 x 950 CCA), Low-temp Hytan Ultra hydraulic oil, hydraulic oil cooler bypass, engine block heater, air-intake grid heater, and fuel warmer. Requires: 482585 Cooling System with Reversing Fan or 482931 Heavy Debris Cooling System			\$2,080.00

SD_05093 EXTERIOR REAR VIEW MIRRORS

		X05093X	NO RIGHT/LEFT REAR VIEW MIRROR			No Charge
		782203	RIGHT/LEFT REAR VIEW MIRRORS			\$245.00
		734005	Right/Left Heated Mirrors			\$710.00

SD_06069 ADDITIONAL WORK LIGHTS

		734067	Halogen 2 front 2 rear			No Charge
		734068	LED 2 front 2 rear			\$498.00
		734069	LED 4 front 2 rear			\$942.00

SD_15002 AXLE STOPS

		X15002X	NO REAR AXLE STOP TIRE 20.5X25			No Charge
		782983	Axle Oscillation Stops Used when tires are fitted with tire chains. Use of the stops prevents chains from contacting the fender mounting brackets.			\$205.00

SD_30002 BRACKET LICENSE PLATE

		X30002X	No License Plate Bracket			No Charge
		482140	License Plate Bracket Front bracket and Rear lit bracket			\$93.00

**621G T4 FINAL ARTICULATED WHEEL LOADER
US PRICE LIST**

SD_30047 BEACON

		X30047X	No Beacon Light Wire Ready - No Switch/Mounting Plate			No Charge
		782108	Rotating LED amber beacon Includes switch, wiring, fuse, and beacon. Beacon is shipped loose in cab.			\$489.00

SD_43004 TOOL BOX RH

		X43004X	No Tool Box			No Charge
		482141	TOOL BOX			\$275.00

SD_V9001 REAR VIEW ACCESSORIES

		XV9001X	No Rear View Camera			No Charge
		424234	Rear View Camera Rear view camera with overlay lines.			\$1,300.00

OPERATOR'S PROTECTIVE STRUCTURE OPTIONS

SD_30005 FIRE EXTINGUISHER

		X30005X	No Fire Extinguisher			No Charge
		780100	Fire Extinguisher			\$144.00

HYDRAULIC SYSTEM AND LATCHING OPTIONS

SD_20178 RIDE CONTROL

		X20178X	No Ride Control			No Charge
		782503	RIDE CONTROL Provides hydraulic cushioning of loader lift arms			\$3,809.00

PROTECTION AND SHIELDING OPTIONS

SD_02055 AIR PRECLEANER

		X02055X	NO PRE-CLEANER			No Charge
		482015	FULL-VIEW AIR PRE-CLEANER			\$478.00
		424223	Ejector Type Precleaner Sy-Klone brand.			\$509.00

SD_39008 SIDE COVERS

		X39008X	No Side Covers			No Charge
		782897	Rear Frame Side Covers Enclose the access opening to the transmission and remote drain cover; bolt-on covers.			\$476.00

SD_39038 SKID PLATE

		X39038X	No Skid Plate/Transmission Grd			No Charge
		482027	Skid Plate/Transmission Guard and front chassis bottom guard			\$1,182.00



621G T4 FINAL ARTICULATED WHEEL LOADER
US PRICE LIST

SD_V7000 WINDSCREEN GUARD

		XV7000X	No Windscreen Guard			No Charge
		734022	Windscreen Guard Designed to WCBG607 Standard for Medium Duty Screen Guard			\$3,403.00

**621G T4 FINAL WASTE HANDLER WHEEL LOADER
US PRICE LIST**

Standard Equipment

ENGINE:

FPT F4HFE613W
Tier 4 Final Certified (SCR)
Displacement: 411 cu in (6.7 L)
Power:
 Boosted Power Range:
 - Net HP @ rated: 151 HP
 (113 kW) @ 2000 RPM
 - Peak Net HPt: 162 HP
 (121 kW) @ 1800 RPM
 Standard Power Range:
 - Net HP @ rated: 138 HP
 (103 kW) @ 2000 RPM
 - Peak Net HPt: 146 HP
 (109 kW) @ 1800 RPM
 Economy Power Range:
 - Net HP @ rated: 101 HP
 (75 kW) @ 2000 RPM
 - Peak Net HP: 125 HP
 (93 kW) @ 2000 RPM
Air-to-Air aftercooler
Anti-freeze solution -34°F (-37°C)
Fuel Tank: 65 gal. U.S. (246 L)
DEF tank 15.6 gal. US (58.9 L)
Air cleaner - 2 stage with radial seal
 elements
Hydraulically driven fan with guard
Common rail electronic fuel injector
Mid-mounted cooling module
Auto idle control
Auto shutdown (idle reduction device)

OPERATOR'S PROTECTIVE**STRUCTURE:**

Cab with ROPS, AC and heater
Wipers, rear and intermittent front
Rear grid defroster
Suspension seat, with 2" (50 mm)
 seat belt
Storage tray, cup holder
Tilt-steering wheel with integral
 steering knob
Fully adjustable wrist rest
Front sunscreen
(1) Interior rearview mirror

TRANSMISSION:

Speeds: 4F-3R
Computer controlled, full-power,
 proportional shifting
Single lever electronic shift control on
 steering column
FNR shuttle shift on hydraulic
 controller
Programmable gear selection
Selectable fully-automatic and
 manual modes
Electronic transmission disconnect
On-board diagnostics with fault code
 storage and retrieval
Single, vertically mounted, spin-on oil
 filter
Low Temperature Cooler by-pass valve

DRIVE TRAIN:**AXLES:**

Heavy Duty Axles with locking front
 differential

HYDRAULICS:

Closed center hydraulics, Load Sensing
Vertically mounted, spin-on oil filter
O-ring face seal hydraulic fittings
Full-flow oil cooler
Cushioned steering cylinders
Low temperature cooler by-pass valve

LOADER SYSTEM:

Electro-hydraulic (EH) Joystick loader
 control
Automatic return-to-dig, automatic
 height control, and automatic
 return-to-travel
Position indicator on bucket
Z-bar loader linkage - standard version
Single piece, flame cut, loader arms
 -Ground level lubrication points

**621G T4 FINAL WASTE HANDLER WHEEL LOADER
US PRICE LIST**

Standard Equipment

INSTRUMENTATION:

LCD Monitor Display of:

1. Tachometer
2. Speedometer
3. Gear selected
4. Time
5. Transmission Diagnostics
6. Digital Gauges
7. Trip computer A/B
8. Warning Prompts
9. DeClutch Indication
10. Diff. Lock (if equipped)
11. Error Reporting
12. Engine Mode Indicator

Digital Gauges for:

1. Trans. Oil Temp.
2. DEF level
3. Fuel Level
4. Engine Coolant Temp.

Indicator Lights for:

1. Master warning (cautionary)
2. Master warning (critical)
3. Turn signals
4. Steering pressure (low)
5. Low fuel
6. Brake pressure
7. High beam
8. Grid heater
9. Parking brake

Maintenance Reminders

1. Cab air filters
2. DEF tank vent filter
3. Engine air & oil filter
4. SCR supply filter
5. Hydraulic oil and filter
6. Engine coolant
7. Fuel pre-filter

BRAKES:

- 4-Wheel, outboard mounted, wet disc hydraulic brakes
- Parking brake; switch actuated, spring

applied hydraulic release

Separate front and rear brake systems

Single brake pedal

ELECTRICAL:

24 volt system

2 - 12V (CCA) batteries

Halogen lights:

2 front flood (top mtd.)

2 front driving (hi/lo beam)

2 rear flood (top mtd.)

LED stop/tail lights

Front and rear turn signals and

flashers

Alternator: 120 amp

Battery isolator / Electrical disconnect

Horn

Backup alarm

Electric hood

Remote jump start posts

OTHER BASIC EQUIPMENT:

Articulation and loader lift arm locking bars

Heavy Counterweight

Drawbar hitch (pins not included)

Front and rear fenders, partial coverage

Remote drain points

Front and rear lift and tie down points

CASE ProCare

3-yr/3000-hr factory warranty, planned maintenance and

SiteWatch™ telematics

CASE SiteWatch™ Telematics

includes hardware and a 3-yr

Advanced data subscription

Telematics antenna installed under cab roof

Special Paint available upon request

please contact your SSM for pricing and availability

Factory Supplied Attachments require

a loose attachment order. Cannot be ordered as an added attachment.

**621G T4 FINAL WASTE HANDLER WHEEL LOADER
US PRICE LIST**

Standard Equipment

OTHER BASIC EQUIPMENT (cont):

Heavy Debris Cooling System
Ejector Type Precleaner
Skid Plate/Transmission Guard
Integrated Rear View Camera
Operator Convenience Package
Ride Control
License Plate Bracket
Fire Extinguisher
Rear Frame Side Covers
Tool Box
Windscreen Guard
Debris Covers

Bottom Guards

Hyd. Cylinder/tube/hose guard

Front Light Guard

Special Paint available upon request
please contact your SSM for pricing
and availability

Factory Supplied Attachments require a
loose attachment order. Cannot be
ordered as an Added/Included
attachment.

Tire Matrix								
Model	Tire & Rim Type	OPT (FCS 16012)	Brand (FCS 16072)					
			482595 No Brand	482596 Bridgestone (Radial) Firestone(Bias)	482597 Goodyear	482598 Galaxy(Bias) Primex(Radial)	482599 Michelin	482600 Titan
621G	20.5x25 L2 Bias-3pc 12PR	9420437	Available	Available	NA	Available	NA	Available
	20.5R25 L2 Radial-3pc	9420438	Available	Available	NA	Available	Available	NA
	20.5x25 L3 Bias-3pc 12PR	9420439	Available	Available	NA	Available	NA	NA
	20.5R25 L3 Radial-3pc	9420440	Available	Available	Available	Available	Available	Available
	20.5R25 Radial Michelin Snoplus-3pc	9420466	NA	NA	NA	NA	Available	NA
	20.5R25 Radial Bridgestone SnowWedge-3pc	9420474	NA	Available	NA	NA	NA	NA
	20.5x25 Brawler HD Solid Tires	9420492	Available	NA	NA	NA	NA	NA



**621G T4 FINAL WASTE HANDLER WHEEL LOADER
US PRICE LIST**

Models

COMMERCIAL MODEL	BOOM	Weight	Factory Data	List Price
621G ZBAR T4F WASTE HAND	ZBAR ZB	29,000 LB		\$269,629.00
621G XR T4F WASTE HANDLE	Extended Reach	29,000 LB		\$276,942.00

**621G T4 FINAL WASTE HANDLER WHEEL LOADER
US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

NOISE SUPPRESSION

SD_05134 SOUND SUPPRESSION

		X05134X	NO SOUND SUPPRESSION PACKAGE			No Charge
		782559	Sound Suppression Package This package includes sound insulating material to reduce the exterior noise by 1 to 2 dBA.			\$400.00

OPERATOR'S PROTECTIVE STRUCTURE

SD_05105 SEAT BELT

		734056	2 Inch Seat Belt			No Charge
		734057	3 Inch Seat Belt CA State Requirement			\$25.00

SD_05129 OPERATOR'S SEAT

		734072	Mechanical Suspension Seat			No Charge
		734073	Heated Air Suspension Seat			\$525.00
		734085	Premium Seat w/ Headrest *** Estimated Available Date to Order: January 2017 *** Contact your SSM for more details Premium leather seat with active suspension. Has an electronic auto-weight adjustment and Dynamic Dampening System. Comes with a heating switch, wider armrests, an adjustable backrest and you can adjust the seats height. Also includes a Low Frequency Absorber and a Fore/Aft Isolator for a comfortable ride.			\$4,285.00

SD_05060 HEADREST

		X05060X	No Headrest			No Charge
		782774	Headrest			\$130.00

SD_05136 RADIO OPTION

		X05136X	No Radio			No Charge
--	--	---------	----------	--	--	-----------

**621G T4 FINAL WASTE HANDLER WHEEL LOADER
US PRICE LIST**

		482134	Radio ready Includes two 12V outlets, antenna, speakers, radio bracket, wiring harness, fuse and 20 amp 24V to 12V converter.			\$465.00
		782114	AM/FM Bluetooth Stereo Radio Includes remote tuner/amplifier chassis, antenna, speakers, and auxiliary input jack for portable MP3 or CD players. This is a 12V radio with 20 amp converter.			\$899.00

STEERING SYSTEM

SD_20111 HYDRAULIC STEERING

		782441	Standard Hydraulic Steering Does NOT include secondary steering.			No Charge
		782442	Secondary Steering System Includes secondary steering system that supplies hydraulic pressure to the steering circuit in a dead engine situation.			\$4,148.00
		482930	Joystick w/oSecondary Steering Redesigned Joystick steering without secondary steering system. Left-hand mounted joystick steering package with separate transmission speed and transmission control. Steering-wheel steering system is also included, allows operator to quickly switch between joystick and steering wheel steering.			\$6,641.00
		482913	Joystick w/ Secondary Steering Redesigned Joystick steering with secondary steering system that supplies hydraulic pressure to the steering circuit, if required. Left-hand mounted joystick steering package with separate transmission speed and transmission control. Steering-wheel steering system is also included, allows operator to quickly switch between joystick and steering wheel steering.			\$10,788.00

HYDRAULIC CONTROL VALVES

SD_20195 CONTROL VALVES

		734052	Joystick One Joystick controls loader lift arms and bucket.			No Charge
		734051	2 Levers *** Estimated Available Date to Order: January 2017 *** Contact your SSM for more details Left lever controls bucket and right lever controls loader lift arms.			\$212.00

**621G T4 FINAL WASTE HANDLER WHEEL LOADER
US PRICE LIST**

		734053	2 Lever with 1 Aux Function *** Estimated Available Date to Order: January 2017 *** Contact your SSM for more details First lever controls auxiliary functions, second lever controls bucket and third lever controls loader lift arms (includes hydraulic lines to lift arm cross tubes)			\$1,630.00
		734054	Joystick with 1 Aux Function Joystick controls loader lift arms and bucket, a proportional roller switch on the joystick controls auxiliary hydraulics (includes hydraulic lines to lift arm cross tube).			\$2,352.00
		734055	Joystick with 2 Aux Functions Joystick controls loader lift arms and bucket, two proportional roller switches on the joystick controls auxiliary hydraulics (includes hydraulic lines to lift arm cross tube).			\$3,636.00

STEPS, PLATFORMS AND FENDERS

SD_18009 STEPS/REAR FENDERS

		782509	STANDARD FENDERS W/ LH STEPS Left hand steps with front and rear standard width fenders			No Charge
		782510	STANDARD FENDERS W/LH/RH STEPS Left Hand and Right Hand steps with front and rear standard width fenders			\$387.00
		782511	Wide Fenders w/RH & LH Steps Left Hand and Right Hand steps with front and rear FULL COVERAGE (wide fenders)			\$1,276.00

WHEELS AND TIRES

SD_16072 TIRE BRAND PREFERENCE

		482595	No Tire Brand Preference			No Charge
		482596	Firestone/Bridgestone Brand			\$1,318.00
		482597	Goodyear Brand			\$878.00
		482598	Galaxy/Primex Brand			\$878.00
		482599	Michelin Brand			\$3,293.00
		482600	Titan/General Brand			\$878.00

**621G T4 FINAL WASTE HANDLER WHEEL LOADER
US PRICE LIST**

		9420438	20.5R25 L2 Radial (3 pc rim) Reference "Tire Matrix" page for brand availability. Note: No tire ballast is permitted.			\$5,460.00
		9420439	20.5x25 L3 Bias (3 pc rim) 12 PR. Reference "Tire Matrix" page for brand availability. Note: No tire ballast is permitted.			\$930.00
		9420440	20.5R25 L3 Radial (3 pc rim) Reference "Tire Matrix" page for brand availability. Note: No tire ballast is permitted.			\$6,075.00
		9420466	20.5R25 Michelin Snoplus 3 pc (3 pc rim) Note: No tire ballast is permitted.			\$13,445.00
		9420474	20.5R25 Bridgestone SnowWedge Bridgestone Snow Wedge (3 pc rim) Note: No tire ballast is permitted.			\$12,105.00
		9420492	20.5x25 Brawler HD Solid Tires Reference "Tire Matrix" page for brand availability. Brawler SolidFlex HD solid tires size 59x12x20.5 slick surface without traction cuts, with aperture holes for deflection and better ride, molded on 2-piece solid-specific adapter rims. Recommended for slow speed applications and to avoid excessive tire damage, for materials such as waste, recycling, scrap and demolition. For these applications, consider the belly pan and side guard options. Additionally, guarding is available from JRB. Requires options: Heavy Duty Axles option 424235, Axle Oscillation Stops option 782983, Light Counterweight 782895 and Trans Control Unit option 482918.			\$44,667.00

SD_21015 CONTROL UNIT FOR TRANS

		X21015X	No Control Unit for Power			No Charge
		482918	Trans Control Unit Transmission speed limit to 20 kph/12.4 mph			No Charge

SPARE TIRES

SD_16043 SPARE RIM

		X16043X	NO SPARE WHEEL			No Charge
		782585	3 Piece Rim for 20.5x25 Tires			\$962.00

SD_16049 EXTRA WHEELS, TIRES AND RIMS

		X16049X	No Extra Wheels and Tires			No Charge
		424784	20.5x25 L2 Bias (3 pc rim)			
			if TIRE BRAND PREFERENCE is Galaxy/Primex Brand			\$3,427.00
			if TIRE BRAND PREFERENCE is Titan/General Brand			\$3,427.00
			if TIRE BRAND PREFERENCE is No Tire Brand Preference			\$3,427.00
			if TIRE BRAND PREFERENCE is Firestone/Bridgestone Brand			\$3,537.00

**621G T4 FINAL WASTE HANDLER WHEEL LOADER
US PRICE LIST**

	424785	20.5x25 L2 Radial (3 pc rim)			
		if TIRE BRAND PREFERENCE is No Tire Brand Preference			\$5,545.00
		if TIRE BRAND PREFERENCE is Galaxy/Primex Brand			\$5,545.00
		if TIRE BRAND PREFERENCE is Firestone/Bridgestone Brand			\$5,655.00
		if TIRE BRAND PREFERENCE is Michelin Brand			\$6,150.00
	424786	20.5x25 L3 Bias (3 pc rim)			
		if TIRE BRAND PREFERENCE is Galaxy/Primex Brand			\$3,196.00
		if TIRE BRAND PREFERENCE is No Tire Brand Preference			\$3,196.00
		if TIRE BRAND PREFERENCE is Firestone/Bridgestone Brand			\$3,306.00
	424787	20.5x25 L3 Radial (3 pc rim)			
		if TIRE BRAND PREFERENCE is Galaxy/Primex Brand			\$5,708.00
		if TIRE BRAND PREFERENCE is No Tire Brand Preference			\$5,708.00
		if TIRE BRAND PREFERENCE is Titan/General Brand			\$5,708.00
		if TIRE BRAND PREFERENCE is Goodyear Brand			\$5,708.00
		if TIRE BRAND PREFERENCE is Firestone/Bridgestone Brand			\$5,818.00
		if TIRE BRAND PREFERENCE is Michelin Brand			\$6,313.00
	424919	20.5R25 Michelin Snoplus 3 pc			\$7,780.00
	424998	20.5R25 Bridgestone SnowWedge			\$7,005.00

PIN-ON ATTACHMENTS

SD_V5202 BUCKETS, PINS & COUPLERS

	XV5202X	No Bucket No Pins Included.			(\$584.00)
	782537	Bucket Pins, No Bkt or Coupler Includes pins to attach bucket or coupler. ADDITIONAL BUCKETS AVAILABLE from Attachment Catalog: refer to PM-15851 CASE CE-US, PM-15852 CASE CE-CAN Light Material, pin-on buckets with BOE, sizes: 4.0, 4.5, 5.0 yd3 Multi-Purpose 4-1, pin-on buckets with BOE, sizes: 2.25, 2.5 yd3 (Refer to catalog for max. material densities)			No Charge
High Density Materials					
	424914	2.6 cu. yd. pin on bucket General purpose bucket. 2.5 cu. yd. (1.9 cu. m.) when ordered with bolt on cutting edge or teeth and segments; 2.4 cu. yd. (1.8 cu. m.) with teeth only. Order with teeth or bolt-on cutting edge from BUCKET ACCESSORIES section. Segmented edges are only available through Parts. Not for use with 621G XT commercial model			\$7,144.00

**621G T4 FINAL WASTE HANDLER WHEEL LOADER
US PRICE LIST**

Medium Density Materials					
		424915	2.75 cu. yd. pin on bucket General purpose bucket. 2.75 cu. yd. (2.1 cu. m.) when ordered with bolt on cutting edge or teeth and segments; 2.6 cu. yd. (2.0 cu. m.) with teeth only. Order with teeth or bolt-on cutting edge from BUCKET ACCESSORIES section. Segmented edges are only available through Parts. Not for use with 621G XT commercial model		\$7,564.00
		482396	3.0 cu. yd. pin on bucket Stockpiling bucket. 3.0 cu yd. (2.3 cu. m.) when ordered with bolt on cutting edge. Only available with bolt-on cutting edge. Not for use with 621G XT commercial model		\$7,979.00
Coupler System					
		482047	CNH Coupler - JRB Compatible New Case coupler is compatible with JRB 416 series attachments		\$6,431.00
		734006	CNH Coupler - ACS Compatible Case Coupler is comparable to the ACS Pro Series 2000 Size 30 Coupler.		\$6,429.00
		734008	2.5 cu. yd. w/CNH Coupler(ACS) General purpose bucket. 2.5 cu. yd. (1.9 cu. m.) when ordered with bolt on cutting edge or teeth and segments; 2.4 cu. yd. (1.8 cu. m.) with teeth only. Case Coupler is comparable to the ACS Pro Series 2000 Size 30 Coupler. Hydraulic latching and hydraulic supply kit. Order with teeth or bolt-on cutting edge from BUCKET ACCESSORIES section Segmented edges are only available through Parts.		\$16,248.00
		424248	3.0 cu. yd. w/CNH Coupler(JRB)		\$15,915.00
		424917	2.5 cu. yd. w/CNH Coupler(JRB) General purpose bucket. 2.5 cu. yd. (1.9 cu. m.) when ordered with bolt on cutting edge or teeth and segments; 2.4 cu. yd. (1.8 cu. m.) with teeth only. CNH Coupler and Bucket package are compatible with JRB 416 Series attachments. Order with teeth or bolt-on cutting edge from BUCKET ACCESSORIES section. Segmented edges are only available through Parts.		\$14,604.00
		734009	3.0 cu. yd. w/CNH Coupler(ACS)		\$17,819.00

**621G T4 FINAL WASTE HANDLER WHEEL LOADER
US PRICE LIST**

Low Density Materials					
		424918	3.0 cu. yd. w/pin on & Grapple Grapple bucket, developed for Commodity King. 3.0 cu. yd. (2.3 cu. m.) when ordered with bolt on cutting edge. Order with bolt-on cutting edge from BUCKET ACCESSORIES section. Not available with 621G XT Commercial Model and 2 spool valve with joystick option 782489. Maximum material density: 2,400 lb/cu. yd.		\$21,377.00
		424259	4.5 cu. yd. pin on bucket Light material bucket, developed for Commodity King. 4.5 cu. yd. (3.44 cu. m.) when ordered with bolt on cutting edge, not available with teeth. Order with bolt-on cutting edge from BUCKET ACCESSORIES section. Not available with 621G XT Commercial Model. Maximum material density: 1,600 lb/cu. yd.		\$9,081.00

SD_V5203 BUCKET ACCESSORIES

		XV5203X	No Bucket Accessories For use with No Bucket, bucket pins only and couplers only		No Charge
		424250	Full length bolt-on edge Includes bolt-on cutting edge (BOCE). All sections are reversible. Skid plates included.		No Charge
		424249	Teeth Accessory CNH Smart-fit teeth. Skid plates included. Does not include segmented edges. Segmented edges are only available through Parts.		\$535.00

SD_50060 LOCKING HYDRAULICS

		X50060X	No Locking Hydraulics		No Charge
		424911	Locking Hydraulic for Coupler Used to actuate coupler locking pins and latching mechanisms fitted to machine. Oil supplied by pilot circuit 3447 kPa (500 psi) maximum pressure. Includes rocker switch, solenoid valve, hoses to lift arm cross tube and mouting hardware. Provides hydraulic lines to operate an aftermarket coupler. The factory-supplied couplers include the hydraulic lines to operate the coupler.		\$673.00

DECALS AND LITERATURE

SD_32003 DECALS & LITERATURE

		482105	English Literature		No Charge
		482106	French Literature		No Charge

**621G T4 FINAL WASTE HANDLER WHEEL LOADER
US PRICE LIST**

		482107	Spanish Literature			No Charge
--	--	--------	--------------------	--	--	-----------

ADDITIONAL EQUIPMENT WHL

MISCELLANEOUS

SD_02025 COLD WEATHER STARTING

		X02025X	No Grid Heater/Cold Start			No Charge
		482322	Cold Weather package Includes: Heavy duty batteries (2 x 950 CCA), Low-temp Hytan Ultra hydraulic oil, hydraulic oil cooler bypass, engine block heater, air-intake grid heater, and fuel warmer. Requires: 482585 Cooling System with Reversing Fan or 482931 Heavy Debris Cooling System			\$2,080.00

SD_05093 EXTERIOR REAR VIEW MIRRORS

		X05093X	NO RIGHT/LEFT REAR VIEW MIRROR			No Charge
		782203	RIGHT/LEFT REAR VIEW MIRRORS			\$245.00
		734005	Right/Left Heated Mirrors			\$710.00

SD_06069 ADDITIONAL WORK LIGHTS

		734067	Halogen 2 front 2 rear			No Charge
		734068	LED 2 front 2 rear			\$498.00
		734069	LED 4 front 2 rear			\$942.00

SD_15002 AXLE STOPS

		X15002X	NO REAR AXLE STOP TIRE 20.5X25			No Charge
		782983	Axle Oscillation Stops Used when tires are fitted with tire chains. Use of the stops prevents chains from contacting the fender mounting brackets.			\$205.00

SD_30047 BEACON

		X30047X	No Beacon Light Wire Ready - No Switch/Mounting Plate			No Charge
		782108	Rotating LED amber beacon Includes switch, wiring, fuse, and beacon. Beacon is shipped loose in cab.			\$489.00

**721G T4 FINAL ARTICULATED WHEEL LOADER
US PRICE LIST**

**(Ex Works Fargo, ND)
Standard Equipment**

ENGINE:

FPT - F4HFE613T
Tier 4 Final Certified (SCR)
Displacement: 411 cu. in. (6.7 L)
Power:

Max Power Range:

- Net HP @ Rated RPM 179 hp
(133 kW) @ 2000 RPM
- Peak Net HP 179 hp
(133 kW) @ 2000 RPM

Standard Power Range:

- Net HP @ Rated RPM 144 hp
(107 kW) @ 2000 RPM
- Peak Net HP 163 hp
(121 kW) @ 1600 RPM

Economy Power Range:

- Net HP @ Rated RPM 121 hp
(90 kW) @ 2000 RPM
- Peak Net HP 138 hp
(103 kW) @ 1400 RPM

Air-to-air aftercooler
Anti-freeze solution -34°F (-37°C)
Fuel Tank: 65 gal. U.S. (246 L)
DEF Tank 15.6 gal. U.S. (58.9 L)
Air cleaner - 2 stage with radial seal elements
Hydraulically driven fan with guard
Common rail electronic fuel injector
Mid-mounted cooling module
Auto idle control
Auto shutdown (idle reduction device)

OPERATOR'S PROTECTIVE
STRUCTURE:

Cab with ROPS, AC and heater
Wipers, rear and intermittent front
Rear grid defroster
Suspension seat, with 2" (50 mm) seat belt
Storage tray, cup holder
Tilt-steering wheel with integral steering knob
Fully adjustable wrist rest
Front sunscreen
(1) Interior rearview mirror

TRANSMISSION:

Speeds: 4F-3R
Computer controlled, full-power, proportional shifting
Single lever electronic shift control on steering column
FNR shuttle shift on hydraulic controller
Programmable gear selection
Selectable fully-automatic and manual modes
Electronic transmission disconnect
On-board diagnostics with fault code storage and retrieval
Single, vertically mounted, spin-on oil filter
Low Temperature Cooler by-pass valve

DRIVE TRAIN:
AXLES:

Limited slip differentials - Front and Rear

HYDRAULICS:

Closed center hydraulics, Load Sensing
Vertically mounted, spin-on oil filter
O-ring face seal hydraulic fittings
Full-flow oil cooler
Cushioned steering cylinders
Low temperature cooler by-pass valve

LOADER SYSTEM:

Electro-hydraulic (EH) Joystick loader control
Automatic return-to-dig, automatic height control, and automatic return-to-travel
Position indicator on bucket
Z-bar loader linkage - standard version
Single piece, flame cut, loader arms
-Ground level lubrication points

**721G T4 FINAL ARTICULATED WHEEL LOADER
US PRICE LIST**

**(Ex Works Fargo, ND)
Standard Equipment**

INSTRUMENTATION:
LCD Monitor Display of:

1. Tachometer
2. Speedometer
3. Gear selected
4. Time
5. Transmission Diagnostics
6. Digital Gauges
7. Trip computer A/B
8. Warning Prompts
9. DeClutch Indication
10. Diff. Lock (if equipped)
11. Error Reporting
12. Engine Mode Indicator

Digital Gauges for:

1. Trans. Oil Temp.
2. DEF level
3. Fuel Level
4. Engine Coolant Temp.

Indicator Lights for:

1. Master warning (cautionary)
2. Master warning (critical)
3. Turn signals
4. Steering pressure (low)
5. Low fuel
6. Brake pressure
7. High beam
8. Grid heater
9. Parking brake

Maintenance Reminders

1. Cab air filters
2. DEF tank vent filter
3. Engine air & oil filter
4. SCR supply filter
5. Hydraulic oil and filter
6. Engine coolant
7. Fuel pre-filter

BRAKES:

- 4-Wheel, outboard mounted, wet disc hydraulic brakes
- Parking brake; switch actuated, spring

applied hydraulic release

Separate front and rear brake systems

Single brake pedal

ELECTRICAL:

24 volt system

2 - 12V (CCA) batteries

Halogen lights:

2 front flood (top mtd.)

2 front driving (hi/lo beam)

2 rear flood (top mtd.)

LED stop/tail lights

Front and rear turn signals and

flashers

Alternator: 120 amp

Battery isolator / Electrical disconnect

Horn

Backup alarm

Electric hood

Remote jump start posts

OTHER BASIC EQUIPMENT:

Articulation and loader lift arm locking bars

Heavy Counterweight

Drawbar hitch (pins not included)

Front and rear fenders, partial

coverage

Remote drain points

Front and rear lift and tie down points

CASE ProCare

3-yr/3000-hr factory warranty,

planned maintenance and

SiteWatch™ telematics

CASE SiteWatch™ Telematics

includes hardware and a 3-yr

Advanced data subscription

Telematics antenna installed under cab roof

Special Paint available upon request

please contact your SSM for pricing

and availability

Factory Supplied Attachments require

a loose attachment order. Cannot be

ordered as an added attachment.

Tire Matrix								
Model	Tire & Rim Type	OPT (FCS 16012)	Brand (FCS 16072)					
			482595 No Brand	482596 Bridgestone (Radial) Firestone(Bias)	482597 Goodyear	482598 Galaxy(Bias) Primex(Radial)	482599 Michelin	482600 Titan
721G	20.5x25 L2 Bias-3pc 16PR	9420437	Available	Available	NA	Available	NA	Available
	20.5R25 L2 Radial-3pc	9420438	Available	Available	NA	Available	Available	NA
	20.5x25 L3 Bias-3pc 16PR	9420439	Available	Available	NA	Available	NA	NA
	20.5R25 L3 Radial-3pc	9420440	Available	Available	Available	Available	Available	Available
	20.5R25 Radial Michelin Snoplus-3pc	9420466	NA	NA	NA	NA	Available	NA
	20.5R25 Radial Bridgestone SnowWedge-3pc	9420474	NA	Available	NA	NA	NA	NA
	20.5x25 Brawler HD Solid Tires	9420492	Available	NA	NA	NA	NA	NA



**721G T4 FINAL ARTICULATED WHEEL LOADER
US PRICE LIST**

(Ex Works Fargo, ND)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
721G ZBAR T4F	32,000 LB		\$283,368.00
721G XR T4F	32,000 LB		\$285,991.00
721G XT T4F	32,000 LB		\$290,708.00

**721G T4 FINAL ARTICULATED WHEEL LOADER
US PRICE LIST**

(Ex Works Fargo, ND)

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

TRANSMISSION

SD_V5500 TRANSMISSION

	424224	4-speed Transmission			No Charge
	424225	5-speed Transmission with Lockup Torque Converter, Includes PowelInch progressive de-clutch Not for use with Trans Control Unit option 482918			\$3,159.00

AXLES

SD_15001 AXLES

	782122	Limited Slip Differentials Not for use with Trans Control Unit option 482918			No Charge
	424235	Heavy-duty Axles Larger size axles front and rear with automatic hydraulically-actuated differential lock on front axle, open differential on rear axle. Recommended for applications on hard surfaces or with solid tires.			\$3,742.00

COOLING SYSTEM

SD_02018 RADIATOR OPTIONS

	782454	Cooling System w/Hyd. Cooler Includes hydraulic oil cooler Not for use with Cold Weather Package option 482322			No Charge
	482585	Cooling System w/Reversing Fan Includes hydraulic oil cooler, reversing and variable speed fan.			\$816.00
	482931	Heavy Debris Cooling System Commodity King package includes enhanced sealing of the cooling module covers, wider radiator, hydraulic, and transmission cooler fin spacing (radiator = 6.5 fins/in, trans/hyd = 7.5 fins/in), "Commodity King" ecal, and variable speed reversing fan. Recommended for use with option 424235 Heavy Duty Axle. This code is recommended for use in trash and high debris applications. Must also order Syklone engine air precleaner.			\$2,500.00

**721G T4 FINAL ARTICULATED WHEEL LOADER
US PRICE LIST**

(Ex Works Fargo, ND)

NOISE SUPPRESSION

SD_05134 SOUND SUPPRESSION

		X05134X	NO SOUND SUPPRESSION PACKAGE			No Charge
		782559	Sound Supression Package This package includes sound insulating material to reduce the exterior noise by 1 to 2 dBA.			\$400.00

OPERATOR'S PROTECTIVE STRUCTURE

SD_05127 CAB

		782439	Cab with heater			(\$2,500.00)
		782440	Cab with heater and a/c			No Charge

SD_05105 SEAT BELT

		734056	2 Inch Seat Belt			No Charge
		734057	3 Inch Seat Belt CA State Requirement			\$25.00

SD_05129 OPERATOR'S SEAT

		734072	Mechanical Suspension Seat			No Charge
		734073	Heated Air Suspension Seat			\$525.00
		734085	Premium Seat w/ Headrest *** Estimated Available Date to Order: January 2017 *** Contact your SSM for more details Premium leather seat with active suspension. Has an electronic auto-weight adjustment and Dynamic Dampening System. Comes with a heating switch, wider armrests, an adjustable backrest and you can adjust the seats height. Also includes a Low Frequency Absorber and a Fore/Aft Isolator for a comfortable ride.			\$4,285.00

SD_05060 HEADREST

		X05060X	No Headrest			No Charge
		782774	Headrest			\$130.00

SD_05136 RADIO OPTION

		X05136X	No Radio			No Charge
		482134	Radio ready Includes two 12V outlets, antenna, speakers, radio bracket, wiring harness, fuse and 20 amp, 24V to 12V converter.			\$498.00

**721G T4 FINAL ARTICULATED WHEEL LOADER
US PRICE LIST**

(Ex Works Fargo, ND)

		782114	AM/FM Bluetooth Stereo Radio Includes remote tuner/amplifier chassis, antenna, speakers, and auxiliary input jack for portable MP3 or CD players. This is a 12V radio with 20 amp converter.			\$899.00
--	--	--------	--	--	--	----------

SD_05042 CONVENIENCE PACKAGE

		X05042X	No Convenience Package			No Charge
		782777	Operator Convenience Package Includes a rear sun shade, an interior mirror, an under the seat drawer, a coat hook, a 12V accessory port, and an ash tray.			\$281.00

STEERING SYSTEM

SD_20111 HYDRAULIC STEERING

		782441	Standard Hydraulic Steering Does NOT include secondary steering system.			No Charge
		782442	Secondary Steering System Includes secondary steering system that supplies hydraulic pressure to the steering circuit in a dead engine situation.			\$4,410.00
		482930	Joystick w/o Secondary Steering Redesigned Joystick steering without secondary steering system. Left-hand mounted joystick steering package with separate transmission speed and transmission control. Steering-wheel steering system is also included, allows operator to quickly switch between joystick and steering wheel steering.			\$7,065.00
		482913	Joystick w/ Secondary Steering Redesigned Joystick steering without secondary steering system. Left-hand mounted joystick steering package with separate transmission speed and transmission control. Steering-wheel steering system is also included, allows operator to quickly switch between joystick and steering wheel steering.			\$11,480.00

HYDRAULIC CONTROL VALVES

SD_20195 CONTROL VALVES

		734052	Joystick One Joystick controls loader lift arms and bucket.			No Charge
		734051	2 Levers *** Estimated Available Date to Order: January 2017 *** Contact your SSM for more details Left lever controls bucket and right lever controls loader lift arms.			\$212.00

**721G T4 FINAL ARTICULATED WHEEL LOADER
US PRICE LIST**

(Ex Works Fargo, ND)

		734053	2 Lever with 1 Aux Function *** Estimated Available Date to Order: January 2017 *** Contact your SSM for more details First lever controls auxiliary functions, second lever controls bucket and third lever controls loader lift arms (includes hydraulic lines to lift arm cross tubes)			\$1,738.00
		734054	Joystick with 1 Aux Function Joystick controls loader lift arms and bucket, a proportional roller switch on the joystick controls auxiliary hydraulics (includes hydraulic lines to lift arm cross tube).			\$2,599.00
		734055	Joystick with 2 Aux Functions Joystick controls loader lift arms and bucket, two proportional roller switches on the joystick controls auxiliary hydraulics (includes hydraulic lines to lift arm cross tube).			\$3,636.00

STEPS, PLATFORMS AND FENDERS

SD_18009 STEPS/REAR FENDERS

		782509	STANDARD FENDERS W/ LH STEPS Left hand steps with front and rear standard width fenders			No Charge
		782510	STANDARD FENDERS W/LH/RH STEPS Left and right hand steps with front and rear standard width fenders			\$413.00
		782511	Wide Fenders w/RH & LH Steps Left and right hand steps with front and rear FULL WIDTH COVERAGE (wide fenders)			\$1,357.00

WHEELS AND TIRES

SD_16072 TIRE BRAND PREFERENCE

		482595	No Tire Brand Preference			No Charge
		482596	Firestone/Bridgestone Brand			\$1,399.00
		482597	Goodyear Brand			\$933.00
		482598	Galaxy/Primex Brand			\$933.00
		482599	Michelin Brand			\$3,503.00
		482600	Titan/General Brand			\$933.00

TIRES

SD_16012 4WS WHEELS

		9420437	20.5x25 L2 Bias (3 pc rim) 16 PR. Reference "Tire Matrix" page for brand availability.			No Charge
		9420438	20.5R25 L2 Radial (3 pc rim) Reference "Tire Matrix" page for brand availability.			\$5,809.00

**721G T4 FINAL ARTICULATED WHEEL LOADER
US PRICE LIST**

(Ex Works Fargo, ND)

	9420439	20.5x25 L3 Bias (3 pc rim) 16 PR. Reference "Tire Matrix" page for brand availability.			\$986.00
	9420440	20.5R25 L3 Radial (3 pc rim) Reference "Tire Matrix" page for brand availability.			\$6,466.00
	9420466	20.5R25 Michelin Snoplus 3 pc Must also order Michelin Brand tire brand preference option 482599			\$13,446.00
	9420474	20.5R25 Bridgestone SnowWedge Bridgestone Snow Wedge radial (3 pc rim)			\$12,105.00
	9420492	20.5x25 Brawler HD Solid Tires Reference "Tire Matrix" page for brand availability. Brawler SolidFlex HD solid tires size 59x12x20.5 slick surface without traction cuts, with aperture holes for deflection and better ride, molded on 2-piece solid-specific adapter rims. Recommended for slow speed applications and to avoid excessive tire damage, for materials such as waste, recycling, scrap and demolition. For these applications, consider the belly pan and side guard options. Additionally, guarding is available from JRB. Requires options: Heavy Duty Axles 424235, Axle Oscillation Stops 782983, Light Counterweight 782895, and Trans Control Unit - for max. 12 mph (20kph) 482918.			\$44,667.00

SD_21015 CONTROL UNIT FOR TRANS

	X21015X	No Control Unit for Power			No Charge
	482918	Trans Control Unit Limits unit speed to 12 mph (20 kph). For use with solid tires.			No Charge

SPARE TIRES

SD_16043 SPARE RIM

	X16043X	NO SPARE WHEEL			No Charge
	782585	3 Piece Rim for 20.5x25 Tires			\$1,023.00

SD_16049 EXTRA WHEELS, TIRES AND RIMS

	X16049X	No Extra Wheels and Tires			No Charge
	424784	20.5x25 L2 Bias (3 pc rim)			
		if TIRE BRAND PREFERENCE is Galaxy/Primex Brand			\$3,645.00
		if TIRE BRAND PREFERENCE is No Tire Brand Preference			\$3,645.00
		if TIRE BRAND PREFERENCE is Titan/General Brand			\$3,645.00
		if TIRE BRAND PREFERENCE is Firestone/Bridgestone Brand			\$3,762.00
	424785	20.5x25 L2 Radial (3 pc rim)			
		if TIRE BRAND PREFERENCE is No Tire Brand Preference			\$5,898.00
		if TIRE BRAND PREFERENCE is Galaxy/Primex Brand			\$5,898.00
		if TIRE BRAND PREFERENCE is Firestone/Bridgestone Brand			\$6,014.00
		if TIRE BRAND PREFERENCE is Michelin Brand			\$6,540.00
	424786	20.5x25 L3 Bias (3 pc rim)			
		if TIRE BRAND PREFERENCE is Galaxy/Primex Brand			\$3,399.00
		if TIRE BRAND PREFERENCE is No Tire Brand Preference			\$3,399.00

**721G T4 FINAL ARTICULATED WHEEL LOADER
US PRICE LIST**

(Ex Works Fargo, ND)

			if TIRE BRAND PREFERENCE is Firestone/Bridgestone Brand			\$3,516.00
		424787	20.5x25 L3 Radial (3 pc rim)			
			if TIRE BRAND PREFERENCE is Goodyear Brand			\$6,072.00
			if TIRE BRAND PREFERENCE is Galaxy/Primex Brand			\$6,072.00
			if TIRE BRAND PREFERENCE is Titan/General Brand			\$6,072.00
			if TIRE BRAND PREFERENCE is No Tire Brand Preference			\$6,072.00
			if TIRE BRAND PREFERENCE is Firestone/Bridgestone Brand			\$6,188.00
			if TIRE BRAND PREFERENCE is Michelin Brand			\$6,714.00
		424919	20.5R25 Michelin Snoplus 3 pc			\$7,780.00

PIN-ON ATTACHMENTS

SD_V5202 BUCKETS, PINS & COUPLERS

		XV5202X	No Bucket No Pins Included.			(\$858.00)
		782537	Bucket Pins, No Bkt or Coupler ADDITIONAL BUCKETS AVAILABLE from Attachment Catalog: refer to PM-15851 CASE CE-US, PM-15852 CASE CE-CAN Light Material, pin-on buckets with BOE, sizes: 4.0, 5.0, 6.0 cu. yd. Multi-Purpose 4-1, pin-on buckets with BOE, sizes 2.75, 3.0 cu. yd. (Refer to catalog for max. material densities)			No Charge
High Density Materials						
		482396	3.0 cu. yd. pin on bucket Base bucket with teeth provides 2.8 cu. yd. (2.1 cu. m.) heaped capacity. Bucket with teeth and segmented edges or full length bolt-on cutting edge provides 3.0 cu. yd. (2.3 cu. m.) heaped capacity. Order with teeth or bolt-on cutting edge from BUCKET ACCESSORIES section. Segmented edges are only available through Parts. Not for use with 721G XT commercial model			\$7,705.00
Medium Density Materials						
		424243	3.25 cu. yd. pin on bucket Base bucket with teeth provides 3.0 cu. yd. (2.3 cu. m.) heaped capacity. Bucket with teeth and segmented edges or full length bolt-on cutting edge provides 3.25 cu. yd. (2.5 cu. m.) heaped capacity. Order with teeth or bolt-on cutting edge from BUCKET ACCESSORIES section. Segmented edges are only available through Parts. Not for use with 721G XT commercial model.			\$8,820.00
		424244	3.5 cu. yd. pin on bucket 3.5 cu. yd. (2.7 cu. m.) heaped capacity Only available with bolt-on cutting edge option 424250. Not for use with 721G XT commercial model			\$11,030.00

**721G T4 FINAL ARTICULATED WHEEL LOADER
US PRICE LIST**

(Ex Works Fargo, ND)

Coupler System					
		482047	CNH Coupler - JRB Compatible CNH Quick Coupler is compatible with JRB 416 series attachments Only available with No Bucket Accessories Option XV5203X		\$6,157.00
		734006	CNH Coupler - ACS Compatible Case Coupler is comparable to the ACS Pro Series 2000 Size 30 Coupler.		\$6,155.00
		424248	3.0 cu. yd. w/CNH Coupler(JRB) Base bucket with teeth provides 2.8 cu. yd. (2.1 cu. m.) heaped capacity. Bucket with teeth and segmented edges or full length bolt-on cutting edge provides 3.0 cu. yd. (2.25 cu. m.) heaped capacity. CNH Coupler and Bucket packages are compatible with JRB 416 Series attachments. Order with teeth or bolt-on cutting edge from BUCKET ACCESSORIES section. Segmented edges are only available through Parts.		\$15,641.00
		734009	3.0 cu. yd. w/CNH Coupler(ACS) Base bucket with teeth provides 2.8 cu. yd. heaped capacity. Bucket with teeth and segmented edges or full length bolt-on cutting edge provides 3.0 cu. yd. heaped capacity. Case Coupler is comparable to the ACS Pro Series 2000 Size 30 Coupler. Hydraulic latching and hydraulic supply kit. Order with teeth or bolt-on cutting edge from BUCKET ACCESSORIES section. Segmented edges are only available through Parts.		\$17,545.00
Low Density Materials					
		424245	3.5 cu. yd. pin on and grapple Grapple bucket, developed for Commodity King. 3.5 cu. yd. (2.7 cu. m.) when ordered with bolt on cutting edge. Order bolt-on cutting edge from BUCKET ACCESSORIES section. Not available with 721G XT Commercial Model, 2 Spool valve with joystick option 782489 or 2 spool valve, 2 lever option 782486. Maximum material density: 2,400 lb/cu. yd.		\$22,637.00
		424246	5.5 cu. yd. pin on bucket Light material bucket, developed for Commodity King. 5.5 cu.yd. (4.2 cu. m.) when ordered with bolt on cutting edge, not available with teeth. Order with bolt-on cutting edge from BUCKET ACCESSORIES section. Not available with 721G XT Commercial Model. Maximum material density: 1,600 lb/cu. yd.		\$12,742.00

**721G T4 FINAL ARTICULATED WHEEL LOADER
US PRICE LIST**

(Ex Works Fargo, ND)

SD_V5203 BUCKET ACCESSORIES

		XV5203X	No Bucket Accessories For use with No bucket, Bucket pins only and Couplers only			No Charge
		424250	Full length bolt-on edge Includes bolt-on cutting edge (BOCE). All sections are reversible. Skid plates included.			No Charge
		424249	Teeth Accessory CNH Smart-fit teeth. Skid plates included. Does not include segmented edges. Segmented edges are only available through Parts.			\$535.00

SD_50060 LOCKING HYDRAULICS

		X50060X	No Locking Hydraulics			No Charge
		424911	Locking Hydraulic for Coupler Used to actuate coupler locking pins and latching mechanisms fitted to machine. Oil supplied by pilot circuit 3447 kPa (500 psi) maximum pressure. Includes rocker switch, solenoid valve, hoses to lift arm cross tube and mounting hardware. Provides hydraulic lines to operate an aftermarket coupler. The factory-supplied couplers include the hydraulic lines to operate the coupler.			\$673.00

COUNTERWEIGHTS

SD_40003 COUNTERWEIGHT

		782895	Light Counterweight			(\$1,000.00)
		482059	Heavy Counterweight Additional 525 lbs.			No Charge

DECALS AND LITERATURE

SD_32003 DECALS & LITERATURE

		482105	English Literature			No Charge
		482106	French Literature			No Charge
		482107	Spanish Literature			No Charge

ADDITIONAL EQUIPMENT WHL

SD_02055 AIR PRECLEANER

		X02055X	NO PRE-CLEANER			No Charge
		482015	FULL-VIEW AIR PRE-CLEANER			\$498.00

**721G T4 FINAL ARTICULATED WHEEL LOADER
US PRICE LIST**

(Ex Works Fargo, ND)

		424223	Ejector Type Precleaner Sy-Klone brand.			\$509.00
--	--	--------	---	--	--	----------

MISCELLANEOUS

SD_02025 COLD WEATHER STARTING

		X02025X	No Grid Heater/Cold Start			No Charge
		482322	Cold Weather package Includes: Heavy duty batteries (2 x 950 CCA), low-temp Hytran Ultra hydraulic oil, hydraulic oil cooler bypass, engine block heater, air-intake grid heater, and fuel warmer. Requires: 482585 Cooling System with Reversing Fan or 482931 Heavy Debris Cooling System			\$2,290.00

SD_05093 EXTERIOR REAR VIEW MIRRORS

		X05093X	NO RIGHT/LEFT REAR VIEW MIRROR			No Charge
		782203	RIGHT/LEFT REAR VIEW MIRRORS			\$260.00
		734005	Right/Left Heated Mirrors			\$710.00

SD_06069 ADDITIONAL WORK LIGHTS

		734067	Halogen 2 front 2 rear			No Charge
		734068	LED 2 front 2 rear			\$498.00
		734069	LED 4 front 2 rear			\$942.00

SD_15002 AXLE STOPS

		X15002X	NO REAR AXLE STOP TIRE 20.5X25			No Charge
		782983	Axle Oscillation Stops Used when tires are fitted with tire chains. Use of the stops prevents chains from contacting the fender mounting brackets.			\$217.00

SD_30002 BRACKET LICENSE PLATE

		X30002X	No License Plate Bracket			No Charge
		482140	License Plate Bracket Front bracket and rear lit bracket			\$101.00

SD_30047 BEACON

		X30047X	No Beacon Light Wire Ready - No Switch/Mounting Plate			No Charge
		782108	Rotating LED amber beacon Includes switch, wiring, fuse and beacon. Beacon is shipped loose in cab.			\$519.00

SD_43004 TOOL BOX RH

		X43004X	No Tool Box			No Charge
		482141	TOOL BOX			\$292.00

SD_V9001 REAR VIEW ACCESSORIES

		XV9001X	No Rear View Camera			No Charge
--	--	---------	---------------------	--	--	-----------

**721G T4 FINAL ARTICULATED WHEEL LOADER
US PRICE LIST**

(Ex Works Fargo, ND)

		424234	Rear View Camera Rear mounted camera with display monitor mounted to accessory mount verticle bar in-line with cab pillar.			\$1,300.00
--	--	--------	--	--	--	------------

OPERATOR'S PROTECTIVE STRUCTURE OPTIONS

SD_30005 FIRE EXTINGUISHER

		X30005X	No Fire Extinguisher			No Charge
		780100	Fire Extinguisher			\$154.00

HYDRAULIC SYSTEM AND LATCHING OPTIONS

SD_20178 RIDE CONTROL

		X20178X	No Ride Control			No Charge
		782503	RIDE CONTROL Provides hydraulic cushioning of loader lift arms			\$4,049.00

PROTECTION AND SHIELDING OPTIONS

SD_39008 SIDE COVERS

		X39008X	No Side Covers			No Charge
		782897	Rear Frame Side Covers Enclose the access openings to the transmission and remote drain cover. These are bolt-on covers. Recommended for waste handling and other debris applications.			\$509.00

SD_39038 SKID PLATE

		X39038X	No Skid Plate/Transmission Grd			No Charge
		482027	Skid Plate/Transmission Guard			\$1,182.00

SD_V7000 WINDSCREEN GUARD

		XV7000X	No Windscreen Guard			No Charge
		734022	Windscreen Guard Designed to WCBG607 Standard for Medium Duty Screen Guard			\$3,403.00

**721G T4 FINAL WASTE HANDLER WHEEL LOADER
US PRICE LIST**

**(Ex Works Fargo, ND)
Standard Equipment**

ENGINE:

FPT - F4HFE613T
Tier 4 Final Certified (SCR)
Displacement: 411 cu. in. (6.7 L)
Power:
Max Power Range:
- Net HP @ Rated RPM 179 hp
(133 kW) @ 2000 RPM
- Peak Net HP 179 hp
(133 kW) @ 2000 RPM
Standard Power Range:
- Net HP @ Rated RPM 144 hp
(107 kW) @ 2000 RPM
- Peak Net HP 163 hp
(121 kW) @ 1600 RPM
Economy Power Range:
- Net HP @ Rated RPM 121 hp
(90 kW) @ 2000 RPM
- Peak Net HP 138 hp
(103 kW) @ 1400 RPM
Air-to-air aftercooler
Anti-freeze solution -34°F (-37°C)
Fuel Tank: 65 gal. U.S. (246 L)
DEF Tank 16 gal. U.S. (60.6L)
Air cleaner - 2 stage with radial seal
elements
Hydraulically driven fan with guard
Common rail electronic fuel injector
Mid-mounted cooling module
Auto idle control

OPERATOR'S PROTECTIVE
STRUCTURE:

Cab with ROPS, AC and heater
Wipers, rear and intermittent front
Rear grid defroster
Suspension seat, with 2" (50 mm)
seat belt
Storage tray, cup holder
Tilt-steering wheel with integral
steering knob
Fully adjustable wrist rest
Front sunscreen
(1) Interior rearview mirror

TRANSMISSION:

Speeds: 4F-3R
Computer controlled, full-power,
proportional shifting
Single lever electronic shift control on
steering column
FNR shuttle shift on hydraulic
controller
Programmable gear selection
Selectable fully-automatic and
manual modes
Electronic transmission disconnect
On-board diagnostics with fault code
storage and retrieval
Single, vertically mounted, spin-on oil
filter
Low Temperature Cooler by-pass valve

DRIVE TRAIN:
AXLES:

Heavy Duty Axles with locking front
differential

HYDRAULICS:

Closed center hydraulics, Load Sensing
Vertically mounted, spin-on oil filter
O-ring face seal hydraulic fittings
Full-flow oil cooler
Cushioned steering cylinders
Low temperature cooler by-pass valve

LOADER SYSTEM:

Electro-hydraulic (EH) Joystick loader
control
Automatic return-to-dig, automatic
height control, and automatic
return-to-travel
Position indicator on bucket
Z-bar loader linkage - standard version
Single piece, flame cut, loader arms
-Ground level lubrication points

**721G T4 FINAL WASTE HANDLER WHEEL LOADER
US PRICE LIST**

**(Ex Works Fargo, ND)
Standard Equipment**

INSTRUMENTATION:

LCD Monitor Display of:

1. Tachometer
2. Speedometer
3. Gear selected
4. Time
5. Transmission Diagnostics
6. Digital Gauges
7. Trip computer A/B
8. Warning Prompts
9. DeClutch Indication
10. Diff. Lock (if equipped)
11. Error Reporting
12. Engine Mode Indicator

Digital Gauges for:

1. Trans. Oil Temp.
2. DEF level
3. Fuel Level
4. Engine Coolant Temp.

Indicator Lights for:

1. Master warning (cautionary)
2. Master warning (critical)
3. Turn signals
4. Steering pressure (low)
5. Low fuel
6. Brake pressure
7. High beam
8. Grid heater
9. Parking brake

Maintenance Reminders

1. Cab air filters
2. DEF tank vent filter
3. Engine air & oil filter
4. SCR supply filter
5. Hydraulic oil and filter
6. Engine coolant
7. Fuel pre-filter

BRAKES:

- 4-Wheel, outboard mounted, wet disc hydraulic brakes
- Parking brake; switch actuated, spring

applied hydraulic release

Separate front and rear brake systems

Single brake pedal

ELECTRICAL:

24 volt system

2 - 12V (CCA) batteries

Halogen lights:

2 front flood (top mtd.)

2 front driving (hi/lo beam)

2 rear flood (top mtd.)

LED stop/tail lights

Front and rear turn signals and flashers

Alternator: 120 amp

Battery isolator / Electrical disconnect

Horn

Backup alarm

Electric hood

Remote jump start posts

OTHER BASIC EQUIPMENT:

Articulation and loader lift arm locking bars

Heavy Counterweight

Drawbar hitch (pins not included)

Front and rear fenders, partial coverage

Remote drain points

Front and rear lift and tie down points

CASE ProCare

3-yr/3000-hr factory warranty, planned maintenance and

SiteWatch™ telematics

CASE SiteWatch™ Telematics

includes hardware and a 3-yr

Advanced data subscription

Telematics antenna installed under cab roof

Special Paint available upon request

please contact your SSM for pricing and availability

Factory Supplied Attachments require

a loose attachment order. Cannot be ordered as an added attachment.



**721G T4 FINAL WASTE HANDLER WHEEL LOADER
US PRICE LIST**

**(Ex Works Fargo, ND)
Standard Equipment**

OTHER BASIC EQUIPMENT (cont):

Heavy Debris Cooling System
Ejector Type Precleaner
Skid Plate/Transmission Guard
Integrated Rear View Camera
Operator Convenience Package
Ride Control
License Plate Bracket
Fire Extinguisher
Rear Frame Side Covers
Tool Box
Windscreen Guard
Debris Covers

Bottom Guards
Hyd. Cylinder/tube/hose guard
Front Light Guard

Special Paint available upon request
please contact your SSM for pricing
and availability

Factory Supplied Attachments require a
loose attachment order. Cannot be
ordered as an Added/Included
attachment.

Tire Matrix								
Model	Tire & Rim Type	OPT (FCS 16012)	Brand (FCS 16072)					
			482595 No Brand	482596 Bridgestone (Radial) Firestone(Bias)	482597 Goodyear	482598 Galaxy(Bias) Primex(Radial)	482599 Michelin	482600 Titan
721G	20.5x25 L2 Bias-3pc 16PR	9420437	Available	Available	NA	Available	NA	Available
	20.5R25 L2 Radial-3pc	9420438	Available	Available	NA	Available	Available	NA
	20.5x25 L3 Bias-3pc 16PR	9420439	Available	Available	NA	Available	NA	NA
	20.5R25 L3 Radial-3pc	9420440	Available	Available	Available	Available	Available	Available
	20.5R25 Radial Michelin Snoplus-3pc	9420466	NA	NA	NA	NA	Available	NA
	20.5R25 Radial Bridgestone SnowWedge-3pc	9420474	NA	Available	NA	NA	NA	NA
	20.5x25 Brawler HD Solid Tires	9420492	Available	NA	NA	NA	NA	NA



**721G T4 FINAL WASTE HANDLER WHEEL LOADER
US PRICE LIST**

(Ex Works Fargo, ND)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
721G ZBAR T4F WASTE HAND	32,000 LB		\$331,855.00
721G XR T4F WASTE HANDLE	32,000 LB		\$334,478.00

**721G T4 FINAL WASTE HANDLER WHEEL LOADER
US PRICE LIST**

(Ex Works Fargo, ND)

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

TRANSMISSION

SD_V5500 TRANSMISSION

	424224	4-speed Transmission			No Charge
	424225	5-speed Transmission with Lockup Torque Converter, Includes PowelInch progressive de-clutch Not for use with Trans Control Unit option 482918			\$3,159.00

NOISE SUPPRESSION

SD_05134 SOUND SUPPRESSION

	X05134X	NO SOUND SUPPRESSION PACKAGE			No Charge
	782559	Sound Supression Package This package includes sound insulating material to reduce the exterior noise by 1 to 2 dBA.			\$400.00

OPERATOR'S PROTECTIVE STRUCTURE

SD_05105 SEAT BELT

	734056	2 Inch Seat Belt			No Charge
	734057	3 Inch Seat Belt CA State Requirement			\$25.00

SD_05129 OPERATOR'S SEAT

	734072	Mechanical Suspension Seat			No Charge
	734073	Heated Air Suspension Seat			\$525.00
	734085	Premium Seat w/ Headrest *** Estimated Available Date to Order: January 2017 *** Contact your SSM for more details Premium leather seat with active suspension. Has an electronic auto-weight adjustment and Dynamic Dampening System. Comes with a heating switch, wider armrests, an adjustable backrest and you can adjust the seats height. Also includes a Low Frequency Absorber and a Fore/Aft Isolator for a comfortable ride.			\$4,285.00

**721G T4 FINAL WASTE HANDLER WHEEL LOADER
US PRICE LIST**

(Ex Works Fargo, ND)

SD_05060 HEADREST

		X05060X	No Headrest			No Charge
		782774	Headrest			\$130.00

SD_05136 RADIO OPTION

		X05136X	No Radio			No Charge
		482134	Radio ready Includes two 12V outlets, antenna, speakers, radio bracket, wiring harness, fuse and 20 amp, 24V to 12V converter.			\$498.00
		782114	AM/FM Bluetooth Stereo Radio Includes remote tuner/amplifier chassis, antenna, speakers, and auxiliary input jack for portable MP3 or CD players. This is a 12V radio with 20 amp converter.			\$899.00

STEERING SYSTEM

SD_20111 HYDRAULIC STEERING

		782441	Standard Hydraulic Steering Does NOT include secondary steering system.			No Charge
		782442	Secondary Steering System Includes secondary steering system that supplies hydraulic pressure to the steering circuit in a dead engine situation.			\$4,410.00
		482930	Joystick w/oSecondary Steering Redesigned Joystick steering without secondary steering system. Left-hand mounted joystick steering package with separate transmission speed and transmission control. Steering-wheel steering system is also included, allows operator to quickly switch between joystick and steering wheel steering.			\$7,065.00
		482913	Joystick w/ Secondary Steering Redesigned Joystick steering without secondary steering system. Left-hand mounted joystick steering package with separate transmission speed and transmission control. Steering-wheel steering system is also included, allows operator to quickly switch between joystick and steering wheel steering.			\$11,480.00

HYDRAULIC CONTROL VALVES

SD_20195 CONTROL VALVES

		734052	Joystick One Joystick controls loader lift arms and bucket.			No Charge
--	--	--------	---	--	--	-----------

**721G T4 FINAL WASTE HANDLER WHEEL LOADER
US PRICE LIST**

(Ex Works Fargo, ND)

		734051	2 Levers *** Estimated Available Date to Order: January 2017 *** Contact your SSM for more details Left lever controls bucket and right lever controls loader lift arms.			\$212.00
		734053	2 Lever with 1 Aux Function *** Estimated Available Date to Order: January 2017 *** Contact your SSM for more details First lever controls auxiliary functions, second lever controls bucket and third lever controls loader lift arms (includes hydraulic lines to lift arm cross tubes)			\$1,738.00
		734054	Joystick with 1 Aux Function Joystick controls loader lift arms and bucket, a proportional roller switch on the joystick controls auxiliary hydraulics (includes hydraulic lines to lift arm cross tube).			\$2,599.00
		734055	Joystick with 2 Aux Functions Joystick controls loader lift arms and bucket, two proportional roller switches on the joystick controls auxiliary hydraulics (includes hydraulic lines to lift arm cross tube).			\$3,636.00

STEPS, PLATFORMS AND FENDERS

SD_18009 STEPS/REAR FENDERS

		782509	STANDARD FENDERS W/ LH STEPS Left hand steps with front and rear standard width fenders			No Charge
		782510	STANDARD FENDERS W/LH/RH STEPS Left and right hand steps with front and rear standard width fenders			\$413.00
		782511	Wide Fenders w/RH & LH Steps Left and right hand steps with front and rear FULL WIDTH COVERAGE (wide fenders)			\$1,357.00

WHEELS AND TIRES

SD_16072 TIRE BRAND PREFERENCE

		482595	No Tire Brand Preference			No Charge
		482596	Firestone/Bridgestone Brand			\$1,399.00
		482597	Goodyear Brand			\$933.00
		482598	Galaxy/Primex Brand			\$933.00
		482599	Michelin Brand			\$3,503.00
		482600	Titan/General Brand			\$933.00

**721G T4 FINAL WASTE HANDLER WHEEL LOADER
US PRICE LIST**

(Ex Works Fargo, ND)

TIRES

SD_16012 4WS WHEELS

		9420437	20.5x25 L2 Bias (3 pc rim) 16 PR. Reference "Tire Matrix" page for brand availability.			No Charge
		9420438	20.5R25 L2 Radial (3 pc rim) Reference "Tire Matrix" page for brand availability.			\$5,809.00
		9420439	20.5x25 L3 Bias (3 pc rim) 16 PR. Reference "Tire Matrix" page for brand availability.			\$986.00
		9420440	20.5R25 L3 Radial (3 pc rim) Reference "Tire Matrix" page for brand availability.			\$6,466.00
		9420466	20.5R25 Michelin Snoplus 3 pc Must also order Michelin Brand tire brand preference option 482599			\$13,446.00
		9420474	20.5R25 Bridgestone SnowWedge Bridgestone Snow Wedge radial (3 pc rim)			\$12,105.00
		9420492	20.5x25 Brawler HD Solid Tires Reference "Tire Matrix" page for brand availability. Brawler SolidFlex HD solid tires size 59x12x20.5 slick surface without traction cuts, with aperture holes for deflection and better ride, molded on 2-piece solid-specific adapter rims. Recommended for slow speed applications and to avoid excessive tire damage, for materials such as waste, recycling, scrap and demolition. For these applications, consider the belly pan and side guard options. Additionally, guarding is available from JRB. Requires options: Heavy Duty Axles 424235, Axle Oscillation Stops 782983, Light Counterweight 782895, and Trans Control Unit - for max. 12 mph (20kph) 482918.			\$44,667.00

SD_21015 CONTROL UNIT FOR TRANS

		X21015X	No Control Unit for Power			No Charge
		482918	Trans Control Unit Limits unit speed to 12 mph (20 kph). For use with solid tires.			No Charge

SPARE TIRES

SD_16043 SPARE RIM

		X16043X	NO SPARE WHEEL			No Charge
		782585	3 Piece Rim for 20.5x25 Tires			\$1,023.00

SD_16049 EXTRA WHEELS, TIRES AND RIMS

		X16049X	No Extra Wheels and Tires			No Charge
		424784	20.5x25 L2 Bias (3 pc rim)			
			if TIRE BRAND PREFERENCE is Galaxy/Primex Brand			\$3,645.00
			if TIRE BRAND PREFERENCE is No Tire Brand Preference			\$3,645.00
			if TIRE BRAND PREFERENCE is Titan/General Brand			\$3,645.00
			if TIRE BRAND PREFERENCE is Firestone/Bridgestone Brand			\$3,762.00

**721G T4 FINAL WASTE HANDLER WHEEL LOADER
US PRICE LIST**

(Ex Works Fargo, ND)

	424785	20.5x25 L2 Radial (3 pc rim)			
		if TIRE BRAND PREFERENCE is Galaxy/Primex Brand			\$5,898.00
		if TIRE BRAND PREFERENCE is No Tire Brand Preference			\$5,898.00
		if TIRE BRAND PREFERENCE is Firestone/Bridgestone Brand			\$6,014.00
		if TIRE BRAND PREFERENCE is Michelin Brand			\$6,540.00
	424786	20.5x25 L3 Bias (3 pc rim)			
		if TIRE BRAND PREFERENCE is Galaxy/Primex Brand			\$3,399.00
		if TIRE BRAND PREFERENCE is No Tire Brand Preference			\$3,399.00
		if TIRE BRAND PREFERENCE is Firestone/Bridgestone Brand			\$3,516.00
	424787	20.5x25 L3 Radial (3 pc rim)			
		if TIRE BRAND PREFERENCE is Galaxy/Primex Brand			\$6,072.00
		if TIRE BRAND PREFERENCE is Titan/General Brand			\$6,072.00
		if TIRE BRAND PREFERENCE is No Tire Brand Preference			\$6,072.00
		if TIRE BRAND PREFERENCE is Goodyear Brand			\$6,072.00
		if TIRE BRAND PREFERENCE is Firestone/Bridgestone Brand			\$6,188.00
		if TIRE BRAND PREFERENCE is Michelin Brand			\$6,714.00
	424919	20.5R25 Michelin Snoplus 3 pc			\$7,780.00

PIN-ON ATTACHMENTS

SD_V5202 BUCKETS, PINS & COUPLERS

	XV5202X	No Bucket No Pins Included.			(\$858.00)
	782537	Bucket Pins, No Bkt or Coupler ADDITIONAL BUCKETS AVAILABLE from Attachment Catalog: refer to PM-15851 CASE CE-US, PM-15852 CASE CE-CAN Light Material, pin-on buckets with BOE, sizes: 4.0, 5.0, 6.0 cu. yd. Multi-Purpose 4-1, pin-on buckets with BOE, sizes 2.75, 3.0 cu. yd. (Refer to catalog for max. material densities)			No Charge
High Density Materials					
	482396	3.0 cu. yd. pin on bucket Base bucket with teeth provides 2.8 cu. yd. (2.1 cu. m.) heaped capacity. Bucket with teeth and segmented edges or full length bolt-on cutting edge provides 3.0 cu. yd. (2.3 cu. m.) heaped capacity. Order with teeth or bolt-on cutting edge from BUCKET ACCESSORIES section. Segmented edges are only available through Parts. Not for use with 721G XT commercial model			\$7,705.00

**721G T4 FINAL WASTE HANDLER WHEEL LOADER
US PRICE LIST**

(Ex Works Fargo, ND)

Medium Density Materials					
		424243	3.25 cu. yd. pin on bucket Base bucket with teeth provides 3.0 cu. yd. (2.3 cu. m.) heaped capacity. Bucket with teeth and segmented edges or full length bolt-on cutting edge provides 3.25 cu. yd. (2.5 cu. m.) heaped capacity. Order with teeth or bolt-on cutting edge from BUCKET ACCESSORIES section. Segmented edges are only available through Parts. Not for use with 721G XT commercial model.		\$8,820.00
		424244	3.5 cu. yd. pin on bucket 3.5 cu. yd. (2.7 cu. m.) heaped capacity Only available with bolt-on cutting edge option 424250. Not for use with 721G XT commercial model		\$11,030.00
Coupler System					
		482047	CNH Coupler - JRB Compatible CNH Quick Coupler is compatible with JRB 416 series attachments Only available with No Bucket Accessories Option XV5203X		\$6,157.00
		734006	CNH Coupler - ACS Compatible Case Coupler is comparable to the ACS Pro Series 2000 Size 30 Coupler.		\$6,155.00
		424248	3.0 cu. yd. w/CNH Coupler(JRB) Base bucket with teeth provides 2.8 cu. yd. (2.1 cu. m.) heaped capacity. Bucket with teeth and segmented edges or full length bolt-on cutting edge provides 3.0 cu. yd. (2.25 cu. m.) heaped capacity. CNH Coupler and Bucket packages are compatible with JRB 416 Series attachments. Order with teeth or bolt-on cutting edge from BUCKET ACCESSORIES section. Segmented edges are only available through Parts.		\$15,641.00
		734009	3.0 cu. yd. w/CNH Coupler(ACS) Base bucket with teeth provides 2.8 cu. yd. heaped capacity. Bucket with teeth and segmented edges or full length bolt-on cutting edge provides 3.0 cu. yd. heaped capacity. Case Coupler is comparable to the ACS Pro Series 2000 Size 30 Coupler. Hydraulic latching and hydraulic supply kit. Order with teeth or bolt-on cutting edge from BUCKET ACCESSORIES section. Segmented edges are only available through Parts.		\$17,545.00

**721G T4 FINAL WASTE HANDLER WHEEL LOADER
US PRICE LIST**

(Ex Works Fargo, ND)

Low Density Materials					
		424245	3.5 cu. yd. pin on and grapple Grapple bucket, developed for Commodity King. 3.5 cu. yd. (2.7 cu. m.) when ordered with bolt on cutting edge. Order bolt-on cutting edge from BUCKET ACCESSORIES section. Not available with 721G XT Commercial Model, 2 Spool valve with joystick option 782489 or 2 spool valve, 2 lever option 782486. Maximum material density: 2,400 lb/cu. yd.		\$22,637.00
		424246	5.5 cu. yd. pin on bucket Light material bucket, developed for Commodity King. 5.5 cu.yd. (4.2 cu. m.) when ordered with bolt on cutting edge, not available with teeth. Order with bolt-on cutting edge from BUCKET ACCESSORIES section. Not available with 721G XT Commercial Model. Maximum material density: 1,600 lb/cu. yd.		\$12,742.00

SD_V5203 BUCKET ACCESSORIES

		XV5203X	No Bucket Accessories For use with No bucket, Bucket pins only and Couplers only		No Charge
		424250	Full length bolt-on edge Includes bolt-on cutting edge (BOCE). All sections are reversible. Skid plates included.		No Charge
		424249	Teeth Accessory CNH Smart-fit teeth. Skid plates included. Does not include segmented edges. Segmented edges are only available through Parts.		\$535.00

SD_50060 LOCKING HYDRAULICS

		X50060X	No Locking Hydraulics		No Charge
		424911	Locking Hydraulic for Coupler Used to actuate coupler locking pins and latching mechanisms fitted to machine. Oil supplied by pilot circuit 3447 kPa (500 psi) maximum pressure. Includes rocker switch, solenoid valve, hoses to lift arm cross tube and mounting hardware. Provides hydraulic lines to operate an aftermarket coupler. The factory-supplied couplers include the hydraulic lines to operate the coupler.		\$673.00

DECALS AND LITERATURE

SD_32003 DECALS & LITERATURE

		482105	English Literature		No Charge
		482106	French Literature		No Charge

**721G T4 FINAL WASTE HANDLER WHEEL LOADER
US PRICE LIST**

(Ex Works Fargo, ND)

		482107	Spanish Literature			No Charge
--	--	--------	--------------------	--	--	-----------

ADDITIONAL EQUIPMENT WHL

MISCELLANEOUS

SD_02025 COLD WEATHER STARTING

		X02025X	No Grid Heater/Cold Start			No Charge
		482322	Cold Weather package Includes: Heavy duty batteries (2 x 950 CCA), low-temp Hytran Ultra hydraulic oil, hydraulic oil cooler bypass, engine block heater, air-intake grid heater, and fuel warmer. Requires: 482585 Cooling System with Reversing Fan or 482931 Heavy Debris Cooling System			\$2,290.00

SD_05093 EXTERIOR REAR VIEW MIRRORS

		X05093X	NO RIGHT/LEFT REAR VIEW MIRROR			No Charge
		782203	RIGHT/LEFT REAR VIEW MIRRORS			\$260.00
		734005	Right/Left Heated Mirrors			\$710.00

SD_06069 ADDITIONAL WORK LIGHTS

		734067	Halogen 2 front 2 rear			No Charge
		734068	LED 2 front 2 rear			\$498.00
		734069	LED 4 front 2 rear			\$942.00

SD_15002 AXLE STOPS

		X15002X	NO REAR AXLE STOP TIRE 20.5X25			No Charge
		782983	Axle Oscillation Stops Used when tires are fitted with tire chains. Use of the stops prevents chains from contacting the fender mounting brackets.			\$217.00

SD_30047 BEACON

		X30047X	No Beacon Light Wire Ready - No Switch/Mounting Plate			No Charge
		782108	Rotating LED amber beacon Includes switch, wiring, fuse and beacon. Beacon is shipped loose in cab.			\$519.00

**821G T4 FINAL ARTICULATED WHEEL LOADER
US PRICE LIST**

Standard Equipment

ENGINE:

FPT F4HFE613S
Tier 4 Final Certified (SCR)
Displacement: 411 cu. in. (6.7 L)
Power:
Max Power Range:
- Net HP @ Rated RPM 206 hp
(153 kW) @ 2000 RPM
- Peak Net HP 211 hp (158 kW)
@ 1800 RPM
Standard Power Range:
- Net HP @ Rated RPM 178 hp
(133 kW) @ 2000 RPM
- Peak Net HP 193 hp (144 kW)
@ 1700 RPM
Economy Power Range:
- Net HP @ Rated RPM 123 hp
(92 kW) @ 2000 RPM
- Peak Net HP 161 hp (120 kW)
@ 1500 RPM
Air-to-air aftercooler
Anti-freeze solution -34°F (-37°C)
Fuel Tank: 76 gal. U.S. (288 L)
DEF Tank 15.6 gal. U.S. (58.9 L)
Air cleaner - 2 stage with radial seal
elements
Hydraulically driven fan with guard
Common rail electronic fuel injector
Mid-mounted cooling module
Auto shutdown (idle reduction device)
Auto idle control

OPERATOR'S PROTECTIVE
STRUCTURE:

Cab with ROPS, AC and heater
Wipers, rear and intermittent front
Rear grid defroster
Suspension seat, with 2" (50 mm)
seat belt
Storage tray, cup holder
Tilt-steering wheel with integral
steering knob
Fully adjustable wrist rest
Front sunscreen
(1) Interior rearview mirror

TRANSMISSION:

Speeds: 4F-3R
Computer controlled, full-power,
proportional shifting
Single lever electronic shift control on
steering column
FNR shuttle shift on hydraulic
controller
Programmable gear selection
Selectable fully-automatic and
manual modes
Electronic transmission disconnect
On-board diagnostics with fault code
storage and retrieval
Single, vertically mounted, spin-on oil
filter
Low Temperature Cooler by-pass valve

DRIVE TRAIN:
AXLES:

Limited slip differentials - Front and
Rear

HYDRAULICS:

Closed center hydraulics, Load Sensing
Vertically mounted, spin-on oil filter
O-ring face seal hydraulic fittings
Full-flow oil cooler
Cushioned steering cylinders
Low temperature cooler by-pass valve

LOADER SYSTEM:

Electro-hydraulic (EH) Joystick loader
control
Automatic return-to-dig, automatic
height control, and automatic
return-to-travel
Position indicator on bucket
Z-bar loader linkage - standard version
Single piece, flame cut, loader arms
-Ground level lubrication points

**821G T4 FINAL ARTICULATED WHEEL LOADER
US PRICE LIST**

Standard Equipment

INSTRUMENTATION:
LCD Monitor Display of:

1. Tachometer
2. Speedometer
3. Gear selected
4. Time
5. Transmission Diagnostics
6. Digital Gauges
7. Trip computer A/B
8. Warning Prompts
9. DeCluth Indication
10. Diff. Lock (if equipped)
11. Error Reporting
12. Engine Mode Indicator

Digital Gauges for:

1. Trans. Oil Temp.
2. DEF level
3. Fuel Level
4. Engine Coolant Temp.

Indicator Lights for:

1. Master warning (cautionary)
2. Master warning (critical)
3. Turn signals
4. Steering pressure (low)
5. Low fuel
6. Brake pressure
7. High beam
8. Grid heater
9. Parking brake

Maintenance Reminders

1. Cab air filters
2. DEF tank vent filter
3. Engine air & oil filter
4. SCR supply filter
5. Hydraulic oil and filter
6. Engine coolant
7. Fuel pre-filter

BRAKES:

- 4-Wheel, outboard mounted, wet disc hydraulic brakes
- Parking brake; switch actuated, spring

applied hydraulic release

Separate front and rear brake systems

Single brake pedal

ELECTRICAL:

24 volt system

2 - 12V (CCA) batteries

Halogen lights:

2 front flood (top mtd.)

2 front driving (hi/lo beam)

2 rear flood (top mtd.)

LED stop/tail lights

Front and rear turn signals and flashers

Alternator: 120 amp

Battery isolator / Electrical disconnect

Horn

Backup alarm

Electric hood

Remote jump start posts

OTHER BASIC EQUIPMENT:

Articulation and loader lift arm locking bars

Heavy Counterweight

Drawbar hitch (pins not included)

Front and rear fenders, partial coverage

Remote drain points

Front and rear lift and tie down points

CASE ProCare

3-yr/3000-hr factory warranty, planned maintenance and

SiteWatch™ telematics

CASE SiteWatch™ Telematics

includes hardware and a 3-yr

Advanced data subscription

Telematics antenna installed under cab roof

Special Paint available upon request

please contact your SSM for pricing and availability

Factory Supplied Attachments require

a loose attachment order. Cannot be ordered as an added attachment.

Tire Matrix								
Model	Tire & Rim Type	OPT (FCS 16012)	Brand (FCS 16072)					
			482595 No Brand	482596 Bridgestone (Radial) Firestone(Bias)	482597 Goodyear	482598 Galaxy(Bias) Primex(Radial)	482599 Michelin	482600 Titan
821G	23.5x25 L2 Bias-3pc 20PR	9420441	Available	Available	NA	Available	NA	Available
	23.5R25 L2 Radial-3pc	9420442	Available	Available	NA	Available	Available	NA
	23.5x25 L3 Bias-3pc 20PR	9420443	Available	Available	NA	Available	NA	NA
	23.5R25 L3 Radial-3pc	9420444	Available	Available	Available	Available	Available	Available
	23.5R25 Michelin Snoplus	9420497	NA	NA	NA	NA	Available	NA



**821G T4 FINAL ARTICULATED WHEEL LOADER
US PRICE LIST**

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
821G ZBAR T4 FINAL	38,000 LB		\$351,697.00
821G XR T4 FINAL			\$357,334.00



821G T4 FINAL ARTICULATED WHEEL LOADER
US PRICE LIST

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

TRANSMISSION

SD_V5500 TRANSMISSION

		424224	4-speed Transmission			No Charge
		424225	5-speed Transmission with Lockup Torque Converter, includes PowerInch progressive de-clutch Not for use with Trans Control Unit option 482918			\$3,159.00

AXLES

SD_15001 AXLES

		782122	Limited Slip Differentials Not for use with Trans Control Unit option 482918			No Charge
		424235	Heavy-duty Axles Larger size axles front and rear with automatic hydraulically-actuated differential lock on front axle, open differential on rear axle. Recommended for applications on hard surfaces, or with solid tires.			\$6,954.00

COOLING SYSTEM

SD_02018 RADIATOR OPTIONS

		782454	Cooling System w/Hyd. Cooler Includes hydraulic oil cooler Not for use with Cold Weather Package option 482322			No Charge
		482585	Cooling System w/Reversing Fan Includes hydraulic oil cooler, reversing and variable speed fan. This code is recommended for use in trash and high debris applications.			\$816.00

NOISE SUPPRESSION

SD_05134 SOUND SUPPRESSION

		X05134X	NO SOUND SUPPRESSION PACKAGE			No Charge
--	--	---------	------------------------------	--	--	-----------

**821G T4 FINAL ARTICULATED WHEEL LOADER
US PRICE LIST**

		782559	Sound Supression Package This package includes sound insulating material to reduce the exterior noise by 1 to 2 dBA.			\$400.00
--	--	--------	--	--	--	----------

OPERATOR'S PROTECTIVE STRUCTURE

SD_05127 CAB

		782439	Cab with heater			(\$2,500.00)
		782440	Cab with heater and a/c			No Charge

SD_05105 SEAT BELT

		734056	2 Inch Seat Belt			No Charge
		734057	3 Inch Seat Belt CA State Requirement			\$25.00

SD_05129 OPERATOR'S SEAT

		734072	Mechanical Suspension Seat			No Charge
		734073	Heated Air Suspension Seat			\$525.00
		734085	Premium Seat w/ Headrest *** Estimated Available Date to Order: January 2017 *** Contact your SSM for more details Premium leather seat with active suspension. Has an electronic auto-weight adjustment and Dynamic Dampening System. Comes with a heating switch, wider armrests, an adjustable backrest and you can adjust the seats height. Also includes a Low Frequency Absorber and a Fore/Aft Isolator for a comfortable ride.			\$4,285.00

SD_05060 HEADREST

		X05060X	No Headrest			No Charge
		782774	Headrest			\$130.00

SD_05136 RADIO OPTION

		X05136X	No Radio			No Charge
		482134	Radio ready Includes two 12V outlets, antenna, speakers, radio bracket, wiring harness, fuse and 20 amp 24V to 12V converter.			\$498.00
		782114	AM/FM Bluetooth Stereo Radio Includes remote tuner/amplifier chassis, antenna, speakers, and auxiliary input jack for portable MP3 or CD players. This is a 12V radio with 20 amp converter.			\$899.00

**821G T4 FINAL ARTICULATED WHEEL LOADER
US PRICE LIST**

SD_05042 CONVENIENCE PACKAGE

		X05042X	No Convenience Package			No Charge
		782777	Operator Convenience Package Includes a rear sun shade, an interior mirror, an under the seat drawer, a coat hook, a 12V accessory port, and an ash tray.			\$281.00

STEERING SYSTEM

SD_20111 HYDRAULIC STEERING

		782441	Standard Hydraulic Steering Does NOT include secondary steering system.			No Charge
		782442	Secondary Steering System Includes secondary steering system that supplies hydraulic pressure to the steering circuit in a dead engine situation.			\$4,542.00
		482930	Joystick w/oSecondary Steering Redesigned Joystick steering without secondary steering system. Left-hand mounted joystick steering package with separate transmission speed and transmission control. Steering-wheel steering system is also included, allows operator to quickly switch between joystick and steering wheel steering.			\$7,272.00
		482913	Joystick w/ Secondary Steering Redesigned Joystick steering with secondary steering system that supplies hydraulic pressure to the steering circuit, if required. Left-hand mounted joystick steering package with separate transmission speed and transmission control. Steering-wheel steering system is also included, allows operator to quickly switch between joystick and steering wheel steering.			\$11,814.00

HYDRAULIC CONTROL VALVES

SD_20195 CONTROL VALVES

		734052	Joystick One Joystick controls loader lift arms and bucket.			No Charge
		734051	2 Levers *** Estimated Available Date to Order: January 2017 *** Contact your SSM for more details Left lever controls bucket and right lever controls loader lift arms.			\$212.00

**821G T4 FINAL ARTICULATED WHEEL LOADER
US PRICE LIST**

		734053	2 Lever with 1 Aux Function *** Estimated Available Date to Order: January 2017 *** Contact your SSM for more details First lever controls auxiliary functions, second lever controls bucket and third lever controls loader lift arms (includes hydraulic lines to lift arm cross tubes)			\$1,738.00
		734054	Joystick with 1 Aux Function Joystick controls loader lift arms and bucket, a proportional roller switch on the joystick controls auxiliary hydraulics (includes hydraulic lines to lift arm cross tube).			\$1,972.00
		734055	Joystick with 2 Aux Functions Joystick controls loader lift arms and bucket, two proportional roller switches on the joystick controls auxiliary hydraulics (includes hydraulic lines to lift arm cross tube).			\$3,636.00

STEPS, PLATFORMS AND FENDERS

SD_18009 STEPS/REAR FENDERS

		782509	STANDARD FENDERS W/ LH STEPS Left hand steps with front and rear standard width fenders.			No Charge
		782510	STANDARD FENDERS W/LH/RH STEPS Left hand and right hand steps with front and rear standard width fenders.			\$513.00
		782511	Wide Fenders w/RH & LH Steps Left hand and right hand steps with front and rear FULL WIDTH COVERAGE (wide fenders).			\$1,457.00

WHEELS AND TIRES

SD_16072 TIRE BRAND PREFERENCE

		482595	No Tire Brand Preference			No Charge
		482596	Firestone/Bridgestone Brand			\$1,442.00
		482597	Goodyear Brand			\$965.00
		482598	Galaxy/Primex Brand			\$965.00
		482599	Michelin Brand			\$4,691.00
		482600	Titan/General Brand			\$965.00

TIRES

SD_16012 4WS WHEELS

		9420441	23.5x25 L2 Bias (3 pc rim) 20 PR. Reference "Tire Matrix" page for brand availability.			No Charge
		9420442	23.5R25 L2 Radial (3 pc rim) Reference "Tire Matrix" page for brand availability.			\$9,878.00

**821G T4 FINAL ARTICULATED WHEEL LOADER
US PRICE LIST**

		9420443	23.5x25 L3 Bias (3 pc rim) 20 PR. Reference "Tire Matrix" page for brand availability.			\$1,696.00
		9420444	23.5R25 L3 Radial (3 pc rim) Reference "Tire Matrix" page for brand availability.			\$10,187.00
		9420497	23.5R25 Michelin Snoplus			\$15,859.00

SD_21015 CONTROL UNIT FOR TRANS

		X21015X	No Control Unit for Power			No Charge
		482918	Trans Control Unit Limits unit speed to 12 mph (20 kph). For use with solid tires.			No Charge

SPARE TIRES

SD_16043 SPARE RIM

		X16043X	NO SPARE WHEEL			No Charge
		424242	Wheels Only - 25 x 19.5 (3pc)			\$1,876.00

SD_16049 EXTRA WHEELS, TIRES AND RIMS

		X16049X	No Extra Wheels and Tires			No Charge
		424788	23.5x25 L2 Bias (3 pc rim)			
			if TIRE BRAND PREFERENCE is Titan/General Brand			\$4,611.00
			if TIRE BRAND PREFERENCE is Galaxy/Primex Brand			\$4,611.00
			if TIRE BRAND PREFERENCE is No Tire Brand Preference			\$4,611.00
			if TIRE BRAND PREFERENCE is Firestone/Bridgestone Brand			\$4,733.00
		424789	23.5R25 L2 Radial (3 pc rim)			
			if TIRE BRAND PREFERENCE is Galaxy/Primex Brand			\$7,987.00
			if TIRE BRAND PREFERENCE is No Tire Brand Preference			\$7,987.00
			if TIRE BRAND PREFERENCE is Firestone/Bridgestone Brand			\$8,109.00
			if TIRE BRAND PREFERENCE is Michelin Brand			\$8,920.00
		424790	23.5x25 L3 Bias (3 pc rim)			
			if TIRE BRAND PREFERENCE is No Tire Brand Preference			\$4,733.00
			if TIRE BRAND PREFERENCE is Galaxy/Primex Brand			\$4,733.00
			if TIRE BRAND PREFERENCE is Firestone/Bridgestone Brand			\$4,855.00
		424791	23.5R25 L3 Radial (3 pc rim)			
			if TIRE BRAND PREFERENCE is No Tire Brand Preference			\$10,377.00
			if TIRE BRAND PREFERENCE is Titan/General Brand			\$10,377.00
			if TIRE BRAND PREFERENCE is Galaxy/Primex Brand			\$10,377.00
			if TIRE BRAND PREFERENCE is Goodyear Brand			\$10,377.00
			if TIRE BRAND PREFERENCE is Firestone/Bridgestone Brand			\$10,494.00
			if TIRE BRAND PREFERENCE is Michelin Brand			\$11,305.00
		734042	23.5R25 Michelin Snoplus			\$8,250.00

PIN-ON ATTACHMENTS

SD_V5202 BUCKETS, PINS & COUPLERS

		XV5202X	No Bucket No Pins Included.			(\$541.00)
--	--	---------	---------------------------------------	--	--	------------

**821G T4 FINAL ARTICULATED WHEEL LOADER
US PRICE LIST**

		782537	<p>Bucket Pins, No Bkt or Coupler</p> <p>Includes pins to attach bucket or coupler. For use with Z-Bar Std. and Z-Bar XR loader arms Commercial Models.</p> <p>ADDITIONAL BUCKETS AVAILABLE from attachment Catalog: refer to PM-15851 CASE CE-US, PM-15852 CASE CE-CAN Light Material, pin-on buckets with BOE, sizes 5.5, 6.0, 7.0, 8.0, cu. yd. Multi-Purpose 4-1, pin-on buckets with BOE, sizes: 3.0, 3.5 cu. yd. (Refer to catalog for max. material densities)</p>			No Charge
High Density Materials						
		424244	<p>3.5 cu. yd. pin on bucket</p> <p>Base bucket with teeth provides 3.2 cu. yd. (2.45 cu. m.) heaped capacity. Bucket with teeth and segmented edges or full length bolt-on cutting edge provides 3.5 u. yd. (2.4 cu. m.) heaped capacity. Order with teeth or bolt-on cutting edge from BUCKET ACCESSORIES section. Segmented edges are only available through Parts.</p>			\$11,347.00
Medium Density Materials						
		424258	<p>4.25 cu. yd. pin on bucket</p> <p>Base bucket with teeth provides 4.0 cu. yd. (3.1 cu. m.) heaped capacity. Bucket with teeth and segmented edges or full length bolt-on cutting edge provides 4.25 cu. yd. (3.1 cu. m.) heaped capacity. Order with teeth or bolt-on cutting edge from BUCKET ACCESSORIES section. Segmented edges are only available through Parts.</p>			\$14,453.00
		424259	<p>4.5 cu. yd. pin on bucket</p> <p>Bolt-on cutting edge 4.5 cu. yd. (3.4 cu. m.) heaped capacity Only available with full length bolt-on edge option 424250.</p>			\$17,521.00
Coupler System						
		482047	<p>CNH Coupler - JRB Compatible</p> <p>CNH Quick Coupler is compatible with JRB 418 series attachments. Only available with No Bucket Accessories Option XV5203X</p>			\$9,190.00
		734006	<p>CNH Coupler - ACS Compatible</p> <p>Case Coupler is comparable to the ACS Pro Series 2000 Size 60 Coupler. Only available with No Bucket Accessories Option XV5203X</p>			\$10,282.00
		424910	<p>3.5 cu. yd. w/CNH Coupler(JRB)</p> <p>Base bucket with teeth provides 3.2 cu. yd. (2.4 cu. m.) heaped capacity. Bucket with teeth and segmented edges or full length bolt-on cutting edge provides 3.5 cu. yd. (2.7 cu. m.) heaped capacity. CNH coupler and bucket packages are compatible with JRB 418 Series attachments. Order with teeth or bolt-on cutting edge from BUCKET ACCESSORIES section. Segmented edges are only available through Parts. Compatible with CNH coupler</p>			\$22,238.00

**821G T4 FINAL ARTICULATED WHEEL LOADER
US PRICE LIST**

		734010	3.5 cu. yd. w/CNH Coupler(ACS) Base bucket with teeth provides 3.2 cu. yd. (2.5 cu. m.) heaped capacity. Bucket with teeth and segmented edges or full length bolt-on cutting edge provides 3.5 cu. yd. (2.7 cu. m.) Case Coupler is comparable to the ACS Pro Series 2000 Size 60 Coupler. Hydraulic latching and hydraulic supply kit. Order with teeth or bolt-on cutting edge from BUCKET ACCESSORIES section. Segmented edges are only available through Parts.			\$25,842.00
		734011	4.0 cu. yd. w/CNH Coupler(ACS) 3.8 cu yd (2.9m) with teeth or 4.0 cu yd (3.1m) with bolt on cutting edge.			\$24,865.00
		424999	4.0 cu. yd. w/CNH Coupler(JRB) 3.8 cu yd (2.9m) with teeth or 4.0 cu yd (3.1m) with bolt on cutting edge.			\$24,734.00

SD_V5203 BUCKET ACCESSORIES

		XV5203X	No Bucket Accessories For use with No Bucket, Bucket pins only and Couplers only			No Charge
		424250	Full length bolt-on edge Includes bolt-on cutting edge (BOCE). All sections are reversible. Skid plates included.			No Charge
		424249	Teeth Accessory CNH Smart-fit teeth. Skid plates included. Does not include segmented edges. Segmented edges are only available through Parts.			\$557.00

SD_50060 LOCKING HYDRAULICS

		X50060X	No Locking Hydraulics			No Charge
		424911	Locking Hydraulic for Coupler Used to actuate coupler locking pins and latching mechanisms fitted to machine. Oil supplied by pilot circuit 3447 kPa (500 psi) maximum pressure. Includes rocker switch, solenoid valve, hoses to lift arm cross tube and mounting hardware. Provides hydraulic lines to operate an aftermarket coupler. The factory-supplied couplers include the hydraulic lines to operate the coupler.			\$731.00

COUNTERWEIGHTS

SD_40003 COUNTERWEIGHT

		782895	Light Counterweight			(\$1,400.00)
		482059	Heavy Counterweight Additional 1675 lbs.			No Charge

**821G T4 FINAL ARTICULATED WHEEL LOADER
US PRICE LIST**

DECALS AND LITERATURE

SD_32003 DECALS & LITERATURE

		482105	English Literature			No Charge
		482106	French Literature			No Charge
		482107	Spanish Literature			No Charge

ADDITIONAL EQUIPMENT WHL

MISCELLANEOUS

SD_02025 COLD WEATHER STARTING

		X02025X	No Grid Heater/Cold Start			No Charge
		482322	Cold Weather package Includes: Heavy duty batteries (2 x 950 CCA), Low-temp Hytran Ultra hydraulic oil, hydraulic oil cooler bypass, engine block heater, air-intake grid heater, and fuel warmer. Requires: 482585 Cooling System with Reversing Fan			\$2,290.00

SD_02055 AIR PRECLEANER

		X02055X	NO PRE-CLEANER			No Charge
		482015	FULL-VIEW AIR PRE-CLEANER			\$514.00
		424223	Ejector Type Precleaner Sy-Klone brand			\$525.00

SD_05093 EXTERIOR REAR VIEW MIRRORS

		X05093X	NO RIGHT/LEFT REAR VIEW MIRROR			No Charge
		782203	RIGHT/LEFT REAR VIEW MIRRORS External right and left rear view mirrors			\$260.00
		734005	Right/Left Heated Mirrors External right and left rear view mirrors			\$710.00

SD_06069 ADDITIONAL WORK LIGHTS

		734067	Halogen 2 front 2 rear			No Charge
		734068	LED 2 front 2 rear			\$498.00
		734069	LED 4 front 2 rear			\$942.00

SD_15002 AXLE STOPS

		X15002X	NO REAR AXLE STOP TIRE 20.5X25			No Charge
		782983	Axle Oscillation Stops Used when tires are fitted with tire chains. Use of the stops prevents chains from contacting the fender mounting brackets.			\$223.00

**821G T4 FINAL ARTICULATED WHEEL LOADER
US PRICE LIST**

SD_30002 BRACKET LICENSE PLATE

		X30002X	No License Plate Bracket			No Charge
		482140	License Plate Bracket Front bracket and rear lit bracket			\$101.00

SD_30047 BEACON

		X30047X	No Beacon Light Wire Ready - No Switch/Mounting Plate			No Charge
		782108	Rotating LED amber beacon Includes switch, wiring, fuse and beacon. Beacon is shipped loose in cab.			\$519.00

SD_43004 TOOL BOX RH

		X43004X	No Tool Box			No Charge
		482141	TOOL BOX			\$292.00

SD_V9001 REAR VIEW ACCESSORIES

		XV9001X	No Rear View Camera			No Charge
		424234	Rear View Camera Rear view camera with overlay lines.			\$1,300.00

OPERATOR'S PROTECTIVE STRUCTURE OPTIONS

SD_30005 FIRE EXTINGUISHER

		X30005X	No Fire Extinguisher			No Charge
		780100	Fire Extinguisher			\$154.00

HYDRAULIC SYSTEM OPTIONS (REQUIRE SELECTION)

SD_20178 RIDE CONTROL

		X20178X	No Ride Control			No Charge
		782503	RIDE CONTROL Provides hydraulic cushioning of loader lift arms.			\$5,411.00

PROTECTION AND SHIELDING OPTIONS

SD_39008 SIDE COVERS

		X39008X	No Side Covers			No Charge
		782897	Rear Frame Side Covers Enclose the access openings to the transmission and remote drain cover. These are bolt-on covers. Recommended for waste handling & other debris applications.			\$519.00

SD_39038 SKID PLATE

		X39038X	No Skid Plate/Transmission Grd			No Charge
		482027	Skid Plate/Transmission Guard			\$1,219.00

**921G T4 FINAL ARTICULATED WHEEL LOADER
US PRICE LIST**

Standard Equipment

ENGINE:

FPT F4HFE613R

Tier 4 Final Certified (SCR)

Displacement: 411 cu. in. (6.7 L)

Power:**Max Power Range:**

- Net HP @ Rated RPM 225 hp
(168 kW) @ 2000 RPM
- Peak Net HP 242 hp (180 kW)
@ 1600 RPM

Standard Power Range:

- Net HP @ Rated RPM 185 hp
(138 kW) @ 2000 RPM
- Peak Net HP 213 hp (159 kW)
@ 1600 RPM

Economy Power Range:

- Net HP @ Rated RPM 173 hp
(129 kW) @ 2000 RPM
- Peak Net HP 206 hp (154 kW)
@ 1400 RPM

Air-to-air aftercooler

Anti-freeze solution -34°F (-37°C)

Fuel Tank: 76 gal. U.S. (288 L)

DEF Tank 15.6 gal. U.S. (58.9 L)

Air cleaner - 2 stage with radial seal
elements

Hydraulically driven fan with guard

Common rail electronic fuel injector

Mid-mounted cooling module

Auto shutdown (idle reduction device)

Auto idle control

OPERATOR'S PROTECTIVE STRUCTURE:

Cab with ROPS, AC and heater

Wipers, rear and intermittent front

Rear grid defroster

Suspension seat, with 2" (50 mm)
seat belt

Storage tray, cup holder

Tilt-steering wheel with integral
steering knob

Fully adjustable wrist rest

Front sunscreen

(1) Interior rearview mirror

TRANSMISSION:

Speeds: 4F-3R

Computer controlled, full-power,
proportional shiftingSingle lever electronic shift control on
steering columnFNR shuttle shift on hydraulic
controller

Programmable gear selection

Selectable fully-automatic and
manual modes

Electronic transmission disconnect

On-board diagnostics with fault code
storage and retrievalSingle, vertically mounted, spin-on oil
filter

Low Temperature Cooler by-pass valve

DRIVE TRAIN:**AXLES:**Open differentials - Front and
Rear**HYDRAULICS:**

Closed center hydraulics, Load Sensing

Vertically mounted, spin-on oil filter

O-ring face seal hydraulic fittings

Full-flow oil cooler

Cushioned steering cylinders

Low temperature cooler by-pass valve

LOADER SYSTEM:Electro-hydraulic (EH) Joystick loader
controlAutomatic return-to-dig, automatic
height control, and automatic
return-to-travel

Position indicator on bucket

Z-bar loader linkage - standard version

Single piece, flame cut, loader arms

-Ground level lubrication points

**921G T4 FINAL ARTICULATED WHEEL LOADER
US PRICE LIST**

Standard Equipment

INSTRUMENTATION:
LCD Monitor Display of:

1. Tachometer
2. Speedometer
3. Gear selected
4. Time
5. Transmission Diagnostics
6. Digital Gauges
7. Trip computer A/B
8. Warning Prompts
9. DeCluth Indication
10. Diff. Lock (if equipped)
11. Error Reporting
12. Engine Mode Indicator

Digital Gauges for:

1. Trans. Oil Temp.
2. DEF level
3. Fuel Level
4. Engine Coolant Temp.

Indicator Lights for:

1. Master warning (cautionary)
2. Master warning (critical)
3. Turn signals
4. Steering pressure (low)
5. Low fuel
6. Brake pressure
7. High beam
8. Grid heater
9. Parking brake

Maintenance Reminders

1. Cab air filters
2. DEF tank vent filter
3. Engine air & oil filter
4. SCR supply filter
5. Hydraulic oil and filter
6. Engine coolant
7. Fuel pre-filter

BRAKES:

- 4-Wheel, outboard mounted, wet disc hydraulic brakes
- Parking brake; switch actuated, spring

applied hydraulic release

Separate front and rear brake systems

Single brake pedal

ELECTRICAL:

24 volt system

2 - 12V (CCA) batteries

Halogen lights:

2 front flood (top mtd.)

2 front driving (hi/lo beam)

2 rear flood (top mtd.)

LED stop/tail lights

Front and rear turn signals and
flashers

Alternator: 120 amp

Battery isolator / Electrical disconnect

Horn

Backup alarm

Electric Hood

Remote jump start posts

OTHER BASIC EQUIPMENT:

Articulation and loader lift arm locking
bars

Heavy Counterweight

Drawbar hitch (pins not included)

Front and rear fenders, partial
coverage

Remote drain points

Front and rear lift and tie down points

CASE ProCare

3-yr/3000-hr factory warranty,
planned maintenance and

SiteWatch™ telematics

CASE SiteWatch™ Telematics

includes hardware and a 3-yr

Advanced data subscription

Telematics antenna installed under cab
roof

Special Paint available upon request
please contact your SSM for pricing
and availability

Factory Supplied Attachments require
a loose attachment order. Cannot be
ordered as an added attachment.

Tire Matrix								
Model	Tire & Rim Type	OPT (FCS 16012)	Brand (FCS 16072)					
			482595 No Brand	482596 Bridgestone (Radial) Firestone(Bias)	482597 Goodyear	482598 Galaxy(Bias) Primex(Radial)	482599 Michelin	482600 Titan
921G	23.5x25 L2 Bias-3pc 20PR	9420441	Available	Available	NA	Available	NA	Available
	23.5R25 L2 Radial-3pc	9420442	Available	Available	NA	Available	Available	NA
	23.5x25 L3 Bias-3pc 20PR	9420443	Available	Available	NA	Available	NA	NA
	23.5R25 L3 Radial-3pc	9420444	Available	Available	Available	Available	Available	Available
	23.5R25 Michelin Snoplus	9420497	NA	NA	NA	NA	Available	NA



**921G T4 FINAL ARTICULATED WHEEL LOADER
US PRICE LIST**

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
921G ZBAR T4 FINAL	52,000 LB		\$366,585.00
921G XR T4 FINAL			\$372,467.00

**921G T4 FINAL ARTICULATED WHEEL LOADER
US PRICE LIST****Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

TRANSMISSION

SD_V5500 TRANSMISSION

	424224	4-speed Transmission			No Charge
	424225	5-speed Transmission with Lockup Torque Converter, includes PowerInch progressive de-clutch Not for use with Trans Control Unit option 482918			\$3,159.00

AXLES

SD_15001 AXLES

	424775	Open differential axles Provides open type differentials in front and rear axles. Provides the same axle housing and structure as Heavy Duty Axles. Recommended for applications on hard surfaces, or with solid tires, ballast etc. Not for use with Trans Control Unit option 482918			No Charge
	424235	Heavy-duty Axles Same size axles as standard, but with automatic hydraulically-actuated differential lock on front axle, open differential on rear axle. Recommended for applications on hard surfaces, or with solid tires.			\$2,067.00

COOLING SYSTEM

SD_02018 RADIATOR OPTIONS

	782454	Cooling System w/Hyd. Cooler Includes hydraulic oil cooler Not for use with Cold Weather Package option 482322			No Charge
	482585	Cooling System w/Reversing Fan Includes hydraulic oil cooler, reversing and variable speed fan. This code is recommended for use in trash and high debris applications.			\$816.00

**921G T4 FINAL ARTICULATED WHEEL LOADER
US PRICE LIST**

NOISE SUPPRESSION

SD_05134 SOUND SUPPRESSION

		X05134X	NO SOUND SUPPRESSION PACKAGE			No Charge
		782559	Sound Suppression Package This package includes sound insulating material to reduce the exterior noise by 1 to 2 dBA.			\$400.00

OPERATOR'S PROTECTIVE STRUCTURE

SD_05127 CAB

		782439	Cab with heater			(\$2,500.00)
		782440	Cab with heater and a/c			No Charge

SD_05105 SEAT BELT

		734056	2 Inch Seat Belt			No Charge
		734057	3 Inch Seat Belt CA State Requirement			\$25.00

SD_05129 OPERATOR'S SEAT

		734072	Mechanical Suspension Seat			No Charge
		734073	Heated Air Suspension Seat			\$525.00
		734085	Premium Seat w/ Headrest *** Estimated Available Date to Order: January 2017 *** Contact your SSM for more details Premium leather seat with active suspension. Has an electronic auto-weight adjustment and Dynamic Dampening System. Comes with a heating switch, wider armrests, an adjustable backrest and you can adjust the seats height. Also includes a Low Frequency Absorber and a Fore/Aft Isolator for a comfortable ride.			\$4,285.00

SD_05060 HEADREST

		X05060X	No Headrest			No Charge
		782774	Headrest			\$130.00

SD_05136 RADIO OPTION

		X05136X	No Radio			No Charge
		482134	Radio ready Includes two 12V outlets, antenna, speakers, radio bracket, wiring harness, fuse and 20 amp 24V to 12V converter.			\$498.00

**921G T4 FINAL ARTICULATED WHEEL LOADER
US PRICE LIST**

		782114	AM/FM Bluetooth Stereo Radio Includes remote tuner/amplifier chassis, antenna, speakers, and auxiliary input jack for portable MP3 or CD players. This is a 12V radio with 20 amp converter.			\$899.00
--	--	--------	--	--	--	----------

SD_05042 CONVENIENCE PACKAGE

		X05042X	No Convenience Package			No Charge
		782777	Operator Convenience Package Includes a rear sun shade, an interior mirror, an under the seat drawer, a coat hook, a 12V accessory port, and an ash tray.			\$281.00

STEERING SYSTEM

SD_20111 HYDRAULIC STEERING

		782441	Standard Hydraulic Steering Does NOT include secondary steering system			No Charge
		782442	Secondary Steering System Includes secondary steering system that supplies hydraulic pressure to the steering circuit in a dead engine situation.			\$4,675.00
		482930	Joystick w/o Secondary Steering Redesigned Joystick steering without secondary steering system. Left-hand mounted joystick steering package with separate transmission speed and transmission control. Steering-wheel steering system is also included, allows operator to quickly switch between joystick and steering wheel steering.			\$7,489.00
		482913	Joystick w/ Secondary Steering Redesigned Joystick steering with secondary steering system that supplies hydraulic pressure to the steering circuit, if required. Left-hand mounted joystick steering package with separate transmission speed and transmission control. Steering-wheel steering system is also included, allows operator to quickly switch between joystick and steering wheel steering.			\$12,169.00

HYDRAULIC CONTROL VALVES

SD_20195 CONTROL VALVES

		734052	Joystick One Joystick controls loader lift arms and bucket.			No Charge
		734051	2 Levers *** Estimated Available Date to Order: January 2017 *** Contact your SSM for more details Left lever controls bucket and right lever controls loader lift arms.			\$212.00

**921G T4 FINAL ARTICULATED WHEEL LOADER
US PRICE LIST**

		734053	2 Lever with 1 Aux Function *** Estimated Available Date to Order: January 2017 *** Contact your SSM for more details First lever controls auxiliary functions, second lever controls bucket and third lever controls loader lift arms (includes hydraulic lines to lift arm cross tubes)			\$1,738.00
		734054	Joystick with 1 Aux Function Joystick controls loader lift arms and bucket, a proportional roller switch on the joystick controls auxiliary hydraulics (includes hydraulic lines to lift arm cross tube).			\$1,972.00
		734055	Joystick with 2 Aux Functions Joystick controls loader lift arms and bucket, two proportional roller switches on the joystick controls auxiliary hydraulics (includes hydraulic lines to lift arm cross tube).			\$3,636.00

STEPS, PLATFORMS AND FENDERS

SD_18009 STEPS/REAR FENDERS

		782509	STANDARD FENDERS W/ LH STEPS Left hand steps with front and rear standard width fenders			No Charge
		782510	STANDARD FENDERS W/LH/RH STEPS Left and right hand steps with front and rear standard width fenders			\$513.00
		782511	Wide Fenders w/RH & LH Steps Left and right hand steps with front and rear FULL WIDTH COVERAGE (wide fenders)			\$1,457.00

WHEELS AND TIRES

SD_16072 TIRE BRAND PREFERENCE

		482595	No Tire Brand Preference			No Charge
		482596	Firestone/Bridgestone Brand			\$1,442.00
		482597	Goodyear Brand			\$965.00
		482598	Galaxy/Primex Brand			\$965.00
		482599	Michelin Brand			\$4,691.00
		482600	Titan/General Brand			\$965.00

TIRES

SD_16012 4WS WHEELS

		9420441	23.5x25 L2 Bias (3 pc rim) 20 PR. Reference "Tire Matrix" page for brand availability.			No Charge
		9420442	23.5R25 L2 Radial (3 pc rim) Reference "Tire Matrix" page for brand availability.			\$9,879.00

**921G T4 FINAL ARTICULATED WHEEL LOADER
US PRICE LIST**

		9420443	23.5x25 L3 Bias (3 pc rim) Reference "Tire Matrix" page for brand availability.			\$1,696.00
		9420444	23.5R25 L3 Radial (3 pc rim) Reference "Tire Matrix" page for brand availability.			\$10,187.00
		9420497	23.5R25 Michelin Snoplus Must also order Michelin Brand tire brand preference option 482599			\$15,859.00

SD_21015 CONTROL UNIT FOR TRANS

		X21015X	No Control Unit for Power			No Charge
		482918	Trans Control Unit Limits unit speed to 12 mph (20 kph). For use with solid tires.			No Charge

SPARE TIRES

SD_16043 SPARE RIM

		X16043X	NO SPARE WHEEL			No Charge
		424242	Wheels Only - 25 x 19.5 (3pc)			\$1,876.00

SD_16049 EXTRA WHEELS, TIRES AND RIMS

		X16049X	No Extra Wheels and Tires			No Charge
		424788	23.5x25 L2 Bias (3 pc rim)			
			if TIRE BRAND PREFERENCE is Titan/General Brand			\$4,611.00
			if TIRE BRAND PREFERENCE is No Tire Brand Preference			\$4,611.00
			if TIRE BRAND PREFERENCE is Galaxy/Primex Brand			\$4,611.00
			if TIRE BRAND PREFERENCE is Firestone/Bridgestone Brand			\$4,733.00
		424789	23.5R25 L2 Radial (3 pc rim)			
			if TIRE BRAND PREFERENCE is Galaxy/Primex Brand			\$7,987.00
			if TIRE BRAND PREFERENCE is No Tire Brand Preference			\$7,987.00
			if TIRE BRAND PREFERENCE is Firestone/Bridgestone Brand			\$8,109.00
			if TIRE BRAND PREFERENCE is Michelin Brand			\$8,920.00
		424790	23.5x25 L3 Bias (3 pc rim)			
			if TIRE BRAND PREFERENCE is Galaxy/Primex Brand			\$4,733.00
			if TIRE BRAND PREFERENCE is No Tire Brand Preference			\$4,733.00
			if TIRE BRAND PREFERENCE is Firestone/Bridgestone Brand			\$4,855.00
		424791	23.5R25 L3 Radial (3 pc rim)			
			if TIRE BRAND PREFERENCE is Galaxy/Primex Brand			\$10,377.00
			if TIRE BRAND PREFERENCE is Titan/General Brand			\$10,377.00
			if TIRE BRAND PREFERENCE is No Tire Brand Preference			\$10,377.00
			if TIRE BRAND PREFERENCE is Goodyear Brand			\$10,377.00
			if TIRE BRAND PREFERENCE is Firestone/Bridgestone Brand			\$10,494.00
			if TIRE BRAND PREFERENCE is Michelin Brand			\$11,305.00
		734042	23.5R25 Michelin Snoplus			\$8,250.00

**921G T4 FINAL ARTICULATED WHEEL LOADER
US PRICE LIST**

PIN-ON ATTACHMENTS

SD_V5202 BUCKETS, PINS & COUPLERS

		XV5202X	No Bucket No Pins Included.			(\$541.00)
		782537	Bucket Pins, No Bkt or Coupler Includes pins to attach Bucket or Coupler. For use with the 921G ZBar or XR commercial model. ADDITIONAL BUCKETS AVAILABLE from Attachment Catalog: refer to PM-15851 CASE CE-US, PM-15852 CASE CE-CAN Light Material, pin-on buckets with BOE, sizes: 5.5, 6.0, 7.0, 8.0 cu. yd. (Refer to catalog for max. material densities)			No Charge
Coupler System						
		482047	CNH Coupler - JRB Compatible Case Coupler is compatible with JRB 418 Series Attachments.			\$8,639.00
		734006	CNH Coupler - ACS Compatible Case Coupler is comparable to the ACS Pro Series 2000 Size 60 Coupler.			\$10,282.00
		424999	4.0 cu. yd. w/CNH Coupler(JRB) 3.8 cu. yd. (2.9 cu. m.) heaped capacity CNH Coupler and Bucket packages are compatible with JRB 418 Series attachments. Order with teeth or bolt-on cutting edge from BUCKET ACCESSORIES section. Segmented edges are only available through Parts.			\$26,844.00
		734000	3.8 cu. yd. w/CNH Coupler(JRB)			\$25,546.00
		734011	4.0 cu. yd. w/CNH Coupler(ACS) Base bucket with teeth provides 3.8 cu. yd. (2.9 cu. m.) heaped capacity. Bucket with teeth and segmented edges or full length bolt-on cutting edge provides 4.0 cu. yd. (3.1 cu. m.) Case Coupler is comparable to the ACS Pro Series 2000 Size 60 Coupler. Hydraulic latching and hydraulic supply kit. Order with teeth or bolt-on cutting edge from BUCKET ACCESSORIES section. Segmented edges are only available through Parts. Light Material buckets are available in the Attachment Price Book.			\$27,914.00
High Density Materials						
		424257	4.0 cu. yd. pin on bucket 4.0 cu yd (3.1m) pin on bucket with bolt on cutting edge or 3.8 cu yd (2.9m) with teeth.			\$13,419.00

**921G T4 FINAL ARTICULATED WHEEL LOADER
US PRICE LIST**

		424906	4.75 cu. yd. pin on bucket Base bucket with teeth provides 4.6 cu. yd. (3.5 cu. m.) heaped capacity. Bucket with teeth and segmented edges or full length bolt-on cutting edge provides 4.75 cu. yd. (3.63 cu. m.) heaped capacity. Order with teeth or bolt-on cutting edge from BUCKET ACCESSORIES section. Segmented edges are only available through Parts.			\$16,525.00
--	--	--------	---	--	--	-------------

SD_V5203 BUCKET ACCESSORIES

		XV5203X	No Bucket Accessories For use with No bucket, Bucket pins only			No Charge
		424250	Full length bolt-on edge Includes bolt-on cutting edge (BOCE). All sections are reversible. Skid plates included.			No Charge
		424249	Teeth Accessory CNH Smart-fit teeth. Skid plated included. Does not include segmented edges. Segmented edges are only available through Parts.			\$557.00

SD_50060 LOCKING HYDRAULICS

		X50060X	No Locking Hydraulics			No Charge
		424911	Locking Hydraulic for Coupler Used to actuate coupler locking pins and latching mechanisms fitted to machine. Oil supplied by pilot circuit 3447 kPa (500 psi) maximum pressure. Includes rocker switch, solenoid valve, hoses to lift arm cross tube and mounting hardware. Provides hydraulic lines to operate an aftermarket coupler. The factory-supplied couplers include the hydraulic lines to operate the coupler.			\$731.00

COUNTERWEIGHTS

SD_40003 COUNTERWEIGHT

		782895	Light Counterweight			(\$1,400.00)
		482059	Heavy Counterweight Additional 1365 lbs.			No Charge

DECALS AND LITERATURE

SD_32003 DECALS & LITERATURE

		482105	English Literature			No Charge
		482106	French Literature			No Charge
		482107	Spanish Literature			No Charge

**921G T4 FINAL ARTICULATED WHEEL LOADER
US PRICE LIST**

ADDITIONAL EQUIPMENT WHL

MISCELLANEOUS

SD_02025 COLD WEATHER STARTING

		X02025X	No Grid Heater/Cold Start			No Charge
		482322	Cold Weather package Includes: Heavy duty batteries (2 x 950 CCA), Low-temp Hytran Ultra hydraulic oil, hydraulic oil cooler bypass, engine block heater, air-intake grid heater and fuel warmer. Requires 482585 Cooling System with Reversing Fan			\$2,435.00

SD_02055 AIR PRECLEANER

		X02055X	NO PRE-CLEANER			No Charge
		482015	FULL-VIEW AIR PRE-CLEANER			\$530.00
		424223	Ejector Type Precleaner Sy-Klone brand			\$541.00

SD_05093 EXTERIOR REAR VIEW MIRRORS

		X05093X	NO RIGHT/LEFT REAR VIEW MIRROR			No Charge
		782203	RIGHT/LEFT REAR VIEW MIRRORS			\$260.00
		734005	Right/Left Heated Mirrors			\$710.00

SD_06069 ADDITIONAL WORK LIGHTS

		734067	Halogen 2 front 2 rear			No Charge
		734068	LED 2 front 2 rear			\$498.00
		734069	LED 4 front 2 rear			\$942.00

SD_15002 AXLE STOPS

		X15002X	NO REAR AXLE STOP TIRE 20.5X25			No Charge
		782983	Axle Oscillation Stops Used when tires are fitted with tire chains. Use of the stops prevents chains from contacting the fender mounting brackets.			\$223.00

SD_30002 BRACKET LICENSE PLATE

		X30002X	No License Plate Bracket			No Charge
		482140	License Plate Bracket Front bracket and rear lit bracket			\$101.00

SD_30047 BEACON

		X30047X	No Beacon Light Wire Ready - No Switch/Mounting Plate			No Charge
		782108	Rotating LED amber beacon Includes switch, wiring, fuse and beacon. Beacon is shipped loose in cab.			\$519.00

**921G T4 FINAL ARTICULATED WHEEL LOADER
US PRICE LIST**

SD_43004 TOOL BOX RH

		X43004X	No Tool Box			No Charge
		482141	TOOL BOX			\$292.00

SD_V9001 REAR VIEW ACCESSORIES

		XV9001X	No Rear View Camera			No Charge
		424234	Rear View Camera Rear mounted camera with display monitor mounted to accessory mount vertical bar in-line with cab pillar.			\$1,300.00

OPERATOR'S PROTECTIVE STRUCTURE OPTIONS

SD_30005 FIRE EXTINGUISHER

		X30005X	No Fire Extinguisher			No Charge
		780100	Fire Extinguisher			\$154.00

HYDRAULIC SYSTEM AND LATCHING OPTIONS

SD_20178 RIDE CONTROL

		X20178X	No Ride Control			No Charge
		782503	RIDE CONTROL Provides hydraulic cushioning of loader lift arms.			\$5,952.00

PROTECTION AND SHIELDING OPTIONS

SD_39008 SIDE COVERS

		X39008X	No Side Covers			No Charge
		782897	Rear Frame Side Covers Enclose the access openings to the transmission and remote drain cover. These are bolt-on covers. Recommended for waste handling and other debris applications.			\$519.00

SD_39038 SKID PLATE

		X39038X	No Skid Plate/Transmission Grd			No Charge
		482027	Skid Plate/Transmission Guard			\$1,219.00

**1021G T4 FINAL ARTICULATED WHEEL LOADERS
US PRICE LIST**

**(Ex Works Fargo, ND)
Standard Equipment**

ENGINE:

Case/FPT - F2CFE614H
Tier 4 Final Certified (SCR)
Displacement: 531 cu. in. (8.7 L)
Max Power Range:
- Net Rated 262 hp
(195 kW) @ 2100 rpm
- Peak Net 296 hp
(221 kW) @ 1800 rpm
Selectable work modes
Air-to-air aftercooler, turbocharger
Anti-freeze solution -34°F (-37°C)
Fuel Tank: 125 gal. U.S. (473 L)
DEF Tank 24 gal. (90.8 L)
Air cleaner - 2 stage with radial seal
elements
Hydraulically driven fan with guard
Common rail electronic fuel injection
Rear-mounted cooling module
Auto idle control
Auto shutdown (idle reduction device)

OPERATOR'S PROTECTIVE
STRUCTURE:

Cab with ROPS, AC and heater
Wipers, rear and intermittent front
Rear grid defroster
Suspension seat, with 2" (50 mm)
seat belt
Storage tray, cup holder
Tilt-steering wheel with integral
steering knob
Fully adjustable wrist rest
Front sunscreen
(1) Interior rearview mirror

TRANSMISSION:

Speeds: 4F-3R
Computer controlled, full-power,
proportional shifting
Single lever electronic shift control on
steering column
FNR shuttle shift on hydraulic
controller
Programmable gear selection

Selectable fully-automatic and
manual modes
Electronic transmission disconnect
On-board diagnostics with fault code
storage and retrieval
Single, vertically mounted, spin-on oil
filter
Low Temperature Cooler by-pass valve

DRIVE TRAIN:
AXLES:

Open differentials - front & rear
Outboard planetary axles
26.5x25 L3 bias tires; 3-piece rims

HYDRAULICS:

Closed center hydraulics, Load Sensing
Vertically mounted, spin-on oil filter
O-ring face seal hydraulic fittings
Full-flow oil cooler
Cushioned steering cylinders
Low temperature cooler by-pass valve

LOADER SYSTEM:

Electro-hydraulic (EH) Joystick loader
control
Automatic return-to-dig, automatic
height control, and automatic
return-to-travel
Position indicator on bucket
Z-bar loader linkage - standard version
Single piece, flame cut, loader arms
-Ground level lubrication points

BRAKES:

4-Wheel, outboard mounted, wet disc
hydraulic brakes
Parking brake; switch actuated, spring
applied hydraulic release
Separate front and rear brake systems
Single brake pedal

**1021G T4 FINAL ARTICULATED WHEEL LOADERS
US PRICE LIST**

**(Ex Works Fargo, ND)
Standard Equipment**

INSTRUMENTATION:

LCD Monitor Display of:

1. Tachometer
2. Speedometer
3. Gear selected
4. Time
5. Transmission Diagnostics
6. Digital Gauges
7. Trip computer A/B
8. Warning Prompts
9. DeCluth Indication
10. Diff. Lock (if equipped)
11. Error Reporting
12. Engine Mode Indicator

Digital Gauges for:

1. Trans. Oil Temp.
2. DEF level
3. Fuel Level
4. Engine Coolant Temp.

Indicator Lights for:

1. Master warning (cautionary)
2. Master warning (critical)
3. Turn signals
4. Steering pressure (low)
5. Low fuel
6. Brake pressure
7. High beam
8. Grid heater
9. Parking brake

Maintenance Reminders

1. Cab air filters
2. DEF tank vent filter
3. Engine air & oil filter
4. SCR supply filter
5. Hydraulic oil and filter
6. Engine coolant
7. Fuel pre-filter

ELECTRICAL:

24 volt system
2 - 12V (CCA) batteries
Halogen lights:
2 front flood (top mtd.)
2 front driving (hi/lo beam)
2 rear flood (top mtd.)
LED stop/tail lights
Front and rear turn signals and
flashers
Alternator: 120 amp
Battery isolator / Electrical disconnect
Horn
Backup alarm
Electric hood
Remote jump start posts

OTHER BASIC EQUIPMENT:

Articulation and loader lift arm locking
bars
Standard Counterweight
Drawbar hitch (pins not included)
Front and rear fenders, partial
coverage
Remote drain points
Front and rear lift and tie down points
CASE ProCare
3-yr/3000-hr factory warranty,
planned maintenance and
SiteWatch™ telematics
CASE SiteWatch™ Telematics
includes hardware and a 3-yr
Advanced data subscription
Telematics antenna installed under cab
roof
Special Paint available upon request
please contact your SSM for pricing
and availability
Factory Supplied Attachments require
a loose attachment order. Cannot be
ordered as an added attachment.

Tire Matrix								
Model	Tire & Rim Type	OPT (FCS 16012)	Brand (FCS 16072)					
			482595 No Brand	482596 Bridgestone (Radial) Firestone(Bias)	482597 Goodyear	482598 Galaxy(Bias) Primex(Radial)	482599 Michelin	482600 Titan
1021G	26.5x25 L3 Bias-3pc 20PR	9420446	Available	Available	NA	Available	NA	NA
	26.5R25 L3 Radial-3pc	9420447	Available	Available	Available	Available	Available	Available
	26.5x25 L5 Bias-3pc 20PR	9420449	Available	Available	NA	NA	NA	NA
	26.5R25 L5 Radial-3pc	9420812	Available	Available	NA	NA	Available	NA



**1021G T4 FINAL ARTICULATED WHEEL LOADERS
US PRICE LIST**

(Ex Works Fargo, ND)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
1021G ZBAR T4 FINAL	56,000 LB		\$460,561.00
1021G XR T4 FINAL			\$492,520.00

**1021G T4 FINAL ARTICULATED WHEEL LOADERS
US PRICE LIST**

(Ex Works Fargo, ND)

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

AXLES

SD_15001 AXLES

	734046	Open Diff Axles w/o Coolers Provides open type differentials in front and rear axles. Axles have bronze brakes. Recommended for applications on hard surfaces. Not for use with Trans Control Unit option 482918 Not for use with 1021G XR commercial model			No Charge
	424775	Open differential axles Provides open type differentials in front and rear axles. Axles have coolers and bronze brakes. Recommended for applications on hard surfaces. Not for use with Trans Control Unit option 482918 Not for use with 1021G XR commercial model			\$5,312.00
	734045	Heavy Duty Axles w/o Coolers Larger size axles front and rear with automatic hydraulically-actuated differential lock on front axle, open differential on rear axle. Recommended for applications on all surfaces, with solid, or pneumatic tires. For all applications requiring large buckets and heavy operating loads. Automatic selection with XR linkage. Axles have bronze brakes.			\$18,595.00
	424235	Heavy-duty Axles Larger size axles front and rear with automatic hydraulically-actuated differential lock on front axle, open differential on rear axle. Recommended for applications on all surfaces, with solid, or pneumatic tires. For all applications requiring large buckets and heavy operating loads. Automatic selection with XR linkage. Axles have coolers and bronze brakes.			\$23,942.00

COOLING SYSTEM

SD_02018 RADIATOR OPTIONS

	782454	Cooling System w/Hyd. Cooler Includes hydraulic oil cooler Not for use with Cold Weather Package option 482322			No Charge
--	--------	--	--	--	-----------

**1021G T4 FINAL ARTICULATED WHEEL LOADERS
US PRICE LIST**

(Ex Works Fargo, ND)

		482585	Cooling System w/Reversing Fan Includes hydraulic oil cooler, reversing and variable speed fan. This code is recommended for use in trash and high debris applications.			\$885.00
--	--	--------	---	--	--	----------

NOISE SUPPRESSION

SD_05134 SOUND SUPPRESSION

		X05134X	NO SOUND SUPPRESSION PACKAGE			No Charge
		782559	Sound Supression Package This package includes sound insulating material to reduce the exterior noise by 1 to 2 dBA.			\$400.00

OPERATOR'S PROTECTIVE STRUCTURE

SD_05105 SEAT BELT

		734056	2 Inch Seat Belt			No Charge
		734057	3 Inch Seat Belt CA State Requirement			\$25.00

SD_05129 OPERATOR'S SEAT

		734072	Mechanical Suspension Seat			No Charge
		734073	Heated Air Suspension Seat			\$525.00
		734085	Premium Seat w/ Headrest *** Estimated Available Date to Order: January 2017 *** Contact your SSM for more details Premium leather seat with active suspension. Has an electronic auto-weight adjustment and Dynamic Dampening System. Comes with a heating switch, wider armrests, an adjustable backrest and you can adjust the seats height. Also includes a Low Frequency Absorber and a Fore/Aft Isolator for a comfortable ride.			\$4,285.00

SD_05060 HEADREST

		X05060X	No Headrest			No Charge
		782774	Headrest			\$130.00

SD_05136 RADIO OPTION

		X05136X	No Radio			No Charge
		482134	Radio ready Includes two 12V outlets, antenna, speakers, radio bracket, wiring harness, fuse and 20 amp 24V to 12V converter.			\$470.00

**1021G T4 FINAL ARTICULATED WHEEL LOADERS
US PRICE LIST**

(Ex Works Fargo, ND)

		782114	AM/FM Bluetooth Stereo Radio Includes remote tuner/amplifier chassis, antenna, speakers, and auxiliary input jack for portable MP3 or CD players. This is a 12V radio with 20 amp converter.			\$899.00
--	--	--------	--	--	--	----------

SD_05042 CONVENIENCE PACKAGE

		X05042X	No Convenience Package			No Charge
		782777	Operator Convenience Package Includes a rear sun shade, an interior mirror, an under the seat drawer, a coat hook, a 12V accessory port, and an ash tray.			\$265.00

STEERING SYSTEM

SD_20111 HYDRAULIC STEERING

		782441	Standard Hydraulic Steering Does NOT include secondary steering system			No Charge
		782442	Secondary Steering System Includes secondary steering system that supplies hydraulic pressure to the steering circuit in a dead engine situation.			\$5,220.00
		482930	Joystick w/o Secondary Steering Redesigned Joystick steering without secondary steering system. Left-hand mounted joystick steering package with separate transmission speed and transmission control. Steering-wheel steering system is also included, allows operator to quickly switch between joystick and steering wheel steering.			\$8,355.00
		482913	Joystick w/ Secondary Steering Redesigned Joystick steering with secondary steering system that supplies hydraulic pressure to the steering circuit, if required. Left-hand mounted joystick steering package with separate transmission speed and transmission control. Steering-wheel steering system is also included, allows operator to quickly switch between joystick and steering wheel steering.			\$13,575.00

HYDRAULIC CONTROL VALVES

SD_20195 CONTROL VALVES

		734052	Joystick One Joystick controls loader lift arms and bucket.			No Charge
		734051	2 Levers *** Estimated Available Date to Order: January 2017 *** Contact your SSM for more details Left lever controls bucket and right lever controls loader lift arms.			\$200.00

**1021G T4 FINAL ARTICULATED WHEEL LOADERS
US PRICE LIST**

(Ex Works Fargo, ND)

		734053	2 Lever with 1 Aux Function *** Estimated Available Date to Order: January 2017 *** Contact your SSM for more details First lever controls auxiliary functions, second lever controls bucket and third lever controls loader lift arms (includes hydraulic lines to lift arm cross tubes).			\$1,885.00
		734054	Joystick with 1 Aux Function Joystick controls loader lift arms and bucket, a proportional roller switch on the joystick controls auxiliary hydraulics (includes hydraulic lines to lift arm cross tube).			\$2,140.00
		734055	Joystick with 2 Aux Functions Joystick controls loader lift arms and bucket, two proportional roller switches on the joystick controls auxiliary hydraulics (includes hydraulic lines to lift arm cross tube).			\$3,636.00

STEPS, PLATFORMS AND FENDERS

SD_18009 STEPS/REAR FENDERS

		782510	STANDARD FENDERS W/LH/RH STEPS Left and right hand steps with front and rear standard width fenders			No Charge
		782511	Wide Fenders w/RH & LH Steps Left and right hand steps with front and rear FULL WIDTH COVERAGE wide fenders.			\$3,500.00

WHEELS AND TIRES

SD_16072 TIRE BRAND PREFERENCE

		482595	No Tire Brand Preference			No Charge
		482596	Firestone/Bridgestone Brand			\$1,360.00
		482597	Goodyear Brand			\$910.00
		482598	Galaxy/Primex Brand			\$910.00
		482599	Michelin Brand			\$4,425.00
		482600	Titan/General Brand			\$910.00

TIRES

SD_16012 4WS WHEELS

		9420446	26.5x25 L3 Bias (3 pc rim) 20 PR. Reference "Tire Matrix" page for brand availability.			No Charge
		9420447	26.5R25 L3 Radial (3 pc rim) Reference "Tire Matrix" page for brand availability.			\$6,245.00
		9420449	26.5x25 L5 Bias (3 pc rim) 20 PR. Reference "Tire Matrix" page for brand availability.			\$12,255.00

**1021G T4 FINAL ARTICULATED WHEEL LOADERS
US PRICE LIST**

(Ex Works Fargo, ND)

		9420812	26.5R25 L5 Radial (3 pc rim) Reference "Tire Matrix" page for brand availability.			\$37,830.00
--	--	---------	---	--	--	-------------

SD_21015 CONTROL UNIT FOR TRANS

		X21015X	No Control Unit for Power			No Charge
		482918	Trans Control Unit Limits unit speed to 12 mph (20 kph). For use with solid tires.			No Charge

PIN-ON ATTACHMENTS

SD_V5202 BUCKETS, PINS & COUPLERS

		XV5202X	No Bucket No Pins Included.			(\$585.00)
		782537	Bucket Pins, No Bkt or Coupler Includes pins to attach Bucket or Coupler. ADDITIONAL BUCKETS AVAILABLE from Attachment Catalog: refer to PM-15851 CASE CE-US, PM-15852 CASE CE-CAN Light Material, pin-on buckets with BOE, sizes: 7.0, 8.0, 9.0 cu. yd Rock bkts, straight edge available in sizes: 4.75, 5.25, 5.5, 6.25 cu. yd. Rock bkts, spade edge available in sizes: 4.75, 5.25, 5.5, 6.25 cu. yd. (Refer to catalog for max. material densities)			No Charge
		424906	4.75 cu. yd. pin on bucket Base bucket with teeth provides 4.6 cu. yd. (3.5 cu. m.) heaped capacity. Bucket with teeth and segmented edges or full length bolt-on cutting edge (BOCE) provides 4.75 cu. yd. (3.63 cu. m.) heaped capacity. Order with teeth or bolt-on cutting edge from Bucket Accessories section. Segmented edges are only available through Parts.			\$16,355.00
		424246	5.5 cu. yd. pin on bucket Base bucket with teeth provides 5.3 cu. yd. (4.1 cu. m.) heaped capacity. Bucket with teeth and segmented edges or full length bolt-on cutting edge (BOCE) provides 5.5 cu. yd. (4.2 cu. m.) heaped capacity. Order with teeth or bolt-on cutting edge from Bucket Accessories section. Segmented edges are only available through Parts.			\$16,935.00

SD_V5203 BUCKET ACCESSORIES

		XV5203X	No Bucket Accessories For use with No bucket, Bucket pins only			No Charge
		424250	Full length bolt-on edge Includes bolt-on cutting edge (BOCE). All sections are reversible. Skid plates included.			No Charge

**1021G T4 FINAL ARTICULATED WHEEL LOADERS
US PRICE LIST**

(Ex Works Fargo, ND)

		424249	Teeth Accessory CNH Smart-fit teeth. Skid plates included. Does not include segmented edges. Segmented edges are only available through Parts.			\$525.00
--	--	--------	--	--	--	----------

DECALS AND LITERATURE

SD_32003 DECALS & LITERATURE

		482105	English Literature			No Charge
		482106	French Literature			No Charge
		482107	Spanish Literature			No Charge

ADDITIONAL EQUIPMENT WHL

MISCELLANEOUS

SD_02025 COLD WEATHER STARTING

		X02025X	No Grid Heater/Cold Start			No Charge
		482322	Cold Weather package Includes: Low-temp Hytran Ultra hydraulic oil, hydraulic oil cooler bypass, engine block heater, air-intake grid heater, and fuel warmer. Requires: 482585 Cooling System with Reversing Fan			\$2,520.00

SD_02055 AIR PRECLEANER

		X02055X	NO PRE-CLEANER Includes aspirator air cleaner with rain cap			No Charge
		424223	Ejector Type Precleaner Sy-Klone brand			\$700.00

SD_05093 EXTERIOR REAR VIEW MIRRORS

		X05093X	NO RIGHT/LEFT REAR VIEW MIRROR			No Charge
		782203	RIGHT/LEFT REAR VIEW MIRRORS			\$245.00
		734005	Right/Left Heated Mirrors			\$670.00

SD_06069 ADDITIONAL WORK LIGHTS

		734067	Halogen 2 front 2 rear			No Charge
		734068	LED 2 front 2 rear			\$498.00
		734069	LED 4 front 2 rear			\$942.00

SD_15002 AXLE STOPS

		X15002X	NO REAR AXLE STOP TIRE 20.5X25			No Charge
		782983	Axle Oscillation Stops Used when tires are fitted with tire chains. Use of the stops prevents chains from contacting the fender mounting brackets.			\$240.00

**1021G T4 FINAL ARTICULATED WHEEL LOADERS
US PRICE LIST**

(Ex Works Fargo, ND)

SD_30002 BRACKET LICENSE PLATE

		X30002X	No License Plate Bracket			No Charge
		482140	License Plate Bracket Front bracket and rear lit bracket			\$95.00

SD_30047 BEACON

		X30047X	No Beacon Light			No Charge
		782108	Rotating LED amber beacon Includes switch, wiring, fuse and beacon. Beacon is shipped loose in cab.			\$490.00

SD_43004 TOOL BOX RH

		X43004X	No Tool Box			No Charge
		482141	TOOL BOX			\$275.00

SD_V9001 REAR VIEW ACCESSORIES

		XV9001X	No Rear View Camera			No Charge
		424234	Rear View Camera Rear view camera with overlay lines.			\$1,300.00

OPERATOR'S PROTECTIVE STRUCTURE OPTIONS

SD_30005 FIRE EXTINGUISHER

		X30005X	No Fire Extinguisher			No Charge
		780100	Fire Extinguisher			\$145.00

HYDRAULIC SYSTEM AND LATCHING OPTIONS

SD_20178 RIDE CONTROL

		X20178X	No Ride Control			No Charge
		782503	RIDE CONTROL Provides hydraulic cushioning of loader lift arms.			\$6,740.00

PROTECTION AND SHIELDING OPTIONS

SD_39008 SIDE COVERS

		X39008X	No Side Covers			No Charge
		782897	Rear Frame Side Covers Enclose the access openings to the transmission and remote drain cover. These are bolt-on covers. Recommended for waste handling and other high debris applications.			\$590.00

1121G T4 FINAL ARTICULATED WHEEL LOADERS US PRICE LIST

Standard Equipment

ENGINE:

Case/FPT - F2CFE614F
Tier 4 Final Certified (SCR)
Displacement: 531 cu. in. (8.7 L)
Max Power:
- Net Rated 284 hp
(212 kW) @ 2100 rpm
- Peak Net 320 hp
(239 kW) @ 1800 rpm
Air-to-air aftercooler, turbocharger
Anti-freeze solution -34°F (-37°C)
Fuel Tank: 125 gal. U.S. (473 L)
DEF Tank: 24 gal. U.S. (90.8 L)
Air cleaner - 2 stage with radial seal
elements
Hydraulically driven fan with guard
Common rail electronic fuel injection
Rear-mounted cooling module
Auto shutdown (idle reduction device)
Auto idle control

OPERATOR'S PROTECTIVE**STRUCTURE:**

Cab with ROPS, AC and heater
Wipers, rear and intermittent front
Rear grid defroster
Suspension seat, with 2" (50 mm)
seat belt
Storage tray, cup holder
Tilt-steering wheel with integral
steering knob
Fully adjustable wrist rest
Front sunscreen
(1) Interior rearview mirror

DRIVE TRAIN:**AXLES:**

Heavy Duty - front & rear
Outboard planetary axles
26.5x25 L3 bias tires; 3-piece rims

TRANSMISSION:

Speeds: 4F-3R
Computer controlled, full-power,
proportional shifting
Single lever electronic shift control on
steering column
FNR shuttle shift on hydraulic
controller
Programmable gear selection
Selectable fully-automatic and
manual modes
Electronic transmission disconnect
On-board diagnostics with fault code
storage and retrieval
Single, vertically mounted, spin-on oil
filter
Low Temperature Cooler by-pass valve

HYDRAULICS:

Closed center hydraulics, Load Sensing
Vertically mounted, spin-on oil filter
O-ring face seal hydraulic fittings
Full-flow oil cooler
Cushioned steering cylinders
Low temperature cooler by-pass valve

LOADER SYSTEM:

Electro-hydraulic (EH) Joystick loader
control
Automatic return-to-dig, automatic
height control, and automatic
return-to-travel
Position indicator on bucket
Z-bar loader linkage - standard version
Single piece, flame cut, loader arms
-Ground level lubrication points

BRAKES:

4-Wheel, outboard mounted, wet disc
hydraulic brakes
Parking brake; switch actuated, spring
applied hydraulic release
Separate front and rear brake systems
Single brake pedal

**1121G T4 FINAL ARTICULATED WHEEL LOADERS
US PRICE LIST**

Standard Equipment

INSTRUMENTATION:

LCD Monitor Display of:

1. Tachometer
2. Speedometer
3. Gear selected
4. Time
5. Transmission Diagnostics
6. Digital Gauges
7. Trip computer A/B
8. Warning Prompts
9. DeCluth Indication
10. Diff. Lock (if equipped)
11. Error Reporting
12. Engine Mode Indicator

Digital Gauges for:

1. Trans. Oil Temp.
2. DEF level
3. Fuel Level
4. Engine Coolant Temp.

Indicator Lights for:

1. Master warning (cautionary)
2. Master warning (critical)
3. Turn signals
4. Steering pressure (low)
5. Low fuel
6. Brake pressure
7. High beam
8. Grid heater
9. Parking brake

Maintenance Reminders

1. Cab air filters
2. DEF tank vent filter
3. Engine air & oil filter
4. SCR supply filter
5. Hydraulic oil and filter
6. Engine coolant
7. Fuel pre-filter

ELECTRICAL:

- 24 volt system
- 2 - 12V (CCA) batteries
- Halogen lights:
 - 2 front flood (top mtd.)
 - 2 front driving (hi/lo beam)
 - 2 rear flood (top mtd.)
- LED stop/tail lights
- Front and rear turn signals and flashers
- Alternator: 120 amp
- Battery isolator / Electrical disconnect
- Horn
- Backup alarm
- Electric hood
- Remote jump start posts

OTHER BASIC EQUIPMENT:

- Articulation and loader lift arm locking bars
- Standard Counterweight
- Drawbar hitch (pins not included)
- Front and rear fenders, partial coverage
- Remote drain points
- Front and rear lift and tie down points
- CASE ProCare
 - 3-yr/3000-hr factory warranty,
 - planned maintenance and
 - SiteWatch™ telematics
- CASE SiteWatch™ Telematics
 - includes hardware and a 3-yr
 - Advanced data subscription
- Telematics antenna installed under cab roof
- Special Paint available upon request
 - please contact your SSM for pricing
 - and availability
- Factory Supplied Attachments require a loose attachment order. Cannot be ordered as an added attachment.

Tire Matrix								
Model	Tire & Rim Type	OPT (FCS 16012)	Brand (FCS 16072)					
			482595 No Brand	482596 Bridgestone (Radial) Firestone(Bias)	482597 Goodyear	482598 Galaxy(Bias) Primex(Radial)	482599 Michelin	482600 Titan
1121G	26.5x25 L3 Bias-3pc 20PR	9420446	Available	Available	NA	Available	NA	NA
	26.5R25 L3 Radial-3pc	9420447	Available	Available	Available	Available	Available	Available
	26.5x25 L5 Bias-3pc 20PR	9420449	Available	Available	NA	NA	NA	NA
	26.5R25 L5 Radial-3pc	9420812	Available	Available	NA	NA	Available	NA



**1121G T4 FINAL ARTICULATED WHEEL LOADERS
US PRICE LIST**

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
1121G ZBAR T4 FINAL	63,000 LB		\$497,520.00
1121G XR T4 FINAL			\$504,840.00

1121G T4 FINAL ARTICULATED WHEEL LOADERS
US PRICE LIST

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

AXLES

SD_15001 AXLES

		734045	Heavy Duty Axles w/o Coolers Automatic hydraulically-actuated differential lock on front axle, open differential on rear axle. Recommended for applications on all surfaces, or with solid or pneumatic tires. Axles bronze brakes.			No Charge
		424235	Heavy-duty Axles Automatic hydraulically-actuated differential lock on front axle, open differential on rear axle. Recommended for applications on all surfaces, or with solid or pneumatic tires. Axles have coolers and bronze brakes.			\$5,356.00

COOLING SYSTEM

SD_02018 RADIATOR OPTIONS

		782454	Cooling System w/Hyd. Cooler Includes hydraulic oil cooler Not for use with Cold Weather Package option 482322			No Charge
		482585	Cooling System w/Reversing Fan Includes hydraulic oil cooler, reversing and variable speed fan. This code is recommended for use in trash and high debris applications.			\$950.00

NOISE SUPPRESSION

SD_05134 SOUND SUPPRESSION

		X05134X	NO SOUND SUPPRESSION PACKAGE			No Charge
		782559	Sound Suppression Package This package includes sound insulating material to reduce the exterior noise by 1 to 2 dBA.			\$400.00

OPERATOR'S PROTECTIVE STRUCTURE

SD_05105 SEAT BELT

		734056	2 Inch Seat Belt			No Charge
--	--	--------	------------------	--	--	-----------

**1121G T4 FINAL ARTICULATED WHEEL LOADERS
US PRICE LIST**

		734057	3 Inch Seat Belt CA State Requirement			\$25.00
--	--	--------	---	--	--	---------

SD_05129 OPERATOR'S SEAT

		734072	Mechanical Suspension Seat			No Charge
		734073	Heated Air Suspension Seat			\$525.00
		734085	Premium Seat w/ Headrest *** Estimated Available Date to Order: January 2017 *** Contact your SSM for more details Premium leather seat with active suspension. Has an electronic auto-weight adjustment and Dynamic Dampening System. Comes with a heating switch, wider armrests, an adjustable backrest and you can adjust the seats height. Also includes a Low Frequency Absorber and a Fore/Aft Isolator for a comfortable ride.			\$4,285.00

SD_05060 HEADREST

		X05060X	No Headrest			No Charge
		782774	Headrest			\$130.00

SD_05136 RADIO OPTION

		X05136X	No Radio			No Charge
		482134	Radio ready Includes two 12V outlets, antenna, speakers, radio bracket, wiring harness, fuse and 20 amp 24V to 12V converter.			\$470.00
		782114	AM/FM Bluetooth Stereo Radio Includes remote tuner/amplifier chassis, antenna, speakers, and auxiliary input jack for portable MP3 or CD players. This is a 12V radio with 20 amp converter.			\$899.00

SD_05042 CONVENIENCE PACKAGE

		X05042X	No Convenience Package			No Charge
		782777	Operator Convenience Package Includes a rear sun shade, an interior mirror, an under the seat drawer, a coat hook, a 12V accessory port, and an ash tray.			\$265.00

STEERING SYSTEM

SD_20111 HYDRAULIC STEERING

		782441	Standard Hydraulic Steering Does NOT include secondary steering system			No Charge
--	--	--------	---	--	--	-----------

**1121G T4 FINAL ARTICULATED WHEEL LOADERS
US PRICE LIST**

		782442	Secondary Steering System Includes secondary steering system that supplies hydraulic pressure to the steering circuit in a dead engine situation.			\$5,220.00
		482930	Joystick w/oSecondary Steering Redesigned Joystick steering without secondary steering system. Left-hand mounted joystick steering package with separate transmission speed and transmission control. Steering-wheel steering system is also included, allows operator to quickly switch between joystick and steering wheel steering.			\$8,355.00
		482913	Joystick w/ Secondary Steering Redesigned Joystick steering with secondary steering system that supplies hydraulic pressure to the steering circuit, if required. Left-hand mounted joystick steering package with separate transmission speed and transmission control. Steering-wheel steering system is also included, allows operator to quickly switch between joystick and steering wheel steering.			\$13,575.00

HYDRAULIC CONTROL VALVES

SD_20195 CONTROL VALVES

		734052	Joystick One Joystick controls loader lift arms and bucket.			No Charge
		734051	2 Levers *** Estimated Available Date to Order: January 2017 *** Contact your SSM for more details Left lever controls bucket and right lever controls loader lift arms.			\$215.00
		734053	2 Lever with 1 Aux Function *** Estimated Available Date to Order: January 2017 *** Contact your SSM for more details First lever controls auxiliary functions, second lever controls bucket and third lever controls loader lift arms (includes hydraulic lines to lift arm cross tubes)			\$2,025.00
		734054	Joystick with 1 Aux Function Joystick controls loader lift arms and bucket, a proportional roller switch on the joystick controls auxiliary hydraulics (includes hydraulic lines to lift arm cross tube).			\$2,300.00
		734055	Joystick with 2 Aux Functions Joystick controls loader lift arms and bucket, two proportional roller switches on the joystick controls auxiliary hydraulics (includes hydraulic lines to lift arm cross tube).			\$3,636.00

1121G T4 FINAL ARTICULATED WHEEL LOADERS
US PRICE LIST

STEPS, PLATFORMS AND FENDERS

SD_18009 STEPS/REAR FENDERS

		782510	STANDARD FENDERS W/LH/RH STEPS Left and right hand steps with front and rear standard width fenders			No Charge
		782511	Wide Fenders w/RH & LH Steps Left and right hand steps with front and rear FULL WIDTH COVERAGE wide fenders			\$3,500.00

WHEELS AND TIRES

SD_16072 TIRE BRAND PREFERENCE

		482595	No Tire Brand Preference			No Charge
		482596	Firestone/Bridgestone Brand			\$1,360.00
		482597	Goodyear Brand			\$910.00
		482598	Galaxy/Primex Brand			\$910.00
		482599	Michelin Brand			\$4,425.00
		482600	Titan/General Brand			\$910.00

TIRES

SD_16012 4WS WHEELS

		9420446	26.5x25 L3 Bias (3 pc rim) 20 PR. Reference "Tire Matrix" page for brand availability.			No Charge
		9420447	26.5R25 L3 Radial (3 pc rim) Reference "Tire Matrix" page for brand availability.			\$6,245.00
		9420449	26.5x25 L5 Bias (3 pc rim) 20 PR. Reference "Tire Matrix" page for brand availability.			\$12,255.00
		9420812	26.5R25 L5 Radial (3 pc rim) Reference "Tire Matrix" page for brand availability.			\$37,830.00

SD_21015 CONTROL UNIT FOR TRANS

		X21015X	No Control Unit for Power			No Charge
		482918	Trans Control Unit Limits unit speed to 12 mph (20 kph). For use with solid tires.			No Charge

PIN-ON ATTACHMENTS

SD_V5202 BUCKETS, PINS & COUPLERS

		XV5202X	No Bucket No Pins Included.			(\$585.00)
--	--	---------	---------------------------------------	--	--	------------

**1121G T4 FINAL ARTICULATED WHEEL LOADERS
US PRICE LIST**

		782537	Bucket Pins, No Bkt or Coupler Includes pins to attach Bucket or Coupler. ADDITIONAL BUCKETS AVAILABLE from Attachment Catalog: refer to PM-15851 CASE CE-US, PM-15852 CASE CE-CAN Light Material, pin-on buckets with BOE, sizes: 7.0, 8.0, 9.0 cu. yd. Rock bkts, straight edge available in sizes: 4.75, 5.25, 5.5, 6.25 cu. yd. Rock bkts, spade edge available in sizes: 4.75, 5.25, 5.5, 6.25 cu. yd. (Refer to catalog for max. material densities)			No Charge
		424907	5.25 cu. yd. pin on bucket Base bucket with teeth provides 5.1 cu. yd. (3.90 cu. m.) heaped capacity. Bucket with teeth and segmented edges or full length bolt-on cutting edge (BOCE) provides 5.25 cu. yd. (4.01 cu. m.) heaped capacity. Order with teeth or bolt-on cutting edge from Bucket Accessories section. Segmented edges are only available through Parts.			\$16,620.00
		424908	6.25 cu. yd. pin on bucket Base bucket with teeth provides 6.1 cu. yd. (4.66 cu. m.) heaped capacity. Bucket with teeth and segmented edges or full length bolt-on cutting edge (BOCE) provides 6.25 cu. yd. (4.78 cu. m.) heaped capacity. Order with teeth or bolt-on cutting edge from Bucket Accessories section. Segmented edges are only available through Parts.			\$17,635.00

SD_V5203 BUCKET ACCESSORIES

		XV5203X	No Bucket Accessories For use with No bucket, Bucket pins only			No Charge
		424250	Full length bolt-on edge Includes bolt-on cutting edge (BOCE). All sections are reversible. Skid plates included.			No Charge
		424249	Teeth Accessory CNH Smart-fit teeth. Skid plates included. Does not include segmented edges. Segmented edges are only available through Parts.			\$525.00

DECALS AND LITERATURE

SD_32003 DECALS & LITERATURE

		482105	English Literature			No Charge
		482106	French Literature			No Charge
		482107	Spanish Literature			No Charge

**1121G T4 FINAL ARTICULATED WHEEL LOADERS
US PRICE LIST**

ADDITIONAL EQUIPMENT WHL

MISCELLANEOUS

SD_02025 COLD WEATHER STARTING

		X02025X	No Grid Heater/Cold Start			No Charge
		482322	Cold Weather package Includes: Low-temp Hytran Ultra hydraulic oil, hydraulic oil cooler bypass, engine block heater, air-intake, grid heater and fuel warmer. Requires: 482585 Cooling System with Reversing Fan			\$2,520.00

SD_02055 AIR PRECLEANER

		X02055X	NO PRE-CLEANER			No Charge
		424223	Ejector Type Precleaner Sy-Klone brand			\$700.00

SD_05093 EXTERIOR REAR VIEW MIRRORS

		X05093X	NO RIGHT/LEFT REAR VIEW MIRROR			No Charge
		782203	RIGHT/LEFT REAR VIEW MIRRORS			\$245.00
		734005	Right/Left Heated Mirrors			\$670.00

SD_06069 ADDITIONAL WORK LIGHTS

		734067	Halogen 2 front 2 rear			No Charge
		734068	LED 2 front 2 rear			\$498.00
		734069	LED 4 front 2 rear			\$942.00

SD_15002 AXLE STOPS

		X15002X	NO REAR AXLE STOP TIRE 20.5X25			No Charge
		782983	Axle Oscillation Stops Used when tires are fitted with tire chains. Use of the stops prevents chains from contacting the fender mounting brackets.			\$240.00

SD_30002 BRACKET LICENSE PLATE

		X30002X	No License Plate Bracket			No Charge
		482140	License Plate Bracket Front bracket and rear lit bracket			\$95.00

SD_30047 BEACON

		X30047X	No Beacon Light Wire Ready - No Switch/Mounting Plate			No Charge
		782108	Rotating LED amber beacon Includes switch, wiring, fuse and beacon. Beacon is shipped loose in cab.			\$490.00

SD_43004 TOOL BOX RH

		X43004X	No Tool Box			No Charge
--	--	---------	-------------	--	--	-----------



**1121G T4 FINAL ARTICULATED WHEEL LOADERS
US PRICE LIST**

		482141	TOOL BOX			\$275.00
--	--	--------	----------	--	--	----------

SD_V9001 REAR VIEW ACCESSORIES

		XV9001X	No Rear View Camera			No Charge
		424234	Rear View Camera			\$1,300.00

OPERATOR'S PROTECTIVE STRUCTURE OPTIONS

SD_30005 FIRE EXTINGUISHER

		X30005X	No Fire Extinguisher			No Charge
		780100	Fire Extinguisher			\$145.00

HYDRAULIC SYSTEM OPTIONS (REQUIRE SELECTION)

SD_20178 RIDE CONTROL

		X20178X	No Ride Control			No Charge
		782503	RIDE CONTROL Provides hydraulic cushioning of loader lift arms.			\$7,245.00

PROTECTION AND SHIELDING OPTIONS

SD_39008 SIDE COVERS

		X39008X	No Side Covers			No Charge
		782897	Rear Frame Side Covers			\$590.00