



Current Date 03Jan2020

## 710L BACKHOE LOADER

## 710L Standard Equipment

## COOLING SYSTEM:

Engine Radiator  
Engine Coolant -40 Degrees  
F (-40C)

Coolant Recovery Tank with  
Low Level Indicator

Oil-to-Water Engine Oil  
Cooler

Fold-Out, Hinged Cooling  
System

High Ambient Temperature  
Engine Coolant

## POWERTRAIN:

Powershift Transmission with  
Torque Converter

Electronic Transmission  
controller with on-board  
diagnostics Single

Electric transmission control  
lever (TCL) with integrated  
gear

selection Vertical Spin-on  
transmission Filter

Planetary Final Drives

Differential Lock, Foot Switch  
Activated, Protection On/Off  
Auto shutdown

Mechanical Limited Slip Front  
Wheel Drive

Hydrostatic Power Steering  
with Emergency Manual

Mode Power-Assisted

Hydraulic Service Brakes  
Inboard, Wet Disc, Self-

Adjusting and  
Self-Equalizing (Conforms to  
ISO 3450)

Parking/Emergency Brake:  
Independent of Service

Brakes (Conforms to  
ISO 3450) Spring Applied,  
Hydraulically Released, Wet  
Multi-Disc

## HYDRAULICS:

52 GPM (197 L/m) Axial

Piston Pump - PCLS Closed

2-Lever Pilot Controls with  
Pattern Selection Reversible  
Pad

Stabilizer Feet with  
integrated lock Stabilizer  
Valve with

Two-Direction Anti-Drift  
Valves

Less Bucket with Bucket Pins  
LOADER:

Return-To-Dig Feature

Bucket Level Indicator

Hydraulic Self-Leveling (anti-  
spill)

Single Lever Control with  
Electric Clutch Cut-off Switch

Less Bucket with Bucket Pins  
Loader Boom Service Lock

High-Visibility Loader Arms

## ELECTRICAL:

12 Volt System

120 Amp Alternator

(4) Four Front

Driving/Working, (4) Four

Rear Working and (2) Side

Docking Halogen Lights

(32,500 Candlepower Each)

(2) Front and (2) Rear Turn

Signal/ Flashing

(2) Rear Stop and Tail

(2) Rear Reflectors

Blade Type Multi-Fused

Circuits

Dual Batteries with 360 Min.

Reserve Capacity (1850

CCA)

Pre-wired for Rotating

Beacon

By-Pass Start Safety Cover

on Starter

Positive Terminal Battery

Covers

## OPERATOR STATION:

Modular Design ROPS/FOPS

Level 2 Canopy Isolation

Mounted with Molded

Engine Coolant Temperature  
Gauge

Fuel Gauge

Transmission Oil

Temperature Gauge

Electric Monitor System with

Audible and Visual Warning:

Air Cleaner restriction

Low Alternator Voltage

Engine Oil Pressure

Hydraulic Filter Restriction

Park Brake On-Off

Low Brake Pressure

Seat Belt

Engine Coolant Temperature

Fuel

Electric Hourmeter/

Tachometer / Voltmeter

Sealed Switch Module

Keyless Start

Machine Security

12 Volt Outlet

Horn (Conforms to SAE

J994, J1446)

Interior Rearview Mirror

(Conforms to SAE J985)

Rotary Hand Throttle

Suspended Foot Throttle

Built-In Operator's Manual

Storage Compartment

Built-In Cup Holder

Lockable Right Hand Storage

Coat Hook

## OVERALL VEHICLE:

(2) Front and (2) Rear Built-

In Tie Downs

One Piece Unitized

Construction Mainframe

600 lb. (272 Kg.) Auxiliary

Counterweight

Dent Resistant Rear Fenders

Vandal Protection Locking

for:

Engine Hood

Tool Box

Fuel Tank

Center system	Roof (Conforms to SAE J1040)	Hydraulic Reservoir
Dedicated Hydraulic Reservoir	Left and Right Front Access	DEF Tank
6 Micron Spin-On Replaceable Element	Slip-Resistant Steps and Ergonomically Located Handholds (Conforms to SAE J185)	Instrument Panel
"O" Ring Face Seal Connectors	Molded Floor Mat and Headliner	49 Gal. (185.5 L) Fuel Tank with Wide Mouth Filler Cap, Built in Water Strainer and Sump with Drain
Circuit Relief Valve Protection	Seat, Deluxe Deep Foam, Vinyl Cover, High Back with Adjustable:	4.3 Gal. (16.3 L) DEF Tank
Economy Mode	Suspension for Weight/Height	Reverse Warning Alarm
BACKHOE:	Fore-Aft	21L - 28 In. 18 PR Rear & 15 - 19.5 In. 12 PR Front Tires
17 Ft. 10 In. (5.4 m) Digging Depth	Lumbar Adjustment	Ground Level Fueling
Lift Mode Provides up to 10% Additional Cranning Capacity	Arm Rests	Remote Grease Bank for Front Axle
Backhoe Transport Lock Lever	3 In. Seat Belt with Retractor	Tilt Hood with (2) Service Positions
Swing Locking Pin Stored in Op. Station	Ride Control	JDLINK Ultimate in Approved Countries
	Tilt Steering	

Required - *You must select one from each category*



#### BASE MACHINE

Ex-Works Dubuque, Iowa, United States of America

As not all option codes have field kits, please review your order option codes and available kits prior to placing a machine order.

Description	Code	Price
710L BACKHOE LOADER	OAC0T	\$207,922.00



#### MACHINE CONNECTIVITY

Machine connectivity functions require cellular coverage. Usage of JDLINK System requires customer's acceptance of the terms of the John Deere Telematics System Contract.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

Description	Code	Price
JDLINK Ultimate 5 Year Subscription	170C	No Added Cost

Includes JDLINK hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and now includes all Ultimate Connectivity features - Wireless Data Transfer (WDT) enabling automatic data transfer from TimberMatic and Waratah H16 Measuring Systems to TimberManager and MyJohnDeere, supporting TimberOffice 5 Software. Additionally, Ultimate now includes Limited Internet features supporting optional ForestSight Solutions such as advance mapping systems and Remote Display Access (RDA) features supported by TeamViewer applications. JDLINK utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLINK hardware to restore functionality. Includes 5 year subscription. Annual subscription

renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to [www.StellarSupport.com](http://www.StellarSupport.com) to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at [www.JohnDeere.com/Agreements](http://www.JohnDeere.com/Agreements). If these terms and conditions are not agreeable do not proceed and do not use the service.

JDLink Ultimate Dual 5 Year Subscription	170J	\$2,233.00
--	------	------------

Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and now includes all cellular dependent Ultimate Connectivity features - Wireless Data Transfer (WDT) enabling automatic data transfer from TimberMatic and Waratah H16 Measuring Systems to TimberManager and MyJohnDeere, supporting TimberOffice 5 Software. Additionally, Ultimate Dual now includes Limited Internet features supporting optional ForestSight Solutions such as advance mapping systems and Remote Display Access (RDA) features supported by TeamViewer applications when cellular signal is available. JD Link Ultimate Dual works with the 4G LTE MTG to automatically transmit compressed summary data over a satellite network when a cellular network is not available. JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to [www.StellarSupport.com](http://www.StellarSupport.com) to renew or update JDLink subscriptions.

. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at [www.JohnDeere.com/Agreements](http://www.JohnDeere.com/Agreements). If these terms and conditions are not agreeable do not proceed and do not use the service.



#### OPERATOR'S MANUAL AND DECALS

Description	Code	Price
English Decals with English Operator and Safety Manuals	2401	No Added Cost

Requires engine code 1065.  
English decals installed and English operator's manual.

English Decals with Spanish Decals and Manuals Seperate	2403	No Added Cost
---	------	---------------

Requires engine code 1065.  
English decals installed with Spanish decal packet included with English and Spanish operator's manual.

English Decals with French Decals and Manuals Seperate	2404	No Added Cost
--	------	---------------

English decals installed with French decal packet included with English and French operator's manual.  
Requires engine code 1065.



#### FRONT AXLE AND TRANSMISSION

Description	Code	Price
	3035	(\$11,203.00)

## 2 Wheel Drive Powershift Transmission

With 4F/3R Powershift Transmission.

Includes torque converter with electrically actuated twist grip TCL in 1st through 4th gears.

2 Wheel Drive Autoshift Transmission	3025	(\$8,406.00)
--------------------------------------	------	--------------

With AutoShift 4F/3R Transmission.

Autoshift can turned on/off in the SSM. When Autoshift if off, Backhoe will operate with Powershift transmission.

Mechanical Front Wheel Drive (MFWD) with Limited Slip Differential	3065	No Added Cost
--	------	---------------

4F/3R Powershift Transmission.

Includes torque converter with electrically actuated twist grip TCL in 1st through 4th gears.

Mechanical Front Wheel Drive (MFWD) with Limited Slip Differential Autoshift Transmission	3095	\$2,955.00
---	------	------------

4F/3R Autoshift Transmission.

Autoshift can turned on/off in the SSM. When Autoshift if off, Backhoe will operate with Powershift transmission.



## WHEELS AND TIRES

Orders with custom codes are exempt from order response targets. Not all custom codes may be published. If there are specific configuration needs that you don't see available, please contact Dealer Marketing Assistance Center (DMAC): (563) 589-6660.

Description	Code	Price
-------------	------	-------

For use with MFWD

Galaxy 21L-28 18PR Rear; 15-19.5 12PR Front Tires	4472	No Added Cost
---	------	---------------

Requires axle code 3065 or 3095.

Galaxy 20.5-25 18PR Rear; 15-19.5 16PR Front Tires	4478	No Added Cost
--	------	---------------

Requires axle code 3065 or 3095.

Custom Code - Firestone 20.5-25 L-2 12 PR Rear and 15-19.5 SS-1 12 PR Front Tires	48K2	\$2,884.00
---	------	------------

Requires axle code 3065 or 3095.

For use with 2 Wheel Drive

Galaxy 20.5-25 16PR Rear; 14.5/75-16.1 16PR Front Tires	4438	No Added Cost
---	------	---------------

Requires axle code 3025 or 3035.



## OPERATOR'S STATION

Description	Code	Price
-------------	------	-------

Canopy (ROPS/FOPS)	2015	No Added Cost
--------------------	------	---------------

Isolation mounted Modular design ROPS/FOPS Level 2 (meets ISO 3449 & ISO 3471 / SAE J1040) Molded roof.  
 Molded floor mats if Code 5285 is ordered .  
 Mechanical Suspension Deluxe, Vinyl, Swivel Seat with Lumbar Adjustment and Arm Rests, Fully Adjustable.  
 3 In. Retractable Seat Belt.  
 (2) front driving/working halogen lights - 32,500 Candlepower Each  
 (2) rear working halogen lights - 32,500 Candlepower Each  
 (6) additional work roof lights adds 2 front, 2 rear and 1 on each side of roof  
 (4) turn signal/flashing/rear stop/tail lights - 2 front and rear  
 (2) rear reflectors

Cab	2035	\$13,933.00
-----	------	-------------

Isolation mounted Modular design ROPS/FOPS Level 2 (meets ISO 3449 & ISO 3471 / SAE J1040) Molded roof.  
 Tinted safety glass.  
 Deluxe interior trim.  
 Headliner.  
 Molded floor mats.  
 Less radio (Cab includes power connector for radio and threaded bosses for mounting brackets - see radio kit installation instructions).  
 Air Conditioning 26,000 BTU.  
 CFC free R134a refrigerant.  
 Heater/defrosters/pressurizer, 40,000 BTU, 3 speed.  
 Mechanical Suspension Deluxe, Cloth, Swivel Seat with Lumbar Adjustment and Arm Rests, Fully Adjustable.  
 3 in Seat Belt.  
 Tilt Steering Wheel.  
 Interior Rearview Mirror  
 Front 2-speed wiper with windshield washer and rear 1-speed wiper.  
 (2) front driving/working halogen lights - 32,500 Candlepower Each  
 (2) rear working halogen lights - 32,500 Candlepower Each  
 (6) additional work roof lights adds 2 front, 2 rear and 1 on each side of roof  
 (4) turn signal/flashing/rear stop/tail lights - 2 front and rear  
 (2) rear reflector

See Order As Desired codes for additional Cab options not included in standard Cab (i.e. Air Suspension Seat, Radio, Sun Visor).

## BATTERIES

Description	Code	Price
Dual Maintenance Free Batteries	8675	\$481.00

360 Minute Reserve Capacity (1850 CCA). Recommended for temperatures below 32 degrees F (0 degrees C).

Dual Maintenance Free Batteries With Disconnect and Jump Post	8685	\$544.00
---	------	----------

Recommended for use in ambient temperatures BELOW 32 degrees F (0 degrees C).

## BACKHOE DIPPERSTICK

Description	Code	Price
Standard Dipperstick	6010	No Added Cost

Includes extended stabilizer legs.

Extendible Dipperstick	6020	\$10,722.00
------------------------	------	-------------

Includes extended stabilizer legs.  
Requires code 8490 counterweight.

#### ▼ BACKHOE AUXILIARY HYDRAULICS

Description	Code	Price
No Auxiliary	6210	No Added Cost

Requires code 6020.

Auxiliary Hydraulic with One Way Flow (Hammer)	6220	\$5,401.00
--	------	------------

Includes plumbing to end of dipperstick.

Auxiliary Hydraulic with One & Two Way Flow (Hammer & Thumb/Swinger)	6230	\$8,583.00
--	------	------------

Includes plumbing to end of dipperstick for one way flow valve.  
Less plumbing for two way flow valve.

Auxiliary Hydraulic with One & Two Way Flow (Hammer & Thumb/Swinger) for Mechanical Controls	6235	\$7,697.00
--	------	------------

Includes plumbing to end of dipperstick for one way flow valve.  
Less plumbing for two way flow valve.

Auxiliary Hydraulic with Two Way Flow	6240	\$200.00
---------------------------------------	------	----------

Requires standard dipperstick code 6010.  
Includes left foot pedal for operation of 2-way flow auxiliary circuit with mechanical control (code 5225) or activation of left thumb roller if equipped with pilot controls (code 5285).  
Does not include plumbing or relief valves.  
Plumbing field kit (AT194368) can be used to provide relief valves and instructions for fabricating required hoses.

#### ▼ BACKHOE CONTROLS

Description	Code	Price
Mechanical Controls, Two Lever, ISO (DEERE)	5225	(\$1,715.00)

Pilot Controls, Two Lever, with Pattern Selection	5285	No Added Cost
---	------	---------------

#### ▼ BACKHOE BUCKETS

For Deere buckets:  
All buckets include lift holes.  
For Deere buckets:  
All buckets include lift holes.  
Fanggs teeth are standard on HD buckets.  
Fabricated teeth are standard on regular buckets.

Description	Code	Price
Less Backhoe Bucket with Bucket Pins	5600	No Added Cost

24" (610 mm) Wide, Heavy-Duty, 11.0 Cu. Ft. (0.31 M3) Capacity Bucket	5696	\$2,478.00
---	------	------------

Bucket includes TK Teeth.

30" (762 mm) Wide, Heavy-Duty, 15.0 Cu. Ft. (0.42 M3) Capacity Bucket	5736	\$2,650.00
--	------	------------

Bucket includes TK Teeth.

36" (914 mm) Wide, Heavy-Duty, 18.8 Cu. Ft. (0.53 M3) Capacity Bucket	5776	\$3,092.00
--	------	------------

Bucket includes TK Teeth.



## LOADER CONTROLS

All selections come with Return to Dig feature.

Description	Code	Price
Two-Function Loader Hydraulics, Single Lever	7025	No Added Cost

Includes Ride Control.

Single lever loader control with electric clutch disconnect and momentary MFWD.

Loader Coupler, 2-Function Hydraulics, Single Lever	7035	\$7,002.00
---	------	------------

Single lever loader control with electric clutch disconnect and momentary MFWD.

Includes Ride Control

Will accept G, J, K and L-Series loader coupler buckets

Three-Function Loader Hydraulics, Single Lever	7080	\$3,268.00
--	------	------------

Single lever loader control with electric clutch disconnect, momentary MFWD, transmission quick-shift, and electro-hydraulic auxiliary control. For multi-purpose bucket and front attachments.

Includes valve with circuit relief and 5 In. (12.7 mm) hoses and steel lines to loader cross tube.

Includes Ride Control.

Loader Coupler, 3-Function Hydraulics, Single Lever	7085	\$9,267.00
---	------	------------

Single lever loader control with electric clutch disconnect, momentary MFWD, transmission quick-shift, and electro-hydraulic auxiliary control. Includes Ride Control.

For multi-purpose coupler bucket and front attachments.

Includes valve with circuit relief and .5 in. (12.7 mm) hoses and steel lines to loader cross tube.



## LOADER BUCKETS

Description	Code	Price
Less Loader Bucket with Pins for Buckets or Front Attachments	7600	No Added Cost

### Pin-On Loader Buckets

Requires codes 7025 or 7080 Loader Hydraulics.

Multipurpose Bucket with Bolt On Teeth	7696	\$7,998.00
--	------	------------

1.375 Cu. Yd. (1.00 Cu. M.) Multipurpose Bucket - 96 In. (2.44 M) with Two Lift Loops.  
Requires code 7080 hydraulics.  
Includes reversible cutting edge for moldboard and back of clamshell.  
Does not include skid plates or front bolt-on cutting edge.

Wide Multipurpose Bucket	7685	\$7,278.00
--------------------------	------	------------

1.3 Cu. Yd. (1.0 Cu. M.), 96 in. (2.44 M).  
Requires Code 7080, Three Function Hydraulics.  
Includes reversible cutting edge for moldboard and back of clamshell.  
Does not include front bolt-on cutting edges or skid plates.  
Pre-Punched for (8) tooth shanks OR T126774 Reversible Bolt-On Cutting Edge.  
Two built-in lift loops.

1.62 Cu. Yd. (1.24 Cu. M.) Bucket 96 Inch (2.44 M.)with Auxiliary Cutting Edge and Skid Shoes	7665	\$4,374.00
---	------	------------

1.87 Cu. Yd. (1.43 Cu. M.) Bucket with Bolt-On Cutting Edge and Skid Plates	7680	\$5,329.00
---	------	------------

Includes Ride Control.  
96 in. (2.44 m) wide.  
Includes Reversible Bolt-On Cutting Edge.  
Two built-in lift loops.

### Coupler Loaders Buckets

Requires codes 7035 or 7085 Loader Coupler

Less Coupler Bucket	7605	No Added Cost
---------------------	------	---------------

2.0 cu.yd. (1.5 cu. m.) Coupler Bucket with Bolt-on Cutting Edge and Skid Plates with 2 Lift Loops	7695	\$5,654.00
--	------	------------

96 in. (2.44 m) wide  
Includes Reversible Bolt-On Cutting Edge with Skid Plates and two built-in lift loops.



## COUNTERWEIGHT

Description	Code	Price
600 lbs. (272 kg.) Counterweight	8480	No Added Cost

Recommended for backhoe with a standard dipperstick or backhoe with a front loader coupler.

1500 lbs. (680 kg.) Counterweight	8490	\$1,721.00
-----------------------------------	------	------------

Recommended for extended backhoe or a backhoe with pin-on standard loader bucket.



## ENGINE

Description	Code	Price
John Deere PowerTech Plus 4.5L (276 Cu. In.) Engine Meets Final Tier 4 and Stage IV Emissions	1065	\$9,363.00

With Net Peak Power of 148 Hp.  
For use only in areas where EPA Final Tier 4/EU Stage IV is required.



SeriesTurbocharged.  
 Wet Sleeve Cylinder Liners.  
 4 Valves / Cylinder.  
 Electronically Controlled HPCR Fuel Delivery System, B20 Biodiesel  
 Compatible.  
 Cooled Exhaust Gas Recirculation.  
 Serpentine Belt with Automatic Belt Tensioner.  
 Enclosed Safety Fan Guard.  
 Vertical Spin-On Engine Oil Filter.  
 Spin-On Fuel Filter with Water Separator.  
 Dual Safety Element Dry-Type Air Cleaner with Evacuator Valve.  
 Underhood Exhaust Filter and Catalysts (DOC, DPF, and SCR).  
 Automatic Exhaust Filter Regeneration.  
 Diesel Exhaust Fluid (DEF) Injection System.  
 Glow Plugs.  
 Electronically controlled, variable-speed cooling fan.

Optional - *Select as desired*



#### OPERATOR'S STATION

Description	Code	Price
Front View Mirror	9060	\$82.00
Headliner - Canopy	9117	\$149.00
Tilt Steering - Canopy	9118	\$561.00
Floor Mat - Canopy	9119	\$374.00
Left Side Console Storage with Cup Holders	9210	\$81.00
Radio, Bosch Premium Package	9916	\$1,356.00
Radio, Bosch Basic Package	9917	\$873.00
Sun Visor	9919	\$95.00
Exterior Rear View Mirrors (2)	9920	\$343.00
Seat, Cloth Air-Suspension	9965	\$503.00
For enclosed Cab.		
Seat, Cloth Air-Suspension - Heated	9970	\$994.00
For enclosed Cab.		
Seat, Vinyl Air-Suspension	9975	\$503.00
For open ROPS or enclosed Cab.		



#### LIGHTING

Description	Code	Price
Strobe Light with Magnetic Mount	9905	\$588.00
LED Light Package	9116	\$1,053.00

Includes factory installed 2 LED spot lights and 8 LED flood lights in lieu of the standard halogen light package.

## STABILIZER LEGS

Orders with custom codes are exempt from order response targets. Not all custom codes may be published. If there are specific configuration needs that you don't see available, please contact Dealer Marketing Assistance Center (DMAC): (563) 589-6660.

Description	Code	Price
Heavy-Duty Stabilizer Pads	9947	\$462.00

Laminated and reinforced rubber, compressed on edge within the steel shoe for improved durability and wear performance.

Custom Code - Short Stabilizer Legs	90T1	\$3,314.00
-------------------------------------	------	------------

Transport width 93 in.---Operating width 13 ft. 5 in.

## LOADER CONTROLS

Orders with custom codes are exempt from order response targets. Not all custom codes may be published. If there are specific configuration needs that you don't see available, please contact Dealer Marketing Assistance Center (DMAC): (563) 589-6660.

Description	Code	Price
Custom Code - Auto Ride Control	91C0	\$837.00

Requires 7035 or 7085.

## ENGINE

Description	Code	Price
Chrome Exhaust Extension	9045	\$178.00

Engine Coolant Heater	9080	\$172.00
-----------------------	------	----------

120 Volt.  
Includes 120-Amp Alternator.

## OIL SAMPLING PORTS

Description	Code	Price
Diagnostic Oil Sampling Ports	9515	\$207.00

Includes 4 ports:  
Engine oil  
Engine coolant  
Transmission oil  
Hydraulic oil

## HYDRAULIC OIL

Description	Code	Price
Hydraulic Fluid - Hydrau XR Synthetic Oil	9088	\$608.00

Intended for colder climates with extreme cold ambient temperatures down to -40C (-40F). Provides all-season capability in ambient temperatures ranging from -40C to 40C (-40F to 104F).

## PAINT AND RUST PROTECTION

Description	Code	Price
Non-Export Rust Preventive Coating	9909	\$172.00

Coating protects exposed unpainted surfaces from road salt during shipment.

## ATTACHMENTS FOR FIELD CONVERSION

F.O.B. Dubuque, Iowa for dealer-installed kits, except where noted. Some of the following kits may require additional parts for a complete installation. Prior to ordering, check the installation instructions by going to [www.johndeereinfo.com](http://www.johndeereinfo.com) and clicking on Library, or by clicking on this Hyperlink ( [Installation Bulletin Search](#) ), and insert the AT number to retrieve the attachment installation instruction bulletin for additional parts. Exception to above note is FRONTIER Dealer Installed Kits.

All attachments are sold as a quantity of one.

Description	Code	Price
<a href="#">Attachments &amp; Accessories</a>		
Heavy Duty Stabilizer Pads	AT376410	\$462.00
Jump Start and Battery Disconnect Kit	AT462684	\$245.00
Loader Coupler, Hydraulic	AT431339	\$8,308.00
For use on Backhoes with a Serial Numbers below 304845. Must order applicable Software Part Number in JDPoint for Field Kit to function properly.		
Loader Coupler, Hydraulic	BYT10280	\$8,308.00
For use on Backhoes with a Serial Number 304845 and Higher. Must order applicable Software Part Number in JDPoint for Field Kit to function properly.		
Pivotable Beacon Bracket	AT451194	\$103.00
Standard Stabilizer Street Pads	AT376409	\$232.00
<a href="#">Buckets</a>		
BKH Pin-On Bucket 18 In. (457 mm) Severe-Duty 7.5 Cu. Ft.	AT437354	\$3,638.00
BKH Pin-on Bucket 24 In. (610 mm) Heavy-Duty Bucket 11.0 Cu. Ft.	AT437355	\$3,318.00
BKH Pin-on Bucket 24 In. (610 mm) Severe-Duty 11.0 Cu. Ft.	AT437356	\$4,431.00
BKH Pin-on Bucket 30 In. (762 mm) Heavy-Duty 14.5 Cu. Ft.	AT437357	\$3,506.00
	AT437358	\$5,057.00

BKH Pin-on Bucket 30 In. (762 mm) Severe-Duty 14.5 Cu. Ft.

BKH Pin-on Bucket 36 In. (914 mm) Heavy-Duty 18.0 Cu. Ft.	AT437359	\$3,808.00
---	----------	------------

BKH Pin-on Bucket 36 In. (914 mm) Severe-Duty 18.0 Cu. Ft.	AT437360	\$5,335.00
--	----------	------------

LDR Coupler Bucket 2.0 Cu. Yd. (1.5 Cu. M.) with Bolt-on Cutting Edge and Skid Plates with Two Lift Loops	AT309342	\$6,738.00
---	----------	------------

96 in. (2.44 m) wide  
Includes Reversible Bolt-On Cutting Edge with Skid Plates and two built-in lift loops.

LDR Coupler Multi-Purpose Bucket 1.31 Cu. Yd. (1.0 Cu. M.) 96 In. (2.44 M.) wide with Two Lift Loops	BYT10709	\$8,080.00
--	----------	------------

Does not include front bolt-on cutting edges and skid plates.  
Includes reversible cutting edge for moldboard and back of clamshell.  
96-in. (2.44 m) wide.  
Pre-Punched for (8) tooth shanks OR T126774 Reversible Bolt-On Cutting Edge.  
Two built-in lift loops.  
Requires Three Function Hydraulics.

LDR Pin-On Bucket 1.62 Cu. Yd. (1.24 Cu. M.) with Auxiliary Cutting Edge and Skid Plates	AT188049	\$4,420.00
--	----------	------------

LDR Pin-On Bucket 1.87 Cu. Yd. (1.43 Cu. M.) with Auxiliary Cutting Edge, Skid Plates & Two Lift Loops	AT188048	\$5,686.00
--	----------	------------

LDR Pin-On Multi-Purpose Bucket 1.31 Cu. Yd. (1.0 Cu. M.) 96 In. (2.44 M) wide with Two Lift Loops	BYT10706	\$7,849.00
--	----------	------------

Does not include front bolt-on cutting edges and skid plates.  
Includes reversible cutting edge for moldboard and back of clamshell.  
96-in. (2.44 m) wide.  
Pre-Punched for (8) tooth shanks OR T126774 Reversible Bolt-On Cutting Edge.  
Two built-in lift loops.  
Requires Three Function Hydraulics.

### Fork Hardware & Accessories

60 in. (1.52 m) Coupler Fork Frame Carriage w/ (2) 48 in. (1.219 m) Tines	BYT10664	\$4,345.00
---	----------	------------

60 in. (1.52 m) Coupler Fork Frame Carriage w/ (2) 60 in. (1.52 m) Tines	BYT10665	\$4,558.00
--	----------	------------

### Frame Attachment

Counterweight, Front, 1,500 lbs (680 kg)	AT458682	\$2,003.00
--	----------	------------

Counterweight, Front, 600 lbs (272 kg)	AT458681	\$992.00
--	----------	----------

### Guards

Backhoe Boom Protection Plate, Bolt-On	AT333761	\$602.00
--	----------	----------

Average installation, 1.5 hours.

\* Bolts to underside of backhoe boom.

\* Recommended for rental, lease, thumbs/clamps, swingers, jaw buckets, and non-Deere attachments on couplers.

Bottom Guard	AT465778	\$608.00
MFWD Wheel Fender Kit	AT439395	\$758.00
Stabilizer Guard	AT315225	\$864.00

### Hydraulics

Accu-Swing Kit for Backhoe	AT448456	\$487.00
Auxiliary Backhoe Hydraulic Plumbing Kit, Two-Way for Thumb, Clamp, Swinger or Jaw Bucket	AT194368	\$275.00

Average installation, 2 hours.

Includes two circuit reliefs, fittings, clamps and hardware.

For Low Flow intermittent usage.

Requires Dealer to make eight hoses per installation instructions.

Requires unit to have unused 5th, 6th or 7th 2 way hydraulic functions and foot pedal to activate.

Not required with factory thumb installation codes 9230 and 9235.

Auxiliary Loader Control Valve w/3 Function Hydraulics - 1 Lever for Multipurpose Bucket and Front Attachments	AT431341	\$4,996.00
--	----------	------------

Must order applicable Software Part Number in JDPoint for Field Kit to function properly.

Auxiliary Plumbing for Selective Flow - Extendible Dipperstick	AT464629	\$1,002.00
--	----------	------------

710L Plumbing for auxiliary hydraulics.

Average installation, 2 hours.

Requires Extendible Dipperstick.

Requires AT431167 Selective Flow Control Kit.

Includes boom and dipperstick hydraulic lines, and hardware for attaching hoses and lines from the selective flow valve section to end of Dipperstick.

Required for hammers, compactors, high or low flow motor attachments mounted on end of Dipperstick.

Controlled Lowering Device for Backhoe Boom Cylinder	AT431342	\$3,089.00
--	----------	------------

Meets ISO 8643.

To be used on a Boom in the retracted/locked position.

Kit includes load control valve, hoses, fittings, clamps, connectors and o-rings.

Controlled Lowering Device for Backhoe Dipper (Crowd) Cylinder	AT431343	\$2,531.00
--	----------	------------

Requires prior installation of AT431342 Controlled Lowering Device for Backhoe Boom Cylinder Kit. Meets ISO 8643. To be used on a standard and extendable dipper in the retracted/locked position. Load holding valve in the event of hose failure. Kit includes load control valve, hoses, fittings, clamps, connectors and o-rings.

K-Series Style Loader Control Grip Kit	AT450437	\$425.00
--	----------	----------

Selective Flow Control Kit (1 way flow for use with hammer or compactor)	AT431167	\$1,742.00
Selective flow control to the backhoe valve for switch control of auxiliary hydraulics.		
Sixth Function Manual Valve Kit (2 way flow for thumb swinger or grapple)	AT455624	\$1,042.00
Valve section and two hoses. Pedal and linkage ordered separately. For use with Manual Controls 5225.		
Sixth Function Valve Kit (2 way flow for thumb swinger or grapple)	AT431161	\$3,018.00
Valve section and two hoses. For use with Pilot Controls 5285. If the machine is not equipped with single lever loader control (SLLC) and loader auxiliary, also order: AT431208 Auxiliary Valve Controller (AVC) AT432173 Wiring Harness 14M7303 Nut (Qty 4) 19M7775 Cap Screw M6 X 16 (Qty 4)		
<u>Operator Environment</u>		
Canopy (ROPS/FOPS) to Quarter Cab Conversion Kit	BYT10250	\$401.00
Includes all parts needed to add quarter cab to canopy machine, including windshield wiper and windshield washer, but not including the glass. Refer to installation instructions for a list of glass pieces to order from service parts.		
Heated Seat Kit	BYT10673	\$267.00
This kit includes the heated cloth seat cushion (back and bottom), electrical harness, and the switch to control the heated seat. Conversion kit can be used with mechanical or air suspension seats. Conversion kit can be used for cab configurations only.		
Mechanical to Air Seat Conversion	BYT10670	\$808.00
For use on machines prior to Serial Number: 329231. Includes complete air suspension assembly, wiring, and controls, to convert mechanical seat suspension to air suspension. Conversion kit can be used for open ROPS or cab configurations.		
Mechanical to Air Seat Suspension	BYT10672	\$808.00
For use on machines after serial number: 329230. Includes complete air suspension assembly, wiring, and controls, to convert mechanical seat suspension to air suspension. Conversion kit can be used for open ROPS or cab configurations.		
Mounting kit for multi-purpose (ABC) Dry Chemical Fire Extinguisher	AT408903	\$99.00
Kit Does not Include Fire Extinguisher.		

Operator Manual Tether Cables for ROPS or Cab	AT192032	\$28.00
Radio Auxiliary kit	AT451676	\$288.00
Requires code 9917 or BYT10718 basic radio package. 3.5mm auxiliary input jack, harness for aux input to radio, roof power port, roof storage compartment. This kit is designed to add 3.5mm input to radios, and power to charge devices. Note that this kit does NOT include XM, USB input, or Bluetooth microphone.		
Radio, Basic Package	BYT10718	\$873.00
For use with serial number 329231 or greater. AM/FM/Weather Radio.		
Radio, Basic Package	BYT11384	\$873.00
For use with serial numbers prior to 329231. AM/FM/Weather Radio.		
Radio, Premium Package	BYT10717	\$1,356.00
For use with serial number 329231 or greater. AM/FM/Weather Radio, Bluetooth capable with microphone, 3.5mm auxiliary input, USB input, roof power port, roof storage compartment.		
Radio, Premium Package	BYT11385	\$1,356.00
For use with serial numbers prior to 329231. AM/FM/Weather Radio, Bluetooth capable with microphone, 3.5mm auxiliary input, USB input, roof power port, roof storage compartment.		
SAE Excavator Style Two Lever Controls	AT457689	\$283.00
Sun Visor	AT186307	\$95.00
<u>Overall Vehicle</u>		
(2) External Rear View Mirrors	AT186155	\$290.00
6 inch Amber Warning Light with LED Beacon and Magnetic Roof Mounting Kit	AT313592	\$264.00
Beacon/Strobe Ready Wiring Kit	AT313589	\$35.00
Kit for aftermarket Beacon or Strobe light Kit does not include Beacon		
Environmental Drain Kit	AT393180	\$589.00
Fluid Sampling Ports	AT433275	\$215.00
LED Flood Light Kit	AT445009	\$221.00
Includes 2 lights.		
LED Spot Light Kit	AT445010	\$221.00
Includes 2 lights.		
	AT446496	\$58.00

## License Plate Bracket

Light not included.

License Plate Bracket and Light	AT187707	\$231.00
Rear Wiring Harness for Hammer, Auto Greaser	BYT10330	\$178.00
Harness that enables installation of an auto greaser (primarily for hammer use).		
Slow Moving Vehicle Emblem	AT186288	\$114.00
<a href="#">Ride Control</a>		
Auto Ride Control Valve Kit	AT431344	\$564.00
For use on Backhoes with a Serial Number 303524 and Higher. Valve and mounting plate. This kit allows you to upgrade manual ride control to auto ride control. L-Series backhoes must order applicable Software Part Number in JDPoint for Field Kit to function properly.		