



Current Date 03Jan2020

325G COMPACT TRACK LOADER

Equipment for Base Machine

Engine:	Hourmeter	Tipping Load 7,400 lbs.
4 Cylinder Turbo-Charged	Engine RPM	(3,357 kg)
Electronic Injection System	Battery Voltage	Hydraulic Pump Flow 18 gpm
Auto Idle	Engine Coolant Temp.	(68 L/m)
Glow Plugs	Hydraulic Oil Temp.	Travel Speed-Low 6.2 mph
Automatic Engine Shutdown	Job Clock	(10 km/h)
with Alarm	Service Codes	Construction Bucket
V-Plenum Engine and	Diagnostic Codes	Breakout Force 6,000 lbs.
Hydraulic cooling package	Configuration Codes	(2,724 kg)
Hydraulic Cool-on-Demand	Indicator Warning Lights:	Boom Breakout Force 5,250
Variable Speed Fan	Battery Not Charging	lbs. (2,384 kg)
Dual Element Air Cleaner	Hydraulics Locked Out	Tractive Effort - 8,500 lbf
Auto Fan Belt Tensioner	Park Brake Illumination	(3,859 kgf)
John Deere "Cool Gard II"	Hydraulic Oil Over Temp	Width without Attachment
Extended Life Anti-Freeze	2-Speed Engaged	71.8 in. (1.82 m)
John Deere Plus 50 10w30	Air Filter Restriction	Length without Attachment
engine oil	Hydraulic Oil Filter	112 in. (2.85 m)
5 Micron fuel filter with	Restriction	Height to Top of ROPS 80.6
Water Separator	Lap Bar Switch	in. (2.05 m)
100 Micron secondary fuel	Seat Switch	Height to Hinge Pin 125.5 in.
filter	Door Open Switch	(3.19 m)
20 Gallon (76 L) Fuel Tank	Engine Preheat	Machine Operating Weight
Final Drive System and	Low Engine Oil Pressure	9,440 lbs. (4,286)
Undercarriage:	Automatic Engine Preheat	Operator
1-speed transmission	Electrical:	Protection/Comfort:
Servo Axial Piston	12-Volt Electrical Battery	FOPS / ROPS Roll-Guard with
Hydrostatic Pumps	750 cca w/150 minute	Side Screens
Radial Piston Hydrostatic	reserve capacity	In-Cab Boom Lockout
Motors	Alternator 70 Amp	System
High Drive Planetary	Halogen Work Lights, 2 Front	Adjustable Interlocking
Reduction Gear Box	and 1 Rear	Operator Presence Lap Bar
Grease Cylinder Track	Programmable courtesy	System
Tensioner	lighting shutoff system	Retractable Seat Belt
Patented Smooth Ride	Hydraulics:	Rearview mirror
Undercarriage	3-Spool Open Center Valve	Back-up Alarm
2 duel flanged idlers & 5	System Pressure 3450 psi	Horn
triple flanged rollers	5 Micron Hydraulic Filter	Deluxe Headliner
Heavy Duty 12.6 in (320	John Deere Boom & Bucket	12V power port
mm) Rubber Tracks	Cylinders w/Cushioned Boom	Cell Phone cargo net storage
Spring applied, hydraulically	Connect-under-pressure	Interior Dome Lighting
released wet-disk park brake	auxiliary hydraulic couplers	Cup Holder
Gauges and Instruments:	Loader Arm, Bucket, &	Irrigal Grab Handles for Easy
Key start ignition &	Auxiliary Hydraulic Lockout	Entry / Exit
electronic rotary throttle	system	Top and Rear Windows
Fuel Gauge	Auxiliary Hydraulics Lock-out	Water Shedding Deluxe

Engine Coolant Temperature Operator Selectable LCD Digital Readout:	Override Boom Float Performance Characteristics: Gross Horsepower 74 Hp (54.8 Kw) Rated Operating Capacity 2,590 lbs. (1,176 kg)	Seating Convenient Tie Downs Attachment Coupler: John Deere patented Quik- Tatch system (no grease required) Warranty: John Deere 2 years/2000 hours
---	--	--

Required - *You must select one from each category*

▼ BASE MACHINE

F.O.B. Dubuque, Iowa

Description	Code	Price
325G COMPACT TRACK LOADER	00D0T	\$59,711.00

▼ VALUE PACKAGES

PRICE LISTED IS A 10% DISCOUNT FOR OPTIONAL EQUIPMENT-EXCLUDING ENGINES. (Each option's price will be listed on the same line as that option.)

Description	Code	Price
Standard Compact Track Loader	0800	No Added Cost

Includes standard equipment

CANOPY PACKAGE WITH E-H (ISO PATTERN) JOYSTICKS	0846	(\$20.00)
---	------	-----------

Package includes:
EH (ISO Pattern) Joystick Controls (0950)
Single-Speed (1025)
Turbocharged Engine (1301)
English Operator's Manual & Decals (1501)
Narrow Zig-Zag Bar Track - 12.6 in. (2550)
Standard Hydraulics (3000)
2 in. Seat Belt (4000)
Manual Quik-Tatch (5000)
Canopy - ROPS / FOPS (5200)
Standard Lighting Package (5500)
Mechanical Suspension Seat (Vinyl) (6001)
Standard Fan Drive (6500)

Utility Package with E-H (ISO Pattern) Joysticks	0861	(\$583.00)
--	------	------------

Package includes:
E-H (ISO Pattern) Joystick Controls (0950)
Two-Speed (1050)
Turbocharged Engine (1301)
English Operator's Manual & Decals (1501)
Wide Zig-Zag Bar Track - 15.8 in. (2645)
Standard Hydraulics and Hydraulic Self-Leveling Up (3001)
2-Inch Seat Belt (4000)
Power Quik-Tatch (5001)
Canopy - ROPS / FOPS (5200)
Standard Lighting Package (5500)
Vinyl, Air-Ride Seat (6003)

Standard Fan Drive (6500)
 Foot Rest with Floormat (8380)
 Keyless Start (Sealed Switch Module) (8395)

Deluxe Cab Package with AC, Heat, Defrost, E-H (ISO or H Pattern Switchable) and Performance Package	0871	(\$1,551.00)
--	------	--------------

Package includes:
 ISO-H Switchable Controls and EH Joystick Performance Package (0953)
 Two-Speed (1050)
 Turbocharged Engine (1301)
 English Operator's Manual & Decals (1501)
 Wide Zig-Zag Bar Track - 15.8 in. (2645)
 Standard Hydraulics, Hydraulic Self-Leveling Up and Ride Control (3004)
 3 in. Seat Belt with Shoulder Harness (4003)
 Power Quik-Tatch (5001)
 Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
 Deluxe Lighting Package (5550)
 Air Suspension Seat (Cloth with Heat) (6006)
 Reversing Fan Drive (6501)
 Rear View Camera (8042)
 Radio, AM/FM with Bluetooth (8342)
 Foot Rest with Floormat (8380)
 Keyless Start (Sealed Switch Module) (8395)

Utility Package with E-H (ISO Pattern) Joysticks	0867	(\$978.00)
--	------	------------

Package includes:
 E-H (ISO Pattern) Joystick Controls (0950)
 Two-Speed (1050)
 Turbocharged Engine (1301)
 English Operator's Manual & Decals (1501)
 Narrow Zig-Zag Bar Track - 12.6 in. (2550)
 Standard Hydraulics and Hydraulic Self-Leveling Up (3001)
 3 in. Seat Belt with Shoulder Harness (4003)
 Power Quik-Tatch (5001)
 Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
 Standard Lighting Package (5500)
 Air Suspension Seat (Cloth with Heat) (6006)
 Standard Fan Drive (6500)
 Radio, AM/FM with Bluetooth (8342)
 Keyless Start (Sealed Switch Module) (8395)

FT4 Deluxe Cab Package with AC, Heat, Defrost, E-H (ISO or H Pattern Switchable) and Performance Package	0888	(\$1,392.00)
--	------	--------------

Package includes:
 ISO-H Switchable Controls and EH Joystick Performance Package (0953)
 Two-Speed (1050)
 Turbocharged Engine (1301)
 English Operator's Manual & Decals (1501)
 Narrow Zig-Zag Bar Track - 12.6 in. (2550)
 Standard Hydraulics, Hydraulic Self-Leveling Up and Ride Control (3004)
 3 in. Seat Belt with Shoulder Harness (4003)
 Power Quik-Tatch (5001)
 Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
 Deluxe Lighting Package (5550)
 Air Suspension Seat (Cloth with Heat) (6006)
 Standard Fan Drive (6500)
 Rear View Camera (8042)
 Cold Start Package (8050)
 Chrome Exhaust (8225)
 Radio, AM/FM with Bluetooth (8342)
 Foot Rest with Floormat (8380)
 Keyless Start (Sealed Switch Module) (8395)

FT4 Deluxe Cab Package with AC, Heat, Defrost, High Flow Hydraulics, E-H (ISO or H Pattern Switchable) and Performance P 0889 (\$1,650.00)

Package includes:
 ISO-H Switchable Controls and EH Joystick Performance Package (0953)
 Two-Speed (1050)
 Turbocharged Engine (1301)
 English Operator's Manual & Decals (1501)
 Narrow Zig-Zag Bar Track - 12.6 in. (2550)
 High Flow Hydraulics, Hydraulic Self-Leveling, and Ride Control (3005)
 3 in. Seat Belt with Shoulder Harness (4003)
 Power Quik-Tatch (5001)
 Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
 Deluxe Lighting Package (5550)
 Air Suspension Seat (Cloth with Heat) (6006)
 Reversing Fan Drive (6501)
 Rear View Camera (8042)
 Cold Start Package (8050)
 Chrome Exhaust (8225)
 Radio, AM/FM with Bluetooth (8342)
 Foot Rest with Floormat (8380)
 Keyless Start (Sealed Switch Module) (8395)



ENGINE

Description	Code	Price
Engine - Turbocharged	1301	\$2,718.00

Required for the United States. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards.
 Yamnar 4TNV98CT 3.3L
 4 Cylinder Turbo-Charged
 74 Gross hp (54.8 kW)
 70 Net hp (52.5 kW)



ENGINE FAN

Description	Code	Price
Standard Fan Drive	6500	No Added Cost
Reversing Fan Drive	6501	\$849.00



CANOPY OR CAB

Description	Code	Price
Canopy - ROPS / FOPS	5200	No Added Cost
Cab Enclosure with Air-Conditioning, Heat and Defrost	5204	\$4,574.00
Glass Front Door w/ Wiper and Glass Slide Windows. Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003).		
Cab Enclosure with Air-Conditioning, Heat, Defrost, and Severe Duty Door	5205	\$6,822.00
Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003)		



SEAT

Description	Code	Price
Mechanical Suspension Seat (Vinyl)	6001	No Added Cost
Vinyl, Air-Ride Seat	6003	\$462.00
Air Suspension Seat (Cloth with Heat)	6006	\$639.00
For use with Cab 5204.		

SEAT BELT

Description	Code	Price
2-Inch Seat Belt	4000	No Added Cost
For use with Canopy - ROPS / FOPS (5200).		
2-Inch Seat Belt with Shoulder Harness	4001	\$217.00
For use with Cab Enclosure with Heat and Defrost and Cab Enclosure with Heat, Defrost, and Air-Conditioning (5204)		
3-Inch Seat Belt with Shoulder Harness	4003	\$271.00

CONTROLS

Description	Code	Price
E-H (ISO Pattern) Joystick Controls	0950	No Added Cost
ISO-H Switchable Controls and EH Joystick Performance Package	0953	\$1,058.00
Includes Switchable Controls between ISO Joystick Control or H-Pattern Joystick control modes.		
Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode.		
EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness		

TRANSMISSION

Description	Code	Price
SINGLE-SPEED	1025	No Added Cost
TWO-SPEED	1050	\$2,079.00

HYDRAULICS

Description	Code	Price
Standard Hydraulics	3000	No Added Cost
Pump Flow = 19 gpm		
Standard Hydraulics and Hydraulic Self-Leveling Up	3001	\$588.00

Pump Flow = 19 gpm

Standard Hydraulics, Hydraulic Self-Leveling Up and Ride Control	3004	\$1,278.00
--	------	------------

Pump Flow = 19 gpm

High Flow Hydraulics	3002	\$1,871.00
----------------------	------	------------

Pump Flow = 27 gpm

Includes 1/2 in Auxiliary coupler sizes.

High Flow Hydraulics, Hydraulic Self-Leveling, and Ride Control	3005	\$3,127.00
---	------	------------

TRACK

Description	Code	Price
Offset Block Lug Tread Pattern - 12.6 in. (320 mm) Tracks	2500	No Added Cost

Provides 71.5 in. machine width.

Zig-Zag Bar Tread Pattern - 12.6 in. (320 mm) Tracks	2550	\$205.00
--	------	----------

Provides 71.5 in. machine width.

Offset Block Lug Tread Pattern - 15.8 in. (400 mm) Tracks	2600	\$1,462.00
---	------	------------

Provides 74.7 in. machine width.

Zig-Zag Bar Tread Pattern - 15.8 in. (400mm) Tracks	2645	\$1,667.00
---	------	------------

Provides 74.7 in. machine width.

OPERATOR'S MANUAL AND DECALS

Description	Code	Price
English Operator's Manual & Decals	1501	No Added Cost

For use with FT4 Engine

French Operator's Manual & Decals	1510	No Added Cost
-----------------------------------	------	---------------

For use with FT4 Engine

Spanish Operator's Manual & Decals	1515	No Added Cost
------------------------------------	------	---------------

For use with FT4 Engine

English Operator's Manual & No Text Decals	1503	No Added Cost
--	------	---------------

Not for Canada
For use with IT4/Stage IIIB Engine

French Operator's Manual & No Text Decals	1512	No Added Cost
---	------	---------------

Not for Canada
For use with IT4/Stage IIIB Engine

Spanish Operator's Manual & No Text Decals	1516	No Added Cost
--	------	---------------

Not for Canada

For use with IT4/Stage IIIB Engine

LIGHTING

Description	Code	Price
Standard Lighting Package	5500	No Added Cost
Includes 2 front halogen work headlights and rear work light.		
Deluxe Lighting Package	5550	\$920.00
Includes 2 additional CAB mounted side lights and LED light bulbs for all exterior machine lights.		

QUIK-TATCH

Description	Code	Price
Manual Quik-Tatch	5000	No Added Cost
Power Quik-Tatch	5001	\$740.00

JDLINK

Description	Code	Price
JDLink Ultimate 5 Year Subscription	170C	\$1,513.00
Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG). JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements . If these terms and conditions are not agreeable do not proceed and do not use the service.		
Less JDLink	1741	No Added Cost

Optional - *Select as desired*

▼	COLD START PACKAGES		
	Description	Code	Price
	Cold Start Package	8050	\$310.00
	Includes Heavy Duty 925cca Battery and Block Heater. (110 volt) Includes Hydrau XR Cold Start Oil for Hydraulics		
▼	EXHAUST		
	Description	Code	Price
	Chrome Exhaust	8225	\$335.00
▼	AIR PRE-CLEANER		
	Description	Code	Price

	Engine Air Precleaner	8060	\$465.00
▼	RADIO		
	Description	Code	Price
	Radio, AM/FM with Bluetooth	8342	\$614.00
▼	MIRRORS		
	Description	Code	Price
	Mirror (mount on boom)	8355	\$89.00
▼	FLOOR MAT		
	Description	Code	Price
	Foot Rest with Floormat	8380	\$147.00
	For use with E-H (ISO Pattern) Joystick Controls (0950), or E-H (H Pattern) Joystick Controls (0975).		
▼	KEYLESS START		
	Description	Code	Price
	Keyless Start (Sealed Switch Module)	8395	\$408.00
	Includes: programmable machine security code system		
▼	REAR CAMERA		
	Description	Code	Price
	Rear View Camera	8042	\$869.00
	Includes 5" LCD monitor.		
▼	COUNTERWEIGHT		
	Description	Code	Price
	Counterweight, Stackable (Single Set)	8300	\$357.00
	Includes 2 - 86 lb weights (39 Kg)		
	Counterweight, Stackable (Second Set)	8305	\$357.00
	Includes 2 - 86 lb weights (39 Kg)		
	Counterweight, Stackable (Third Set)	8310	\$357.00
	Includes 2 - 86 lb weights (39 Kg) Requires Counterweight, Stackable (Second Set) (8305)		
▼	EXPORT CODES		