



Current Date 03Jan2020

## 331G COMPACT TRACK LOADER

## 331G Base Equipment

Engine:	Engine Coolant Temp.	Hydraulic Pump Flow 24 gpm
4 Cylinder Turbo-Charged	Hydraulic Oil Temp.	(91 L/m)
Electronic Injection System	Job Clock	Travel Speed Low 6 mph
Auto Idle	Service Codes	(9.7 km/h)
Glow Plugs	Diagnostic Codes	Travel Speed High 8 mph
Automatic Engine Shutdown	Configuration Codes	(12.9 km/h)
with Alarm	Indicator Warning Lights:	Construction Bucket
Tri-Cool Engine and	Battery Not Charging	Breakout Force 7,600 lbs.
Hydraulic cooling package	Hydraulics Locked Out	(3,447 kg)
Hydraulic Cool-on-Demand	Park Brake Illumination	Boom Breakout Force 6,000
Variable Speed Fan	Hydraulic Oil Over Temp	lbs. (2,724 kg)
Dual Element Air Cleaner	2-Speed Engaged	Tractive Effort - 11,500 lbf
Auto Fan Belt Tensioner	Air Filter Restriction	(5227 kgf)
John Deere "Cool Gard II"	Hydraulic Oil Filter	Width without Attachment
Extended Life Anti-Freeze	Restriction	78.9 in. (2.00 m)
John Deere Plus 50 10w30	Lap Bar Switch	Length without Attachment
engine oil	Seat Switch	122 in. (3.10 m)
5 Micron fuel filter with	Door Open Switch	Height to Top of ROPS 86.7
Water Separator	Engine Preheat	in. (2.20 m)
100 Micron secondary fuel	Low Engine Oil Pressure	Height to Hinge Pin 132 in.
filter	Automatic Engine Preheat	(3.35 m)
30 Gallon (114 L) Fuel Tank	Electrical:	Machine Operating Weight
Final Drive System and	12-Volt Electrical Battery	11,800 lbs. (5,357)
Undercarriage:	925 cca w/150 minute	Operator
2-Speed Transmission	reserve capacity	Protection/Comfort:
Servo Axial Piston	Alternator 70 Amp	FOPS / ROPS Roll-Guard with
Hydrostatic Pumps	Halogen Work Lights, 2 Front	Side Screens
Radial Piston Hydrostatic	and 1 Rear	In-Cab Boom Lockout
Motors	Programmable courtesy	System
High Drive Planetary	lighting shutoff system	Adjustable Interlocking
Reduction Gear Box	Hydraulics:	Operator Presence Lap Bar
Grease Cylinder Track	3-Spool Open Center Valve	System
Tensioner	System Pressure 3450 psi	Retractable Seat Belt
Patented Smooth Ride	5 Micron Hydraulic Filter	Rearview Mirror
Undercarriage	John Deere Boom & Bucket	Back-up Alarm
2 duel flanged idlers & 5	Cylinders w/Cushioned Boom	Horn
triple flanged rollers		Deluxe Headliner
Heavy Duty 15.8 in (400		12V power port
mm) Rubber Tracks		Cell Phone cargo net storage
Spring applied, hydraulically		
released wet-disk park brake		
Gauges and Instruments:	Connect-under-pressure	Interior Dome Lighting
Keyless Start Sealed Switch	auxiliary hydraulic couplers	Cup Holder
Module	Loader Arm, Bucket, &	Itrigal Grab Handles for Easy
	Auxiliary Hydraulic Lockout	Entry / Exit
	system	Top and Rear Windows
	Auxiliary Hydraulics Lock-out	
	Override	
	Boom Float	

Fuel Gauge	Performance Characteristics:	Water Shedding Deluxe Seating
Engine Coolant Temperature		Convenient Tie Downs
Operator Selectable LCD	Gross Horsepower 90 Hp (67 Kw)	Attachment Coupler:
Digital Readout:	Rated Operating Capacity	John Deere patented Quik-Tatch system (no grease required)
Hourmeter	3,100 lbs. (1,407 kg)	Warranty:
Engine RPM	Tipping Load 8,857 lbs. (4,022 kg)	John Deere 2 years/2000 hours
Battery Voltage		

Required - *You must select one from each category*

▼ BASE MACHINE

F.O.B. Dubuque, Iowa

Description	Code	Price
331G COMPACT TRACK LOADER	OBE0T	\$72,731.00

▼ VALUE PACKAGES

PRICE LISTED IS A 10% DISCOUNT FOR OPTIONAL EQUIPMENT-EXCLUDING ENGINES. (Each option's price will be listed on the same line as that option.)

Description	Code	Price
Standard Compact Track Loader	0800	No Added Cost

Includes standard equipment

Utility Package With ISO Pattern Joystick Controls	0816	(\$277.00)
--	------	------------

Package includes:

- \* EH (ISO Pattern) Joystick Controls (0950)
- \* English Operator's Manual & Decals (1501)
- \* Wide Zig-Zag Bar Track - 17.7 in. (2650)
- \* Standard Base Hydraulics (3000)
- \* Ride Control (3100)
- \* 3 in. Seat Belt with Shoulder Harness (4003)
- \* Power Quik-Tatch (5001)
- \* Canopy - ROPS / FOPS (5200)
- \* Standard Lighting Package (5500)
- \* Mechanical Suspension Seat (Vinyl) (6001)
- \* Standard Fan Drive (6500)

Deluxe Cab Package With ISO-H Switchable Controls and EH Joystick Performance Package	0821	(\$1,110.00)
---	------	--------------

Package includes:

- \* ISO-H Switchable Controls and EH Joystick Performance Package (0953)
- \* English Operator's Manual & Decals (1501)
- \* Wide Zig-Zag Bar Track - 17.7 in. (2650)
- \* Standard Base Hydraulics (3000)
- \* Ride Control and Hydraulic Self-Level Up (3100)
- \* 3 in. Seat Belt with Shoulder Harness (4003)
- \* Power Quik-Tatch (5001)
- \* Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
- \* Deluxe Lighting Package (5550)

- \* Air Suspension Seat (Cloth with Heat) (6006)
- \* Standard Fan Drive (6500)
- \* Rear View Camera (8042)
- \* Radio, AM/FM with Bluetooth (8342)
- \* Foot Rest with Floormat (8380)

---

Deluxe Cab Package With ISO-H Switchable Controls and EH Joystick Performance Package & Hi-Flow	0826	(\$1,462.00)
---	------	--------------

Package includes:

- \* ISO-H Switchable Controls and EH Joystick Performance Package (0953)
  - \* English Operator's Manual & Decals (1501)
  - \* Wide Zig-Zag Bar Track - 17.7 in. (2650)
  - \* High Flow Hydraulics (3002)
  - \* Ride Control and Hydraulic Self-Level Up (3100)
  - \* 3 in. Seat Belt with Shoulder Harness (4003)
  - \* Power Quik-Tatch (5001)
  - \* Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
  - \* Deluxe Lighting Package (5550)
  - \* Air Suspension Seat (Cloth with Heat) (6006)
  - \* Reversing Fan Drive (6501)
  - \* Rear View Camera (8042)
  - \* Engine Air Precleaner (8060)
  - \* Radio, AM/FM with Bluetooth (8342)
  - \* HD Rear Grille (8370)
  - \* Foot Rest with Floormat (8380)
- 

## ▼ ENGINE

Description	Code	Price
Engine - Turbocharged	1301	\$3,615.00

Required for the United States and available for Canada. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards.

Yanmar 4TNV94FHT 3.1L  
 4 Cylinder Turbo-Charged  
 90 Gross hp (67.1 kW)  
 87 Net hp (65.0 kW)

---

## ▼ ENGINE FAN

Description	Code	Price
Standard Fan Drive	6500	No Added Cost
Reversing Fan Drive	6501	\$849.00

---

## ▼ CANOPY OR CAB

Description	Code	Price
Canopy - ROPS / FOPS	5200	No Added Cost
Cab Enclosure with Air-Conditioning, Heat and Defrost	5204	\$4,574.00
Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003)		
Cab Enclosure with Air-Conditioning, Heat, Defrost, and Severe Duty Door	5205	\$6,822.00

Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003)



## SEAT

Description	Code	Price
Mechanical Suspension Seat (Vinyl)	6001	No Added Cost
Vinyl, Air-Ride Seat	6003	\$462.00
Air Suspension Seat (Cloth with Heat)	6006	\$639.00



## SEAT BELT

Description	Code	Price
2-Inch Seat Belt	4000	No Added Cost
For use with Canopy - ROPS / FOPS (5200).		
2-Inch Seat Belt with Shoulder Harness	4001	\$217.00
3-Inch Seat Belt with Shoulder Harness	4003	\$271.00



## CONTROLS

Description	Code	Price
E-H (ISO Pattern) Joystick Controls	0950	No Added Cost
ISO-H Switchable Controls and EH Joystick Performance Package	0953	\$1,058.00
Includes Switchable Controls between ISO Joystick Control or H-Pattern Joystick control modes.		
Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode.		
EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness		
4-Way Switchable Controls and EH Joystick Performance Package	0993	\$2,234.00
Includes Four-way Switchable Controls between EH Foot Control, ISO Joystick Control, H-Pattern Joystick Control, or ISO & Foot Control modes.		
Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode.		
EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness		
ISO Joystick Controls with Integrated Detents & EH Joystick Performance Package & EH Boom Performance Package	0995	\$2,454.00

Includes ISO Joystick Controls with integrated detents. Switchable control modes not available with this configuration.

Includes Switchable Accelerator/Decelerator with right side foot pedal.

EH Joystick Performance Package Features:  
 Selectable propel speeds  
 Creeper Mode  
 Boom and Bucket speed settings  
 12V 3 Pin and 14 Pin Attachment Control Harness

EH Boom Performance Package Features:  
 EH Self-level up and down  
 Return-to-dig  
 Return-to-carry  
 Boom-height-kickout

\*Requires code 5001 - Power Quick-Tatch



## HYDRAULICS

Description	Code	Price
Standard Hydraulics	3000	No Added Cost
Pump Flow = 23.5 gpm		
High Flow Hydraulics	3002	\$1,871.00
Pump Flow = 36.5 gpm		
Includes 1/2 in Auxiliary coupler sizes.		



## RIDE CONTROL

Description	Code	Price
Ride Control and Hydraulic Self-Level Up	3100	\$1,278.00
Less Ride Control	3101	No Added Cost
Ride Control for EH Boom Performance Package	3102	\$690.00
*Requires code 0995 - ISO-H Switchable Controls with EH Joystick Performance Package and EH Boom Performance Package		



## TRACK

Description	Code	Price
Zig-Zag Bar Tread Pattern - 17.7 in. (450 mm) Tracks	2650	\$488.00
Provides 81 in. machine width.		
Offset Block Lug Tread Pattern - 15.8 in. (400 mm) Tracks	2505	No Added Cost
Provides 78.9 in. machine width.		
Offset Block Lug Tread Pattern - 17.7 in. (450 mm) Tracks	2605	\$283.00
Provides 81 in. machine width.		



## OPERATOR'S MANUAL AND DECALS

Description	Code	Price
English Operator's Manual & Decals	1501	No Added Cost
For use with FT4 Engine		
French Operator's Manual & Decals	1510	No Added Cost
For use with FT4 Engine		
Spanish Operator's Manual & Decals	1515	No Added Cost
For use with FT4 Engine		
English Operator's Manual & No Text Decals	1503	No Added Cost
Not for Canada For use with IT4/Stage IIIB Engine		
French Operator's Manual & No Text Decals	1512	No Added Cost
Not for Canada For use with IT4/Stage IIIB Engine		

#### ▼ LIGHTING

Description	Code	Price
Standard Lighting Package	5500	No Added Cost
Includes 2 front halogen work headlights and rear work light.		
Deluxe Lighting Package	5550	\$920.00
Includes 2 additional CAB mounted side lights and LED light bulbs for all exterior machine lights.		

#### ▼ QUIK-TATCH

Description	Code	Price
Manual Quik-Tatch	5000	No Added Cost
Power Quik-Tatch	5001	\$740.00

#### ▼ JDLINK

Description	Code	Price
JDLink Ultimate 5 Year Subscription	170C	\$1,513.00
Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG). JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to <a href="http://www.StellarSupport.com">www.StellarSupport.com</a> to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at <a href="http://www.JohnDeere.com/Agreements">www.JohnDeere.com/Agreements</a> . If these terms and conditions are not agreeable do not proceed and do not use the service.		

Less JDLINK

1741 No Added Cost

Optional - *Select as desired*

▼	COLD START PACKAGES		
	Description	Code	Price
	Cold Start Package	8050	\$310.00
	Includes Heavy Duty 925cca Battery and Block Heater.		
▼	EXHAUST		
	Description	Code	Price
	Chrome Exhaust	8225	\$335.00
▼	AIR PRE-CLEANER		
	Description	Code	Price
	Engine Air Precleaner	8060	\$465.00
▼	RADIO		
	Description	Code	Price
	Radio, AM/FM with Bluetooth	8342	\$614.00
▼	FLOOR MAT		
	Description	Code	Price
	Foot Rest with Floormat	8380	\$147.00
	For use with E-H (ISO Pattern) Joystick Controls (0950), or E-H (H Pattern) Joystick Controls (0975).		
▼	REAR CAMERA		
	Description	Code	Price
	Rear View Camera	8042	\$869.00
	Includes 5" LCD monitor.		
▼	ONBOARD GRADE INDICATION		
	Description	Code	Price
	On-board Grade Indication	8500	\$1,534.00
	Delivers an on-board readout within LCD monitor that provides the grade of the land in cross-slope direction and mainfall (fore/aft direction)		
▼	COUNTERWEIGHT		
	Description	Code	Price
	Counterweight, Stackable (Single Set)	8300	\$357.00
	Includes 2 - 86 lb weights (39 Kg)		
	Counterweight, Stackable (Second Set)	8305	\$357.00

Includes 2 - 86 lb weights (39 Kg)

Description	Code	Price
Counterweight, Stackable (Third Set)	8310	\$357.00

Includes 2 - 86 lb weights (39 Kg)  
Requires Counterweight, Stackable (Second Set) (8305)

## ▼ EXPORT CODES

Description	Code	Price
WARNING LIGHTS		
Description	Code	Price
Hazard Warning Lights	8075	\$163.00

## ▼ WARNING LIGHTS

## ▼ GRILLE

Description	Code	Price
HD Rear Grille	8370	\$497.00

Provides protection to cooling package.

## ▼ BUCKETS

Description	Code	Price
84 in. HD Construction Bucket (21.0 cu. ft.)	9061	\$1,469.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Edge	9062	\$1,625.00
84 in. HD Tooth Bucket (21.0 cu. ft.)	9231	\$1,653.00
84 in. HD Utility Bucket (27.0 cu. ft.)	9340	\$1,377.00
84 in. HD Utility Bucket (27.0 cu. ft.) with Edge	9341	\$1,714.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Serrated Edge	9342	\$2,171.00
90 in. Light Material Bucket with Edge (53.9 cu. ft.)	9425	\$2,856.00

## ▼ RUST PROTECTION

Description	Code	Price
Rust Preventative	9909	\$163.00

Coating protects exposed unpainted surfaces from road salt during shipment.  
Applied at PSL.  
Not for use with export shipments as export pricing includes rust prevention.

## ▼ DEALER-INSTALLED KITS

Description	Code	Price
<u>Buckets</u>		
78 in. HD Construction Bucket (19.4 CU. FT.) with Serrated Edge	BYT10853	\$1,828.00



78 in. HD Construction Bucket (19.4 cu. ft.)	AT319180	\$1,313.00
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	AT322310	\$1,530.00
78 in. HD Grading Heel Bucket (18.2 cu. Ft.)	BYT10191	\$1,474.00
78 in. HD Grading Heel Bucket (18.2 cu. Ft.) with Teeth	BYT10328	\$1,788.00
78 in. HD Tooth Bucket (19.4 cu. ft.)	AT321180	\$1,545.00
78 in. HD Utility Bucket (24.5 cu. ft.)	KV22802	\$1,301.00
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	KV24757	\$1,530.00
84 in. HD Construction Bucket (21.0 cu. ft.)	AT319181	\$1,469.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Edge	AT322311	\$1,625.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Serrated Edge	BYT10849	\$2,171.00
84 in. HD Tooth Bucket (21.0 cu. ft.)	AT321181	\$1,653.00
84 in. HD Utility Bucket (27.0 cu. ft.)	KV21470	\$1,377.00
84 in. HD Utility Bucket (27.0 cu. ft.) with Edge	KV24758	\$1,714.00
90 in. Light Material Bucket with Edge (53.9 cu. ft.)	BYT10314	\$2,856.00
<u>Kits &amp; Accessories</u>		
Attachment Control	BYT10917	\$454.00
Beacon Warning Light	BYT10048	\$326.00
Block Heater Kit	AT439115	\$114.00
Bobcat Attachment Harness Adapter Kit	AT417736	\$351.00
Must have the 14 pin attachment connector already installed.		
Boom-Mounted Hose Guide Kit	AT436025	\$102.00
[E-series] [G-series: 320G - 333G]		
Counterweight, Stackable (Single Set)	AT348835	\$363.00
Includes 2 - 86 lb weights (39 Kg)		
Deluxe Light Package	BYT10041	\$918.00
Includes 2 additional side lights and LED light bulbs for all exterior machine lights.		
EH Joystick Performance Package	BYT10454	\$605.00
Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings Not compatible with code 0900 Foot Controls. Factory Code 8395 or kit AT459848 Keyless Start (Sealed Switch Module)		

is required prior to installing EH performance package. Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings

Field Kit, Reversing Fan	BYT10356	\$851.00
Kit is compatible with G series models (320G, 324G, 325G, 330G, 331G, 332G & 333G).		
Fluid Sampling Field Kit	BYT10039	\$173.00
Foot Throttle Removal Kit	AT410246	\$53.00
HD Rear Grille	BYT10058	\$605.00
Provides protection to cooling package.		
Hazard Warning Lights	BYT10050	\$130.00
High Spring Effort Joysticks	AT433683	\$781.00
Joystick Pod Mounted Throttle	AT419446	\$155.00
On-Board Grade Indication	BYT10767	\$1,530.00
Delivers an on-board readout within LCD monitor that provides the grade of the land in cross-slope direction and mainfall (fore/aft direction).		
Radio, AM/FM with Aux Input and Bluetooth	BYT10042	\$587.00
Streaming Bluetooth, no Hands-Free.		
Rear View Camera	BYT10051	\$867.00
Includes 5" LCD monitor.		
SMV Sign	BYT10059	\$79.00
Severe Duty Door	BYT10226	\$3,138.00
Requires severe duty hardware kit BYT10085.		
Severe Duty Door Hardware Kit	BYT10085	\$173.00
Standard Door	BYT10227	\$1,051.00
<u>Miscellaneous</u>		
Backhoe Attachment Mounting Kit	AT466358	\$121.00
Engine Air Pre-Cleaner Kit	AT439117	\$466.00
Single Point Lift System	AT469520	\$2,122.00
<u>Tooth Bars</u>		
78 in. Tooth Bar - 8 Teeth	KV12296	\$570.00
78 in. Tooth Bar for BOCE - 7 Teeth	AT347132	\$819.00
84 in. Tooth Bar - 8 Teeth	KV12298	\$694.00

84 in. Tooth Bar for BOCE - 9 Teeth

AT347135

\$844.00



## REFERRAL ATTACHMENTS

Description	Code	Price
<a href="#">G.r.mfg.</a> G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
Bottom Covers & Reinforcement Plates	BYT10945	\$402.00
Bucket Cylinder Rod Guard	BYT10913	\$460.00
Bucket Cylinder Rod Guard	BYT10947	\$460.00
Bumper, Rear w/o Deflectors	BYT10943	\$1,356.00
Guard, Auxiliary Hydraulic Quick Coupler	BYT10260	\$342.00
Guard, Cab Roof Debris	BYT10263	\$121.00
Guard, Chassis Bottom Cover Plates	BYT10262	\$378.00
Guard, Front Single and Dual Rear Worklights	BYT10259	\$218.00
Guard, Rear Bumper	BYT10261	\$1,402.00
Level II FOPS Plate  Required to meet ISO 8083 Level 2 Forestry Applications For use on D, E and G Series.	AT445276	\$681.00
Lift Cylinder Hose Guards	BYT10948	\$380.00
Light Guard Kit	BYT10946	\$270.00
Protection Package	BYT10942	\$4,842.00
Rear Winch Kit  Not compatible with S/N: 340405+ contact GR Mfg.	BYT10912	\$11,756.00
Rear Window/Side Window Cab Guards	BYT10258	\$692.00
Screens, Sides and Rear	BYT10944	\$846.00
Severe Duty Forestry Package  Requires factory code 5205 - Cab Enclosure with Heat, Defrost, A/C and Severe Duty Door. Requires factory code 8370 - HD Rear Grille.	BYT10264	\$4,842.00
Toe Guard and Door Upgrade Kit	AT372950	\$565.00

Required to meet ISO 8084 Forestry Applications

---

Copyright © Deere & Company. All Rights Reserved.

[About Our Site](#) | [Privacy and Data](#) | [Legal](#) | |