



Current Date 03Jan2020

672G MOTOR GRADER with 6WD

672G Standard Equipment

VEHICLE COOLING:	Steering	Sensor Values
Swing-Out, Cool-On-	Electronic Throttle Control	Calibrations
Demand, Hydraulic Fan (32	with Auto / Manual Modes	MENU DISPLAY:
In.)	ECO Mode: limits engine	Codes
Enclosed Engine Fan and Fan	rpms to 1900 in gears 1-5	Machine Settings
Drive Guarding (Conforms to	15 Amp (24 V to 12 V W/	Diagnostics
ISO 3457)	Continuous 10 amps)	Monitor Settings
Heavy Duty Aluminum	Converter and (2) Power	
Coolers for Transmission,	Ports	HYDRAULIC SYSTEM:
Axle, Hydraulic, Fuel,	(1)Interior and (2)Exterior	PCLS (Pressure
Charge Air, Radiator and A/C	Mounted Rearview Mirrors	Compensating Load Sensing)
Condenser.	(Conforms to SAE	Hydraulic System
Engine Coolant Surge Tank	J985)	Independent Hyd. Reservoir
Cool-Gard II Extended Life	Air Vents on all Front and	with Sight Glass
Engine Coolant -34 Degrees	side Tinted Windows	Independent Main Hydraulic
F (-37 Degrees	Fixed Lower Front Tinted	filtration cooling system
C)	Window	with:
TRANSMISSION:	Rear Window Electric	56 GPM Main Hydraulic Axial
John Deere Powershift Plus	Defroster	Piston Pump
Direct Drive, Countershaft	Laminated Upper Front	O-Ring Face Seal Connectors
Powershift	Tinted Window w/ Sun	Float control included with
Event Based Shifting (EBS) -	Shade Band	blade lifts
Load Sensing Electronic Shift	Upper Front and Rear	2000 Hour Vertical Spin-On
Modulation	Windshield Washers with	Filter
Over speed Protection	Intermittent Wipers	STRUCTURE:
Quick Disconnect Pressure	Molded Floor Mat	Main Frame with:
Ports	Coat Hook	Double Ball-N-Socket Pivot
Matched 8 Forward and 8	Universal RH & LH Mounting	Connection
Reverse Speeds	Bracket	Snow Wing Ready Frame
Industry Standard U-Shape	Cooler/Lunch Box Storage	Midmount Scarifier Ready
Shift Pattern	with Cup Holder	Grade Control Mount Ready
Transmission Neutral Lock	Operator's Manual Storage	Tapered Roller Bearing in
with Park Start Safety Switch	Front Sun Visor	Bottom Articulation Joint
Rubber Isolation Mounting to	ELECTRICAL:	Tapered Roller Bearing King
Reduce Noise and Vibration	24 Volt System	Pins on Front Axle
Independent Oil Reservoir,	Alternator (dependent on	Lift Eyes
Filtration and Cooling	engine emission and optional	Tiedowns
System with:	equipment)	(20) NeverGrease Pin Joints
31 GPM Transmission Gear	Bypass Start Safety Cover	for Saddle Linkage, Blade
Pump	on Starter	Tilt,
2000 Hour Vertical Spin-On	All Light and Wiper Switches	Rear Steering and Lean
Filter	have Solid State Electrical	Cylinders
DUAL-PATH HYDROSTATIC	Power	MOLDBOARD:
6WD:	Distribution System	Patented Pre-Stressed 12 Ft.
Variable Displacement	Batteries (2), 1400 CCA with	x 24 In. x 7/8 In. (3.66 M x
	440 Minute Reserve Capacity	610 mm x 22

Pumps	Positive Terminal Battery	mm)
Axial Piston Drive Motors	Covers	Moldboard with:
Operator Selected	Ground Level Electrical	6 In. x 5/8 In. (152 x 16
Aggressiveness Control	Master Disconnect Switch	mm) Cutting Edge with
Operator Controlled Inching	Electric Fuel Shut off Switch	5/8 in. Reversible End Bits
Capability	Transporting Lights w/LED	Quick Change Circle Wear
Operational In Gears 1-7	Signal and Marker Lights (4	Inserts (All Nylon)
Forward and Reverse	Halogen	Quick Change and Adjustable
Precision Mode in 1-3	Transport lights)	Heavy Duty Moldboard Side
Forward	Transporting Lights (4	Shift Wear
AXLE, BRAKES AND	Halogen Transport Lights).	Inserts
TANDEMS:	Includes LED turn signals on	Single Input Circle Drive
Teammate II Axle	front frame, LED rear turn	Gearbox (non-slip)
Planetary Single Reduction	signals	OVERALL VEHICLE:
Final Drives	mounted on rear grille, front	Left Side Daily Service
Internal Self-Adjusting	and rear LED marker lights,	Engine and Service
Maintenance Free Wet Multi-	LED brake	Compartment Lights
Disk Brakes Inboard	lights and LED hazard	Hinged Engine Side Shields
of Tandem Pivot	warning lights.	Tool Box with Tray
Continuous Pressurized	Cab Pre-Wired (10 amp) for	Articulation Joint Grease
Filtered Oil Cooled Brakes	Beacon, Radio and Auxiliary	Bank
Independent Oil Reservoir,	Circuit	Articulated frame with Safety
Filtration and Cooling	Electric Forward Warning	(ISO 10570) locking pin
System with:	Horn (Conforms to ISO	Radiator Surge Tank Access
6.7 GPM Axle Gear Pump	9533)	Panel
2000 Hour Vertical Spin-On	Back up Warning Alarm	Bottom/Side Guards with
Filter	(Conforms to ISO 9533)	Access Panels
Primary and Secondary	Sealed Switch Module with	(6) D.O.T. (392&393)
Service Brakes (Conforms to	Function Indicators	Permanent Tie Downs for
ISO 3450)	Multi-Function / Multi-	transport
Automatic Differential Lock	Language LCD Color Monitor	Single Key Locks for Entire
with Override	includes:	Vehicle
Automatic Spring-Applied	DIGITAL INSTRUMENTS	Ground Level Fuel Tank
Hydraulic Released Parking	ANALOG Display:	Filling (FT4 Only)
Brake (Conforms to	Hydraulic Oil Temperature	Fluid Sampling Ports for
SAE J1026)	Engine Coolant Temperature	Engine Oil, Engine Coolant,
14.0 R 24 Inch G2/L2 Single	Transmission Oil	Hydraulic, Axle
Star Radial Tires	Temperature	and Transmission Oils
Slip Resistant Platforms on	Rear Steer Articulation Angle	Vandal Protection Locking
Tandems	Fuel Level	for:
OPERATORS STATION:	DEF Level (FT4 Only)	Service Compartments
Low ROPS/FOPS Air	DIGITAL Display:	Cab Doors
Conditioned Cab (Conforms	Engine RPM	Radiator Surge Tank Access
ROPS ISO 3471 / FOPS ISO	Transmission Gear Indicator	Door
3449 Level II)	Hour Meter	DEF Tank Door and Cap (FT4
Rubber Isolation Frame	Speedometer	Only)
Mounted	Odometer	Hydraulic Reservoir Cap
Keyless Start with Multiple	Outside Ambient	*Battery Disconnect Switch
Security Modes	Temperature	Fuel Tank Door and Cap
Anti-Skid 3 Step Cab Access	Integrated Job Timer and	Tool Box
Fabric Air Suspension Seat	Stop Watch	Fuel tank, 110 gallon (416 L)
with Armrests and Headrest	INDICATOR LIGHTS for	Environmental Drains with
3 In., (76 mm)	Standard and Selected	Hoses for Engine,
Seat Belt w/Retractors	Options	Transmission, Hydraulic,
(Conforms to SAE J386)	INDICATOR LIGHTS for	Axle Oils and Engine Coolant
Tilt Wheel and Control	Amber Caution and Red Stop	Remote Filter Bank for

Console with 5 Lock to Lock
Power

OPERATOR WARNING
MESSAGES
BUILT-IN DIAGNOSTICS:
Diagnostic Code Details

Hydraulic, Transmission and
Axle Oils
Vehicle Side Reflectors

Required - *You must select one from each category*



BASE MACHINE

FOB Davenport, Ia.

As not all option codes have field kits, please review your order option codes and available kits prior to placing a machine order

Description	Code	Price
672G MOTOR GRADER with 6WD	8450T	\$343,616.00

Keep in mind that the following John Deere motor graders 770, 772, 870 & 872 offer optimized performance for high speed snow plowing applications.



ENGINE

Description	Code	Price
John Deere PowerTech PSS 9.0L meets EPA FT4 Emissions	1140	\$54,196.00

For use only in areas where EPA Final Tier 4 is required.
Requires engine exhaust code 1830 or 1840.

Automatic Exhaust Filter Regeneration
Automatic Hydraulic Reversing Fan
Series Turbo Chargers
Cooled Exhaust Gas Recirculation
4 Valves / Cylinder
Wet Sleeve Cylinder Liners
ECO Mode
Auto-Idle and Programmable Auto-Shutdown
Automatic Starter Overload Protection
Electronically Controlled HPCR Fuel Delivery System, B20 Biodiesel
Compatible
Electric Fuel Priming System
10-Micron Primary Fuel Filter/Water Separator, 500 hour
2-Micron Final Fuel Filter, 500 hour
Inline Fuel Strainer
Spin-on Oil Filter, 500 hour
Oil crankcase filter, Lifetime
Auto-Tensioned Serpentine Belt
Under Hood Dual Element Air Cleaner with Restriction Indicator
Engine Intake Rotary Ejector Precleaner
255 Net Peak hp



EXHAUST

Description	Code	Price
Engine Exhaust W/ Flat Black Stack (FT4 or Stage V only)	1830	No Added Cost

Requires engine code 1140.

Engine Exhaust W/ Chrome Stack (FT4 or Stage V only)	1840	\$703.00
--	------	----------

Requires engine code 1140.

**FUEL FILTRATION**

Description	Code	Price
Standard Fuel & Water Filtration	1410	No Added Cost
Severe Duty Fuel & Water Filtration System	1420	\$528.00
For use where fuel quality is questionable and/or additional water separation is required. Filter base contains fuel heater.		

**QUICK SERVICE GROUP**

Description	Code	Price
Quick Service Group	1310	\$672.00
No Quick Service Group	1320	No Added Cost

**MACHINE CONFIGURATION**

Description	Code	Price
Standard Antler Rack Hydraulic Controls	1010	No Added Cost
Armrest Fingertip Controls	1020	\$33,489.00
Grade Pro Armrest Controls Include: * Fingertip controls with industry standard control pattern * Automated Cross Slope control * Integrated grade control (Contact TOPCON, Trimble, or Leica for full install requirements) * Return-to-Straight * Armrest steering control AND conventional steering wheel Requires alternator code 1220 or 1240 and cab code 5060 or 5070. Includes seat code 6140 and grade pro controls code 6650.		
Dual Joystick Controls	1030	\$33,489.00
Grade Pro Armrest Controls Include: * Automated Cross Slope control * Integrated grade control (Contact TOPCON, Trimble, or Leica for full install requirements) * Return-to-Straight * Armrest steering control AND conventional steering wheel Requires alternator code 1220 or 1240 and cab code 5060 or 5070. Includes seat code 6140 and grade pro controls code 6650.		

**OPERATOR'S STATION**

ROPS/FOPS Air Conditioned Cab

Description	Code	Price
Low Cab w/ Fixed Lower Front and Side Windows	5020	No Added Cost
Low Cab w/ Fixed Lower Front and Side Opening Windows	5025	\$927.00
	5030	\$1,243.00

Low Cab w/ Lower Front and Side Opening Windows

Includes Roof Wiring Harness for Lighting, Beacon, Precleaner and Heated Mirrors

Low Cab w/ Fixed Lower Front and Side Opening Windows, Laminated Glass	5035	\$3,087.00
--	------	------------

The advantage of laminated glass is that it resists shattering and strongly resists penetration by impacting objects.

Grade Pro Low Cab w/ Lower Front and Side Opening Windows	5060	No Added Cost
---	------	---------------

Requires configuration code 1020 or code 1030 and seat code 6140.
Requires (1) T244325 bracket to optionally move monitor to the RH door post.

Grade Pro Low Cab w/ Fixed Lower Front and Side Opening Windows, Laminated Glass	5070	\$2,190.00
--	------	------------

Requires configuration code 1020 or code 1030 and seat code 6140.
Requires (1) T244325 bracket to optionally move monitor to the RH door post.

The advantage of laminated glass is that it resists shattering and strongly resists penetration by impacting objects.

Tall Cab with Lower Fixed Front and Side Opening Windows	50A1	\$2,555.00
--	------	------------

CAMERA

Description	Code	Price
Rear Camera (R4)	8830	No Added Cost

Rear view camera with a dedicated monitor

Front & Rear Camera (R4)	8835	\$2,500.00
--------------------------	------	------------

MIRRORS

Description	Code	Price
Exterior Mounted Rearview Mirrors	8210	No Added Cost

Heated Exterior Mounted Rearview Mirrors	8220	\$570.00
--	------	----------

RADIO

Description	Code	Price
AM/FM Radio with Aux and Weather Band (WB)	8410	\$983.00

Premium AM/FM Radio with Bluetooth, Aux and Weather Band (WB).	8415	\$1,515.00
--	------	------------

Requires engine code 1140.
Requires engine code 1145

No Radio	8420	No Added Cost
----------	------	---------------

▼	WASHER AND WIPER		
	Description	Code	Price
	Lower Front Intermittent Wiper & Washer	8310	\$670.00
	Less Lower Front Window Wiper & Wiper	8320	No Added Cost
▼	CAB AIR PRECLEANER		
	Description	Code	Price
	Powered Cab Air Precleaner	6010	\$925.00
	Powered Cab Precleaner pre-filters outside air to significantly extend cab filter life.		
	No Powered Cab Air Precleaner	6030	No Added Cost
▼	SEAT		
	Description	Code	Price
	Standard Fabric Air Suspension Seat with Armrests and Headrest	6120	\$449.00
	For use with cab codes 5020, 5025, 5030 & 5035		
	Premium Heated, Leather/Fabric, High-Wide Back, Air Suspension Seat with Armrests	6130	\$1,191.00
	For use with cab codes 5020, 5025, 5030 & 5035. This seat does not include a headrest. If a headrest is desired, please order AT361342 from service parts.		
	Grade Pro Premium Heated, Leather/Fabric, High-Wide Back Air Suspension Seat	6140	No Added Cost
	For use with cab codes 5060 & 5070. This seat does not include a headrest. If a headrest is desired, please order AT361342 from service parts.		
▼	SOUND ABSORPTION PACKAGE		
	Description	Code	Price
	No Sound Absorption Package	8730	No Added Cost
	Requires engine code 1140.		
▼	HYDRAULIC CONTROLS - RIGHT SIDE		
	Description	Code	Price
	Standard Hydraulic Controls		
	Industry standard manual hydraulic controls. Includes valves, control levers, and plumbing.		
	Base Hydraulics - 4 Function Controls	6510	No Added Cost

Requires configuration code 1010.

Base Functions: Rear Steer, Circle Side shift, Wheel Lean & RH Blade Lift w/ Float.

Base Hydraulics w/ 1 Auxiliary Function Control	6520	\$1,663.00
---	------	------------

Requires configuration code 1010.

Base functions plus 1 function w/float control - front plumbing and hoses for Scarifier or auxiliary application.

For use with front scarifier.

Mid Mount Scarifier Base Hydraulics w/ 1 Auxiliary Function Control	6525	\$1,885.00
---	------	------------

Requires Mid Mount Scarifier code 6730 and configuration code 1010.

Midmount scarifier base hydraulics with 1 auxiliary function control with float control for mid mount scarifier.

For use with mid mount scarifier.

Base Hydraulics w/ 2 Auxiliary Function Controls	6530	\$3,138.00
--	------	------------

Requires configuration code 1010.

Base functions plus 2 functions w/float control - front plumbing and hoses for Scarifier and/or auxiliary application.

For use with front scarifier.

Base Hydraulics w/ 3 Auxiliary Function Controls	6540	\$4,611.00
--	------	------------

Requires code 1010.

Base Functions plus 3 functions-(2) with and (1) w/o float control, front plumbing and hoses for Scarifier and/or auxiliary application.

For use with front scarifier.

Grade Pro Controls

1020 - Finger-tip armrest mounted controls, consistent with the industry standard pattern. Includes armrest mounted lever steering plus the traditional steering wheel. All Auxiliary codes include front and rear plumbing for each function except code 6595. 1030 - Dual Joystick armrest mounted controls. Includes armrest mounted lever steering plus the traditional steering wheel. All Auxiliary codes include front and rear plumbing for each function except code 6595.

Grade Pro Base Controls	6550	No Added Cost
-------------------------	------	---------------

Requires code 1020 OR 1030

Includes the following Base Hydraulic Functions:

Rear Steer

Circle Side shift

Wheel Lean

Right and Left hand Blade Lift w/ Float

Circle Rotate

Blade Side Shift

Blade Tilt

Speed-sensitive Lever Steer (also includes traditional steering wheel)

Grade Pro Controls for Mid Mount Scarifier w/1 Auxiliary Function Control	6526	\$1,885.00
---	------	------------

Requires codes 1020 OR 1030 AND Mid Mount Scarifier code 6730.

Includes base functions plus mid-mount scarifier/auxiliary hoses that run to front of machine

Fingertip controls include right hand lever control

Grade Pro Controls for Rear Ripper or 1 Rear Auxiliary Function	6555	\$1,665.00
Requires code 1020 OR 1030 Includes Base functions plus 1 rear auxiliary function w/float control - Rear plumbing and hoses for Ripper or auxiliary application. Fingertip controls include left hand lever control		
Grade Pro Controls for Front Scarifier or 1 Front Auxiliary Function	6560	\$1,665.00
Requires code 1020 OR 1030 Include Base functions plus 1 front auxiliary function w/float control - front plumbing and hoses for Scarifier and/or auxiliary application. Fingertip controls include right hand lever control		
Grade Pro Controls w/1 Rear Auxiliary Function Control	6570	\$1,665.00
Requires code 1020 OR 1030 Includes Base functions plus 1 rear auxiliary function w/float control - Rear plumbing and hoses for auxiliary application. Fingertip controls include right hand lever control		
Grade Pro Controls w/1 Front Auxiliary Function AND 2 Rear Auxiliary Functions	6580	\$4,988.00
Requires code 1020 OR 1030 Includes Base functions plus 3 auxiliary - 1 front and 2 rear auxiliary functions w/ float control and rear plumbing for Scarifier / Ripper and/or front, mid or rear auxiliary applications. Fingertip controls include left AND right hand lever control 4 independent proportional rollers are reconfigurable for auxiliary functions.		
Grade Pro Controls w/1 Front Auxiliary Function AND 1 Rear Auxiliary Function	6585	\$3,364.00
Requires code 1020 OR 1030 Includes Base functions plus 2 auxiliary - 1 front and 1 rear auxiliary functions w/ float control and plumbing for Scarifier / Ripper applications. Fingertip controls include left AND right hand lever control 4 independent proportional rollers are reconfigurable for auxiliary functions.		
Grade Pro Controls w/1 Front Auxiliary Function AND 3 Rear Auxiliary Functions	6590	\$6,652.00
Requires code 1020 OR 1030 Includes Base functions plus 4 auxiliary - 1 front and 3 rear auxiliary functions w/ float control and rear plumbing for Scarifier / Ripper and/or front, mid or rear auxiliary applications. Fingertip controls include left AND right hand lever control 4 independent proportional rollers are reconfigurable for auxiliary functions.		
Grade Pro Controls w/3 Front Auxiliary Function AND 3 Rear Auxiliary Functions	6595	\$9,977.00
Requires code 1020 OR 1030 Includes Base functions plus 6 auxiliary - 3 front and 3 rear with float control on 4 functions, and front and rear plumbing for 2 functions each. Fingertip controls include left AND right hand lever control		

4 independent proportional rollers are reconfigurable for auxiliary functions.

HYDRAULIC CONTROLS - LEFT SIDE

Industry standard manual hydraulic controls. Includes valves, control levers, and plumbing.

Description	Code	Price
Standard Hydraulic Controls Industry standard manual hydraulic controls. Includes valves, control levers, and plumbing.		
Base Hydraulics- 4 Function Controls	6610	No Added Cost
Requires code 1010. Base Functions: LH Blade Lift w/ Float, Blade Side shift, Circle Rotate, Blade Tilt.		
Base Hydraulics w/ 1 Auxiliary Function Control	6620	\$1,463.00
Requires code 1010. Base Functions plus 1 function w/float control and lines for Ripper or auxiliary application. For Use with Rear Ripper/Scarifier Combination.		
Base Hydraulics w/2 Auxiliary Function Control	6630	\$2,952.00
Requires code 1010. Base functions plus 2 functions w/float control and lines for Ripper and/or auxiliary application. For Use with Rear Ripper/Scarifier Combination.		
Base Hydraulics w/ 3 Auxiliary Function Control	6640	\$4,425.00
Requires code 1010. Base Functions plus 3 functions-(2) with and (1) w/o Float Control, and lines for Ripper and/or auxiliary application. For Use with Rear Ripper/Scarifier Combination.		
Grade Pro Controls		
Grade Pro Controls - Left Side	6650	No Added Cost
Requires code 1020 or code 1030. Accompanies GRADE PRO CONTROLS - RIGHT SIDE order code selection.		

SHIPPING PREPARATION

Description	Code	Price
Air Conditioner Refrigerant Charged	8510	No Added Cost

HYDRAULIC OIL

Description	Code	Price
Hydrau	5815	No Added Cost
Broad ambient operating temperatures. Operating range:		

-25°C to 50°C
-13°F to 122°F

Hydrau XR	5830	\$731.00
-----------	------	----------

Optional factory fill.
Broad ambient operating temperatures.
Operating range:
-40°C to 40°C
-40°F to 104°F
Intended for colder climates, provides all-season capability.
Required for Russia.

HYDRAULIC PUMP DISCONNECT

Description	Code	Price
Hydraulic Pump Disconnect	1610	\$188.00

Required with engine code 1140.
Required for Russia.

MACHINE CONNECTIVITY

Machine connectivity functions require cellular coverage. Usage of JDLink System requires customer's acceptance of the terms of the John Deere Telematics System Contract.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

Description	Code	Price
JDLink Ultimate - 5 Year Subscription	170C	No Added Cost

Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and now includes all Ultimate Connectivity features - Wireless Data Transfer (WDT) enabling automatic data transfer from TimberMatic and Waratah H16 Measuring Systems to TimberManager and MyJohnDeere, supporting TimberOffice 5 Software. Additionally, Ultimate now includes Limited Internet features supporting optional ForestSight Solutions such as advance mapping systems and Remote Display Access (RDA) features supported by TeamViewer applications. JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

JDLink Ultimate Dual - 5 Year Subscription	170J	\$1,936.00
--	------	------------

Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and now includes all cellular dependent Ultimate Connectivity features - Wireless Data Transfer (WDT) enabling automatic data transfer from TimberMatic and Waratah H16 Measuring Systems to TimberManager and MyJohnDeere, supporting TimberOffice 5 Software. Additionally, Ultimate Dual now includes Limited

Internet features supporting optional ForestSight Solutions such as advance mapping systems and Remote Display Access (RDA) features supported by TeamViewer applications when cellular signal is available. JD Link Ultimate Dual works with the 4G LTE MTG to automatically transmit compressed summary data over a satellite network when a cellular network is not available. JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

▼ BLADE IMPACT ABSORPTION SYSTEM

Description	Code	Price
Blade Impact Absorption System	1910	\$3,617.00
Protects Moldboard and draft frame from impacts with Stationary objects		
No Blade Impact Absorption System	1920	No Added Cost

▼ MOLDBOARDS WITH DURA-MAX CUTTING EDGES AND END BITS

Description	Code	Price
12 Ft. x 24 In. x 7/8 In. (3.66M x 610mm x 22mm) w/ 6 In. x 5/8 In. (152 x 16mm) Cutting Edge & 5/8 in. (16mm) Hardware	2010	No Added Cost
12 Ft. x 24 In. x 7/8 In. (3.66M x 610mm x 22mm) w/ 8 In. x 3/4 In. (203 x 19mm) Cutting Edge & 5/8 in. (16mm) Hardware	2020	\$400.00
12 Ft. x 27 In. x 1 In. (3.66M x 686mm x 25mm) w/ 8 In. x 3/4 In. (203 x 19mm) Cutting Edge & 5/8 in. (16mm) Hardware	2030	\$1,019.00
13 Ft. x 27 In. x 1 In. (3.96M x 686mm x 25mm) with 8 In. x 3/4 In. (203 x 19mm) Cutting Edge & 5/8 in. (16mm) Hardware	2040	\$1,215.00
14 Ft. x 24 In. x 7/8 In. (4.27M x 610mm x 22mm) w/ 6 In. x 5/8 In. (152 x 16mm) Cutting Edge & 5/8 in. (16mm) Hardware	2050	\$1,354.00
14 Ft. x 24 In. x 7/8 In. (4.27M x 610mm x 22mm) w/ 8 In. x 3/4 In. (203 x 19mm) Cutting Edge & 5/8 in. (16mm) Hardware	2060	\$1,568.00
14 Ft. x 27 In. x 1 In. (4.27M x 686mm x 25mm) w/ 8 In. x 3/4 In. (203 x 19mm) Cutting Edge & 5/8 in. (16mm) Hardware	2070	\$1,997.00

Requires engine code 1120 or 1140.

14 Ft. x 27 In. x 1 In. (4.27M x 686mm x 25mm) w/ 8 In. x 3/4 In. (203 x 19mm) Cutting Edge & 3/4 in. (19mm) Hardware

2080

\$2,042.00

Requires engine code 1120 or 1140.



CIRCLE

Description	Code	Price
Single Input Gearbox without Slip Clutch	2810	No Added Cost

Single Input Gearbox with Slip Clutch	2820	\$2,751.00
---------------------------------------	------	------------

Slip clutch protects circle, circle drive gearbox and draft frame from damage when end of moldboard comes in contact with stationary objects. Slip clutch is integral to the circle drive gearbox assembly and allows the circle frame to rotate, avoiding damage to the machine, when the end of the moldboard comes in contact with an immovable object.

Heavy Duty Dual Input Gearbox without Slip Clutch	2830	\$1,573.00
---	------	------------

Heavy duty dual input gearbox is an industry exclusive and provides significant improvements in circle drive component durability. The heavy duty dual input circle drive gearbox provides comparable circle torque and circle rotate speed as the single input circle drive gearbox. The heavy duty dual input circle drive gearbox will significantly enhance uptime for the customer and is recommended for applications that frequently use the circle rotate function while under heavy load.

Heavy Duty Dual Input Gearbox with Slip Clutch	2840	\$4,324.00
--	------	------------

Heavy duty dual input gearbox is an industry exclusive and provides significant improvements in circle drive component durability. The heavy duty dual input circle drive gearbox provides comparable circle torque and circle rotate speed as the single input circle drive gearbox. The heavy duty dual input circle drive gearbox will significantly enhance uptime for the customer and is recommended for applications that frequently use the circle rotate function while under heavy load.

Slip clutch protects circle, circle drive gearbox and draft frame from damage when end of moldboard comes in contact with stationary objects. Slip clutch is integral to the circle drive gearbox assembly and allows the circle frame to rotate, avoiding damage to the machine, when the end of the moldboard comes in contact with an immovable object.



ALTERNATOR

Description	Code	Price
130 amp Alternator	1235	\$412.00

Requires engine code 1140.

Dual 100 Amp Alternators (200 Amp total)	1240	\$954.00
--	------	----------

Requires engine code 1140.



LIGHTING

For raised front lights order code 9270 Tall Front Light Bar.

All lighting packages include LED turn signals on front frame, LED rear turn signals mounted on rear grille, front and rear LED marker lights, LED brake lights and LED hazard warning lights.

Description	Code	Price
Transporting Lights (6 Halogen Lights)	7110	No Added Cost
Includes 2-high and 2-low beam halogen headlights plus 2 - reversing lights on rear grill.		
Grading Lights (10 Halogen Lights)	7130	\$763.00
Includes light code 7110 Transporting Lights plus (4) additional work lights (2 - bottom cab, 2 - mid-frame).		
Deluxe Grading Lights (18 Halogen Lights)	7160	\$1,399.00
Includes light code 7130 Grading Lights plus (8) additional work lights (4 - corner cab, 2 - front cab, and 2 - right-side cab roof).		
Premium Grading Lights (18 LED Lights)	7180	\$4,134.00
Same lighting locations as light code 7160 Deluxe Grading Lights, all Premium Grading Lights are LED.		



CONVERTER

Description	Code	Price
24-to-12 Volt Converter (15 amps peak / 10 amps continuous)	8110	No Added Cost
24-to-12 Volt Converter (30 amps peak / 25 amps continuous)	8120	\$470.00
Recommend code 8120 for additional 12 volt needs, such as business band or CB radios		



FRONT ATTACHMENTS

Description	Code	Price
Front Push Block	6710	\$4,189.00
2,950 lbs.		
Front Scarifier	6720	\$9,033.00
Includes Front Hydraulics, plumbing and hoses Scarifier with 2 pitch positions and 9 shank pockets Five 1 x 3 inch Scarifier Shanks w/teeth If additional shanks are desired order (1) each of T6Y5230 Tooth, T114792 Shank and T104223 Retainer for each set. Can not be used with 6550 Hydraulics.		
Mid-Mount Scarifier with Integrated Front Push Plate	6730	\$16,103.00
Requires hydraulic code 6525 or 6526 Mid-Mount Scarifier with Push Block Can not be used with Front Scarifier. Not for use with Front Fenders Code 7810. Recommend Rear Counterweight for better machine balance.		
	6740	\$7,660.00

Balderson Style Front Lift Group

Requires hydraulic code 6520, 6530, 6540, 6560, 6580, 6585, 6590, or 6595.

(2) AT367896 Mating Hooks from Parts are available to convert old front attachments to the Bladerson-style lift group.

Less Front Attachment	6750	\$9,870.00
Front-Mounted Dozer Blade, 97 in. x 37.6 in. (2464 mm x 955 mm)	6770	\$9,870.00
Requires hydraulic controls on the right side with a minimum 1 front auxillary function. Requires 14.0 24 or 14.0 R24 tires		
Front-Mounted Dozer Blade, 105 in. x 37.6 in. (2667 mm x 955 mm)	6780	\$10,055.00
Requires hydraulic controls on the right side with a minimum 1 front auxillary function. Requires 14.0 24, 14.0 R24, 17.5 25, or 17.5 R 25 tires.		



REAR ATTACHMENTS

Description	Code	Price
Rear Mounted Ripper/Scarifier Combination with Rear Hitch and Pin	6810	\$17,774.00
Includes Rear mounted Ripper/Scarifier with rear hitch and pin. NeverGrease Pin Joints. Three 2 x 5 in. Ripper Shanks w/teeth. Does not include Scarifier Shanks w/teeth (offered in code 9430: (9) Extra Scarifier Shanks w/Teeth For Rear Ripper/Scarifier) Can not be used with codes 6550, 6560 or 6610. Recommend Front Push Block (or other front equipment) for proper weight distribution and performance.		
Rear Counterweight with Rear Hitch and Pin	6820	\$2,650.00
1600 lbs.(725.7 kg.) Rear Counterweight. Recommend for use with Front / Mid Scarifier.		
Rear Hitch and Pin	6830	\$511.00
Not for use with Rear Ripper/Scarifier.		
No Rear Attachment	6850	No Added Cost



TRANSMISSION

Description	Code	Price
Autoshift Transmission	5510	\$174.00
Manual Shift Transmission (no Autoshift)	5520	No Added Cost



TRANSMISSION SOLENOID GUARD

Description	Code	Price
-------------	------	-------

Transmission Solenoid Valve Guard 5710 \$213.00

Required with engine code 1140.
Required for Russia.
Recommended for snow plowing applications

WHEELS AND TIRES

Tire selection should be made with consideration for the machine weight and all planned attachments (OEM and aftermarket). Each tire has a maximum load rating that is not to be exceeded. Failure to abide by the load ratings of the tires without first consulting the local tire supplier could result in nullification of the tire warranty. Max load rating is shown next to each tire size and type below

Each selection includes a set of 6 tire/rim assemblies.

NOTE: If a No Brand Preference code is selected a 9000 code in the Attachment- Order as Desired section will automatically be selected as well. This is required to enable the factory to source this order.

All Tires are tubeless unless stated differently.

All wheels on 6WD models are 3 piece rims.

Bias Ply:

13.0-24 12 ply tire, maximum per tire load 6000 lbs.

14.0-24 12 ply tire, maximum per tire load 6800 lbs.

17.5-25 12 ply tire, maximum per tire load 6400 lbs.

13.0-24 16 ply tire, maximum per tire load 7160 lbs.

14.0-24 16 ply tire, maximum per tire load 8040 lbs.

17.5-25 16 ply tire, maximum per tire load 7380 lbs.

Radial:

14.0R24 radial tire, maximum per tire load 8050 lbs.

17.5R25 radial tire, maximum per tire load 8048 lbs.

20.5R25 radial tire, maximum per tire load 10,200 lbs.

550/65R25 radial tire maximum per tire load 10,055 lbs.

Radial Tires: Recommended for puncture resistance, fuel economy and increased traction.

Description	Code	Price
Less Wheels and Tires		
Less Tires & Wheels	4000	No Added Cost
Not available for Russia.		
14.0-24 12 PR G2 Bias Tires With 3 Piece Rims		
Firestone SGG	4317	\$17,639.00
14.0-24 16 PR G2 Bias Tires With 3 Piece Rims		
Firestone SGG	4316	\$18,253.00
14.0R24 G2/L2 Single Star Radial Tires With 3 Piece Rims		
No Brand Preference	4918	\$22,153.00
Bridgestone VKT	4415	\$23,993.00
Michelin XGLA2	4416	\$24,501.00
Bridgestone VUT	4417	\$23,275.00

14.0R24 G2/L2 Single Star Radial Snow Tires With 3 Piece Rims

No Brand Preference	4916	\$27,494.00
Michelin SnoPlus	4426	\$29,278.00
Bridgestone Snow Wedge	4427	\$28,617.00

17.5-25 12 PR G2/L2 Bias Tires With 3 Piece Rims

Firestone SGG	4517	\$20,789.00
---------------	------	-------------

17.5-25 16 PR G2/L2 Bias Tires With 3 Piece Rims

Firestone SGG	4516	\$22,276.00
---------------	------	-------------

17.5R25 L2 Single Star Radial Tires With 3 Piece Rims

No Brand Preference	4924	\$24,929.00
Bridgestone VKT	4615	\$27,610.00
Michelin XTLA	4616	\$28,627.00
Bridgestone VUT	4617	\$26,981.00

17.5R25 G3/L3 Single Star Radial Tires With 3 Piece Rims

Michelin XHA2	4626	\$32,190.00
---------------	------	-------------

17.5R25 G2/L2 Single Star Radial Tires With 3 Piece Rims

Michelin SnoPlus	4636	\$33,757.00
Bridgestone Snow Wedge	4637	\$31,829.00
No Brand Preference	4920	\$30,708.00



FENDERS

Description	Code	Price
Front Fenders	7810	\$2,163.00
No Front Fenders	7820	No Added Cost



OPERATOR'S MANUAL AND DECALS

Description	Code	Price
English Manual W/ English Labels & Decals	2605	No Added Cost
Spanish Manual W/ Spanish Labels & Decals	2610	No Added Cost
French Manual W/ French Labels & Decals	2615	No Added Cost



GRADE CONTROL FACTORY BASE KITS

The following options are for GP graders only and require code 1020 or 1030. See field attachments for G (code 1010) grade control ready kits

Description	Code	Price
Topcon Grade Control Base Kit for GP Graders	2500	\$5,882.00
Base kit is factory installed and includes additional brackets & wiring harnesses that further enhance and simplify the addition of a Topcon Grade Control System. Requires code 1020 or 1030		
Trimble Grade Control Base Kit for GP Graders	2525	\$5,882.00
Base kit is factory installed and includes additional brackets and wiring harnesses that further enhance and simplify the addition of a Trimble GCS900 Grade Control System. Requires code 1020 or 1030		
Leica Grade Control Base Kit for GP Graders	2550	\$5,882.00
Base kit is factory installed and includes additional brackets & wiring harnesses that further enhance and simplify the addition of a Leica 2D or 3D Grade Control System. Requires code 1020 or 1030		
No Grade Control Base Kit Installed	2575	No Added Cost



GRADE CONTROL SYSTEM

Description	Code	Price
SMARTGRADE 3D GNSS MASTLESS GRADE CONTROL	2740	\$98,600.00
Requires code 1020 or 1030. Not compatible with grade control factory base kits. Example: Topcon Ready (2500) Mastless 3D GNSS grade control system fully integrated into the cab and structures. Consists of Topcon UR-1 radio that is capable of doing both UHF and 915 MHz, sensors, in-cab display and Topcon software compatible with Topcon file formats. Includes Automation Suite (Auto-Articulation, Blade Flip and Machine Preset).		
No Topcon 3D GPS Grade Control System installed	2775	No Added Cost

Optional - *Select as desired*



COLD START PACKAGES

Description	Code	Price
Engine Block Heater	9360	\$348.00
Recommended for use on machines that will be operating above 8,000 feet (2440 meters) in altitude, and/or colder than 0 degrees F (-18 degrees C). Includes all weather receptacle conveniently located at ground level Requires: Code 1610 Hydraulic Pump Disconnect		
Ether Starting Aid	9370	\$477.00
Requires 9.0L engine, codes 1112, 1120 or 1140 Cannot be used with code 9340, Engine Air Intake Manifold Pre-Heater Ether is not included.		
	9620	\$207.00

Cold Weather Control Valve Covers

Plastic covers that mount below the cab, shielding the control valve from snow and slowing down hydraulic heat loss in winter.
Requires code 1010 standard hydraulics.

▼ AIR CLEANER			
Description		Code	Price
Heavy Duty Air Cleaner - 9.0L 14 in		9380	\$1,009.00
Engine code 1140 only 15% larger capacity			
Adjusting Rotary Ejector Precleaner		9395	\$556.00
Requires code 9380 Ability to raise engine pre-cleaner to improve air filter performance.			
▼ SUN PROTECTION			
Description		Code	Price
Rear Retractable Sun Shade		9130	\$226.00
▼ MISCELLANEOUS			
Description		Code	Price
Decelerator		9210	\$303.00
▼ HYDRAULIC FAN			
Description		Code	Price
▼ MOLDBOARD AND CIRCLE ADDITIONAL EQUIPMENT			
Description		Code	Price
Reversible Overlay End Bits		9450	\$510.00
Not available for Russia.			
Left Hand Moldboard Extension, 2 foot in length		9460	\$2,217.00
By selecting this option, the 2 foot extension is automatically sized (height, thickness and hardware size) to match the moldboard. Requires moldboard code 2060, 2070, 2080 or 2081. Not available with 9465 (right hand moldboard extension) on the same machine. Not available for Russia.			
Right Hand Moldboard Extension, 2 foot in length		9465	\$2,217.00
By selecting this option, the 2 foot extension is automatically sized (height, thickness and hardware size) to match the moldboard. Requires moldboard code 2060, 2070, 2080 or 2081. Not available with 9460 (left hand moldboard extension) on the same machine.			
Bronze Wear Inserts		90B0	\$831.00

▼ LIGHTING

Description	Code	Price
Tall (26in.(660mm) higher than Standard Frame Lights) Front Snow Plow Light Bar	9270	\$355.00
Not for use with code 6730 Mid Mount Scarifier.		
Front & Rear Light Extensions (Non-EU Countries)	9271	\$387.00
Right Side Engine Compartment Work Light	9273	\$235.00
License Plate Bracket and Light	9275	\$161.00

▼ BEACON LIGHTING

Description	Code	Price
Flip Down Cab Beacon Bracket (RH)	9290	\$158.00
Order codes 9290 and 9295 for dual beacon brackets.		
Flip Down Cab Beacon Bracket (LH)	9295	\$158.00
Order codes 9290 and 9295 for dual beacon brackets.		
Beacon with Flip Down Cab Beacon Bracket (RH)	9298	\$680.00
Includes beacon and bracket. Order codes 9298 and 9299 for dual beacons.		
Beacon with Flip Down Cab Beacon Bracket (LH)	9299	\$680.00
Includes beacon and bracket. Order codes 9298 and 9299 for dual beacons.		

▼ SCARIFIER AND RIPPER ATTACHMENTS

Description	Code	Price
(9) Extra Scarifier Shanks w/Teeth For Rear Ripper/Scarifier	9430	\$1,451.00
Requires Code 6810 Ripper/Scarifier.		
(2) Extra Ripper Shanks w/Teeth For Rear Ripper/Scarifier	9440	\$1,224.00
Requires Code 6810 Ripper/Scarifier.		

▼ FIRE EXTINGUISHER

Description	Code	Price
5.0 lbs. multi purpose (ABC) Dry Chemical Fire Extinguisher	9220	\$130.00

▼ SIGNS

Description	Code	Price
Slow Moving Vehicle (SMV) Sign	9280	\$86.00

▼ MISCELLANEOUS

Description	Code	Price
Secondary Steering (EU)	9625	\$4,732.00
Wheel Chocks	9820	\$661.00

WHEELS AND TIRES

Description	Code	Price
14.0R24 BRIDGESTONE VUT SINGLE STAR RADIAL TIRE W/3 PC RIM	9415	\$2,998.00
Fits both tandem and 6WD machines, front and rear. Not ideal for 6WD performance if used as a front tire due to rim offset but will work as a temporary. Tire is NOT attached to the grader. Limit 1 per machine		
Spare Tire and Rim - 14.0R24 Michelin XGLA2 Single Star Radial Tire With 3 Piece Rim	9416	\$3,283.00
Fits both tandem and 6WD machines, front and rear. Not ideal for 6WD performance if used as a front tire due to rim offset but will work as a temporary. Tire is NOT attached to the grader. Limit 1 per machine.		
14.0R24 BRIDGESTONE SNOW WEDGE SINGLE STAR RADIAL SNOW TIRE W/3 PC RIM	9425	\$3,615.00
Fits both tandem and 6WD machines, front and rear. Not ideal for 6WD performance if used as a front tire due to rim offset but will work as a temporary. Tire is NOT attached to the grader. Limit 1 per machine		
Spare Tire and Rim - 14.0R24 Michelin SnoPlus Single Star Radial Snow Tire With 3 Piece Rim	9426	\$3,935.00
Fits both tandem and 6WD machines, front and rear. Not ideal for 6WD performance if used as a front tire due to rim offset but will work as a temporary. Tire is NOT attached to the grader. Limit 1 per machine.		
17.5R25 BRIDGESTONE VUT SINGLE STAR RADIAL TIRE W/3 PC RIM	9615	\$3,453.00
Fits both tandem and 6WD machines, front and rear. Not ideal for 6WD performance if used as a front tire due to rim offset but will work as a temporary. Tire is NOT attached to the grader. Limit 1 per machine		
Spare Tire and Rim - 17.5R25 Michelin XTLA Single Star Radial Tire With 3 Piece Rim	9616	\$3,904.00
Fits both tandem and 6WD machines, front and rear. Not ideal for 6WD performance if used as a front tire due to rim offset but will work as a temporary. Tire is NOT attached to the grader. Limit 1 per machine.		
17.5R25 BRIDGESTONE SNOW WEDGE SINGLE STAR RADIAL SNOW TIRE W/3 PC RIM	9635	\$4,070.00
Fits both tandem and 6WD machines, front and rear. Not ideal for 6WD performance if used as a front tire due to rim offset but will work as a temporary. Tire is NOT attached to the grader. Limit 1 per machine		
Spare Tire and Rim - 17.5R25 Michelin SnoPlus Single Star Radial Snow Tire With 3 Piece Rim	9636	\$4,548.00

Fits both tandem and 6WD machines, front and rear. Not ideal for 6WD performance if used as a front tire due to rim offset but will work as a temporary. Tire is NOT attached to the grader. Limit 1 per machine.

14.0R24 G2/L2 1 STAR SNOW NO BRAND PREFERRED WITH 3PC RIM	9716	No Added Cost
14.0R24 G2/L2 1 STAR NO BRAND PREFERRED WITH 3PC RIM	9718	No Added Cost
17.5R25 G2/L2 1 STAR SNOW NO BRAND PREFERRED WITH 3PC RIM	9720	No Added Cost
17.5R25 L2 1 STAR NO BRAND PREFERRED WITH 3PC RIM	9724	No Added Cost



FENDERS

Description	Code	Price
Rear Wheel Fenders	9005	\$3,531.00

18.75 in.(476mm) Rear Wheel Fenders
Fenders are not for use with 550 tires.
Fenders can only be used with chains that are designed for 3" of radial clearance and 1.75" of sidewall clearance.
Use of Tire chains permitted in accordance with SAE J683, and requires removal of front mud flap on rear fenders.



OPERATOR'S MANUAL AND DECALS

Description	Code	Price
Finish Paint Less Decals	9330	No Added Cost

For use when custom paint is required
Decals packaged with machine. Some decals installed.



GRADE CONTROL SYSTEM

Description	Code	Price
AUTOMATION SUITE	9215	\$4,579.00

Requires code 1020 or 1030.
Includes Auto-Articulation, Blade Flip and Machine Preset.

BLADE FLIP	9225	\$1,526.00
------------	------	------------

Requires code 1020 or 1030.
Enables the operator to automatically circle the blade to a preset angle by double tapping the circle rotate control.

MACHINE PRESET	9230	\$1,526.00
----------------	------	------------

Requires code 1020 or 1030.
Single button on the SSM activates multiple functions (Return-to-Straight, Auto-shift, lights, etc.). Configurable in monitor

AUTO ARTICULATION	9235	\$2,035.00
-------------------	------	------------

Requires code 1020 or 1030.
Automatically articulates the grader when steering the front wheels. Can be turned on and off by the SSM. Can be operated in forward only or forward and reverse.

ATTACHMENTS FOR FIELD CONVERSION

F.O.B. Dubuque, Iowa for dealer-installed kits, except where noted. Some of the following kits may require additional parts for a complete installation. Prior to ordering, check the installation instructions by going to www.johndeereinfo.com and clicking on Library, or by clicking on this Hyperlink ([Installation Bulletin Search](#)), and insert the AT number to retrieve the attachment installation instruction bulletin for additional parts. Exception to above note is FRONTIER Dealer Installed Kits.

All attachments are sold as a quantity of one.

Description	Code	Price
Front Attachments		
Balderson Style Front Lift Group	AT439817	\$7,679.00
Dozer Blade, 105 in. (2667 mm)	AT439952	\$10,031.00
Dozer Blade, 97 in. (2464 mm)	AT439951	\$9,849.00
Front Push Block 2,950 lbs.	AT363681	\$4,559.00
Front Scarifier Includes scarifier with 2 pitch positions and 9 shank pockets, Five 1 x 3 in. scarifier shanks, cylinder and hoses Requires 5th Function Hydraulics. Average installation, 2 hours.	AT439815	\$9,012.00
Mid-Mount Scarifier with Front Push Block Requires code 6525 Hydraulics. Mid-Mount Scarifier with Push Block cannot be used with Front Scarifier. Not for use with Front Fenders. Recommend Rear Counterweight for better machine balance.	AT439818	\$16,796.00
Grade Control		
TopCon Grade Control Ready INSTALLED for G models G (antler rack) machines only (requires code 1010). Includes installation of parallel EH valves.	BYT10506	\$22,389.00
Trimble Grade Control Ready Installed for G Models G(Antler Rack) machines only. Includes installation of parallel EH valves.	BYT10476	\$22,389.00
Grade Control System		
Software, Auto Articulation Enable Kit Requires code 1020 or 1030. Automatically articulate the grader when steering the front wheels. Can be turned on and off by the SSM. Can be operated in forward only or forward and reverse. S/N 693168 and newer.	BYT11065	\$2,040.00
Software, Automation Suite Enable Kit	BYT11067	\$4,590.00

Requires code 1020 or 1030.
Includes Auto-Articulation, Blade Flip and Machine Preset.
S/N 693168 and newer.

Software, Blade Flip Enable Kit	BYT11064	\$1,530.00
---------------------------------	----------	------------

Requires code 1020 or 1030.
Enables the operator to automatically circle the blade to a present angle by double tapping the circle rotate control.
S/N 693168 and newer

Software, Machine Presets Enable Kit	BYT11066	\$1,530.00
--------------------------------------	----------	------------

Requires code 1020 or 1030.
Single button on the SSM activates multiple functions (Return-to-Straight, Auto-shift, lights, etc.). Configurable in monitor.
S/N 693168 and newer.

Hydraulics

5 Function valve section and linkage Left Kit	AT458173	\$950.00
---	----------	----------

Includes detented float. Installation instructions T213708.

5 Function valve section and linkage Right Kit	AT458171	\$1,169.00
--	----------	------------

Includes detented float. Installation instructions T213708.

6 Function valve section and linkage Left Kit	AT458175	\$914.00
---	----------	----------

6 Function valve section and linkage Right Kit	AT458334	\$1,175.00
--	----------	------------

Includes detented float. Installation instructions T213708.

7 Function valve section and linkage Left Kit	AT458177	\$823.00
---	----------	----------

7 Function valve section and linkage Right Kit	AT458176	\$823.00
--	----------	----------

Grade Pro EH Controls Hydraulics Auxiliary Section	AT458174	\$1,660.00
--	----------	------------

For only Grade Pro G-Series Graders. Requires mini joystick and or dual control levers.

One Hand Blade Lift with Control Valve Kit	AT458178	\$918.00
--	----------	----------

To convert two-hand blade lift controls to one-hand controls on the right side, when the machine is NOT already equipped with a RH 5th function valve. Installation instructions T213709.

Moldboard & Circle

Dual Input Circle Drive Gearbox (with Slip Clutch)	BYT10147	\$6,623.00
--	----------	------------

Protects circle, circle drive gearbox and draft frame from damage when end of moldboard comes in contact with stationary objects. Slip clutch is integral to the circle drive assembly and utilizes a wet clutch system. Cannot be used with code 2220 inserts. For use with G-series (code 1010 Standard Hydraulic Controls).

Dual Input Circle Drive Gearbox (with Slip Clutch) for Grade Pro Controls	BYT10145	\$6,623.00
---	----------	------------

Protects circle, circle drive gearbox and draft frame from damage when end of moldboard comes in contact with stationary objects. Slip clutch is integral to the circle drive assembly and utilizes a wet clutch system. Cannot be used with code 2220 inserts. For use with G-series (code 1020 OR 1030 "Grade Pro" Electro Hydraulic Controls).

Grade Pro Moldboard Impact Absorption System	AT439814	\$3,608.00
For only Grade Pro G-Series Graders.		
Moldboard Extension, 24 X 24 X 7/8 In. Left Hand	AT307730	\$2,533.00
7/8 in. (22mm) thick. Includes 5/8 in. (17mm) Hardware. Cutting Edge is not included.		
Moldboard Extension, 24 x 24 x 7/8 In. Right Hand	AT307731	\$2,533.00
7/8 in. (22mm) thick. Includes 5/8 in. (17mm) Hardware. Cutting Edge is not included.		
Moldboard Extension, 27 X 24 X 1 In. Left Hand	AT307732	\$2,533.00
1 in. (25mm) Thick Includes 5/8 in. (17mm) Hardware. Cutting Edge is not included.		
Moldboard Extension, 27 X 24 X 1 In. Right Hand	AT307733	\$2,533.00
1 in. (25mm) Thick Includes 5/8 in. (17mm) Hardware. Cutting Edge is not included.		
Moldboard Extension, 27 X 24 X 1 In. Right Hand	AT341307	\$2,533.00
1 in. (25mm) Thick Includes 3/4 in. (19mm) Hardware. Cutting Edge is not included.		
Moldboard Extension, 27X 24 X 1 In. Left Hand	AT341306	\$2,533.00
1 in. (25mm) Thick Includes 3/4 in. (19mm) Hardware. Cutting Edge is not included.		
Moldboard Impact Absorption System	AT439812	\$4,114.00
Operator Environment		
Dual Joystick to Fingertip Control Conversion Kit	BYT10357	\$5,440.00
S/N 678818 and after		
Fingertip Control to Dual Joystick Conversion Kit	BYT10358	\$5,440.00
S/N 678818 and after		
GP Armrest Extension Field Kit	BYT10366	\$238.00
Extends GP armrests up 100 MM forward. Widens armrests up to 20 mm each side.		

Premium AM/FM Radio with Bluetooth, Aux, Weather Band (WB), and XM Ready	AT411106	\$1,497.00
Rear Camera Field Kit (FT4)	BYT10521	\$2,552.00
S/N 678818 and after		
Rear Camera Field Kit (S2/T3)	AT439193	\$2,552.00
S/N 678817 and before.		
Rear Camera Field Kit (S2/T3)	BYT10520	\$2,552.00
S/N 678818 and after		
Rear Camera Kit (FT4)	AT430924	\$2,552.00
S/N 678817 and before.		
Secondary Monitor Mounting Field Kit	AT445939	\$108.00
This bracket is required to move the monitor to the RH door post when a customer adds (IGC) Integrated Grade Control. S/N 678817 and before.		
Secondary Monitor Mounting Field Kit	BYT10340	\$108.00
This bracket is required to move the monitor to the RH door post when a customer adds (IGC) Integrated Grade Control. S/N 678818 and after.		
Slope Meter Field Kit	BYT10509	\$50.00
For G models only, not compatible with GP. Requires code 1010.		
<u>Operator's Station</u>		
MP3/iPod/Sat Radio/Cell Phone holder w/ 2 Power Ports and Cargo Net	AT349372	\$158.00
kit includes a cargo net, bracket/holder, wire harness, 2 power ports, plastic holder, and instructions.		
<u>Overall Vehicle</u>		
Beacon Strobe kit	AT408630	\$236.00
Light Only		
Front Wheel Fenders	AT345815	\$1,777.00
18.75 in.(476mm) Front Wheel Fenders Not for use with 550 Tires. Use of Tire chains permitted in accordance with SAE J683. S/N 678817 and before.		
Front Wheel Fenders - 6WD	BYT10417	\$2,169.00
18.75 in.(476mm) Front Wheel Fenders Not for use with 550 Tires. Use of Tire chains permitted in accordance with SAE J683. S/N 678818 and after.		
Heated Mirror	BYT10457	\$203.00

LH Beacon Bracket	BYT10459	\$162.00
License Plate Bracket and Light	BYT10024	\$162.00
For use with FT4 only.		
RH Beacon Bracket	BYT10458	\$162.00
Rear Wheel Fenders	AT400762	\$5,287.00
18.75 in.(476mm) Rear Wheel Fenders Fenders are not for use with 550 tires.		
Fenders are not recommended for use with tires chains and are designed for a maximum of 3" of radial clearance and 1.75" of sidewall clearance. Use of Tire chains is permitted in accordance with SAE J683.		
Secondary Steering - FT4	AT457672	\$2,289.00
Average installation, 12.0 hours. S/N 678818 and after.		
Secondary Steering - S2, T3, iT4	AT367585	\$2,289.00
Average installation, 12.0 hours. S/N 678817 and before.		
Secondary Steering - S2, T3, iT4	AT438864	\$2,289.00
Average installation, 12.0 hours. S/N 678818 and after.		
Single LED work light with high beam lens	AT399788	\$424.00
Replacement for both 12V & 24V work and drive lamps.		
Single LED work light with symmetric lens	AT399789	\$424.00
Replacement for both 12V & 24V work and drive lamps.		
Slow Moving Vehicle Emblem for all T3, IT4 and FT4 Machines	AT370909	\$101.00
<u>Powertrain</u>		
Severe Duty Fuel Filter & Water Filtration kit FT4 - 9L	BYT10514	\$600.00
Final Tier 4, 9.0L engines only US, Canada, Puerto Rico, Guam		
Tandem Axle Grease Bank kit	AT381371	\$114.00
Kit provides fittings, mount and lines to both tandem drives. For Graders produced before February 2010.		
<u>Rear Attachments</u>		
Rear Counterweight with Rear Hitch and Pin	AT367788	\$4,005.00
1600 lbs.(725.7 kg.) Rear Counterweight. Recommend for use with Front / Mid Scarifier.		
Rear Hitch and Pin	AT339398	\$618.00
	BYT10801	\$10,874.00

Rear Mounted Ripper/Scarifier Combination

Rear Mounted Ripper/Scarifier Combination Includes rear mounted ripper/scarifier with rear hitch and pin, three 2 x 5 inch ripper shanks, cylinders and hoses for rear ripper/scarifier. When not equipped with front mounted equipment, requires ripper hydraulics. Cannot be used with rear hitch. Requires 5th section valve code 6620 or order AT458173. Average installation, 8 hours.

Rear Scarifier Shanks (9)	AT415551	\$1,203.00
---------------------------	----------	------------

Includes nine (9) each of shanks, retainers, and holders.
