



U.S. PRICE LIST

COMPACT WHEEL LOADERS

**UP-CW
REVISION 27**

EFFECTIVE JANUARY 1, 2020

THIS IS AN ELECTRONIC COPY ONLY – HARD COPIES WILL NOT BE DISTRIBUTED.

The prices included in this revision supersede any prices established prior to the effective date shown unless specifically identified in a price bulletin as superseding this price list.

Below is a list of Family(s) and Model(s) that are included in this price list.

Compact Wheel Loaders

W50C TC

W50C ZB

W80C HS

PLEASE NOTE: Retain the price book pages of the discontinued series for your records.

Copyright 2020 By

CNH Industrial America LLC



Compact Wheel Loader Line Price & Data Pages

| <u>EQUIPMENT DESCRIPTION</u> | <u>PAGE</u> |
|------------------------------|-------------|
| <u>Compact Wheel Loaders</u> | |
| W50C TC & W50C ZB | 3 |
| W80C HS | 11 |

W50C COMPACT WHEEL LOADERS
US PRICE LIST
Standard Equipment
DIESEL ENGINE

F5HFL463B*F001
 4-Cylinder
 Tier 4 Final
 - CEGR / Diesel Oxidation Catalyst
 - No regeneration
 - No emissions related maintenance
 Displacement: 3.4 L (207 cu. in.)
 58 Gross hp @ 2500 RPM
 55 Net hp @ 2500 RPM
 Electric Cold Weather Starting Device

POWERTRAIN

All-Wheel Drive
 Oscillating Rear Axle
 Articulated Frame
 Outboard Planetary Axles
 Mechanical Park Brake

HYDRAULICS

Common Gear Pump Hydraulic System
 Integral Single Lever Loader Control
 Hydraulic Quick Coupler
 (with control & piping)
 3 spool valve
 Standard C.U.P. Auxiliary Hydraulics
 Remote Drain of Hydraulic Oil
 Aux. Hyd. Drain Line Coupling

TRANSMISSION

Hydrostatic Transmission
 2 Speed Forward, 2 Speed Reverse
 Integral Lever Electric Shift Controls

TIRES

Dunlop 335/80 R18 SPT9

OPERATOR STATION

ROPS/FOPS Canopy
 No Radio
 Vinyl Seat
 No Heat
 Tilting Steering Column
 12 volt power
 External Rear View Mirrors

Hydraulic lockout
 Tool Box
 Heavy Counterweight
 Optional ROPS/FOPS Cab w/ Sound
 Suppression
 Heater/Defroster & Ventilation System
 Windshield Wiper & Washer
 (Front & Rear)
 Adjustable Seat with 2" Seat Belt
 Tinted Safety Glass
 Tilting Steering Column
 Radio Ready-Antenna and Speakers
 12 volt power
 External Rear View Mirrors
 Hydraulic lockout
 Front Sun Screen
 Cloth Suspension Seat
 Tool Box
 Heavy Counterweight

FREIGHT

FOB Port of Entry

SHIPPING POINT

Baltimore or Galveston

LOADER SYSTEM

Electro-Hydraulic (EH) Joystick
 loader control for lift and tilt with
 F/N/R, Includes: float, Low/High travel
 mode, Auxiliary Function Roller
 Skid Steer Attachment Compatible
 Hydraulic Quick Coupler (Not
 approved for use with skid steer
 ground engaging attachments,
 such as skid steer bucket or
 mini-hoe.)
 Return to Dig

INSTRUMENTS

Display/Gauges:
 Fuel Level
 Speed
 Hour meter
 Current Gear
 Direction

**W50C COMPACT WHEEL LOADERS
US PRICE LIST**

Standard Equipment

| | |
|---------------------------------|--------------------------------------|
| PM Catalyst | Four Turning Lights |
| Clock | (2 in Front, 2 in Rear) |
| Indicator Lights: | Two Stop Lights |
| Main Hydraulic Enabled | Two Tail Lights |
| Park Brake | Two Front Work lights |
| Creep Speed | Battery Disconnect |
| Work Lamps | LED Rotating Beacon |
| Headlamp Indicator | |
| Turn Signal Indicator | WARRANTY: Base Warranty coverage: |
| Ride Control | 12-Month / Unlimited Hr Full Machine |
| Parking Brake | Limited Warranty |
| Hazard Light Indicator | |
| Rear Work Lamps | SHIPPING POINT: |
| Alternator | Port of Entry |
| Glow Plug | |
| Rabbit | |
| Clogged Air Filter | |
| Low Fuel | |
| PM Catalyst | |
| INSTRUMENTS (Cont) | |
| Brake Fluid Level | |
| Quick Coupler On | |
| Engine Oil Pressure | |
| ELECTRICAL | |
| 12V System | |
| 120 Amp Alternator with 900 CCA | |
| battery | |
| 12V Electrical Socket in Cab | |
| Back-up Alarm | |
| Two Head Lights | |



**W50C COMPACT WHEEL LOADERS
US PRICE LIST**

Models

| COMMERCIAL MODEL | TECHNICAL TYPE | Weight | Factory Data | List Price |
|------------------|----------------|-----------|--------------|-------------|
| W50C TC | 533144050 | 11,111 LB | | \$82,650.00 |
| W50C ZB | 533134050 | 10,913 LB | | \$82,236.00 |



**W50C COMPACT WHEEL LOADERS
US PRICE LIST**

Factory Supplied Options

| Order Code | Description | Weight | Factory Data | List Price |
|------------|-------------|--------|--------------|------------|
|------------|-------------|--------|--------------|------------|

CAB GROUP

CAB

SD_05127 CAB

| | | | | | | |
|--|--|--------|---|--|--|------------|
| | | 734631 | Base Cab Includes Air Conditioner w/Heater | | | \$3,033.00 |
| | | 734632 | Deluxe Cab Includes: Air Conditioner w/Heater; Internal covers for side pillars; Metal A/C vents, side storage box for personal belongings; Fully adjustable steering column (Telescopic/Tiltable); Full steering column cover; Two position side window (Partial / 180 degree) | | | \$5,200.00 |
| | | 734671 | Canopy, ROPS | | | No Charge |

SD_05133 SEAT

| | | | | | | |
|--|--|--------|--------------------------|--|--|-----------|
| | | 734589 | Mechanical Seat | | | No Charge |
| | | 734590 | Air Seat | | | \$737.00 |
| | | 734672 | Canopy Only - Vinyl Seat | | | No Charge |

SD_05136 RADIO OPTION

| | | | | | | |
|--|--|---------|--|--|--|-----------|
| | | X05136X | No Radio Wiring harness installed. | | | No Charge |
| | | 734504 | Radio with speakers Wiring harness for radio, speakers installed. Radio with MP3 and USB included. | | | \$345.00 |

SD_05197 CLIMATE CONTROL

| | | | | | | |
|--|--|---------|---|--|--|-----------|
| | | 734506 | Air Conditioner w/ Heater Included in Base and Deluxe Cab options | | | No Charge |
| | | X05197X | Canopy Only - No Heat Included with Canopy option | | | No Charge |

POWERTRAIN

DRIVE

SD_15021 AXLES FRONT AND REAR

| | | | | | | |
|--|--|--------|---|--|--|------------|
| | | 734511 | Axles Open cal 12.4 MPH (20 KM/H) | | | No Charge |
| | | 734510 | Axles Limited Slip Diff. cal 12.4 MPH (20 KH/H) Recommended for wet/snowy conditions. | | | \$1,718.00 |

W50C COMPACT WHEEL LOADERS US PRICE LIST

LANGUAGE OPTIONS

OPERATOR MANUALS

SD_32003 DECALS & LITERATURE

| | | | | | | |
|--|--|--------|---------------------|--|--|-----------|
| | | 734529 | Decal & Lit English | | | No Charge |
| | | 734540 | Decal & Lit Spanish | | | No Charge |
| | | 734533 | Decal & Lit French | | | No Charge |

HYDRAULICS

HYDRAULICS

SD_20053 CREEP SPEED

| | | | | | | |
|--|--|---------|---|--|--|-----------|
| | | X20053X | No Creep Speed | | | No Charge |
| | | 734583 | Creep Speed Once Creep Speed is activated (switch on the dashboard), the operator can set the engine RPM (dial switch on the dashboard) and set ground speed using a rocker switch up to 3.2 MPH (5 KM/H) | | | \$867.00 |

SD_20086 HYDRAULIC COUPLER

| | | | | | | |
|--|--|--------|-----------------------------|--|--|------------|
| | | 734516 | Hyd. SSL Compatible Coupler | | | No Charge |
| | | 734517 | Hyd. Horizontal Pin Coupler | | | \$2,167.00 |

SD_20119 HYDRAULIC AUX

| | | | | | | |
|--|--|--------|--|--|--|------------|
| | | 734586 | Standard Auxiliary Quick coupler allows 3rd function. Comes standard with connect under pressure connectors. | | | No Charge |
| | | 734584 | Secondary Auxiliaries Quick coupler, allows 4th function. Comes standard with connect under pressure connectors. | | | \$1,733.00 |

SD_20176 RETURN TO DIG

| | | | | | | |
|--|--|--------|---------------|--|--|-----------|
| | | 782734 | Return to Dig | | | No Charge |
|--|--|--------|---------------|--|--|-----------|

SD_20178 RIDE CONTROL

| | | | | | | |
|--|--|---------|--|--|--|------------|
| | | X20178X | No Ride Control | | | No Charge |
| | | 734520 | Auto Ride control Engages at approx 2.2 MPH (3.5 KM/H) | | | \$1,517.00 |

SD_20239 HYDRAULICS CONNECTORS STD AUX

| | | | | | | |
|--|--|--------|--------------------------|--|--|-----------|
| | | 734614 | Hydr. Non C.U.P. std aux | | | (\$43.00) |
| | | 734615 | Hydr. C.U.P. std aux | | | No Charge |

SD_20240 HYD. CONNECTORS SECONDARY AUX

| | | | | | | |
|--|--|--------|---------------------|--|--|----------|
| | | 734618 | Hyd. C.U.P. 2nd aux | | | \$217.00 |
|--|--|--------|---------------------|--|--|----------|



**W50C COMPACT WHEEL LOADERS
US PRICE LIST**

| | | | | | | |
|--|--|---------|----------------------------|--|--|-----------|
| | | X20240X | No Hyd. Connectors 2nd aux | | | No Charge |
|--|--|---------|----------------------------|--|--|-----------|

SD_20242 REM.DRAIN HYDR.OIL

| | | | | | | |
|--|--|--------|--------------------------|--|--|-----------|
| | | 734612 | Remote drain of hyd. oil | | | No Charge |
|--|--|--------|--------------------------|--|--|-----------|

SD_20244 AUX HYDR DRAIN LINE

| | | | | | | |
|--|--|--------|-------------------------------|--|--|-----------|
| | | 734636 | Aux. Hyd. Drain Line Coupling | | | No Charge |
|--|--|--------|-------------------------------|--|--|-----------|

MISCELLANEOUS

OTHER OPTIONS

SD_02025 COLD WEATHER STARTING

| | | | | | | |
|--|--|--------|--|--|--|-----------|
| | | 734574 | Std Weather Package One 900 CCA Battery | | | No Charge |
| | | 734654 | Cold Weather w/ Block Heater Two 680 CCA batteries, Low-temp Hytran oil, engine block heater. Rated down to -9.4F (-23C) | | | \$723.00 |

SD_06067 ROAD AND WORK LIGHTS

| | | | | | | |
|--|--|--------|------------------------------|--|--|-----------|
| | | 734507 | 2 Front & 2 Rear work lights | | | No Charge |
| | | 734508 | 2 Front work lights | | | (\$87.00) |
| | | 734663 | LED 2 Front 2 Rear | | | \$423.00 |

SD_21009 AUXILIARY FRONT ELECTRIC

| | | | | | | |
|--|--|---------|-----------------------------|--|--|-----------|
| | | X21009X | No Auxiliary Front Electric | | | No Charge |
| | | 734588 | Front Electrical Socket | | | \$433.00 |

SD_30005 FIRE EXTINGUISHER

| | | | | | | |
|--|--|---------|----------------------|--|--|-----------|
| | | X30005X | No Fire Extinguisher | | | No Charge |
|--|--|---------|----------------------|--|--|-----------|

SD_30047 WARNING LIGHTS

| | | | | | | |
|--|--|--------|---------------------------|--|--|-----------|
| | | 782108 | Rotating LED amber beacon | | | No Charge |
|--|--|--------|---------------------------|--|--|-----------|

SD_43024 TOOL BOX

| | | | | | | |
|--|--|--------|---|--|--|-----------|
| | | 734595 | Tool Box (no tools) Contains no tools; located outside of the cab on the driver's right side. | | | No Charge |
|--|--|--------|---|--|--|-----------|

SD_V9000 TELEMATICS

| | | | | | | |
|--|--|---------|---------------|--|--|-----------|
| | | 734017 | NH FLEETFORCE | | | \$816.00 |
| | | XV9000X | NO TELEMATICS | | | No Charge |



**W50C COMPACT WHEEL LOADERS
US PRICE LIST**

TIRES AND WHEELS

TIRES

SD_16066 WHEELS AND TIRES

| | | | | | | |
|--|--|---------|---------------------------|--|--|------------|
| | | 9420294 | 12.5-18 MPT-04 Bias Mitas | | | (\$867.00) |
| | | 9420161 | 335/80 R18 SPT9 L2 Dunlop | | | No Charge |
| | | 9400023 | 365/80 R18 SPT9 L2 Dunlop | | | \$1,040.00 |
| | | 9420374 | 365/70 R18 EM-01 Mitas | | | \$433.00 |
| | | 9420378 | 335/80 R18 EM-02 Mitas | | | (\$433.00) |

SD_30045 WHEEL CHOCKS KIT

| | | | | | | |
|--|--|---------|-----------------|--|--|-----------|
| | | X30045X | No Wheel Chocks | | | No Charge |
| | | 734587 | Wheel Chocks | | | \$173.00 |

FRONT ATTACHMENTS

BUCKETS

SD_U5101 COMPACT WHEEL LOADER BUCKETS

| | | | | | | |
|---------------------------------------|--|---------|--|--|--|------------|
| | | XU5101X | No Bucket | | | No Charge |
| Horizontal Pin Coupler Buckets | | | | | | |
| | | 734605 | .92 cu. yd. GP Bucket (0.7 cubic meter); 74.8 in (1900 mm) Bucket | | | \$1,733.00 |
| | | 734606 | 1.05 cu. yd. GP Bucket (0.8 cubic meter); 80.71 in (2050 mm) Bucket | | | \$1,993.00 |
| | | 734604 | 1.31 cu. yd. LM Bucket (1 cubic meter); 80.71 in (2050 mm) Light Material Bucket | | | \$2,383.00 |
| SSL Compatible Coupler Buckets | | | | | | |
| | | 734629 | .92 cu. yd. GP Bkt-SSL Coupler (0.7 cubic meter); 74.8 in (1900 mm) Bucket for use with SSL Compatible Coupler (734516) | | | \$1,690.00 |
| | | 734626 | 1.05 cu yd GP Bkt -SSL Coupler (0.8 cubic meter); 80.71 in (2050 mm) Bucket for use with SSL Compatible Coupler (734516) | | | \$1,951.00 |

SD_U5102 BUCKET TOOTH GUARD

| | | | | | | |
|--|--|---------|---|--|--|-----------|
| | | 482083 | Tooth Protection (1900 mm) Used while roading; device covers ends of teeth for safety during a collision. | | | \$108.00 |
| | | 482084 | Tooth Protection (2050 mm) Used while roading; device covers ends of teeth for safety during a collision. | | | \$152.00 |
| | | XU5102X | No Tooth Protection | | | No Charge |



**W50C COMPACT WHEEL LOADERS
US PRICE LIST**

SD_V5203 BUCKET ACCESSORIES

| | | | | | | |
|--|--|---------|------------------------|--|--|------------|
| | | 734570 | Cutting Edge (2050 mm) | | | \$1,127.00 |
| | | 734603 | Cutting Edge (1900 mm) | | | \$953.00 |
| | | 734610 | Bucket Teeth (1900 mm) | | | \$217.00 |
| | | XV5203X | No Bucket Accessories | | | No Charge |

PALLET FORK ASSEMBLY

SD_U5201 LIFT FORKS

| | | | | | | |
|------------------------------|--|---------|--------------------------------|--|--|------------|
| | | XU5201X | No Lift Forks | | | No Charge |
| Horizontal Pin Coupler Forks | | | | | | |
| | | 734573 | 48" Forks (1200 mm) | | | \$1,733.00 |
| SSL Compatible Coupler Forks | | | | | | |
| | | 734642 | 48" Forks (1200mm) - SSL Coup. | | | \$1,174.00 |

SD_U5202 PROTECT. DEVICE FORKS

| | | | | | | |
|--|--|---------|--|--|--|-----------|
| | | 782064 | Protection Device Forks Used while roading; device covers ends of the tines for safety during a collision. | | | \$303.00 |
| | | XU5202X | No Protection Device Forks | | | No Charge |

W80C COMPACT WHEEL LOADER
US PRICE LIST

Standard Equipment

DIESEL ENGINE

F5HFL463A*F001
 4-Cylinder
 Tier 4 Final
 - EGR / Diesel Oxidation Catalyst
 - No Regeneration
 - No emissions related maintenance
 Displacement: 3.4 L (207 cu. in.)
 74 Gross hp @ 2500 RPM
 70 Net hp @ 2500 RPM
 Electric Cold Weather Starting Device

POWERTRAIN

All-Wheel Drive
 Oscillating Rear Axle
 Articulated Frame
 Outboard Planetary Axles
 Mechanical Park Brake

HYDRAULICS

Common Gear Pump Hydraulic System
 Integral Single Lever Loader Control
 Hydraulic Quick Coupler
 (with control & piping)
 3 spool valve
 Standard C.U.P. Auxiliary Hydraulics
 Remote Drain of Hydraulic Oil
 Aux. Hyd. Drail Line Coupling

TRANSMISSION

Hydrostatic Transmission
 2 Speed Forward, 2 Speed Reverse
 Integral Lever Electric Shift Controls

TIRES

Dunlop 335/80 R18 SPT9

OPERATOR STATION

ROPS/FOPS Canopy
 No Radio
 Vinyl Seat
 No Heat
 Tilting Steering Column
 12 volt power

External Rear View Mirrors
 Hydraulic lockout
 Tool Box
 Heavy Counterweight
 Optional ROPS/FOPS Cab with Sound
 Suppression
 Heater/Defroster & Ventilation System
 Windshield Wiper & Washer
 (Front & Rear)
 Adjustable Seat with 2" Seat Belt
 Tinted Safety Glass
 Tilting Steering Column
 Radio Ready-Antenna and Speakers
 12 volt power
 External Rear View Mirrors
 Hydraulic lockout
 Front Sun Screen
 Cloth Suspension Seat
 Heavy Counterweight
 Tool Box

FREIGHT

FOB Port of Entry

SHIPPING POINT

Baltimore or Galveston

LOADER SYSTEM

Electro-Hydraulic (EH) Joystick
 loader control for lift and tilt with
 F/N/R, Includes: float, Low/High travel
 mode, Auxiliary Function Roller
 Skid Steer Attachment Compatible
 Hydraulic Quick Coupler (Not
 approved for use with skid steer
 ground engaging attachments,
 such as skid steer bucket or
 mini-hoe.)
 Return to Dig

INSTRUMENTS

Display/Gauges:
 Fuel Level
 Speed

**W80C COMPACT WHEEL LOADER
US PRICE LIST**

Standard Equipment

Hour meter
Current Gear
Direction
PM Catalyst
Clock
Indicator Lights:
Main Hydraulic Enabled
Park Brake
Creep Speed
Work Lamps
Headlamp Indicator
Turn Signal Indicator
Ride Control
Parking Brake
Hazard Light Indicator
Rear Work Lamps
Alternator
Glow Plug
Rabbit
Clogged Air Filter
Low Fuel
PM Catalyst
Brake Fluid Level
Quick Coupler On
Engine Oil Pressure

ELECTRICAL
12V System
120 Amp Alternator with 900 CCA
battery
12V Electrical Socket in Cab
Back-up Alarm
Two Head Lights
Four Turning Lights
(2 in Front, 2 in Rear)
Two Stop Lights
Two Tail Lights
Two Front Work lights
Battery Disconnect
LED Rotating Beacon

WARRANTY: Base Warranty coverage:
12-Month / Unlimited Hr Full Machine
Limited Warranty

SHIPPING POINT:
Port of Entry



**W80C COMPACT WHEEL LOADER
US PRICE LIST**

Models

| COMMERCIAL MODEL | Weight | Factory Data | List Price |
|------------------|-----------|--------------|--------------|
| W80C HS | 13,184 LB | | \$100,317.00 |



**W80C COMPACT WHEEL LOADER
US PRICE LIST**

Factory Supplied Options

| Order Code | Description | Weight | Factory Data | List Price |
|------------|-------------|--------|--------------|------------|
|------------|-------------|--------|--------------|------------|

CAB GROUP

CAB

SD_05127 CAB

| | | | | | | |
|--|--|--------|--|--|--|------------|
| | | 734671 | Canopy, ROPS Must also order: 734672 Canopy Only - Vinyl Seat; X05197X Canopy Only - No Heat; X05136X - No Radio; X30005X No Fire Extinguisher. | | | No Charge |
| | | 734631 | Base Cab Includes Air Conditioner w/Heat | | | \$3,033.00 |
| | | 734632 | Deluxe Cab Includes: Air Conditioner w/Heater; Internal covers for side pillars; Metal A/C vents, side storage box for personal belongings; Fully adjustable steering column (Telescopic/Tilttable); Full steering column cover; Two position side window (Partial / 180 degree) | | | \$5,200.00 |

CLIMATE CONTROL

SD_05197 CLIMATE CONTROL

| | | | | | | |
|--|--|---------|---|--|--|-----------|
| | | 734506 | Air Conditioner w/ Heater Included in Base and Deluxe Cab options | | | No Charge |
| | | X05197X | Canopy Only - No Heat Included with Canopy option | | | No Charge |

MISCELLANEOUS

SD_05133 SEAT

| | | | | | | |
|--|--|--------|--------------------------|--|--|-----------|
| | | 734589 | Mechanical Seat | | | No Charge |
| | | 734590 | Air Seat | | | \$737.00 |
| | | 734672 | Canopy Only - Vinyl Seat | | | No Charge |

SD_05136 RADIO OPTION

| | | | | | | |
|--|--|---------|--|--|--|-----------|
| | | X05136X | No Radio Wiring harness installed | | | No Charge |
| | | 734504 | Radio with speakers Wiring harness for radio, speakers installed. Radio with MP3 and USB included. | | | \$345.00 |

W80C COMPACT WHEEL LOADER US PRICE LIST

POWERTRAIN

DRIVE

SD_15021 AXLES FRONT AND REAR

Standard Speed

| | | | | | | |
|--|--|--------|---|--|--|-----------|
| | | 734665 | Axles Limited Slip Diff. wd with wet disk service brakes 12.4 MPH (20KM/H) Additional differential options (Open, Limited Slip & Diff Lock) equipped with caliper service brakes are available by special order. Please contact Dealer Sales Support for pricing and availability. | | | No Charge |
|--|--|--------|---|--|--|-----------|

High Speed

| | | | | | | |
|--|--|--------|---|--|--|------------|
| | | 734514 | HS Axles Open wd 21.8 MPH (35 KM/H) with wet disk service brakes | | | No Charge |
| | | 734513 | HS Axles Limited Slip Diff. wd 21.8 MPH (35 KPH) with wet disk service brakes Recommended for wet/snowy conditions. | | | \$3,033.00 |
| | | 734515 | HS Axles Differential Lock wd 21.8 MPH (35 KM/H) with wet disk service brakes capable of 100% differential lock | | | \$3,726.00 |

LANGUAGE OPTIONS

OPERATOR MANUALS

SD_32003 DECALS & LITERATURE

| | | | | | | |
|--|--|--------|---------------------|--|--|-----------|
| | | 734529 | Decal & Lit English | | | No Charge |
| | | 734533 | Decal & Lit French | | | No Charge |
| | | 734540 | Decal & Lit Spanish | | | No Charge |

HYDRAULICS

HYDRAULICS

SD_20053 CREEP SPEED

| | | | | | | |
|--|--|---------|---|--|--|-----------|
| | | X20053X | No Creep Speed | | | No Charge |
| | | 734583 | Creep Speed Once Creep Speed is activated (switch on the dashboard), the operator can set the engine RPM (dial switch on the dashboard) and set the ground speed using a rocker switch up to 3.2 MPH (5 KM/H). | | | \$867.00 |



**W80C COMPACT WHEEL LOADER
US PRICE LIST**

SD_20086 HYDRAULIC COUPLER

| | | | | | | |
|--|--|--------|-----------------------------|--|--|------------|
| | | 734516 | Hyd. SSL Compatible Coupler | | | No Charge |
| | | 734517 | Hyd. Horizontal Pin Coupler | | | \$2,167.00 |

SD_20119 HYDRAULIC AUX

| | | | | | | |
|---------------|--|--------|--|--|--|------------|
| | | 734586 | Standard Auxiliary Quick coupler allows 3rd function. Comes standard with connect under pressure connectors. | | | No Charge |
| | | 734591 | Standard Aux w/ High Flow Option 734583 Creep Speed is mandatory with High Flow Aux. Comes standard with connect under pressure connectors. | | | \$867.00 |
| Secondary Aux | | | | | | |
| | | 734585 | Secondary Aux w/ High Flow Quick coupler, allows 4th function. Option 734583 Creep Speed is mandatory with High Flow Aux. Comes standard with connect under pressure connectors. | | | \$2,167.00 |

SD_20176 RETURN TO DIG

| | | | | | | |
|--|--|--------|---------------|--|--|-----------|
| | | 782734 | Return to Dig | | | No Charge |
|--|--|--------|---------------|--|--|-----------|

SD_20178 RIDE CONTROL

| | | | | | | |
|--|--|---------|--|--|--|------------|
| | | X20178X | No Ride Control | | | No Charge |
| | | 734520 | Auto Ride control Engages at approx 2.2 MPH (3.5 KM/H) | | | \$1,517.00 |

SD_20239 HYDRAULICS CONNECTORS STD AUX

| | | | | | | |
|--|--|--------|--------------------------|--|--|-----------|
| | | 734614 | Hydr. Non C.U.P. std aux | | | (\$43.00) |
| | | 734615 | Hydr. C.U.P. std aux | | | No Charge |

SD_20242 REM.DRAIN HYDR.OIL

| | | | | | | |
|--|--|--------|--------------------------|--|--|-----------|
| | | 734612 | Remote drain of hyd. oil | | | No Charge |
|--|--|--------|--------------------------|--|--|-----------|

SD_20244 AUX HYDR DRAIN LINE

| | | | | | | |
|--|--|--------|-------------------------------|--|--|-----------|
| | | 734636 | Aux. Hyd. Drain Line Coupling | | | No Charge |
|--|--|--------|-------------------------------|--|--|-----------|

MISCELLANEOUS

OTHER OPTIONS

SD_02025 COLD WEATHER STARTING

| | | | | | | |
|--|--|--------|---|--|--|-----------|
| | | 734574 | Std Weather Package One 900 CCA battery | | | No Charge |
| | | 734654 | Cold Weather w/ Block Heater Two 680 CCA batteries, Low-temp Hytran oil, engine block heater. Rated down to -9.4F (-23C). | | | \$723.00 |

**W80C COMPACT WHEEL LOADER
US PRICE LIST**

SD_06067 ROAD AND WORK LIGHTS

| | | | | | | |
|--|--|--------|------------------------------|--|--|-----------|
| | | 734508 | 2 Front work lights | | | (\$87.00) |
| | | 734507 | 2 Front & 2 Rear work lights | | | No Charge |
| | | 734663 | LED 2 Front 2 Rear | | | \$423.00 |

SD_21009 AUXILIARY FRONT ELECTRIC

| | | | | | | |
|--|--|---------|-----------------------------|--|--|-----------|
| | | X21009X | No Auxiliary Front Electric | | | No Charge |
| | | 734588 | Front Electrical Socket | | | \$433.00 |

SD_30005 FIRE EXTINGUISHER

| | | | | | | |
|--|--|---------|----------------------|--|--|-----------|
| | | X30005X | No Fire Extinguisher | | | No Charge |
|--|--|---------|----------------------|--|--|-----------|

SD_30047 WARNING LIGHTS

| | | | | | | |
|--|--|--------|---------------------------|--|--|-----------|
| | | 782108 | Rotating LED amber beacon | | | No Charge |
|--|--|--------|---------------------------|--|--|-----------|

SD_40003 COUNTERWEIGHT

| | | | | | | |
|--|--|--------|-------------------------|--|--|-----------|
| | | 734670 | Heavy CWL Counterweight | | | No Charge |
|--|--|--------|-------------------------|--|--|-----------|

SD_43024 TOOL BOX

| | | | | | | |
|--|--|--------|---|--|--|-----------|
| | | 734595 | Tool Box (no tools) Contains no tools. Located outside of the cab on the driver's right side. | | | No Charge |
|--|--|--------|---|--|--|-----------|

SD_V9000 TELEMATICS

| | | | | | | |
|--|--|---------|---------------|--|--|-----------|
| | | XV9000X | NO TELEMATICS | | | No Charge |
| | | 734017 | NH FLEETFORCE | | | \$816.00 |

TIRES AND WHEELS

TIRES AND WHEELS

SD_16066 WHEELS AND TIRES

| | | | | | | |
|--|--|---------|------------------------------|--|--|------------|
| | | 9420390 | 550/45 R22.5 Flotation Tire | | | \$2,588.00 |
| | | 9400051 | 14.5-20 MPT-04 Bias Mitas | | | (\$867.00) |
| | | 9420375 | 365/80 R20 EM-01 Mitas | | | (\$347.00) |
| | | 9420376 | 405/70 R20 EM-01 Mitas | | | (\$173.00) |
| | | 9420162 | 365/80 R20 STP9 L2 Dunlop | | | No Charge |
| | | 9400025 | 405/70 R20 STP9 L2 Dunlop | | | \$433.00 |
| | | 9420386 | 360/80 R20 Nokian Tri 2 Snow | | | \$2,165.00 |

SD_30045 WHEEL CHOCKS KIT

| | | | | | | |
|--|--|---------|-----------------|--|--|-----------|
| | | X30045X | No Wheel Chocks | | | No Charge |
| | | 734587 | Wheel Chocks | | | \$173.00 |

**W80C COMPACT WHEEL LOADER
US PRICE LIST**

FRONT ATTACHMENTS

BUCKETS

SD_U5101 COMPACT WHEEL LOADER BUCKETS

| | | | | | | |
|--------------------------------|--|---------|--|--|--|------------|
| | | XU5101X | No Bucket | | | No Charge |
| Horizontal Pin Coupler Buckets | | | | | | |
| | | 734576 | 1.31 cu. yd. GP Bucket (1.0 cubic meter); 82.68 in (2100 mm) Bucket | | | \$2,427.00 |
| | | 734609 | 1.44 cu. yd. Bucket (1.1 cubic meter); 82.68 in (2100 mm) Bucket | | | \$2,600.00 |
| | | 734578 | 1.70 cu. yd. LM Bucket (1.3 cubic meter); 82.68 in (2100 mm) Bucket | | | \$2,773.00 |
| SSL Compatible Coupler Buckets | | | | | | |
| | | 734623 | 1.31 cu yd GP Bkt -SSL Coupler (1.0 cubic meter); 82.68 in (2100 mm) Bucket for use with SSL Compatible Coupler (734516) | | | \$2,427.00 |
| | | 734625 | 1.44 cu yd Bkt -SSL Coupler (1.1 cubic meter); 82.68 in (2100 mm) Bucket for use with SSL Compatible Coupler (734516) | | | \$3,467.00 |
| | | 734624 | 1.70 cu yd LM Bkt -SSL Coupler (1.3 cubic meter); 82.68 in (2100 mm) Bucket for use with SSL Compatible Coupler (734516) | | | \$3,683.00 |

SD_U5102 BUCKET TOOTH GUARD

| | | | | | | |
|--|--|---------|---|--|--|-----------|
| | | XU5102X | No Tooth Protection | | | No Charge |
| | | 482088 | Tooth Protection (2100 mm) Used while roading. Device covers ends of teeth for safety during a collision. | | | \$195.00 |
| | | 482084 | Tooth Protection (2050 mm) Used while roading. Device covers ends of the teeth for safety during a collision. | | | \$152.00 |

SD_V5203 BUCKET ACCESSORIES

| | | | | | | |
|--|--|---------|-----------------------------|--|--|------------|
| | | XV5203X | No Bucket Accessories | | | No Charge |
| | | 734572 | Bucket Teeth (2050/2100 mm) | | | \$260.00 |
| | | 734571 | Cutting Edge (2100 mm) | | | \$1,300.00 |

PALLET FORK ASSEMBLY

SD_U5201 LIFT FORKS

| | | | | | | |
|--|--|---------|---------------|--|--|-----------|
| | | XU5201X | No Lift Forks | | | No Charge |
|--|--|---------|---------------|--|--|-----------|



**W80C COMPACT WHEEL LOADER
US PRICE LIST**

| | | | | | | |
|------------------------------|--|--------|--------------------------------|--|--|------------|
| Horizontal Pin Coupler Forks | | | | | | |
| | | 734573 | 48" Forks (1200 mm) | | | \$1,733.00 |
| SSL Compatible Coupler Forks | | | | | | |
| | | 734642 | 48" Forks (1200mm) - SSL Coup. | | | \$1,174.00 |

SD_U5202 PROTECT. DEVICE FORKS

| | | | | | | |
|--|--|---------|--|--|--|-----------|
| | | XU5202X | No Protection Device Forks | | | No Charge |
| | | 782064 | Protection Device Forks Used while roading. Device covers ends of the teeth for safety during a collision. | | | \$303.00 |