



**905GBL BACKHOE FOR WM25S ONLY  
US PRICE LIST**

## Standard Equipment

BACKHOE MODEL: 905GBL

\*\*\*\*\*  
SEE COMPATIBILITY GUIDE FOR  
IMPLEMENT COMPATIBILITY  
\*\*\*\*\*

**TRACTOR APPLICATIONS:**

Current New Holland Compact Models  
- WORKMASTER™ 25S

NOTE: 905GBL is only compatible with  
the WORKMASTER 25S Subcompact

**Specifications:**

Transport Height (in.): 74.7  
Loading Height (in.): 59.6  
Overall Width (in.): 45.3  
Ground Clearance (in.): 12.8  
Maximum Digging Depth (in.): 79.4  
Reach from Centerline of Swing Pivot  
(in.): 114.9  
Swing Arc (deg.): 135  
Bucket Rotating (deg.): 169.4  
Stabilizer Spread (Down) (in.): 78.6  
Stabilizer Spread (Up) (in.): 53.2  
Bucket Digging Force per SAEJ49 (lbs.)  
w/Bucket Cylinder: 2,194  
w/Dipperstick Cylinder: 1332

Shipping Weight (lbs.): 707

**905GBL backhoe package includes:**

- Basic Packaged Backhoe
- Subframe
- Hydraulic Kit
- Swivel Seat Base (for WM25S)
- 9" Bucket

**IMPORTANT INFORMATION**

The tractor must be equipped with a  
100LC front end loader when installing  
a 905GBL Backhoe.

Note: Mid-mount mower is  
compatible with backhoe installed.

**WARRANTY**

New Holland Standard Warranty Applies



**905GBL BACKHOE FOR WM25S ONLY  
US PRICE LIST**

**Models**

| COMMERCIAL MODEL | Weight | Factory Data | List Price |
|------------------|--------|--------------|------------|
| 905GBL           | 877 LB |              | \$4,731.00 |



905GBL BACKHOE FOR WM25S ONLY  
US PRICE LIST

**Factory Supplied Attachments**

| Order Code |           | Description                   | Weight | Factory Data | List Price |
|------------|-----------|-------------------------------|--------|--------------|------------|
|            | 439323006 | TRENCHING 9IN 3 TEETH BUCKET  | 46 LB  |              | \$220.00   |
|            | 439324006 | TRENCHING 12IN 3 TEETH BUCKET | 56 LB  |              | \$247.00   |
|            | 439325006 | TRENCHING 16IN 3 TEETH BUCKET | 64 LB  |              | \$273.00   |
|            | 439326006 | TRENCHING 18IN 3 TEETH        | 75 LB  |              | \$305.00   |



**910GBL BACKHOE FOR WM25 ONLY  
US PRICE LIST**

## Standard Equipment

BACKHOE MODEL: 910GBL

\*\*\*\*\*  
SEE COMPATIBILITY GUIDE FOR  
IMPLEMENT COMPATIBILITY  
\*\*\*\*\*

**TRACTOR APPLICATIONS:**

Current New Holland Compact Models  
- WORKMASTER™ 25

NOTE: 910GBL is only compatible with  
the WORKMASTER 25 compact

**Specifications:**

Transport Height (in.): 77.2  
Loading Height (in.): 63.6  
Overall Width (in.): 53.3  
Ground Clearance (in.): 14.4  
Maximum Digging Depth (in.): 76.4  
Reach from Centerline of Swing Pivot  
(in.): 113.2  
Swing Arc (deg.): 180  
Bucket Rotating (deg.): 180  
Stabilizer Spread (Down) (in.): 68.7  
Stabilizer Spread (Up) (in.): 46.5  
Bucket Digging Force per SAEJ49 (lbs.)  
w/ Bucket Cylinder: 2817  
w/ Dipperstick Cylinder: 1748

Shipping Weight (lbs.): 1092

**910GBL backhoe Package includes:**

- Basic Packaged Backhoe
- Subframe
- Hydraulic Kit
- 12" Bucket

**IMPORTANT INFORMATION**

The tractor must be equipped with a  
200LC front end loader when installing  
a 910GBL Backhoe.

Note: Mid-mount mower is NOT  
compatible with backhoe installed.

**WARRANTY**

New Holland Standard Warranty Applies



**910GBL BACHHOE FOR WM25 ONLY  
US PRICE LIST**

**Models**

| COMMERCIAL MODEL | Weight   | Factory Data | List Price |
|------------------|----------|--------------|------------|
| 910GBL           | 1,203 LB |              | \$7,738.00 |



910GBL BACHHOE FOR WM25 ONLY  
US PRICE LIST

Factory Supplied Attachments

| Order Code |           | Description                   | Weight | Factory Data | List Price |
|------------|-----------|-------------------------------|--------|--------------|------------|
|            | 439323006 | TRENCHING 9IN 3 TEETH BUCKET  | 46 LB  |              | \$220.00   |
|            | 439324006 | TRENCHING 12IN 3 TEETH BUCKET | 56 LB  |              | \$247.00   |
|            | 439325006 | TRENCHING 16IN 3 TEETH BUCKET | 64 LB  |              | \$273.00   |
|            | 439326006 | TRENCHING 18IN 3 TEETH        | 75 LB  |              | \$305.00   |



**915GBH BACKHOE  
US PRICE LIST**

(Telford, TN)

**Standard Equipment**

BACKHOE MODEL: 915GBH

\*\*\*\*\*  
SEE COMPATIBILITY GUIDE FOR  
IMPLEMENT COMPATIBILITY  
\*\*\*\*\*

**TRACTOR APPLICATIONS:**

Current New Holland Compact Models  
- Boomer™ 24

Prior New Holland Compact Models  
- Boomer™ 20 / 25

**\*SPECIFICATIONS:**

Digging Depth - 80.0 (in.)  
Reach from Swing Pivot - 108 (in.)  
Transport Height - 70 (in.)  
Bucket Rotation - 178°  
Stabilizer Spread:  
    Transport - 44 (in.)  
    Operating - 72 (in.)  
Loading Height 66 (in.)  
Swing Arc - 150°  
Bucket Digging Forces - 2480 (lbs.)  
Dipper Stick Digging Forces- 1750 (lbs.)  
Operating Pressure - 2175 psi  
Shipping Weight - 650 (lbs.)

\*Specifications vary with tractor model,  
hydraulic system, tire size, etc.

The following items are required to  
make up a complete backhoe:

- Basic Packaged Backhoe
- Subframe (one required)
- Hydraulic Kit (one required)
- Bucket (one required)
- Optional Equipment

**IMPORTANT INFORMATION**

The tractor must be equipped with a  
front end loader or front mount blade  
when installing a 900 Series backhoe.

Note: Mid-mount mower is not  
compatible with backhoe installed.

**WARRANTY**

New Holland Standard Warranty Applies

**915GBH BACKHOE  
US PRICE LIST**

(Telford, TN)

**Standard Equipment****Models**

| COMMERCIAL MODEL | Weight   | Factory Data | List Price |
|------------------|----------|--------------|------------|
| 915GBH           | 1,065 LB |              | \$7,777.00 |

**Factory Supplied Options**

| Order Code | Description | Weight | Factory Data | List Price |
|------------|-------------|--------|--------------|------------|
|------------|-------------|--------|--------------|------------|

**BACKHOE OPTIONS****SUBFRAMES****SD\_N5701 HITCH AND SUBFRAME**

|  |        |  |  |  |           |
|--|--------|--|--|--|-----------|
|  | 439030 | Subframe Cls 1 20/25<br><b>For Boomer 20/25 &amp; 24 (439030016)</b> |  |  | No Charge |
|--|--------|--|--|--|-----------|

**HYDRAULICS****SD\_20102 HYDRAULIC KIT**

|  |        |  |  |  |           |
|--|--------|--|--|--|-----------|
|  | 716964 | Hyd Kit 716964<br><b>For Boomer 20/25 &amp; 24 (716964016)</b> |  |  | No Charge |
|--|--------|--|--|--|-----------|

**BUCKETS****SD\_N5403 12 IN STD BUCKET****BUCKETS**

|  |        |   |  |  |          |
|--|--------|---|--|--|----------|
|  | 716399 | 12 In./305mm Standard Bucket<br><b>(716399046 - 915GBH)</b><br><b>(716399056 - 925GBH / 935GBH)</b> |  |  | \$452.00 |
|--|--------|---|--|--|----------|

**SD\_N5405 16 IN STD BUCKET**

|  |        |  |  |  |          |
|--|--------|--|--|--|----------|
|  | 716400 | 16 In. Standard Bucket<br><b>(716400036- 915GBH)</b><br><b>(716400046 - 925GBH / 935GBH)</b> |  |  | \$509.00 |
|--|--------|--|--|--|----------|





**915GBH BACKHOE  
US PRICE LIST**

**(Telford, TN)**

**SD\_N5412 10 IN STD BUCKET**

|  |  |        |   |  |  |          |
|--|--|--------|---|--|--|----------|
|  |  | 439036 | 10 In. Standard Bucket<br><b>(439036006 - 915GBH)</b> |  |  | \$368.00 |
|--|--|--------|---|--|--|----------|

OTHER

**SD\_50092 RUBBER STREET PADS**

|  |  |        |  |  |  |          |
|--|--|--------|--|--|--|----------|
|  |  | 716410 | Rubber Street Pads<br><b>For 915GBH, 925GBH &amp; 935GBH (716410056)</b> |  |  | \$182.00 |
|--|--|--------|--|--|--|----------|

**SD\_N6413 MECH THUMB**

|  |  |        |  |  |  |          |
|--|--|--------|--|--|--|----------|
|  |  | 717916 | Mechanical Thumb<br><b>(717916026 - 915GBH)</b><br><b>(717916036 - 925GBH)</b> |  |  | \$537.00 |
|--|--|--------|--|--|--|----------|



915GBH BACKHOE  
US PRICE LIST

(Telford, TN)

Factory Supplied Attachments

| Order Code | Description | Weight | Factory Data | List Price |
|------------|-------------|--------|--------------|------------|
|------------|-------------|--------|--------------|------------|

Factory Supplied Attachments

|  |           |  |        |  |          |
|--|-----------|--|--------|--|----------|
|  | 439036006 | 10IN STD BCKT 2 TEETH  | 46 LB  |  | \$368.00 |
|  | 716399046 | 12IN STD BCKT 3 TEETH  | 75 LB  |  | \$452.00 |
|  | 716400036 | 16IN STD BCKT 3 TEETH  | 77 LB  |  | \$509.00 |
|  | 717916026 | MECHANICAL THUMB 915GB   | 30 LB  |  | \$537.00 |
|  | 439030016 | S-FRM CLS1<br>Subframe for Boomer 20/25 & 24                       | 181 LB |  | \$745.00 |
|  | 716964016 | HYD KIT CLS1 LS J SER B-HOE<br>Hydraulic kit for Boomer 20/25 & 24 | 8 LB   |  | \$351.00 |

|  |           |                    |      |  |          |
|--|-----------|--------------------|------|--|----------|
|  | 716410056 | Rubber Street Pads | 4 LB |  | \$182.00 |
|--|-----------|--------------------|------|--|----------|



**925GBH BACKHOE  
US PRICE LIST**

(Telford, TN)

**Standard Equipment**

BACKHOE MODEL: 925GBH

\*\*\*\*\*  
SEE COMPATIBILITY GUIDE FOR  
IMPLEMENT COMPATIBILITY  
\*\*\*\*\*

**TRACTOR APPLICATIONS:**

Current New Holland Compact Models  
- Boomer 35/40/45/50/55 ROPS (T4B)  
- Boomer 40/45/50/55 Cab (T4B)  
- Boomer 46D/54D CVT  
- Boomer 45D/50D CVT (Canada Only)  
- WORKMASTER 35/40 (T4B)

Prior New Holland Compact Models  
- Boomer 33/37/41/47 ROPS (T4B)  
- Boomer 37/41/47 Cab (T4B)  
- Boomer CVT 3040/3045/3050  
- WORKMASTER 33/37 (T4B)  
- WORKMASTER 35/40 (T3)  
- Boomer 30/35/40/50 (T3)

**\*SPECIFICATIONS:**

Digging Depth - 92 (in.)  
Reach from Swing Pivot - 120 (in.)  
Transport Height - 77 (in.)  
Bucket Rotation - 174°  
Stabilizer Spread:  
    Transport - 49 (in.)  
    Operating - 100 (in.)  
Loading Height 70 (in.)  
Swing Arc - 175°  
Bucket Digging Forces - 3151 (lbs.)  
Dipper Stick Digging Forces- 2059 (lbs.)  
Operating Pressure - 2175 psi  
Shipping Weight - 722 (lbs.)

\*Specifications may vary with tractor  
model, hydraulic system, tire size, etc.

The following items are required to  
make up a complete backhoe:

- Basic Packaged Backhoe
- Subframe (one required)
- Hydraulic Kit (one required)
- Bucket (one required)
- Optional Equipment

**IMPORTANT INFORMATION**

The tractor must be equipped with a  
front end loader or front mount blade  
when installing a 900 Series backhoe.

Note: Mid-mount mower is not  
compatible with backhoe installed.

**WARRANTY**

New Holland Standard Warranty Applies



925GBH BACKHOE  
US PRICE LIST

(Telford, TN)

Standard Equipment

Models

| COMMERCIAL MODEL | Weight   | Factory Data | List Price |
|------------------|----------|--------------|------------|
| 925GBH           | 1,065 LB |              | \$8,470.00 |

Factory Supplied Options

| Order Code | Description | Weight | Factory Data | List Price |
|------------|-------------|--------|--------------|------------|
|------------|-------------|--------|--------------|------------|

FAST PICK CONFIGURATION

SD\_T9981 CONFIGURATION

|  |         |  |  |  |            |
|--|---------|--|--|--|------------|
|  | XT9981X | Less Fast Pick Config  |  |  | No Charge  |
|  | X0341XX | WM 35 Gear R1 Fast Pick<br><b>FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER</b><br><b>Fast Pick 925GBH Backhoe Package for WORKMASTER 35 (T4B)</b><br><b>Package Contains:</b><br>- 439204 (Subframe)<br>- 439138 (Hydraulic Kit)<br>- 716434 (18" Bucket)<br>- 717916 (Mechanical Thumb) |  |  | (\$192.00) |
|  | X0337XX | WM 35 Gear R4 Fast Pick<br><b>FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER</b><br><b>Fast Pick 925GBH Backhoe Package for WORKMASTER 35 (T4B)</b><br><b>Package Contains:</b><br>- 439204 (Subframe)<br>- 439138 (Hydraulic Kit)<br>- 716434 (18" Bucket)<br>- 717916 (Mechanical Thumb) |  |  | (\$192.00) |

**925GBH BACKHOE  
US PRICE LIST**

(Telford, TN)

|  |  |         |   |  |  |            |
|--|--|---------|---|--|--|------------|
|  |  | X0338XX | <p>WM 40 HST R4 Fast Pick</p> <p><b>FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER</b></p> <p><b>Fast Pick 925GBH Backhoe Package for WORKMASTER 40 (T4B)</b></p> <p><b>Package Contains:</b></p> <ul style="list-style-type: none"> <li>- 439204 (Subframe)</li> <li>- 439138 (Hydraulic Kit)</li> <li>- 716434 (18" Bucket)</li> <li>- 717916 (Mechanical Thumb)</li> </ul> |  |  | (\$192.00) |
|  |  | X0331XX | <p>BMR 40 Cab Fast Pick</p> <p><b>FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER</b></p> <p><b>Fast Pick 925GBH Backhoe Package for Boomer 40 Cab (T4B)</b></p> <p><b>Package Contains:</b></p> <ul style="list-style-type: none"> <li>- 439203 (Subframe)</li> <li>- 439143 (Hydraulic Kit)</li> <li>- 716434 (18" Bucket)</li> <li>- 717916 (Mechanical Thumb)</li> </ul>   |  |  | (\$192.00) |
|  |  | X0332XX | <p>BMR 50 ROPS Fast Pick</p> <p><b>FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER</b></p> <p><b>Fast Pick 925GBH Backhoe Package for Boomer 50 ROPS (T4B)</b></p> <p><b>Package Contains:</b></p> <ul style="list-style-type: none"> <li>- 439142 (Subframe)</li> <li>- 439144 (Hydraulic Kit)</li> <li>- 716434 (18" Bucket)</li> <li>- 717916 (Mechanical Thumb)</li> </ul> |  |  | (\$192.00) |
|  |  | X0333XX | <p>BMR 50 Cab Fast Pick</p> <p><b>FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER</b></p> <p><b>Fast Pick 925GBH Backhoe Package for Boomer 50 Cab T4B</b></p> <p><b>Package Contains:</b></p> <ul style="list-style-type: none"> <li>- 439142 (Subframe)</li> <li>- 439144 (Hydraulic Kit)</li> <li>- 716434 (18" Bucket)</li> <li>- 717916 (Mechanical Thumb)</li> </ul>     |  |  | (\$192.00) |
|  |  | X0279XX | <p>WRKMSTR 33 Fast Pick</p> <p><b>FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER</b></p> <p><b>Fast Pick 925GBH Backhoe Package for WORKMASTER 33</b></p> <p><b>Package Contains:</b></p> <ul style="list-style-type: none"> <li>- 717972 (Subframe)</li> <li>- 439138 (Hydraulic Kit)</li> <li>- 716434 (18" Bucket)</li> <li>- 717916 (Mechanical Thumb)</li> </ul>         |  |  | (\$192.00) |

**925GBH BACKHOE  
US PRICE LIST**

(Telford, TN)

|  |  |         |   |  |  |            |
|--|--|---------|---|--|--|------------|
|  |  | X0280XX | WRKMSTR 37 Fast Pick<br><b>FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER</b><br><b>Fast Pick 925GBH Backhoe Package for WORKMASTER 37</b><br><b>Package Contains:</b><br>- 717972 (Subframe)<br>- 439138 (Hydraulic Kit)<br>- 716434 (18" Bucket)<br>- 717916 (Mechanical Thumb)   |  |  | (\$192.00) |
|  |  | X0275XX | BMR 37 Cab Fast Pick<br><b>FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER</b><br><b>Fast Pick 925GBH Backhoe Package for Boomer 37 Cab</b><br><b>Package Contains:</b><br>- 439141 (Subframe)<br>- 439143 (Hydraulic Kit)<br>- 716434 (18" Bucket)<br>- 717916 (Mechanical Thumb)   |  |  | (\$192.00) |
|  |  | X0282XX | BMR 47 Rops Fast Pick<br><b>FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER</b><br><b>Fast Pick 925GBH Backhoe Package for Boomer 47 ROPs</b><br><b>Package Contains:</b><br>- 439142 (Subframe)<br>- 439144 (Hydraulic Kit)<br>- 716434 (18" Bucket)<br>- 717916 (Mechanical Thumb) |  |  | (\$192.00) |
|  |  | X0276XX | BMR 47 Cab Fast Pick<br><b>FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER</b><br><b>Fast Pick 925GBH Backhoe Package for Boomer 47 Cab</b><br><b>Package Contains:</b><br>- 439142 (Subframe)<br>- 439144 (Hydraulic Kit)<br>- 716434 (18" Bucket)<br>- 717916 (Mechanical Thumb)   |  |  | (\$192.00) |
|  |  | X0281XX | BMR 54D Fast Pick<br><b>FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER</b><br><b>Fast Pick 925GBH Backhoe Package for Boomer 54D CVT Cab</b><br><b>Package Contains:</b><br>- 717751 (Subframe)<br>- 439069 (Hydraulic Kit)<br>- 716434 (18" Bucket)<br>- 717916 (Mechanical Thumb) |  |  | (\$192.00) |

**925GBH BACKHOE  
US PRICE LIST**

(Telford, TN)

**BACKHOE OPTIONS**
**SUBFRAMES**

## SD\_N5701 HITCH AND SUBFRAME

|  |  |        |   |  |  |           |
|--|--|--------|---|--|--|-----------|
|  |  | 439141 | S-FRM CL2 T4 ROP/CAB<br><b>For Boomer COMPACT 33/37 ROPS &amp; 37 CAB (T4B) (439141006)</b>   |  |  | No Charge |
|  |  | 439142 | S-FRM CL3 T4 ROP/CAB<br><b>For Boomer COMPACT (439142006)</b><br>- 41/47 ROPS/CAB (T4B)<br>- 45/50/55 ROPS/CAB (T4B)  |  |  | No Charge |
|  |  | 439203 | S-FRM CLS2 LS ENG T4<br><b>For Boomer Compact (439203006)</b><br>- 35 and 40 ROPS (T4B)<br>- 40 Cab (T4B)   |  |  | No Charge |
|  |  | 439204 | S-FRM CLS2 LS439204<br><b>For WORKMASTER COMPACT 35/40 (T4B) (439204006)</b>  |  |  | No Charge |
|  |  | 717972 | Subframe CL2<br><b>For WORKMASTER COMPACT 33/37 (T4B) (717972016)</b>   |  |  | No Charge |
|  |  | 717751 | Front Quick Hitch - Class 3<br><b>For Boomer CVT (Tier 3 &amp; Tier 4) (717751026)</b><br><b>Fits All Boomer 3000 Tractors (New Axle only), Boomer 46D/54D &amp; Boomer 45D/50D (Canada Only)</b> |  |  | No Charge |
|  |  | 439055 | Subframe Economy<br><b>For WORKMASTER COMPACT 35/40 (T3 ONLY) (439055026)</b>   |  |  | No Charge |

**HYDRAULICS**

## SD\_20102 HYDRAULIC KIT

|  |  |        |   |  |  |           |
|--|--|--------|---|--|--|-----------|
|  |  | 439138 | HYD KIT CL2 33/37<br><b>For WORKMASTER COMPACT (439138006)</b><br>- 33/37 (T4B)<br>- 35/40 (T4B)                            |  |  | No Charge |
|  |  | 439143 | HYD CLS2 T4 ROPS/CAB<br><b>For Boomer COMPACT (439143006)</b><br>- 33/37 ROPS & 37 CAB (T4B)<br>- 35/40 ROPS & 40 CAB (T4B) |  |  | No Charge |
|  |  | 439144 | HYD CLS3 T4 ROPS/CAB<br><b>For Boomer COMPACT (439144006)</b><br>- 41/47 ROPS/CAB (T4B)<br>- 45/50/55 ROPS/CAB (T4B)        |  |  | No Charge |
|  |  | 439113 | Hyd Kit Cls 3 ROPS<br><b>For Boomer 41/47 &amp; Boomer 40/50 (439113006)</b><br><b>ROPS Only</b>                            |  |  | No Charge |

**925GBH BACKHOE  
US PRICE LIST**

**(Telford, TN)**

|  |  |        |   |  |  |           |
|--|--|--------|---|--|--|-----------|
|  |  | 439069 | Hyd Kit Cls 3 CVT<br><b>For Boomer CVT 3040/3045/3050/45D/46D/50D/54D<br/>(439069016)</b> |  |  | No Charge |
|  |  | 439056 | Hyd Kit Economy<br><b>For WORKMASTER COMPACT 35/40 (T3 ONLY) (439056016)</b>              |  |  | No Charge |
|  |  | 717974 | HYD Kit CL2 30/35 HP<br><b>For Boomer 30/35 (T3 ONLY) (717974016)</b>                     |  |  | No Charge |

**BUCKETS**

**SD\_N5403 12 IN STD BUCKET**

|  |  |        |   |  |  |          |
|--|--|--------|---|--|--|----------|
|  |  | 716399 | 12 In./305mm Standard Bucket<br><b>(716399046 - 915GBH)<br/>(716399056 - 925GBH / 935GBH)</b> |  |  | \$452.00 |
|--|--|--------|---|--|--|----------|

**SD\_N5405 16 IN STD BUCKET**

|  |  |        |  |  |  |          |
|--|--|--------|--|--|--|----------|
|  |  | 716400 | 16 In. Standard Bucket<br><b>(716400036- 915GBH)<br/>(716400046 - 925GBH / 935GBH)</b> |  |  | \$509.00 |
|--|--|--------|--|--|--|----------|

**SD\_N5407 18 IN STD BUCKET**

|  |  |        |  |  |  |          |
|--|--|--------|--|--|--|----------|
|  |  | 716434 | 18 In./457mm Standard Bucket<br><b>(716434046 - 925GBH / 935GBH)</b> |  |  | \$531.00 |
|--|--|--------|--|--|--|----------|

**SD\_N5409 24 IN STD BUCKET**

|  |  |        |   |  |  |          |
|--|--|--------|---|--|--|----------|
|  |  | 716401 | 24 In. Standard Bucket<br><b>(716401016 - 925GBH &amp; 935GBH )</b> |  |  | \$564.00 |
|--|--|--------|---|--|--|----------|

**OTHER**

**SD\_50005 BIG FOOT DIRT PADS**

|  |  |        |   |  |  |          |
|--|--|--------|---|--|--|----------|
|  |  | 716525 | Big Foot Dirt Pads<br><b>For 925GBH / 935GBH ONLY (716525046)</b> |  |  | \$268.00 |
|--|--|--------|---|--|--|----------|

**SD\_50092 RUBBER STREET PADS**

|  |  |        |  |  |  |          |
|--|--|--------|--|--|--|----------|
|  |  | 716410 | Rubber Street Pads<br><b>For 915GBH, 925GBH &amp; 935GBH (716410056)</b> |  |  | \$182.00 |
|--|--|--------|--|--|--|----------|

**SD\_N5702 FRONT BRACKETS**

|  |  |        |   |  |  |         |
|--|--|--------|---|--|--|---------|
|  |  | 439118 | Fr Hanger Brkt Cls 2<br><b>Front Hanger Kit for Boomer 30 &amp; 35 (T3) - Must be used with<br/>717972016 (Boomer 33/37 subframe) to allow Tier 4 subframe to fit<br/>Tier 3 units. (439118006)</b> |  |  | \$55.00 |
|  |  | 439119 | Fr Hanger Brkt Cls 3<br><b>Front Hanger Kit for Boomer 40 &amp; 50 (T3) - Must be used with<br/>717973016 (Boomer 41/47 subframe) to allow Tier 4 subframe to fit<br/>Tier 3 units. (439119006)</b> |  |  | \$55.00 |





**925GBH BACKHOE  
US PRICE LIST**

**(Telford, TN)**

SD\_N6413 MECH THUMB

|  |  |        |  |  |  |          |
|--|--|--------|--|--|--|----------|
|  |  | 717916 | Mechanical Thumb<br>(717916026 - 915GBH)<br>(717916036 - 925GBH) |  |  | \$537.00 |
|--|--|--------|--|--|--|----------|

**925GBH BACKHOE  
US PRICE LIST**

(Telford, TN)

**Factory Supplied Attachments**

| Order Code | Description | Weight | Factory Data | List Price |
|------------|-------------|--------|--------------|------------|
|------------|-------------|--------|--------------|------------|

**Factory Supplied Attachments**

|           |  |        |  |          |
|-----------|--|--------|--|----------|
| 716399056 | 12In 3 Teeth 1.02 Cu. Ft Heaped Std/1.16 | 86 LB  |  | \$452.00 |
| 716400046 | 16In 4 Teeth 1.38 Cu. Ft Heaped Std/1.59 | 97 LB  |  | \$509.00 |
| 716434046 | 18In 4 Teeth 1.57 Cu. Ft Heaped Std/1.79 | 107 LB |  | \$531.00 |
| 716401016 | 24In 4 Teeth 2.13 Cu. Ft Heaped Std/2.42 | 126 LB |  | \$564.00 |
| 716525046 | Big Foot Dirt Pads                       | 52 LB  |  | \$268.00 |
| 717916036 | Mechanical Thumb Class 2 7.5 Ft          | 90 LB  |  | \$537.00 |

|           |  |        |  |          |
|-----------|--|--------|--|----------|
| 439055026 | SUBFRAME CLS 2 35/40 HP ECONOMY<br>For WORKMASTER COMPACT 35/40 (T3 ONLY)  | 95 LB  |  | \$889.00 |
| 439056016 | HYD KIT CLS 2 35/40 HP ECONOMY T3<br>For WORKMASTER COMPACT 35/40 (T3 ONLY)  | 15 LB  |  | \$373.00 |
| 439069016 | HYD KIT CLS 3 CVT MY14<br>For Boomer CVT 3040/3045/3050/45D/46D/50D/54D  | 15 LB  |  | \$373.00 |
| 439113006 | HYD KIT CLS 3 41/47 HP T4<br>For Boomer 41/47 & Boomer 40/50   | 15 LB  |  | \$373.00 |
| 439138006 | HYD KIT CLS2 33/37 HP T4 ECONOMY<br>For WORKMASTER COMPACT<br>- 33/37 (T4B)<br>- 35/40 (T4B)   | 15 LB  |  | \$373.00 |
| 439141006 | Subframe CLS2 T4 ROPS/CAP<br>For Boomer COMPACT 33/37 ROPS & 37 CAB (T4B)  | 95 LB  |  | \$889.00 |
| 439142006 | Subframe CLS3 T4 ROPS/CAB<br>For Boomer COMPACT<br>- 41/47 Rops & CAB (T4B)<br>- 45/50/55 Rops & CAB (T4B)   | 95 LB  |  | \$889.00 |
| 439143006 | HYD Kit CLS2 T4 ROPS/CAB<br>For Boomer COMPACT<br>- 33/37 ROPS & 37 CAB (T4B)<br>- 35/40 ROPS & 40 CAB (T4B)   | 15 LB  |  | \$373.00 |
| 439144006 | Hyd Kit CLS3 T4 ROPS/CAB<br>For Boomer COMPACT<br>- 41/47 ROPS & CAB (T4B)<br>- 45/50/55 ROPS & CAB (T4B)  | 95 LB  |  | \$889.00 |
| 439203006 | SUBFRAME CLS2 LS ENG T4 ROPS/CAB<br>For Boomer Compact<br>- 35 and 40 ROPS (T4B)<br>- 40 Cab (T4B)   | 95 LB  |  | \$889.00 |
| 439204006 | SUBFRAME CLS2 LS ENG T4 ECON<br>For WORKMASTER COMPACT 35/40 (T4B)   | 95 LB  |  | \$889.00 |
| 716410056 | Rubber Street Pads   | 4 LB   |  | \$182.00 |
| 717751026 | SUBFRAME CLS 3 AT<br>Subframe For Boomer CVT (Tier 3 & Tier 4)<br>Fits All Boomer 3000 Tractors (New Axle only), Boomer<br>46D/54D<br>& Boomer 45D/50D (Canada Only) | 100 LB |  | \$889.00 |
| 717972016 | SUBFRAME CLS 2 33/36 HP T4<br>For WORKMASTER COMPACT 33/37 (T4B)   | 95 LB  |  | \$889.00 |



**925GBH BACKHOE  
US PRICE LIST**

**(Telford, TN)**

|  |           |  |       |  |          |
|--|-----------|--|-------|--|----------|
|  | 717973016 | SUBFRAME CLS 3 40/46 HP T4<br>For Boomer 46D/54D               | 95 LB |  | \$889.00 |
|  | 717974016 | HYD KIT CLS2 30/35 HP T3<br>For Boomer COMPACT 30/35 (T3 ONLY) | 15 LB |  | \$373.00 |



**935GBH BACKHOE  
US PRICE LIST**

(Telford, TN)

**Standard Equipment**

BACKHOE MODEL: 935GBH

\*\*\*\*\*  
SEE COMPATIBILITY GUIDE FOR  
IMPLEMENT COMPATIBILITY  
\*\*\*\*\*

**TRACTOR APPLICATION:**

Current New Holland Compact Models

- Boomer 35/40/45/50/55 ROPS (T4B)
- Boomer 40/45/50/55 Cab (T4B)
- Boomer 46D/54D CVT
- Boomer 45D/50D CVT (Canada Only)
- WORKMASTER 35/40 (T4B)
- WORKMASTER 50/60/70 (T4B)

Prior New Holland Compact Models

- Boomer 33/37/41/47 ROPS (T4B)
- Boomer 37/41/47 Cab (T4B)
- Boomer CVT 3040/3045/3050
- WORKMASTER 33/37 (T4B)
- WORKMASTER 35/40 (T3)
- Boomer 30/35/40/50 (T3)

**\*SPECIFICATIONS:**

Digging Depth - 100 (in.)  
Reach from Swing Pivot - 130 (in.)  
Transport Height - 88 (in.)  
Bucket Rotation - 180°  
Stabilizer Spread:  
    Transport - 56 (in.)  
    Operating - 119 (in.)  
Loading Height 76.0 (in.)  
Swing Arc - 175°  
Bucket Digging Forces - 4480 (lbs.)  
Dipper Stick Digging Forces- 2533 (lbs.)  
Operating Pressure - 2500 psi  
Shipping Weight - 854 (lbs).

\*Specifications vary with tractor model,  
hydraulic system, tire size, etc.

The following items are required to  
make up a complete backhoe:

- Basic Packaged Backhoe
- Subframe (one required)
- Hydraulic Kit (one required)
- Bucket (one required)
- Optional Equipment

**IMPORTANT INFORMATION**

The tractor must be equipped with a  
front end loader or front mount blade  
when installing a 900 Series backhoe.

Note: Mid-mount mower is not  
compatible with backhoe installed.

**WARRANTY**

New Holland Standard Warranty Applies



**935GBH BACKHOE  
US PRICE LIST**

(Telford, TN)

**Standard Equipment**

**Models**

| COMMERCIAL MODEL | Weight   | Factory Data | List Price |
|------------------|----------|--------------|------------|
| 935GBH           | 1,065 LB |              | \$9,160.00 |

**Factory Supplied Options**

| Order Code | Description | Weight | Factory Data | List Price |
|------------|-------------|--------|--------------|------------|
|------------|-------------|--------|--------------|------------|

SUBFRAMES

SD\_N5701 HITCH AND SUBFRAME

|  |        |   |  |  |           |
|--|--------|---|--|--|-----------|
|  | 439111 | SUBFRAME 45/55 HP<br><b>For WORKMASTER UTILITY 45/50/55/60/70 (439111006)</b>   |  |  | No Charge |
|  | 439141 | S-FRM CL2 T4 ROP/CAB<br><b>For Boomer COMPACT 33/37 ROPS &amp; 37 CAB (T4B) (439141006)</b>   |  |  | No Charge |
|  | 439142 | S-FRM CL3 T4 ROP/CAB<br><b>For Boomer COMPACT (439142006)</b><br>- 41/47 ROPS/CAB (T4B)<br>- 45/50/55 ROPS/CAB (T4B)  |  |  | No Charge |
|  | 439203 | S-FRM CLS2 LS ENG T4<br><b>For Boomer Compact (439203006)</b><br>- 35 and 40 ROPS (T4B)<br>- 40 Cab (T4B)   |  |  | No Charge |
|  | 439204 | S-FRM CLS2 LS439204<br><b>For WORKMASTER COMPACT 35/40 (T4B) (439204006)</b>  |  |  | No Charge |
|  | 717972 | Subframe CL2<br><b>For WORKMASTER COMPACT 33/37 (T4B) (717972016)</b>   |  |  | No Charge |
|  | 717751 | Front Quick Hitch - Class 3<br><b>For Boomer CVT (Tier 3 &amp; Tier 4) (717751026)</b><br><b>Fits All Boomer 3000 Tractors (New Axle only), Boomer 46D/54D &amp; Boomer 45D/50D (Canada Only)</b> |  |  | No Charge |
|  | 439055 | Subframe Economy<br><b>For WORKMASTER COMPACT 35/40 (T3 ONLY) (439055026)</b>   |  |  | No Charge |

**935GBH BACKHOE  
US PRICE LIST**

**(Telford, TN)**

**HYDRAULICS**

**SD\_20102 HYDRAULIC KIT**

|  |  |        |   |  |  |           |
|--|--|--------|---|--|--|-----------|
|  |  | 439138 | HYD KIT CL2 33/37<br><b>For WORKMASTER COMPACT (439138006)</b><br>- 33/37 (T4B)<br>- 35/40 (T4B)                            |  |  | No Charge |
|  |  | 439143 | HYD CLS2 T4 ROPS/CAB<br><b>For Boomer COMPACT (439143006)</b><br>- 33/37 ROPS & 37 CAB (T4B)<br>- 35/40 ROPS & 40 CAB (T4B) |  |  | No Charge |
|  |  | 439144 | HYD CLS3 T4 ROPS/CAB<br><b>For Boomer COMPACT (439144006)</b><br>- 41/47 ROPS/CAB (T4B)<br>- 45/50/55 ROPS/CAB (T4B)        |  |  | No Charge |
|  |  | 717914 | Hyd Kit WM/FA<br><b>For WORKMASTER 45/50/55/60/70 (717914016)</b>   |  |  | No Charge |
|  |  | 439113 | Hyd Kit Cls 3 ROPS<br><b>For Boomer 41/47 &amp; Boomer 40/50 (439113006)</b><br><b>ROPS Only</b>                            |  |  | No Charge |
|  |  | 439069 | Hyd Kit Cls 3 CVT<br><b>For Boomer CVT 3040/3045/3050/45D/46D/50D/54D (439069016)</b>                                       |  |  | No Charge |
|  |  | 439056 | Hyd Kit Economy<br><b>For WORKMASTER COMPACT 35/40 (T3 ONLY) (439056016)</b>  |  |  | No Charge |
|  |  | 717974 | HYD Kit CL2 30/35 HP<br><b>For Boomer 30/35 (T3 ONLY) (717974016)</b>   |  |  | No Charge |

**BUCKETS**

**SD\_N5403 12 IN STD BUCKET**

|  |  |        |   |  |  |          |
|--|--|--------|---|--|--|----------|
|  |  | 716399 | 12 In./305mm Standard Bucket<br><b>(716399046 - 915GBH)</b><br><b>(716399056 - 925GBH / 935GBH)</b> |  |  | \$452.00 |
|--|--|--------|---|--|--|----------|

**SD\_N5405 16 IN STD BUCKET**

|  |  |        |  |  |  |          |
|--|--|--------|--|--|--|----------|
|  |  | 716400 | 16 In. Standard Bucket<br><b>(716400036- 915GBH)</b><br><b>(716400046 - 925GBH / 935GBH)</b> |  |  | \$509.00 |
|--|--|--------|--|--|--|----------|

**SD\_N5407 18 IN STD BUCKET**

|  |  |        |  |  |  |          |
|--|--|--------|--|--|--|----------|
|  |  | 716434 | 18 In./457mm Standard Bucket<br><b>(716434046 - 925GBH / 935GBH)</b> |  |  | \$531.00 |
|--|--|--------|--|--|--|----------|



**935GBH BACKHOE  
US PRICE LIST**

(Telford, TN)

SD\_N5409 24 IN STD BUCKET

|  |  |        |   |  |  |          |
|--|--|--------|---|--|--|----------|
|  |  | 716401 | 24 In. Standard Bucket<br><b>(716401016 - 925GBH &amp; 935GBH )</b> |  |  | \$564.00 |
|--|--|--------|---|--|--|----------|

OTHER

SD\_50005 BIG FOOT DIRT PADS

|  |  |        |   |  |  |          |
|--|--|--------|---|--|--|----------|
|  |  | 716525 | Big Foot Dirt Pads<br><b>For 925GBH / 935GBH ONLY (716525046)</b> |  |  | \$268.00 |
|--|--|--------|---|--|--|----------|

SD\_50092 RUBBER STREET PADS

|  |  |        |  |  |  |          |
|--|--|--------|--|--|--|----------|
|  |  | 716410 | Rubber Street Pads<br><b>For 915GBH, 925GBH &amp; 935GBH (716410056)</b> |  |  | \$182.00 |
|--|--|--------|--|--|--|----------|

SD\_N5702 FRONT BRACKETS

|  |  |        |   |  |  |         |
|--|--|--------|---|--|--|---------|
|  |  | 439118 | Fr Hanger Brkt Cls 2<br><b>Front Hanger Kit for Boomer 30 &amp; 35 (T3) - Must be used with 717972016 (Boomer 33/37 subframe) to allow Tier 4 subframe to fit Tier 3 units. (439118006)</b> |  |  | \$55.00 |
|  |  | 439119 | Fr Hanger Brkt Cls 3<br><b>Front Hanger Kit for Boomer 40 &amp; 50 (T3) - Must be used with 717973016 (Boomer 41/47 subframe) to allow Tier 4 subframe to fit Tier 3 units. (439119006)</b> |  |  | \$55.00 |

SD\_N6413 MECH THUMB

|  |  |        |   |  |  |          |
|--|--|--------|---|--|--|----------|
|  |  | 439122 | Mechanical Thumb Class 3<br><b>(439122006 - 935GBH)</b> |  |  | \$537.00 |
|--|--|--------|---|--|--|----------|

**935GBH BACKHOE  
US PRICE LIST**

(Telford, TN)

**Factory Supplied Attachments**

| Order Code | Description | Weight | Factory Data | List Price |
|------------|-------------|--------|--------------|------------|
|------------|-------------|--------|--------------|------------|

**Factory Supplied Attachments**

|           |  |        |  |          |
|-----------|--|--------|--|----------|
| 716399056 | 12In 3 Teeth 1.02 Cu. Ft Heaped Std/1.16 | 86 LB  |  | \$452.00 |
| 716400046 | 16In 4 Teeth 1.38 Cu. Ft Heaped Std/1.59 | 97 LB  |  | \$509.00 |
| 716434046 | 18In 4 Teeth 1.57 Cu. Ft Heaped Std/1.79 | 107 LB |  | \$531.00 |
| 716401016 | 24In 4 Teeth 2.13 Cu. Ft Heaped Std/2.42 | 126 LB |  | \$564.00 |
| 716525046 | Big Foot Dirt Pads                       | 52 LB  |  | \$268.00 |

|           |  |        |  |          |
|-----------|--|--------|--|----------|
| 439122006 | Mechanical Thumb Class 3 8.5 Ft  | 90 LB  |  | \$537.00 |
| 439055026 | SUBFRAME CLS 2 35/40 HP ECONOMY<br>For WORKMASTER COMPACT 35/40 (T3 ONLY)  | 95 LB  |  | \$889.00 |
| 439056016 | HYD KIT CLS 2 35/40 HP ECONOMY T3<br>For WORKMASTER COMPACT 35/40 (T3 ONLY)  | 15 LB  |  | \$373.00 |
| 439069016 | HYD KIT CLS 3 CVT MY14<br>For Boomer CVT 3040/3045/3050/45D/46D/50D/54D  | 15 LB  |  | \$373.00 |
| 439111006 | SUBFRAME 45/55 HP<br>For WORKMASTER UTILITY 45/50/55/60/70   | 95 LB  |  | \$889.00 |
| 439113006 | HYD KIT CLS 3 41/47 HP T4<br>For Boomer 41/47 & Boomer 40/50   | 15 LB  |  | \$373.00 |
| 439138006 | HYD KIT CLS2 33/37 HP T4 ECONOMY<br>For WORKMASTER COMPACT<br>- 33/37 (T4B)<br>- 35/40 (T4B)   | 15 LB  |  | \$373.00 |
| 439141006 | Subframe CLS2 T4 ROPS/CAP<br>For Boomer COMPACT 33/37 ROPS & 37 CAB (T4B)  | 95 LB  |  | \$889.00 |
| 439142006 | Subframe CLS3 T4 ROPS/CAB<br>For Boomer COMPACT<br>- 41/47 Rops & CAB (T4B)<br>- 45/50/55 Rops & CAB (T4B)   | 95 LB  |  | \$889.00 |
| 439143006 | HYD Kit CLS2 T4 ROPS/CAB<br>For Boomer COMPACT<br>- 33/37 ROPS & 37 CAB (T4B)<br>- 35/40 ROPS & 40 CAB (T4B)   | 15 LB  |  | \$373.00 |
| 439144006 | Hyd Kit CLS3 T4 ROPS/CAB<br>For Boomer COMPACT<br>- 41/47 ROPS & CAB (T4B)<br>- 45/50/55 ROPS & CAB (T4B)  | 95 LB  |  | \$889.00 |
| 439203006 | SUBFRAME CLS2 LS ENG T4 ROPS/CAB<br>For Boomer Compact<br>- 35 and 40 ROPS (T4B)<br>- 40 Cab (T4B)   | 95 LB  |  | \$889.00 |
| 439204006 | SUBFRAME CLS2 LS ENG T4 ECON<br>For WORKMASTER COMPACT 35/40 (T4B)   | 95 LB  |  | \$889.00 |
| 716410056 | Rubber Street Pads   | 4 LB   |  | \$182.00 |
| 717751026 | SUBFRAME CLS 3 AT<br>Subframe For Boomer CVT (Tier 3 & Tier 4)<br>Fits All Boomer 3000 Tractors (New Axle only), Boomer<br>46D/54D<br>& Boomer 45D/50D (Canada Only) | 100 LB |  | \$889.00 |





**935GBH BACKHOE  
US PRICE LIST**

**(Telford, TN)**

|  |           |  |       |  |          |
|--|-----------|--|-------|--|----------|
|  | 717914016 | HYD KIT F/WORKMASTER 45/55 HP<br>For WORKMASTER UTILITY 45/50/55/60/70 | 15 LB |  | \$889.00 |
|  | 717972016 | SUBFRAME CLS 2 33/36 HP T4<br>For WORKMASTER COMPACT 33/37 (T4B)       | 95 LB |  | \$889.00 |
|  | 717973016 | SUBFRAME CLS 3 40/46 HP T4<br>For Boomer 46D/54D                       | 95 LB |  | \$889.00 |
|  | 717974016 | HYD KIT CLS2 30/35 HP T3<br>For Boomer COMPACT 30/35 (T3 ONLY)         | 15 LB |  | \$373.00 |

**60RBH FRONT MOUNT BLADES (FOR WM25S)  
US PRICE LIST**

**(Thetford Mines, Quebec)  
Standard Equipment**

60RBHB Front Mount Blade - QA

\*\*\*\*\*  
SEE COMPATIBILITY GUIDE FOR  
IMPLEMENT COMPATIBILITY  
\*\*\*\*\*

**TRACTOR APPLICATIONS:**

Current New Holland Compact Models  
- WORKMASTER™ 25S (Subcompact)

**SPECIFICATIONS:**

Moldboard Width - 60 (in.)  
Moldboard Height - 18 5/8 (in.)  
Reversible Cutting Edge - Standard  
Cutting Edge Thickness - 1/2 (in.)  
Manual Angling - N/A  
Hydraulic Angling - Standard  
Angling Range - 0 to 30 degrees

The following items are required to  
make up a complete front mount blade:

- Packaged Front Mount Blade
- Hitch and Subframe

NOTE: The WORKMASTER 25S comes  
standard with a mid-mount valve.

Note: Only One

- Quick Hitch/Subframe
  - Mid PTO Drive kit
- per tractor needed for Blade, Broom,  
and/or Blower head units

New Holland recommends the use of a  
ballasting box when installing front  
mounted implements.

**WARRANTY**

New Holland Standard Warranty Applies

**SHIPPING POINT:**

Thetford Mines, Quebec, Canada



60RBH FRONT MOUNT BLADES (FOR WM25S)  
US PRICE LIST

(Thetford Mines, Quebec)

**Models**

| COMMERCIAL MODEL | Weight | Factory Data | List Price |
|------------------|--------|--------------|------------|
| 60RBHB           | 500 LB |              | \$1,315.00 |

**Factory Supplied Options**

| Order Code | Description | Weight | Factory Data | List Price |
|------------|-------------|--------|--------------|------------|
|------------|-------------|--------|--------------|------------|

**ATTACHMENT SECTION**

REQUIRED OPTIONS

SD\_N5701 HITCH AND SUBFRAME

|  |  |        |   |  |  |          |
|--|--|--------|---|--|--|----------|
|  |  | 439330 | SUBFRAME LS<br>For WORKMASTER 25S (439330006) |  |  | \$672.00 |
|--|--|--------|---|--|--|----------|



**60RBH FRONT MOUNT BLADES (FOR WM25S)  
US PRICE LIST**

(Thetford Mines, Quebec)

**Factory Supplied Attachments**

| Order Code |           | Description                                      | Weight | Factory Data | List Price |
|------------|-----------|--|--------|--------------|------------|
|            | 439330006 | MOUNTING FRAME<br>For WORKMASTER 25S (439330006) | 80 LB  |              | \$672.00   |

**60CBH FRONT MOUNT BLADES  
US PRICE LIST**

**(Thetford Mines, Quebec)  
Standard Equipment**

60CBHA Front Mount Blade - QA

\*\*\*\*\*  
SEE COMPATIBILITY GUIDE FOR  
IMPLEMENT COMPATIBILITY  
\*\*\*\*\*

**TRACTOR APPLICATIONS:**

Current New Holland Compact Models  
- Boomer™ 24

Prior New Holland Compact Models  
- Boomer™ 20 / 25

**SPECIFICATIONS:**

Moldboard Width - 60 (in.)  
Moldboard Height - 22 (in.)  
Reversible Cutting Edge - Standard  
Cutting Edge Thickness - 1/2 (in.)  
Manual Angling - N/A  
Hydraulic Angling - Standard  
Angling Range - 0 to 30 degrees  
Adjustable Skid Shoes - Standard

The following items are required to  
make up a complete front mount blade:

- Packaged Front Mount Blade
- Hitch and Subframe
- Mid-Mount Valve for tractor
- Optional Equipment can be added  
as desired.

NOTE: If tractor does not have a mid-  
mount valve, see tractor DIA pages to  
order mid-mount valve.

New Holland recommends the use of a  
ballasting box when installing front  
mounted implements.

**WARRANTY**

New Holland Standard Warranty Applies

**SHIPPING POINT:**

Thetford Mines, Quebec, Canada



60CBH FRONT MOUNT BLADES  
US PRICE LIST

(Thetford Mines, Quebec)

**Models**

| COMMERCIAL MODEL | Weight | Factory Data | List Price |
|------------------|--------|--------------|------------|
| 60CBHA           | 311 LB |              | \$2,271.00 |

**Factory Supplied Options**

| Order Code | Description  | Weight | Factory Data | List Price |
|------------|--|--------|--------------|------------|
| 439030     | Subframe CIs 1 20/25<br>For Boomer 24 & Boomer 20/25 |        |              | \$1,709.00 |



60CBH FRONT MOUNT BLADES  
US PRICE LIST

(Thetford Mines, Quebec)

**Factory Supplied Attachments**

| Order Code | Description | Weight | Factory Data | List Price |
|------------|-------------|--------|--------------|------------|
|------------|-------------|--------|--------------|------------|

**Hitch and Subframe**

|  |           |   |        |  |            |
|--|-----------|---|--------|--|------------|
|  | 439030006 | Hitch Subframe Boomer 20/25<br>For Boomer 24 & Boomer 20/25 | 218 LB |  | \$1,709.00 |
|--|-----------|---|--------|--|------------|

**Ballast Box**

|  |           |  |        |  |          |
|--|-----------|--|--------|--|----------|
|  | 717746006 | Ballast Box 500 Lb Max 0.5,0.7<br>500 LB Max<br>(Class .5, .75, 1, & 2 compact tractors) | 100 LB |  | \$307.00 |
|--|-----------|--|--------|--|----------|

**72CBH FRONT MOUNT BLADES  
US PRICE LIST**

**(Thetford Mines, Quebec)  
Standard Equipment**

72CBHA Front Mount Blade - QA

\*\*\*\*\*

SEE COMPATIBILITY GUIDE FOR  
IMPLEMENT COMPATIBILITY

\*\*\*\*\*

**TRACTOR APPLICATIONS:**

Current New Holland Compact Models

- Boomer 35/40/45/50/55 ROPS (T4B)
- Boomer 40/45/50/55 Cab (T4B)
- Boomer 46D/54D CVT
- Boomer 45D/50D CVT (Canada Only)
- WORKMASTER 25/35/40 (T4B)

Prior New Holland Compact Models

- Boomer 33/37/41/47 ROPS (T4B)
- Boomer 37/41/47 Cab (T4B)
- Boomer CVT 3040/3045/3050
- WORKMASTER 35/40 (T3)
- WORKMASTER 33/37 (T4B)
- Boomer 30/35/40/50 (T3)

**SPECIFICATIONS:**

Moldboard Width - 72 (in.)  
Moldboard Height - 22 (in.)  
Reversible Cutting Edge - Standard  
Cutting Edge Thickness - 1/2 (in.)  
Manual Angling - N/A  
Hydraulic Angling - Standard  
Angling Range - 0 to 30 degrees  
Adjustable Skid Shoes - Standard

The following items are required to  
make up a complete front mount blade:

- Packaged Front Mount Blade
- Quick Hitch and Subframe
- Mid-mount valve for tractor
- Optional Equipment can be added  
as desired.

Hydraulic Valve Kit Shipping Point  
Service Parts

Boomer 35/40/45/50/55 (T4B) and  
33/37/41/47 (T4B)

NOTE: If tractor does not have  
couplers (ordered without loader),  
Coupler Kit # 47608158 must be  
ordered

NOTE: A cross-over relief valve is  
required to operate the 72CBHA front  
blade on a Boomer 30, 35, 40, or 50  
(T3) and WORKMASTER 35, 40 (T3)

(Order through Service Parts)  
BERBER0076 - Cross-over relief valve kit

New Holland recommends the use of a  
ballasting box when installing front  
mounted implements.

**WARRANTY**

New Holland Standard Warranty Applies

**SHIPPING POINT:**

Thetford Mines, Quebec, Canada



## 72CBH FRONT MOUNT BLADES US PRICE LIST

(Thetford Mines, Quebec)

### Models

| COMMERCIAL MODEL | Weight | Factory Data | List Price |
|------------------|--------|--------------|------------|
| 72CBHA           | 535 LB |              | \$3,011.00 |

### Factory Supplied Options

| Order Code | Description   | Weight | Factory Data | List Price |
|------------|---|--------|--------------|------------|
| 439205     | <p>S-FRM CLS2 LS439205<br/> <b>For COMPACT (439205006)</b><br/> <b>Current Models</b><br/> - Boomer 35/40 ROPS (T4B)<br/> - Boomer 40 CAB (T4B)<br/> - Boomer 45/50/55 ROPS (T4B)<br/> - Boomer 45/50/55 CAB (T4B)<br/> - WORKMASTER 35/40 (T4B)<br/> <b>Prior models</b><br/> - Boomer 33/37 ROPS (T4B)<br/> - Boomer 37 Cab (T4B)<br/> - *Boomer 41/47 ROPS (T4B)<br/> - *Boomer 41/47 CAB (T4B)<br/> - WORKMASTER 33/37 (T4B)<br/> <br/> * 439315 - Front mount completion hanger must also be ordered</p> |        |              | \$2,049.00 |
| 439447     | <p>SUBFRAME, LS EC 25<br/> <b>For WORKMASTER 25 (439447006)</b></p>   |        |              | \$2,049.00 |
| 717989     | <p>Front Quick Hitch 30/35/40/50<br/> <b>For Boomer 30/35/40/50 (T3 ONLY) (717989006)</b><br/> <b>(CURRENT INVENTORY ONLY)</b><br/> <br/> A cross-over relief valve is required to operate the<br/> 72CBH front blade on a Boomer 30/35/40/50 (T3 ONLY)<br/> BERBER0076 - Cross-over relief valve kit<br/> <b>(Order through Service Parts)</b><br/> <br/> <b>Does Not fit: Boomer 33/37/41/47</b></p>  |        |              | \$2,049.00 |
| 717751     | <p>Front Quick Hitch - Class 3<br/> <b>For Boomer™ EasyDrive™ CVT Models (717751006)</b><br/> <b>Conventional Axle Only: Serial ZDMB11924 and below</b></p>   |        |              | \$2,188.00 |
| 439068     | <p>S-Frame CLS3AT MY14<br/> <b>For Boomer™ EasyDrive™ CVT Models (439068006)</b><br/> <b>Conventional Axle Only: Serial ZDMB11925 and above &amp; Tier IV</b></p>   |        |              | \$2,188.00 |

**72CBH FRONT MOUNT BLADES  
US PRICE LIST**

**(Thetford Mines, Quebec)**

|  |  |        |   |  |  |            |
|--|--|--------|---|--|--|------------|
|  |  | 439055 | <p>Subframe Economy<br/> <b>For WORKMASTER 35/40 Compact tractors (T3 ONLY) (439055006)</b></p> <p><b>A cross-over relief valve is required to operate the<br/> 72CBH front blade on a WORKMASTER 35/40 (T3)<br/> BERBER0076 - Cross-over relief valve kit<br/> (Order through Service Parts)</b></p> |  |  | \$2,049.00 |
|--|--|--------|---|--|--|------------|

**SD\_N5702 FRONT BRACKETS**

|  |  |        |   |  |  |           |
|--|--|--------|---|--|--|-----------|
|  |  | 439315 | <p>FR MNT HANGER BRCKT<br/> <b>439315 (006) Front mount completion hanger is required<br/> for Boomer 41/47 (T4B) ROPS and CAB applications</b></p> |  |  | No Charge |
|--|--|--------|---|--|--|-----------|

**72CBH FRONT MOUNT BLADES  
US PRICE LIST**

(Thetford Mines, Quebec)

**Factory Supplied Attachments**

| Order Code                | Description  | Weight | Factory Data | List Price |
|---------------------------|--|--------|--------------|------------|
| <b>Hitch and Subframe</b> |  |        |              |            |
| 717989006                 | SUBFRAME 30/35/40/50 HP<br>For Boomer 30/35/40/50 (T3 ONLY) (CURRENT INVENTORY ONLY)<br><br>A cross-over relief valve is required to operate the 72CBH front blade on a Boomer 30/35/40/50 (T3 ONLY)<br>BERBER0076 - Cross-over relief valve kit<br>(Order through Service Parts)  | 325 KG |              | \$2,049.00 |
| 717751006                 | SUBFRAME CLS 3<br><br>For Boomer™ EasyDrive™ CVT Models<br>Conventional Axle Only: Serial ZDMB11924 and below  | 510 LB |              | \$2,188.00 |
| 439447006                 | SUBFRAME - LS ECONOMY WM25 MHI T4<br>For WORKMASTER 25 (439447006)   | 375 LB |              | \$2,049.00 |
| 439055006                 | Subframe 35/40 HP Economy<br>For WORKMASTER 35/40 Compact tractors (T3 ONLY) (439055006)<br><br>A cross-over relief valve is required to operate the 72CBH front blade on a WORKMASTER 35/40 (T3 ONLY)<br>BERBER0076 - Cross-over relief valve kit<br>(Order through Service Parts)  | 363 LB |              | \$2,049.00 |
| 439068006                 | Hitch and Sub Frame<br><br>For Boomer™ EasyDrive™ CVT Models (439068006)<br>Conventional Axle Only: Serial ZDMB11925 and above & Tier IV   | 510 KG |              | \$2,188.00 |
| 439205006                 | SUBFRAME CLS2 LS ENG T4 ECON PREM ROPS/C<br>For COMPACT (439205006)<br>Current Models<br>- Boomer 35/40 ROPS (T4B)<br>- Boomer 40 CAB (T4B)<br>- Boomer 45/50/55 ROPS (T4B)<br>- Boomer 45/50/55 CAB (T4B)<br>- WORKMASTER 35/40 (T4B)<br>Prior models<br>- Boomer 33/37 ROPS (T4B)<br>- Boomer 37 Cab (T4B)<br>- *Boomer 41/47 ROPS (T4B)<br>- *Boomer 41/47 CAB (T4B)<br>- WORKMASTER 33/37 (T4B)<br><br>* 439315 - Front mount completion hanger must also be ordered | 360 LB |              | \$2,049.00 |



**72CBH FRONT MOUNT BLADES  
US PRICE LIST**

**(Thetford Mines, Quebec)**

**Ballast Box**

|  |  |           |  |        |  |          |
|--|--|-----------|--|--------|--|----------|
|  |  | 717747006 | Ballast box 1000 Lb Max<br>(Category I) 1000 LB MAX<br>(Class III compact tractors)  | 169 LB |  | \$419.00 |
|  |  | 439315006 | FR MNT COMPLETION HANGER<br>439315 (006) Front mount completion hanger is required<br>for Boomer 41/47 (T4B) ROPS and CAB applications | 20 LB  |  | \$107.00 |

**MODEL 526GR FRONT MOUNT ROTARY BROOM  
US PRICE LIST**

**(Thetford Mines, Quebec, Canada)  
Standard Equipment**

526GR(B) FRONT MOUNT BROOM  
(Reverse Drive Rotation)

\*\*\*\*\*  
SEE COMPATIBILITY GUIDE FOR  
IMPLEMENT COMPATIBILITY  
\*\*\*\*\*

**TRACTOR APPLICATIONS:**

Current New Holland Compact Models  
- Boomer™ 24

Prior New Holland Compact Models  
- Boomer™ 20 / 25

Note: 526GR previously ordered for  
T1110 / Boomer 1030 will not work  
on the Boomer 20/25 & 24 because the  
mid-PTO turns in the opposite direction.

**SPECIFICATIONS:**

Sweeping Width - 55 (in.)  
Sweeping Width @ 25 ° - 49 (in.)  
Broom Diameter - 18 (in.)  
Bristle Material - Polypropylene  
Brush Type - Wafer  
Manual Angling - Standard  
Angling Range - 0 to 25 °  
Drive System - PTO/ Gearbox  
#40 Chain  
Storage Stand - Standard

The following items are required to  
make up a complete front mount rotary  
broom:

- Packaged Front Mount Rotary Broom
- Mid PTO Drive Kit
- Hitch and Subframe
- Hydraulic Valve Kit for tractor  
(See Tractor Service Part pages)
- Optional Equipment can be added as  
desired

**Note: Only One**

- Quick Hitch/Subframe
- Mid PTO Drive kit
- Hydraulic Valve Kit  
per tractor needed for Blade, Broom,  
and/or Blower head units

New Holland recommends the use of a  
ballasting box when installing front  
mounted implements.

**SHIPPING POINT:**

Thetford Mines, Quebec, Canada

**WARRANTY:**

New Holland Standard Warranty Applies



**MODEL 526GR FRONT MOUNT ROTARY BROOM  
US PRICE LIST**

(Thetford Mines, Quebec, Canada)

**Models**

| COMMERCIAL MODEL | Weight | Factory Data | List Price |
|------------------|--------|--------------|------------|
| 526GR            | 425 LB |              | \$4,378.00 |

**Factory Supplied Options**

| Order Code | Description | Weight | Factory Data | List Price |
|------------|-------------|--------|--------------|------------|
|------------|-------------|--------|--------------|------------|

**COMPLETING PACKAGES**

ROTARY BROOM OPTIONS

SD\_03007 MID PTO DRIVE KIT

|  |  |        |  |  |  |          |
|--|--|--------|--|--|--|----------|
|  |  | 439031 | Mid PTO CLS 1 20/25<br><b>For Boomer 24 &amp; Boomer 20/25 (439031006)</b> |  |  | \$888.00 |
|--|--|--------|--|--|--|----------|

SD\_N5701 HITCH AND SUBFRAME

Hitch and Subframe

|  |  |        |   |  |  |            |
|--|--|--------|---|--|--|------------|
|  |  | 439030 | Subframe Cls 1 20/25<br><b>For Boomer 24 &amp; Boomer 20/25 (439030006)</b> |  |  | \$1,709.00 |
|--|--|--------|---|--|--|------------|

**OPTIONAL EQUIPMENT**

ROTARY BROOM OPTIONS

SD\_20087 HYDRAULIC FRAME ANGLING KIT

|  |  |        |   |  |  |          |
|--|--|--------|---|--|--|----------|
|  |  | 439044 | HYD ANGLE CLS1 20/25<br><b>For Boomer 24 &amp; Boomer 20/25 (439044006)</b> |  |  | \$639.00 |
|--|--|--------|---|--|--|----------|

SD\_29035 SIDE CASTER WHEEL KIT

|  |  |        |   |       |  |          |
|--|--|--------|---|-------|--|----------|
|  |  | 717231 | Side Casterwheels Kit<br><b>(717231006) - 526GR</b><br><b>(717231016) - 72CO</b><br><b>(717231016) - 60COBB</b> | 47 LB |  | \$343.00 |
|--|--|--------|---|-------|--|----------|



**MODEL 526GR FRONT MOUNT ROTARY BROOM  
US PRICE LIST**

(Thetford Mines, Quebec, Canada)

**Factory Supplied Attachments**

| Order Code | Description | Weight | Factory Data | List Price |
|------------|-------------|--------|--------------|------------|
|------------|-------------|--------|--------------|------------|

**Hitch and Subframe**

|  |           |   |        |  |            |
|--|-----------|---|--------|--|------------|
|  | 439030006 | Hitch Subframe Boomer 20/25<br>For Boomer 24 & Boomer 20/25 (439030006) | 218 LB |  | \$1,709.00 |
|--|-----------|---|--------|--|------------|

|  |           |   |       |  |          |
|--|-----------|---|-------|--|----------|
|  | 439031006 | MidPTO Drive Kit Boomer 20/25<br>For Boomer 24 & Boomer 20/25 (439031006) | 18 LB |  | \$888.00 |
|--|-----------|---|-------|--|----------|

**Optional Equipment**

|  |           |   |       |  |          |
|--|-----------|---|-------|--|----------|
|  | 717231006 | 2"X6" SIDE CASTER WHL KIT<br>6" X 3" on 526GR                                 | 30 LB |  | \$605.00 |
|  | 439044006 | Hydraulic Angling Kit Boomer 20/25<br>For Boomer 24 & Boomer 20/25. For 526GR | 5 LB  |  | \$639.00 |

**Ballast Box**

|  |           |   |        |  |          |
|--|-----------|---|--------|--|----------|
|  | 717746006 | Ballast Box 500 Lb Max 0.5,0.7<br>500 LB Max (Class .5, .75, 1, & 2 compact tractors) | 100 LB |  | \$307.00 |
|--|-----------|---|--------|--|----------|

**60COBB FRONT MOUNT ROTARY BROOM (WM25S)  
US PRICE LIST**

**(Thetford Mines, Quebec, Canada)  
Standard Equipment**

60COBB FRONT MOUNT BROOM

\*\*\*\*\*  
SEE COMPATIBILITY GUIDE FOR  
IMPLEMENT COMPATIBILITY  
\*\*\*\*\*

**TRACTOR APPLICATIONS:**

Current New Holland Compact Models  
- WORKMASTER™ 25S (subcompact)

**SPECIFICATIONS:**

Sweeping Width - 57 (in.)  
Sweeping Width @ 25 ° - 52 (in.)  
Broom Diameter - 18 (in.)  
Bristle Material - Nylon  
Brush Type - Wafer  
Hydraulic Angling - Optional  
Angling Range - 0 to 25 °  
Drive System - PTO/ Gearbox  
#40 Chain  
Storage Stand - Standard

The following items are required to  
make up a complete front mount rotary  
broom:

- Packaged Front Mount Rotary Broom
- Mid PTO Drive Kit
- Hitch and Subframe

NOTE: The WORKMASTER 25S comes  
standard with a mid-mount valve.

Note: Only One

- Quick Hitch/Subframe
  - Mid PTO Drive kit
- per tractor needed for Blade, Broom,  
and/or Blower head units

New Holland recommends the use of a  
ballasting box when installing front  
mounted implements.

**SHIPPING POINT:**

Thetford Mines, Quebec, Canada

**WARRANTY:**

New Holland Standard Warranty Applies



**60COBB FRONT MOUNT ROTARY BROOM (WM25S)  
US PRICE LIST**

(Thetford Mines, Quebec, Canada)

**Models**

| COMMERCIAL MODEL | Weight | Factory Data | List Price |
|------------------|--------|--------------|------------|
| 60COBB           | 550 LB |              | \$2,329.00 |

**Factory Supplied Options**

| Order Code | Description | Weight | Factory Data | List Price |
|------------|-------------|--------|--------------|------------|
|------------|-------------|--------|--------------|------------|

**COMPLETING PACKAGES**

## ROTARY BROOM OPTIONS

## SD\_03007 MID PTO DRIVE KIT

|  |  |        |   |  |  |          |
|--|--|--------|---|--|--|----------|
|  |  | 439331 | MID PTO DRIVE KIT LS<br><b>For WORKMASTER 25S (439331006)</b> |  |  | \$672.00 |
|--|--|--------|---|--|--|----------|

## SD\_N5701 HITCH AND SUBFRAME

|  |  |        |  |  |  |          |
|--|--|--------|--|--|--|----------|
|  |  | 439330 | SUBFRAME LS<br><b>For WORKMASTER 25S (439330006)</b> |  |  | \$672.00 |
|--|--|--------|--|--|--|----------|

**OPTIONAL EQUIPMENT**

## ROTARY BROOM OPTIONS

## SD\_20087 HYDRAULIC FRAME ANGLING KIT

|  |  |        |   |       |  |          |
|--|--|--------|---|-------|--|----------|
|  |  | 715434 | Hydraulic Angling Kit-<br><b>for 526GR and 60COBB<br/>(715434026)</b> | 27 LB |  | \$639.00 |
|--|--|--------|---|-------|--|----------|

## SD\_29035 SIDE CASTER WHEEL KIT

|  |  |        |   |       |  |          |
|--|--|--------|---|-------|--|----------|
|  |  | 717231 | Side Casterwheels Kit<br><b>(717231006) - 526GR<br/>(717231016) - 72CO<br/>(717231016) - 60COBB</b> | 47 LB |  | \$605.00 |
|--|--|--------|---|-------|--|----------|

## SD\_N5702 FRONT BRACKETS

|  |  |         |                   |  |  |           |
|--|--|---------|-------------------|--|--|-----------|
|  |  | XN5702X | No Front Brackets |  |  | No Charge |
|--|--|---------|-------------------|--|--|-----------|



60COBB FRONT MOUNT ROTARY BROOM (WM25S)  
US PRICE LIST

(Thetford Mines, Quebec, Canada)

Factory Supplied Attachments

| Order Code | Description | Weight | Factory Data | List Price |
|------------|-------------|--------|--------------|------------|
|------------|-------------|--------|--------------|------------|

Optional Equipment

|  |           |  |       |  |          |
|--|-----------|--|-------|--|----------|
|  | 715434026 | HYD ANGLING KIT<br>for 526GR                               | 27 LB |  | \$606.00 |
|  | 717231016 | 2 X 6 side caster w/Wheel kit<br>6" x 2" on 72COBA, 72COBB | 47 LB |  | \$605.00 |

|  |           |  |       |  |          |
|--|-----------|--|-------|--|----------|
|  | 439330006 | MOUNTING FRAME<br>For WORKMASTER 25S (439330006) | 80 LB |  | \$672.00 |
|  | 439331006 | PTO KIT<br>For WORKMASTER 25S (439331006)        | 25 LB |  | \$672.00 |

**MODELS 72CO FRONT MOUNT ROTARY BROOM  
US PRICE LIST**

**(Thetford Mines, Quebec, Canada)  
Standard Equipment**

72COBA Front Mount Broom - QA  
72COBB Front Mount Broom - QA

Drive System - PTO/ Gearbox  
Storage Stand - Standard

\*\*\*\*\*  
SEE COMPATIBILITY GUIDE FOR  
IMPLEMENT COMPATIBILITY  
\*\*\*\*\*

The following items are required to  
make up a complete front mount rotary  
broom:

- Packaged Front Mount Rotary Broom
- Quick Hitch and Subframe
- Mid-PTO Drive Kit
- Hydraulic Valve Kit for tractor
- Optional Equipment can be added as  
desired

TRACTOR APPLICATIONS: 72COBA  
Current New Holland Compact Models  
- Boomer 46D/54D CVT  
- Boomer 45D/50D CVT (Canada Only)  
Requires Factory installed Mid PTO

Note: Only One  
- Quick Hitch/Subframe  
- Mid PTO Drive kit  
- Hydraulic Valve Kit  
per tractor needed for Blade, Broom,  
and/or Blower head units

Prior New Holland Compact Models  
- Boomer CVT 3040/3045/3050  
Requires Factory installed Mid PTO

TRACTOR APPLICATIONS: 72COBB  
Current New Holland Compact Models  
- Boomer 35/40/45/50/55 ROPS (T4B)  
- Boomer 40/45/50/55 Cab (T4B)  
- WORKMASTER 25/35/40 (T4B)

Boomer 35/40/45/50/55 (T4B)  
33/37/41/47 (T4B)

NOTE: If tractor does not have couplers  
(ordered without loader), Coupler Kit #  
47608158 must be ordered

Prior New Holland Compact Models  
- WORKMASTER 35/40 (T3)  
- WORKMASTER 33/37 (T4B)  
- Boomer 30/35/40/50 (T3)  
- Boomer 33/37/41/47 (T4B)

New Holland recommends the use of a  
ballasting box when installing front  
mounted implements.

SPECIFICATIONS:  
Sweeping Width - 68 (in.)  
Sweeping Width @ 25 ° - 61 (in.)  
Broom Diameter - 22 (in.)  
Bristle Material - Polypropylene  
Brush Type - Wafer  
Manual Angling - Standard  
Angling Range - 0 to 25 °

SHIPPING POINT  
Thetford Mines, Quebec, Canada

WARRANTY  
New Holland Standard Warranty Applies

**MODELS 72CO FRONT MOUNT ROTARY BROOM  
US PRICE LIST**

(Thetford Mines, Quebec, Canada)

## Models

| COMMERCIAL MODEL | Weight | Factory Data | List Price |
|------------------|--------|--------------|------------|
| 72COBA           | 575 LB |              | \$5,522.00 |
| 72COBB           | 450 LB |              | \$5,522.00 |

## Factory Supplied Options

| Order Code | Description | Weight | Factory Data | List Price |
|------------|-------------|--------|--------------|------------|
|------------|-------------|--------|--------------|------------|

### COMPLETING PACKAGES

#### ROTARY BROOM OPTIONS

#### SD\_03007 MID PTO DRIVE KIT

|  |        |  |  |  |            |
|--|--------|--|--|--|------------|
|  | 439116 | Mid PTO Tier 4 41/47<br><b>For Boomer (439116006)</b><br>- 41/47 ROPS/Cab (T4B)<br>- 45/50/55 ROPS/Cab (T4B)                             |  |  | \$1,078.00 |
|  | 439124 | Mid PTO 32/36 HP T3<br><b>For Boomer (439124006)</b><br>- 33/37 ROPS, Boomer 37 CAB (T4B)<br><b>For WORKMASTER</b><br>- 33/37 ROPS (T4B) |  |  | \$1,078.00 |
|  | 439238 | MID PTO CLS2 439238<br><b>For Boomer (439124006)</b><br>- 35/40 ROPS, Boomer 40 CAB (T4B)<br><b>For WORKMASTER</b><br>- 35/40 ROPS (T4B) |  |  | \$1,078.00 |
|  | 439448 | MID PTO LS EC 25<br><b>For WORKMASTER 25 (439448006)</b>   |  |  | \$1,078.00 |
|  | 717990 | Mid PTO 30/35/40/50<br><b>Mid PTO for Boomer 30/35/40/50 (T3 ONLY) (717990006)</b>   |  |  | \$1,078.00 |
|  | 439057 | Mid PTO Economy<br><b>Mid PTO for WORKMASTER 35/40 (T3 ONLY) (439057006)</b>   |  |  | \$1,078.00 |
|  | 717761 | Mid PTO Drive Kit-III AT<br><b>Mid PTO for Boomer EasyDrive CVT Models (717761006)</b><br><b>Note: For Conventional Axle Only</b>        |  |  | \$883.00   |

**MODELS 72CO FRONT MOUNT ROTARY BROOM  
US PRICE LIST**

(Thetford Mines, Quebec, Canada)

**SD\_N5701 HITCH AND SUBFRAME**

|  |  |        |   |  |  |            |
|--|--|--------|---|--|--|------------|
|  |  | 439068 | S-Frame CLS3AT MY14<br><b>For Boomer EasyDrive CVT Models (439068006)</b><br><b>New Axle Only: Serial ZDMB11925 and above &amp; Tier IV</b>   |  |  | \$2,188.00 |
|  |  | 439205 | S-FRM CLS2 LS439205<br><b>For COMPACT (439205006)</b><br><b>Current Models</b><br>- Boomer 35/40 ROPS (T4B)<br>- Boomer 40 CAB (T4B)<br>- Boomer 45/50/55 ROPS (T4B)<br>- Boomer 45/50/55 CAB (T4B)<br>- WORKMASTER 35/40 (T4B)<br><b>Prior models</b><br>- Boomer 33/37 ROPS (T4B)<br>- Boomer 37 Cab (T4B)<br>- *Boomer 41/47 ROPS (T4B)<br>- *Boomer 41/47 CAB (T4B)<br>- WORKMASTER 33/37 (T4B)<br><br><b>* 439315 - Front mount completion hanger must also be ordered</b> |  |  | \$2,049.00 |
|  |  | 439447 | SUBFRAME, LS EC 25<br><b>For WORKMASTER 25 (439447006)</b>  |  |  | \$2,049.00 |
|  |  | 717989 | Front Quick Hitch 30/35/40/50<br><b>For Boomer 30/35/40/50 (T3 ONLY) (717989006)</b>  |  |  | \$2,049.00 |
|  |  | 439055 | Subframe Economy<br><b>For WORKMASTER COMPACT 35/40 (T3 ONLY) (439055006)</b>   |  |  | \$2,049.00 |
|  |  | 717751 | Front Quick Hitch - Class 3<br><b>For Boomer 3040/3045/3050 (717751006)</b><br><b>Conventional Axle Only: Serial ZDMB11924 and below</b>  |  |  | \$2,188.00 |

**OPTIONAL EQUIPMENT**

**ROTARY BROOM OPTIONS**

**SD\_20087 HYDRAULIC FRAME ANGLING KIT**

|  |  |        |  |       |  |          |
|--|--|--------|--|-------|--|----------|
|  |  | 715677 | Hydraulic Angling Kit<br><b>For 72CO Broom (715677016)</b> | 26 LB |  | \$711.00 |
|--|--|--------|--|-------|--|----------|

**SD\_29035 SIDE CASTER WHEEL KIT**

|  |  |        |   |       |  |          |
|--|--|--------|---|-------|--|----------|
|  |  | 717231 | Side Casterwheels Kit<br><b>(717231006) - 526GR</b><br><b>(717231016) - 72CO</b><br><b>(717231016) - 60COBB</b> | 47 LB |  | \$605.00 |
|--|--|--------|---|-------|--|----------|



MODELS 72CO FRONT MOUNT ROTARY BROOM  
US PRICE LIST

(Thetford Mines, Quebec, Canada)

SD\_N5702 FRONT BRACKETS

|  |  |        |   |  |  |           |
|--|--|--------|---|--|--|-----------|
|  |  | 439315 | FR MNT HANGER BRCKT<br><b>439315 (006) Front mount completion hanger is required<br/>for Boomer 41/47 (T4B) ROPS and CAB applications</b> |  |  | No Charge |
|--|--|--------|---|--|--|-----------|

**MODELS 72CO FRONT MOUNT ROTARY BROOM  
US PRICE LIST**

(Thetford Mines, Quebec, Canada)

**Factory Supplied Attachments**

| Order Code                | Description  | Weight | Factory Data | List Price |
|---------------------------|--|--------|--------------|------------|
| <b>Hitch and Subframe</b> |  |        |              |            |
| 439447006                 | SUBFRAME - LS ECONOMY WM25 MHI T4<br>For WORKMASTER 25 (439447006)   | 375 LB |              | \$2,049.00 |
| 717989006                 | SUBFRAME 30/35/40/50 HP<br>For Boomer COMPACT 30/35/40/50 (T3 ONLY)  | 325 KG |              | \$2,049.00 |
| 439055006                 | Subframe 35/40 HP Economy<br>For WORKMASTER COMPACT 35/40 (T3 ONLY)  | 363 LB |              | \$2,049.00 |
| 717751006                 | SUBFRAME CLS 3<br>For Boomer EasyDrive CVT Models<br>Conventional Axle Only: Serial ZDMB11924 and below  | 510 LB |              | \$2,188.00 |
| 439068006                 | Hitch and Sub Frame<br>For Boomer EasyDrive CVT Models<br>New Axle Only: Serial ZDMB11925 and above  | 510 KG |              | \$2,188.00 |
| 439205006                 | SUBFRAME CLS2 LS ENG T4 ECON PREM ROPS/C<br>For COMPACT (439205006)<br>Current Models<br>- Boomer 35/40 ROPS (T4B)<br>- Boomer 40 CAB (T4B)<br>- Boomer 45/50/55 ROPS (T4B)<br>- Boomer 45/50/55 CAB (T4B)<br>- WORKMASTER 35/40 (T4B)<br>Prior models<br>- Boomer 33/37 ROPS (T4B)<br>- Boomer 37 Cab (T4B)<br>- *Boomer 41/47 ROPS (T4B)<br>- *Boomer 41/47 CAB (T4B)<br>- WORKMASTER 33/37 (T4B)<br><br>* 439315 - Front mount completion hanger must also be ordered | 360 LB |              | \$2,049.00 |
| 439238006                 | MID PTO CLS2 T4 LS ENG<br>For Boomer (439124006)<br>- 35/40 ROPS, Boomer 40 CAB (T4B)<br>For WORKMASTER<br>- 35/40 ROPS (T4B)  | 25 LB  |              | \$1,078.00 |

**Mid PTO Drive**

|           |   |       |  |            |
|-----------|---|-------|--|------------|
| 439448006 | MID PTO - LS ECONOMY WM25<br>For WORKMASTER 25 (439448006)  | 25 LB |  | \$1,078.00 |
| 717990006 | MID PTO 30/35/40/50 HP<br>Mid-PTO for Boomer COMPACT 30/35/40/50 (T3 ONLY)                                | 25 KG |  | \$1,078.00 |
| 439057006 | MID PTO 35/40 HP WORKMASTER, FARMALL A<br>Mid-PTO for WORKMASTER COMPACT 35/40 (T3 ONLY)                  | 25 LB |  | \$1,078.00 |
| 717761006 | MID PTO Drive Kit Cls 3 AT<br>Mid-PTO for Boomer EasyDrive CVT Models<br>Note: Conventional FWD Axle Only | 30 KG |  | \$883.00   |

**MODELS 72CO FRONT MOUNT ROTARY BROOM  
US PRICE LIST**

**(Thetford Mines, Quebec, Canada)**

|  |           |  |       |  |            |
|--|-----------|--|-------|--|------------|
|  | 439116006 | Mid PTO drive kit for 41/47 hp -T4<br>For Boomer<br>- 41/47 ROPS/Cab (T4B)<br>- 45/50/55 ROPS/Cab (T4B)        | 25 LB |  | \$1,078.00 |
|  | 439124006 | MID PTO 32/36 HP T4<br>For Boomer<br>- 33/37 ROPS, Boomer 37 CAB (T4B)<br>For WORKMASTER<br>- 33/37 ROPS (T4B) | 25 LB |  | \$1,078.00 |

**Optional Equipment**

|  |           |  |       |  |          |
|--|-----------|--|-------|--|----------|
|  | 715677016 | HYD ANGLING 60&72"(2.0,3.0)<br>Fits 72CO                   | 10 KG |  | \$711.00 |
|  | 717231016 | 2 X 6 side caster w/Wheel kit<br>6" x 2" on 72COBA, 72COBB | 47 LB |  | \$605.00 |

**Ballast Box**

|  |           |   |        |  |          |
|--|-----------|---|--------|--|----------|
|  | 717746006 | Ballast Box 500 Lb Max 0.5,0.7<br>500 LB Max (Class .5, .75, 1, & 2 compact tractors) | 100 LB |  | \$307.00 |
|  | 717747006 | Ballast box 1000 Lb Max<br>(Category I) 1000 LB MAX (Class III compact tractors)      | 169 LB |  | \$419.00 |

|  |           |  |       |  |          |
|--|-----------|--|-------|--|----------|
|  | 439315006 | FR MNT COMPLETION HANGER<br>439315 (006) Front mount completion hanger is required<br>for Boomer 41/47 (T4B) ROPS and CAB applications | 20 LB |  | \$107.00 |
|--|-----------|--|-------|--|----------|





**50RSHB FRONT MOUNT SNOW BLOWER FOR WM25S  
US PRICE LIST**

**(Thetford Mines, Quebec, Canada)  
Standard Equipment**

50RSHB FRONT MOUNT SNOW BLOWER  
(Reverse Drive Rotation)

\*\*\*\*\*  
SEE COMPATIBILITY GUIDE FOR  
IMPLEMENT COMPATIBILITY  
\*\*\*\*\*

**TRACTOR APPLICATIONS:**

Current New Holland Compact Models  
- WORKMASTER™ 25S

**SPECIFICATIONS:**

Overall Width - 50 (in.)  
Cutting Width - 50 (in.)  
Cutting Height - 20 (in.)  
Number of Fan Blades - 4  
Fan Diameter - 15.75 (in.)  
Auger Diameter - 12.75 (in.)  
Fan Drive - #40 HD Chain  
Auger Drive: Mechanical Gearbox with  
shear pin protection  
Two-Part Chute with:  
- Manual Chute Rotation - Standard  
  
Shearbolt Protection - Standard  
Skid Shoe-Std. Adjustment - Standard

The following items are required to  
make up a complete front mount snow  
blower:

- Packaged Front Mount Snow Blower
- Mid PTO Drive Kit
- Hitch and Subframe
- Hydraulic Kit for Tractor
- Optional equipment can be added  
as desired

New Holland recommends the use of a  
ballasting box when installing front  
mounted implements.

**WARRANTY**

New Holland Standard Warranty Applies

**SHIPPING POINT:**

Thetford Mines, Quebec, Canada



**50RSHB FRONT MOUNT SNOW BLOWER FOR WM25S  
US PRICE LIST**

(Thetford Mines, Quebec, Canada)

**Models**

| COMMERCIAL MODEL | Weight | Factory Data | List Price |
|------------------|--------|--------------|------------|
| 50RSHB           | 450 LB |              | \$1,973.00 |



50RSHB FRONT MOUNT SNOW BLOWER FOR WM25S  
US PRICE LIST

(Thetford Mines, Quebec, Canada)

Factory Supplied Options

| Order Code | Description | Weight | Factory Data | List Price |
|------------|-------------|--------|--------------|------------|
|------------|-------------|--------|--------------|------------|

SD\_03007 MID PTO DRIVE KIT

|  |        |   |       |  |          |
|--|--------|---|-------|--|----------|
|  | 439331 | MID PTO DRIVE KIT LS<br><b>For WORKMASTER 25S (439331006)</b> | 22 LB |  | \$672.00 |
|--|--------|---|-------|--|----------|

SD\_N5701 HITCH AND SUBFRAME

|                    |        |  |       |  |          |
|--------------------|--------|--|-------|--|----------|
| Hitch and Subframe |        |  |       |  |          |
|                    | 439330 | SUBFRAME LS<br><b>For WORKMASTER 25S (439330006)</b> | 90 LB |  | \$672.00 |

OPTIONAL EQUIPMENT

SD\_20088 HYDRAULIC CHUTE ROT

|  |        |   |  |  |          |
|--|--------|---|--|--|----------|
|  | 439467 | HYD CHUTE ROT LS 0.5<br><b>Hydraulic Chute Rotation for 50RSHB for WORKMASTER 25S (439467006)</b> |  |  | \$839.00 |
|--|--------|---|--|--|----------|



50RSHB FRONT MOUNT SNOW BLOWER FOR WM25S  
US PRICE LIST

(Thetford Mines, Quebec, Canada)

**Factory Supplied Attachments**

| Order Code |           | Description                                      | Weight | Factory Data | List Price |
|------------|-----------|--|--------|--------------|------------|
|            | 439330006 | MOUNTING FRAME<br>For WORKMASTER 25S (439330006) | 80 LB  |              | \$672.00   |
|            | 439331006 | PTO KIT<br>For WORKMASTER 25S (439331006)        | 25 LB  |              | \$672.00   |

# 63CSHB FRONT MOUNT 2 STAGE SNOW BLOWER US PRICE LIST

(Thetford Mines, Quebec, Canada)  
**Standard Equipment**

63CSHB FRONT MOUNT SNOW BLOWER

\*\*\*\*\*

SEE COMPATIBILITY GUIDE FOR  
IMPLEMENT COMPATIBILITY

\*\*\*\*\*

## TRACTOR APPLICATIONS:

Current New Holland Compact Models

- Boomer 35/40/45/50/55 ROPS (T4B)
- Boomer 40/45/50/55 Cab (T4B)
- WORKMASTER 25/35/40 (T4B)

Prior New Holland Compact Models

- Boomer 33/37/41/47 ROPS (T4B)
- Boomer 37/41/47 Cab (T4B)
- WORKMASTER 33/37 (T4B)
- WORKMASTER 35/40 (T3)
- Boomer 30/35/40/50 (T3)

## SPECIFICATIONS:

Overall Width - 63 (in.)  
Cutting Width - 63 (in.)  
Cutting Height - 22 1/2 (in.)  
Number of Fan Blades - 4  
Fan Diameter - 17 3/4 (in.)  
Auger Diameter - 13 3/4 (in.)  
Fan Drive - Gear box reduction  
Two-Part Chute with  
- Hydraulic Chute Rotation - Standard  
Shearbolt Protection - Standard  
Skid Shoe-Std. Adj. - Standard  
Note: The 63CSHB input rotation  
(from the driver's seat) is clockwise.

The following items are required to  
make up a complete front mount snow  
blower:

- Packaged front mount snow blower
- Quick Hitch and Subframe
- Mid PTO Drive Kit
- Mid-mount valve for Tractor  
(See Tractor Service Parts pages)
- Optional equipment can be added  
as desired

NOTE: If tractor does not have couplers  
(ordered without loader), Coupler Kit #  
47608158 must be ordered

New Holland recommends the use of a  
ballasting box when installing front  
mounted implements.

## WARRANTY

New Holland Standard Warranty Applies

## SHIPPING POINT:

Thetford Mines, Quebec, Canada



**63CSHB FRONT MOUNT 2 STAGE SNOW BLOWER  
US PRICE LIST**

(Thetford Mines, Quebec, Canada)

**Models**

| COMMERCIAL MODEL | Weight   | Factory Data | List Price |
|------------------|----------|--------------|------------|
| 63CSHB           | 1,005 LB |              | \$5,574.00 |

**63CSHB FRONT MOUNT 2 STAGE SNOW BLOWER  
US PRICE LIST**

(Thetford Mines, Quebec, Canada)

**Factory Supplied Options**

| Order Code | Description | Weight | Factory Data | List Price |
|------------|-------------|--------|--------------|------------|
|------------|-------------|--------|--------------|------------|

**FAST PICK CONFIGURATION**

SD\_T9981 CONFIGURATION

|  |         |   |  |  |            |
|--|---------|---|--|--|------------|
|  | XT9981X | Less Fast Pick Config<br><b>Less Fast Pick Option</b>   |  |  | No Charge  |
|  | X0337XX | WM 35 Gear R4 Fast Pick<br><b>FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER</b><br>Fast Pick 63CSHB Package for WORKMASTER 35 (G) ROPS (T4B)<br>Packages Contains:<br>- 717151 (63CSHB Front Mount Snow Blower)<br>- 439205 (Subframe for WORKMASTER 35/40 ROPS T4B)<br>- 439238 (*Mid-PTO Kit)<br>* Note: The WORKMASTER 35/40 T4B Gear must be equipped with a Mid-Mount PTO |  |  | (\$174.00) |
|  | X0341XX | WM 35 Gear R1 Fast Pick<br><b>FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER</b><br>Fast Pick 63CSHB Package for WORKMASTER 35 (G) ROPS (T4B)<br>Packages Contains:<br>- 717151 (63CSHB Front Mount Snow Blower)<br>- 439205 (Subframe for WORKMASTER 35/40 ROPS T4B)<br>- 439238 (*Mid-PTO Kit)<br>* Note: The WORKMASTER 35/40 T4B Gear must be equipped with a Mid-Mount PTO |  |  | (\$174.00) |
|  | X0338XX | WM 40 HST R4 Fast Pick<br><b>FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER</b><br>Fast Pick 63CSHB Package for WORKMASTER 40 (H) ROPS (T4B)<br>Packages Contains:<br>- 717151 (63CSHB Front Mount Snow Blower)<br>- 439205 (Subframe for WORKMASTER 35/40 ROPS T4B)<br>- 439238 (Mid-PTO Kit)  |  |  | (\$174.00) |
|  | X0331XX | BMR 40 Cab Fast Pick<br><b>FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER</b><br>Fast Pick 63CSHB Package for Boomer 40 Cab (T4B)<br>Packages Contains:<br>- 717151 (63CSHB Front Mount Snow Blower)<br>- 439205 (Subframe for Boomer 40 Cab T4B)<br>- 439238 (Mid-PTO Kit)   |  |  | (\$174.00) |

**63CSHB FRONT MOUNT 2 STAGE SNOW BLOWER  
US PRICE LIST**

(Thetford Mines, Quebec, Canada)

**ATTACHMENT SECTION**

**REQUIRED OPTIONS**

**SD\_03007 MID PTO DRIVE KIT**

| Mid PTO Kit |  |        |  |  |  |            |
|-------------|--|--------|--|--|--|------------|
|             |  | 717990 | Mid PTO 30/35/40/50<br><b>For Boomer COMPACT 30/35/40/50 (T3 ONLY) (717990006)</b>   |  |  | \$1,078.00 |
|             |  | 439116 | Mid PTO Tier 4 41/47<br><b>For Boomer</b><br>- 41/47 ROPS/Cab (T4B)<br>- 45/50/55 ROPS/Cab (T4B)<br><b>For 63CSHB and 74CSHA (439116006)</b>                             |  |  | \$1,078.00 |
|             |  | 439124 | Mid PTO 32/36 HP T3<br><b>For Boomer</b><br>- 33/37 ROPS, Boomer 37 CAB (T4B)<br><b>For WORKMASTER</b><br>- 33/37 ROPS (T4B)<br><b>For 63CSHB and 74CSHA (439124006)</b> |  |  | \$1,078.00 |
|             |  | 439238 | MID PTO CLS2 439238<br><b>For Boomer</b><br>- 35/40 ROPS, Boomer 40 CAB (T4B)<br><b>For WORKMASTER</b><br>- 35/40 ROPS (T4B)<br><b>For 63CSHB and 74CSHA (439238006)</b> |  |  | \$1,078.00 |
|             |  | 439448 | MID PTO LS EC 25<br><b>For WORKMASTER 25 (439448006)</b>   |  |  | \$1,078.00 |
|             |  | 439057 | Mid PTO Economy<br><b>For WORKMASTER COMPACT 35/40 (T3 ONLY) (439057006)</b>   |  |  | \$1,078.00 |

**SD\_N5701 HITCH AND SUBFRAME**

|  |  |        |  |  |  |            |
|--|--|--------|--|--|--|------------|
|  |  | 717989 | Front Quick Hitch 30/35/40/50<br><b>For Boomer COMPACT 30/35/40/50 (T3 ONLY) (717989006)</b> |  |  | \$2,049.00 |
|  |  | 439055 | Subframe Economy<br><b>For WORKMASTER COMPACT 35/40 (T3 ONLY) (439055006)</b>                |  |  | \$2,049.00 |



**63CSHB FRONT MOUNT 2 STAGE SNOW BLOWER  
US PRICE LIST**

**(Thetford Mines, Quebec, Canada)**

| Hitch and Subframe |  |        |  |  |            |
|--------------------|--|--------|--|--|------------|
|                    |  | 439205 | S-FRM CLS2 LS439205<br><b>For COMPACT (439205006)</b><br><b>Current Models</b><br>- Boomer 35/40 ROPS (T4B)<br>- Boomer 40 CAB (T4B)<br>- Boomer 45/50/55 ROPS (T4B)<br>- Boomer 45/50/55 CAB (T4B)<br>- WORKMASTER 35/40 (T4B)<br><b>Prior models</b><br>- Boomer 33/37 ROPS (T4B)<br>- Boomer 37 Cab (T4B)<br>- *Boomer 41/47 ROPS (T4B)<br>- *Boomer 41/47 CAB (T4B)<br>- WORKMASTER 33/37 (T4B)<br><br>* 439315 - Front mount completion hanger must also be ordered |  | \$2,049.00 |
|                    |  | 439447 | SUBFRAME, LS EC 25<br><b>For WORKMASTER 25 (439447006)</b>   |  | \$2,049.00 |

**OPTIONAL EQUIPMENT**

**SD\_20101 HYDRAULIC CHUTE DEF**

|  |  |        |  |       |          |
|--|--|--------|--|-------|----------|
|  |  | 716864 | Hydraulic Chute Deflector<br><b>Includes one cylinder, brackets and mounting hardware.</b><br><b>For 63CSH, 72CSH, 74CSHA &amp; 74CSHB (716864026)</b> | 16 LB | \$485.00 |
|--|--|--------|--|-------|----------|

**SD\_29036 3 PART CHUTE**

|  |  |        |   |       |          |
|--|--|--------|---|-------|----------|
|  |  | 715345 | 3 Part Chute<br><b>Replaces 2-part chute for additional adjustment.</b><br><b>For 63CSH, 72CSH, 74CSHA &amp; 74CSHB (715345006)</b> | 49 LB | \$467.00 |
|--|--|--------|---|-------|----------|

**SD\_N5702 FRONT BRACKETS**

|  |  |        |   |  |           |
|--|--|--------|---|--|-----------|
|  |  | 439315 | FR MNT HANGER BRCKT<br><b>439315 (006) Front mount completion hanger is required</b><br><b>for Boomer 41/47 (T4B) ROPS and CAB applications</b> |  | No Charge |
|--|--|--------|---|--|-----------|

**63CSHB FRONT MOUNT 2 STAGE SNOW BLOWER  
US PRICE LIST**

(Thetford Mines, Quebec, Canada)

**Factory Supplied Attachments**

| Order Code | Description | Weight | Factory Data | List Price |
|------------|-------------|--------|--------------|------------|
|------------|-------------|--------|--------------|------------|

**Hitch and Subframe**

|           |  |        |  |            |
|-----------|--|--------|--|------------|
| 717989006 | SUBFRAME 30/35/40/50 HP<br>For Boomer COMPACT 30/35/40/50 (T3 ONLY)  | 325 KG |  | \$2,049.00 |
| 439055006 | Subframe 35/40 HP Economy<br>For WORKMASTER COMPACT 35/40 (T3 ONLY)  | 363 LB |  | \$2,049.00 |
| 439447006 | SUBFRAME - LS ECONOMY WM25 MHI T4<br>For WORKMASTER 25 (439447006)   | 375 LB |  | \$2,049.00 |
| 439205006 | SUBFRAME CLS2 LS ENG T4 ECON PREM ROPS/C<br>For COMPACT (439205006)<br>Current Models<br>- Boomer 35/40 ROPS (T4B)<br>- Boomer 40 CAB (T4B)<br>- Boomer 45/50/55 ROPS (T4B)<br>- Boomer 45/50/55 CAB (T4B)<br>- WORKMASTER 35/40 (T4B)<br>Prior models<br>- Boomer 33/37 ROPS (T4B)<br>- Boomer 37 Cab (T4B)<br>- *Boomer 41/47 ROPS (T4B)<br>- *Boomer 41/47 CAB (T4B)<br>- WORKMASTER 33/37 (T4B)<br><br>* 439315 - Front mount completion hanger must also be ordered | 360 LB |  | \$2,049.00 |

**Mid PTO Drive**

|           |  |       |  |            |
|-----------|--|-------|--|------------|
| 439448006 | MID PTO - LS ECONOMY WM25<br>For WORKMASTER 25 (439448006)   | 25 LB |  | \$1,078.00 |
| 717990006 | MID PTO 30/35/40/50 HP<br>For Boomer COMPACT 30/35/40/50 (T3 ONLY)   | 25 KG |  | \$1,078.00 |
| 439057006 | MID PTO 35/40 HP WORKMASTER, FARMALL A<br>For WORKMASTER COMPACT 35/40 (T3 ONLY)                               | 25 LB |  | \$1,078.00 |
| 439116006 | Mid PTO drive kit for 41/47 hp -T4<br>For Boomer<br>- 41/47 ROPS/Cab (T4B)<br>- 45/50/55 ROPS/Cab (T4B ONLY)   | 25 LB |  | \$1,078.00 |
| 439124006 | MID PTO 32/36 HP T4<br>For Boomer<br>- 33/37 ROPS, Boomer 37 CAB (T4B)<br>For WORKMASTER<br>- 33/37 ROPS (T4B) | 25 LB |  | \$1,078.00 |

**Optional Equipment**

|           |  |       |  |          |
|-----------|--|-------|--|----------|
| 715345006 | 3 Part Chute<br>Replaces 2-part chute for additional adjustment.<br>For 63CSH, 72CSH, 74CSHA & 74CSHB              | 45 LB |  | \$467.00 |
| 716864026 | Hyd chute deflector<br>Includes one cylinder, brackets and mounting hardware.<br>For 63CSH, 72CSH, 74CSHA & 74CSHB | 15 LB |  | \$485.00 |



**63CSHB FRONT MOUNT 2 STAGE SNOW BLOWER  
US PRICE LIST**

**(Thetford Mines, Quebec, Canada)**

**Ballast Box**

|  |           |  |        |  |            |
|--|-----------|--|--------|--|------------|
|  | 717746006 | Ballast Box 500 Lb Max 0.5,0.7<br>500 LB Max (Class .5, .75, 1, & 2 compact tractors)  | 100 LB |  | \$307.00   |
|  | 439238006 | MID PTO CLS2 T4 LS ENG<br>For Boomer<br>- 35/40 ROPS, Boomer 40 CAB (T4B)<br>For WORKMASTER<br>- 35/40 ROPS (T4B)<br>For 63CSHB and 74CSHA (439238006) | 25 LB  |  | \$1,078.00 |
|  | 439315006 | FR MNT COMPLETION HANGER<br>439315 (006) Front mount completion hanger is required<br>for Boomer 41/47 (T4B) ROPS and CAB applications                 | 20 LB  |  | \$107.00   |

**74CSHA/74CSHB FRNT MNT 2 STAGE SNOW BLR  
US PRICE LIST**

**(Thetford Mines, Quebec, Canada)  
Standard Equipment**

74CSHA FRONT MOUNT SNOW BLOWER  
74CSHB FRONT MOUNT SNOW BLOWER

\*\*\*\*\*  
SEE COMPATIBILITY GUIDE FOR  
IMPLEMENT COMPATIBILITY  
\*\*\*\*\*

TRACTOR APPLICATIONS: 74CSHA  
Current New Holland Compact Models  
- Boomer 35/40/45/50/55 ROPS (T4B)  
- Boomer 40/45/50/55 Cab (T4B)  
- WORKMASTER 35/40 (T4B)  
Prior New Holland Compact Models  
- Boomer 30/35/40/50 (T3)  
- Boomer 33/37/41/47 ROPS (T4B)  
- Boomer 37/41/47 Cab (T4B)  
- WORKMASTER 33/37 (T4B)

TRACTOR APPLICATIONS: 74CSHB  
Current New Holland Compact Models  
- Boomer 46D/54D CVT  
- Boomer 45D/50D CVT (Canada Only)  
Prior New Holland Compact Models  
- Boomer CVT 3040/3045/3050

SPECIFICATIONS:  
Overall Width - 74 (in.)  
Cutting Width - 74 (in.)  
Cutting Height - 26 (in.)  
Number of Fan Blades - 4  
Fan Diameter - 24 (in.)  
Auger Diameter - 15 (in.)

Fan Drive - Gear box reduction  
Auger Drive - #60 HD chain  
Two-Part Chute with  
- Hydraulic Chute Rotation - Standard  
Shearbolt Protection - Standard  
Skid Shoe-Std. Adj. - Standard  
Note: The 74CSHA/B input rotation  
(from the driver's seat) is clockwise.

The following items are required  
to make up a complete front mount  
snow blower:  
- Packaged front mount snow blower  
- Quick Hitch and Subframe  
- Mid PTO Drive Kit  
- Hydraulic Valve Kit for Tractor  
(See Tractor Service Parts pages)  
- Optional equipment can be added  
as desired

NOTE: If tractor does not have couplers  
(ordered without loader), Coupler Kit #  
47608158 must be ordered

New Holland recommends the use of a  
ballasting box when installing front  
mounted implements.

WARRANTY  
New Holland Standard Warranty Applies

SHIPPING POINT:  
Thetford Mines, Quebec, Canada



**74CSHA/74CSHB FRNT MNT 2 STAGE SNOW BLR  
US PRICE LIST**

(Thetford Mines, Quebec, Canada)

**Models**

| COMMERCIAL MODEL | Weight   | Factory Data | List Price |
|------------------|----------|--------------|------------|
| 74CSHA           | 1,005 LB |              | \$7,327.00 |
| 74CSHB           | 450 LB   |              | \$7,412.00 |

**74CSHA/74CSHB FRNT MNT 2 STAGE SNOW BLR  
US PRICE LIST**

(Thetford Mines, Quebec, Canada)

**Factory Supplied Options**

| Order Code | Description | Weight | Factory Data | List Price |
|------------|-------------|--------|--------------|------------|
|------------|-------------|--------|--------------|------------|

**FAST PICK CONFIGURATION**

SD\_T9981 CONFIGURATION

|  |         |   |  |  |            |
|--|---------|---|--|--|------------|
|  | XT9981X | Less Fast Pick Config<br><b>Less Fast Pick Option</b>   |  |  | No Charge  |
|  | X0332XX | BMR 50 ROPS Fast Pick<br><b>FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER</b><br>Fast Pick 74CSHA Package for Boomer 50 ROPS (T4B)<br>Packages Contains:<br>- 715347 (74CSHA Front Mount Snow Blower)<br>- 439205 (Subframe for Boomer 50 ROPS)<br>- 439116 (Mid-PTO Kit)  |  |  | (\$209.00) |
|  | X0333XX | BMR 50 Cab Fast Pick<br><b>FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER</b><br>Fast Pick 74CSHA Package for Boomer 50 Cab (T4B)<br>Packages Contains:<br>- 715347 (74CSHA Front Mount Snow Blower)<br>- 439205 (Subframe for Boomer 50 Cab T4B)<br>- 439116 (Mid-PTO Kit) |  |  | (\$209.00) |

**ATTACHMENT SECTION**

REQUIRED OPTIONS

SD\_03007 MID PTO DRIVE KIT

|             |        |   |  |  |            |
|-------------|--------|---|--|--|------------|
| Mid PTO Kit |        |   |  |  |            |
|             | 717990 | Mid PTO 30/35/40/50<br><b>For Boomer COMPACT 30/35/40/50 (T3 ONLY) (717990006)</b>  |  |  | \$1,078.00 |
|             | 717761 | Mid PTO Drive Kit-III AT<br><b>For Boomer EasyDrive CVT models (717761006)</b><br><b>Conventional FWD axle ONLY</b><br><b>For 74CSHB ONLY</b> |  |  | \$883.00   |
|             | 439116 | Mid PTO Tier 4 41/47<br><b>For Boomer</b><br>- 41/47 ROPS/Cab (T4B)<br>- 45/50/55 ROPS/Cab (T4B)<br><b>For 63CSHB and 74CSHA (439116006)</b>  |  |  | \$1,078.00 |

**74CSHA/74CSHB FRNT MNT 2 STAGE SNOW BLR  
US PRICE LIST**

**(Thetford Mines, Quebec, Canada)**

|  |  |        |  |  |  |            |
|--|--|--------|--|--|--|------------|
|  |  | 439124 | Mid PTO 32/36 HP T3<br><b>For Boomer</b><br>- 33/37 ROPS, Boomer 37 CAB (T4B)<br><b>For WORKMASTER</b><br>- 33/37 ROPS (T4B)<br><b>For 63CSHB and 74CSHA (439124006)</b> |  |  | \$1,078.00 |
|  |  | 439238 | MID PTO CLS2 439238<br><b>For Boomer</b><br>- 35/40 ROPS, Boomer 40 CAB (T4B)<br><b>For WORKMASTER</b><br>- 35/40 ROPS (T4B)<br><b>For 63CSHB and 74CSHA (439238006)</b> |  |  | \$1,078.00 |

**SD\_N5701 HITCH AND SUBFRAME**

|  |  |        |   |  |  |            |
|--|--|--------|---|--|--|------------|
|  |  | 717989 | Front Quick Hitch 30/35/40/50<br><b>For Boomer COMPACT 30/35/40/50 (T3 ONLY) (717989006)</b>  |  |  | \$2,049.00 |
|  |  | 717751 | Front Quick Hitch - Class 3<br><b>For Boomer EasyDrive CVT Models (717751006)</b><br><b>Conventional Axle Only: Serial #ZDMB11924 and below</b> |  |  | \$2,188.00 |
|  |  | 439068 | S-Frame CLS3AT MY14<br><b>For Boomer EasyDrive CVT Models (439068006)</b><br><b>Conventional Axle Only: Serial #ZDMB11925 and above</b>         |  |  | \$2,188.00 |

**Hitch and Subframe**

|  |  |        |  |  |  |            |
|--|--|--------|--|--|--|------------|
|  |  | 439205 | S-FRM CLS2 LS439205<br><b>For COMPACT (439205006)</b><br><b>Current Models</b><br>- Boomer 35/40 ROPS (T4B)<br>- Boomer 40 CAB (T4B)<br>- Boomer 45/50/55 ROPS (T4B)<br>- Boomer 45/50/55 CAB (T4B)<br>- WORKMASTER 35/40 (T4B)<br><b>Prior models</b><br>- Boomer 33/37 ROPS (T4B)<br>- Boomer 37 Cab (T4B)<br>- *Boomer 41/47 ROPS (T4B)<br>- *Boomer 41/47 CAB (T4B)<br>- WORKMASTER 33/37 (T4B)<br><br>* 439315 - Front mount completion hanger must also be ordered |  |  | \$2,049.00 |
|--|--|--------|--|--|--|------------|

**OPTIONAL EQUIPMENT**

**SD\_20101 HYDRAULIC CHUTE DEF**

|  |  |        |  |       |  |          |
|--|--|--------|--|-------|--|----------|
|  |  | 716864 | Hydraulic Chute Deflector<br><b>Includes one cylinder, brackets and mounting hardware.</b><br><b>For 63CSH, 72CSH, 74CSHA &amp; 74CSHB (716864026)</b> | 16 LB |  | \$485.00 |
|--|--|--------|--|-------|--|----------|



74CSHA/74CSHB FRNT MNT 2 STAGE SNOW BLR  
US PRICE LIST

(Thetford Mines, Quebec, Canada)

SD\_29036 3 PART CHUTE

|  |  |        |   |       |  |          |
|--|--|--------|---|-------|--|----------|
|  |  | 715345 | 3 Part Chute<br><b>Replaces 2-part chute for additional adjustment.</b><br><b>For 63CSH, 72CSH, 74CSHA &amp; 74CSHB (715345006)</b> | 49 LB |  | \$467.00 |
|--|--|--------|---|-------|--|----------|

SD\_N5702 FRONT BRACKETS

|  |  |        |   |  |  |           |
|--|--|--------|---|--|--|-----------|
|  |  | 439315 | FR MNT HANGER BRCKT<br><b>439315 (006) Front mount completion hanger is required</b><br><b>for Boomer 41/47 (T4B) ROPS and CAB applications</b> |  |  | No Charge |
|--|--|--------|---|--|--|-----------|



**74CSHA/74CSHB FRNT MNT 2 STAGE SNOW BLR  
US PRICE LIST**

(Thetford Mines, Quebec, Canada)

**Factory Supplied Attachments**

| Order Code                | Description  | Weight | Factory Data | List Price |
|---------------------------|--|--------|--------------|------------|
| <b>Hitch and Subframe</b> |  |        |              |            |
| 717989006                 | SUBFRAME 30/35/40/50 HP<br>For Boomer COMPACT 30/35/40/50 (T3 ONLY)  | 325 KG |              | \$2,049.00 |
| 439205006                 | SUBFRAME CLS2 LS ENG T4 ECON PREM ROPS/C<br>For COMPACT (439205006)<br>Current Models<br>- Boomer 35/40 ROPS (T4B)<br>- Boomer 40 CAB (T4B)<br>- Boomer 45/50/55 ROPS (T4B)<br>- Boomer 45/50/55 CAB (T4B)<br>- WORKMASTER 35/40 (T4B)<br>Prior models<br>- Boomer 33/37 ROPS (T4B)<br>- Boomer 37 Cab (T4B)<br>- *Boomer 41/47 ROPS (T4B)<br>- *Boomer 41/47 CAB (T4B)<br>- WORKMASTER 33/37 (T4B)<br><br>* 439315 - Front mount completion hanger must also be ordered | 360 LB |              | \$2,049.00 |
| 717751006                 | SUBFRAME CLS 3<br>For Boomer EasyDrive CVT Models<br>Conventional Axle Only: Serial ZDMB11924 and below  | 510 LB |              | \$2,188.00 |
| 439068006                 | Hitch and Sub Frame<br>For Boomer EasyDrive CVT Models<br>Conventional Axle Only: Serial #ZDMB11925 and above  | 510 KG |              | \$2,188.00 |

**Mid PTO Drive**

|           |  |       |  |            |
|-----------|--|-------|--|------------|
| 717990006 | MID PTO 30/35/40/50 HP<br>For Boomer COMPACT 30/35/40/50 (T3 ONLY)   | 25 KG |  | \$1,078.00 |
| 717761006 | MID PTO Drive Kit Cls 3 AT<br>For Boomer EasyDrive CVT Models - Conventional Axle Only                         | 30 KG |  | \$883.00   |
| 439116006 | Mid PTO drive kit for 41/47 hp -T4<br>For Boomer<br>- 41/47 ROPS/Cab (T4B)<br>- 45/50/55 ROPS/Cab (T4B ONLY)   | 25 LB |  | \$1,078.00 |
| 439124006 | MID PTO 32/36 HP T4<br>For Boomer<br>- 33/37 ROPS, Boomer 37 CAB (T4B)<br>For WORKMASTER<br>- 33/37 ROPS (T4B) | 25 LB |  | \$1,078.00 |

**Optional Equipment**

|           |  |       |  |          |
|-----------|--|-------|--|----------|
| 715345006 | 3 Part Chute<br>Replaces 2-part chute for additional adjustment.<br>For 63CSH, 72CSH, 74CSHA & 74CSHB              | 45 LB |  | \$467.00 |
| 716864026 | Hyd chute deflector<br>Includes one cylinder, brackets and mounting hardware.<br>For 63CSH, 72CSH, 74CSHA & 74CSHB | 15 LB |  | \$485.00 |

**74CSHA/74CSHB FRNT MNT 2 STAGE SNOW BLR  
US PRICE LIST**

**(Thetford Mines, Quebec, Canada)**

**Ballast Box**

|  |  |           |  |        |  |            |
|--|--|-----------|--|--------|--|------------|
|  |  | 717747006 | Ballast box 1000 Lb Max<br>(Category I) 1000 LB MAX<br>(Class III compact tractors)  | 169 LB |  | \$419.00   |
|  |  | 439238006 | MID PTO CLS2 T4 LS ENG<br>For Boomer<br>- 35/40 ROPS, Boomer 40 CAB (T4B)<br>For WORKMASTER<br>- 35/40 ROPS (T4B)<br>For 63CSHB and 74CSHA (439238006) | 25 LB  |  | \$1,078.00 |
|  |  | 439315006 | FR MNT COMPLETION HANGER<br>439315 (006) Front mount completion hanger is required<br>for Boomer 41/47 (T4B) ROPS and CAB applications                 | 20 LB  |  | \$107.00   |



**160GMS MID-MOUNT MOWER FOR WM25S  
US PRICE LIST**

**Standard Equipment**

160GMS Side Discharge (717966306)

\*\*\*\*\*  
SEE COMPATIBILITY GUIDE FOR  
IMPLEMENT COMPATIBILITY  
\*\*\*\*\*

**TRACTOR APPLICATIONS:**

Current New Holland Compact Models  
- WORKMASTER™ 25S

160GMS is only compatible with the  
WORKMASTER 25S

**Specifications**

Cutting Width (in.): 60  
Overall Width (in.): 75.6  
Cutting Height Range (in.): 1 to 4  
Deck Shell Thickness (in.): 0.126  
Spindle Speed at 3000 RPM: 2,640  
Blade Tip Speed (ft./min.): 14,144  
Number of Blades: 3  
Blade Length (in.): 20.5  
Blade Width (in.): 2.48  
Blade Thickness (in.): 0.236  
Weight of Base 60" Deck (lbs.): 285

**WARRANTY:**

New Holland Standard Warranty Applies



**160GMS MID-MOUNT MOWER FOR WM25S  
US PRICE LIST**

**Models**

| COMMERCIAL MODEL | Weight | Factory Data | List Price |
|------------------|--------|--------------|------------|
| 160GMS           | 293 LB |              | \$2,067.00 |

**266WMM FOR WORKMASTER 25  
US PRICE LIST**

## Standard Equipment

266WMM Side Discharge (717966336)

\*\*\*\*\*

SEE COMPATIBILITY GUIDE FOR  
IMPLEMENT COMPATIBILITY

\*\*\*\*\*

**TRACTOR APPLICATIONS:**

Current New Holland Compact Models  
- WORKMASTER™ 25

**SPECIFICATIONS:**

"Drive-over" design for installation  
Cutting Width (in.) - 66  
Cutting Height (in.) - 1-4  
Overall width (in.) - discharge chute  
down 79  
Number of Blades - 3  
Blade Type - Standard

Blade Length/Width (in.)- 23 L x 2.5 W  
Blade Tip Speed (in feet per minute) -  
Less than 14255 (ANSI)

Drive - Mid PTO

Gauge Wheels (in.) - 3x6 (2) 2x6 (2)

Deck Spring suspension - Yes

Deck Shell Weldment - 10 gauge sides  
& top, Belt Guard - 10 gauge

NOTE: the mower linkage supplied with  
the 266WMM mower is designed to  
work on WORKMASTER 25 compacts  
equipped with 200LC Loaders. If a  
200LC loader is not installed you must  
order linkage completion kit 439054016  
to complete mower installation.



**266WMM FOR WORKMASTER 25  
US PRICE LIST**

**Models**

| COMMERCIAL MODEL | Weight   | Factory Data | List Price |
|------------------|----------|--------------|------------|
| 266WMM FOR WM25  | 1,000 LB |              | \$3,748.00 |



266WMM FOR WORKMASTER 25  
US PRICE LIST

Factory Supplied Options

| Order Code | Description | Weight | Factory Data | List Price |
|------------|-------------|--------|--------------|------------|
|------------|-------------|--------|--------------|------------|

SD\_H5801 COMPLETING PACKAGES

|               |        |   |  |           |
|---------------|--------|---|--|-----------|
| Mid PTO Drive |        |   |  |           |
|               | 439054 | Linkage CLS 2 Econ<br><b>439054 MUST BE ORDERED IF THE WORKMASTER 25 THE<br/>266WMM IS BEING INSTALLED ON DOES NOT HAVE A<br/>200LC LOADER INSTALLED. IF THE UNIT DOES HAVE A<br/>LOADER INSTALLED 439054 IS NOT REQUIRED</b> |  | No Charge |



**260-372GMS MID-MOUNT ROTARY MOWERS  
US PRICE LIST**

**Standard Equipment**

260GMS Side Discharge (717966166)

\*\*\*\*\*

**CURRENT INVENTORY ONLY**

IMPLEMENT COMPATIBILITY

\*\*\*\*\*

**TRACTOR APPLICATIONS:**

Current New Holland Compact Models

- Boomer™ 24

Prior New Holland Compact Models

- Boomer™ 20 / 25

**SPECIFICATIONS:**

"Drive-over" design for installation

Cutting Width (in.) - 60

Cutting Height (in.) - 1.75-4.5

- 0.5 inch increments

Overall width (in.) - discharge chute

- down 74

Number of Blades - 3

Blade Type - Standard

Blade Length/Width (in.) - 21 L x 2.5 W

Blade Tip Speed (in feet per minute)

- Less than 18000 (ANSI)

Drive - Mid PTO

Gauge Wheels (in.) - 2 x 5 (4)

Deck Spring suspension - Yes

Deck Shell Weldment - 10 gauge sides

& top, 1/4" spindle reinforcement pads

260GMS Tire Compatibility: BMR 20/25

- Industrial (R4) - Yes

- Turf (R3) - Yes

Serial # YDWWH0259 and higher will fit

the Boomer 24 and the Boomer 20/25

Serial # YDWWH0258 and below must

order "right-hand lift link" AME451673B

to fit the Boomer 24

272GMS Side Discharge (717966146)

\*\*\*\*\*

SEE COMPATIBILITY GUIDE FOR

IMPLEMENT COMPATIBILITY

\*\*\*\*\*

**TRACTOR APPLICATIONS:**

Current New Holland Compact Models

- Boomer 46D/54D CVT

- Boomer 45D/50D CVT (Canada Only)

Prior New Holland Compact Models

- Boomer CVT 3040, 3045, & 3050

**SPECIFICATIONS:**

"Drive-over" design for installation

Cutting Width (in.) - 72

Cutting Height (in.) - 1-4

Overall width (in.) - discharge chute

down 85

Number of Blades - 3

Blade Type - Standard

Blade Length/Width (in.) - 25 L x 2.5 W

Blade Tip Speed (in feet per minute) -

Less than 18,000 (ANSI)

Drive - Mid PTO

Gauge Wheels (in.) - 2 x 6 (4)

Deck Spring suspension - Yes

Deck Shell Weldment - 10 gauge sides

& top, 1/4" spindle reinforcement pads

272GMS Tire Compatibility: BMR 3000

Cab & Boomer 45D/50D/54D

Agricultural (R1) - NO (24" Rear Rim)

Industrial (R4) - YES limited turn angle:

Right Hand - 34 degrees

Left Hand - 35 degrees

Turf (R3) - Yes, limited turn angle:

Right Hand - 34 degrees

Left Hand - 35 degrees

Galaxy Turf - NO

NOTE: Steering Adjustments required

when using 272GMS with Ind (R4) tires

or Turf (R3) tires. Refer to ASIST.



## 260-372GMS MID-MOUNT ROTARY MOWERS US PRICE LIST

### Standard Equipment

366GMS Side Discharge  
(717966196 for BMR 33/37 ROPS T4B)  
(717966266 for BMR 35/40 ROPS T4B)

\*\*\*\*\*

SEE COMPATIBILITY GUIDE FOR  
IMPLEMENT COMPATIBILITY

\*\*\*\*\*

#### TRACTOR APPLICATIONS:

Current New Holland Compact Models  
- Boomer 33/37 ROPS (T4B)  
- Boomer 35/40 ROPS (T4B)

#### SPECIFICATIONS:

"Drive-over" design for installation  
Cutting Width (in.) - 66  
Cutting Height (in.) - 1-4  
Overall width (in.) - discharge chute  
down 79  
Number of Blades - 3  
Blade Type - Standard  
Blade Length/Width (in.)- 23 L x 2.5 W  
Blade Tip Speed (in feet per minute) -  
Less than 18000 (ANSI)  
Drive - Mid PTO  
Gauge Wheels (in.) - 2 x 6 (4)  
Deck Spring suspension - Yes  
Deck Shell Weldment - 10 gauge sides  
& top, 1/4" spindle reinforcement pads

366GMS Tire Compatibility: BMR 33/37  
(T4B) & BMR 35/40 (T4B)  
Agricultural (R1) - No  
Industrial (R4) - Yes, limited turn angle:  
Right Hand - 33 degrees  
Left Hand - 37 degrees  
Turf (R3) - Yes, limited turn angle:  
Right Hand - 33 degrees  
Left Hand - 37 degrees

366GMS Side Discharge  
(717966246 for WM 33/37 T4B)  
(717966266 for WM 35/40 T4B)

\*\*\*\*\*

SEE COMPATIBILITY GUIDE FOR  
IMPLEMENT COMPATIBILITY

\*\*\*\*\*

#### TRACTOR APPLICATIONS:

Current New Holland Compact Models  
- WORKMASTER 35 & 40 (T4B)  
- WORKMASTER 33 & 37 (T4B)

#### SPECIFICATIONS:

"Drive-over" design for installation  
Cutting Width (in.) - 66  
Cutting Height (in.) - 1-4  
Overall width (in.) - chute down 79  
Number of Blades - 3  
Blade Type - Standard  
Blade Length/Width (in.)- 23 L x 2.5 W  
Blade Tip Speed (in feet per minute) -  
Less than 18000 (ANSI)  
Drive - Mid PTO  
Gauge Wheels (in.) - 2 x 6 (4)  
Deck Spring suspension - Yes  
Deck Shell Weldment - 10 gauge sides  
& top, 1/4" spindle reinforcement pads

366GMS Tire Compatibility: WM 33/37  
(T4B), WM 35/40 (T4B) & WM25  
Agricultural (R1) - No  
Industrial (R4) - Yes, limited turn angle:  
Right Hand - 33 degrees  
Left Hand - 37 degrees  
Turf (R3) - Yes, limited turn angle:  
Right Hand - 33 degrees  
Left Hand - 37 degrees

**260-372GMS MID-MOUNT ROTARY MOWERS  
US PRICE LIST**

## Standard Equipment

372GMS Side Discharge  
(717966216 for BMR 41/47 ROPS T4B)  
(717966286 for BMR 45-55 ROPS T4B)

\*\*\*\*\*

SEE COMPATIBILITY GUIDE FOR  
IMPLEMENT COMPATIBILITY

\*\*\*\*\*

**TRACTOR APPLICATIONS:**

- Current New Holland Compact Models
- Boomer 41/47 ROPS (T4B)
- Boomer 45/50/55 Rops (T4B)

**SPECIFICATIONS:**

"Drive-over" design for installation  
Cutting Width (in.) - 72  
Cutting Height (in.) - 1-4  
Overall width (in.) - discharge chute  
down 85  
Number of Blades - 3  
Blade Type - Standard  
Blade Length/Width (in.) - 25 L x 2.5 W  
Blade Tip Speed (in feet per minute) -  
Less than 18,000 (ANSI)  
Drive - Mid PTO  
Gauge Wheels (in.) - 2 x 6 (4)  
Deck Spring suspension - Yes  
Deck Shell Weldment - 10 gauge sides  
& top, 1/4" spindle reinforcement pads

372GMS Tire Compatibility: BMR 41/47  
(T4B) & BMR 45/50/55 (T4B)  
Agricultural (R1) - NO  
Industrial (R4) - NO  
Turf (R3) - Yes, limited turn angle:  
Right Hand - 34 degrees  
Left Hand - 35 degrees  
Galaxy Turf - NO

NOTE: Steering Adjustments need to  
be made when using 372GMS with  
Turf (R3) tires.  
Refer to ASIST.

**WARRANTY:**

260/272/366/372GMS  
New Holland Standard Warranty Applies

**Service Parts:**

260GMS - Mulch Kit - AMENHM652  
366GMS - Mulch Kit - AMENHM628  
Serial # YEWWB0001 & higher  
366GMS - Mulch Kit - AMENHM673  
Serial # YEWWA9999 & lower  
272/372GMS - Mulch Kit - AMENHM728  
366GMS - Ramp Kit - AMENHM613  
272/372GMS - Ramp Kit - AMENHM747

**260-372GMS MID-MOUNT ROTARY MOWERS  
US PRICE LIST**

**Models**

| COMMERCIAL MODEL         | Weight | Factory Data | List Price |
|--------------------------|--------|--------------|------------|
| 366GMS BMR/WM ROPS 35/40 | 443 LB |              | \$3,880.00 |
| 372GMS BMR45/50/55 ROPS  | 443 LB |              | \$3,996.00 |
| 260GMS                   | 538    |              | \$3,764.00 |
| 272GMS                   | 592 LB |              | \$3,996.00 |
| 272GMS FOR CVT           | 623 LB |              | \$3,996.00 |
| 366GMS                   | 443 LB |              | \$3,880.00 |
| 366GMS FOR WM33/37       | 443 LB |              | \$3,880.00 |
| 372GMS                   | 567 LB |              | \$3,996.00 |



**260-372GMS MID-MOUNT ROTARY MOWERS  
US PRICE LIST**

**Factory Supplied Options**

| Order Code | Description | Weight | Factory Data | List Price |
|------------|-------------|--------|--------------|------------|
|------------|-------------|--------|--------------|------------|

**FAST PICK CONFIGURATION**

SD\_T9981 CONFIGURATION

|  |         |   |  |  |           |
|--|---------|---|--|--|-----------|
|  | XT9981X | Less Fast Pick Config   |  |  | No Charge |
|  | X0341XX | WM 35 Gear R1 Fast Pick<br><b>FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER</b><br><b>Fast Pick 366GMS for WORKMASTER 35 (G) ROPS (T4B)</b><br><b>Package Contains:</b><br>- *717966266 (366GMS 66" Side Discharge Deck)<br>*Note: The WORKMASTER 35 ROPS (T4B) Gear must be equipped with a Mid-Mount PTO |  |  | (\$78.00) |
|  | X0337XX | WM 35 Gear R4 Fast Pick<br><b>FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER</b><br><b>Fast Pick 366GMS for WORKMASTER 35 (G) ROPS (T4B)</b><br><b>Package Contains:</b><br>- *717966266 (366GMS 66" Side Discharge Deck)<br>*Note: The WORKMASTER 35 ROPS (T4B) Gear must be equipped with a Mid-Mount PTO |  |  | (\$78.00) |
|  | X0338XX | WM 40 HST R4 Fast Pick<br><b>FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER</b><br><b>Fast Pick 366GMS for WORKMASTER 40 (H) ROPS (T4B)</b><br><b>Package Contains:</b><br>- 717966266 (366GMS 66" Side Discharge Deck)   |  |  | (\$78.00) |
|  | X0332XX | BMR 50 ROPS Fast Pick<br><b>FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER</b><br><b>Fast Pick 372GMS for Boomer 50 ROPS</b><br><b>Package Contains:</b><br>- 717966286 (372GMS 72" Side Discharge Deck)  |  |  | (\$80.00) |

## 300 SERIES REAR-MOUNTED FINISH MOWERS US PRICE LIST

### (Shipment from Depots) Standard Equipment

The 300 series are 3-pt. mounted finishing mowers for use on tractors equipped with 540 rpm PTO. Prices include solid rubber gauge wheels.

Number of Blades  
310GM - 3  
320GM - 3  
330GM - 5

MODEL:  
310GM / 320GM / 330GM

Blade Speed (RPM)  
310GM - 2,630  
320GM - 2,230  
330GM - 2,630

SIZE:  
310GM - 60" (717676006)  
320GM - 72" (717676026)  
330GM - 90" (717676046)

Weight (lbs)  
310GM - 435  
320GM - 500  
330GM - 683

SPECIFICATIONS:  
Cutting Height Range 1 to 4"  
3 Pt Mounted (floating hitch) Cat. 1  
Rear Discharge  
Discharge Safety Chain Standard  
V Belt Drive Standard  
Solid Rubber Gauge Wheels (fully rotating) 4  
Standard PTO (RPM) 540

ACCESSORIES  
(Order through Service Parts)

Mulching Kits:  
SIT110283 72" Rear Discharge  
SIT110284 60" Rear Discharge  
SIT110285 90" Rear Discharge

PTO HP Rating up to:  
310GM - 30  
320GM - 40  
330GM - 60

Anti-Scalp Kit (front adjustable roller):  
SIT00364 60" & 72"  
SIT00503 90"

Pneumatic Tire Kit:  
SIT110318 60" Set of 4  
SIT110319 72" Set of 4  
SIT110320 90" Set of 4

Note: All Pneumatic Tire Kits Include  
Wheels and Forks



**300 SERIES REAR-MOUNTED FINISH MOWERS  
US PRICE LIST**

(Shipment from Depots)

**Models**

| COMMERCIAL MODEL | Weight | Factory Data | List Price |
|------------------|--------|--------------|------------|
| 310GM            | 435 LB |              | \$2,646.00 |
| 320GM            | 500 LB |              | \$2,874.00 |
| 330GM            | 683 LB |              | \$4,494.00 |

# 700 "VALUE" SERIES ROTARY CUTTERS US PRICE LIST

(Distribution Center)

## Standard Equipment

Changes contained in 1/1/2020 pages

The following "Value" Series Rotary Cutter standard equipment changes take effect with March 2020 production:

- All models are now Galvanized (gear box is painted black)
- Standard Warranty is  
>12 Years on deck rust through  
>5 Years on gearbox
- Quick Attach Ready Hitch is Standard

-----  
"Value" Series  
-----

Designed to compliment Compact and Utility tractors equipped with 3-point hitch and 540 rpm PTO.

Models:

714 / 716 / 717

Size (inches):

714 - 48  
716 - 60  
717 - 72

### SPECIFICATIONS

Tractor Horsepower (max.) - 48

Cutting Width (inches):

714 - 48  
716 - 60  
717 - 72

Overall Width (inches):

714 - 53  
716 - 65  
717 - 75

Overall Length (inches):

714 - 83  
716 - 100  
717 - 106

Hitch - 3-point

Driveline Category - Cat. I

Gearbox Rating (horsepower) - 48

Gearbox Warranty (years) - 5

Galvanized Warranty (years) - 12

Slip Protection - Shear Bolt

Deck Gauge (gauge):

714 - 10  
716 & 717 - 7

Side Panel Depth - 8 in. x 7 gauge

Blade Carrier - Pan

Blade Size - 3/8 in. x 3 in. Updraft

Blade Tip Speed (540):

714 - 13,215 fpm  
716 - 16,519 fpm  
717 - 14,995 fpm

Minimum Cutting Height (inch) - 1

Tire & Wheel - Laminated

Safety Deflectors - Rear Rubber Belting

Weight (pounds):

714 - 538  
716 - 728  
717 - 882

### VALUE SERIES ACCESSORIES

(Order through Service Parts)

MAG010D3590 4 ft. Front Chain Guards

MAG010D3591 4 ft. Rear Chain Guards

MAG010D6798 5 ft. Front Chain Guards

MAG010D6799 5 ft. Rear Chain Guards

MAG010D1598 6 ft. Front Chain Guards

MAG010D1599 6 ft. Rear Chain Guards

MAG125D801D01 Slip Clutch



**700 "VALUE" SERIES ROTARY CUTTERS  
US PRICE LIST**

(Distribution Center)

**Models**

| COMMERCIAL MODEL     | Weight | Factory Data | List Price |
|----------------------|--------|--------------|------------|
| 714GCA ROTARY CUTTER | 519 LB |              | \$1,790.00 |
| 716GCA ROTARY CUTTER | 781 LB |              | \$2,073.00 |
| 717GCA ROTARY CUTTER | 885 LB |              | \$2,531.00 |

**Factory Supplied Options**

| Order Code | Description | Weight | Factory Data | List Price |
|------------|-------------|--------|--------------|------------|
|------------|-------------|--------|--------------|------------|

**OTHER EQUIPMENT**

SD\_N6428 FRONT SAFETY CHAINS

|  |  |         |  |  |  |           |
|--|--|---------|--|--|--|-----------|
|  |  | 717979  | Front Safety Chains<br><b>714GCA - 48"</b><br><b>(717979006)</b> |  |  | \$221.00  |
|  |  |         | <b>716GCA - 60"</b><br><b>(717979016)</b>                        |  |  |           |
|  |  |         | <b>717GCA - 72"</b><br><b>(717979026)</b>                        |  |  |           |
|  |  | XN6428X | No Front Safety Chains   |  |  | No Charge |

SD\_N6429 REAR SAFETY CHAINS

|  |  |        |   |  |  |          |
|--|--|--------|---|--|--|----------|
|  |  | 717980 | Rear Safety Chains<br><b>714GCA - 48"</b><br><b>(717980006)</b> |  |  | \$221.00 |
|  |  |        | <b>716GCA - 60"</b><br><b>(717980016)</b>                       |  |  |          |
|  |  |        | <b>717GCA - 72"</b><br><b>(717980026)</b>                       |  |  |          |

SD\_N6430 SLIP CLUTCH

|  |  |        |             |  |  |          |
|--|--|--------|-------------|--|--|----------|
|  |  | 717981 | Slip Clutch |  |  | \$265.00 |
|--|--|--------|-------------|--|--|----------|





700 "VALUE" SERIES ROTARY CUTTERS  
US PRICE LIST

(Distribution Center)

**Factory Supplied Attachments**

| Order Code | Description | Weight | Factory Data | List Price |
|------------|-------------|--------|--------------|------------|
|------------|-------------|--------|--------------|------------|

**714GCA ONLY**

|  |           |                         |       |  |          |
|--|-----------|-------------------------|-------|--|----------|
|  | 717979006 | 48" Front Safety Chains | 27 LB |  | \$207.00 |
|  | 717980006 | 48" Rear Safety Chains  | 42 LB |  | \$207.00 |

**716GCA ONLY**

|  |           |                         |       |  |          |
|--|-----------|-------------------------|-------|--|----------|
|  | 717979016 | 60" Front Safety Chains | 29 LB |  | \$207.00 |
|  | 717980016 | 60" Rear Safety Chains  | 44 LB |  | \$207.00 |

**717GCA ONLY**

|  |           |                         |       |  |          |
|--|-----------|-------------------------|-------|--|----------|
|  | 717979026 | 72" Front Safety Chains | 33 LB |  | \$207.00 |
|  | 717980026 | 72" Rear Safety Chains  | 48 LB |  | \$207.00 |

**700 "MEDIUM-DUTY" SERIES ROTARY CUTTERS  
US PRICE LIST**

(Distribution Center)

**Standard Equipment**

Changes contained in 1/1/2020 pages

The following "Medium- Duty" Series Rotary Cutter standard equipment changes take effect with March 2020 production:

- All models are now Galvanized (gear box is painted black)
- Standard Warranty is  
    >12 Years on deck rust through  
    >5 Years on gearbox
- Quick Attach Ready Hitch is Standard

-----  
Standard "Medium-Duty" Series  
-----

Designed to compliment Compact and Utility tractors equipped with 3-point hitch, 540 rpm PTO, and provide rugged performance to maintain larger acreages and estates.

Models:

736 / 737 / 738

Size (inches):

736 - 60  
737 - 72  
738 - 84

**SPECIFICATIONS**

Tractor Horsepower (max.):

736 - 60  
737 - 65  
738 - 65

Cutting Width (inches):

736 - 60  
737 - 72  
738 - 84

Overall Width (inches):

736 - 65  
737 - 75  
738 - 90

Overall Length (inches):

736 - 100  
737 - 106  
738 - 122

Hitch - 3-point

Driveline Category - Cat. I

Gearbox Rating (horsepower) - 65

Gearbox Warranty (years) - 5

Galvanized Warranty (years) - 12

Slip Protection - Slip Clutch

Deck Gauge (gauge) - 7

Side Panel Depth:

736 & 737 - 8 in. x 7 gauge

738 - 8 in. x 1/4 in.

Blade Carrier - Pan

Output Shaft Diameter (inches) - 2

Blade Size:

736 - 3/8 in. x 3 in. Updraft

737 & 738 - 1/2 in. x 4 in. Updraft

Blade Tip Speed (540):

736 - 16,519 fpm

737 - 14,995 fpm

738 - 17,300 fpm

Minimum Cutting Height (inch) - 2

Tire & Wheel - Laminated

Safety Deflectors - Rear Rubber Belting

Weight (pounds):

736 - 731

737 - 907

738 - 1,189

**"MEDIUM" DUTY ACCESSORIES**

(Order through Service Parts)

MAG010D6798 5 ft. Front Chain Guards

MAG010D6799 5 ft. Rear Chain Guards

MAG010D1598 6 ft. Front Chain Guards

MAG010D1599 6 ft. Rear Chain Guards

MAG010D3990 7 ft. Front Chain Guards

MAG010D3991 7 ft. Rear Chain Guards

MAG401DSKID8HWY Skid Shoes



**700 "MEDIUM-DUTY" SERIES ROTARY CUTTERS  
US PRICE LIST**

(Distribution Center)

**Models**

| COMMERCIAL MODEL     | Weight   | Factory Data | List Price |
|----------------------|----------|--------------|------------|
| 736GCA ROTARY CUTTER | 985 LB   |              | \$2,982.00 |
| 737GCA ROTARY CUTTER | 1,005 LB |              | \$3,361.00 |
| 738GCA ROTARY CUTTER | 1,305 LB |              | \$3,877.00 |

**Factory Supplied Options**

| Order Code               | Description     | Weight | Factory Data | List Price |
|--------------------------|-----------------|--------|--------------|------------|
| SD_N6431 DUAL TAIL WHEEL |                 |        |              |            |
| 717982                   | Dual Tail Wheel |        |              | \$636.00   |

**700 "HEAVY-DUTY" SERIES ROTARY CUTTERS  
US PRICE LIST**

(Distribution Center)

**Standard Equipment**

Changes contained in 1/1/2020 pages

The following "Heavy-Duty" Series Rotary Cutter standard equipment changes take effect with March 2020 production:

- All models are now Galvanized (gear box is painted black)
- Standard Warranty is
  - >12 Years on deck rust through
  - >5 Years on gearbox
- Quick Attach Hitch is Standard

-----  
"Heavy-Duty" Series  
-----

Designed for Utility and Mid-Range tractors equipped with 3-point hitch, 540 rpm PTO, and provide rugged performance for maintenance of large farms or ranch operations.

Models:

757 / 758

Size (inches):

757 - 72

758 - 84

**SPECIFICATIONS**

Tractor Horsepower (max.):

757 & 758 - 95

Cutting Width (inches):

757 - 72

758 - 84

Overall Width (inches):

757 - 79

758 - 90

Overall Length (inches):

757 - 106

758 - 122

Hitch - 3-point

Driveline Category:

757 & 758 - Cat. I

Gearbox Rating (horsepower):

757 & 758 - 95

Gearbox Warranty (years) - 5

Galvanized Warranty (years) - 12

Slip Protection - Slip Clutch

Deck Gauge (gauge) - 7

Side Panel Depth - 8 in. x 1/4 in.

Blade Carrier - Pan

Output Shaft Diameter (inches) - 2

Blade Size - 1/2 in. x 4 in. Updraft

Blade Tip Speed (540):

757 - 14,995 fpm

758 - 17,495 fpm

Minimum Cutting Height (inch) - 2

Tail Wheel:

757, 758, & - Single Spindle

Tire & Wheel - Laminated

Safety Deflectors - Front/Rear Chains

Weight (pounds):

757 - 1,284

758 - 1,599

**HEAVY DUTY ACCESSORIES**

(Order through Service Parts)

MAG010d3992B 7 ft. (758GC) Dual

Spindle Tail Wheel



**700 "HEAVY-DUTY" SERIES ROTARY CUTTERS  
US PRICE LIST**

(Distribution Center)

**Models**

| COMMERCIAL MODEL     | Weight   | Factory Data | List Price |
|----------------------|----------|--------------|------------|
| 757GCA ROTARY CUTTER | 1,153 LB |              | \$4,221.00 |
| 758GCA ROTARY CUTTER | 1,604 LB |              | \$5,780.00 |

**Factory Supplied Options**

| Order Code | Description     | Weight | Factory Data | List Price |
|------------|-----------------|--------|--------------|------------|
| 717982     | Dual Tail Wheel |        |              | \$636.00   |

**700 "HEAVY-DUTY" PULL-TYPE ROTARY CUTTER  
US PRICE LIST**

(Distribution Center)

## Standard Equipment

Changes contained in 1/1/2020 pages

The following "Heavy-Duty" Pull-Type Series Rotary Cutter standard equipment changes take effect with March 2020 production:

- All models are now Galvanized (gear boxes are painted black)
- Standard Warranty is
  - >12 Years on deck rust through
  - >5 Years on gearbox

-----  
"Heavy-Duty" Pull-Type Series  
-----

Designed for Mid-Range and High-Horsepower tractors providing rugged performance for maintenance of large farms or ranch operations.

Size:

- 780GCA - 15 ft. Triple Flex
- 780GCB - 15 ft. Triple Flex
- 780GCC - 15 ft. Triple Flex

**SPECIFICATIONS**

Tractor Horsepower (max.):

- 780GCA - 210
- 780GCB - 210
- 780GCC - 210

Cutting Width (inches):

- 780GCA - 180
- 780GCB - 180
- 780GCC - 180

Overall Width (inches):

- 780GCA - 187
- 780GCB - 187
- 780GCC - 187

Overall Length (inches):

- 780GCA - 180
- 780GCB - 180
- 780GCC - 180

Hitch - Pull-Type

Driveline Category - PT/CV Joint

Gearbox Rating (horsepower):

- 780GCA - 255/210
- 780GCB - 255/210
- 780GCC - 255/210

Gearbox Warranty (years) - 5

Galvanized Warranty (years) - 12

Slip Protection - Slip Clutch

Deck Gauge (gauge) - 7

Side Panel Depth:

780GCA - 10.5 in. x 1/4 in.

780GCB - 10.5 in. x 1/4 in.

780GCC - 10.5 in. x 1/4 in.

Blade Carrier - Pan

Output Shaft Diameter (inches):

- 780GCA - 2 or 2-3/8
- 780GCB - 2 or 2-3/8
- 780GCC - 2 or 2 3/8

Blade Size:

- 780GCA - 1/2 in. x 4 in. Updraft
- 780GCB - 1/2 in. x 4 in. Updraft
- 780GCC - 1/2 in. x 4 in. Updraft

Blade Tip Speed (center/out):

- 780GCA - 15,238/14,821
- 780GCB - 15,238/14,821
- 780GCC - 15,238/14,821

Minimum Cutting Height (inch) - 2

Tail Wheel:

- 780GCA - 3 Spindle
- 780GCB - 3 Spindle
- 780GCC - 3 Spindle

Tire & Wheel:

- 780GCA - Laminated
- 780GCB - 6 tires -25.75 x 6.75 x 14 (used Aircraft tires)
- 780GCC - 6 tires - 25.75 x 6.75 x14 (used Aircraft tires)

Hydraulic Level Lift:

- 780GCA - Optional
- 780GCB - Standard
- 780GCC - Standard

Safety Deflectors - Front/Rear Chains



**700 "HEAVY-DUTY" PULL-TYPE ROTARY CUTTER  
US PRICE LIST**

(Distribution Center)

**Standard Equipment**

Weight (pounds):

780GCA - 5,397

780GCB - 5,500

780GCC - 5,500

PTO Shaft:

780GCA - 540

780GCB - 1000 - 1 3/8 in. shaft

780GCC - 1000 - 1 3/4 in. shaft

PULL TYPE ACCESSORIES

(Order through Service Parts)

MAG415D0060 15 ft. Hydraulic Level

Lift



**700 "HEAVY-DUTY" PULL-TYPE ROTARY CUTTER  
US PRICE LIST**

(Distribution Center)

**Models**

| COMMERCIAL MODEL     | Weight   | Factory Data | List Price  |
|----------------------|----------|--------------|-------------|
| 780GCA ROTARY CUTTER | 5,894 LB |              | \$22,549.00 |
| 780GCB ROTARY CUTTER | 1,749 LB |              | \$25,832.00 |
| 780GCC ROTARY CUTTER | 5,594 LB |              | \$25,832.00 |

**Factory Supplied Options**

| Order Code | Description | Weight | Factory Data | List Price |
|------------|-------------|--------|--------------|------------|
|------------|-------------|--------|--------------|------------|

SD\_16049 EXTRA WHEELS, TIRES AND RIMS

|                               |        |   |  |            |
|-------------------------------|--------|---|--|------------|
| 780GCA ONLY                   |        |   |  |            |
|                               | 717985 | Aircraft Tires (6)<br><b>Set of 6 Used Aircraft Tires</b>   |  | \$1,569.00 |
|                               | 717986 | Aircraft Tires (8)<br><b>Set of 8 Used Aircraft Tires</b>   |  | \$2,100.00 |
| 780GCB & 780GCC ONLY          |        |   |  |            |
|                               | 717984 | Aircraft Tires (2)<br><b>Additional set of 2 Used Aircraft tires<br/>for a total of 8 Used Aircraft Tires</b> |  | \$524.00   |
| 780GCA, 780GCB, & 780GCC ONLY |        |   |  |            |
|                               | 717987 | Foam Filled P Tire 6<br><b>Set of 6 Foam Filled Tires</b>   |  | \$2,100.00 |
|                               | 717988 | Foam Filled P Tire 8<br><b>Set of 8 Foam Filled Tires</b>   |  | \$2,650.00 |

SD\_N6431 DUAL TAIL WHEEL

|  |        |                 |  |          |
|--|--------|-----------------|--|----------|
|  | 717982 | Dual Tail Wheel |  | \$636.00 |
|--|--------|-----------------|--|----------|

SD\_N6432 HYD LIFT

|             |        |   |  |            |
|-------------|--------|---|--|------------|
| 780GCA ONLY |        |   |  |            |
|             | 717983 | Hyd Lift<br><b>Hydraulic Level Lift</b> |  | \$1,537.00 |





**MODEL 105A ROTARY TILLER  
US PRICE LIST**

**(Shipment from Depots)  
Standard Equipment**

3-point hitch mounted, 540 rpm PTO  
driven tiller, available in operating widths  
of 60 in. and 72 in.

**SPECIFICATIONS:**

Approximate Working Width (inches) -

60 inch - 60 (in.)

72 inch - 72 (in.)

Tilling Depth Adjustment with

Guide Shoe - 0-4.5 (in.)

Maximum Tilling Depth without

Guide Shoes - 7.25 (in.)

Hitch - Cat. I

Offset Adjustment to Right - 11 (in.)

PTO hp Rating - 45

Rotor Drive Type - Chain

Drive Protection - Slip Clutch

Rotor Speed @ 540 rpm PTO -

60 inch & 72 inch - 236

No. of Blades

60 inch - 28

72 inch - 36

Blade Tip Speed (fpm) @ 540 rpm

60 inch & 72 inch - 1063

A complete rotary tiller includes the  
following:

- Basic Tiller
- Category 1 Hitch
- PTO with Slip Clutch

**WARRANTY**

New Holland Standard Warranty Applies

Dealer pickup permitted



**MODEL 105A ROTARY TILLER  
US PRICE LIST**

(Shipment from Depots)

**Models**

| COMMERCIAL MODEL                 | Weight   | Factory Data | List Price |
|----------------------------------|----------|--------------|------------|
| 105A                             | 1,000 LB |              | \$3,010.00 |
| Includes the following Equipment |          |              |            |
| 60 in. Rotary Tiller (715416)    | \$515.00 |              |            |

**Factory Supplied Options**

| Order Code | Description | Weight | Factory Data | List Price |
|------------|-------------|--------|--------------|------------|
|------------|-------------|--------|--------------|------------|

**COMPLETING PACKAGES**

ROTARY TILLER WORKING WIDTH

SD\_01001 BASE UNIT

|  |  |        |   |  |  |            |
|--|--|--------|---|--|--|------------|
|  |  | 715416 | 60 in. Rotary Tiller<br>(715416006)                 |  |  | \$515.00   |
|  |  | 716729 | 72 in. Hvy Duty Rotary Tiller<br>(716729006) remove |  |  | \$1,359.00 |



**WORK EZ® EZ MATCH™  
US PRICE LIST**

(Distribution Center)

**Standard Equipment**

The WORK EZ® EZ Match™ Quick Hitch is designed to make changing from one 3-point hitch attachment to another quick and EZ! The upper hook easily slips into position and simply lock the lower hooks with quick flip of two handles - many times from the comfort and convenience of the tractor seat.

Many other New Holland products are quick hitch compatible - rear blades, box blades, landscape rakes, 6 ft Disc and 90" rear finishing mower.

Designed for use on Category 1, 3-point hitch tractors and implements

Heavy-duty steel construction  
Lower arms lock automatically  
Fast, easy attachment and release  
Designed to ASAE S278.7 Quick Hitch standards

MODEL: WORK EZ® EZ Match™  
Width (inches) - 28 center to center  
(Hooks are 1 " wide)  
Height (inches) - 24  
Weight (pounds) - 80  
Maximum Horsepower - 60

WARRANTY  
New Holland Standard Warranty Applies

**Models**

| COMMERCIAL MODEL | Weight | Factory Data | List Price |
|------------------|--------|--------------|------------|
| WORK EZ EZ MATCH | 400 LB |              | \$373.00   |



**LIGHT DUTY WORK EZ® BOX BLADES  
US PRICE LIST**

**(Distribution Center)  
Standard Equipment**

Changes contained in 1/1/2020 pages

The following "Work EZ® Box Blades"  
standard equipment changes  
take effect with March 2020  
production:

- All models are now Galvanized  
(shanks + cutting edge remain black)

Work EZ® Box Blades are designed  
to compliment compact and utility  
tractors equipped with 3-point hitch.  
The Light Duty Box Blades are also Work  
EZ® - EZ Match™ compatible. These  
box blades are offered as Light Duty for  
the estate and homeowner.

**WARRANTY**

New Holland Standard Warranty Applies

**MODEL: EZ48BL**

Application - Light Duty  
Working Width - 48 (in.)  
Overall Height - 35-1/2 (in.)  
Box Depth - 17 (in.)  
Tractor Horsepower (Max.) - 30  
Hitch - Cat. I  
Endplate Thickness - 3/16 (in.)  
Number of Shanks - 4  
Cutting Edge - 1/2 x 6 Rev. (in.)  
Number of Cutting Edges - 2  
Shank Adjustment - Manual  
Hydraulic Lift - n/a  
Hinges Rear Flat w/ Cutting Edge - N/A  
Weight - 313 (lbs.)

**MODEL: EZ60BL**

Application - Light Duty  
Working Width - 60 (in.)  
Overall Height - 35-1/2 (in.)  
Box Depth- 17 (in.)  
Tractor Horsepower (Max.) - 35  
Hitch - Cat. I  
Endplate Thickness - 3/16 (in.)  
Number of Shanks - 5  
Cutting Edge - 1/2 x 6 Rev. (in.)  
Number of Cutting Edges - 2  
Shank Adjustment - Manual  
Hydraulic Lift - N/A  
Hinges Rear Flat w/ Cutting Edge - N/A  
Weight - 387 (lbs.)



**LIGHT DUTY WORK EZ® BOX BLADES  
US PRICE LIST**

(Distribution Center)

**Models**

| COMMERCIAL MODEL | Weight | Factory Data | List Price |
|------------------|--------|--------------|------------|
| EZ48BL           | 363 LB |              | \$1,064.00 |
| EZ60BL           | 437 LB |              | \$1,188.00 |

# STANDARD DUTY WORK EZ® BOX BLADES US PRICE LIST

(Distribution Center)

## Standard Equipment

Changes contained in 1/1/2020 pages

The following "Work EZ® Box Blades" standard equipment changes take effect with March 2020 production:

- All models are now Galvanized (shanks + cutting edge remain black)

WORK EZ™ Box Blades are designed to compliment compact and utility tractors equipped with 3-point hitch. These box blades are offered Standard Duty for the landscaper.

### WARRANTY

New Holland Standard Warranty Applies

MODEL: 72BM

Application - Standard Duty  
Working Width - 72 (in.)  
Overall Height - 36 (in.)  
Box Depth - 17 (in.)  
Tractor Horsepower (Max.) - 50  
Hitch - Cat. I  
Endplate Thickness - 1/4 (in.)  
Number of Shanks - 6  
Cutting Edge - 1/2 x 6 Rev. (in.)  
Number of Cutting Edges - 2  
Shank Adjustment - Manual  
Hydraulic Lift - N/A  
Hinges Rear Flat w/ Cutting Edge - N/A  
Weight - 543 (lbs.)

MODEL: 60BM

Application - Standard Duty  
Working Width - 60 (in.)  
Overall Height - 36 (in.)  
Box Depth - 17 (in.)  
Tractor Horsepower (Max.) - 50  
Hitch - Cat. I  
Endplate Thickness - 1/4 (in.)  
Number of Shanks - 5  
Cutting Edge - 1/2 x 6 Rev. (in.)  
Number of Cutting Edges - 2  
Shank Adjustment - Manual  
Hydraulic Lift - N/A  
Hinges Rear Flat w/ Cutting Edge - N/A  
Weight - 484 (lbs.)

MODEL: 84BM

Application - Standard Duty  
Working Width - 84 (in.)  
Overall Height - 36 (in.)  
Box Depth - 17 (in.)  
Tractor Horsepower (Max.) - 60  
Hitch - Cat. I  
Endplate Thickness - 1/4 (in.)  
Number of Shanks - 6  
Cutting Edge - 1/2 x 6 Rev. (in.)  
Number of Cutting Edges - 2  
Shank Adjustment - Manual  
Hydraulic Lift - N/A  
Hinges Rear Flat w/Cutting Edge - N/A  
Weight - 603 (lbs.)



**STANDARD DUTY WORK EZ® BOX BLADES  
US PRICE LIST**

(Distribution Center)

**Models**

| COMMERCIAL MODEL | Weight | Factory Data | List Price |
|------------------|--------|--------------|------------|
| 60BM             | 534 LB |              | \$1,447.00 |
| 72BM             | 643 LB |              | \$1,550.00 |
| 84BM             | 703 LB |              | \$1,770.00 |

**WORK EZ® REAR BLADES - MD  
US PRICE LIST**

(Distribution Center)

**Standard Equipment**

WORK EZ® Rear Blades are designed to compliment compact, utility and higher H.P. tractors equipped with 3-point hitch. The Medium Duty Rear Blades are also Work EZ® - EZ Match™ compatible.

**WARRANTY**

New Holland Standard Warranty Applies

**MEDIUM DUTY**

**MODEL: EZ60SM**

Application - Medium Duty  
Moldboard Width - 60 (in.)  
Tractor Horsepower (max.) - 40 HP  
Hitch - Cat. I  
Cutting Edge - 1/2" X 6" Rev. (in.)  
Tilt Adjustment - 45 Degr./ E side  
Offset Adjustment - 12 (in.)  
Angle Adjustment - 5F/3R  
Weight - 256 (lbs.)

**MODEL: EZ72SM**

Application - Medium Duty  
Moldboard Width - 72 (in.)  
Tractor Horsepower (max.) - 40 HP  
Hitch - Cat. I  
Cutting Edge - 1/2" X 6" Rev. (in.)  
Tilt Adjustment - 45 Degr./ E side  
Offset Adjustment - 12 (in.)  
Angle Adjustment - 5F/3R  
Weight - 278 (lbs.)

**MODEL: EZ84SM**

Application - Medium Duty  
Moldboard Width - 84 (in.)  
Tractor Horsepower (max.) - 40 HP  
Hitch - Cat. I  
Cutting Edge - 1/2" X 6" Rev. 9in.)  
Tilt Adjustment - 45 Degr./ E side  
Offset Adjustment - 12 (in.)  
Angle Adjustment - 5F/3R  
Weight - 297 (lbs.)





**WORK EZ® REAR BLADES - MD  
US PRICE LIST**

(Distribution Center)

**Models**

| COMMERCIAL MODEL | Weight | Factory Data | List Price |
|------------------|--------|--------------|------------|
| EZ60SM           | 256 LB |              | \$1,078.00 |
| EZ72SM           | 328 LB |              | \$1,232.00 |
| EZ84SM           | 297 LB |              | \$1,380.00 |



**WORK EZ® REAR BLADES - HD  
US PRICE LIST**

**(Distribution Center)  
Standard Equipment**

WORK EZ® Rear Blades are designed to compliment compact, utility and higher H.P. tractors equipped with 3- point hitch. These rear blades are offered as Heavy Duty, Heavy Duty Plus for the contractor or high horsepower owner/operator.

**WARRANTY**

New Holland Standard Warranty Applies

**HEAVY DUTY**

**MODEL: 84SH**

Application - Heavy Duty  
Moldboard Width - 84 (in.)  
Tractor Horsepower (max.) - 65 HP  
Hitch - Cat. I/II  
Cutting Edge - 1/2" X 6" Rev. (in.)  
Tilt Adjustment - 30 Degr.  
Offset Adjustment - 12 (in.)  
Angle Adjustment - 5F/5R  
Weight - 584 (lbs.)

**MODEL: 96SH**

Application - Heavy Duty  
Moldboard Width - 96 (in.)  
Tractor Horsepower (max.) - 65 HP  
Hitch - Cat. I/II  
Cutting Edge - 1/2" X 6" Rev. (in.)  
Tilt Adjustment - 30 Degr.  
Offset Adjustment - 12 (in.)  
Angle Adjustment - 5F/5R  
Weight - 679 (lbs.)



**WORK EZ® REAR BLADES - HD  
US PRICE LIST**

(Distribution Center)

**Models**

| COMMERCIAL MODEL | Weight | Factory Data | List Price |
|------------------|--------|--------------|------------|
| 84SH             | 684 LB |              | \$1,554.00 |
| 96SH             | 679 LB |              | \$1,694.00 |



**WORK EZ® DISK HARROW  
US PRICE LIST**

**(Distribution Center)  
Standard Equipment**

Changes contained in 1/1/2020 pages

The following "WORK EZ® Disk Harrow"  
standard equipment changes  
take affect with March 2020  
production:

- The WORK EZ® Disk Harrow's frame  
are now Galvanized vs. black.  
(Disks remain black)

WORK EZ® Disk Harrow is designed  
to compliment compact and utility  
tractors equipped with 3-point hitch and  
is Work EZ® - EZ Match™ compatible.  
This disk harrow combines overall  
weight and notched blades (front and  
rear) to aggressively cut and turn the  
soil,  
regardless of residue conditions.

**WARRANTY**

New Holland Standard Warranty Applies

MODEL: EZ78DC

Size - 78 (in.)

**SPECIFICATIONS:**

Cutting Width - 70 (in.)

Tractor Horsepower (max.) - 70

Hitch - Cat. I

Overall Length - 60 (in.)

Overall Width - 79 (in.)

Maximum Cutting Depth - 6 (in.)

Number of Disk Blades - 20 Notched

Blade (front and rear)

Disk Blade Size - 18 (in.) diameter

Disk Blade Spacing -

5 1/2" F, 6 1/2", 7 1/2" R

Bearing Lubrication -Sealed Bearings

Weight - 679 (lbs.)

**Models**

| COMMERCIAL MODEL | Weight | Factory Data | List Price |
|------------------|--------|--------------|------------|
| EZ78DC           | 678 LB |              | \$2,682.00 |



**WORK EZ® LANDSCAPE RAKES  
US PRICE LIST**

**(Distribution Center)  
Standard Equipment**

WORK EZ® Landscape Rakes are designed to compliment compact and utility tractors equipped with 3-point hitch and are also Work EZ® - EZ Match™ compatible. These basic units offer a choice of angle selection and provide 1 inch tine spacing for precision soil preparation and leveling.

**MODEL SPECIFICATIONS:**

**EZ72LR**

Rake Width - 72 (in.)  
Rake Height - 15 (in.)  
Hitch - Cat. I  
Tractor Horsepower (max.) - 50  
Rake Pivot (degrees) - 360°  
Angle - 5 Forward/3 Reverse  
Pivot King Pin - 1-1/4 (in.)  
Tine Spacing - 1 (in.)  
Tine Size - 5/16 x 1 (in.)  
Tine Material - High Carbon Spring Steel  
Weight - 219 (lbs.)

**Models**

| COMMERCIAL MODEL | Weight | Factory Data | List Price |
|------------------|--------|--------------|------------|
| EZ72LR           | 269 LB |              | \$1,178.00 |



**WORK EZ® BALE CARRIERS  
US PRICE LIST**

## Standard Equipment

WORK EZ® Bale Carriers and Spears are designed to compliment compact and utility tractors equipped with 3-point hitch for handling round and square hay bales. The WORK EZ® Bale Carriers and Spears are also Work EZ® - EZ Match™ compatible.

### WARRANTY

New Holland Standard Warranty Applies

MODEL: Work EZ® Bale Carrier  
Application - Standard duty  
Weight - 155 lbs  
Weight rating - 2000 lbs  
Tractor Horsepower (max) - 60  
Hitch - Cat. I  
Hot dipped galvanized frame  
NOTE: Fork tines go under bale

MODEL: Work EZ® Bale Spear  
Application - Standard duty  
Weight - 98 lbs  
Weight rating - 2000 lbs  
Tractor horsepower (max) - 60  
Hitch - Cat. I  
Hot dipped galvanized frame  
Replaceable high carbon steel spear  
Two welded bottom stabilizing spears

## Models

| COMMERCIAL MODEL     | Weight | Factory Data | List Price |
|----------------------|--------|--------------|------------|
| WORK EZ BALE CARRIER | 88 LB  |              | \$499.00   |
| WORK EZ BALE SPEAR   | 155 LB |              | \$550.00   |



**WORK EZ® HAY SPEARS  
US PRICE LIST**

## Standard Equipment

WORK EZ® Hay Spears are designed to compliment most tractors and skid steers that are Universal Quick Hitch Compatible for handling round and square hay bales.

### WARRANTY

New Holland Standard Warranty Applies

MODEL: Work EZ® Single Bale Quick Attach

Application - Standard duty

Weight - 153 lbs

Weight rating - 2000 lbs

Tractor Horsepower (max) - 80

Hitch - Universal Q/A

Hot dipped galvanized frame

Replaceable high carbon steel spear

Two welded bottom stabilizing spears

MODEL: Work EZ® Double Bale Quick Attach

Application - Standard duty

Weight - 168 lbs

Weight rating - 2000 lbs

Tractor Horsepower (max) - 80

Hitch - Universal Q/A

Hot dipped galvanized frame

Two replaceable high carbon steel spears

One welded top stabilizing spear

## Models

| COMMERCIAL MODEL     | Weight | Factory Data | List Price |
|----------------------|--------|--------------|------------|
| WORK EZ DBL BALE QA  | 153 LB |              | \$1,031.00 |
| WORK EZ SNGL BALE QA | 168 LB |              | \$897.00   |