
KARID

Product Specifications	338
Fabrics and Options	339
Contrasting Fabrics Specifications	340
Product Pages	341
COM Yardage Requirements	342

KARID PRODUCT SPECIFICATIONS

BACK CONSTRUCTION

- Back consists of a metal frame with a 1½" thick polyurethane molded foam overlay with horizontal decorative stitching

HEADREST CONSTRUCTION

- Headrest on high back unit has 4¼" thick molded foam

SEAT CONSTRUCTION

- Seat consists of a plywood core panel with a 4" molded polyurethane foam with piping around the seat edge

ARM CONSTRUCTION

- Static arms are aluminum with a polyurethane black arm cap

CONTRASTING FABRICS

- Contrasting fabric available on all models except the 48 hour Quick Delivery

CONTROL MECHANISM—SYNCHRONOUS TILT


- In synchronous one lock tilt, the backrest and seat pan of a chair recline at a different ratio. For every 2" of back recline, the seat angle tilts 1" (2:1 ratio) as you lean back. This minimizes the seat pan rise as you tilt, allowing your feet to remain on the floor while your gaze remains straight ahead
- Tension control allows for greater spring tension control for a firmer or softer tilting motion. Turn knob counterclockwise to decrease. Tension control is important so that a chair can be adjusted to accommodate users of different body types and sizes and for different work styles. It regulates the amount of resistance you feel when leaning back in the chair, and the effort required to recline backwards

HEIGHT ADJUSTMENT

- The pneumatic height adjustment raises or lowers the seat to the desired height
- Seat height should be adjusted to allow your legs to maintain a 90° angle to the floor or footrest. This keeps pressure off the back of your legs, so blood flow isn't restricted
- 5-star swivel base gives 5" of height adjustment and swivels 360°
- Base comes in polished aluminum or black nylon

CASTERS

- Black/polished 65mm, hard dual-wheel casters are standard
- Soft dual-wheel casters are available as an option on configurable task models



FABRICS

Grade 1 Cali
 Entwine
 Input
 Melange
 Ridge
 Spark
 Vessel
 Zig Zag

Grade 2 Bliss
 Brilliant
 COM
 Dolce
 Dorset
 Intuition
 Orbit
 Phrase
 Pixie
 Sedona
 Stencil
 Strand

Grade 3 COL
 Silververtex

Grade 4 Connect Four
 Echo
 Masquerade

Grade 5 Mode

Grade 6 Essence/Ultraleather

Grade 7 Brisa
 Brisa Distressed
 Reef Pro
 Silica
 Silica Etch
 Tottori

Grade L7 Davenport

Grade L8 Florence

BASE

462 Black
 497 Polished Aluminum (add \$121 list)

CASTERS

C62 Hard 65mm Polished/Black Dual Wheel
 For Use On Carpet
 C63 Soft 65mm Polished/Black Dual Wheel
 For Use On Hard Floors (add \$37 list)

PACK

KD Ready To Assemble
 FA Full Assembly (add \$104 list)

TO ORDER CONTRASTING FABRIC, SPECIFY

KARID

Mid Back page 341

High Back page 341

1. Model Number plus "X"
2. Back Fabric Grade Number/Cover Number
3. Seat Fabric Grade Number/Cover Number
4. Base
5. Casters



Contrasting Upholstery



Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 8 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Base
5. Casters

- See page 339 for Karid options
- See page 342 for COM fabric yardage

**EXECUTIVE MID BACK
CONFERENCE ARMS
SYNCHRONOUS**



48

MODEL NO.

GRADE / LIST PRICE

N42BME8SA Black Faux Leather, Polished Aluminum Base \$ 1032

DIMENSIONS

Width	25¼	Seat Height	16½-21¼	Arm Height	24¼	Weight	46.3
Depth	25½	Seat Depth	18¼	Arm Width	2	Cubic Ft.	7.1
Height	38¼	Seat Width	19¼				

- Pack option is not available on Quick Delivery models

**EXECUTIVE MID BACK
CONFERENCE ARMS
SYNCHRONOUS**



	1	2/COM	3/COL	4	5	6	7	L7	L8
N42ME8S	\$ 1571	1619	1640	1676	1714	1780	1867	2281	2413

DIMENSIONS

Width	25¼	Seat Height	16½-21¼	Arm Height	24¼	FA Weight	47
Depth	25½	Seat Depth	18¼	Arm Width	2	KD Weight	45.9
Height	38¼	Seat Width	19¼			FA Cubic Ft.	14.4
						KD Cubic Ft.	15

- Contrasting fabric option – specify X (i.e., N42ME8SX); see page 340. For list pricing, use your electronic specification tool or contact customer service

**EXECUTIVE HIGH BACK
CONFERENCE ARMS
SYNCHRONOUS**



	1	2/COM	3/COL	4	5	6	7	L7	L8
N42HE8S	\$ 1674	1732	1757	1800	1845	1924	2029	2525	2684

DIMENSIONS

Width	25¼	Seat Height	16½-21¼	Arm Height	24¼	FA Weight	51
Depth	25½	Seat Depth	18¼	Arm Width	2	KD Weight	50.8
Height	47¼	Seat Width	19¼			FA Cubic Ft.	27.7
						KD Cubic Ft.	18.5

- Contrasting fabric option – specify X (i.e., N42HE8SX); see page 340. For list pricing, use your electronic specification tool or contact customer service

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N42HE8S		1.80	2.40	3.10	4.70	34.87
N42HE8SX	Back	1.30	1.60	2.80	4.00	25.46
	Seat	0.90	1.10	1.40	1.70	18.82
N42ME8S		1.50	2.10	3.00	3.70	29.6
N42ME8SX	Back	1.00	1.40	2.70	3.00	19.92
	Seat	0.90	1.10	1.40	1.70	18.82