



### Request for Contract Update

Pursuant to the terms of contract number R191811 for Kimball International Brands, Inc. Contractor must notify and receive approval from Region 4 ESC when there is an update in the contract. No request will be officially approved without the prior authorization of Region 4 ESC. Region 4 ESC reserves the right to accept or reject any request.

Kimball International Brands, Inc. (Contractor) hereby provides notice of the following update on this date August 16, 2023.

**Instructions:** Contractor must check all that may apply and shall provide supporting documentation. Requests received without supporting documentation will be returned. This form is not intended for use if there is a material change in operations, such as assignment, bankruptcy, change of ownership, merger, etc. Material changes must be submitted on a "Notice of Material Change to Vendor Contract" form.

**Authorized Distributors/Dealers**  
\_\_\_ Addition  
\_\_\_ Deletion  
\_\_\_ Supporting Documentation

**Price Update**  
\_\_\_ Supporting Documentation

**Products/Services**  
\_\_\_ X New Addition  
\_\_\_ Update Only  
\_\_\_ X Supporting Documentation

**Discontinued Products/Services**  
\_\_\_ Supporting Documentation

**States/Territories**  
\_\_\_ Supporting Documentation

**Other** Correction to October 2023 Price Update  
\_\_\_ X Supporting Documentation

Notes: Contractor may include other notes regarding the contract update here: (attach another page if necessary).

Please see the request to add our new systems line - Etarran, with a take order date of August 28, 2023. A pricelist and updated pricing page is attached.  
Also, clarifying the effective date of our October 2023 Price increase is 10/2/2023 (stated as 10/1/2023 on prior update).

Submitted By: Kelli Jenkins

**Approved by Email:** Date 8/21/2023 | 7:54 AM CDT

Title: Trade Manager, Strategic Contracts

**Denied by Email:** Date \_\_\_\_\_

Email Address: kelli.jenkins@kimballinternational.com

DocuSigned by:  
  
**Region 4 ESC:** \_\_\_\_\_  
081D33BB0130490...

Omnia Partners - Region 4 ESC - TX  
 Kimball International Brands, Inc.  
 Contract # R191811

Effective 10.2.2023

Brand	Category	Description	Current Price Lists	Drop Ship Tier 1 Discount \$0-\$49,999 List Price Per Order	Drop Ship Tier 2 Discount \$50,000 - \$99,999 List Price Per Order	Drop Ship Tier 3 Discount \$100,000 - \$249,999 List Price Per Order	Drop Ship Tier 4 Discount \$250,000+ List Price Per Order
Kimball National Etc. Interwoven Poppin (Pods Only)	Freestanding Furniture Seating/Chairs Soft Seating Filing Systems, Storage and Equipment Library Furniture Cafeteria Furniture Audio/Visual Furniture Educational Office Furniture Quick Delivery Products	Desks, Storage, Filing, Training, Side, Meeting Tables, Caseworks, Task, Lounge, Guest, Side Seating, Pods	Kimball Accessory Solutions effective 10.2.23 Kimball Acoustics & Space Dividers effective 10.2.23 Kimball David Edward Collection effective 10.2.23 Kimball Desks & Workstation Solutions effective 10.2.23 Kimball Meeting & Collaboration Solutions effective 10.2.23 Kimball Ready effective 10.2.23 Kimball Seating Solutions effective 10.2.23 National Caseworks 1 effective 10.2.23 National Caseworks 2 effective 10.2.23 National Caseworks Quick Delivery effective 10.2.23 National Seating Quick Delivery effective 10.2.23 National Return to Work effective 10.2.23 National Seating effective 10.2.23 National Tables effective 10.2.23 Etc. effective 10.2.23 Interwoven effective 10.2.23 PoppinPods effective 10.2.23	55.0%	55.5%	56.0%	Negotiable
Kimball	Systems Furniture - NARRATE, CETRA, XSITE, FOOTPRINT, WORKABLE, TRAXX/TILES, XSEDE SERIES	Panel systems, workstation components, surfaces, storage, support	Kimball Systems Solutions effective 10.2.23	65.0%	65.0%	67.0%	Negotiable
Kimball	Systems Furniture II - ETARRAN SERIES	Panel systems, workstation components, surfaces, storage, support	etarran™ PANEL SYSTEM Pricelist effective 10.2.2023 - <b>Take Order</b> <b>Date August 28th, 2023</b>	62.0%	62.0%	64.0%	Negotiable
Kimball	Filing Systems, Storage and Equipment	Metal lateral & storage files	Kimball Systems Solutions effective 10.2.23	55.0%	55.5%	56.0%	Negotiable

Services	Hourly Rate Range - Non Union Rates
Inside Delivery	Quoted on a per order basis
Basic Installation - Normal Hours	\$60.00 - \$95.00
Basic Installation - After Hours	\$100.00-\$150.00
Reconfiguration Services	Quoted on a per order basis / Locally Negotiated
Design	\$65.00 - \$75.00
Project Management	\$72.00 - \$125.00

**Omnia Partners - Region 4 ESC - TX**  
**Kimball International Brands, Inc.**  
**Contract # R191811**

**Effective 8.28.2023 - 10.01.2023**

Brand	Category	Description	Current Price Lists	Drop Ship Tier 1 Discount \$0-\$49,999 List Price Per Order	Drop Ship Tier 2 Discount \$50,000 - \$99,999 List Price Per Order	Drop Ship Tier 3 Discount \$100,000 - \$249,999 List Price Per Order	Drop Ship Tier 4 Discount \$250,000+ List Price Per Order
Kimball National Etc. Interwoven Poppin (Pods Only)	Freestanding Furniture Seating/Chairs Soft Seating Filing Systems, Storage and Equipment Library Furniture Cafeteria Furniture Audio/Visual Furniture Educational Office Furniture Quick Delivery Products	Desks, Storage, Filing, Training, Side, Meeting Tables, Caseworks, Task, Lounge, Guest, Side Seating, Pods	Kimball Accessory Solutions effective 10.3.22 Kimball Acoustics & Space Dividers effective 10.3.22 Kimball David Edward Collection effective 10.3.22 Kimball Desks & Workstation Solutions effective 10.3.22 Kimball Meeting & Collaboration Solutions effective 10.3.22 Kimball Ready effective 10.3.22 Kimball Seating Solutions effective 10.3.22 National Caseworks 1 effective 10.3.22 National Caseworks 2 effective 10.3.22 National Caseworks Quick Delivery effective 10.3.22 National Seating Quick Delivery effective 10.3.22 National Return to Work effective 10.3.22 National Seating effective 10.3.22 National Tables effective 10.3.22 Etc. effective 10.3.22 Interwoven effective 10.3.22 PoppinPods effective 11.1.22	55.0%	55.5%	56.0%	Negotiable
Kimball	Systems Furniture - NARRATE, CETRA, XSITE, FOOTPRINT, WORKABLE, TRAXX/TILES, XSEDE SERIES	Panel systems, workstation components, surfaces, storage, support	Kimball Systems Solutions effective 10.3.22	65.0%	65.0%	67.0%	Negotiable
Kimball	Systems Furniture II - ETARRAN SERIES	Panel systems, workstation components, surfaces, storage, support	etarran™ PANEL SYSTEM Pricelist effective 10.2.2023 - <b>Take Order Date August 28th, 2023</b>	62.0%	62.0%	64.0%	Negotiable
Kimball	Filing Systems, Storage and Equipment	Metal lateral & storage files	Kimball Systems Solutions effective 10.3.22	55.0%	55.5%	56.0%	Negotiable

Services	Hourly Rate Range - Non Union Rates
Inside Delivery	Quoted on a per order basis
Basic Installation - Normal Hours	\$60.00 - \$95.00
Basic Installation - After Hours	\$100.00-\$150.00
Reconfiguration Services	Quoted on a per order basis / Locally Negotiated
Design	\$65.00 - \$75.00
Project Management	\$72.00 - \$125.00

# ETARRAN™ PANEL SYSTEM

## Table of Contents

<b>Price List Effective Dates:</b>	
Pricing	10.02.23
Revisions	08.28.23
Take Order	08.28.23



▶ See page

<b>Statement of Line</b>	ET.2
Panels, Connectors, & Trim	ET.2
Power & Data	ET.3
<b>Planning</b>	ET.4
Overview	ET.4
Product Information	ET.5
Application Guidelines	ET.12
<b>Power &amp; Data Planning</b>	ET.13
Overview	ET.13
Product Information	ET.14
Standard 8-Wire System	ET.17
Cable Management	ET.18
<b>Pricing</b>	ET.19
Panels	ET.19
Connectors & Trim	ET.25
Adjustable-Height Brackets	ET.30
Power & Data	ET.32
<b>Surface Materials</b>	ET.36
Paint	ET.36
Textiles	ET.37
COM	ET.38

Kimball®

# ETARRAN™ PANEL SYSTEM

Panels, Connectors, & Trim

Statement of Line

Statement of Line	➤ See page ET.2
Planning	ET.4
Pricing	ET.19
Surface Materials	ET.36



**Tackable Fabric Panels**

- See page ET.5 for product info.
- See pages ET.19–ET.20 to specify.



**Stackable Fabric Panels**

- See page ET.6 for product info.
- See page ET.21 to specify.



**Stackable Glass or Resin Panels**

- See page ET.6 for product info.
- See page ET.22 to specify.



**Frameless Glass & Resin**

- See page ET.7 for product info.
- See page ET.23 to specify.




**Hinged Doors**

- See page ET.8 for product info.
- See page ET.24 to specify.



**End Trim**

- See page ET.11 for product info.
- Standard, see page ET.25 to specify.
- Stackable, see page ET.27 to specify.




**X Connector (4-way)**

- See pages ET.9–ET.10 for product info.
- Standard, see page ET.25 to specify.
- Stackable, see page to specify.



**L Connector (90°)**

- See pages ET.9–ET.10 for product info.
- Standard, see page ET.26 to specify.
- Stackable, see page ET.28 to specify.



**T Connector (3-way)**

- See pages ET.9–ET.10 for product info.
- Standard, see page ET.26 to specify.
- Stackable, see page ET.28 to specify.



**W Connector (Wall Mount)**

- See pages ET.9–ET.10 for product info.
- Standard, see page to specify.
- Stackable, see page to specify.



**Panel-to-Panel Hi-Lo Trim Kits**

- See page ET.11 for product info.
- Standard, see page ET.29 to specify.
- Stackable, see page to specify.




**Connector-to-Panel Hi-Lo Trim Kits**

- See page ET.11 for product info.
- Standard, see page ET.29 to specify.



**Xside Height-Adjust to Panel Bracket**

- See page ET.30 to specify.



**Accessory Rail**


- See page ET.31 to specify.

# ETARRAN™ PANEL SYSTEM

## Power & Data


### Statement of Line

Statement of Line	▶ See page ET.2
Planning	ET.4
Pricing	ET.19
Surface Materials	ET.36



#### Power Distributions

- ▶ See page ET.14 for product info.
- ▶ See page ET.32 to specify.




#### Jumper Cables

- ▶ See page ET.14 for product info.
- ▶ See page ET.32 to specify.



#### Duplex Receptacles

- ▶ See page ET.14 for product info.
- ▶ See page ET.33 to specify.




#### Power Entries

- ▶ See page ET.15 for product info.
- ▶ See page ET.34 to specify.



#### Ceiling Power Pole

- ▶ See page ET.15 for product info.
- ▶ See page ET.34 to specify.




#### New York City Power Entries

- ▶ See page ET.16 for product info.
- ▶ See page ET.34 to specify.



#### Hardwire Box Assemblies

- ▶ See page ET.16 for product info.
- ▶ See page ET.34 to specify.



#### Communication Wireway Covers

- ▶ See page ET.16 for product info.
- ▶ See page ET.34 to specify.

# ETARRAN™ PANEL SYSTEM

## Overview

## Planning

Statement of Line	▶ See page ET.2
Planning	ET.4
Pricing	ET.19
Surface Materials	ET.36

**Top caps** are attached by pressure fit on top of panels; they are painted metal and feature a flat profile.

**Stackable panels and connectors** can be stacked one or two high up to 80"H.

**Panel-to-panel connections and panel-to-connector connections** are achieved through use of a bolt or bolt and receiver.

**Vertical slotted tubes** on the panels provide slots at 32mm increments for vertical positioning of components.

**Wireway covers** (2 per panel) have two punch-outs for receptacles. Punch-out covers are included for openings that won't be used.

**Hooks** on panels and connectors allow toolless connection at the bottom of the panel.


**Universal connector top caps**, included with connectors, finish the top of a panel connection. The painted metal top cap pressure fits into place.

**Connectors and stackable connectors** are available to join two or more panels when changing directions in a panel run (T-connector shown; L and X connectors are also available).


**End trims** finish the end of a panel run; they are painted metal.

**Panels** are 2½" thick. Fiberglass core is covered in the selected vertical textile and adhered to both sides of the 1¼" metal frame.

**Wireways** allow cable routing through the panel base and holds power distribution assemblies in powered panels.



### Top Cap Profiles:



Flat (F)

### Electrical:



**Class A**—Tackable fabric, PET, and glass

# ETARRAN™ PANEL SYSTEM

## Panels

## Planning

Statement of Line	▶See page ET.2
Planning	ET.4
Pricing	ET.19
Surface Materials	ET.36


### Details



**Tackable vertical textile panels** are 2½" thick. Fiberglass core is covered in the selected vertical textile and adhered to both sides of the 1¼" metal frame.

#### Panels include:

- Top cap
- Two punched wireway covers with punch-out covers
- Power distribution assembly, if powered panel is specified
- Attachment brackets



**Vertical metal tubes** in panels provide slots at 32mm increments for vertical positioning of components starting at 14½" (or 368 mm) from the bottom of the panel to the top of the panel.

### Surface Materials

#### Panels

- Kimball vertical textiles
- COM

*Note: COM fabrics must be U.L. listed for use on panels.*

▶See the *Surface Materials Reference Guide* at [www.kimballinternational.com](http://www.kimballinternational.com) for complete information regarding U.L. approval procedures.

#### Top Caps

- Metal: paint


#### Wireway Covers

- Metal: paint

### Acoustical Ratings

- NRC rating = .7
- STC rating = 8

### Connections



**Connectors** are available in L, T, and X (shown) models to join panels when changing directions in a panel run. Connectors are constructed of painted steel.

▶See page ET.9.




**Stackable panels** can be added to the to increase the height of base panel or create a hi-lo transition.

▶See page ET.6.

### Power distribution assembly,

factory-installed in the base wireway powered panels, allows distribution of power. Power distribution assembly can also be field-installed on non-powered panels.

▶See page ET.14.



**Punched wireway covers** are standard with each panel. Each cover has two 1½¼"H x 2½¼"W cut-outs.

### Planning Factors

**Selected paint color** will be applied to top cap and wireway covers.

**Selected vertical textile** will apply to both sides of the panel.

### Related Products

**Electrical in-feeds, jumper cables, and receptacles** must be specified separately.

▶See pages ET.32– ET.34.


#### Communication wireway covers

must be specified separately. Cutouts for data ports are 1¾"H x 2½¼"W.


▶See page ET.34.

**Traxx and tiles** are available to integrate wall-mount applications with panel applications.

▶See Traxx & Tiles chapter in the *Kimball Systems Solutions Price List*.



**Xsede height-adjust bracket** is available to attach to the leg of Xsede height-adjustable base and connects to slots in the Etarran panel to stabilize the panel run.



**Etarran accessory rails** are available to attach to a same-width panel; rails accept metal or plastic work tools.

▶See Perks Work Tools chapter in the *Kimball Accessory Solutions Price List*.

# ETARRAN™ PANEL SYSTEM

## Stackable Panels

## Planning

Statement of Line	▶ See page ET.2
Planning	ET.4
Pricing	ET.19
Surface Materials	ET.36

### Details



**Stackable panels** are available in vertical textile, clear glass, or frosted resin. Stackable panels are for use with any standard Etarran panel to accommodate height changes up to 80"H. Models include:

- Panel
- Attachment brackets

*Note: Top cap from base panel will be used on stacking unit.*

**Heights available** include 12" and 18". Specify appropriate stackable panel to increase the height of workstation.

**12"H models** allow transitioning from one base height to the next taller base height (e.g., from 30" to 42"H, 42" to 54"H, 54" to 68"H, or 68" to 80" (including the 80"H door panel).


**Stackable vertical textile panels** feature a welded metal frame with two 1¼" vertical metal tubes, a 16-gauge horizontal channel, vertical textile over fiberglass core that are adhered to both sides of the frame.

**Stackable vertical textile panels are loadbearing;** they will support overheads when used according to application guidelines.

▶ See page ET.12.



**Stackable glass panels** are constructed of 1¼" vertical steel tubes, extruded aluminum and steel frames, and clear tempered glass.



**Stackable resin panels** are constructed of 1¼" vertical steel tubes, extruded aluminum and steel frames, and frosted (Glacier) resin.

### Surface Materials

#### Stackable Vertical Textile Panels

- Kimball vertical textiles
- COM

*Note: COM fabrics must be U.L. listed for use on panels.*

▶ See the *Surface Materials Reference Guide* at [www.kimballinternational.com](http://www.kimballinternational.com) for complete information regarding U.L. approval procedures.


#### Stackable Glass Panels

- Glass: clear
- Frames: paint

#### Stackable Resin Panels

- Resin: frosted (Glacier)
- Frames: paint

### Connections



**A maximum of two stackable panels** can be stacked on to a standard panel. Maximum panel height with stackable panels is 80".

**Stackable vertical textile panels are loadbearing** and will support overheads when used according to guidelines.

▶ See page ET.12 for panel run rules.

**Stackable glass and stackable resin panels** do not accept overheads or accessory rails.

### Planning Factors

▶ See page ET.12 for additional application guidelines for stackable panels.

**Stackable panels may be installed on any standard Etarran panel,** without disassembling the existing panel run.

**Stackable panels must be the same width** as the panel they will be stacked above.

# ETARRAN™ PANEL SYSTEM

## Frameless Glass

Planning

Statement of Line [▶ See page ET.2](#)

Planning [ET.4](#)

Pricing [ET.19](#)

Surface Materials

### Details




**Frameless glass** is clear, 1/4" tempered glass pane with polished edges. Model includes:

- Glass pane
- Top cap
- Mounting blocks

**Frameless resin** is frosted (Glacier), resin pane. Model includes:

- Resin pane
- Top cap
- Mounting blocks



**Glass or resin pane** sits inside the top cap and panel frame when installed and extends 12 1/2" above the top cap. Adjacent frameless glass models are designed to be offset from one another with a 1 1/8" gap. The inset accounts for hi-lo applications, eliminating need for different size

**When used in a hi-lo application,** the top of the frameless glass or resin pane will be flush with the top of the adjacent panel's top cap.

**U.L. Listing** 1286

### Surface Materials

#### Frameless Glass

- Glass: clear
- Top cap: paint

#### Frameless Resin

- Resin: frosted (Glacier)
- Top cap: paint

### Connections



**Flat profile top cap,** standard with frameless glass or frameless resin model, is slotted to allow the pane to fit down into the panel frame's mounting blocks to hold the panel securely.

### Planning Factors

**Frameless glass and frameless resin is not loadbearing.** Hanging components or accessories on frameless glass is not recommended.

**Frameless glass and frameless resin cannot be scribed** in the field.

**Frameless glass and frameless resin cannot span more than one panel** and must be the same width as the panel to which it is attached.

**Etarran frameless glass and frameless resin models** cannot be used on other Kimball panel systems.

**ETARRAN™** PANEL SYSTEM

## Hinged Doors

Planning

Statement of Line	▶ See page ET.2
Planning	ET.4
Pricing	ET.19
Surface Materials	ET.36

**Details**


**Hinged doors** are available 36" or 42"W (nominal). All models include:

- Frame and threshold
- Top cap
- Full-length hinge
- Frame gasket
- Attachment brackets

**Hinged doors** are 80"H. They feature a welded frame with painted metal extrusion, painted steel threshold, and a painted MDF door.

**Full-length hinge** is used for strength and durability.

**Frame gasket** protects the door when closing and quiets closure.



**Locking lever** is standard and is suitable for ADA guidelines.

**Door opening width** for the 36"W door is 31 1/4"; for the 42"W door it is 37 1/4". Opening height is 76 13/16". 42"W hinged doors are recommended for ADA compliance.

**Surface Materials****Door**

- Paints (excluding metallics)

**Door Frame**


- Paint

**Top Cap**

- Paint

**Planning Factors**

**Hinged doors** are recommended for placement next to a connector.



**Maximum panel run** when using doors is 12' or 3 panels. Panels must be supported on both ends.

**IMPORTANT:** Hinged doors cannot be used in unsupported panel runs.

# ETARRAN™ PANEL SYSTEM


## Connectors

Planning


Statement of Line	▶See page ET.2
Planning	ET.4
Pricing	ET.19
Surface Materials	ET.36

### Details


**Connectors** are available to join two or more panels when changing directions in a panel run.



X (4-way 90°)



L (2-way 90°)



T (3-way 90°)

**Connectors** can be used in the following configurations:

- X (4-way 90°)
- L (2-way 90°)
- T (3-way 90°)
- Wall mount

**Connector models** include:

- Connector
- Top cap
- Connection bracketry

**Connector top caps** are metal and will be painted the same color as selected for the connector.

**Stackable connectors** are available for use with stackable panels.

▶See page ET.10.

### Surface Materials

#### Connectors and Stackable Connectors

- Paint

#### Connector Top Caps

- Paint

### Power & Data

**Power and data** can be routed through connectors at the base.  
▶See page ET.18 for cable management information.

### Planning Factors

**Specify appropriate connectors** for the combined height of standard and stackable panels. Base connector must always be the same height or taller than any adjacent standard panel.

**Allow for connector thickness** when space planning.

- Connectors are 2½" thick.
- Wall-mount connectors are 2½" thick.

**Thickness of the wall-mount connector** does not correspond to Traxx. Wall-mount connectors have no adjustability for out-of-plumb walls; shimming may be required.


# ETARRAN™ PANEL SYSTEM

## Stackable Connectors

## Planning

Statement of Line	▶ See page ET.2
Planning	ET.4
Pricing	ET.19
Surface Materials	ET.36

### Details



**Stackable connectors** are available to join panels when changing directions in a panel run with stackable panels.

#### Stackable connector models

include:

- Connector
- Connection bracketry

*Note: Top caps are not included. Top cap from base connector will be used.*

**Stacking connectors** are constructed of painted metal. Stacking connectors are available in 3 heights: 12", 18", or 24"H.

### Surface Materials

#### Stackable Connectors

- Paint

### Connections

**Connectors** can be used in the following configurations:

- X (4-way 90°)
- L (2-way 90°)
- T (3-way 90°)
- Wall mount


### Planning Factors

#### Allow for connector thickness

when space planning.

- Connectors are 2½"D.
- Wall-mount connectors are ¾"D and 2½"W.

**Specify appropriate connectors** for the combined height of standard and stackable panels. Base connector or base and stacking connectors must always be the same height or taller than any adjacent standard panel.



**Specify stackable connectors** to equal each stackable panel height. Provides the most flexibility for reconfiguration.

**ETARRAN™** PANEL SYSTEM


## Trim

Planning

Statement of Line	▶ See page ET.2
Planning	ET.4
Pricing	ET.19
Surface Materials	ET.36

**Details**

**End trim** is 3/8" thick and covers the vertical panel edge at the end of a panel run.




**Panel-to-panel or connector-to-panel hi-lo trim** is available to finish off the vertical end of panels within a run with transitioning heights.

**Surface Materials****End Trim**

- Paint

**Hi-Lo Trim**

- Paint

**Connections**

**Overheads** cannot be hung in a row of stackable panels where a hi-lo trim kit is used. They may be hung in a row beneath the hi-lo application.

**Planning Factors**


**Specify end trim for the combined height** of panels and stackable panels or use stacking end trim with base end trim to equal overall weight.

**For hi-lo applications**, specify hi-lo trim to match the height of the drop.  
*Note: Hi-lo trim for stackable panels are determined the same way as for standard panels.*

# ETARRAN™ PANEL SYSTEM

## Application Guidelines for Panel Runs

Planning




Minimum wing width (see chart)


**Minimum wing widths apply** to a freestanding “C” station that does not have support from a panel run or a wall connector at either end.

**Width of the wing panel or run** increases according to height of the spine run.

➤ See chart for minimum wing width.




**Maximum panel run for unsupported panels** (those not attached to a wall, wing panel, or floor support on BOTH ends) is 2 panels with a maximum run of 8'.



**Maximum panel run for supported panels** (those supported with a wall or panel run on one end and a **same-height or shorter wing panel** on the other) is 3 panels with a maximum run of 12'. The width of the wing wall increases according to height.


➤ See chart for minimum wing width.



**Overhead cabinets** may be hung on the inside of the panel system on a maximum of three panels no greater than 12'. For proper support, a wing panel or wall mount must be adjacent to both ends of any run of overheads.

*Note: Overhead must be ganged to assure maximum rigidity.*

**Panel run rules are the same for stackable panels** as for standard Etarran panels.




**Only two stackable panels** may be stacked above a standard panel to a maximum height of 80".

**Stackable panels must be the same width** as the panel they will be stacked above.

**Stackable panel runs** must have a wing panel that is equal to the combined height of the base panel plus the stackable panels, on at least one end for support.

**Stackable fabric panels are load-bearing** and will support overheads when used to the following guidelines.



**Overheads** cannot be hung in a row of stackable panels where hi-lo trim is used. They may be hung in a row beneath the hi-lo application.

**Overheads** cannot be hung above 80"H or on a stackable wing wall.

**Frameless glass or frameless resin** does not affect application guidelines.

Statement of Line	➤ See page ET.2
Planning	ET.4
Pricing	ET.19
Surface Materials	ET.36

### Definitions:

**Unsupported panel runs:** Runs not attached on BOTH ends to a wall, panel run, or floor support.

**Floor support:** Undersurface storage units, support panels, or column legs

**Balanced back-to-back:** Runs having similar components mounted to opposite sides of the run so as to counter-balance the load.

### Minimum Wing Panel Widths:

Minimum wing panel widths increase according to the height of the panel run to eliminate the possibility of tipping or injury under standard loading and usage.

Height of Spine Run	Minimum Wing Width
30" or 42"H	24"
48" or 54"H	30"
68" or 80"H	42"

**IMPORTANT:** Wing panel height is not required to be the same height as the panel run, except in free-standing “C” applications, or 80"H supported runs.

# ETARRAN™ PANEL SYSTEM

## Power and Data Overview

## Planning


Statement of Line	▶See page ET.2
Planning	ET.4
Pricing	ET.19
Surface Materials	ET.36

**Etarran panel system** offers an 8-wire system.

**Building-to-panel electrical connections** can be accomplished whether power is sourced in the wall, floor, or ceiling.

**Communication cables** may be routed through the base.

**Power distribution assembly** carries power to receptacles. They are factory installed on powered panels; they can be field installed on non-powered panels.



**Electrical jumper cables** are used to pass power from panel to panel and through directional connectors. Models are specified based on the panel configuration.  
▶See page ET.32 or for details.

**Wireway cover** is  $4\frac{3}{16}$ "H x  $\frac{1}{2}$ "D.

**Duplex opening in wireway cover** provides access to duplex receptacles. Openings are located 9" from the panel reveal to the center of the opening.

**Receptacles** are inserted into the power distribution assembly and secured with screws. Up to 4 duplex receptacles may be specified for each base panel.

**Communication wireway cover** has an additional window for communication ports.  
▶See page ET.18 for cable management application guidelines.

### Punch Dimensions:

Receptacle cutouts—  
 $2\frac{15}{16}$ "W x  $1\frac{15}{16}$ "H

Hardwire cutouts—  
 $2\frac{1}{16}$ "W x  $1\frac{7}{16}$ "H

Data port cutouts—  
 $2\frac{1}{16}$ "W x  $1\frac{3}{8}$ "H


# ETARRAN™ PANEL SYSTEM

Power Distribution | Assemblies, Jumpers, and Receptacles

Planning

Statement of Line	▶ See page ET.2
Planning	ET.4
Pricing	ET.19
Surface Materials	ET.36

## Details



**Powered panels** feature factory-installed electrical distribution assemblies in the base wireway. Power distribution assembly can also be field-installed on non-powered panels.


**Two wiring configurations** are possible utilizing the same components. ▶ See page ET.17 for planning and installation guidelines.



**Duplex receptacles** are rated at 15 amps and may be installed back-to-back in base and mid-wireways.

**Up to four duplex receptacles** (two per side) can be installed in each base wireway.

## Connections



**Jumper cables** are used to pass power from panel to panel.

## Planning Factors

**IMPORTANT: Planning actual power supplies and branch circuits** must be performed by qualified electricians or electrical engineers familiar with the National Electrical Code and the appropriate local codes. The information provided herein is intended to assist specifiers.

**Hardwire electrical components** for use in the base wireway are available for areas where local codes do not accept modular electrical plug-in components. ▶ See page ET.16.

**New York City electrical applications** require a special power entry. Panels should be specified as non-powered and electrical distribution assemblies should be specified separately. ▶ See page ET.16.

## Base Wireway Jumpers Connection Guidelines:

### Straight-Line Connections:




**81PEJ18**  
Panel to panel



**81PEJ58**  
Through a connector

### 90° Connections:



**81PEJ28**  
Through a connector


# ETARRAN™ PANEL SYSTEM

## Power Entries

### Planning

Statement of Line	➤See page ET.2
Planning	ET.4
Pricing	ET.19
Surface Materials	ET.36

#### Details



**Floor power entry** is available to bring power to the panel run from the floor or wall.



**Ceiling power entry assembly** is available to bring power to the panel run from the ceiling. It is used in conjunction with ceiling power pole.

#### Planning Factors

**IMPORTANT: Planning actual power supplies and branch circuits** must be performed by qualified electricians or electrical engineers familiar with the National Electrical Code and the appropriate local codes. The information provided herein is intended to assist specifiers.

**Access to ceiling power source** is regulated by National Code to a maximum of 12 ft. conduit.

**Floor power entries** will take up the space of one receptacle location on the power distribution assembly.

**Ceiling power entries** plug into the end of a power distribution assembly, utilizing one of the two jumper connection locations on one end of the power distribution assembly.

#### Related Products

**Hardwire electrical components** are available for areas where local codes do not accept modular electrical plug-in components. ➤See page ET.16.

**New York City electrical applications** require a New York City power assembly for the panel where power entry is made. ➤See page ET.16.

# ETARRAN™ PANEL SYSTEM

## Hardwire and New York City Components

Planning


Statement of Line	▶ See page ET.2
Planning	ET.4
Pricing	ET.19
Surface Materials	ET.36

### Details

**Non-powered panels** should be specified when planning to hardwire electrical.




**Hardwire box**, specified separately, is required for each panel that will receive field-installed hardwired electrical.



**Cover plates** are included; available in Cinder or White.

**Hardwire cover plate** for power provides an access hole that is sized to fit a Rayco Sierra receptacle (for compatible size and type).



**New York City electrical applications** require a special power entry. Panels should be specified as non-powered; power distribution assemblies should be specified separately.

### Connections

**Installations** must be completed by a qualified electrician or an electrical engineer familiar with the National Electrical Code and the appropriate local codes.


### Planning Factors

**IMPORTANT: Planning actual power supplies and branch circuits** must be performed by qualified electricians or electrical engineers familiar with the National Electrical Code and the appropriate local codes. The information provided herein is intended to assist specifiers.


# ETARRAN™ PANEL SYSTEM

## Circuit Configurations | 8-Wire Electrical System

Planning



**Etarran 8-wire, 4-circuit system** supports work environments having light- to medium-intensity computerized equipment needs. The 8-wire systems include two 12-gauge ground wires, two 10-gauge neutral wires, and four 12-gauge hot wires.



**Powered panels** feature factory-installed electrical distribution assemblies in the base wireway. Power distribution assemblies can be field-installed on non-powered panels. ▶See page ET.14.

**Two wiring configurations** are possible—3 and 1 or 2 and 2—utilizing the same components. ▶See wiring configurations at right.

**Building-to-panel electrical connections** can be accomplished from power sources in the wall, floor, or ceiling. ▶See page ET.15.


**Duplex receptacles** used for both types of configurations are the same. This simplifies specifications and allows a faster understanding of the system. ▶See page ET.14.

**IMPORTANT: Planning actual power supplies and branch circuits** must be performed by qualified electricians or electrical engineers familiar with the National Electrical Code and the appropriate local codes. The information provided herein is intended to assist specifiers.

**Installations** should be in accordance with the NEC. Local codes may vary. Consult a qualified electrical contractor or engineer for proper installation of electrical equipment.

**All components** are shipped with hardware necessary for installation.

### 3 and 1 (8-wire):




- Three utility circuits share a neutral and common ground.
- One circuit with a DEDICATED hot, neutral and ground.
- Utilize Cetra receptacles #1, 2, 3 for utility and #4 for the DEDICATED ground circuit.

Circuits 1, 2, and 3 can be used for general electrical needs. Customarily, one or more of the circuits is reserved for lighting or other everyday uses, which allows control by central or master switching.

Circuit 4 consists of three separate conductors (hot, neutral, and ground) and meets the BIFMA/ANSI definition for a dedicated circuit.

### 2 and 2 (8-wire):



- Two DESIGNATED utility circuits and two DESIGNATED computer circuits.
- Utilize Cetra receptacles #1 and #2 for the designated utility circuits and receptacles #4 and #5 for the designated computer circuits.

*Note: Receptacle #3 cannot be used in the 2 and 2 configuration. If receptacle #3 is used, possible cross feed or interference from utility circuits one and two can be introduced to computer circuits.*

Circuits 1 and 2 provide a pair of designated circuits for general electrical needs, as described for the 3 & 1.

Circuits 4 and 5 provide a pair of designated circuits for computer applications.

Statement of Line	▶See page ET.2
Planning	ET.4
Pricing	ET.19
Surface Materials	ET.36

### Approval/Compliance:

Etarran's electrical system is UL approved, complies with the National Electrical Code (NEC), and is certified for electrical safety to Canadian Standards Association (CSA) standard C22.1 No. 203. *Note: Any field modification of the electrical components voids the UL listing.*

### Electrical Service:

Etarran's 8-wire electrical system is rated for 20-amp service. To support the usage, 15-amp convenience receptacles can be placed anywhere along the leg of the electrical connection.


# ETARRAN™ PANEL SYSTEM

## Cable Management


**Communication and data cables** can be routed through base wireways.

**Communication wireway covers** for 30"W or wider panels are available. They are pre-punched to accept data access ports. Only one data opening per wireway cover is available. Opening is 1 $\frac{3}{8}$ "H x 2 $\frac{1}{16}$ "W.

**When purchasing ports commercially**, verify that the depth of port and size of cover are applicable for proper fit. Data ports can be purchased through the port manufacturer or their distribution network.




**Cable capacity when routing behind wireway covers and straight through an X connector** is 1.18 square inches per side (15  $\frac{1}{4}$ "-diameter cables at 60% fill; 30 total for both sides). When using jumper cable, capacity is 12  $\frac{1}{4}$ "-diameter cables on the side with jumper.



**Cable capacity when using communication cables** is 1.18 square inches through connectors (15  $\frac{1}{4}$ "-diameter cables at 60% fill). When combining electrical and communication cables, capacity is .99 square inch through L- and T-connectors (12  $\frac{1}{4}$ "-diameter cables at 60% fill).

## Planning

Statement of Line	▶ See page ET.2
Planning	ET.4
Pricing	ET.19
Surface Materials	ET.36



**Power poles that connect to L, T, or X connectors** provide 3 square inches (38  $\frac{1}{4}$ "-diameter cables at 60% fill). When combining ceiling power entry and communication cables, capacity is 2.66 square inches (32  $\frac{1}{4}$ "-diameter cables at 60% fill).

**For maximum capacity**, it is recommended to install the power/data pole in the center of the station so data cables can be routed in multiple directions. If greater capacity is required, a second pole/data pole can be specified.


# ETARRAN™ PANEL SYSTEM

Panels | 30", 42, and 48"H

Pricing

GSA SIN Pending | COM GSA Non-Contract

Statement of Line	▶See page ET.2
Planning	ET.4
Pricing	ET.19
Surface Materials	ET.36



D	W	H	Model	POWERED			NON-POWERED			Shipping	
				Textile Price	Grade	B/COM	Textile Price	Grade	B/COM	lbs.	Cubic Feet
<b>30"H Panels</b>											
2 1/2"	24"	29 <sup>57/64</sup> "	<b>81P2430A</b>	\$580	\$617	\$684	\$464	\$501	\$568	00.00	00.00
	30"		<b>81P3030A</b>	648	694	778	518	564	648	00.00	00.00
	36"		<b>81P3630A</b>	711	766	867	572	627	728	00.00	00.00
	42"		<b>81P4230A</b>	776	836	945	625	685	794	00.00	00.00
	48"		<b>81P4830A</b>	839	908	1034	679	748	874	00.00	00.00
	60"		<b>81P6030A</b>	1004	1087	1238	827	910	1061	00.00	00.00
<b>42"H Panels</b>											
2 1/2"	24"	42 <sup>31/64</sup> "	<b>81P2442A</b>	\$629	\$666	\$733	\$513	\$550	\$617	00.00	00.00
	30"		<b>81P3042A</b>	700	746	830	570	616	700	00.00	00.00
	36"		<b>81P3642A</b>	766	821	922	627	682	783	00.00	00.00
	42"		<b>81P4242A</b>	835	895	1004	684	744	853	00.00	00.00
	48"		<b>81P4842A</b>	901	970	1096	741	810	936	00.00	00.00
	60"		<b>81P6042A</b>	1078	1161	1312	901	984	1135	00.00	00.00
<b>48"H Panels</b>											
2 1/2"	24"	48 <sup>25/32</sup> "	<b>81P2448A</b>	\$656	\$693	\$760	\$540	\$577	\$644	00.00	00.00
	30"		<b>81P3048A</b>	727	773	857	600	646	730	00.00	00.00
	36"		<b>81P3648A</b>	798	853	954	660	715	816	00.00	00.00
	42"		<b>81P4248A</b>	869	929	1038	720	780	889	00.00	00.00
	48"		<b>81P4848A</b>	940	1009	1135	780	849	975	00.00	00.00
	60"		<b>81P6048A</b>	1115	1198	1349	938	1021	1172	00.00	00.00

### Standard Includes

- Panel: vertical textile with a fiber-glass core
- Top cap: metal
- Wireway covers: metal
- Power distribution assembly, if powered panel is selected
- Attachment brackets

### How to Specify

- 1 Model
- 2 Power option:  
P = Powered  
N = Non-powered
- 3 Top cap material:  
P = Paint
- 4 Top cap profile:  
F = Flat
- 5 Paint price group:  
STD = Group 1/Standard  
STDM = Metallic (+10%)  
GAL1 = Gallery (+10%)
- 6 Paint designator
- 7 Wireway cover punch option  
P2 = 2 punched covers
- 8 Vertical textile grade
- 9 Vertical textile number

Specify electrical jumper cables and receptacles separately.

▶See pages ET.32–ET.33.

Communication Wireway Cover

▶See page ET.34 .


# ETARRAN™ PANEL SYSTEM

Panels | 54" and 68"H

Pricing

GSA SIN Pending | COM GSA Non-Contract

Statement of Line	▶See page ET.2
Planning	ET.4
Pricing	ET.19
Surface Materials	ET.36



Dimensions D W H	Model Model	POWERED			NON-POWERED			Shipping		
		Textile Price AA	Grade A	B/COM	Textile Price AA	Grade A	B/COM	lbs.	Cubic Feet	
<b>54"H Panels</b>										
21½" 24" 55⅝"	<b>81P2454A</b>	\$678	\$715	\$782	\$562	\$599	\$666	00.00	00.00	
30"	<b>81P3054A</b>	749	795	879	622	668	752	00.00	00.00	
36"	<b>81P3654A</b>	821	876	977	683	738	839	00.00	00.00	
42"	<b>81P4254A</b>	892	952	1061	743	803	912	00.00	00.00	
48"	<b>81P4854A</b>	963	1032	1158	803	872	998	00.00	00.00	
60"	<b>81P6054A</b>	1152	1235	1386	975	1058	1209	00.00	00.00	
<b>68"H Panels</b>										
21½" 24" 67⅔"	<b>81P2468A</b>	\$723	\$760	\$827	\$607	\$644	\$711	00.00	00.00	
30"	<b>81P3068A</b>	790	836	920	660	706	790	00.00	00.00	
36"	<b>81P3668A</b>	862	917	1018	723	778	879	00.00	00.00	
42"	<b>81P4268A</b>	937	997	1106	786	846	955	00.00	00.00	
48"	<b>81P4868A</b>	1009	1078	1204	849	918	1044	00.00	00.00	
60"	<b>81P6068A</b>	1226	1309	1460	1049	1132	1283	00.00	00.00	

### Standard Includes

- Panel: vertical textile with a fiber-glass core
- Top cap: metal
- Wireway covers: metal
- Power distribution assembly, if powered panel is selected
- Attachment brackets

### How to Specify

- 1 Model
- 2 Power option:  
P = Powered  
N = Non-powered
- 3 Top cap material:  
P = Paint
- 4 Top cap profile:  
F = Flat
- 5 Paint price group:  
STD = Group 1/Standard  
STDM = Metallic (+10%)  
GAL1 = Gallery (+10%)
- 6 Paint designator
- 7 Wireway cover punch option  
P2 = 2 punched covers
- 8 Vertical textile grade
- 9 Vertical textile number

Specify electrical jumper cables and receptacles separately.

▶See pages ET.32–ET.33.

Communication Wireway Cover

▶See page ET.34 .

# ETARRAN™ PANEL SYSTEM

Stackable Panels | Vertical Textile

Pricing

GSA SIN Pending | COM GSA Non-Contract

Statement of Line	▶ See page ET.2
Planning	ET.4
Pricing	ET.19
Surface Materials	ET.36



<i>Dimensions</i>			<i>Model</i>	<i>Vertical Textile Price Grade</i>				<i>Shipping</i>		
<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>AA</i>	<i>A</i>	<i>B/COM</i>	<i>B/COM</i>	<i>lbs.</i>	<i>Cubic Feet</i>	
<b>12"H Stackable Panels</b>										
2 1/2"	24"	13 29/32"	<b>81P2412FS</b>			\$327	\$364	\$431	00.00	00.00
	30"		<b>81P3012FS</b>			354	400	484	00.00	00.00
	36"		<b>81P3612FS</b>			379	434	535	00.00	00.00
	42"		<b>81P4212FS</b>			404	464	573	00.00	00.00
	48"		<b>81P4812FS</b>			430	499	625	00.00	00.00
	60"		<b>81P6012FS</b>			482	565	716	00.00	00.00
<b>18"H Stackable Panels</b>										
2 1/2"	24"	20 7/32"	<b>81P2418FS</b>			\$407	\$444	\$511	00.00	00.00
	30"		<b>81P3018FS</b>			434	480	564	00.00	00.00
	36"		<b>81P3618FS</b>			459	514	615	00.00	00.00
	42"		<b>81P4218FS</b>			484	544	653	00.00	00.00
	48"		<b>81P4818FS</b>			510	579	705	00.00	00.00
	60"		<b>81P6018FS</b>			562	645	796	00.00	00.00

### Standard Includes

- Panel: vertical textile with a fiber-glass core

### How to Specify

- 1 Model
- 2 Paint price group:  
**STD** = Group 1/Standard  
**STD M** = Metallic (+10%)  
**GAL1** = Gallery (+10%)
- 3 Paint designator
- 4 Vertical textile grade
- 5 Vertical textile number

# ETARRAN™ PANEL SYSTEM

Stackable Panels | Glass or Resin

Pricing

GSA SIN Pending

Statement of Line	▶ See page ET.2
Planning	ET.4
Pricing	ET.19
Surface Materials	ET.36



<i>Dimensions</i>			<i>Model</i>	<i>Price</i>	<i>Shipping</i>	
<i>D</i>	<i>W</i>	<i>H</i>			<i>lbs.</i>	<i>Cubic Feet</i>
<b>Stackable Glass Panels</b>						
21½"	24"	13 <sup>29</sup> / <sub>32</sub> "	<b>81P2412GS3P</b>	\$533	00.00	00.00
	30"		<b>81P3012GS3P</b>	570	00.00	00.00
	36"		<b>81P3612GS3P</b>	629	00.00	00.00
	42"		<b>81P4212GS3P</b>	717	00.00	00.00
	48"		<b>81P4812GS3P</b>	768	00.00	00.00
	60"		<b>81P6012GS3P</b>	886	00.00	00.00
21½"	24"	20 <sup>7</sup> / <sub>32</sub> "	<b>81P2418GS3P</b>	693	00.00	00.00
	30"		<b>81P3018GS3P</b>	741	00.00	00.00
	36"		<b>81P3618GS3P</b>	818	00.00	00.00
	42"		<b>81P4218GS3P</b>	932	00.00	00.00
	48"		<b>81P4818GS3P</b>	998	00.00	00.00
	60"		<b>81P6018GS3P</b>	1152	00.00	00.00
<b>Stackable Resin Panels</b>						
21½"	24"	13 <sup>29</sup> / <sub>32</sub> "	<b>81P2412RS9P</b>	\$560	00.00	00.00
	30"		<b>81P3012RS9P</b>	599	00.00	00.00
	36"		<b>81P3612RS9P</b>	660	00.00	00.00
	42"		<b>81P4212RS9P</b>	753	00.00	00.00
	48"		<b>81P4812RS9P</b>	806	00.00	00.00
	60"		<b>81P6012RS9P</b>	930	00.00	00.00
21½"	24"	20 <sup>7</sup> / <sub>32</sub> "	<b>81P2418RS9P</b>	728	00.00	00.00
	30"		<b>81P3018RS9P</b>	778	00.00	00.00
	36"		<b>81P3618RS9P</b>	859	00.00	00.00
	42"		<b>81P4218RS9P</b>	979	00.00	00.00
	48"		<b>81P4818RS9P</b>	1048	00.00	00.00
	60"		<b>81P6018RS9P</b>	1209	00.00	00.00

### Standard Includes

- Panel frame: metal
- Pane: Clear glass or frosted resin

### How to Specify

- ① Model
- ② Paint price group:  
**STD** = Group 1/Standard  
**STD M** = Metallic (+10%)  
**GAL1** = Gallery (+10%)
- ③ Paint designator
- ④ Resin color (if applicable):  
**26** = Glacier

# ETARRAN™ PANEL SYSTEM

Frameless | Glass or Resin

Pricing

GSA SIN Pending

Statement of Line	▶ See page ET.2
Planning	ET.4
Pricing	ET.19
Surface Materials	ET.36



<i>Dimensions</i>			<i>Model</i>	<i>Price</i>	<i>Shipping</i>	
<i>D</i>	<i>W</i>	<i>H</i>			<i>lbs.</i>	<i>Cubic Feet</i>
<b>Frameless Glass</b>						
21½"	24"	13 <sup>25</sup> / <sub>32</sub> "	<b>81P2412FG3</b>	\$370	00.00	00.00
	30"		<b>81P3012FG3</b>	400	00.00	00.00
	36"		<b>81P3612FG3</b>	430	00.00	00.00
	42"		<b>81P4212FG3</b>	460	00.00	00.00
	48"		<b>81P4812FG3</b>	490	00.00	00.00
	60"		<b>81P6012FG3</b>	550	00.00	00.00
21½"	24"	20 <sup>3</sup> / <sub>32</sub> "	<b>81P2418FG3</b>	410	00.00	00.00
	30"		<b>81P3018FG3</b>	450	00.00	00.00
	36"		<b>81P3618FG3</b>	490	00.00	00.00
	42"		<b>81P4218FG3</b>	530	00.00	00.00
	48"		<b>81P4818FG3</b>	560	00.00	00.00
	60"		<b>81P6018FG3</b>	630	00.00	00.00
<b>Frameless Resin</b>						
21½"	24"	13 <sup>25</sup> / <sub>32</sub> "	<b>81P2412FR9</b>	\$400	00.00	00.00
	30"		<b>81P3012FR9</b>	456	00.00	00.00
	36"		<b>81P3612FR9</b>	495	00.00	00.00
	42"		<b>81P4212FR9</b>	525	00.00	00.00
	48"		<b>81P4812FR9</b>	555	00.00	00.00
	60"		<b>81P6012FR9</b>	650	00.00	00.00
21½"	24"	20 <sup>3</sup> / <sub>32</sub> "	<b>81P2418FR9</b>	445	00.00	00.00
	30"		<b>81P3018FR9</b>	504	00.00	00.00
	36"		<b>81P3618FR9</b>	565	00.00	00.00
	42"		<b>81P4218FR9</b>	615	00.00	00.00
	48"		<b>81P4818FR9</b>	660	00.00	00.00
	60"		<b>81P6018FR9</b>	730	00.00	00.00

### Standard Includes


- Pane: clear glass or frosted resin
- Top cap: metal
- Mounting blocks

### How to Specify

- ① Model
- ② Top cap profile:  
**F** = Flat
- ③ Paint price group:  
**STD** = Group 1/Standard  
**STDM** = Metallic (+10%)  
**GAL1** = Gallery (+10%)
- ④ Paint designator
- ⑤ Resin color (if applicable):  
**26** = Glacier

**ETARRAN™** PANEL SYSTEM

## Hinged Doors



<i>Dimensions</i>			<i>Model</i>	<i>Price</i>	<i>Shipping</i>	
<i>D</i>	<i>W</i>	<i>H</i>			<i>lbs.</i>	<i>Cubic Feet</i>
<b>Hinged Left</b>						
21½"	36"	80 <sup>9</sup> / <sub>32</sub> "	<b>81P3680DLP</b>	\$2375	00.00	00.00
	42"		<b>81P4280DLP</b>	2575	00.00	00.00
<b>Hinged Right</b>						
21½"	36"	80 <sup>9</sup> / <sub>32</sub> "	<b>81P3680DRP</b>	\$2375	00.00	00.00
	42"		<b>81P4280DRP</b>	2575	00.00	00.00

Specify the hinge location (right or left) so that the door will swing in the correct direction. With a right hinge, door will swing away from you to the right; with a left hinge, door will swing away from you to the left.

42"W hinged doors are recommended for ADA compliance.

Pricing  
GSA SIN Pending

Statement of Line	▶ See page ET.2
Planning	ET.4
Pricing	ET.19
Surface Materials	ET.36

**Standard Includes**

- Frame: metal
- Door: painted MDF
- Door lever
- Top cap
- Attachment hardware

**How to Specify**

- ① Model
- ② Top cap profile:  
**F** = Flat
- ③ Paint price group:  
**STD** = Group 1/Standard  
**STDM** = Metallic (+10%)  
**GAL1** = Gallery (+10%)
- ④ Paint designator

# ETARRAN™ PANEL SYSTEM

End Trim

Pricing

GSA SIN Pending

Statement of Line	▶ See page ET.2
Planning	ET.4
Pricing	ET.19
Surface Materials	ET.36



<i>Dimensions</i>			<i>Model</i>	<i>Price</i>	<i>Shipping</i>	
<i>D</i>	<i>W</i>	<i>H</i>			<i>lbs.</i>	<i>Cubic Feet</i>
<b>End Trim</b>						
3/8"	2 1/2"	29 7/16"	<b>81P30ETP</b>	\$118	00.00	00.00
		42 1/32"	<b>81P42ETP</b>	121	00.00	00.00
		48 11/32"	<b>81P48ETP</b>	128	00.00	00.00
		54 5/8"	<b>81P54ETP</b>	131	00.00	00.00
		67 7/32"	<b>81P68ETP</b>	134	00.00	00.00
		79 27/32"	<b>81P80ETP</b>	141	00.00	00.00

### Standard Includes

- End trim: metal
- Attachment hardware

### How to Specify

- ① Model
- ② End trim profile:  
**F** = Flat
- ③ Paint price group:  
**STD** = Group 1/Standard  
**STDM** = Metallic (+10%)  
**GAL1** = Gallery (+10%)
- ④ Paint designator

**ETARRAN™** PANEL SYSTEM

## Connectors

Pricing




GSA SIN Pending

Statement of Line ▶ See page ET.2

Planning ET.4

Pricing ET.19

Surface Materials ET.36



<i>Dimensions</i>			<i>Model</i>	<i>Price</i>	<i>Shipping</i>	
<i>D</i>	<i>W</i>	<i>H</i>			<i>lbs.</i>	<i>Cubic Feet</i>
<b>X Connectors (4-Way)</b>						
21½"	21½"	29 <sup>51</sup> / <sub>64</sub> "	<b>81P30CXPP</b>	\$180	00.00	00.00
		42 <sup>31</sup> / <sub>64</sub> "	<b>81P42CXPP</b>	191	00.00	00.00
		48 <sup>25</sup> / <sub>32</sub> "	<b>81P48CXPP</b>	213	00.00	00.00
		55 <sup>2</sup> / <sub>32</sub> "	<b>81P54CXPP</b>	220	00.00	00.00
		67 <sup>43</sup> / <sub>64</sub> "	<b>81P68CXPP</b>	235	00.00	00.00
		80 <sup>9</sup> / <sub>32</sub> "	<b>81P80CXPP</b>	257	00.00	00.00
<b>L Connectors (2-Way)</b>						
21½"	21½"	29 <sup>51</sup> / <sub>64</sub> "	<b>81P30CLPP</b>	\$164	00.00	00.00
		42 <sup>31</sup> / <sub>64</sub> "	<b>81P42CLPP</b>	175	00.00	00.00
		48 <sup>25</sup> / <sub>32</sub> "	<b>81P48CLPP</b>	197	00.00	00.00
		55 <sup>2</sup> / <sub>32</sub> "	<b>81P54CLPP</b>	204	00.00	00.00
		67 <sup>43</sup> / <sub>64</sub> "	<b>81P68CLPP</b>	219	00.00	00.00
		80 <sup>9</sup> / <sub>32</sub> "	<b>81P80CLPP</b>	241	00.00	00.00
<b>T Connectors (3-Way)</b>						
21½"	21½"	29 <sup>51</sup> / <sub>64</sub> "	<b>81P30CTPP</b>	\$177	00.00	00.00
		42 <sup>31</sup> / <sub>64</sub> "	<b>81P42CTPP</b>	188	00.00	00.00
		48 <sup>25</sup> / <sub>32</sub> "	<b>81P48CTPP</b>	210	00.00	00.00
		55 <sup>2</sup> / <sub>32</sub> "	<b>81P54CTPP</b>	217	00.00	00.00
		67 <sup>43</sup> / <sub>64</sub> "	<b>81P68CTPP</b>	232	00.00	00.00
		80 <sup>9</sup> / <sub>32</sub> "	<b>81P80CTPP</b>	254	00.00	00.00
<b>W Connectors (Wall-Mount)</b>						
¾"	21½"	29 <sup>51</sup> / <sub>64</sub> "	<b>81P30WBP</b>	\$117	00.00	00.00
		42 <sup>31</sup> / <sub>64</sub> "	<b>81P42WBP</b>	120	00.00	00.00
		48 <sup>25</sup> / <sub>32</sub> "	<b>81P48WBP</b>	126	00.00	00.00
		55 <sup>2</sup> / <sub>32</sub> "	<b>81P54WBP</b>	132	00.00	00.00
		67 <sup>43</sup> / <sub>64</sub> "	<b>81P68WBP</b>	138	00.00	00.00
		80 <sup>9</sup> / <sub>32</sub> "	<b>81P80WBP</b>	160	00.00	00.00

**Standard Includes**

- Top cap: metal
- Connector: metal
- Attachment hardware

**How to Specify**

- ① Model
- ② Top cap profile:  
**F** = Flat
- ③ Paint price group:  
**STD** = Group 1/Standard  
**STD<sub>M</sub>** = Metallic (+10%)  
**GAL1** = Gallery (+10%)
- ④ Paint designator


# ETARRAN™ PANEL SYSTEM

## Stackable End Trim

Pricing

GSA SIN Pending

Statement of Line	▶ See page ET.2
Planning	ET.4
Pricing	ET.19
Surface Materials	ET.36



<i>Dimensions</i>			<i>Model</i>	<i>Price</i>	<i>Shipping</i>	
<i>D</i>	<i>W</i>	<i>H</i>			<i>lbs.</i>	<i>Cubic Feet</i>
<b>Stackable End Trim</b>						
3/8"	2 1/2"	12 9/16"	<b>81P12ETCSP</b>	\$89	00.00	00.00
		18 7/8"	<b>81P18ETCSP</b>	101	00.00	00.00
		25 3/16"	<b>81P24ETCSP</b>	118	00.00	00.00

### Standard Includes

- End trim: metal
- Attachment hardware

### How to Specify

- 1 Model
- 2 End trim profile:  
**F** = Flat
- 3 Paint price group:  
**STD** = Group 1/Standard  
**STD M** = Metallic (+10%)  
**GAL1** = Gallery (+10%)
- 4 Paint designator

# ETARRAN™ PANEL SYSTEM

## Stackable Connectors

Pricing

GSA SIN Pending

Statement of Line	▶ See page ET.2
Planning	ET.4
Pricing	ET.19
Surface Materials	ET.36



<i>Dimensions</i>			<i>Model</i>	<i>Price</i>	<i>Shipping</i>	
<i>D</i>	<i>W</i>	<i>H</i>			<i>lbs.</i>	<i>Cubic Feet</i>
<b>Stackable X Connectors (4-Way)</b>						
2½"	2½"	12"	<b>81P12CXSP</b>	\$151	00.00	00.00
		18"	<b>81P18CXSP</b>	166	00.00	00.00
		24"	<b>81P24CXSP</b>	181	00.00	00.00



<b>Stackable L Connectors (2-Way)</b>						
2½"	2½"	12"	<b>81P12CLSP</b>	\$134	00.00	00.00
		18"	<b>81P18CLSP</b>	149	00.00	00.00
		24"	<b>81P24CLSP</b>	164	00.00	00.00



<b>Stackable T Connectors (3-Way)</b>						
2½"	2½"	12"	<b>81P12CTSP</b>	\$147	00.00	00.00
		18"	<b>81P18CTSP</b>	162	00.00	00.00
		24"	<b>81P24CTSP</b>	177	00.00	00.00

### Standard Includes

- Connector: metal
- Attachment hardware

### How to Specify

- ① Model
- ② Paint price group:
  - STD** = Group 1/Standard
  - STDM** = Metallic (+10%)
  - GAL1** = Gallery (+10%)
- ③ Paint designator



# ETARRAN™ PANEL SYSTEM

Hi-Lo Trim

Pricing

GSA SIN Pending

Statement of Line	▶ See page ET.2
Planning	ET.4
Pricing	ET.19
Surface Materials	ET.36



<i>Dimensions</i>			<i>Model</i>	<i>Price</i>	<i>Shipping</i>	
<i>D</i>	<i>W</i>	<i>H</i>			<i>lbs.</i>	<i>Cubic Feet</i>
<b>Panel-to-Panel</b>						
3/8"	2 1/2"	6 5/16"	<b>81P06HSCP</b>	\$70	00.00	00.00
		12 9/16"	<b>81P12HSCP</b>	77	00.00	00.00
		18 7/8"	<b>81P18HSCP</b>	86	00.00	00.00
		25 3/16"	<b>81P24HSCP</b>	94	00.00	00.00
<b>Connector-to-Panel</b>						
3/8"	2 1/2"	6 5/16"	<b>81P06HTCP</b>	\$70	00.00	00.00
		12 9/16"	<b>81P12HTCP</b>	77	00.00	00.00
		18 7/8"	<b>81P18HTCP</b>	86	00.00	00.00
		25 3/16"	<b>81P24HTCP</b>	94	00.00	00.00

### Standard Includes

- Trim: metal
- Attachment hardware

### How to Specify

- 1 Model
- 2 Paint price group:
  - STD** = Group 1/Standard
  - STDM** = Metallic (+10%)
  - GAL1** = Gallery (+10%)
- 3 Paint designator


# ETARRAN™ PANEL SYSTEM

Xsede Height-Adjust Bracket

Pricing

GSA SIN Pending

Statement of Line	▶ See page ET.2
Planning	ET.4
Pricing	ET.19
Surface Materials	ET.36



<i>Dimensions</i>			<i>Model</i>	<i>Price</i>	<i>Shipping</i>	
<i>D</i>	<i>W</i>	<i>H</i>			<i>lbs.</i>	<i>Cubic Feet</i>
<b>Right-Hand</b>						
24"			<b>81W24HABPBRXP</b>	\$175	00.00	00.00
30"			<b>81W30HABPBRXP</b>	185	00.00	00.00
<b>Left-Hand</b>						
24"			<b>81W24HABPBLXP</b>	\$175	00.00	00.00
30"			<b>81W30HABPBLXP</b>	185	00.00	00.00

### Standard Includes

- Bracket

### Tips

IMPORTANT: Height-adjust bracket is for use with Xsede T-leg base only.

### How to Specify

- ① Model
- ② Paint price group:  
**STD** = Group 1/Standard  
**STD M** = Metallic (+10%)  
**GAL1** = Gallery (+10%)
- ③ Paint designator


# ETARRAN™ PANEL SYSTEM

## Accessory Rails

Pricing

GSA SIN Pending

Statement of Line	▶ See page ET.2
Planning	ET.4
Pricing	ET.19
Surface Materials	ET.36



Dimensions W	Model	Price	Shipping	
			lbs.	Cubic Feet
<b>Accessory Rails</b>				
24"	<b>81P24ARP</b>	\$80	00.00	00.00
30"	<b>81P30ARP</b>	85	00.00	00.00
36"	<b>81P36ARP</b>	90	00.00	00.00
42"	<b>81P42ARP</b>	100	00.00	00.00
48"	<b>81P48ARP</b>	110	00.00	00.00
60"	<b>81P60ARP</b>	130	00.00	00.00

### Standard Includes

- Accessory rail

### Tips

**Plastic and metal work tools** are available for use with Etarran accessory rail.

▶ See the Perks Work Tools chapter in the *Kimball Accessory Solutions Price List*.

### How to Specify

- ① Model
- ② Paint price group:  
**STD** = Group 1/Standard  
**STDM** = Metallic (+10%)  
**GAL1** = Gallery (+10%)
- ③ Paint designator



# ETARRAN™ PANEL SYSTEM

8-Wire Electrical Components | Power Distribution Assemblies & Jumper Cables

Pricing

GSA SIN Pending

Statement of Line	▶ See page ET.2
Planning	ET.4
Pricing	ET.19
Surface Materials	ET.36



<i>Application</i>	<i>Model</i>	<i>Price</i>	<i>Shipping</i>	
			<i>lbs.</i>	<i>Cubic Feet</i>
<b>Power Distribution Assemblies</b>				
24"W panel	<b>81P24EDB8</b>	\$116	00.00	00.00
30"W panel	<b>81P30EDB8</b>	130	00.00	00.00
36"W panel	<b>81P36EDB8</b>	139	00.00	00.00
42"W panel	<b>81P42EDB8</b>	151	00.00	00.00
48"W panel	<b>81P48EDB8</b>	160	00.00	00.00
60"W panel	<b>81P60EDB8</b>	177	00.00	00.00
<b>Jumper Cables</b>				
Panel-to-Panel	<b>81PEJ18</b>	\$85	00.00	00.00
90° Corner	<b>81PEJ28</b>	\$90	00.00	00.00
Straight-Thru Connector	<b>81PEJ58</b>	\$90	00.00	00.00

### Standard Includes

- Power distribution assembly or jumper cable

### How to Specify

- ① Model

Power distribution assemblies accommodate up to 4 receptacles.

# ETARRAN™ PANEL SYSTEM

8-Wire Electrical Components | Duplex Receptacles

Pricing

GSA SIN Pending

Statement of Line	▶ See page ET.2
Planning	ET.4
Pricing	ET.19
Surface Materials	ET.36



<i>Application</i>	<i>Model</i>	<i>Price</i>	<i>Shipping</i>	
			<i>lbs.</i>	<i>Cubic Feet</i>
<b>For 3 and 1 Circuit Configuration</b>				
Circuit 1	<b>81PER18S15</b>	\$40	00.00	00.00
Circuit 2	<b>81PER28S15</b>	40	00.00	00.00
Circuit 3	<b>81PER38S15</b>	40	00.00	00.00
Circuit 4 (dedicated)	<b>81PER4D8S15</b>	40	00.00	00.00
<b>For 2 and 2 Circuit Configuration</b>				
Circuit 1	<b>81PER18S15</b>	\$40	00.00	00.00
Circuit 2	<b>81PER28S15</b>	40	00.00	00.00
Circuit 3 (dedicated)	<b>81PER3D8S15</b>	40	00.00	00.00
Circuit 4 (dedicated)	<b>81PER4D8S15</b>	40	00.00	00.00

### Standard Includes

- Receptacle with Share Neutral

### How to Specify

- ① Model
- ② Color designator:  
**439** = Nebulous White  
**462** = Cinder

# ETARRAN™ PANEL SYSTEM


8-Wire Electrical Components | Power Entries & Hardwire Components

Pricing

GSA SIN Pending

Statement of Line	▶ See page ET.2
Planning	ET.4
Pricing	ET.19
Surface Materials	ET.36

Description	Model	Price	Shipping	
			lbs.	Cubic Feet
<b>Base Power Entry</b>				
4' length	81PEF1U8	\$250	00.00	00.00
<b>Ceiling Power Entry</b>				
	81PEPEC8	\$395	00.00	00.00
<b>Power/Data Pole</b>				
	81PCPDPP	\$325	00.00	00.00
<b>New York City Floor/Wall Power Entry</b>				
	81PEPEBNYC8	\$375	00.00	00.00
<b>Hardwire Box with Covers</b>				
	81PEHBB	\$161	00.00	00.00



Floor power entry conduit is 3/4" trade size x 66"L, actual outside diameter is 1 1/16".

Floor or ceiling power entry eliminates one receptacle location.

Access to ceiling power source is regulated by National Code to 12 ft. maximum conduit.

## How to Specify

### Power Entry

- ① Model

### Power/Data Pole

- ① Model
- ② Paint price group:
  - STD** = Group 1/Standard
  - STDM** = Metallic (+10%)
  - GAL1** = Gallery (+10%)
- ③ Paint designator

### Hardwire Box

- ① Model
- ② Cover plate paint designator:
  - 405** = Designer white
  - 462** = Cinder


# ETARRAN™ PANEL SYSTEM

8-Wire Electrical Components | Power/Data Covers

Pricing

GSA SIN Pending

Statement of Line	▶ See page ET.2
Planning	ET.4
Pricing	ET.19
Surface Materials	ET.36



<i>Dimensions</i>			<i>Model</i>	<i>Price</i>	<i>Shipping</i>	
<i>D</i>	<i>W</i>	<i>H</i>			<i>lbs.</i>	<i>Cubic Feet</i>
<b>Power/Data Covers</b>						
30"			<b>81P30WCPDP</b>	\$36	00.00	00.00
36"			<b>81P36WCPDP</b>	41	00.00	00.00
42"			<b>81P42WCPDP</b>	46	00.00	00.00
48"			<b>81P48WCPDP</b>	51	00.00	00.00
60"			<b>81P60WCPDP</b>	58	00.00	00.00

## How to Specify

- ① Model
- ② Paint price group:  
**STD** = Group 1/Standard  
**STDM** = Metallic (+10%)  
**GAL1** = Gallery (+10%)
- ③ Paint designator

# ETARRAN™ PANEL SYSTEM

## Paint

### Surface Materials

Statement of Line	▶ See page ET.2
Planning	ET.4
Pricing	ET.19
Surface Materials	ET.36

*Applies to:*

- All painted surfaces

**Standard (STD)**

437	Cement
462	Cinder
440	Cloud
423	Concrete
457	Dapple
405	Designer White
450	Fog
109	Fossil
488	Frosty White
461	Graphite
463	Iron
400	Linen
454	Morrel
443	Pavestone
455	Quarry
420	Sandstone
425	Shadow
460	Storm
419	Wallaby

**Metallic (STDM)**

*10% upcharge*

514	Carbon Metallic
547	Dark Bronze Metallic
501	Platinum Metallic
503	Satin Nickel Metallic
544	Silver Pearl
504	Taupe Metallic

**Gallery (GAL1)**

*10% upcharge*

G2004	Blush
G2006	Brick Red
G2003	Chive
G2002	Dark Blue
G2008	Eucalyptus
G2012	Ginkgo
G2007	Lavender Ash
G2001	Moon Beam
G2010	Naval
G2013	Olive Branch
G2011	Rustic Sun
G2005	Sangria
G2009	Tidewater

▶ For a complete overview of the surface materials program, see the *Surface Materials Reference Guide* at [www.kimballinternational.com](http://www.kimballinternational.com)

▶ For special wood finishes, customer-specified paint, and customer-specified laminate processes and upcharges, see the *Surface Materials Reference Guide* at [www.kimballinternational.com](http://www.kimballinternational.com)

# ETARRAN™ PANEL SYSTEM

Textiles

Surface Materials

Statement of Line	▶ See page ET.2
Planning	ET.4
Pricing	ET.19
Surface Materials	ET.36

---

*Applies to:*

- Panels
- Connectors

**Kimball International**

**Vertical Textiles**

Price Grades AA–B

▶ See the *Surface Materials Reference Guide* at [www.kimballinternational.com](http://www.kimballinternational.com) for a complete overview of the surface materials program and for the most up-to-date list of available textiles.

# ETARRAN™ PANEL SYSTEM

## COM Yardage Requirements

## Surface Materials

GSA Non-Contract

Statement of Line	▶ See page ET.2
Planning	ET.4
Pricing	ET.19
Surface Materials	ET.36

**Kimball has analyzed each model** to most accurately reflect the yardage requirements.

The yardage requirement for each model is listed for 66"W directional, 66"W non-directional, and 54"W directional, where applicable.

Model	66"W	54"W	66"W	Model	66"W	54"W	66"W
	Directional	Directional	Non-Dir.		Directional	Directional	Non-Dir.
81P2412FS	1.6	1.6	1.6	81P4212FS	2.6	2.6	2.6
81P2418FS	1.6	1.6	1.6	81P4218FS	2.6	2.6	2.6
81P2430ANP	1.6	1.6	1.6	81P4230ANP	2.6	2.6	2.6
81P2430APP	1.6	1.6	1.6	81P4230APP	2.6	2.6	2.6
81P2442ANP	1.6	1.6	1.6	81P4242ANP	2.6	2.6	2.6
81P2442APP	1.6	1.6	1.6	81P4242APP	2.6	2.6	2.6
81P2448ANP	1.6	1.6	1.6	81P4248ANP	2.6	2.6	2.6
81P2448APP	1.6	1.6	1.6	81P4248APP	2.6	2.6	2.6
81P2454ANP	1.6	1.6	1.6	81P4254ANP	2.6	2.6	2.6
81P2454APP	1.6	1.6	1.6	81P4254APP	2.6	2.6	2.6
81P2468ANP	1.6	N/A	1.6	81P4268ANP	2.6	N/A	2.6
81P2468APP	1.6	N/A	1.6	81P4268APP	2.6	N/A	2.6
81P3012FS	2.0	2.0	2.0	81P4812FS	3.0	3.0	3.0
81P3018FS	2.0	2.0	2.0	81P4818FS	3.0	3.0	3.0
81P3030ANP	2.0	2.0	2.0	81P4830ANP	3.0	3.0	3.0
81P3030APP	2.0	2.0	2.0	81P4830APP	3.0	3.0	3.0
81P3042ANP	2.0	2.0	2.0	81P4842ANP	3.0	3.0	3.0
81P3042APP	2.0	2.0	2.0	81P4842APP	3.0	3.0	3.0
81P3048ANP	2.0	2.0	2.0	81P4848ANP	3.0	3.0	3.0
81P3048APP	2.0	2.0	2.0	81P4848APP	3.0	3.0	3.0
81P3054ANP	2.0	2.0	2.0	81P4854ANP	3.0	3.0	3.0
81P3054APP	2.0	2.0	2.0	81P4854APP	3.0	3.0	3.0
81P3068ANP	2.0	N/A	2.0	81P4868ANP	3.0	N/A	3.0
81P3068APP	2.0	N/A	2.0	81P4868APP	3.0	N/A	3.0
81P3612FS	2.4	2.4	2.4	81P6012FS	3.6	3.6	3.6
81P3618FS	2.4	2.4	2.4	81P6018FS	3.6	3.6	3.6
81P3630ANP	2.4	2.4	2.4	81P6030ANP	3.6	3.6	3.6
81P3630APP	2.4	2.4	2.4	81P6030APP	3.6	3.6	3.6
81P3642ANP	2.4	2.4	2.4	81P6042ANP	3.6	3.6	3.6
81P3642APP	2.4	2.4	2.4	81P6042APP	3.6	3.6	3.6
81P3648ANP	2.4	2.4	2.4	81P6048ANP	3.6	3.6	3.6
81P3648APP	2.4	2.4	2.4	81P6048APP	3.6	3.6	3.6
81P3654ANP	2.4	2.4	2.4	81P6054ANP	3.6	3.6	3.6
81P3654APP	2.4	2.4	2.4	81P6054APP	3.6	3.6	3.6
81P3668ANP	2.4	N/A	2.4	81P6068ANP	3.6	N/A	3.6
81P3668APP	2.4	N/A	2.4	81P6068APP	3.6	N/A	3.6

### How to Use this Table

- ① Locate the model number
- ② Select yardage from the appropriate column.

If you specify different panel fabrics for opposite sides of a panel, additional yardage may be required.

▶ Contact Customer Care.

If COM fabric is to be "railroaded," contact Customer Care for yardage requirements.

▶ See the *Kimball Surface Materials Reference Guide* at [kimbal.com](http://kimbal.com) for COM policy and additional information.