

**T5 DUAL COMMAND  
US PRICE LIST**

## Standard Equipment

**KEY SELLING POINTS:**

- CommandArc™ ergonomically places most frequently used controls to operator's right
- High visibility panel provides a better view of loader when at full height
- Ten repositionable vents for heating and air conditioning
- Full-size instructor seat
- Electro Hydraulic shuttle lever
- 24x24 Dual Command™ transmission
- Power clutch to allow for gear changes without the use of the foot clutch
- 3.4L, 4-cylinder, 16 valve F5G engines with common rail fuel injection system
- Tier 4B EPA emissions compliant with Selective Catalytic Reduction (SCR) & Cooled Exhaust Gas Recirculation (CEGR)
- Factory Installed Loader available

**T5.90 DC**

86 Gross Engine hp  
73 PTO hp @ 2300 rpm  
4 Cyl Turbocharged Engine  
207 cu in (3.4 L) Displacement

**T5.100 DC**

99 Gross Engine hp  
85 PTO hp @ 2300 rpm  
4 Cyl Turbocharged Engine  
207 cu in (3.4 L) Displacement

**T5.110 DC**

107 Gross Engine hp  
93 PTO hp @ 2300 rpm  
4 Cyl Turbocharged Engine  
207 cu in (3.4 L) Displacement

**T5.120 DC**

117 Gross Engine hp  
100 PTO hp @ 2300 rpm  
4 Cyl Turbocharged Engine  
207 cu in (3.4 L) Displacement

**ALL MODELS:**

Tier 4B Emissions Compliant:  
(SCR + CEGR)

Electronic Injection Bosch  
High-pressure Common Rail System  
Electric Engine Shutoff  
Constant Engine RPM  
Hand and Foot Throttle Controls  
Grid Heater Starting Aid  
Dual Element Air Filter  
Vertical Exhaust  
30.3 gal Fuel Tank with Guard  
2.8 gal AdBLUE DEF Tank  
Front Axle Support with access for Front Pump  
Parking brake

**TRANSMISSION:**

LH side steering column mounted  
Power Shuttle  
24 Forward X 24 Reverse Speeds  
(4) Synchronized Gears with a HiLo in each Gear  
Power clutch button on Gear lever to allow for gear changes without the use of the foot clutch  
(3) Non-synchronized Ranges  
Forward Reverse Synchronized Shuttle  
25 mph (40 kph)  
Speed varies with tire selection

**STEERING/BRAKES:**

Hydrostatic Power Steering  
Brakes-  
Wet disk brakes  
Hydraulically assisted

**AXLES:**

FRONT  
Heavy Duty 4WD  
Electrohydraulic FWD Engagement  
Adjustable Tread Width

**T5 DUAL COMMAND  
US PRICE LIST**

## Standard Equipment

### REAR

Heavy Duty Flange Type  
Adjustable Tread Width

### HYDRAULIC SYSTEM:

Open Center System  
Dual Gear Pumps with Cooler  
Implement Pump: 16.9 gpm (63.8 L)  
Steering Pump: 9.7 gpm (37.0 L)  
Total Flow: 26.6 gpm (100.8 L)  
(2) Open Center Remote Valves with  
detent

REAR DIFFERENTIAL LOCK:  
Electronically Engaged

### PTO:

Fully Independent  
Hydraulic Engagement  
Flip-up PTO Shaft Guard  
540/1000 rpm  
Wet Clutch

### 3-POINT LIFT SYSTEM:

Right hand console mounted control  
Cab - Electronic Draft Control with  
Fender mounted controls  
ROPS - Mechanical Draft Control with  
Lift-O-Matic Plus  
5,620 Pounds Lift Capacity  
Category II Ends  
Telescopic Stabilizers  
Flexible Lower Link Ends

### ELECTRICAL:

(1) 800 cca Heavy-Duty Battery  
120 amp Alternator  
7-pin Outlet for trailer/implement lighting  
and signals  
3-pin Power Outlet (30 amp)  
Single Pin (8 amp) Accessory Power  
outlet  
CAB - 2 - 12V power sockets  
ROPS - 1 - 12V power socket

### LIGHTING:

#### CAB

Front: (2) Halogen Headlights and  
(2) cab mounted worklights  
Rear: (2) cab mounted worklights  
Turn Signals/Flashers/Rear Lights

#### ROPS

Front: (2) Halogen Headlights  
Rear: (1) Worklight  
Turn Signals/Flashers/Rear Lights

### INSTRUMENTATION:

Analog Instrumentation with warning  
lights for air cleaner service,  
alternator, oil pressure, fuel  
sediment/water sensor, PTO  
engagement, head light high beam,  
low fuel and parking brake,  
advanced instrument cluster,  
digital speed readout, gauges  
for fuel level, engine temperature,  
tachometer and hour meter

### OPERATOR PROTECTIVE STRUCTURE:

#### CAB MODELS

ROPS protected, flat deck platform  
with heat and air conditioning, tinted  
windshield, retractable sun screen,  
front and rear wiper / washer,  
instructor seat, two doors with locks,  
one internal & two external mirrors,  
openable side windows, hinged rear  
window (opens completely)  
Steering Wheel - tilt & telescope  
Seat - Cloth covered air suspension  
seat with 10 degrees swivel,  
operator's presence sensor,  
retractable seat belt and arm rests  
Suspended pedals  
Radio, speakers, and antenna



**T5 DUAL COMMAND  
US PRICE LIST**

## Standard Equipment

### ROPS MODELS

2-Post Foldable ROPS with ISO-  
mounted flat deck platform  
Steering Wheel - adjustable tilt  
Seat - Vinyl covered with mechanical  
suspension, operator's presence  
sensor, retractable seat belts and  
arm rests  
Suspended pedals  
Locking brake pedals

### MISCELLANEOUS:

Pivoting Engine Hood  
SMV Emblem  
Toolbox

### WARRANTY:

New Holland Standard Warranty Applies

### LOADER:

#### 665TL/720LU NON SELF-LEVELING

Maximum Lift Height @ pivot pin: 134"  
Dump Clearance: 101.4"  
Digging Depth: 7"  
Lift Capacity  
Max Height @ 800mm: 2,632 LBS  
59" high @ 800mm: 3,638 LBS  
Breakout Force @ 800mm: 4,455 LBS  
Reach @ Max Lift Height: 43"  
Reach @ Ground Level: 91"  
Bucket Rollback Angle: 44 degrees  
Bucket Dump Angle: 60 degrees  
Skid Steer or Euro style Loader  
bucket attach

#### 665TL/725LU SELF-LEVELING

Maximum Lift Height @ pivot pin: 135"  
Dump Clearance: 102.2"  
Digging Depth: 6.4"  
Lift Capacity  
Max Height @ 800mm: 3,428 LBS  
59" high @ 800mm: 5,549 LBS  
Breakout Force @ 800mm: 5,661 LBS  
Reach @ Max Lift Height: 43"  
Reach @ Ground Level: 93  
Bucket Rollback Angle: 40 degrees  
Bucket Dump Angle: 60 degrees  
Skid Steer or Euro style Loader  
bucket attach

**T5 DUAL COMMAND  
US PRICE LIST**
**Models**

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
T5.90 DC	Cab	8,157 LB		\$84,493.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,162.00			
18.4R34 R1W (8365404)	\$3,833.00			
T5.90 DC	Rops	8,157 LB		\$71,757.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,162.00			
18.4R34 R1W (8365404)	\$3,833.00			
T5.100 DC	Cab	8,157 LB		\$86,953.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,162.00			
18.4R34 R1W (8365404)	\$3,833.00			
T5.100 DC	Rops	8,157 LB		\$74,217.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,162.00			
18.4R34 R1W (8365404)	\$3,833.00			
T5.110 DC	Cab	8,157 LB		\$89,652.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,162.00			
18.4R34 R1W (8365404)	\$3,833.00			
T5.110 DC	Rops	8,157 LB		\$76,916.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,162.00			
18.4R34 R1W (8365404)	\$3,833.00			
T5.120 DC	Cab	10,031 LB		\$92,083.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,162.00			
18.4R34 R1W (8365404)	\$3,833.00			
T5.120 DC	Rops	8,157 LB		\$79,347.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,162.00			
18.4R34 R1W (8365404)	\$3,833.00			



**T5 DUAL COMMAND  
US PRICE LIST**

## Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**SD\_VE VERSION**

	CAB	Cab			\$12,736.00
	ROPS	Rops			No Charge

### OPERATOR PLATFORM

**SD\_T9200 OPERATOR STRUCTURE #1**

**ROPS**

	392315	Platform w/Foldable ROPS <b>Includes tilt column</b>			No Charge
	334190	Deluxe Platform w/FOPS <b>Includes tilt column, FOPS canopy, noise reduction kit and 12V power outlet</b>			\$1,661.00

**Cab**

	744588	Deluxe Cab <b>Includes instructor seat, rear wiper and washer, radio &amp; internal mirror</b>			No Charge
	334183	Deluxe Cab w/HiVis Panel <b>Includes high visibility panel, instructor seat, rear wiper and washer, radio &amp; internal mirror</b>			\$557.00

### POWER TRAIN

**TRANSMISSION**

**SD\_T2820 PARK LOCK**

	743551	Parking Lock			\$53.00
	759176	Hand Brake <b>Hand operated parking brake lever Standard Equipment</b>			No Charge

### TIRES

**FRONT**

**SD\_T4940 FRONT WHEELS AND TIRES**

**Ag Front Tires**

	8232404	11.2R24 R1W			\$1,203.00
	8235404	12.4R24 R1W			\$1,436.00



**T5 DUAL COMMAND  
US PRICE LIST**

		8236404	13.6R24 R1W			\$1,757.00
		8239404	14.9R24 R1W			\$2,162.00
Specialty Front Tires						
		8290904	12.5/80-18 10PR R4			\$1,717.00
		8873402	360/80R20 TRI 2 HD <b>Municipal tread</b>			\$1,956.00
		8247404	11.2R28 R1W			\$1,484.00

REAR

SD\_T4950 REAR WHEELS AND TIRES

Ag Rear Tires						
		8355404	16.9R30 R1W <b>4WD Front Tire - 11.2R24 (8232404)</b>			\$2,609.00
		8357404	18.4R30 R1W <b>4WD Front Tire - 12.4R24 (8235404)</b>			\$3,480.00
		8302804	16.9R34 R1W <b>Front Tire - 13.6R24 (8236404)</b>			\$2,505.00
		8365404	18.4R34 R1W <b>4WD Front Tire - 14.9R24 (8239404)</b>			\$3,833.00
Specialty Rear Tires						
		8391904	19.5L-24 10 PR R4 <b>4WD Front Tire - 12.5/80-18 (8290904)</b>			\$2,658.00
		8906401	440/80 R30 <b>Municipal tread 4WD Front Tire - 360/80R20 (8873402)</b>			\$3,644.00
		8372404	13.6R38 R1W 8372404 <b>4WD Front Tire - 11.2R28 (8247404)</b>			\$2,338.00

**HYDRAULICS**

MID-MOUNT

SD\_T8280 MID-MOUNT VALVES

		338125	2Mid-Mount w/Mec Joystick <b>2 function mid-mount valve and joystick</b>			\$1,484.00
		336780	2Mid-Mount w/Mec Joystick +Div <b>2 function mid-mount valve and joystick with 3rd function diverter Requires a Loader Bucket with Grapple NOT AVAILABLE as Factory Installed</b>			\$2,227.00

**T5 DUAL COMMAND  
US PRICE LIST****LOADER**

## LOADER

## SD\_T8110 LOADER BRACKETS

		336740	HD Non Self Leveling Ldr +SSQA <b>665TL Non Self Leveling with Skid Steer Style Attachment</b>			\$7,025.00
		336742	HD Non Self Leveling Ldr +Euro <b>665TL Non Self Leveling with Euro Style Attachment</b>			\$7,025.00
		336744	HD Self Leveling Ldr +SSQA <b>665TL Mechanical Self Leveling with Skid Steer Style Attachment</b>			\$8,138.00
		336746	HD Self Leveling Ldr +Euro <b>665TL Mechanical Self Leveling with Euro Style Attachment</b>			\$8,138.00

## SD\_T8140 BUCKET

		336750	84" Bucket			\$942.00
--	--	--------	------------	--	--	----------

**HITCH**

## REAR 3 POINT HITCH

## SD\_T8130 3 POINT HITCH CONTROL

		332035	Mech 3 Pt Hitch Ground Control			\$261.00
--	--	--------	--------------------------------	--	--	----------

## SD\_T8200 HITCH

		758931	MDC HPL+LOM+2AUX <b>2 auxiliary lift rams for ROPS 8,000 lbs lift capacity</b>			\$1,071.00
		758932	EDC HPL + 2 AUX <b>2 auxiliary lift rams for Cab 8,000 lbs lift capacity</b>			\$1,071.00

**CAB OR ROPS PLATFORM**

## OTHER

## SD\_T6730 PIN CONNECTOR

		334994	STD+30+HRN+ACS+MON <b>Monitor mounting bracket, 30Ah socket &amp; 2-12V power outlets Cab ONLY</b>			\$78.00
--	--	--------	---	--	--	---------

**T5 DUAL COMMAND  
US PRICE LIST****WEIGHTS****FRONT****SD\_T2150 FRONT BALLAST**

		333215	Front Carrier +6 88 lb Weights <b>Total weight - 661 lbs (300 kg)</b>			\$819.00
		335215	8 WEIGHTS 40 KG - CA <b>Total weight - 837 lbs (380 kg)</b>			\$1,036.00

**REAR****SD\_T4961 REAR BALLAST**

		330470	4 x 110 lb Rear Wheel Weights <b>Total weight - 440 lbs (200 kg)</b> <b>NOT compatible with 24" rear tires option</b>			\$639.00
--	--	--------	---	--	--	----------

**MISCELLANEOUS****FENDERS FRONT****SD\_T8700 FENDERS**

		744599	Rear Fenders w/Extensions			\$166.00
--	--	--------	---------------------------	--	--	----------

**FENDERS REAR****SD\_T8740 FRONT FENDERS**

		744674	Dynamic Fenders			\$716.00
--	--	--------	-----------------	--	--	----------

**OPERATOR'S MANUALS****SD\_T9840 COUNTRY CONFIGURATION**

		334256	Canada (FR) Config ROPS <b>French operator manual</b>			No Charge
		334257	USA Spanish Configuration <b>Spanish operator manual</b>			No Charge



**T5 DUAL COMMAND - DELUXE CAB FAST PICK  
US PRICE LIST**

## Standard Equipment

### KEY SELLING POINTS:

- CommandArc™ ergonomically places most frequently used controls to operator's right
- High visibility panel provides a better view of loader when at full height
- Ten repositionable vents for heating and air conditioning
- Full-size instructor seat
- Electro Hydraulic shuttle lever
- 24x24 Dual Command™ transmission
- Power clutch to allow for gear changes without the use of the foot clutch
- 3.4L, 4-cylinder, 16 valve F5G engines with common rail fuel injection system
- Tier 4B EPA emissions compliant with Selective Catalytic Reduction (SCR) & Cooled Exhaust Gas Recirculation (CEGR)
- Factory Installed Loader available

#### T5.90 DC

86 Gross Engine hp  
73 PTO hp @ 2300 rpm  
4 Cyl Turbocharged Engine  
207 cu in (3.4 L) Displacement

#### T5.100 DC

99 Gross Engine hp  
85 PTO hp @ 2300 rpm  
4 Cyl Turbocharged Engine  
207 cu in (3.4 L) Displacement

#### T5.110 DC

107 Gross Engine hp  
93 PTO hp @ 2300 rpm  
4 Cyl Turbocharged Engine  
207 cu in (3.4 L) Displacement

#### T5.120 DC

117 Gross Engine hp  
100 PTO hp @ 2300 rpm  
4 Cyl Turbocharged Engine  
207 cu in (3.4 L) Displacement

### ALL MODELS:

Tier 4B Emissions Compliant:  
(SCR + CEGR)

Electronic Injection Bosch  
High-pressure Common Rail System  
Electric Engine Shutoff  
Constant Engine RPM  
Hand and Foot Throttle Controls  
Grid Heater Starting Aid  
Dual Element Air Filter  
Vertical Exhaust  
30.3 gal Fuel Tank with Guard  
2.8 gal AdBLUE DEF Tank  
Front Axle Support with access for Front Pump  
Parking brake

### TRANSMISSION:

LH side steering column mounted  
Power Shuttle  
24 Forward X 24 Reverse Speeds  
(4) Synchronized Gears with a HiLo in each Gear  
Power clutch button on Gear lever to allow for gear changes without the use of the foot clutch  
(3) Non-synchronized Ranges  
Forward Reverse Synchronized Shuttle  
25 mph (40 kph)  
Speed varies with tire selection

### STEERING/BRAKES:

Hydrostatic Power Steering  
Brakes-  
Wet disk brakes  
Hydraulically assisted

### AXLES:

FRONT  
Heavy Duty 4WD  
Electrohydraulic FWD Engagement  
Adjustable Tread Width



**T5 DUAL COMMAND - DELUXE CAB FAST PICK  
US PRICE LIST**

**Standard Equipment**

**REAR**

Heavy Duty Flange Type  
Adjustable Tread Width

**HYDRAULIC SYSTEM:**

Open Center System  
Dual Gear Pumps with Cooler  
Implement Pump: 16.9 gpm (63.8 L)  
Steering Pump: 9.7 gpm (37.0 L)  
Total Flow: 26.6 gpm (100.8 L)  
(2) Open Center Remote Valves with  
detent

**REAR DIFFERENTIAL LOCK:**  
Electronically Engaged

**PTO:**

Fully Independent  
Hydraulic Engagement  
Flip-up PTO Shaft Guard  
540/1000 rpm  
Wet Clutch

**3-POINT LIFT SYSTEM:**

Right hand console mounted control  
Cab - Electronic Draft Control with  
Fender mounted controls  
5,620 Pounds Lift Capacity  
Category II Ends  
Telescopic Stabilizers  
Flexible Lower Link Ends

**ELECTRICAL:**

(1) 800 cca Heavy-Duty Battery  
120 amp Alternator  
7-pin Outlet for trailer/implement lighting  
and signals  
3-pin Power Outlet (30 amp)  
Single Pin (8 amp) Accessory Power  
outlet  
CAB - 2 - 12V power sockets  
ROPS - 1 - 12V power socket

**LIGHTING:**

**CAB**

Front: (2) Halogen Headlights and  
(2) cab mounted worklights  
Rear: (2) cab mounted worklights  
Turn Signals/Flashers/Rear Lights

**INSTRUMENTATION:**

Analog Instrumentation with warning  
lights for air cleaner service,  
alternator, oil pressure, fuel  
sediment/water sensor, PTO  
engagement, head light high beam,  
low fuel and parking brake,  
advanced instrument cluster,  
digital speed readout, gauges  
for fuel level, engine temperature,  
tachometer and hour meter

**OPERATOR PROTECTIVE STRUCTURE:**

**CAB MODELS**

ROPS protected, flat deck platform  
with heat and air conditioning, tinted  
windshield, retractable sun screen,  
front and rear wiper / washer,  
instructor seat, two doors with locks,  
one internal & two external mirrors,  
openable side windows, hinged rear  
window (opens completely)  
Steering Wheel - tilt & telescope  
Seat - Cloth covered air suspension  
seat with 10 degrees swivel,  
operator's presence sensor,  
retractable seat belt and arm rests  
Suspended pedals  
Radio, speakers, and antenna

**MISCELLANEOUS:**

Pivoting Engine Hood  
SMV Emblem  
Toolbox



**T5 DUAL COMMAND - DELUXE CAB FAST PICK  
US PRICE LIST**

## Standard Equipment

**WARRANTY:**

New Holland Standard Warranty Applies

**LOADER:**

**665TL/720LU NON SELF-LEVELING**

Maximum Lift Height @ pivot pin: 134"

Dump Clearance: 101.4"

Digging Depth: 7"

Lift Capacity

Max Height @ 800mm: 2,632 LBS

59" high @ 800mm: 3,638 LBS

Breakout Force @ 800mm: 4,455 LBS

Reach @ Max Lift Height: 43"

Reach @ Ground Level: 91"

Bucket Rollback Angle: 44 degrees

Bucket Dump Angle: 60 degrees

Skid Steer or Euro style Loader

bucket attach



**T5 DUAL COMMAND - DELUXE CAB FAST PICK  
US PRICE LIST**

**Models**

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
T5.90 DC	Cab	8,157 LB		\$84,493.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,162.00			
18.4R34 R1W (8365404)	\$3,833.00			
T5.100 DC	Cab	8,157 LB		\$86,953.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,162.00			
18.4R34 R1W (8365404)	\$3,833.00			
T5.110 DC	Cab	8,157 LB		\$89,652.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,162.00			
18.4R34 R1W (8365404)	\$3,833.00			
T5.120 DC	Cab	10,031 LB		\$92,083.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,162.00			
18.4R34 R1W (8365404)	\$3,833.00			

**T5 DUAL COMMAND - DELUXE CAB FAST PICK  
US PRICE LIST****Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

## SD\_VE VERSION

	CAB	Cab			\$12,736.00
--	-----	-----	--	--	-------------

**FAST PICK CONFIGURATION**

## SD\_T9980 PACKAGING

	X0591XX	Deluxe Cab Fast Pick <b>Deluxe Cab Fast Pick Includes:</b> <b>744588: Deluxe Cab</b> <b>759176: Hand Brake</b> <b>8239404: 14.9R24 R1W</b> <b>8365404: 18.4R34 R1W</b> <b>338125: 2Mid-Mount w/Mec Joystick</b> <b>336740: HD Non Self Leveling Ldr +SSQA</b> <b>336750: 84" Bucket</b> <b>390832: EDC HPL 390832</b> <b>334994: STD+30+HRN+ACS+MON</b> <b>330470: 4 x 110 lb Rear Wheel Weights</b>			\$5,968.00
--	---------	---	--	--	------------

**MISCELLANEOUS**

## FENDERS REAR

## SD\_T8740 FRONT FENDERS

	744674	Dynamic Fenders			\$716.00
--	--------	-----------------	--	--	----------

**OPERATOR'S MANUALS**

## SD\_T9840 COUNTRY CONFIGURATION

	334256	Canada (FR) Config ROPS <b>French operator manual</b>			No Charge
	334257	USA Spanish Configuration <b>Spanish operator manual</b>			No Charge

**T5 DUAL COMMAND - DELUXE CAB HIVIS FAST  
US PRICE LIST**

## Standard Equipment

### KEY SELLING POINTS:

- CommandArc™ ergonomically places most frequently used controls to operator's right
- High visibility panel provides a better view of loader when at full height
- Ten repositionable vents for heating and air conditioning
- Full-size instructor seat
- Electro Hydraulic shuttle lever
- 24x24 Dual Command™ transmission
- Power clutch to allow for gear changes without the use of the foot clutch
- 3.4L, 4-cylinder, 16 valve F5G engines with common rail fuel injection system
- Tier 4B EPA emissions compliant with Selective Catalytic Reduction (SCR) & Cooled Exhaust Gas Recirculation (CEGR)
- Factory Installed Loader available

T5.90 DC  
86 Gross Engine hp  
73 PTO hp @ 2300 rpm  
4 Cyl Turbocharged Engine  
207 cu in (3.4 L) Displacement

T5.100 DC  
99 Gross Engine hp  
85 PTO hp @ 2300 rpm  
4 Cyl Turbocharged Engine  
207 cu in (3.4 L) Displacement

T5.110 DC  
107 Gross Engine hp  
93 PTO hp @ 2300 rpm  
4 Cyl Turbocharged Engine  
207 cu in (3.4 L) Displacement

T5.120 DC  
117 Gross Engine hp  
100 PTO hp @ 2300 rpm  
4 Cyl Turbocharged Engine  
207 cu in (3.4 L) Displacement

### ALL MODELS:

- Tier 4B Emissions Compliant:  
(SCR + CEGR)
- Electronic Injection Bosch  
High-pressure Common Rail System
- Electric Engine Shutoff  
Constant Engine RPM  
Hand and Foot Throttle Controls  
Grid Heater Starting Aid  
Dual Element Air Filter  
Vertical Exhaust  
30.3 gal Fuel Tank with Guard  
2.8 gal AdBLUE DEF Tank  
Front Axle Support with access for Front Pump  
Parking brake

### TRANSMISSION:

- LH side steering column mounted  
Power Shuttle  
24 Forward X 24 Reverse Speeds  
(4) Synchronized Gears with a HiLo in each Gear  
Power clutch button on Gear lever to allow for gear changes without the use of the foot clutch  
(3) Non-synchronized Ranges  
Forward Reverse Synchronized Shuttle  
25 mph (40 kph)  
Speed varies with tire selection

### STEERING/BRAKES:

- Hydrostatic Power Steering  
Brakes-  
Wet disk brakes  
Hydraulically assisted

### AXLES:

- FRONT  
Heavy Duty 4WD  
Electrohydraulic FWD Engagement  
Adjustable Tread Width



**T5 DUAL COMMAND - DELUXE CAB HIVIS FAST  
US PRICE LIST**

**Standard Equipment**

**REAR**

Heavy Duty Flange Type  
Adjustable Tread Width

**HYDRAULIC SYSTEM:**

Open Center System  
Dual Gear Pumps with Cooler  
Implement Pump: 16.9 gpm (63.8 L)  
Steering Pump: 9.7 gpm (37.0 L)  
Total Flow: 26.6 gpm (100.8 L)  
(2) Open Center Remote Valves with  
detent

**REAR DIFFERENTIAL LOCK:**  
Electronically Engaged

**PTO:**

Fully Independent  
Hydraulic Engagement  
Flip-up PTO Shaft Guard  
540/1000 rpm  
Wet Clutch

**3-POINT LIFT SYSTEM:**

Right hand console mounted control  
Cab - Electronic Draft Control with  
Fender mounted controls  
5,620 Pounds Lift Capacity  
Category II Ends  
Telescopic Stabilizers  
Flexible Lower Link Ends

**ELECTRICAL:**

(1) 800 cca Heavy-Duty Battery  
120 amp Alternator  
7-pin Outlet for trailer/implement lighting  
and signals  
3-pin Power Outlet (30 amp)  
Single Pin (8 amp) Accessory Power  
outlet  
CAB - 2 - 12V power sockets  
ROPS - 1 - 12V power socket

**LIGHTING:**

**CAB**

Front: (2) Halogen Headlights and  
(2) cab mounted worklights  
Rear: (2) cab mounted worklights  
Turn Signals/Flashers/Rear Lights

**INSTRUMENTATION:**

Analog Instrumentation with warning  
lights for air cleaner service,  
alternator, oil pressure, fuel  
sediment/water sensor, PTO  
engagement, head light high beam,  
low fuel and parking brake,  
advanced instrument cluster,  
digital speed readout, gauges  
for fuel level, engine temperature,  
tachometer and hour meter

**OPERATOR PROTECTIVE STRUCTURE:**

**CAB MODELS**

ROPS protected, flat deck platform  
with heat and air conditioning, tinted  
windshield, retractable sun screen,  
front and rear wiper / washer,  
instructor seat, two doors with locks,  
one internal & two external mirrors,  
openable side windows, hinged rear  
window (opens completely)  
Steering Wheel - tilt & telescope  
Seat - Cloth covered air suspension  
seat with 10 degrees swivel,  
operator's presence sensor,  
retractable seat belt and arm rests  
Suspended pedals  
Radio, speakers, and antenna

**MISCELLANEOUS:**

Pivoting Engine Hood  
SMV Emblem  
Toolbox



**T5 DUAL COMMAND - DELUXE CAB HIVIS FAST  
US PRICE LIST**

## Standard Equipment

**WARRANTY:**

New Holland Standard Warranty Applies

**LOADER:**

**665TL/720LU NON SELF-LEVELING**

Maximum Lift Height @ pivot pin: 134"

Dump Clearance: 101.4"

Digging Depth: 7"

Lift Capacity

Max Height @ 800mm: 2,632 LBS

59" high @ 800mm: 3,638 LBS

Breakout Force @ 800mm: 4,455 LBS

Reach @ Max Lift Height: 43"

Reach @ Ground Level: 91"

Bucket Rollback Angle: 44 degrees

Bucket Dump Angle: 60 degrees

Skid Steer or Euro style Loader

bucket attach





**T5 DUAL COMMAND - DELUXE CAB HIVIS FAST  
US PRICE LIST**

**Models**

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
T5.90 DC	Cab	8,157 LB		\$84,493.00
Includes the following Equipment				
14.9R24 R1W (8239404) \$2,162.00				
18.4R34 R1W (8365404) \$3,833.00				
T5.100 DC	Cab	8,157 LB		\$86,953.00
Includes the following Equipment				
14.9R24 R1W (8239404) \$2,162.00				
18.4R34 R1W (8365404) \$3,833.00				
T5.110 DC	Cab	8,157 LB		\$89,652.00
Includes the following Equipment				
14.9R24 R1W (8239404) \$2,162.00				
18.4R34 R1W (8365404) \$3,833.00				
T5.120 DC	Cab	10,031 LB		\$92,083.00
Includes the following Equipment				
14.9R24 R1W (8239404) \$2,162.00				
18.4R34 R1W (8365404) \$3,833.00				

**T5 DUAL COMMAND - DELUXE CAB HIVIS FAST  
US PRICE LIST****Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

## SD\_VE VERSION

	CAB	Cab			\$12,736.00
--	-----	-----	--	--	-------------

**FAST PICK CONFIGURATION**

## SD\_T9980 PACKAGING

	X0593XX	Deluxe Cab HiVis Fast Pick <b>Deluxe Cab HiVis Fast Pick Includes:</b> <b>334183: Deluxe Cab w/HiVis Panel</b> <b>759176: Hand Brake</b> <b>8239404: 14.9R24 R1W</b> <b>8365404: 18.4R34 R1W</b> <b>338125: 2Mid-Mount w/Mec Joystick</b> <b>336740: HD Non Self Leveling Ldr +SSQA</b> <b>336750: 84" Bucket</b> <b>390832: EDC HPL 390832</b> <b>334994: STD+30+HRN+ACS+MON</b> <b>330470: 4 x 110 lb Rear Wheel Weights</b>			\$6,525.00
--	---------	---	--	--	------------

**MISCELLANEOUS**

## FENDERS REAR

## SD\_T8740 FRONT FENDERS

	744674	Dynamic Fenders			\$716.00
--	--------	-----------------	--	--	----------

**OPERATOR'S MANUALS**

## SD\_T9840 COUNTRY CONFIGURATION

	334256	Canada (FR) Config ROPS <b>French operator manual</b>			No Charge
	334257	USA Spanish Configuration <b>Spanish operator manual</b>			No Charge

**T5 DUAL COMMAND - CAB LESS LOADER FAST  
US PRICE LIST**

## Standard Equipment

### KEY SELLING POINTS:

- CommandArc™ ergonomically places most frequently used controls to operator's right
- High visibility panel provides a better view of loader when at full height
- Ten repositionable vents for heating and air conditioning
- Full-size instructor seat
- Electro Hydraulic shuttle lever
- 24x24 Dual Command™ transmission
- Power clutch to allow for gear changes without the use of the foot clutch
- 3.4L, 4-cylinder, 16 valve F5G engines with common rail fuel injection system
- Tier 4B EPA emissions compliant with Selective Catalytic Reduction (SCR) & Cooled Exhaust Gas Recirculation (CEGR)
- Factory Installed Loader available

T5.90 DC  
86 Gross Engine hp  
73 PTO hp @ 2300 rpm  
4 Cyl Turbocharged Engine  
207 cu in (3.4 L) Displacement

T5.100 DC  
99 Gross Engine hp  
85 PTO hp @ 2300 rpm  
4 Cyl Turbocharged Engine  
207 cu in (3.4 L) Displacement

T5.110 DC  
107 Gross Engine hp  
93 PTO hp @ 2300 rpm  
4 Cyl Turbocharged Engine  
207 cu in (3.4 L) Displacement

T5.120 DC  
117 Gross Engine hp  
100 PTO hp @ 2300 rpm  
4 Cyl Turbocharged Engine  
207 cu in (3.4 L) Displacement

### ALL MODELS:

Tier 4B Emissions Compliant:  
(SCR + CEGR)  
Electronic Injection Bosch  
High-pressure Common Rail System  
Electric Engine Shutoff  
Constant Engine RPM  
Hand and Foot Throttle Controls  
Grid Heater Starting Aid  
Dual Element Air Filter  
Vertical Exhaust  
30.3 gal Fuel Tank with Guard  
2.8 gal AdBLUE DEF Tank  
Front Axle Support with access for Front Pump  
Parking brake

### TRANSMISSION:

LH side steering column mounted  
Power Shuttle  
24 Forward X 24 Reverse Speeds  
(4) Synchronized Gears with a HiLo in each Gear  
Power clutch button on Gear lever to allow for gear changes without the use of the foot clutch  
(3) Non-synchronized Ranges  
Forward Reverse Synchronized Shuttle  
25 mph (40 kph)  
Speed varies with tire selection

### STEERING/BRAKES:

Hydrostatic Power Steering  
Brakes-  
Wet disk brakes  
Hydraulically assisted

### AXLES:

FRONT  
Heavy Duty 4WD  
Electrohydraulic FWD Engagement  
Adjustable Tread Width

**T5 DUAL COMMAND - CAB LESS LOADER FAST  
US PRICE LIST**

## Standard Equipment

### REAR

Heavy Duty Flange Type  
Adjustable Tread Width

### HYDRAULIC SYSTEM:

Open Center System  
Dual Gear Pumps with Cooler  
Implement Pump: 16.9 gpm (63.8 L)  
Steering Pump: 9.7 gpm (37.0 L)  
Total Flow: 26.6 gpm (100.8 L)  
(2) Open Center Remote Valves with detent

REAR DIFFERENTIAL LOCK:  
Electronically Engaged

### PTO:

Fully Independent  
Hydraulic Engagement  
Flip-up PTO Shaft Guard  
540/1000 rpm  
Wet Clutch

### 3-POINT LIFT SYSTEM:

Right hand console mounted control  
Cab - Electronic Draft Control with Fender mounted controls  
5,620 Pounds Lift Capacity  
Category II Ends  
Telescopic Stabilizers  
Flexible Lower Link Ends

### ELECTRICAL:

(1) 800 cca Heavy-Duty Battery  
120 amp Alternator  
7-pin Outlet for trailer/implement lighting and signals  
3-pin Power Outlet (30 amp)  
Single Pin (8 amp) Accessory Power outlet  
CAB - 2 - 12V power sockets  
ROPS - 1 - 12V power socket

### LIGHTING:

### CAB

Front: (2) Halogen Headlights and (2) cab mounted worklights  
Rear: (2) cab mounted worklights  
Turn Signals/Flashers/Rear Lights

### INSTRUMENTATION:

Analog Instrumentation with warning lights for air cleaner service, alternator, oil pressure, fuel sediment/water sensor, PTO engagement, head light high beam, low fuel and parking brake, advanced instrument cluster, digital speed readout, gauges for fuel level, engine temperature, tachometer and hour meter

### OPERATOR PROTECTIVE STRUCTURE:

#### CAB MODELS

ROPS protected, flat deck platform with heat and air conditioning, tinted windshield, retractable sun screen, front and rear wiper / washer, instructor seat, two doors with locks, one internal & two external mirrors, openable side windows, hinged rear window (opens completely)

Steering Wheel - tilt & telescope  
Seat - Cloth covered air suspension seat with 10 degrees swivel, operator's presence sensor, retractable seat belt and arm rests

Suspended pedals

Radio, speakers, and antenna

### MISCELLANEOUS:

Pivoting Engine Hood  
SMV Emblem  
Toolbox

### WARRANTY:

New Holland Standard Warranty Applies



**T5 DUAL COMMAND - CAB LESS LOADER FAST  
US PRICE LIST**

**Models**

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
T5.90 DC	Cab	8,157 LB		\$84,493.00
Includes the following Equipment				
14.9R24 R1W (8239404) \$2,162.00				
18.4R34 R1W (8365404) \$3,833.00				
T5.100 DC	Cab	8,157 LB		\$86,953.00
Includes the following Equipment				
14.9R24 R1W (8239404) \$2,162.00				
18.4R34 R1W (8365404) \$3,833.00				
T5.110 DC	Cab	8,157 LB		\$89,652.00
Includes the following Equipment				
14.9R24 R1W (8239404) \$2,162.00				
18.4R34 R1W (8365404) \$3,833.00				
T5.120 DC	Cab	10,031 LB		\$92,083.00
Includes the following Equipment				
14.9R24 R1W (8239404) \$2,162.00				
18.4R34 R1W (8365404) \$3,833.00				

**T5 DUAL COMMAND - CAB LESS LOADER FAST  
US PRICE LIST****Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

## SD\_VE VERSION

	CAB	Cab			\$12,736.00
--	-----	-----	--	--	-------------

**FAST PICK CONFIGURATION**

## SD\_T9980 PACKAGING

	X0594XX	Cab Less Loader <b>Cab Less Loader Fast Pick Includes:</b> <b>744588: Deluxe Cab</b> <b>759176: Hand Brake</b> <b>390124: Less Mid-Mount</b> <b>743593: Less Front Loader</b> <b>335215: 8 WEIGHTS 40 KG - CA</b>			(\$3,164.00)
--	---------	---	--	--	--------------

**MISCELLANEOUS**

## FENDERS REAR

## SD\_T8740 FRONT FENDERS

	744674	Dynamic Fenders			\$716.00
--	--------	-----------------	--	--	----------

**OPERATOR'S MANUALS**

## SD\_T9840 COUNTRY CONFIGURATION

	334256	Canada (FR) Config ROPS <b>French operator manual</b>			No Charge
	334257	USA Spanish Configuration <b>Spanish operator manual</b>			No Charge

**T5 DUAL COMMAND - DELUXE ROPS FAST PICK  
US PRICE LIST**

## Standard Equipment

### KEY SELLING POINTS:

- CommandArc™ ergonomically places most frequently used controls to operator's right
- High visibility panel provides a better view of loader when at full height
- Ten repositionable vents for heating and air conditioning
- Full-size instructor seat
- Electro Hydraulic shuttle lever
- 24x24 Dual Command™ transmission
- Power clutch to allow for gear changes without the use of the foot clutch
- 3.4L, 4-cylinder, 16 valve F5G engines with common rail fuel injection system
- Tier 4B EPA emissions compliant with Selective Catalytic Reduction (SCR) & Cooled Exhaust Gas Recirculation (CEGR)
- Factory Installed Loader available

#### T5.90 DC

86 Gross Engine hp  
73 PTO hp @ 2300 rpm  
4 Cyl Turbocharged Engine  
207 cu in (3.4 L) Displacement

#### T5.100 DC

99 Gross Engine hp  
85 PTO hp @ 2300 rpm  
4 Cyl Turbocharged Engine  
207 cu in (3.4 L) Displacement

#### T5.110 DC

107 Gross Engine hp  
93 PTO hp @ 2300 rpm  
4 Cyl Turbocharged Engine  
207 cu in (3.4 L) Displacement

#### T5.120 DC

117 Gross Engine hp  
100 PTO hp @ 2300 rpm  
4 Cyl Turbocharged Engine  
207 cu in (3.4 L) Displacement

### ALL MODELS:

Tier 4B Emissions Compliant:  
(SCR + CEGR)

Electronic Injection Bosch  
High-pressure Common Rail System  
Electric Engine Shutoff  
Constant Engine RPM  
Hand and Foot Throttle Controls  
Grid Heater Starting Aid  
Dual Element Air Filter  
Vertical Exhaust  
30.3 gal Fuel Tank with Guard  
2.8 gal AdBLUE DEF Tank  
Front Axle Support with access for Front Pump  
Parking brake

### TRANSMISSION:

LH side steering column mounted  
Power Shuttle  
24 Forward X 24 Reverse Speeds  
(4) Synchronized Gears with a HiLo in each Gear  
Power clutch button on Gear lever to allow for gear changes without the use of the foot clutch  
(3) Non-synchronized Ranges  
Forward Reverse Synchronized Shuttle  
25 mph (40 kph)  
Speed varies with tire selection

### STEERING/BRAKES:

Hydrostatic Power Steering  
Brakes-  
Wet disk brakes  
Hydraulically assisted

### AXLES:

FRONT  
Heavy Duty 4WD  
Electrohydraulic FWD Engagement  
Adjustable Tread Width

**T5 DUAL COMMAND - DELUXE ROPS FAST PICK  
US PRICE LIST**

## Standard Equipment

### REAR

Heavy Duty Flange Type  
Adjustable Tread Width

### HYDRAULIC SYSTEM:

Open Center System  
Dual Gear Pumps with Cooler  
Implement Pump: 16.9 gpm (63.8 L)  
Steering Pump: 9.7 gpm (37.0 L)  
Total Flow: 26.6 gpm (100.8 L)  
(2) Open Center Remote Valves with  
detent

REAR DIFFERENTIAL LOCK:  
Electronically Engaged

### PTO:

Fully Independent  
Hydraulic Engagement  
Flip-up PTO Shaft Guard  
540/1000 rpm  
Wet Clutch

### 3-POINT LIFT SYSTEM:

Right hand console mounted control  
ROPS - Mechanical Draft Control with  
Lift-O-Matic Plus  
5,620 Pounds Lift Capacity  
Category II Ends  
Telescopic Stabilizers  
Flexible Lower Link Ends

### ELECTRICAL:

(1) 800 cca Heavy-Duty Battery  
120 amp Alternator  
7-pin Outlet for trailer/implement lighting  
and signals  
3-pin Power Outlet (30 amp)  
Single Pin (8 amp) Accessory Power  
outlet  
ROPS - 1 - 12V power socket

### LIGHTING:

ROPS

Front: (2) Halogen Headlights

Rear: (1) Worklight

Turn Signals/Flashers/Rear Lights

### INSTRUMENTATION:

Analog Instrumentation with warning  
lights for air cleaner service,  
alternator, oil pressure, fuel  
sediment/water sensor, PTO  
engagement, head light high beam,  
low fuel and parking brake,  
advanced instrument cluster,  
digital speed readout, gauges  
for fuel level, engine temperature,  
tachometer and hour meter

### OPERATOR PROTECTIVE STRUCTURE:

#### ROPS MODELS

2-Post Foldable ROPS with ISO-  
mounted flat deck platform  
Steering Wheel - adjustable tilt  
Seat - Vinyl covered with mechanical  
suspension, operator's presence  
sensor, retractable seat belts and  
arm rests  
Suspended pedals  
Locking brake pedals

### MISCELLANEOUS:

Pivoting Engine Hood  
SMV Emblem  
Toolbox

### WARRANTY:

New Holland Standard Warranty Applies

### LOADER:

#### 665TL/720LU NON SELF-LEVELING

Maximum Lift Height @ pivot pin: 134"  
Dump Clearance: 101.4"  
Digging Depth: 7"  
Lift Capacity  
Max Height @ 800mm: 2,632 LBS  
59" high @ 800mm: 3,638 LBS





**T5 DUAL COMMAND - DELUXE ROPS FAST PICK  
US PRICE LIST**

## Standard Equipment

Breakout Force @ 800mm: 4,455 LBS  
Reach @ Max Lift Height: 43"  
Reach @ Ground Level: 91"  
Bucket Rollback Angle: 44 degrees  
Bucket Dump Angle: 60 degrees  
Skid Steer or Euro style Loader  
bucket attach

### 665TL/725LU SELF-LEVELING

Maximum Lift Height @ pivot pin: 135"  
Dump Clearance: 102.2"  
Digging Depth: 6.4"  
Lift Capacity  
    Max Height @ 800mm: 3,428 LBS  
    59" high @ 800mm: 5,549 LBS  
Breakout Force @ 800mm: 5,661 LBS  
Reach @ Max Lift Height: 43"  
Reach @ Ground Level: 93  
Bucket Rollback Angle: 40 degrees  
Bucket Dump Angle: 60 degrees  
Skid Steer or Euro style Loader  
bucket attach



**T5 DUAL COMMAND - DELUXE ROPS FAST PICK  
US PRICE LIST**

**Models**

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
T5.90 DC	Rops	8,157 LB		\$71,757.00
Includes the following Equipment				
14.9R24 R1W (8239404) \$2,162.00				
18.4R34 R1W (8365404) \$3,833.00				
T5.100 DC	Rops	8,157 LB		\$74,217.00
Includes the following Equipment				
14.9R24 R1W (8239404) \$2,162.00				
18.4R34 R1W (8365404) \$3,833.00				
T5.110 DC	Rops	8,157 LB		\$76,916.00
Includes the following Equipment				
14.9R24 R1W (8239404) \$2,162.00				
18.4R34 R1W (8365404) \$3,833.00				
T5.120 DC	Rops	8,157 LB		\$79,347.00
Includes the following Equipment				
14.9R24 R1W (8239404) \$2,162.00				
18.4R34 R1W (8365404) \$3,833.00				

**T5 DUAL COMMAND - DELUXE ROPS FAST PICK  
US PRICE LIST****Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

## SD\_VE VERSION

	ROPS	Rops			No Charge
--	------	------	--	--	-----------

**FAST PICK CONFIGURATION**

## SD\_T9980 PACKAGING

	X0589XX	Deluxe ROPS Fast Pick <b>Deluxe ROPS Fast Pick Includes:</b> <b>334190: Deluxe Platform w/FOPS</b> <b>759176: Hand Brake</b> <b>8239404: 14.9R24 R1W</b> <b>8365404: 18.4R34 R1W</b> <b>338125: 2Mid-Mount w/Mec Joystick</b> <b>336740: HD Non Self Leveling Ldr +SSQA</b> <b>336750: 84" Bucket</b> <b>743595: Lift-O-Matic Plus</b> <b>330470: 4 x 110 lb Rear Wheel Weights</b>			\$7,551.00
--	---------	---	--	--	------------

**HITCH**

## REAR 3 POINT HITCH

## SD\_T8130 3 POINT HITCH CONTROL

	332035	Mech 3 Pt Hitch Ground Control			\$261.00
--	--------	--------------------------------	--	--	----------

**MISCELLANEOUS**

## FENDERS FRONT

## SD\_T8700 FENDERS

	744599	Rear Fenders w/Extensions			\$166.00
--	--------	---------------------------	--	--	----------

## FENDERS REAR

## SD\_T8740 FRONT FENDERS

	744674	Dynamic Fenders			\$716.00
--	--------	-----------------	--	--	----------



**T5 DUAL COMMAND - DELUXE ROPS FAST PICK  
US PRICE LIST**

**OPERATOR'S MANUALS**

SD\_T9840 COUNTRY CONFIGURATION

		334256	Canada (FR) Config ROPS <b>French operator manual</b>			No Charge
		334257	USA Spanish Configuration <b>Spanish operator manual</b>			No Charge

**T5 DUAL COMMAND - WEST COAST LESS LOADER  
US PRICE LIST**

## Standard Equipment

### KEY SELLING POINTS:

- CommandArc™ ergonomically places most frequently used controls to operator's right
- High visibility panel provides a better view of loader when at full height
- Ten repositionable vents for heating and air conditioning
- Full-size instructor seat
- Electro Hydraulic shuttle lever
- 24x24 Dual Command™ transmission
- Power clutch to allow for gear changes without the use of the foot clutch
- 3.4L, 4-cylinder, 16 valve F5G engines with common rail fuel injection system
- Tier 4B EPA emissions compliant with Selective Catalytic Reduction (SCR) & Cooled Exhaust Gas Recirculation (CEGR)
- Factory Installed Loader available

T5.90 DC  
86 Gross Engine hp  
73 PTO hp @ 2300 rpm  
4 Cyl Turbocharged Engine  
207 cu in (3.4 L) Displacement

T5.100 DC  
99 Gross Engine hp  
85 PTO hp @ 2300 rpm  
4 Cyl Turbocharged Engine  
207 cu in (3.4 L) Displacement

T5.110 DC  
107 Gross Engine hp  
93 PTO hp @ 2300 rpm  
4 Cyl Turbocharged Engine  
207 cu in (3.4 L) Displacement

T5.120 DC  
117 Gross Engine hp  
100 PTO hp @ 2300 rpm  
4 Cyl Turbocharged Engine  
207 cu in (3.4 L) Displacement

### ALL MODELS:

Tier 4B Emissions Compliant:  
(SCR + CEGR)  
Electronic Injection Bosch  
High-pressure Common Rail System  
Electric Engine Shutoff  
Constant Engine RPM  
Hand and Foot Throttle Controls  
Grid Heater Starting Aid  
Dual Element Air Filter  
Vertical Exhaust  
30.3 gal Fuel Tank with Guard  
2.8 gal AdBLUE DEF Tank  
Front Axle Support with access for Front Pump  
Parking brake

### TRANSMISSION:

LH side steering column mounted  
Power Shuttle  
24 Forward X 24 Reverse Speeds  
(4) Synchronized Gears with a HiLo in each Gear  
Power clutch button on Gear lever to allow for gear changes without the use of the foot clutch  
(3) Non-synchronized Ranges  
Forward Reverse Synchronized Shuttle  
25 mph (40 kph)  
Speed varies with tire selection

### STEERING/BRAKES:

Hydrostatic Power Steering  
Brakes-  
Wet disk brakes  
Hydraulically assisted

### AXLES:

FRONT  
Heavy Duty 4WD  
Electrohydraulic FWD Engagement  
Adjustable Tread Width

**T5 DUAL COMMAND - WEST COAST LESS LOADER  
US PRICE LIST**

## Standard Equipment

### REAR

Heavy Duty Flange Type  
Adjustable Tread Width

### HYDRAULIC SYSTEM:

Open Center System  
Dual Gear Pumps with Cooler  
Implement Pump: 16.9 gpm (63.8 L)  
Steering Pump: 9.7 gpm (37.0 L)  
Total Flow: 26.6 gpm (100.8 L)  
(2) Open Center Remote Valves with detent

REAR DIFFERENTIAL LOCK:  
Electronically Engaged

### PTO:

Fully Independent  
Hydraulic Engagement  
Flip-up PTO Shaft Guard  
540/1000 rpm  
Wet Clutch

### 3-POINT LIFT SYSTEM:

Right hand console mounted control  
ROPS - Mechanical Draft Control with Lift-O-Matic Plus  
5,620 Pounds Lift Capacity  
Category II Ends  
Telescopic Stabilizers  
Flexible Lower Link Ends

### ELECTRICAL:

(1) 800 cca Heavy-Duty Battery  
120 amp Alternator  
7-pin Outlet for trailer/implement lighting and signals  
3-pin Power Outlet (30 amp)  
Single Pin (8 amp) Accessory Power outlet

ROPS - 1 - 12V power socket

### LIGHTING:

ROPS  
Front: (2) Halogen Headlights  
Rear: (1) Worklight  
Turn Signals/Flashers/Rear Lights

### INSTRUMENTATION:

Analog Instrumentation with warning lights for air cleaner service, alternator, oil pressure, fuel sediment/water sensor, PTO engagement, head light high beam, low fuel and parking brake, advanced instrument cluster, digital speed readout, gauges for fuel level, engine temperature, tachometer and hour meter

### OPERATOR PROTECTIVE STRUCTURE:

ROPS MODELS  
2-Post Foldable ROPS with ISO-mounted flat deck platform  
Steering Wheel - adjustable tilt  
Seat - Vinyl covered with mechanical suspension, operator's presence sensor, retractable seat belts and arm rests  
Suspended pedals  
Locking brake pedals

### MISCELLANEOUS:

Pivoting Engine Hood  
SMV Emblem  
Toolbox

### WARRANTY:

New Holland Standard Warranty Applies



**T5 DUAL COMMAND - WEST COAST LESS LOADER  
US PRICE LIST**

**Models**

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
T5.90 DC	Rops	8,157 LB		\$71,757.00
Includes the following Equipment				
14.9R24 R1W (8239404) \$2,162.00				
18.4R34 R1W (8365404) \$3,833.00				
T5.100 DC	Rops	8,157 LB		\$74,217.00
Includes the following Equipment				
14.9R24 R1W (8239404) \$2,162.00				
18.4R34 R1W (8365404) \$3,833.00				
T5.110 DC	Rops	8,157 LB		\$76,916.00
Includes the following Equipment				
14.9R24 R1W (8239404) \$2,162.00				
18.4R34 R1W (8365404) \$3,833.00				
T5.120 DC	Rops	8,157 LB		\$79,347.00
Includes the following Equipment				
14.9R24 R1W (8239404) \$2,162.00				
18.4R34 R1W (8365404) \$3,833.00				

**T5 DUAL COMMAND - WEST COAST LESS LOADER  
US PRICE LIST****Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

## SD\_VE VERSION

		ROPS	Rops			No Charge
--	--	------	------	--	--	-----------

**FAST PICK CONFIGURATION**

## SD\_T9980 PACKAGING

		X0596XX	West Coast Less Loader <b>West Coast Less Loader Fast Pick Includes:</b> <b>392315: Platform w/Foldable ROPS</b> <b>759176: Hand Brake</b> <b>8290904: 12.5/80-18 10PR R4</b> <b>8391904: 19.5L-24 10 PR R4</b> <b>390124: Less Mid-Mount</b> <b>743593: Less Front Loader</b> <b>XT8140X: Less Bucket</b> <b>332035: Mech 3 Pt Hitch Ground Control</b> <b>335215: 8 WEIGHTS 40 KG - CA</b>			\$1,472.00
--	--	---------	--	--	--	------------

**HITCH**

## REAR 3 POINT HITCH

## SD\_T8200 HITCH

		758931	MDC HPL+LOM+2AUX <b>2 auxiliary lift rams for ROPS</b> <b>8,000 lbs lift capacity</b>			\$1,071.00
--	--	--------	---	--	--	------------

**OPERATOR'S MANUALS**

## SD\_T9840 COUNTRY CONFIGURATION

		334256	Canada (FR) Config ROPS <b>French operator manual</b>			No Charge
		334257	USA Spanish Configuration <b>Spanish operator manual</b>			No Charge



**T5 DUAL COMMAND - LESS FAST PICK  
US PRICE LIST**

## Standard Equipment

**KEY SELLING POINTS:**

- CommandArc™ ergonomically places most frequently used controls to operator's right
- High visibility panel provides a better view of loader when at full height
- Ten repositionable vents for heating and air conditioning
- Full-size instructor seat
- Electro Hydraulic shuttle lever
- 24x24 Dual Command™ transmission
- Power clutch to allow for gear changes without the use of the foot clutch
- 3.4L, 4-cylinder, 16 valve F5G engines with common rail fuel injection system
- Tier 4B EPA emissions compliant with Selective Catalytic Reduction (SCR) & Cooled Exhaust Gas Recirculation (CEGR)
- Factory Installed Loader available

T5.90 DC  
86 Gross Engine hp  
73 PTO hp @ 2300 rpm  
4 Cyl Turbocharged Engine  
207 cu in (3.4 L) Displacement

T5.100 DC  
99 Gross Engine hp  
85 PTO hp @ 2300 rpm  
4 Cyl Turbocharged Engine  
207 cu in (3.4 L) Displacement

T5.110 DC  
107 Gross Engine hp  
93 PTO hp @ 2300 rpm  
4 Cyl Turbocharged Engine  
207 cu in (3.4 L) Displacement

T5.120 DC  
117 Gross Engine hp  
100 PTO hp @ 2300 rpm  
4 Cyl Turbocharged Engine  
207 cu in (3.4 L) Displacement

**ALL MODELS:**

- Tier 4B Emissions Compliant:  
(SCR + CEGR)
- Electronic Injection Bosch  
High-pressure Common Rail System
- Electric Engine Shutoff  
Constant Engine RPM  
Hand and Foot Throttle Controls  
Grid Heater Starting Aid  
Dual Element Air Filter  
Vertical Exhaust  
30.3 gal Fuel Tank with Guard  
2.8 gal AdBLUE DEF Tank  
Front Axle Support with access for  
Front Pump  
Parking brake

**TRANSMISSION:**

- LH side steering column mounted  
Power Shuttle  
24 Forward X 24 Reverse Speeds  
(4) Synchronized Gears with a  
HiLo in each Gear  
Power clutch button on Gear lever  
to allow for gear changes without  
the use of the foot clutch  
(3) Non-synchronized Ranges  
Forward Reverse Synchronized Shuttle  
25 mph (40 kph)  
Speed varies with tire selection

**STEERING/BRAKES:**

- Hydrostatic Power Steering  
Brakes-  
Wet disk brakes  
Hydraulically assisted

**AXLES:**

- FRONT  
Heavy Duty 4WD  
Electrohydraulic FWD Engagement  
Adjustable Tread Width

**T5 DUAL COMMAND - LESS FAST PICK  
US PRICE LIST****Standard Equipment****REAR**

Heavy Duty Flange Type  
Adjustable Tread Width

**HYDRAULIC SYSTEM:**

Open Center System  
Dual Gear Pumps with Cooler  
Implement Pump: 16.9 gpm (63.8 L)  
Steering Pump: 9.7 gpm (37.0 L)  
Total Flow: 26.6 gpm (100.8 L)  
(2) Open Center Remote Valves with  
detent

**REAR DIFFERENTIAL LOCK:**  
Electronically Engaged

**PTO:**

Fully Independent  
Hydraulic Engagement  
Flip-up PTO Shaft Guard  
540/1000 rpm  
Wet Clutch

**3-POINT LIFT SYSTEM:**

Right hand console mounted control  
Cab - Electronic Draft Control with  
Fender mounted controls  
ROPS - Mechanical Draft Control with  
Lift-O-Matic Plus  
5,620 Pounds Lift Capacity  
Category II Ends  
Telescopic Stabilizers  
Flexible Lower Link Ends

**ELECTRICAL:**

(1) 800 cca Heavy-Duty Battery  
120 amp Alternator  
7-pin Outlet for trailer/implement lighting  
and signals  
3-pin Power Outlet (30 amp)  
Single Pin (8 amp) Accessory Power  
outlet  
CAB - 2 - 12V power sockets  
ROPS - 1 - 12V power socket

**LIGHTING:****CAB**

Front: (2) Halogen Headlights and  
(2) cab mounted worklights

Rear: (2) cab mounted worklights  
Turn Signals/Flashers/Rear Lights

**ROPS**

Front: (2) Halogen Headlights  
Rear: (1) Worklight  
Turn Signals/Flashers/Rear Lights

**INSTRUMENTATION:**

Analog Instrumentation with warning  
lights for air cleaner service,  
alternator, oil pressure, fuel  
sediment/water sensor, PTO  
engagement, head light high beam,  
low fuel and parking brake,  
advanced instrument cluster,  
digital speed readout, gauges  
for fuel level, engine temperature,  
tachometer and hour meter

**OPERATOR PROTECTIVE STRUCTURE:****CAB MODELS**

ROPS protected, flat deck platform  
with heat and air conditioning, tinted  
windshield, retractable sun screen,  
front and rear wiper / washer,  
instructor seat, two doors with locks,  
one internal & two external mirrors,  
openable side windows, hinged rear  
window (opens completely)  
Steering Wheel - tilt & telescope  
Seat - Cloth covered air suspension  
seat with 10 degrees swivel,  
operator's presence sensor,  
retractable seat belt and arm rests  
Suspended pedals  
Radio, speakers, and antenna



**T5 DUAL COMMAND - LESS FAST PICK  
US PRICE LIST**

**Standard Equipment**

ROPS MODELS

2-Post Foldable ROPS with ISO-  
mounted flat deck platform  
Steering Wheel - adjustable tilt  
Seat - Vinyl covered with mechanical  
suspension, operator's presence  
sensor, retractable seat belts and  
arm rests  
Suspended pedals  
Locking brake pedals

MISCELLANEOUS:

Pivoting Engine Hood  
SMV Emblem  
Toolbox

WARRANTY:

New Holland Standard Warranty Applies

LOADER:

665TL/720LU NON SELF-LEVELING

Maximum Lift Height @ pivot pin: 134"  
Dump Clearance: 101.4"  
Digging Depth: 7"  
Lift Capacity  
Max Height @ 800mm: 2,632 LBS  
59" high @ 800mm: 3,638 LBS  
Breakout Force @ 800mm: 4,455 LBS  
Reach @ Max Lift Height: 43"  
Reach @ Ground Level: 91"  
Bucket Rollback Angle: 44 degrees  
Bucket Dump Angle: 60 degrees  
Skid Steer or Euro style Loader  
bucket attach

665TL/725LU SELF-LEVELING

Maximum Lift Height @ pivot pin: 135"  
Dump Clearance: 102.2"  
Digging Depth: 6.4"  
Lift Capacity  
Max Height @ 800mm: 3,428 LBS  
59" high @ 800mm: 5,549 LBS  
Breakout Force @ 800mm: 5,661 LBS  
Reach @ Max Lift Height: 43"  
Reach @ Ground Level: 93  
Bucket Rollback Angle: 40 degrees  
Bucket Dump Angle: 60 degrees  
Skid Steer or Euro style Loader  
bucket attach

**T5 DUAL COMMAND - LESS FAST PICK  
 US PRICE LIST**
**Models**

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
T5.90 DC	Cab	8,157 LB		\$84,493.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,162.00			
18.4R34 R1W (8365404)	\$3,833.00			
T5.90 DC	Rops	8,157 LB		\$71,757.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,162.00			
18.4R34 R1W (8365404)	\$3,833.00			
T5.100 DC	Cab	8,157 LB		\$86,953.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,162.00			
18.4R34 R1W (8365404)	\$3,833.00			
T5.100 DC	Rops	8,157 LB		\$74,217.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,162.00			
18.4R34 R1W (8365404)	\$3,833.00			
T5.110 DC	Cab	8,157 LB		\$89,652.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,162.00			
18.4R34 R1W (8365404)	\$3,833.00			
T5.110 DC	Rops	8,157 LB		\$76,916.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,162.00			
18.4R34 R1W (8365404)	\$3,833.00			
T5.120 DC	Cab	10,031 LB		\$92,083.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,162.00			
18.4R34 R1W (8365404)	\$3,833.00			
T5.120 DC	Rops	8,157 LB		\$79,347.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,162.00			
18.4R34 R1W (8365404)	\$3,833.00			

**T5 DUAL COMMAND - LESS FAST PICK  
US PRICE LIST****Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

## SD\_VE VERSION

	CAB	Cab			\$12,736.00
	ROPS	Rops			No Charge

**FAST PICK CONFIGURATION**

## SD\_T9980 PACKAGING

	X99801X	LESS PACKAGING			No Charge
--	---------	----------------	--	--	-----------

**OPERATOR PLATFORM**

## SD\_T9200 OPERATOR STRUCTURE #1

ROPS					
	392315	Platform w/Foldable ROPS <b>Includes tilt column</b>			No Charge
	334190	Deluxe Platform w/FOPS <b>Includes tilt column, FOPS canopy, noise reduction kit and 12V power outlet</b>			\$1,661.00
Cab					
	744588	Deluxe Cab <b>Includes instructor seat, rear wiper and washer, radio &amp; internal mirror</b>			No Charge
	334183	Deluxe Cab w/HiVis Panel <b>Includes high visibility panel, instructor seat, rear wiper and washer, radio &amp; internal mirror</b>			\$557.00

**POWER TRAIN**

## TRANSMISSION

## SD\_T2820 PARK LOCK

	743551	Parking Lock			\$53.00
	759176	Hand Brake <b>Hand operated parking brake lever Standard Equipment</b>			No Charge



**T5 DUAL COMMAND - LESS FAST PICK  
US PRICE LIST**

**TIRES**

FRONT

SD\_T4940 FRONT WHEELS AND TIRES

Ag Front Tires						
		8232404	11.2R24 R1W			\$1,203.00
		8235404	12.4R24 R1W			\$1,436.00
		8236404	13.6R24 R1W			\$1,757.00
		8239404	14.9R24 R1W			\$2,162.00
			if BRAND is New Holland Ag			\$2,162.00
Specialty Front Tires						
		8290904	12.5/80-18 10PR R4			\$1,717.00
		8873402	360/80R20 TRI 2 HD <b>Municipal tread</b>			\$1,956.00
		8247404	11.2R28 R1W			\$1,484.00

REAR

SD\_T4950 REAR WHEELS AND TIRES

Ag Rear Tires						
		8357404	18.4R30 R1W <b>4WD Front Tire - 12.4R24 (8235404)</b>			\$3,480.00
		8302804	16.9R34 R1W <b>Front Tire - 13.6R24 (8236404)</b>			\$2,505.00
		8365404	18.4R34 R1W <b>4WD Front Tire - 14.9R24 (8239404)</b>			\$3,833.00
			if BRAND is New Holland Ag			\$3,833.00
Specialty Rear Tires						
		8391904	19.5L-24 10 PR R4 <b>4WD Front Tire - 12.5/80-18 (8290904)</b>			\$2,658.00
		8906401	440/80 R30 <b>Municipal tread 4WD Front Tire - 360/80R20 (8873402)</b>			\$3,644.00
		8372404	13.6R38 R1W 8372404 <b>4WD Front Tire - 11.2R28 (8247404)</b>			\$2,338.00

**HYDRAULICS**

MID-MOUNT

SD\_T8280 MID-MOUNT VALVES

		338125	2Mid-Mount w/Mec Joystick <b>2 function mid-mount valve and joystick</b>			\$1,484.00
--	--	--------	---	--	--	------------



**T5 DUAL COMMAND - LESS FAST PICK  
US PRICE LIST**

		336780	2Mid-Mount w/Mec Joystick +Div <b>2 function mid-mount valve and joystick with 3rd function diverter</b> <b>Requires a Loader</b> <b>Bucket with Grapple NOT AVAILABLE as Factory Installed</b>			\$2,227.00
--	--	--------	--	--	--	------------

**LOADER**

LOADER

SD\_T8110 LOADER BRACKETS

		336740	HD Non Self Leveling Ldr +SSQA <b>665TL Non Self Leveling with Skid Steer Style Attachment</b>			\$7,025.00
		336742	HD Non Self Leveling Ldr +Euro <b>665TL Non Self Leveling with Euro Style Attachment</b>			\$7,025.00
		336744	HD Self Leveling Ldr +SSQA <b>665TL Mechanical Self Leveling with Skid Steer Style Attachment</b>			\$8,138.00
		336746	HD Self Leveling Ldr +Euro <b>665TL Mechanical Self Leveling with Euro Style Attachment</b>			\$8,138.00

SD\_T8140 BUCKET

		336750	84" Bucket			\$942.00
--	--	--------	------------	--	--	----------

**HITCH**

REAR 3 POINT HITCH

SD\_T8200 HITCH

		390832	EDC HPL 390832			No Charge
		758931	MDC HPL+LOM+2AUX <b>2 auxiliary lift rams for ROPS</b> <b>8,000 lbs lift capacity</b>			\$1,071.00
		758932	EDC HPL + 2 AUX <b>2 auxiliary lift rams for Cab</b> <b>8,000 lbs lift capacity</b>			\$1,071.00

**CAB OR ROPS PLATFORM**

OTHER

SD\_T6730 PIN CONNECTOR

		334994	STD+30+HRN+ACS+MON <b>Monitor mounting bracket, 30Ah socket &amp; 2-12V power outlets</b> <b>Cab ONLY</b>			\$78.00
--	--	--------	---	--	--	---------

**T5 DUAL COMMAND - LESS FAST PICK  
US PRICE LIST****WEIGHTS****FRONT****SD\_T2150 FRONT BALLAST**

		333215	Front Carrier +6 88 lb Weights <b>Total weight - 661 lbs (300 kg)</b>			\$819.00
		335215	8 WEIGHTS 40 KG - CA <b>Total weight - 837 lbs (380 kg)</b>			\$1,036.00

**REAR****SD\_T4961 REAR BALLAST**

		330470	4 x 110 lb Rear Wheel Weights <b>Total weight - 440 lbs (200 kg)</b> <b>NOT compatible with 24" rear tires option</b>			\$639.00
--	--	--------	---	--	--	----------

**MISCELLANEOUS****FENDERS FRONT****SD\_T8700 FENDERS**

		744599	Rear Fenders w/Extensions			\$166.00
--	--	--------	---------------------------	--	--	----------

**FENDERS REAR****SD\_T8740 FRONT FENDERS**

		744674	Dynamic Fenders			\$716.00
--	--	--------	-----------------	--	--	----------

**OPERATOR'S MANUALS****SD\_T9840 COUNTRY CONFIGURATION**

		334256	Canada (FR) Config ROPS <b>French operator manual</b>			No Charge
		334257	USA Spanish Configuration <b>Spanish operator manual</b>			No Charge



## T5 TIER 4B ELECTRO COMMAND SERIES US PRICE LIST

### Standard Equipment

KEY SELLING POINTS (some features are optional equipment):

- 16 x 16 Electro Command semi-powershift transmission now with optional Auto Shift feature
- Comfort Ride™ cab suspension for a smoother ride - Optional
- Auto PTO manages PTO engagement in relation to the rear hitch position
- Engine Speed Management (constant engine RPM) - 2 settings
- Terralock™ automatic traction system
- Terraglide™ opt. front axle suspension
- Opt TerraGlide™ class 1.5 HD front axle
- CommandArc™ ergonomics
- Optional LED work lights
- 200 degree windshield wiper
- Standard high visibility panel (opening)
- (10) repositionable AC/heater vents
- Full-size instructor seat
- Electrohydraulic armrest-mntd joystick
- Hydraulic shuttle lever -finger control
- 3.4L, 4-cylinder, F5G engines with 4 valves per cylinder common rail fuel injection systems
- 8,084 lb. 3-point lift capacity
- Tier 4B/final emissions compliant ECOBlue Compact HI-eSCR (Selective Catalytic Reduction) after-treatment with low rate Cooled Exhaust Gas Recirculation (CEGR); no diesel particulate filter, no regeneration req.

#### MODELS:

T5.110  
107 gross engine HP  
93 PTO HP @ 2300 rpm  
4-cyl. turbocharged and intercooled  
207 cu. in. (3.4 L) displacement  
4 valves per cylinder

T5.120  
117 gross engine HP  
100 PTO HP @ 2300 rpm  
4-cyl. turbocharged and intercooled

207 cu. in. (3.4 L) displacement  
4 Valves per cylinder

#### KEY COMMON FEATURES & OPTIONS:

- 16X16 Electro Command transmission with optional Auto Shift feature
- Optional Suspended cab w/HiVis panel
- Heavy-duty class 1.5 front axle with optional hydraulic differential lock
- Opt. premium air suspension seat with armrests, backrest, and heated cushion
- Full-size, deluxe radio with Bluetooth™
- Telescopic rearview mirror option
- (3) closed center rear remotes option
- Electrohydraulic mid-mount valve and armrest-mounted elec. joystick option
- Auto PTO option
- Engine block heater option

#### ENGINE:

- Tier 4B emissions: Compact HI-eSCR SCR with low rate CEGR
- Electronic injection Bosch high-pressure common rail system
- Engine Speed Management
- Electric engine shutoff
- Grid heater starting Aid
- Dual element air filter
- Vertical exhaust
- 43.6 gallon (165 L) fuel tank with guard
- 3.2 gallon (12 L) DEF (diesel exhaust fluid) tank

#### TRANSMISSION:

- 16 x 16 semi-powershift
- 8 push button powershift speeds
- Control buttons on gear shift lever and on CommandArc™
- Electrohydraulic shuttle
- 25-mph (40-kph) road speed
- 16th gear (32nd w/creeper) is an economy gear that operates the engine at a lower RPM to save fuel
- Multi-disk cerametallic clutch

**T5 TIER 4B ELECTRO COMMAND SERIES  
US PRICE LIST**

## Standard Equipment

### STEERING/BRAKES:

- Hydrostatic power steering
- Hydraulic wet brakes (equalizing and self-adjusting)
- Park brake

### FRONT AXLE:

- Class 1.5 w/Auto 4WD management
- Limited slip differential
- Opt. electrohydraulic FWD engagement
- Opt. suspended front axle

### -REAR AXLE:

- Heavy-duty flange
- Dog clutch differential lock
- Auto differential lock management
- Electrohydraulic rear differential lock

### HYDRAULIC SYSTEM:

- Fixed displacement pumps
- Tandem gear pumps
- Maximum flow at rated engine speed:
  - Implement pump: 21.1 gpm (80 l/m)
  - Steering pump: 11.4 gpm (43 l/m)
- (2) closed center rear remote valves configurable detent w/ quick release couplers

### PTO:

- Fully independent
- Flip-up PTO shaft guard
- 540/1000 rpm interchangeable shaft
- Electrohydraulic engagement
- Multi-plate clutch
- Fender-mounted EDC / PTO switches

### 3-POINT LIFT SYSTEM:

- Right hand console-mounted mouse
- Electronic Draft Control (EDC)
- Fast raise/lower control
- 8,084 lb. lift cap (OECD, 90% psi at 24" rear of lower link balls)
- Category II flexible lower link ends
- Telescopic stabilizers

### INSTRUMENTATION:

- Analog/digital instrument panel with:
  - Integrated warning lights
  - Analog fuel, temp., and temp. gauges
  - Digital hour meter, direction display, ground speed, and PTO speed

### ELECTRICAL:

- (1) 12-volt, 800 CCA battery
- 120-amp alternator
- 7-pin outlet for implement lighting
- 3-pin connector (TYCO CPC)
- Single pin (8-amp) power outlet
- Detusch diagnostic port

### LIGHTING:

- (2) Halogen front hood headlights
- (2) Front and (2) rear cab work lights
- Turn signals, flashers, and brake lights

### OPERATOR'S STATION:

- Flat deck platform and integral ROPS
- Heater and air conditioner
- "A" pillar exhaust
- (2) tinted doors with locks
- Partially opening tinted side windows
- Hinged tinted rear window
- Rear cab access plug for imp. wires
- Front and rear wipers and washers
- Tilt and telescoping steering wheel
- Fixed external mirrors
- Radio and speakers
- Deluxe air suspension seat with operator's presence and seat belt
- Instructor's seat with seat belt
- HiVis panel (overhead window-opens)

### MISCELLANEOUS:

- One-piece hood with gas strut
- Swinging drawbar
- SMV emblem
- Toolbox

### WARRANTY:

New Holland standard warranty applies

**T5 TIER 4B ELECTRO COMMAND SERIES  
US PRICE LIST****Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price
T5.110 ELEC COM T4B	8,157 LB		\$102,377.00
Includes the following Equipment			
14.9R24 A8 HD Rim (8242301)	\$2,161.00		
460/85(18.4)R34 A8 FI,MI,C (8365401)	\$3,834.00		
T5.120 ELEC COM T4B	8,157 LB		\$104,426.00
Includes the following Equipment			
14.9R24 A8 HD Rim (8242301)	\$2,161.00		
460/85(18.4)R34 A8 FI,MI,C (8365401)	\$3,834.00		

**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**TIRES**

## BRAND CHOICE

## SD\_T4900 TIRE CATEGORY CHOICE

	330438	No tire brand preference			No Charge
	330447	Alliance			\$444.00
	330439	Continental			\$444.00
	330418	Trelleborg			\$444.00
	330444	Nokian			\$777.00
	330442	Michelin			\$1,108.00

## FRONT

## SD\_T4940 FRONT WHEELS AND TIRES

## Ag Front Tires

	8235401	12.4R24 A8 <b>R1W, Adjustable Rim, Match w/ 8357401 rear tire/wheel</b>			\$1,435.00
	8242301	14.9R24 A8 HD Rim <b>R1W, adjustable rim Match with 8365401 rear tire/wheel</b>			\$2,161.00
	8838501	13.6-R28 6PR <b>Match with 8376701 rear tire/wheel R1W, adjustable rim</b>			\$2,840.00

**T5 TIER 4B ELECTRO COMMAND SERIES  
US PRICE LIST**

**REAR**

**SD\_T4950 REAR WHEELS AND TIRES**

Ag Rear Tires						
		8357401	18.4R30 R1W <b>Matching front tire/whl is 8235401, 12.4R24 (320/85R24)</b> <b>R1W, adjustable rim</b> <b>Not compatible with narrow rear fenders</b> <b>option code: 331870</b>			\$3,480.00
		8365401	460/85(18.4)R34 A8 FI,MI,CO,TR <b>Matching front tire/whl is 8242301, 14.9R24 (380/85R24)</b> <b>R1W, adjustable rim</b> <b>Not compatible with narrow rear fenders</b> <b>option code: 331870</b>			\$3,834.00
		8376701	16.9R38 R1W <b>Matching front tire is 8838501, 13.6R28 (340/85R28)</b> <b>R1W, adjustable rim</b> <b>Not compatible with narrow rear fenders</b> <b>option code: 331870</b>			\$2,824.00

**HYDRAULICS**

**REAR REMOTES**

**SD\_T8270 REAR REMOTES**

		330849	2 MRRV (2C) Fixed Pump,EDC <b>2 closed center mechanical hydraulic remote valves both with configurable detent</b>			No Charge
		331844	3 MRRV (1NC+2C)Fixed Pump,EDC <b>3 mechanical rear hydraulic remote valves, 2 with configurable detents and 1 with non-configurable detent</b>			\$1,496.00

**ENGINE**

**AIR INTAKE**

**SD\_T1910 AIR CLEANER**

		330200	Air Filter w/Dust Ejector <b>Engine air cleaner with dust ejector</b>			\$121.00
		390200	Air Cleaner w/ Pre-Cleaner <b>Standare engine air cleaner with precleaner</b>			No Charge

**T5 TIER 4B ELECTRO COMMAND SERIES  
US PRICE LIST**

**CAB OR ROPS PLATFORM**

OTHER

SD\_T9360 RR MIRRORS

		392428	2 Fixed Wide Angle Mirrors			No Charge
		341852	2 External Wide Angle Mirrors			\$401.00
			<b>2 Telescopic Rear Wide Angle Mirrors With Mechanical Adjustment</b>			

**LIGHTS**

ROTARY BEACON

SD\_T9146 ROTARY BEACON

		759160	ROTARY BEACON 759160			\$111.00
		335916	2 Beacons RH and LH Side			\$220.00
			<b>Left and right side safety beacons</b>			

**WEIGHTS**

FRONT

SD\_T2150 FRONT BALLAST

		331759	10 Weights			\$1,164.00
			<b>Qty. 10, 88 lb. (40 Kg) weights</b>			
			<b>totaling 882 lb. (400 Kg)</b>			
			<b>Requires a front axle support with weight carrier (335156 or 758385)</b>			

REAR

SD\_T4961 REAR BALLAST

		330471	6 Rear Wheel Weights			\$975.00
			<b>6, 110 lb. (50 kg.) rear disc weights</b>			
			<b>totaling 661 lb. (300Kg)</b>			

**MANUALS**

OPERATORS

SD\_T9840 COUNTRY CONFIGURATION

		335148	USA Spanish Config			No Charge
			<b>Spanish Operator Manual</b>			
		335151	Canada (FR) Config			No Charge
			<b>French Operator Manual</b>			



**T5 TIER 4B ELECTRO COMMAND SERIES  
US PRICE LIST**

**MISCELLANEOUS**

**FENDERS FRONT**

**SD\_T8740 FRONT FENDERS**

		758330	Dynamic Front Fenders 480mm <b>18.9 inch (480 mm) dynamic front fenders</b>			\$743.00
--	--	--------	--	--	--	----------

**FENDERS REAR**

**SD\_T8700 FENDERS**

		331870	Narrow Rear Fenders 331870 <b>Not compatible with front fender options</b> <b>Requires 8201801 9.5R28 front tires/wheels and</b> <b>8369501 12.4R38 rear tire/wheels</b>			No Charge
--	--	--------	---	--	--	-----------

**REVERSE ALARM**

**SD\_T9249 REVERSE ALARM**

		332692	Reverse Alarm w/Work Light			\$245.00
--	--	--------	----------------------------	--	--	----------

## T5 ELECTRO COMMAND - STANDARD FASTPICK US PRICE LIST

### Standard Equipment

KEY SELLING POINTS (some features are optional equipment):

- 16 x 16 Electro Command semi-powershift transmission
- Auto PTO manages PTO engagement in relation to the rear hitch position
- Engine Speed Management (constant engine RPM) - 2 settings
- Terralock™ automatic traction system
- CommandArc™ ergonomics
- 200 degree windshield wiper
- Standard high visibility panel (opening)
- (10) repositionable AC/heater vents
- Full-size instructor seat
- Hydraulic shuttle lever -finger control
- 3.4L, 4-cylinder, F5G engines with 4 valves per cylinder common rail fuel injection systems
- 8,084 lb. 3-point lift capacity
- Tier 4B/final emissions compliant ECOBlue Compact HI-eSCR (Selective Catalytic Reduction) after-treatment with low rate Cooled Exhaust Gas Recirculation (CEGR); no diesel particulate filter, no regeneration req.

#### MODELS:

T5.110

- 107 gross engine HP
- 93 PTO HP @ 2300 rpm
- 4-cyl. turbocharged and intercooled
- 207 cu. in. (3.4 L) displacement
- 4 valves per cylinder

T5.120

- 117 gross engine HP
- 100 PTO HP @ 2300 rpm
- 4-cyl. turbocharged and intercooled
- 207 cu. in. (3.4 L) displacement
- 4 Valves per cylinder

#### ENGINE:

- Tier 4B emissions: Compact HI-eSCR SCR with low rate CEGR
- Electronic injection Bosch high-pressure common rail system
- Engine Speed Management
- Electric engine shutoff
- Grid heater starting Aid
- Engine block heater
- Dual element air filter
- Vertical exhaust
- 43.6 gallon (165 L) fuel tank with guard
- 3.2 gallon (12 L) DEF (diesel exhaust fluid) tank

#### TRANSMISSION:

- 16 x 16 semi-powershift
- 8 push button powershift speeds
- Control buttons on gear shift lever and on CommandArc™
- Electrohydraulic shuttle
- 25-mph (40-kph) road speed
- 16th gear (32nd w/creeper) is an economy gear that operates the engine at a lower RPM to save fuel
- Multi-disk cerametallic clutch
- Transmission heater

#### STEERING/BRAKES:

- Hydrostatic power steering
- Hydraulic wet brakes (equalizing and self-adjusting)
- Park brake

#### FRONT AXLE:

- Class 1.5 w/Auto 4WD management
- Electrohydraulic FWD engagement

#### -REAR AXLE:

- Heavy-duty flange
- Dog clutch differential lock
- Auto differential lock management
- Electrohydraulic rear differential lock

**T5 ELECTRO COMMAND - STANDARD FASTPICK  
US PRICE LIST**

## Standard Equipment

### HYDRAULIC SYSTEM:

- Fixed displacement pumps
- Tandem gear pumps
- Maximum flow at rated engine speed:
  - Implement pump: 21.1 gpm (80 l/m)
  - Steering pump: 11.4 gpm (43 l/m)
- (2) closed center rear remote valves configurable detent w/ quick release couplers
- 2 function mechanical mid mount valve and joystick
- Complete loader ready

### PTO:

- Fully independent
- Flip-up PTO shaft guard
- 540/1000 rpm interchangeable shaft
- Electrohydraulic engagement
- Multi-plate clutch
- Fender-mounted EDC / PTO switches

### 3-POINT LIFT SYSTEM:

- Right hand console-mounted mouse
- Electronic Draft Control (EDC)
- Fast raise/lower control
- 8,084 lb. lift cap (OECD, 90% psi at 24" rear of lower link balls)
- Category II flexible lower link ends
- Telescopic stabilizers

### INSTRUMENTATION:

- Analog/digital instrument panel with:
  - Integrated warning lights
  - Analog fuel, temp., and temp. gauges
  - Digital hour meter, direction display, ground speed, and PTO speed

### ELECTRICAL:

- (1) 12-volt, 800 CCA battery
- 120-amp alternator
- 7-pin outlet for implement lighting
- 3-pin connector (TYCO CPC)
- Single pin (8-amp) power outlet
- Detusch diagnostic port

### LIGHTING:

- (2) Halogen front hood headlights
- (2) Front and (2) rear cab work lights
- Turn signals, flashers, and brake lights

### OPERATOR'S STATION:

- Flat deck platform and integral ROPS
- Heater and air conditioner
- "A" pillar exhaust
- (2) tinted doors with locks
- Partially opening tinted side windows
- Hinged tinted rear window
- Rear cab access plug for imp. wires
- Front and rear wipers and washers
- Tilt and telescoping steering wheel
- Fixed external mirrors
- Radio and speakers
- Deluxe air suspension seat with operator's presence and seat belt
- Instructor's seat with seat belt
- HiVis panel (overhead window-opens)

### MISCELLANEOUS:

- One-piece hood with gas strut
- Swinging drawbar
- SMV emblem
- Toolbox
- 6 rear wheel weights

### WARRANTY:

New Holland standard warranty applies



**T5 ELECTRO COMMAND - STANDARD FASTPICK  
US PRICE LIST****Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price
T5.110 ELEC COM T4B	8,157 LB		\$102,377.00
Includes the following Equipment			
14.9R24 A8 HD Rim (8242301)	\$2,161.00		
460/85(18.4)R34 A8 FI,MI,C (8365401)	\$3,834.00		
T5.120 ELEC COM T4B	8,157 LB		\$104,426.00
Includes the following Equipment			
14.9R24 A8 HD Rim (8242301)	\$2,161.00		
460/85(18.4)R34 A8 FI,MI,C (8365401)	\$3,834.00		

**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**FAST PICK CONFIGURATION**

## SD\_T9980 PACKAGING

	X0474XX	NAR NH PCK C STD <b>Standard Fastpick Package includes:</b> 330849 2 Mechanical Rear Remotes 392428 2 Fixed Wide Angle Mirrors 390430 16 x 16 SPS 40 KPH 758820 2 Slice Mech CC MMV 332850 Deluxe Fabric Seat w/Air Suspension 339434 Deluxe Cab with HiVis Panel and A/C 330308 HD MFD Axle w/ Hydraulic Diff Lock 758980 Complete Loader Ready 744982 Engine Block and Transmission Heaters 330471 6 Rear Wheel Weights 8242301 14.9R24 R1W Front Tires 8365401 18.4R34 R1W Rear Tires			\$2,208.00
--	---------	---	--	--	------------

**PTO**

## REAR PTO

## SD\_T8010 PTO

	331729	540/540E/1000 RPM			\$798.00
--	--------	-------------------	--	--	----------

**T5 ELECTRO COMMAND - STANDARD FASTPICK  
US PRICE LIST**

**CAB OR ROPS PLATFORM**

MONITOR MOUNTING

SD\_T7612 BRACKET MONITOR

		338761	Monitor Mounting Bracket			\$139.00
--	--	--------	--------------------------	--	--	----------

**ELECTRICAL/CONNECTORS**

BATTERY

SD\_T7420 BATTERY

		334774	Batt. 140 AH W/B.IS. <b>Battery Isolator</b>			\$388.00
--	--	--------	---	--	--	----------

**LIGHTS**

ROTARY BEACON

SD\_T9146 ROTARY BEACON

		759160	ROTARY BEACON 759160			\$111.00
		335916	2 Beacons RH and LH Side <b>Left and right side safety beacons</b>			\$220.00

**MANUALS**

OPERATORS

SD\_T9840 COUNTRY CONFIGURATION

		335148	USA Spanish Config <b>Spanish Operator Manual</b>			No Charge
		335151	Canada (FR) Config <b>French Operator Manual</b>			No Charge

**MISCELLANEOUS**

FENDERS FRONT

SD\_T8740 FRONT FENDERS

		758330	Dynamic Front Fenders 480mm <b>18.9 inch (480 mm) dynamic front fenders</b>			\$743.00
--	--	--------	--	--	--	----------

**T5 ELECTRO COMMAND - DELUXE FASTPICK  
US PRICE LIST**

## Standard Equipment

KEY SELLING POINTS (some features are optional equipment):

- 16 x 16 Electro Command semi-powershift transmission with Auto Shift feature
- Auto PTO manages PTO engagement in relation to the rear hitch position
- Engine Speed Management (constant engine RPM) - 2 settings
- Terralock™ automatic traction system
- CommandArc™ ergonomics
- 200 degree windshield wiper
- Standard high visibility panel (opening)
- (10) repositionable AC/heater vents
- Full-size instructor seat
- Hydraulic shuttle lever -finger control
- 3.4L, 4-cylinder, F5G engines with 4 valves per cylinder common rail fuel injection systems
- 8,084 lb. 3-point lift capacity
- Tier 4B/final emissions compliant ECOBlue Compact HI-eSCR (Selective Catalytic Reduction) after-treatment with low rate Cooled Exhaust Gas Recirculation (CEGR); no diesel particulate filter, no regeneration req.

**MODELS:**

T5.110

- 107 gross engine HP
- 93 PTO HP @ 2300 rpm
- 4-cyl. turbocharged and intercooled
- 207 cu. in. (3.4 L) displacement
- 4 valves per cylinder

T5.120

- 117 gross engine HP
- 100 PTO HP @ 2300 rpm
- 4-cyl. turbocharged and intercooled
- 207 cu. in. (3.4 L) displacement
- 4 Valves per cylinder

**ENGINE:**

- Tier 4B emissions: Compact HI-eSCR SCR with low rate CEGR
- Electronic injection Bosch high-pressure common rail system
- Engine Speed Management
- Electric engine shutoff
- Grid heater starting Aid
- Engine block heater
- Dual element air filter
- Vertical exhaust
- 43.6 gallon (165 L) fuel tank with guard
- 3.2 gallon (12 L) DEF (diesel exhaust fluid) tank

**TRANSMISSION:**

- 16 x 16 semi-powershift with Auto Shift
- 8 push button powershift speeds
- Control buttons on gear shift lever and on CommandArc™
- Electrohydraulic shuttle
- 25-mph (40-kph) road speed
- 16th gear (32nd w/creeper) is an economy gear that operates the engine at a lower RPM to save fuel
- Multi-disk cerametallic clutch
- Transmission heater

**STEERING/BRAKES:**

- Hydrostatic power steering
- Hydraulic wet brakes (equalizing and self-adjusting)
- Park brake

**FRONT AXLE:**

- Class 1.5 w/Auto 4WD management
- Electrohydraulic FWD and differential lock engagement

**-REAR AXLE:**

- Heavy-duty flange
- Dog clutch differential lock
- Auto differential lock management
- Electrohydraulic rear differential lock

**T5 ELECTRO COMMAND - DELUXE FASTPICK  
US PRICE LIST**

## Standard Equipment

### HYDRAULIC SYSTEM:

- Fixed displacement pumps
- Tandem gear pumps
- Maximum flow at rated engine speed:
  - Implement pump: 21.1 gpm (80 l/m)
  - Steering pump: 11.4 gpm (43 l/m)
- (3) closed center rear remote valves configurable detent w/ quick release couplers
- 2 function mid mount valve with electronic arm-rest mounted joystick
- Complete loader ready

### PTO:

- Fully independent
- Flip-up PTO shaft guard
- 540/1000 rpm interchangeable shaft
- Electrohydraulic engagement
- Multi-plate clutch
- Fender-mounted EDC / PTO switches

### 3-POINT LIFT SYSTEM:

- Right hand console-mounted mouse
- Electronic Draft Control (EDC)
- Fast raise/lower control
- 8,084 lb. lift cap (OECD, 90% psi at 24" rear of lower link balls)
- Category II flexible lower link ends
- Telescopic stabilizers

### INSTRUMENTATION:

- Analog/digital instrument panel with:
  - Integrated warning lights
  - Analog fuel, temp., and temp. gauges
  - Digital hour meter, direction display, ground speed, and PTO speed

### ELECTRICAL:

- (1) 12-volt, 800 CCA battery
- 120-amp alternator
- 7-pin outlet for implement lighting
- 3-pin connector (TYCO CPC)
- Single pin (8-amp) power outlet
- Detusch diagnostic port

### LIGHTING:

- (2) Halogen front hood headlights
- (2) Front and (2) rear cab work lights
- Turn signals, flashers, and brake lights

### OPERATOR'S STATION:

- Flat deck platform and integral ROPS
- Cab suspension
- Heater and air conditioner
- "A" pillar exhaust
- (2) tinted doors with locks
- Partially opening tinted side windows
- Hinged tinted rear window
- Rear cab access plug for imp. wires
- Front and rear wipers and washers
- Tilt and telescoping steering wheel
- Telescopic external mirrors
- Monitor mounting bracket
- Radio and speakers
- Premium air suspension seat with operator's presence and seat belt
- Instructor's seat with seat belt
- HiVis panel (overhead window-opens)

### MISCELLANEOUS:

- One-piece hood with gas strut
- Swinging drawbar
- SMV emblem
- Toolbox
- 6 rear wheel weights

### WARRANTY:

New Holland standard warranty applies

**T5 ELECTRO COMMAND - DELUXE FASTPICK  
US PRICE LIST****Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price
T5.110 ELEC COM T4B	8,157 LB		\$102,377.00
Includes the following Equipment			
14.9R24 A8 HD Rim (8242301)	\$2,161.00		
460/85(18.4)R34 A8 FI,MI,C (8365401)	\$3,834.00		
T5.120 ELEC COM T4B	8,157 LB		\$104,426.00
Includes the following Equipment			
14.9R24 A8 HD Rim (8242301)	\$2,161.00		
460/85(18.4)R34 A8 FI,MI,C (8365401)	\$3,834.00		

**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**FAST PICK CONFIGURATION**

## SD\_T9980 PACKAGING

	X0473XX	NAR NH PCK B DELUXE <b>Deluxe Fastpick Package Includes:</b> 331844 3 Mechanical Rear Remotes 341852 2 External Telescopic Wide Angle Mirrors 330471 6 Rear Wheel Weights 744982 Engine Block and Transmission Heaters 334775 40 KPH W/Autofunction 330308 HD MFD Axle w/ Hydraulic Diff Lock 338761 Monitor Mounting Bracket 758980 Complete Loader Ready 758821 2 MMV CC w/EH Joystick 758312 Premium Air Seat 336730 Cab Suspension with HiVis panel & A/C 8242301 14.9R24 R1W Front Tires 8365401 18.4R34 R1W Rear Tires			\$6,964.00
--	---------	--	--	--	------------

**PTO**

## REAR PTO

## SD\_T8010 PTO

	331729	540/540E/1000 RPM			\$798.00
--	--------	-------------------	--	--	----------

**T5 ELECTRO COMMAND - DELUXE FASTPICK  
US PRICE LIST**

**ELECTRICAL/CONNECTORS**

BATTERY

SD\_T7420 BATTERY

		334774	Batt. 140 AH W/B.IS. <b>Battery Isolator</b>			\$388.00
--	--	--------	---	--	--	----------

**LIGHTS**

ROTARY BEACON

SD\_T9146 ROTARY BEACON

		759160	ROTARY BEACON 759160			\$111.00
		335916	2 Beacons RH and LH Side <b>Left and right side safety beacons</b>			\$220.00

**MANUALS**

OPERATORS

SD\_T9840 COUNTRY CONFIGURATION

		335148	USA Spanish Config <b>Spanish Operator Manual</b>			No Charge
		335151	Canada (FR) Config <b>French Operator Manual</b>			No Charge

**MISCELLANEOUS**

FENDERS FRONT

SD\_T8740 FRONT FENDERS

		758330	Dynamic Front Fenders 480mm <b>18.9 inch (480 mm) dynamic front fenders</b>			\$743.00
--	--	--------	--	--	--	----------

## T5 ELECTRO COMMAND - LESS FASTPICK US PRICE LIST

### Standard Equipment

KEY SELLING POINTS (some features are optional equipment):

- 16 x 16 Electro Command semi-powershift transmission now with optional Auto Shift feature
- Comfort Ride™ cab suspension for a smoother ride - Optional
- Auto PTO manages PTO engagement in relation to the rear hitch position
- Engine Speed Management (constant engine RPM) - 2 settings
- Terralock™ automatic traction system
- Terraglide™ opt. front axle suspension
- Opt TerraGlide™ class 1.5 HD front axle
- CommandArc™ ergonomics
- Optional LED work lights
- 200 degree windshield wiper
- Standard high visibility panel (opening)
- (10) repositionable AC/heater vents
- Full-size instructor seat
- Electrohydraulic armrest-mntd joystick
- Hydraulic shuttle lever -finger control
- 8,084 lb. 3-point lift capacity
- Tier 4B/final emissions compliant ECOBlue Compact HI-eSCR (Selective Catalytic Reduction) after-treatment with low rate Cooled Exhaust Gas Recirculation (CEGR); no diesel particulate filter, no regeneration req.

#### MODELS:

T5.110

107 gross engine HP

93 PTO HP @ 2300 rpm

4-cyl. turbocharged and intercooled

207 cu. in. (3.4 L) displacement

4 valves per cylinder

T5.120

117 gross engine HP

100 PTO HP @ 2300 rpm

4-cyl. turbocharged and intercooled

207 cu. in. (3.4 L) displacement

4 Valves per cylinder

#### KEY COMMON FEATURES & OPTIONS:

- 16X16 Electro Command transmission with optional Auto Shift feature
- Optional Suspended cab w/HiVis panel
- Heavy-duty class 1.5 front axle with optional hydraulic differential lock
- Opt. premium air suspension seat with armrests, backrest, and heated cushion
- Full-size, deluxe radio with Bluetooth™
- Telescopic rearview mirror option
- (3) closed center rear remotes option
- Electrohydraulic mid-mount valve and armrest-mounted elec. joystick option
- Auto PTO option
- Engine block heater option

#### ENGINE:

- Tier 4B emissions: Compact HI-eSCR SCR with low rate CEGR
- Electronic injection Bosch high-pressure common rail system
- Engine Speed Management
- Electric engine shutoff
- Grid heater starting Aid
- Dual element air filter
- Vertical exhaust
- 43.6 gallon (165 L) fuel tank with guard
- 3.2 gallon (12 L) DEF (diesel exhaust fluid) tank

#### TRANSMISSION:

- 16 x 16 semi-powershift
- 8 push button powershift speeds
- Control buttons on gear shift lever and on CommandArc™
- Electrohydraulic shuttle
- 25-mph (40-kph) road speed
- 16th gear (32nd w/creeper) is an economy gear that operates the engine at a lower RPM to save fuel
- Multi-disk cerametallic clutch

**T5 ELECTRO COMMAND - LESS FASTPICK  
US PRICE LIST**

## Standard Equipment

### STEERING/BRAKES:

- Hydrostatic power steering
- Hydraulic wet brakes (equalizing and self-adjusting)
- Park brake

### FRONT AXLE:

- Class 1.5 w/Auto 4WD management
- Limited slip differential
- Opt. electrohydraulic FWD engagement
- Opt. suspended front axle

### -REAR AXLE:

- Heavy-duty flange
- Dog clutch differential lock
- Auto differential lock management
- Electrohydraulic rear differential lock

### HYDRAULIC SYSTEM:

- Fixed displacement pumps
- Tandem gear pumps
- Maximum flow at rated engine speed:
  - Implement pump: 21.1 gpm (80 l/m)
  - Steering pump: 11.4 gpm (43 l/m)
- (2) closed center rear remote valves configurable detent w/ quick release couplers

### PTO:

- Fully independent
- Flip-up PTO shaft guard
- 540/1000 rpm interchangeable shaft
- Electrohydraulic engagement
- Multi-plate clutch
- Fender-mounted EDC / PTO switches

### 3-POINT LIFT SYSTEM:

- Right hand console-mounted mouse
- Electronic Draft Control (EDC)
- Fast raise/lower control
- 8,084 lb. lift cap (OECD, 90% psi at 24" rear of lower link balls)
- Category II flexible lower link ends
- Telescopic stabilizers

### INSTRUMENTATION:

- Analog/digital instrument panel with:
  - Integrated warning lights
  - Analog fuel, temp., and temp. gauges
  - Digital hour meter, direction display, ground speed, and PTO speed

### ELECTRICAL:

- (1) 12-volt, 800 CCA battery
- 120-amp alternator
- 7-pin outlet for implement lighting
- 3-pin connector (TYCO CPC)
- Single pin (8-amp) power outlet
- Detusch diagnostic port

### LIGHTING:

- (2) Halogen front hood headlights
- (2) Front and (2) rear cab work lights
- Turn signals, flashers, and brake lights

### OPERATOR'S STATION:

- Flat deck platform and integral ROPS
- Heater and air conditioner
- "A" pillar exhaust
- (2) tinted doors with locks
- Partially opening tinted side windows
- Hinged tinted rear window
- Rear cab access plug for imp. wires
- Front and rear wipers and washers
- Tilt and telescoping steering wheel
- Fixed external mirrors
- Radio and speakers
- Deluxe air suspension seat with operator's presence and seat belt
- Instructor's seat with seat belt
- HiVis panel (overhead window-opens)

### MISCELLANEOUS:

- One-piece hood with gas strut
- Swinging drawbar
- SMV emblem
- Toolbox

### WARRANTY:

New Holland standard warranty applies





**T5 ELECTRO COMMAND - LESS FASTPICK  
US PRICE LIST**

**Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price
T5.110 ELEC COM T4B	8,157 LB		\$102,377.00
Includes the following Equipment			
14.9R24 A8 HD Rim (8242301)	\$2,161.00		
460/85(18.4)R34 A8 FI,MI,C (8365401)	\$3,834.00		
T5.120 ELEC COM T4B	8,157 LB		\$104,426.00
Includes the following Equipment			
14.9R24 A8 HD Rim (8242301)	\$2,161.00		
460/85(18.4)R34 A8 FI,MI,C (8365401)	\$3,834.00		

**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**FAST PICK CONFIGURATION**

SD\_T9980 PACKAGING

	X0475XX	LESS PACKAGING		No Charge
--	---------	----------------	--	-----------

**OPERATOR PLATFORM**

SD\_T9200 OPERATOR STRUCTURE #1

	336730	Susp HiVis A/C <b>Cab Suspension</b>		\$1,440.00
--	--------	---	--	------------

**POWER TRAIN**

TRANSMISSION

SD\_T2810 TRANSMISSION

	390430	16x16 SPS 40KPH		No Charge
	334775	40KPH W/Autofunction <b>Auto Shift</b>		\$726.00
	334114	16x16 40KPH W/Creep <b>Creeper</b>		\$792.00
	334779	40KPH W/AutoF+Creep <b>Auto Shift + Creeper</b>		\$1,518.00



**T5 ELECTRO COMMAND - LESS FASTPICK  
US PRICE LIST**

**AXLES**

**SD\_T4010 FRONT AXLE**

		337707	Suspended Front Axle Less Brks			\$4,178.00
--	--	--------	--------------------------------	--	--	------------

**TIRES**

**BRAND CHOICE**

**SD\_T4900 TIRE CATEGORY CHOICE**

		330438	No tire brand preference			No Charge
		330447	Alliance			\$444.00
		330439	Continental			\$444.00
		330418	Trelleborg			\$444.00
		330444	Nokian			\$777.00
		330442	Michelin			\$1,108.00

**FRONT**

**SD\_T4940 FRONT WHEELS AND TIRES**

Ag Front Tires						
		8235401	12.4R24 A8 <b>R1W, Adjustable Rim, Match w/ 8357401 rear tire/wheel</b>			\$1,435.00
		8242301	14.9R24 A8 HD Rim <b>R1W, adjustable rim Match with 8365401 rear tire/wheel</b>			\$2,161.00
		8201801	9.5R28 <b>R1W, Adjustable Rim, Match w/ 8369501 rear tire/wheel</b>			\$1,769.00

**REAR**

**SD\_T4950 REAR WHEELS AND TIRES**

Ag Rear Tires						
		8357401	18.4R30 R1W <b>Matching front tire/whl is 8235401, 12.4R24 (320/85R24) R1W, adjustable rim Not compatible with narrow rear fenders option code: 331870</b>			\$3,480.00



**T5 ELECTRO COMMAND - LESS FASTPICK  
US PRICE LIST**

		8365401	460/85(18.4)R34 A8 FI,MI,CO,TR <b>Matching front tire/whl is 8242301, 14.9R24 (380/85R24) R1W, adjustable rim Not compatible with narrow rear fenders option code: 331870</b>			\$3,834.00
Specialty Rear Tires						
		8369501	12.4R38 ) W11 x 38 <b>Matching front tire/wheel is 9.5R28 Not compatible with front fender options 758329 and 758330 Row Crop with adjustable rim Required when selecting narrow rear fender option 331870</b>			\$2,049.00

**HYDRAULICS**

REAR REMOTES

SD\_T8270 REAR REMOTES

		330849	2 MRRV (2C) Fixed Pump,EDC <b>2 closed center mechanical hydraulic remote valves both with configurable detent</b>			No Charge
		331844	3 MRRV (1NC+2C)Fixed Pump,EDC <b>3 mechanical rear hydraulic remote valves, 2 with configurable detents and 1 with non-configurable detent</b>			\$1,496.00

MID-MOUNT

SD\_T8280 MID-MOUNT VALVES

		758820	2 Slice Mech CC MMV <b>2 function mid mount valve with mechanical joystick</b>			\$1,440.00
		758821	2 MMV CC w/EH Joystk <b>2 function mid mount valve with armrest mounted electronic joystick</b>			\$1,994.00



**T5 ELECTRO COMMAND - LESS FASTPICK  
US PRICE LIST**

**LOADER**

LOADER BRACKETS

SD\_T8110 LOADER BRACKETS

		758980	Loader Ready. <b>Complete loader ready</b> <b>Includes:</b> - Complete TPS mounting brackets - Hose kit from mid mount valve to vertical brackets - Multi-coupler base  Requires a mid mount valve selection			\$4,586.00
--	--	--------	---	--	--	------------

**ENGINE**

AIR INTAKE

SD\_T1910 AIR CLEANER

		330200	Air Filter w/Dust Ejector <b>Engine air cleaner with dust ejector</b>			\$121.00
--	--	--------	--	--	--	----------

SD\_T1931 COLD WEATHER STARTI

		744982	Block Heater_120V			\$161.00
--	--	--------	-------------------	--	--	----------

**PTO**

REAR PTO

SD\_T8010 PTO

		331729	540/540E/1000 RPM			\$798.00
--	--	--------	-------------------	--	--	----------

**CAB OR ROPS PLATFORM**

MONITOR MOUNTING

SD\_T7612 BRACKET MONITOR

		338761	Monitor Mounting Bracket			\$139.00
--	--	--------	--------------------------	--	--	----------

OTHER

SD\_T9360 RR MIRRORS

		341852	2 External Wide Angle Mirrors <b>2 Telescopic Rear Wide Angle Mirrors With Mechanical Adjustment</b>			\$401.00
--	--	--------	---	--	--	----------

**T5 ELECTRO COMMAND - LESS FASTPICK  
 US PRICE LIST**
**ELECTRICAL/CONNECTORS**
**BATTERY**
**SD\_T7420 BATTERY**

		334774	Batt. 140 AH W/B.IS. <b>Battery Isolator</b>			\$388.00
--	--	--------	---	--	--	----------

**LIGHTS**
**ROTARY BEACON**
**SD\_T9146 ROTARY BEACON**

		759160	ROTARY BEACON 759160			\$111.00
		335916	2 Beacons RH and LH Side <b>Left and right side safety beacons</b>			\$220.00

**WEIGHTS**
**FRONT**
**SD\_T2150 FRONT BALLAST**

		331759	10 Weights <b>Qty. 10, 88 lb. (40 Kg) weights totaling 882 lb. (400 Kg) Requires a front axle support with weight carrier (335156 or 758385)</b>			\$1,164.00
--	--	--------	---	--	--	------------

**SD\_T8100 FRONT THREE POINT HITCH**

		335156	L/FHPL L/FPTO-STD <b>Standard front axle support with weight carrier. Not compatible with suspended front axle.</b>			\$359.00
		758385	L/FHPL L/FPTO-MULTI <b>Suspended axle front axle support with weight carrier Not compatible with non suspended front axle.</b>			No Charge

**REAR**
**SD\_T4961 REAR BALLAST**

		330471	6 Rear Wheel Weights <b>6, 110 lb. (50 kg.) rear disc weights totaling 661 lb. (300Kg)</b>			\$975.00
--	--	--------	---	--	--	----------



**T5 ELECTRO COMMAND - LESS FASTPICK  
US PRICE LIST**

**MISCELLANEOUS**

**FENDERS FRONT**

**SD\_T8740 FRONT FENDERS**

		758330	Dynamic Front Fenders 480mm <b>18.9 inch (480 mm) dynamic front fenders</b>			\$743.00
--	--	--------	--	--	--	----------

**REVERSE ALARM**

**SD\_T9249 REVERSE ALARM**

		332692	Reverse Alarm w/Work Light			\$245.00
--	--	--------	----------------------------	--	--	----------

**T5 DYNAMIC COMMAND - STANDARD FAST PICK  
US PRICE LIST**

## Standard Equipment

### KEY SELLING POINTS:

- Fuel efficient high torque 4.5L, 4-cylinder
- FPT engines with 4 valves per cylinder and common rail fuel injection systems
- Tier 4B EPA emissions compliant with SCR only ECOBlue™ HI-eSCR Tier4B emissions system
- Underhood compact aftertreatment
- 24X24 Dynamic Command™ 8-Step Semi-Powershift transmission
- Best in class cab in terms of space and comfort (same cab as the T6 and T7 Series)
- Standard LED work lighting
- High level of Automating features (E-Hydr 4WD, PTO, e-controlled remotes)
- Closed Center Load Sensing "high efficiency" pumps, up to 108 l/m
- Easy attach remote outlets
- New bold styling (hood, cab roof, lighting)
- Long Stable 98" wheel base for all Models
- Gross Vehicle Weight up to 18,700 lbs.

### MODELS

#### T5.130 Dynamic Command

Rated PTO HP - 102

Rated Engine HP - 120

Maximum Engine HP - 130

Rated Speed - 2200 RPM

274 cu. in. (4.5L) - 4 Cylinder

Fuel Tank: 47 Gallon (180L)

DEF Tank: 5 Gallon (19L)

#### T5.140 Dynamic Command

Rated PTO HP - 111

ENGINE Rated Engine HP - 130

Maximum Engine HP - 140

Rated Speed - 2200 RPM

274 cu. in. (4.5L) - 4 Cylinder

Fuel Tank: 47 Gallon (180L)

DEF Tank: 5 Gallon (19L)

### ENGINE

-----  
Tier 4B Emissions Compliant  
ECOBlue™ HI-eSCR Tier4B system  
Engine with Turbocharger and  
Air-to-Air Intercooler  
4 Valves Per Cylinder  
Bosch Common Rail Fuel Injection  
Pump (electronic)  
Grid Heater Starting Aid  
Cold weather pack block and  
transmission heater  
Dual Element Air Filter with Pre-Cleaner  
(spin tube intakes)  
A-Pillar Exhaust with Integral Muffler  
Viscous Fan (5 blade)  
Hand Throttle

### TRANSMISSION

- 24x24 Dynamic Command Semi Powershift Transmission
- Clutchless Range Change between Ranges A/B, B/C.
- 25-MPH (40-KPH) (varies by tire size)

### CAB

-----  
-High Roof w/ Opening Visibility Panel and Sunshade  
-Cab suspension  
- Flat Deck Platform with Integrated ROPS  
- Standard Air Conditioner and Heater with 4-Speed Pressurizer and dual zone air conditioning  
- Two doors with Locks  
- Two-speed Intermittent Front Wiper/Washer  
- Rear Intermittent Wiper/Washer  
- Hinged Rear Window  
- Tinted Glass with Sunshade  
- Tilt and Telescoping Steering Wheel  
- IntelliView™ IV disp. mtd. on arm rest  
- Deluxe Air Suspension Seat with Automatic Adjustment, Operator

**T5 DYNAMIC COMMAND - STANDARD FAST PICK  
US PRICE LIST**

## Standard Equipment

### Presence Switch and Lap Belt

- Instructor Seat
- Deluxe radio
- Digital clock
- Integral ROPS
- Interior dome light
- (2) External courtesy lights
- (2) External telescopic remote
- Adjustable mirrors
- Horn
- Std steering wheel & floor mat
- ISOBUS II connector

### STEERING & BRAKES

- Hydrostatic power steering
- Hydraulic wet disc brakes (self-equalizing/self-adjusting)
- Parking brake (automotive style)

### FRONT AXLE

- Front FWD (TerraLock™ )
- Class 1.75 heavy-duty FWD axle
- 55-degree turning angle
- Dual steering cylinders
- 11-degree axle oscillation
- Electrohydraulic FWD engagement
- TerraLock™ Auto FWD/Diff-Lock
- Driveshaft shield

### REAR AXLE

- Heavy-duty flange axle
- Wet plate differential lock
- Electrohydraulic-engaged dif. lock

### ELECTRICAL

- (1) 12-volt 1300 CCA battery
- 120-amp alternator
- Geared starter motor (4.2 kW)
- 7-pin outlet for implement lighting
- 3-pin 40-amp implement socket
- ISO/JD (30 amp) socket

- 15 amp screw-type +/- terminals
- Single pin (8 amp) accessory outlet
- Cigarette lighter
- (2) single-pin outlets for beacon on roof
- Battery boost terminals
- ISOBUS Class 2

### LIGHTS

- (4) Halogen front hood headlights
- (2) LED front hood signature lights
- (8) LED cab mounted work lights
- (4) LED high front & rear
- (4) LED mid-mount front & rear
- (2) taillights
- Front & Rear Flashing Cab Safety Lights
- Time Delayed, Self-Cancelling Turn Indicators with Audiable Warning Rotary beacon

### PTO

- Independent 540/540E/1000 RPM
- PTO with
- reversible shaft and flip-up shield
- Multi-plate wet clutch design
- Electrohydraulic-engagement with soft start/auto feathering
- Hydraulic piston PTO brake w/override

### HYDRAULIC SYSTEM

- Closed-center load-sensing pump
- Flow at 1,900 RPM: 28.5 gpm (108 l/m)
- (2) electro-hydraulic rear remote valves controlled in SideWinder II™ console (fully programmable)
- Oil collection bottles
- Hydraulic tapping port (Power Beyond)
- Independent pump for CVT and operating circuits
- 3 function electronic mid mount valve and joystick





**T5 DYNAMIC COMMAND - STANDARD FAST PICK  
US PRICE LIST**

## Standard Equipment

### 3-POINT LIFT SYSTEM

-----  
Electronic Draft Control (EDC)  
Lower link sensing  
Fast raise/lower control  
Dynamic Ride Control™  
Category II flex link ends  
Telescopic stabilizers  
10228 lb. Lift Capacity with Dual 80mm  
External Rams

### MISCELLANEOUS

-----  
Complete loader ready: vertical and  
horizontal brackets and hoses from  
valve to vertical bracket  
Rear wheel weights  
Flip-up engine hood  
Swinging drawbar  
SMV emblem  
Toolbox

### WARRANTY

-----  
New Holland standard warranty applies

**T5 DYNAMIC COMMAND - STANDARD FAST PICK  
US PRICE LIST****Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price
T5.130 DCT			\$114,244.00
T5.140 DCT			\$117,744.00

**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**FAST PICK CONFIGURATION**

## SD\_T9980 PACKAGING

	X0474XX	NAR NH PCK C STD <b>Standard Fast Pick Package Includes:</b> <b>759768: BASE COLOUR HI ROOF</b> <b>758479: Suspended_Cab</b> <b>758402: Grid_Heater + 110V Pack</b> <b>758980: Loader Ready</b> <b>743690: 3 Electronic MMV</b> <b>759137: 2X150KG + 2X250KG Wheel Weight</b> <b>759166: BASIC AUTO FEATURE</b> <b>759155: BASIC ARMRST MTD DOG</b> <b>759777: ROTARY BEACON 759777</b> <b>758357: 8 LED High Power Hi-Roof</b>			\$9,263.00
--	---------	--	--	--	------------

**TIRES**

## BRAND CHOICE

## SD\_T4900 TIRE CATEGORY CHOICE

	330418	Trelleborg			\$560.00
	330438	No tire brand preference			No Charge
	330447	Alliance			\$560.00
	330439	Continental			\$560.00
	330446	Firestone			\$560.00
	330442	Michelin			\$560.00
	330444	Nokian			\$560.00

**T5 DYNAMIC COMMAND - STANDARD FAST PICK  
US PRICE LIST**

**FRONT WHEELS & TIRES**

**SD\_T4940 FRONT WHEELS AND TIRES**

Ag Front Tires						
		8235401	12.4R24 A8 <b>R1W RADIAL ISO 4WD ADJUSTABLE RIM</b> <b>Match w/ 8357401 rear tire/wheel</b>			\$1,435.00
		8242301	14.9R24 A8 HD Rim <b>R1W RADIAL ISO 4WD ADJUSTABLE RIM</b> <b>Match with 8365401 rear tire/wheel</b>			\$2,160.00
		8299801	Non-Return Ship Wheels - 4WD			\$95.00
		8880401	360/80R24 GRSLND, Adj. Rim			\$1,955.00
		8247401	11.2R28 A8 <b>R1W RADIAL ISO 4WD ADJUSTABLE RIM</b>  <b>Matches with 8372401 Rear tires 13.6R38 (340/85R38) MAVT</b>			\$1,485.00

**REAR WHEELS & TIRES**

**SD\_T4950 REAR WHEELS AND TIRES**

		8357401	18.4R30 R1W			\$3,480.00
		8365401	460/85(18.4)R34 A8 FI,MI,CO,TR			\$3,835.00
		8372401	13.6R38 A8			\$2,339.00
		8399801	Non-Returnable Shipping Wheel			\$580.00
		8916401	440/80R34 GRSLND, Adj. Rim			\$3,255.00

**CAB OPTION**

**SD\_T9360 RR MIRRORS**

		759154	2 Tele/Heat/Rem Adj Mirror			\$65.00
--	--	--------	----------------------------	--	--	---------

**SEATS**

**SD\_T8500 SEAT**

		758670	Deluxe Air and Belt			\$750.00
		758486	MAXIMO EVO <b>Semi Active Suspension, Heated, Vented, Belt,</b> <b>Alacantara/Leather, Up/Down Headrest</b> <b>(Maximo Evo)</b>			\$3,832.00

**MONITOR BRACKETS**

**SD\_T9223 RH WINDOW BAR MOUNT**

		758153	Monitor Mounting Bracket.			\$150.00
		758154	RH Window Bar Display Ready.			\$245.00



**T5 DYNAMIC COMMAND - STANDARD FAST PICK  
US PRICE LIST**

		758621	10" Color Touch Screen Display			\$5,825.00
--	--	--------	--------------------------------	--	--	------------

**MISCELLANEOUS**

**FENDERS FRONT**

**SD\_T8740 FRONT FENDERS**

		758330	Dynamic Front Fenders 480mm			\$740.00
--	--	--------	-----------------------------	--	--	----------

**OPERATOR'S MANUALS**

**SD\_T9802 OPERATORS MANUAL**

		758535	Spanish NAR			No Charge
		759101	French NAR			No Charge

**T5 DYNAMIC COMMAND - PREMIUM FAST PICK  
US PRICE LIST**

## Standard Equipment

### KEY SELLING POINTS:

- Fuel efficient high torque 4.5L, 4-cylinder
- FPT engines with 4 valves per cylinder and common rail fuel injection systems
- Tier 4B EPA emissions compliant with SCR only ECOBlue™ HI-eSCR Tier4B emissions system
- Underhood compact aftertreatment
- 24X24 Dynamic Command™ 8-Step Semi-Powershift transmission
- Best in class cab in terms of space and comfort (same cab as the T6 and T7 Series)
- Standard LED work lighting
- High level of Automating features (E-Hydr 4WD, PTO, e-controlled remotes)
- Closed Center Load Sensing "high efficiency" pumps, up to 108 l/m
- Easy attach remote outlets
- New bold styling (hood, cab roof, lighting)
- Long Stable 98" wheel base for all Models
- Gross Vehicle Weight up to 18,700 lbs.

### MODELS

#### T5.130 Dynamic Command

Rated PTO HP - 102

Rated Engine HP - 120

Maximum Engine HP - 130

Rated Speed - 2200 RPM

274 cu. in. (4.5L) - 4 Cylinder

Fuel Tank: 47 Gallon (180L)

DEF Tank: 5 Gallon (19L)

#### T5.140 Dynamic Command

Rated PTO HP - 111

ENGINE Rated Engine HP - 130

Maximum Engine HP - 140

Rated Speed - 2200 RPM

274 cu. in. (4.5L) - 4 Cylinder

Fuel Tank: 47 Gallon (180L)

DEF Tank: 5 Gallon (19L)

### ENGINE

-----  
Tier 4B Emissions Compliant  
ECOBlue™ HI-eSCR Tier4B system  
Engine with Turbocharger and  
Air-to-Air Intercooler  
4 Valves Per Cylinder  
Bosch Common Rail Fuel Injection  
Pump (electronic)  
Grid Heater Starting Aid  
Cold weather pack block and  
transmission heater  
Dual Element Air Filter with Pre-Cleaner  
(spin tube intakes)  
A-Pillar Exhaust with Integral Muffler  
Viscous Fan (5 blade)  
Hand Throttle

### TRANSMISSION

- 24x24 Dynamic Command Semi Powershift Transmission
- Clutchless Range Change between Ranges A/B, B/C.
- 25-MPH (40-KPH) (varies by tire size)

### CAB

-----  
-Low Roof w/ Opening Visibility Panel and Sunshade  
-Cab suspension  
- Flat Deck Platform with Integrated ROPS  
- Standard Air Conditioner and Heater with 4-Speed Pressurizer and dual zone air conditioning  
- Two doors with Locks  
- Two-speed Intermittent Front Wiper/Washer  
- Rear Intermittent Wiper/Washer  
- Hinged Rear Window  
- Tinted Glass with Sunshade  
- Tilt and Telescoping Steering Wheel  
- IntelliView™ IV disp. mtd. on arm rest  
- Deluxe Air Suspension Seat with Automatic Adjustment, Operator

**T5 DYNAMIC COMMAND - PREMIUM FAST PICK  
US PRICE LIST**

## Standard Equipment

### Presence Switch and Lap Belt

- Instructor Seat
- Deluxe radio
- Digital clock
- Integral ROPS
- Interior dome light
- (2) External courtesy lights
- (2) External telescopic remote
- Adjustable mirrors
- Horn
- Std steering wheel & floor mat
- ISOBUS II connector

### STEERING & BRAKES

- Hydrostatic power steering
- Hydraulic wet disc brakes (self-equalizing/self-adjusting)
- Parking brake (automotive style)

### FRONT AXLE

- Front FWD (TerraLock™ )
- Class 1.75 heavy-duty FWD axle
- 55-degree turning angle
- Dual steering cylinders
- 11-degree axle oscillation
- Electrohydraulic FWD engagement
- TerraLock™ Auto FWD/Diff-Lock
- Driveshaft shield

### REAR AXLE

- Heavy-duty flange axle
- Wet plate differential lock
- Electrohydraulic-engaged dif. lock

### ELECTRICAL

- (1) 12-volt 1300 CCA battery
- 120-amp alternator
- Geared starter motor (4.2 kW)
- 7-pin outlet for implement lighting
- 3-pin 40-amp implement socket
- ISO/JD (30 amp) socket

- 15 amp screw-type +/- terminals
- Single pin (8 amp) accessory outlet
- Cigarette lighter
- (2) single-pin outlets for beacon on roof
- Battery boost terminals
- ISOBUS Class 2

### LIGHTS

- (4) Halogen front hood headlights
- (2) LED front hood signature lights
- (8) LED cab mounted work lights
- (4) LED high front & rear
- (4) LED mid-mount front & rear
- (2) taillights
- Front & Rear Flashing Cab Safety Lights
- Time Delayed, Self-Cancelling Turn Indicators with Audiable Warning Rotary beacon

### PTO

- Independent 540/540E/1000 RPM
- PTO with
- reversible shaft and flip-up shield
- Multi-plate wet clutch design
- Electrohydraulic-engagement with soft start/auto feathering
- Hydraulic piston PTO brake w/override

### HYDRAULIC SYSTEM

- Closed-center load-sensing pump
- Flow at 1,900 RPM: 28.5 gpm (108 l/m)
- (2) electro-hydraulic rear remote valves controlled in SideWinder II™ console (fully programmable)
- Oil collection bottles
- Hydraulic tapping port (Power Beyond)
- Independent pump for CVT and operating circuits
- 3 function electronic mid mount valve and joystick



**T5 DYNAMIC COMMAND - PREMIUM FAST PICK  
US PRICE LIST**

**Standard Equipment**

3-POINT LIFT SYSTEM

-----

Electronic Draft Control (EDC)

Lower link sensing

Fast raise/lower control

Dynamic Ride Control™

Category II flex link ends

Telescopic stabilizers

10228 lb. Lift Capacity with Dual 80mm

External Rams

Complete loader ready: vertical and  
horizontal brackets and hoses from  
valve to vertical bracket

Rear wheel weights

Flip-up engine hood

Swinging drawbar

SMV emblem

Toolbox

WARRANTY

-----

New Holland standard warranty applies

MISCELLANEOUS

-----

**T5 DYNAMIC COMMAND - PREMIUM FAST PICK  
US PRICE LIST****Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price
T5.130 DCT			\$114,244.00
T5.140 DCT			\$117,744.00

**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**FAST PICK CONFIGURATION**

## SD\_T9980 PACKAGING

		X0472XX	NAR NH PCK A PREMIUM <b>Premium Fast Pick Package Includes:</b> <b>762040: LOW ROOF HIVIS PAN</b> <b>758479: Suspended_Cab</b> <b>758402: Grid_Heater + 110V Pack</b> <b>759666: 1.75 W/EH DIFF LOCK</b> <b>758980: Loader Ready</b> <b>743690: 3 Electronic MMV</b> <b>759137: 2X150KG + 2X250KG Wheel Weight</b> <b>758631: ADV TRANS AUTO FEAT</b> <b>759756: LARGE T.S. DISPLAY</b> <b>759777: ROTARY BEACON 759777</b> <b>758482: Air Conditioning W/ATC</b>			\$18,223.00
--	--	---------	---	--	--	-------------

**TIRES**

## BRAND CHOICE

## SD\_T4900 TIRE CATEGORY CHOICE

		330418	Trelleborg			\$560.00
		330438	No tire brand preference			No Charge
		330447	Alliance			\$560.00
		330439	Continental			\$560.00
		330446	Firestone			\$560.00
		330442	Michelin			\$560.00
		330444	Nokian			\$560.00





**T5 DYNAMIC COMMAND - PREMIUM FAST PICK  
US PRICE LIST**

**FRONT WHEELS & TIRES**

**SD\_T4940 FRONT WHEELS AND TIRES**

		8235401	12.4R24 A8 <b>R1W RADIAL ISO 4WD ADJUSTABLE RIM</b> <b>Match w/ 8357401 rear tire/wheel</b>			\$1,435.00
		8242301	14.9R24 A8 HD Rim <b>R1W RADIAL ISO 4WD ADJUSTABLE RIM</b> <b>Match with 8365401 rear tire/wheel</b>			\$2,160.00
		8299801	Non-Return Ship Wheels - 4WD			\$95.00
		8880401	360/80R24 GRSLND, Adj. Rim			\$1,955.00
		8247401	11.2R28 A8 <b>R1W RADIAL ISO 4WD ADJUSTABLE RIM</b>  <b>Matches with 8372401 Rear tires 13.6R38 (340/85R38) MAVT</b>			\$1,485.00

**REAR WHEELS & TIRES**

**SD\_T4950 REAR WHEELS AND TIRES**

		8365401	460/85(18.4)R34 A8 FI,MI,CO,TR			\$3,835.00
		8372401	13.6R38 A8			\$2,339.00
		8399801	Non-Returnable Shipping Wheel			\$580.00
		8916401	440/80R34 GRSLND, Adj. Rim			\$3,255.00

**CAB OPTION**

**SD\_T9360 RR MIRRORS**

		759154	2 Tele/Heat/Rem Adj Mirror			\$65.00
--	--	--------	----------------------------	--	--	---------

**LIGHTS**

**SD\_T9130 WORK LAMPS**

		762051	12 LED W/LGTS HI PWR			\$1,565.00
--	--	--------	----------------------	--	--	------------

**MONITOR BRACKETS**

**SD\_T9223 RH WINDOW BAR MOUNT**

		758153	Monitor Mounting Bracket.			\$150.00
		758154	RH Window Bar Display Ready.			\$245.00
		758621	10" Color Touch Screen Display			\$5,825.00



**T5 DYNAMIC COMMAND - PREMIUM FAST PICK  
US PRICE LIST**

**OPERATOR'S MANUALS**

SD\_T9802 OPERATORS MANUAL

		758535	Spanish NAR			No Charge
		759101	French NAR			No Charge

**T5 DYNAMIC COMMAND - LESS FAST PICK  
US PRICE LIST**

## Standard Equipment

### KEY SELLING POINTS:

- Fuel efficient high torque 4.5L, 4-cylinder
- FPT engines with 4 valves per cylinder and common rail fuel injection systems
- Tier 4B EPA emissions compliant with SCR only ECOBlue™ HI-eSCR Tier4B emissions system
- Underhood compact aftertreatment
- 24x24 Dynamic Command™ 8-Step Semi-Powershift transmission
- Best in class cab in terms of space and comfort (same cab as the T6 and T7 Series)
- Standard LED work lighting
- High level of Automating features (E-Hydr 4WD, PTO, e-controlled remotes)
- Closed Center Load Sensing "high efficiency" pumps, up to 108 l/m
- Easy attach remote outlets
- New bold styling (hood, cab roof, lighting)
- Long Stable 98" wheel base for all Models
- Gross Vehicle Weight up to 18,700 lbs.

### MODELS

#### T5.130 Dynamic Command

Rated PTO HP - 102

Rated Engine HP - 120

Maximum Engine HP - 130

Rated Speed - 2200 RPM

274 cu. in. (4.5L) - 4 Cylinder

Fuel Tank: 47 Gallon (180L)

DEF Tank: 5 Gallon (19L)

#### T5.140 Dynamic Command

Rated PTO HP - 111

ENGINE Rated Engine HP - 130

Maximum Engine HP - 140

Rated Speed - 2200 RPM

274 cu. in. (4.5L) - 4 Cylinder

Fuel Tank: 47 Gallon (180L)

DEF Tank: 5 Gallon (19L)

### ENGINE

-----  
Tier 4B Emissions Compliant  
ECOBBlue™ HI-eSCR Tier4B system  
Engine with Turbocharger and  
Air-to-Air Intercooler  
4 Valves Per Cylinder  
Bosch Common Rail Fuel Injection  
Pump (electronic)  
Grid Heater Starting Aid  
Dual Element Air Filter with Pre-Cleaner  
(spin tube intakes)  
A-Pillar Exhaust with Integral Muffler  
Viscous Fan (5 blade)  
Hand Throttle

### TRANSMISSION

- 24x24 Dynamic Command Semi Powershift Transmission
- Clutchless Range Change between Ranges A/B, B/C.
- 25-MPH (40-KPH) (varies by tire size)

### CAB

- 
- High Roof w/ Opening Visibility Panel and Sunshade
  - Flat Deck Platform with Integrated ROPS
  - Standard Air Conditioner and Heater with 4-Speed Pressurizer and dual zone air conditioning
  - Two doors with Locks
  - Two-speed Intermittent Front Wiper/Washer
  - Rear Intermittent Wiper/Washer
  - Hinged Rear Window
  - Tinted Glass with Sunshade
  - Tilt and Telescoping Steering Wheel
  - IntelliView™ IV disp. mtd. on arm rest
  - Deluxe Air Suspension Seat with Automatic Adjustment, Operator Presence Switch and Lap Belt
  - Instructor Seat
  - Deluxe radio

# T5 DYNAMIC COMMAND - LESS FAST PICK US PRICE LIST

## Standard Equipment

- Digital clock
- Integral ROPS
- Interior dome light
- (2) External courtesy lights
- (2) External telescopic remote
- Adjustable mirrors
- Horn
- Std steering wheel & floor mat
- ISOBUS II connector

### STEERING & BRAKES

- Hydrostatic power steering
- Hydraulic wet disc brakes (self-equalizing/self-adjusting)
- Parking brake (automotive style)

### FRONT AXLE

- Front FWD (TerraLock™ )
- Class 1.75 heavy-duty FWD axle
- 55-degree turning angle
- Dual steering cylinders
- 11-degree axle oscillation
- Electrohydraulic FWD engagement
- TerraLock™ Auto FWD/Diff-Lock
- Driveshaft shield

### REAR AXLE

- Heavy-duty flange axle
- Wet plate differential lock
- Electrohydraulic-engaged dif. lock

### ELECTRICAL

- (1) 12-volt 1300 CCA battery
- 120-amp alternator
- Geared starter motor (4.2 kW)
- 7-pin outlet for implement lighting
- 3-pin 40-amp implement socket
- ISO/JD (30 amp) socket
- 15 amp screw-type +/- terminals
- Single pin (8 amp) accessory outlet
- Cigarette lighter

- (2) single-pin outlets for beacon on roof
- Battery boost terminals
- ISOBUS Class 2

### LIGHTS

- (4) Halogen front hood headlights
- (2) LED front hood signature lights
- (8) LED cab mounted work lights
- (4) LED high front & rear
- (4) LED mid-mount front & rear
- (2) taillights
- Front & Rear Flashing Cab Safety Lights
- Time Delayed, Self-Cancelling Turn Indicators with Audiable Warning

### PTO

- Independent 540/540E/1000 RPM PTO with
- reversible shaft and flip-up shield
- Multi-plate wet clutch design
- Electrohydraulic-engagement with soft start/auto feathering
- Hydraulic piston PTO brake w/override

### HYDRAULIC SYSTEM

- Closed-center load-sensing pump
- Flow at 1,900 RPM: 28.5 gpm (108 l/m)
- (2) electro-hydraulic rear remote valves controlled in SideWinder II™ console (fully programmable)
- Oil collection bottles
- Hydraulic tapping port (Power Beyond)
- Independent pump for CVT and operating circuits

### 3-POINT LIFT SYSTEM

- Electronic Draft Control (EDC)
- Lower link sensing
- Fast raise/lower control
- Dynamic Ride Control™



**T5 DYNAMIC COMMAND - LESS FAST PICK  
US PRICE LIST**

## Standard Equipment

Category II flex link ends  
Telescopic stabilizers  
10228 lb. Lift Capacity with Dual 80mm  
External Rams

### MISCELLANEOUS

-----  
Flip-up engine hood  
Swinging drawbar  
SMV emblem  
Toolbox

### WARRANTY

-----  
New Holland standard warranty applies



**T5 DYNAMIC COMMAND - LESS FAST PICK  
US PRICE LIST**

**Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price
T5.130 DCT			\$114,244.00
T5.140 DCT			\$117,744.00

**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**FAST PICK CONFIGURATION**

SD\_T9980 PACKAGING

		X0475XX	LESS PACKAGING			No Charge
--	--	---------	----------------	--	--	-----------

**CAB CONFIGURATION**

CAB ROOF/COLOR

SD\_T9850 SPECIAL COLORS/PANELS

		762040	LOW ROOF HIVIS PAN. Low roof with a new visibility panel			\$750.00
--	--	--------	---	--	--	----------

FIXED OR SUSPENDED

SD\_T9200 OPERATOR STRUCTURE #1

		758479	Suspended_Cab			\$1,765.00
--	--	--------	---------------	--	--	------------

**ENGINE**

COLD WEATHER AIDS

SD\_T1938 WEATHER PACK

		758402	Grid_Heater + 110V Pack Grid heater and cold weather pack Includes engine block heater and transmission heater			\$405.00
--	--	--------	--	--	--	----------

**T5 DYNAMIC COMMAND - LESS FAST PICK  
US PRICE LIST****TRANSMISSION**

## SD\_T2800 SPEED

		759112	40K ECO - DCT+CREEPE			\$2,500.00
--	--	--------	----------------------	--	--	------------

## SD\_T2816 AUTO FEATURES

		758631	ADV TRANS AUTO FEAT			\$1,660.00
--	--	--------	---------------------	--	--	------------

**FRONT AXLE**

## SD\_T4010 FRONT AXLE

		759670	S.AXL L/BRK W/SNSR			\$3,790.00
--	--	--------	--------------------	--	--	------------

**TIRES**

## BRAND CHOICE

## SD\_T4900 TIRE CATEGORY CHOICE

		330418	Trelleborg			\$560.00
		330438	No tire brand preference			No Charge
		330447	Alliance			\$560.00
		330439	Continental			\$560.00
		330446	Firestone			\$560.00
		330442	Michelin			\$560.00
		330444	Nokian			\$560.00

## FRONT WHEELS &amp; TIRES

## SD\_T4940 FRONT WHEELS AND TIRES

		8235401	12.4R24 A8 <b>R1W RADIAL ISO 4WD ADJUSTABLE RIM</b> <b>Match w/ 8357401 rear tire/wheel</b>			\$1,435.00
		8242301	14.9R24 A8 HD Rim <b>R1W RADIAL ISO 4WD ADJUSTABLE RIM</b> <b>Match with 8365401 rear tire/wheel</b>			\$2,160.00
		8299801	Non-Return Ship Wheels - 4WD			\$95.00
		8880401	360/80R24 GRSLND, Adj. Rim			\$1,955.00
		8247401	11.2R28 A8 <b>R1W RADIAL ISO 4WD ADJUSTABLE RIM</b> <b>Matches with 8372401 Rear tires 13.6R38 (340/85R38) MAVT</b>			\$1,485.00

**T5 DYNAMIC COMMAND - LESS FAST PICK  
US PRICE LIST****REAR WHEELS & TIRES****SD\_T4950 REAR WHEELS AND TIRES**

		8357401	18.4R30 R1W			\$3,480.00
		8365401	460/85(18.4)R34 A8 FI,MI,CO,TR			\$3,835.00
		8372401	13.6R38 A8			\$2,339.00
		8399801	Non-Returnable Shipping Wheel			\$580.00
		8916401	440/80R34 GRSLND, Adj. Rim			\$3,255.00

**HYDRAULICS****COMPLETE LOADER READY****SD\_T8110 LOADER BRACKETS**

		758980	Loader Ready.			\$4,585.00
--	--	--------	---------------	--	--	------------

**MID MOUNT VALVES****SD\_T7780 JOYSTICK**

		759396	EHSTICK ADV +/- PROP			\$2,500.00
--	--	--------	----------------------	--	--	------------

**SD\_T7790 MID-MOUNT VALVES**

		743689	2 Electronic MMV			\$2,500.00
		743690	3 Electronic MMV			\$3,830.00

**WEIGHTS****FRONT****SD\_T2150 FRONT BALLAST**

		759769	10 FRONT WEIGHTS <b>Qty. 10, 88 lb. (40 Kg) weights totaling 882 lb. (400 Kg)</b>			\$1,160.00
--	--	--------	--	--	--	------------

**REAR WHEEL WEIGHTS****SD\_T4960 WHEEL WEIGHTS**

		759137	2X150KG + 2X250KG Wheel Weight			\$1,563.00
--	--	--------	--------------------------------	--	--	------------

**CAB OPTION****SD\_T9360 RR MIRRORS**

		759154	2 Tele/Heat/Rem Adj Mirror			\$65.00
--	--	--------	----------------------------	--	--	---------



**T5 DYNAMIC COMMAND - LESS FAST PICK  
US PRICE LIST**

**SEATS**

**SD\_T8500 SEAT**

		758670	Deluxe Air and Belt			\$750.00
		758485	Deluxe Seat Air Susp Heated <b>Super Deluxe Seat with Low Frequency Suspension (+DDS) Belt and Swivel Headrest Heated Leather/Alacantara</b>			\$1,955.00
		758486	MAXIMO EVO <b>Semi Active Suspension, Heated, Vented, Belt, Alacantara/Leather, Up/Down Headrest (Maximo Evo)</b>			\$3,832.00

**LIGHTS**

**SD\_T9130 WORK LAMPS**

		762051	12 LED W/LGTS HI PWR			\$1,565.00
--	--	--------	----------------------	--	--	------------

**SD\_T9146 ROTARY BEACON**

		758491	Twin Beacon			\$835.00
		759777	ROTARY BEACON 759777			\$415.00

**MONITOR BRACKETS**

**SD\_T9223 RH WINDOW BAR MOUNT**

		758153	Monitor Mounting Bracket.			\$150.00
		758154	RH Window Bar Display Ready.			\$245.00
		758621	10" Color Touch Screen Display			\$5,825.00

**SD\_T9230 CLIMATE CONTROL**

		758482	Air Conditioning W/ATC			\$725.00
--	--	--------	------------------------	--	--	----------

**ISO BUS CONNECTOR**

**SD\_T7642 ISO BUS**

		758632	ISO CL2+9PIN IN CAB			No Charge
--	--	--------	---------------------	--	--	-----------

**AUTO GUIDANCE**

**AUTO GUIDANCE READY**

**SD\_T6300 STEERING OR AUTOGUIDANCE READY**

		759185	Autoguidance Ready			\$5,319.00
--	--	--------	--------------------	--	--	------------

**SD\_T7616 AUTOGUIDANCE NAV/CO**

		762158	AUTOGUID. - Lv.1			\$14,755.00
--	--	--------	------------------	--	--	-------------



**T5 DYNAMIC COMMAND - LESS FAST PICK  
US PRICE LIST**

		762159	AUTOGUID. - Lv.2			\$17,500.00
--	--	--------	------------------	--	--	-------------

**MISCELLANEOUS**

FENDERS FRONT

SD\_T8740 FRONT FENDERS

		758330	Dynamic Front Fenders 480mm			\$740.00
--	--	--------	-----------------------------	--	--	----------

RADAR

SD\_T7580 RADAR

		758501	Radar NAR			\$818.00
--	--	--------	-----------	--	--	----------

**OPERATOR'S MANUALS**

SD\_T9802 OPERATORS MANUAL

		758535	Spanish NAR			No Charge
		759101	French NAR			No Charge

**T5 AUTO COMMAND - LESS FASTPICK  
US PRICE LIST**

## Standard Equipment

### KEY SELLING POINTS:

- Fuel efficient high torque 4.5L, 4-cylinder
- FPT engines with 4 valves per cylinder and common rail fuel injection systems
- Tier 4B EPA emissions compliant with SCR only ECOBlue™ HI-eSCR Tier4B emissions system
- Underhood compact aftertreatment
- Auto Command™ CVT high efficiency Transmission
- Best in class cab in terms of space and comfort (same cab as the T6 and T7 Series)
- Standard LED work lighting
- High level of Automating features (E-Hydr 4WD, PTO, e-controlled remotes)
- Closed Center Load Sensing "high efficiency" pumps, up to 108 l/m
- Easy attach remote outlets
- New bold styling (hood, cab roof, lighting)
- Long Stable 98" wheel base for all Models
- Gross Vehicle Weight up to 18,700 lbs.

### MODELS

-----  
T5.130 Auto Command  
Rated PTO HP - 102  
Rated Engine HP - 120  
Maximum Engine HP - 130  
Rated Speed - 2200 RPM  
274 cu. in. (4.5L) - 4 Cylinder  
Fuel Tank: 47 Gallon (180L)  
DEF Tank: 5 Gallon (19L)

T5.140 Auto Command  
Rated PTO HP - 111  
ENGINE Rated Engine HP - 130  
Maximum Engine HP - 140  
Rated Speed - 2200 RPM  
274 cu. in. (4.5L) - 4 Cylinder  
Fuel Tank: 47 Gallon (180L)  
DEF Tank: 5 Gallon (19L)

### ENGINE

-----  
Tier 4B Emissions Compliant  
ECOBBlue™ HI-eSCR Tier4B system  
Engine with Turbocharger and  
Air-to-Air Intercooler  
4 Valves Per Cylinder  
Bosch Common Rail Fuel Injection  
Pump (electronic)  
Grid Heater Starting Aid  
Dual Element Air Filter with Pre-Cleaner  
(spin tube intakes)  
A-Pillar Exhaust with Integral Muffler  
Viscous Fan (5 blade)  
Hand Throttle

### TRANSMISSION

-----  
Auto Command™ CVT with  
column-mounted power shuttle  
Command Grip™ multi-function controller  
Infinite speed from 0 to 25 MPH  
3 target speed selections  
Infinite target speed thumb wheel  
Right foot "go pedal"  
25-MPH (40-KPH) (varies by tire size)

### CAB

- 
- Low Roof w/ Opening Visibility Panel and Sunshade
  - Flat Deck Platform with Integrated ROPS
  - Standard Air Conditioner and Heater with 4-Speed Pressurizer and dual zone air conditioning
  - Two doors with Locks
  - Two-speed Intermittent Front Wiper/Washer
  - Rear Intermittent Wiper/Washer
  - Hinged Rear Window
  - Tinted Glass with Sunshade
  - Tilt and Telescoping Steering Wheel
  - IntelliView™ IV disp. mtd. on arm rest

# T5 AUTO COMMAND - LESS FASTPICK US PRICE LIST

## Standard Equipment

- Deluxe Air Suspension Seat with Automatic Adjustment, Operator Presence Switch and Lap Belt
- Instructor Seat
- Deluxe radio
- Digital clock
- Integral ROPS
- Interior dome light
- (2) External courtesy lights
- (2) External telescopic remote
- Adjustable mirrors
- Horn
- Std steering wheel & floor mat
- ISOBUS II connector

### STEERING & BRAKES

- Hydrostatic power steering
- Hydraulic wet disc brakes (self-equalizing/self-adjusting)
- Parking brake (automotive style)

### FRONT AXLE

- Front FWD (TerraLock™ )
- Class 1.75 heavy-duty FWD axle
- 55-degree turning angle
- Dual steering cylinders
- 11-degree axle oscillation
- Electrohydraulic FWD engagement
- TerraLock™ Auto FWD/Diff-Lock
- Driveshaft shield

### REAR AXLE

- Heavy-duty flange axle
- Wet plate differential lock
- Electrohydraulic-engaged dif. lock

### ELECTRICAL

- (1) 12-volt 1300 CCA battery
- 120-amp alternator
- Geared starter motor (4.2 kW)
- 7-pin outlet for implement lighting
- 3-pin 40-amp implement socket
- ISO/JD (30 amp) socket
- 15 amp screw-type +/- terminals
- Single pin (8 amp) accessory outlet
- Cigarette lighter
- (2) single-pin outlets for beacon on roof
- Battery boost terminals
- ISOBUS Class 2

### LIGHTS

- (4) Halogen front hood headlights
- (2) LED front hood signature lights
- (12) LED cab mounted work lights
- (8) LED high front & rear
- (4) LED mid-mount front & rear
- (2) taillights
- Front & Rear Flashing Cab Safety Lights
- Time Delayed, Self-Cancelling Turn Indicators with Audiable Warning

### PTO

- Independent 540/540E/1000 RPM PTO with reversible shaft and flip-up shield
- Multi-plate wet clutch design
- Electrohydraulic-engagement with soft start/auto feathering
- Hydraulic piston PTO brake w/override

### HYDRAULIC SYSTEM

- Closed-center load-sensing pump
- Flow at 1,900 RPM: 28.5 gpm (108 l/m)
- (2) electro-hydraulic rear remote valves controlled in SideWinder II™ console (fully programmable)



**T5 AUTO COMMAND - LESS FASTPICK  
US PRICE LIST**

## Standard Equipment

Oil collection bottles  
Hydraulic tapping port (Power Beyond)  
Independent pump for CVT and  
operating circuits

### 3-POINT LIFT SYSTEM

-----  
Electronic Draft Control (EDC)  
Lower link sensing  
Fast raise/lower control  
Dynamic Ride Control™  
Category II flex link ends  
Telescopic stabilizers  
10228 lb. Lift Capacity with Dual 80mm  
External Rams

### MISCELLANEOUS

-----  
Flip-up engine hood  
Swinging drawbar  
SMV emblem  
Toolbox

### WARRANTY

-----  
New Holland standard warranty applies

**T5 AUTO COMMAND - LESS FASTPICK  
US PRICE LIST****Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price
T5.130 AUTOCOMMAND	6,800 LB		\$145,211.00
Includes the following Equipment			
14.9R24 A8 HD Rim (8242301) \$2,160.00			
460/85(18.4)R34 A8 FI,MI,C (8365401) \$3,835.00			
T5.140 AUTOCOMMAND	6,800 LB		\$148,711.00
Includes the following Equipment			
14.9R24 A8 HD Rim (8242301) \$2,160.00			
460/85(18.4)R34 A8 FI,MI,C (8365401) \$3,835.00			

**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**FAST PICK CONFIGURATION**

SD\_T9980 PACKAGING

	X0475XX	LESS PACKAGING			No Charge
--	---------	----------------	--	--	-----------

**ENGINE**

COLD WEATHER AIDS

SD\_T1938 WEATHER PACK

	758402	Grid_Heater + 110V Pack			\$405.00
		Grid heater and cold weather pack			
		Includes engine block heater and transmission heater			

**FRONT AXLE**

SD\_T4010 FRONT AXLE

	759669	SUSP. AXLE L/BRKS			\$3,790.00
--	--------	-------------------	--	--	------------



**T5 AUTO COMMAND - LESS FASTPICK  
US PRICE LIST**

**TIRES**

BRAND CHOICE

SD\_T4900 TIRE CATEGORY CHOICE

		330418	Trelleborg			\$560.00
		330438	No tire brand preference			No Charge
		330442	Michelin			\$560.00
		330444	Nokian			\$560.00

FRONT WHEELS & TIRES

SD\_T4940 FRONT WHEELS AND TIRES

Ag Front Tires						
		8235401	12.4R24 A8 <b>R1W RADIAL ISO 4WD ADJUSTABLE RIM</b> <b>Match w/ 8357401 rear tire/wheel</b>			\$1,435.00
		8242301	14.9R24 A8 HD Rim <b>R1W RADIAL ISO 4WD ADJUSTABLE RIM</b> <b>Match with 8365401 rear tire/wheel</b>			\$2,160.00
		8247401	11.2R28 A8 <b>R1W RADIAL ISO 4WD ADJUSTABLE RIM</b>  <b>Matches with 8372401 Rear tires 13.6R38 (340/85R38) MAVT</b>			\$1,485.00
MUNICIPALTY - ADJUSTABLE RIMS						
		8880401	360/80R24 GRS LND, Adj. Rim <b>Match with 8916401 rear tire/wheel</b> <b>Municipal tire with adjustable rim</b>			\$1,955.00
Shipping wheels						
		8299801	Non-Return Ship Wheels - 4WD			\$95.00

REAR WHEELS & TIRES

SD\_T4950 REAR WHEELS AND TIRES

Ag Rear Tires						
		8372401	13.6R38 A8 <b>R1W RADIAL ISO 4WD ADJUSTABLE RIM</b>  <b>Matches with 8247401 Fronts 11.2R28 (280/85R28) MAVT</b>			\$2,339.00
		8357401	18.4R30 R1W <b>R1W RADIAL ISO 4WD ADJUSTABLE RIM</b> <b>Match w/ 8235401 front tire/wheel</b>  <b>Not compatible with narrow rear fenders</b> <b>option code: 331870</b>			\$3,480.00



**T5 AUTO COMMAND - LESS FASTPICK  
US PRICE LIST**

		8365401	460/85(18.4)R34 A8 FI,MI,CO,TR <b>R1W RADIAL ISO 4WD ADJUSTABLE RIM</b> <b>Matches with 8242301 14.9R24 (380/85R24) MAVT</b>			\$3,835.00
MUNICIPALTY - ADJUSTABLE RIMS						
		8916401	440/80R34 GRSLND, Adj. Rim <b>Matches with 888041, 360/80R24 TRI 2 MAVT</b> <b>Front Tires</b>			\$3,255.00
Shipping wheels						
		8399801	Non-Returnable Shipping Wheel			\$580.00

**HYDRAULICS**

REAR REMOTES

SD\_T8270 REAR REMOTES

		759365	3 MECH RR (3NC) <b>3 MECH REAR REMOTES (3NC)</b>			\$895.00
		743685	4 Mech Rear Remotes (2NC+2C) <b>4 mechanical rear remote valves, two with configurable detents</b>			\$2,000.00
		759690	2 RR MV + 1 EH.RR.V. <b>2 RR MV (CONFIG. DETENT) + 1 ELECTRO HYD. REAR REMOTE VALVES</b>			\$1,700.00
		759691	2 RR MV + 2 EH.RR.V. <b>2 RR MV (CONFIG. DETENT) + 2 ELECTRO HYD. REAR REMOTE VALVES</b>			\$2,605.00

COMPLETE LOADER READY

SD\_T8110 LOADER BRACKETS

		744711	L/Loader Ready w/MMV			(\$4,585.00)
		758980	Loader Ready.			No Charge

JOYSTICK CONTROL

SD\_T7780 JOYSTICK

		758069	Joystick with Rocker Switch			No Charge
		759694	L/JOYSTICK W/EDC POD 759694			(\$2,045.00)

MID MOUNT VALVES

SD\_T7790 MID-MOUNT VALVES

		759695	L/MID-MOUNT VALVES 759695			(\$2,500.00)
		743689	2 Electronic MMV			No Charge
		743690	3 Electronic MMV			\$1,330.00



**T5 AUTO COMMAND - LESS FASTPICK  
US PRICE LIST****PTO**

## REAR PTO

## SD\_T8710 FENDERS PTO CONTROL

		743680	Fender EDC/PTO/Rem Valv Contrl			\$290.00
--	--	--------	--------------------------------	--	--	----------

**WEIGHTS**

## FRONT

## SD\_T2150 FRONT BALLAST

		759769	10 FRONT WEIGHTS Qty. 10, 88 lb. (40 Kg) weights totaling 882 lb. (400 Kg)			\$1,160.00
--	--	--------	--	--	--	------------

## REAR WHEEL WEIGHTS

## SD\_T4960 WHEEL WEIGHTS

		759137	2X150KG + 2X250KG Wheel Weight			\$1,563.00
--	--	--------	--------------------------------	--	--	------------

**CAB OPTION**

## SD\_T4820 HEADLAND SYSTEM

		758592	Adv. Headland Ctrl Config EHR			\$970.00
--	--	--------	-------------------------------	--	--	----------

## SD\_T9360 RR MIRRORS

		759153	2 Telescopic Mirrors 759153			No Charge
		759154	2 Tele/Heat/Rem Adj Mirror			\$65.00

## SEATS

## SD\_T8500 SEAT

		758485	Deluxe Seat Air Susp Heated			\$1,955.00
		758671	Deluxe Air and Heated Cushion			\$425.00
		759735	DLX AIR SUSP. + BELT			No Charge

## LIGHTS

## SD\_T9130 WORK LAMPS

		758594	12 LED High Power Hi-Roof			\$1,565.00
		758596	16 LED High Power Hi-Roof			\$3,130.00

## SD\_T9146 ROTARY BEACON

		758491	Twin Beacon			\$835.00
--	--	--------	-------------	--	--	----------



**T5 AUTO COMMAND - LESS FASTPICK  
US PRICE LIST**

**MONITOR BRACKETS**

SD\_T9223 RH WINDOW BAR MOUNT

		758153	Monitor Mounting Bracket.			\$150.00
--	--	--------	---------------------------	--	--	----------

SD\_T9230 CLIMATE CONTROL

		759728	AIR CONDITIONING 759728			(\$725.00)
--	--	--------	-------------------------	--	--	------------

**AUTO GUIDANCE**

**AUTO GUIDANCE READY**

SD\_T6300 STEERING OR AUTOGUIDANCE READY

		759185	Autoguidance Ready			\$5,319.00
--	--	--------	--------------------	--	--	------------

SD\_T7616 AUTOGUIDANCE NAV/CO

		762158	AUTOGUID. - Lv.1			\$14,755.00
		762159	AUTOGUID. - Lv.2			\$17,500.00

**TELEMATICS**

SD\_T7625 TELEMATICS

		759394	Basic Telematics <b>Offering includes: Mounting Kit, Modem, 1 Year subscription to PLM Connect Essential</b>			\$715.00
--	--	--------	---	--	--	----------

**MISCELLANEOUS**

**FENDERS FRONT**

SD\_T8740 FRONT FENDERS

		758330	Dynamic Front Fenders 480mm			\$740.00
--	--	--------	-----------------------------	--	--	----------

**FENDERS REAR**

SD\_T8700 FENDERS

		743777	Standard fenders with extensn			No Charge
		759767	NARROW FNDERS L/EXT.			No Charge

**RADAR**

SD\_T7580 RADAR

		758501	Radar NAR			\$818.00
--	--	--------	-----------	--	--	----------



**T5 AUTO COMMAND - LESS FASTPICK  
US PRICE LIST**

**OPERATOR'S MANUALS**

SD\_T9802 OPERATORS MANUAL

		758535	Spanish NAR			No Charge
		759101	French NAR			No Charge

**T5 AUTO COMMAND - PREMIUM FASTPICK  
US PRICE LIST**

## Standard Equipment

### KEY SELLING POINTS:

- Fuel efficient high torque 4.5L, 4-cylinder
- FPT engines with 4 valves per cylinder and common rail fuel injection systems
- Tier 4B EPA emissions compliant with SCR only ECOBlue™ HI-eSCR Tier4B emissions system
- Underhood compact aftertreatment
- Auto Command™ CVT high efficiency Transmission
- Best in class cab in terms of space and comfort (same cab as the T6 and T7 Series)
- Standard LED work lighting
- High level of Automating features (E-Hydr 4WD, PTO, e-controlled remotes)
- Closed Center Load Sensing "high efficiency" pumps, up to 108 l/m
- Easy attach remote outlets
- New bold styling (hood, cab roof, lighting)
- Long Stable 98" wheel base for all Models
- Gross Vehicle Weight up to 18,700 lbs.

### MODELS

-----  
T5.130 Auto Command  
Rated PTO HP - 102  
Rated Engine HP - 120  
Maximum Engine HP - 130  
Rated Speed - 2200 RPM  
274 cu. in. (4.5L) - 4 Cylinder  
Fuel Tank: 47 Gallon (180L)  
DEF Tank: 5 Gallon (19L)

T5.140 Auto Command  
Rated PTO HP - 111  
ENGINE Rated Engine HP - 130  
Maximum Engine HP - 140  
Rated Speed - 2200 RPM  
274 cu. in. (4.5L) - 4 Cylinder  
Fuel Tank: 47 Gallon (180L)  
DEF Tank: 5 Gallon (19L)

### ENGINE

-----  
Tier 4B Emissions Compliant  
ECOBBlue™ HI-eSCR Tier4B system  
Engine with Turbocharger and  
Air-to-Air Intercooler  
4 Valves Per Cylinder  
Bosch Common Rail Fuel Injection  
Pump (electronic)  
Grid Heater Starting Aid  
Dual Element Air Filter with Pre-Cleaner  
(spin tube intakes)  
A-Pillar Exhaust with Integral Muffler  
Viscous Fan (5 blade)  
Hand Throttle

### TRANSMISSION

-----  
Auto Command™ CVT with  
column-mounted power shuttle  
Command Grip™ multi-function controller  
Infinite speed from 0 to 25 MPH  
3 target speed selections  
Infinite target speed thumb wheel  
Right foot "go pedal"  
25-MPH (40-KPH) (varies by tire size)

### CAB

- 
- Low Roof w/ Opening Visibility Panel and Sunshade
  - Flat Deck Platform with Integrated ROPS
  - Standard Air Conditioner and Heater with 4-Speed Pressurizer and dual zone air conditioning
  - Two doors with Locks
  - Two-speed Intermittent Front Wiper/Washer
  - Rear Intermittent Wiper/Washer
  - Hinged Rear Window
  - Tinted Glass with Sunshade
  - Tilt and Telescoping Steering Wheel
  - IntelliView™ IV disp. mtd. on arm rest

**T5 AUTO COMMAND - PREMIUM FASTPICK  
US PRICE LIST**

## Standard Equipment

- Deluxe Air Suspension Seat with Automatic Adjustment, Operator Presence Switch and Lap Belt
- Instructor Seat
- Deluxe radio
- Digital clock
- Integral ROPS
- Interior dome light
- (2) External courtesy lights
- (2) External telescopic remote
- Adjustable mirrors
- Horn
- Std steering wheel & floor mat
- ISOBUS II connector

### STEERING & BRAKES

- Hydrostatic power steering
- Hydraulic wet disc brakes (self-equalizing/self-adjusting)
- Parking brake (automotive style)

### FRONT AXLE

- Front FWD (TerraLock™ )
- Class 1.75 heavy-duty FWD axle
- 55-degree turning angle
- Dual steering cylinders
- 11-degree axle oscillation
- Electrohydraulic FWD engagement
- TerraLock™ Auto FWD/Diff-Lock
- Driveshaft shield

### REAR AXLE

- Heavy-duty flange axle
- Wet plate differential lock
- Electrohydraulic-engaged dif. lock

### ELECTRICAL

- (1) 12-volt 1300 CCA battery
- 120-amp alternator
- Geared starter motor (4.2 kW)
- 7-pin outlet for implement lighting
- 3-pin 40-amp implement socket
- ISO/JD (30 amp) socket
- 15 amp screw-type +/- terminals
- Single pin (8 amp) accessory outlet
- Cigarette lighter
- (2) single-pin outlets for beacon on roof
- Battery boost terminals
- ISOBUS Class 2

### LIGHTS

- (4) Halogen front hood headlights
- (2) LED front hood signature lights
- (12) LED cab mounted work lights
  - (8) LED high front & rear
  - (4) LED mid-mount front & rear
- (2) taillights
- Front & Rear Flashing Cab Safety Lights
- Time Delayed, Self-Cancelling Turn Indicators with Audiable Warning

### PTO

- Independent 540/540E/1000 RPM PTO with reversible shaft and flip-up shield
- Multi-plate wet clutch design
- Electrohydraulic-engagement with soft start/auto feathering
- Hydraulic piston PTO brake w/override

### HYDRAULIC SYSTEM

- Closed-center load-sensing pump
- Flow at 1,900 RPM: 28.5 gpm (108 l/m)
- (2) electro-hydraulic rear remote valves controlled in SideWinder II™ console (fully programmable)



**T5 AUTO COMMAND - PREMIUM FASTPICK  
US PRICE LIST**

## Standard Equipment

Oil collection bottles  
Hydraulic tapping port (Power Beyond)  
Independent pump for CVT and  
operating circuits

### 3-POINT LIFT SYSTEM

-----  
Electronic Draft Control (EDC)  
Lower link sensing  
Fast raise/lower control  
Dynamic Ride Control™  
Category II flex link ends  
Telescopic stabilizers  
10228 lb. Lift Capacity with Dual 80mm  
External Rams

### MISCELLANEOUS

-----  
Flip-up engine hood  
Swinging drawbar  
SMV emblem  
Toolbox

### WARRANTY

-----  
New Holland standard warranty applies

**T5 AUTO COMMAND - PREMIUM FASTPICK  
US PRICE LIST****Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price
T5.130 AUTOCOMMAND	6,800 LB		\$145,211.00
Includes the following Equipment			
14.9R24 A8 HD Rim (8242301) \$2,160.00			
460/85(18.4)R34 A8 FI,MI,C (8365401) \$3,835.00			
T5.140 AUTOCOMMAND	6,800 LB		\$148,711.00
Includes the following Equipment			
14.9R24 A8 HD Rim (8242301) \$2,160.00			
460/85(18.4)R34 A8 FI,MI,C (8365401) \$3,835.00			

**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**FAST PICK CONFIGURATION**

## SD\_T9980 PACKAGING

	X0472XX	NAR NH PCK A PREMIUM <b>Premium Fastpick Package Includes:</b> <b>743680: Fender EDC/PTO/Rem Valv Control</b> <b>758671: Deluxe Air and Heated Cushion</b> <b>758596: 16 LED High Power Hi-Roof</b> <b>759675: WET DIFF &amp; 4WD CLTCH</b>			(\$2,105.00)
--	---------	--	--	--	--------------

**ENGINE**

## COLD WEATHER AIDS

## SD\_T1938 WEATHER PACK

	758402	Grid_Heater + 110V Pack <b>Grid heater and cold weather pack</b> <b>Includes engine block heater and transmission heater</b>			\$405.00
--	--------	--	--	--	----------

**T5 AUTO COMMAND - PREMIUM FASTPICK  
US PRICE LIST****FRONT AXLE**

SD\_T4010 FRONT AXLE

		759669	SUSP. AXLE L/BRKS			\$3,790.00
--	--	--------	-------------------	--	--	------------

**TIRES**

BRAND CHOICE

SD\_T4900 TIRE CATEGORY CHOICE

		330418	Trelleborg			\$560.00
		330438	No tire brand preference			No Charge
		330442	Michelin			\$560.00
		330444	Nokian			\$560.00

**FRONT WHEELS & TIRES**

SD\_T4940 FRONT WHEELS AND TIRES

Ag Front Tires

		8235401	12.4R24 A8 <b>R1W RADIAL ISO 4WD ADJUSTABLE RIM</b> <b>Match w/ 8357401 rear tire/wheel</b>			\$1,435.00
		8242301	14.9R24 A8 HD Rim <b>R1W RADIAL ISO 4WD ADJUSTABLE RIM</b> <b>Match with 8365401 rear tire/wheel</b>			\$2,160.00
		8247401	11.2R28 A8 <b>R1W RADIAL ISO 4WD ADJUSTABLE RIM</b> <b>Matches with 8372401 Rear tires 13.6R38 (340/85R38) MAVT</b>			\$1,485.00

MUNICIPALTY - ADJUSTABLE RIMS

		8880401	360/80R24 GRSLND, Adj. Rim <b>Match with 8916401 rear tire/wheel</b> <b>Municipal tire with adjustable rim</b>			\$1,955.00
--	--	---------	--	--	--	------------

Shipping wheels

		8299801	Non-Return Ship Wheels - 4WD			\$95.00
--	--	---------	------------------------------	--	--	---------

**REAR WHEELS & TIRES**

SD\_T4950 REAR WHEELS AND TIRES

Ag Rear Tires

		8372401	13.6R38 A8 <b>R1W RADIAL ISO 4WD ADJUSTABLE RIM</b> <b>Matches with 8247401 Fronts 11.2R28 (280/85R28) MAVT</b>			\$2,339.00
--	--	---------	---	--	--	------------





**T5 AUTO COMMAND - PREMIUM FASTPICK  
US PRICE LIST**

		8357401	18.4R30 R1W <b>R1W RADIAL ISO 4WD ADJUSTABLE RIM</b> <b>Match w/ 8235401 front tire/wheel</b>  <b>Not compatible with narrow rear fenders</b> <b>option code: 331870</b>			\$3,480.00
		8365401	460/85(18.4)R34 A8 FI,MI,CO,TR <b>R1W RADIAL ISO 4WD ADJUSTABLE RIM</b> <b>Matches with 8242301 14.9R24 (380/85R24) MAVT</b>			\$3,835.00
MUNICIPALTY - ADJUSTABLE RIMS						
		8916401	440/80R34 GRSLND, Adj. Rim <b>Matches with 888041, 360/80R24 TRI 2 MAVT</b> <b>Front Tires</b>			\$3,255.00
Shipping wheels						
		8399801	Non-Returnable Shipping Wheel			\$580.00

**HYDRAULICS**

REAR REMOTES

SD\_T8270 REAR REMOTES

		759690	2 RR MV + 1 EH.RR.V. <b>2 RR MV (CONFIG. DETENT) + 1 ELECTRO HYD. REAR REMOTE VALVES</b>			\$1,700.00
		759691	2 RR MV + 2 EH.RR.V. <b>2 RR MV (CONFIG. DETENT) + 2 ELECTRO HYD. REAR REMOTE VALVES</b>			\$2,605.00

COMPLETE LOADER READY

SD\_T8110 LOADER BRACKETS

		744711	L/Loader Ready w/MMV			(\$4,585.00)
		758980	Loader Ready.			No Charge

JOYSTICK CONTROL

SD\_T7780 JOYSTICK

		758069	Joystick with Rocker Switch			No Charge
--	--	--------	-----------------------------	--	--	-----------

MID MOUNT VALVES

SD\_T7790 MID-MOUNT VALVES

		743689	2 Electronic MMV			No Charge
		743690	3 Electronic MMV			\$1,330.00

**T5 AUTO COMMAND - PREMIUM FASTPICK  
US PRICE LIST****WEIGHTS****REAR WHEEL WEIGHTS**

## SD\_T4960 WHEEL WEIGHTS

		759137	2X150KG + 2X250KG Wheel Weight			\$1,563.00
--	--	--------	--------------------------------	--	--	------------

**CAB OPTION**

## SD\_T4820 HEADLAND SYSTEM

		758592	Adv. Headland Ctrl Config EHR			\$970.00
--	--	--------	-------------------------------	--	--	----------

**AUTO GUIDANCE****AUTO GUIDANCE READY**

## SD\_T6300 STEERING OR AUTOGUIDANCE READY

		759185	Autoguidance Ready			\$5,319.00
--	--	--------	--------------------	--	--	------------

## SD\_T7616 AUTOGUIDANCE NAV/CO

		762158	AUTOGUID. - Lv.1			\$14,755.00
		762159	AUTOGUID. - Lv.2			\$17,500.00

**TELEMATICS**

## SD\_T7625 TELEMATICS

		759394	Basic Telematics <b>Offering includes: Mounting Kit, Modem, 1 Year subscription to PLM Connect Essential</b>			\$715.00
--	--	--------	---	--	--	----------

**MISCELLANEOUS****FENDERS FRONT**

## SD\_T8740 FRONT FENDERS

		758330	Dynamic Front Fenders 480mm			\$740.00
--	--	--------	-----------------------------	--	--	----------

**FENDERS REAR**

## SD\_T8700 FENDERS

		743777	Standard fenders with extensn			No Charge
--	--	--------	-------------------------------	--	--	-----------



**T5 AUTO COMMAND - PREMIUM FASTPICK  
US PRICE LIST**

**OPERATOR'S MANUALS**

SD\_T9802 OPERATORS MANUAL

		758535	Spanish NAR			No Charge
		759101	French NAR			No Charge

**T5 AUTO COMMAND - DELUXE FASTPICK  
US PRICE LIST**

## Standard Equipment

### KEY SELLING POINTS:

- Fuel efficient high torque 4.5L, 4-cylinder
- FPT engines with 4 valves per cylinder and common rail fuel injection systems
- Tier 4B EPA emissions compliant with SCR only ECOBlue™ HI-eSCR Tier4B emissions system
- Underhood compact aftertreatment
- Auto Command™ CVT high efficiency Transmission
- Best in class cab in terms of space and comfort (same cab as the T6 and T7 Series)
- Standard LED work lighting
- High level of Automating features (E-Hydr 4WD, PTO, e-controlled remotes)
- Closed Center Load Sensing "high efficiency" pumps, up to 108 l/m
- Easy attach remote outlets
- New bold styling (hood, cab roof, lighting)
- Long Stable 98" wheel base for all Models
- Gross Vehicle Weight up to 18,700 lbs.

### MODELS

-----  
T5.130 Auto Command  
Rated PTO HP - 102  
Rated Engine HP - 120  
Maximum Engine HP - 130  
Rated Speed - 2200 RPM  
274 cu. in. (4.5L) - 4 Cylinder  
Fuel Tank: 47 Gallon (180L)  
DEF Tank: 5 Gallon (19L)

T5.140 Auto Command  
Rated PTO HP - 111  
ENGINE Rated Engine HP - 130  
Maximum Engine HP - 140  
Rated Speed - 2200 RPM  
274 cu. in. (4.5L) - 4 Cylinder  
Fuel Tank: 47 Gallon (180L)  
DEF Tank: 5 Gallon (19L)

### ENGINE

-----  
Tier 4B Emissions Compliant  
ECOBBlue™ HI-eSCR Tier4B system  
Engine with Turbocharger and  
Air-to-Air Intercooler  
4 Valves Per Cylinder  
Bosch Common Rail Fuel Injection  
Pump (electronic)  
Grid Heater Starting Aid  
Dual Element Air Filter with Pre-Cleaner  
(spin tube intakes)  
A-Pillar Exhaust with Integral Muffler  
Viscous Fan (5 blade)  
Hand Throttle

### TRANSMISSION

-----  
Auto Command™ CVT with  
column-mounted power shuttle  
Command Grip™ multi-function controller  
Infinite speed from 0 to 25 MPH  
3 target speed selections  
Infinite target speed thumb wheel  
Right foot "go pedal"  
25-MPH (40-KPH) (varies by tire size)

### CAB

- 
- Low Roof w/ Opening Visibility Panel and Sunshade
  - Flat Deck Platform with Integrated ROPS
  - Standard Air Conditioner and Heater with 4-Speed Pressurizer and dual zone air conditioning
  - Two doors with Locks
  - Two-speed Intermittent Front Wiper/Washer
  - Rear Intermittent Wiper/Washer
  - Hinged Rear Window
  - Tinted Glass with Sunshade
  - Tilt and Telescoping Steering Wheel
  - IntelliView™ IV disp. mtd. on arm rest

# T5 AUTO COMMAND - DELUXE FASTPICK US PRICE LIST

## Standard Equipment

- Deluxe Air Suspension Seat with Automatic Adjustment, Operator Presence Switch and Lap Belt
- Instructor Seat
- Deluxe radio
- Digital clock
- Integral ROPS
- Interior dome light
- (2) External courtesy lights
- (2) External telescopic remote
- Adjustable mirrors
- Horn
- Std steering wheel & floor mat
- ISOBUS II connector

### STEERING & BRAKES

- Hydrostatic power steering
- Hydraulic wet disc brakes (self-equalizing/self-adjusting)
- Parking brake (automotive style)

### FRONT AXLE

- Front FWD (TerraLock™ )
- Class 1.75 heavy-duty FWD axle
- 55-degree turning angle
- Dual steering cylinders
- 11-degree axle oscillation
- Electrohydraulic FWD engagement
- TerraLock™ Auto FWD/Diff-Lock
- Driveshaft shield

### REAR AXLE

- Heavy-duty flange axle
- Wet plate differential lock
- Electrohydraulic-engaged dif. lock

### ELECTRICAL

- (1) 12-volt 1300 CCA battery
- 120-amp alternator
- Geared starter motor (4.2 kW)
- 7-pin outlet for implement lighting
- 3-pin 40-amp implement socket
- ISO/JD (30 amp) socket
- 15 amp screw-type +/- terminals
- Single pin (8 amp) accessory outlet
- Cigarette lighter
- (2) single-pin outlets for beacon on roof
- Battery boost terminals
- ISOBUS Class 2

### LIGHTS

- (4) Halogen front hood headlights
- (2) LED front hood signature lights
- (12) LED cab mounted work lights
- (8) LED high front & rear
- (4) LED mid-mount front & rear
- (2) taillights
- Front & Rear Flashing Cab Safety Lights
- Time Delayed, Self-Cancelling Turn Indicators with Audiable Warning

### PTO

- Independent 540/540E/1000 RPM PTO with reversible shaft and flip-up shield
- Multi-plate wet clutch design
- Electrohydraulic-engagement with soft start/auto feathering
- Hydraulic piston PTO brake w/override

### HYDRAULIC SYSTEM

- Closed-center load-sensing pump
- Flow at 1,900 RPM: 28.5 gpm (108 l/m)
- (2) electro-hydraulic rear remote valves controlled in SideWinder II™ console (fully programmable)



**T5 AUTO COMMAND - DELUXE FASTPICK  
US PRICE LIST**

## Standard Equipment

Oil collection bottles  
Hydraulic tapping port (Power Beyond)  
Independent pump for CVT and  
operating circuits

### 3-POINT LIFT SYSTEM

-----  
Electronic Draft Control (EDC)  
Lower link sensing  
Fast raise/lower control  
Dynamic Ride Control™  
Category II flex link ends  
Telescopic stabilizers  
10228 lb. Lift Capacity with Dual 80mm  
External Rams

### MISCELLANEOUS

-----  
Flip-up engine hood  
Swinging drawbar  
SMV emblem  
Toolbox

### WARRANTY

-----  
New Holland standard warranty applies

**T5 AUTO COMMAND - DELUXE FASTPICK  
US PRICE LIST****Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price
T5.130 AUTOCOMMAND	6,800 LB		\$145,211.00
Includes the following Equipment			
14.9R24 A8 HD Rim (8242301)	\$2,160.00		
460/85(18.4)R34 A8 FI,MI,C (8365401)	\$3,835.00		
T5.140 AUTOCOMMAND	6,800 LB		\$148,711.00
Includes the following Equipment			
14.9R24 A8 HD Rim (8242301)	\$2,160.00		
460/85(18.4)R34 A8 FI,MI,C (8365401)	\$3,835.00		

**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**FAST PICK CONFIGURATION**

## SD\_T9980 PACKAGING

	X0473XX	NAR NH PCK B DELUXE <b>Deluxe Fastpick Package Includes:</b> <b>759154: 2 Tele/Heat/Rem Adj Mirror</b> <b>758485: Deluxe Seat Air Susp Heated</b> <b>758594: 12 LED High Power Hi-Roof</b> <b>758491: Twin Beacon</b> <b>758153: Moniot Mounting Bracket.</b>			(\$2,430.00)
--	---------	---	--	--	--------------

**ENGINE**

## COLD WEATHER AIDS

## SD\_T1938 WEATHER PACK

	758402	Grid_Heater + 110V Pack <b>Grid heater and cold weather pack</b> <b>Includes engine block heater and transmission heater</b>			\$405.00
--	--------	--	--	--	----------



**T5 AUTO COMMAND - DELUXE FASTPICK  
US PRICE LIST**

**TIRES**

BRAND CHOICE

SD\_T4900 TIRE CATEGORY CHOICE

		330418	Trelleborg			\$560.00
		330438	No tire brand preference			No Charge
		330442	Michelin			\$560.00
		330444	Nokian			\$560.00

FRONT WHEELS & TIRES

SD\_T4940 FRONT WHEELS AND TIRES

Ag Front Tires						
		8235401	12.4R24 A8 <b>R1W RADIAL ISO 4WD ADJUSTABLE RIM</b> <b>Match w/ 8357401 rear tire/wheel</b>			\$1,435.00
		8242301	14.9R24 A8 HD Rim <b>R1W RADIAL ISO 4WD ADJUSTABLE RIM</b> <b>Match with 8365401 rear tire/wheel</b>			\$2,160.00
		8247401	11.2R28 A8 <b>R1W RADIAL ISO 4WD ADJUSTABLE RIM</b> <b>Matches with 8372401 Rear tires 13.6R38 (340/85R38) MAVT</b>			\$1,485.00
MUNICIPALTY - ADJUSTABLE RIMS						
		8880401	360/80R24 GRSLND, Adj. Rim <b>Match with 8916401 rear tire/wheel</b> <b>Municipal tire with adjustable rim</b>			\$1,955.00
Shipping wheels						
		8299801	Non-Return Ship Wheels - 4WD			\$95.00

REAR WHEELS & TIRES

SD\_T4950 REAR WHEELS AND TIRES

Ag Rear Tires						
		8372401	13.6R38 A8 <b>R1W RADIAL ISO 4WD ADJUSTABLE RIM</b> <b>Matches with 8247401 Fronts 11.2R28 (280/85R28) MAVT</b>			\$2,339.00
		8357401	18.4R30 R1W <b>R1W RADIAL ISO 4WD ADJUSTABLE RIM</b> <b>Match w/ 8235401 front tire/wheel</b>  <b>Not compatible with narrow rear fenders</b> <b>option code: 331870</b>			\$3,480.00



**T5 AUTO COMMAND - DELUXE FASTPICK  
US PRICE LIST**

		8365401	460/85(18.4)R34 A8 FI,MI,CO,TR <b>R1W RADIAL ISO 4WD ADJUSTABLE RIM</b> <b>Matches with 8242301 14.9R24 (380/85R24) MAVT</b>			\$3,835.00
MUNICIPALTY - ADJUSTABLE RIMS						
		8916401	440/80R34 GRSLND, Adj. Rim <b>Matches with 888041, 360/80R24 TRI 2 MAVT</b> <b>Front Tires</b>			\$3,255.00
Shipping wheels						
		8399801	Non-Returnable Shipping Wheel			\$580.00

**HYDRAULICS**

## REAR REMOTES

## SD\_T8270 REAR REMOTES

		759365	3 MECH RR (3NC) <b>3 MECH REAR REMOTES (3NC)</b>			\$895.00
		743685	4 Mech Rear Remotes (2NC+2C) <b>4 mechanical rear remote valves, two with configurable detents</b>			\$2,000.00

## COMPLETE LOADER READY

## SD\_T8110 LOADER BRACKETS

		758980	Loader Ready.			No Charge
--	--	--------	---------------	--	--	-----------

## JOYSTICK CONTROL

## SD\_T7780 JOYSTICK

		758069	Joystick with Rocker Switch			No Charge
--	--	--------	-----------------------------	--	--	-----------

## MID MOUNT VALVES

## SD\_T7790 MID-MOUNT VALVES

		743689	2 Electronic MMV			No Charge
		743690	3 Electronic MMV			\$1,330.00

**WEIGHTS**

## REAR WHEEL WEIGHTS

## SD\_T4960 WHEEL WEIGHTS

		759137	2X150KG + 2X250KG Wheel Weight			\$1,563.00
--	--	--------	--------------------------------	--	--	------------

**T5 AUTO COMMAND - DELUXE FASTPICK  
 US PRICE LIST**
**AUTO GUIDANCE**
**AUTO GUIDANCE READY**
**SD\_T6300 STEERING OR AUTOGUIDANCE READY**

		759185	Autoguidance Ready			\$5,319.00
--	--	--------	--------------------	--	--	------------

**SD\_T7616 AUTOGUIDANCE NAV/CO**

		762158	AUTOGUID. - Lv.1			\$14,755.00
		762159	AUTOGUID. - Lv.2			\$17,500.00

**TELEMATICS**
**SD\_T7625 TELEMATICS**

		759394	Basic Telematics <b>Offering includes: Mounting Kit, Modem, 1 Year subscription to PLM Connect Essential</b>			\$715.00
--	--	--------	---	--	--	----------

**MISCELLANEOUS**
**FENDERS FRONT**
**SD\_T8740 FRONT FENDERS**

		758330	Dynamic Front Fenders 480mm			\$740.00
--	--	--------	-----------------------------	--	--	----------

**FENDERS REAR**
**SD\_T8700 FENDERS**

		743777	Standard fenders with extensn			No Charge
		759767	NARROW FNDRS L/EXT.			No Charge

**OPERATOR'S MANUALS**
**SD\_T9802 OPERATORS MANUAL**

		758535	Spanish NAR			No Charge
		759101	French NAR			No Charge

**T5 AUTO COMMAND - BLUE POWER  
US PRICE LIST**

## Standard Equipment

### KEY SELLING POINTS:

- Fuel efficient high torque 4.5L, 4-cylinder
- FPT engines with 4 valves per cylinder and common rail fuel injection systems
- Tier 4B EPA emissions compliant with SCR only ECOBlue™ HI-eSCR Tier4B emissions system
- Underhood compact aftertreatment
- Auto Command™ CVT high efficiency Transmission
- Best in class cab in terms of space and comfort (same cab as the T6 and T7 Series)
- Standard LED work lighting
- High level of Automating features (E-Hydr 4WD, PTO, e-controlled remotes)
- Closed Center Load Sensing "high efficiency" pumps, up to 108 l/m
- Easy attach remote outlets
- New bold styling (hood, cab roof, lighting)
- Long Stable 98" wheel base for all Models
- Gross Vehicle Weight up to 18,700 lbs.

### MODELS

-----  
T5.130 Auto Command  
Rated PTO HP - 102  
Rated Engine HP - 120  
Maximum Engine HP - 130  
Rated Speed - 2200 RPM  
274 cu. in. (4.5L) - 4 Cylinder  
Fuel Tank: 47 Gallon (180L)  
DEF Tank: 5 Gallon (19L)

T5.140 Auto Command  
Rated PTO HP - 111  
ENGINE Rated Engine HP - 130  
Maximum Engine HP - 140  
Rated Speed - 2200 RPM  
274 cu. in. (4.5L) - 4 Cylinder  
Fuel Tank: 47 Gallon (180L)  
DEF Tank: 5 Gallon (19L)

### ENGINE

-----  
Tier 4B Emissions Compliant  
ECOBBlue™ HI-eSCR Tier4B system  
Engine with Turbocharger and  
Air-to-Air Intercooler  
4 Valves Per Cylinder  
Bosch Common Rail Fuel Injection  
Pump (electronic)  
Grid Heater Starting Aid  
Dual Element Air Filter with Pre-Cleaner  
(spin tube intakes)  
A-Pillar Exhaust with Integral Muffler  
Viscous Fan (5 blade)  
Hand Throttle

### TRANSMISSION

-----  
Auto Command™ CVT with  
column-mounted power shuttle  
Command Grip™ multi-function controller  
Infinite speed from 0 to 25 MPH  
3 target speed selections  
Infinite target speed thumb wheel  
Right foot "go pedal"  
25-MPH (40-KPH) (varies by tire size)

### CAB

- 
- Low Roof w/ Opening Visibility Panel and Sunshade
  - Flat Deck Platform with Integrated ROPS
  - Standard Air Conditioner and Heater with 4-Speed Pressurizer and dual zone air conditioning
  - Two doors with Locks
  - Two-speed Intermittent Front Wiper/Washer
  - Rear Intermittent Wiper/Washer
  - Hinged Rear Window
  - Tinted Glass with Sunshade
  - Tilt and Telescoping Steering Wheel
  - IntelliView™ IV disp. mtd. on arm rest

# T5 AUTO COMMAND - BLUE POWER US PRICE LIST

## Standard Equipment

- Deluxe Air Suspension Seat with Automatic Adjustment, Operator Presence Switch and Lap Belt
- Instructor Seat
- Deluxe radio
- Digital clock
- Integral ROPS
- Interior dome light
- (2) External courtesy lights
- (2) External telescopic remote
- Adjustable mirrors
- Horn
- Std steering wheel & floor mat
- ISOBUS II connector

### STEERING & BRAKES

- Hydrostatic power steering
- Hydraulic wet disc brakes (self-equalizing/self-adjusting)
- Parking brake (automotive style)

### FRONT AXLE

- Front FWD (TerraLock™ )
- Class 1.75 heavy-duty FWD axle
- 55-degree turning angle
- Dual steering cylinders
- 11-degree axle oscillation
- Electrohydraulic FWD engagement
- TerraLock™ Auto FWD/Diff-Lock
- Driveshaft shield

### REAR AXLE

- Heavy-duty flange axle
- Wet plate differential lock
- Electrohydraulic-engaged dif. lock

### ELECTRICAL

- (1) 12-volt 1300 CCA battery
- 120-amp alternator
- Geared starter motor (4.2 kW)
- 7-pin outlet for implement lighting
- 3-pin 40-amp implement socket
- ISO/JD (30 amp) socket
- 15 amp screw-type +/- terminals
- Single pin (8 amp) accessory outlet
- Cigarette lighter
- (2) single-pin outlets for beacon on roof
- Battery boost terminals
- ISOBUS Class 2

### LIGHTS

- (4) Halogen front hood headlights
- (2) LED front hood signature lights
- (12) LED cab mounted work lights
- (8) LED high front & rear
- (4) LED mid-mount front & rear
- (2) taillights
- Front & Rear Flashing Cab Safety Lights
- Time Delayed, Self-Cancelling Turn Indicators with Audiable Warning

### PTO

- Independent 540/540E/1000 RPM PTO with reversible shaft and flip-up shield
- Multi-plate wet clutch design
- Electrohydraulic-engagement with soft start/auto feathering
- Hydraulic piston PTO brake w/override

### HYDRAULIC SYSTEM

- Closed-center load-sensing pump
- Flow at 1,900 RPM: 28.5 gpm (108 l/m)
- (2) electro-hydraulic rear remote valves controlled in SideWinder II™ console (fully programmable)



**T5 AUTO COMMAND - BLUE POWER  
US PRICE LIST**

## Standard Equipment

Oil collection bottles  
Hydraulic tapping port (Power Beyond)  
Independent pump for CVT and  
operating circuits

### 3-POINT LIFT SYSTEM

-----  
Electronic Draft Control (EDC)  
Lower link sensing  
Fast raise/lower control  
Dynamic Ride Control™  
Category II flex link ends  
Telescopic stabilizers  
10228 lb. Lift Capacity with Dual 80mm  
External Rams

### MISCELLANEOUS

-----  
Flip-up engine hood  
Swinging drawbar  
SMV emblem  
Toolbox

### WARRANTY

-----  
New Holland standard warranty applies



**T5 AUTO COMMAND - BLUE POWER  
US PRICE LIST**

**Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price
T5.140 AUTOCOMMAND	6,800 LB		\$148,711.00
Includes the following Equipment			
14.9R24 A8 HD Rim (8242301) \$2,160.00			
460/85(18.4)R34 A8 FI,MI,C (8365401) \$3,835.00			

**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**T5 AUTO COMMAND - BLUE POWER  
US PRICE LIST****CAB CONFIGURATION**

## CAB ROOF/COLOR

## SD\_T9850 SPECIAL COLORS/PANELS

		758320	<b>BLUE POW. SPEC. ED.</b> <b>Blue Power Option includes:</b> -#Distinct metallic midnight blue paint -#Chrome colored grill -#Silver wheel rims -#Eye Catching 3D leaf and New Holland Logo -#Blue Power Seat -#Silver light surround on cab work lights -#An extensive list of standard equipment including:  758483: Leather Steering Wheel +Carpet LEATHER STEERING WHEEL+CARPET  759384: SDLX HTD ALCANT Blue Power SDLX SEAT LOW FREQ SUSP/SWIVEL HEADREST/HEATED/LEATHER-ALCANTARA BLUE POWER  758596: 16 LED High Power Hi-Roof 16 LED HIGH POWER HIGH ROOF  758491: Twin Beacon  759154: 2 Tele/Heat/Rem Adj Mirror 2 TELE/HEATED/REM ADJUST MIRRORS (SHATTER PROOF - LARGE HEAD - SPOTTER  759663: 200 AMP ALTERNATOR 759663  758504: Self-Cancel + Audible Turn SELF CANCEL.+AUDI. WARN. TURN INDICATORS			\$9,500.00
--	--	--------	---	--	--	------------

**ENGINE**

## COLD WEATHER AIDS

## SD\_T1938 WEATHER PACK

		758402	Grid_Heater + 110V Pack Grid heater and cold weather pack Includes engine block heater and transmission heater			\$405.00
--	--	--------	--	--	--	----------

**T5 AUTO COMMAND - BLUE POWER  
US PRICE LIST****FRONT AXLE**

SD\_T4010 FRONT AXLE

		759669	SUSP. AXLE L/BRKS			\$3,790.00
--	--	--------	-------------------	--	--	------------

**TIRES**

BRAND CHOICE

SD\_T4900 TIRE CATEGORY CHOICE

		330442	Michelin			\$560.00
--	--	--------	----------	--	--	----------

**HYDRAULICS**

REAR REMOTES

SD\_T8270 REAR REMOTES

		759365	3 MECH RR (3NC) <b>3 MECH REAR REMOTES (3NC)</b>			\$895.00
		743685	4 Mech Rear Remotes (2NC+2C) <b>4 mechanical rear remote valves, two with configurable detents</b>			\$2,000.00
		759690	2 RR MV + 1 EH.RR.V. <b>2 RR MV (CONFIG. DETENT) + 1 ELECTRO HYD. REAR REMOTE VALVES</b>			\$1,700.00
		759691	2 RR MV + 2 EH.RR.V. <b>2 RR MV (CONFIG. DETENT) + 2 ELECTRO HYD. REAR REMOTE VALVES</b>			\$2,605.00

COMPLETE LOADER READY

SD\_T8110 LOADER BRACKETS

		744711	L/Loader Ready w/MMV			(\$4,585.00)
--	--	--------	----------------------	--	--	--------------

JOYSTICK CONTROL

SD\_T7780 JOYSTICK

		759694	L/JOYSTICK W/EDC POD 759694			(\$2,045.00)
--	--	--------	-----------------------------	--	--	--------------

MID MOUNT VALVES

SD\_T7790 MID-MOUNT VALVES

		759695	L/MID-MOUNT VALVES 759695			(\$2,500.00)
		743689	2 Electronic MMV			No Charge
		743690	3 Electronic MMV			\$1,330.00





**T5 AUTO COMMAND - BLUE POWER  
US PRICE LIST**

**PTO**

REAR PTO

SD\_T8710 FENDERS PTO CONTROL

		743680	Fender EDC/PTO/Rem Valv Contrl			\$290.00
--	--	--------	--------------------------------	--	--	----------

**WEIGHTS**

FRONT

SD\_T2150 FRONT BALLAST

		759769	10 FRONT WEIGHTS Qty. 10, 88 lb. (40 Kg) weights totaling 882 lb. (400 Kg)			\$1,160.00
--	--	--------	--	--	--	------------

REAR WHEEL WEIGHTS

SD\_T4960 WHEEL WEIGHTS

		759137	2X150KG + 2X250KG Wheel Weight			\$1,563.00
--	--	--------	--------------------------------	--	--	------------

**CAB OPTION**

SD\_T4820 HEADLAND SYSTEM

		758592	Adv. Headland Ctrl Config EHR			\$970.00
--	--	--------	-------------------------------	--	--	----------

MONITOR BRACKETS

SD\_T9223 RH WINDOW BAR MOUNT

		758153	Monitor Mounting Bracket.			\$150.00
--	--	--------	---------------------------	--	--	----------

**AUTO GUIDANCE**

AUTO GUIDANCE READY

SD\_T7616 AUTOGUIDANCE NAV/CO

		762158	AUTOGUID. - Lv.1			\$14,755.00
		762159	AUTOGUID. - Lv.2			\$17,500.00



**T5 AUTO COMMAND - BLUE POWER  
US PRICE LIST**

**TELEMATICS**

SD\_T7625 TELEMATICS

		759394	Basic Telematics <b>Offering includes: Mounting Kit, Modem, 1 Year subscription to PLM Connect Essential</b>			\$715.00
--	--	--------	---	--	--	----------

**MISCELLANEOUS**

FENDERS FRONT

SD\_T8740 FRONT FENDERS

		758330	Dynamic Front Fenders 480mm			\$740.00
--	--	--------	-----------------------------	--	--	----------

**OPERATOR'S MANUALS**

SD\_T9802 OPERATORS MANUAL

		758535	Spanish NAR			No Charge
		759101	French NAR			No Charge