

JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR COMPACT UTILITY TRACTORS

260 Backhoe Equipment for Base Machine

6 ft. 2 In. (1.89 m) Digging Depth One Double Acting Swing Cylinder 150 Degree Swing Narrow Control Console Two Lever Control Six Spool Control Valve	Hydraulics 8 In. Bucket Swivel Seat Bracket Transport Locking Pins Hydraulic Stabilizers Subframe Mounting
--	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	----------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

1165LV	260 Backhoe <i>For 1023E, 1025R, 1026R, and 2305 OOS Tractors. Tractors Must be Equipped with a Front Loader and a Power Beyond Hydraulic kit LVB25956 (except 2305). Tire chains are not compatible with backhoe. Only 17 digit Serial No. 260 backhoes (with updated mainframe) are compatible with 1023E, 1025R, and 1026R.</i>	6,057.00
--------	---	----------

DESTINATION

0184	Canada	Same Price
0195	Mexico	Same Price
0202	United States	In Base Price
0205	Quebec	Same Price
0230	Australia	Same Price
0237	New Zealand	Same Price
024F	Norfolk Island	Same Price
024H	United States Minor Outlying Islands	Same Price

OPERATOR'S MANUAL AND DECAL KIT

0409	English North American Operator's Manual and Decal Kit	In Base Price
0413	French Operator's Manual and Decal Kit <i>Spanish/French Canadian North American Operator's Manual and Decal Kit.</i>	Same Price
0437	Spanish North American Operator's Manual and Decal Kit <i>Spanish/French Canadian North American Operator's Manual and Decal Kit.</i>	Same Price

MOUNTINGS, HYDRAULICS AND SUBFRAME

1000	Subframe Mounting <i>For 1023E Tractors. Power Beyond kit LVB25956 is required on tractor and must be</i>	In Base Price
------	--	---------------

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

260 Backhoe
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
MOUNTINGS, HYDRAULICS AND SUBFRAME Continued...			
		<i>purchased separately.</i>	
1001		Subframe Mounting <i>For 2305 Tractors. This kit includes Power Beyond Hydraulics. AM105466 and AM105467 couplers are required and must be ordered separately.</i>	-97.00
1002		Subframe Mounting <i>For 1025R and 1026R Tractors. Power Beyond kit LVB25956 is required on tractor and must be purchased separately.</i>	Same Price
1995		Less Subframe Mounting	-1,182.00
BUCKETS			
3008		8 In. Bucket <i>0.42 Cu. Ft.</i>	In Base Price
3012		12 In. Bucket <i>0.66 Cu. Ft.</i>	60.00
3016		16 In. Bucket <i>0.90 Cu. Ft.</i>	104.00
3995		Less Bucket	-337.00
ATTACHMENTS FOR FIELD CONVERSION			
		Buckets:	
BLV10025		12 In. Bucket (0.66 Cu. Ft.)	467.50
BLV10026		16 In. Bucket (0.90 Cu. Ft.)	519.20
BLV10024		8 In. Bucket (0.42 Cu. Ft.)	397.10
		HYDRAULICS	
LVB25956		Power Beyond Kit (1023E, 1025R, 1026R)	176.00
		Miscellaneous:	
BM19556		Rubber Street Pad Kit	138.60
LVB24982		Stabilizer Cylinder Protection Kit	125.40
		Mountings and Hardware for Tractors:	
BLV10836		Subframe Mounting (For 1023E Tractors) <i>Power Beyond kit LVB25956 is required on tractor.</i>	1,392.60
BLV10835		Subframe Mounting (For 1025R, 1026R Tractors) <i>Power Beyond kit LVB25956 is required on tractor.</i>	1,392.60
BLV10837		Subframe Mounting/Power Beyond Hydraulics Kit (For 2305 Tractors with 260 Backhoe)	1,278.20

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

270A Backhoe
Equipment for Base Machine

7 ft. Digging Depth
One Double Acting Swing
Cylinder
150 Degree Swing
Narrow Control Console
Two Lever Control
Six Spool Control Valve
Hydraulics

8 In. Bucket
Operator's Seat
Hydraulic Stabilizers
Subframe Mounting (3 Point Hitch
Assist)
Transport Locks

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

6155LV	270A Backhoe <i>For 2025R and 2320 OOS Tractors. Tractors Must be Equipped with a Front Loader and Power Beyond Kit. Mechanical mower lift system will not work with backhoe mounted.</i>	8,268.00
--------	--	----------

DESTINATION

0184	Canada	Same Price
0195	Mexico	Same Price
0202	United States	In Base Price
0205	Quebec	Same Price
0230	Australia	Same Price
0237	New Zealand	Same Price
024F	Norfolk Island	Same Price
024H	United States Minor Outlying Islands	Same Price

OPERATOR'S MANUAL AND DECAL KIT

0409	English North American Operator's Manual and Decal Kit	In Base Price
0413	French Operator's Manual and Decal Kit	Same Price
0437	Spanish North American Operator's Manual and Decal Kit	Same Price

MOUNTINGS, HYDRAULICS AND SUBFRAME

1000	Subframe Mounting <i>For 2025R, 2320 Tractors. Tractors must be equipped with a front loader and power beyond kit. Mechanical mower lift system will not work with backhoe mounted.</i>	In Base Price
------	--	---------------

BUCKETS

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

270A Backhoe
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		BUCKETS Continued...	
3008		8 In. Bucket <i>0.42 Cu. Ft.</i>	In Base Price
3012		12 In. Bucket <i>0.66 Cu. Ft.</i>	60.00
3016		16 In. Bucket <i>0.90 Cu. Ft.</i>	104.00

ATTACHMENTS FOR FIELD CONVERSION

		Buckets:	
BLV10025		12 In. Bucket (0.66 Cu. Ft.)	467.50
BLV10026		16 In. Bucket (0.90 Cu. Ft.)	519.20
BLV10024		8 In. Bucket (0.42 Cu. Ft.)	397.10
		Miscellaneous:	
BM19556		Rubber Street Pad Kit	138.60
BLV10023		Thumb <i>Not compatible with 8 In. Bucket (BLV10024).</i>	629.20
		Mountings and Hardware for Tractors:	
BLV10639		Subframe Mounting Kit (For MY '16 and Older 2025R and 2320 Tractors with 270A backhoe)	1,497.10

JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR COMPACT UTILITY TRACTORS

46 Backhoe Equipment for Base Machine

6.5 ft. (2.0 m) Digging Depth Two Double Acting Swing Cylinders 180 Degree Swing Narrow Control Console Two Lever Control Six Spool Control Valve Hydraulics	9 In. Bucket Operator's Seat with Transport Lock Hydraulic Stabilizers with Flip-Over Pads Subframe Mounting
---	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

1155LV	46 Backhoe <i>For 2032R, 2520, and 2720 OOS Tractors. The 46 Backhoe is not Compatible with a Mid-Mount Mower Deck, See Sales Manual.</i>	7,608.00
--------	--	----------

DESTINATION

0184	Canada	Same Price
0195	Mexico	Same Price
0202	United States	In Base Price
0205	Quebec	Same Price
0230	Australia	Same Price
0237	New Zealand	Same Price
024F	Norfolk Island	Same Price
024H	United States Minor Outlying Islands	Same Price

OPERATOR'S MANUAL AND DECAL KIT

0409	English North American Operator's Manual and Decal Kit <i>English/Spanish Operator's Manual. Decal kit not included.</i>	In Base Price
0413	French Operator's Manual and Decal Kit	Same Price
0437	Spanish North American Operator's Manual and Decal Kit <i>English/Spanish Operator's Manual. Decal kit not included.</i>	Same Price

MOUNTINGS, HYDRAULICS AND SUBFRAME

1000	Subframe Mounting <i>For 2032R, 2520, 2720 Tractors.</i>	In Base Price
1995	Less Subframe Mounting	-1,045.00

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

46 Backhoe

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
MOUNTINGS, HYDRAULICS AND SUBFRAME Continued...			
BUCKETS			
3009		9 In. Bucket <i>0.64 Cu. Ft.</i>	In Base Price
3013		13 In. Bucket <i>1.04 Cu. Ft.</i>	51.00
3016		16 In. Bucket <i>1.33 Cu.Ft.</i>	84.00
3020		20 In. Bucket <i>1.74 Cu. Ft.</i>	166.00
3024		24 In. Bucket <i>2.14 Cu. Ft.</i>	227.00
3995		Less Bucket	-378.00
ATTACHMENTS FOR FIELD CONVERSION			
		Buckets:	
BM19558		13 In. Bucket (1.04 Cu. Ft.)	506.00
BM19559		16 In. Bucket (1.33 Cu. Ft.)	544.50
BM19560		20 In. Bucket (1.74 Cu. Ft.)	641.30
BM19561		24 In. Bucket (2.14 Cu. Ft.)	712.80
BM19557		9 In. Bucket (0.64 Cu. Ft.)	445.50
		HYDRAULICS	
BLV10381		Power Beyond Kit <i>Not Compatible with Third SCV kit BLV10731/LVB26166 Includes Rear Mounted Hydraulic Couplers and Hose for Use with Backhoe on MY '16 and Older 2025R, MY '16 and Older 2032R, 2320, 2520, 2720, 4100, 4110, and 4115 Tractors Equipped with Dual SCV.</i>	482.90
		Mountings and Hardware for Tractors:	
LVB24842		Subframe Mounting Kit (For MY '16 and Older 2025R, 2320 Tractors with 46 Backhoe)	1,232.00
LVB25883		Subframe Mounting Kit (For MY '16 and Older 2032R, 2520, 2720 Tractors with 46 Backhoe)	1,232.00
		Operator Environment:	
LVB25573		Tall ROPS Upper Hoop Kit <i>Required for Use with 46 Backhoe on 4100, 4110, 4115 Tractors.</i>	217.80

JOHN DEERE TURF & UTILITY PRODUCTS

EQUIPMENT FOR COMPACT UTILITY TRACTORS

270B Backhoe

Equipment for Base Machine

7.3 ft. (2.2 m) Digging Depth	8 In. Bucket	Joints
One Double Acting Swing Cylinder	15 In. High Back Operator's Seat	
Cushioned Boom and Swing Cylinder	Large Integrated Boarding Step	
150 Degree Swing	ROPS Mounted Grab Handle	
Rubber Swing Bumpers	Transport Locking Pins (Accessible from Seat)	
180 Degree Bucket Rotation	Hydraulic Stabilizers (Locking)	
Narrow Control Console	Subframe Mounting (3 Point Hitch Assist)	
Two Lever Control with Protective Boots	Mounting Provisions for Mechanical Thumb and Street Pads	
Six Spool Control Valve Hydraulics	Replaceable Bushings In Key	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

6190LV	270B Backhoe <i>For MY2017 and newer 2032R and 2038R OOS Tractors.</i>	8,601.00
<i>Tractors Must be Equipped with a Front Loader and a Power Beyond Hydraulic kit BLV10881.</i>		

DESTINATION

0184	Canada	Same Price
0202	United States	In Base Price
0205	Quebec	Same Price
024H	United States Minor Outlying Islands	Same Price

OPERATOR'S MANUAL AND DECAL KIT

0409	English North American Operator's Manual and Decal Kit	In Base Price
0413	French Operator's Manual and Decal Kit	Same Price
0437	Spanish North American Operator's Manual and Decal Kit	Same Price

MOUNTINGS, HYDRAULICS AND SUBFRAME

1000	Subframe Mounting <i>For MY2017 and newer 2032R and 2038R OOS Tractors</i>	In Base Price
------	---	---------------

BUCKETS

3008	8 In. Bucket <i>0.42 Cu. Ft.</i>	In Base Price
3012	12 In. Bucket	60.00

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

270B Backhoe

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		BUCKETS Continued...	
		<i>0.66 Cu. Ft.</i>	
3016		16 In. Bucket <i>0.90 Cu. Ft.</i>	104.00
3995		Less Bucket	-337.00
ATTACHMENTS FOR FIELD CONVERSION			
		Buckets:	
	BLV10025	12 In. Bucket (0.66 Cu. Ft.)	467.50
	BLV10026	16 In. Bucket (0.90 Cu. Ft.)	519.20
	BLV10024	8 In. Bucket (0.42 Cu. Ft.)	397.10
		HYDRAULICS	
	BLV10881	Power Beyond Kit <i>Includes Rear Mounted Hydraulic Couplers and Hose for Use with Backhoe or other continuous flow Attachments on MY '17 and newer 2032R and 2038R Tractors.</i>	414.70
		Miscellaneous:	
	BM19556	Rubber Street Pad Kit	138.60
	BLV10023	Thumb <i>Not compatible with 8 In. Bucket (BLV10024).</i>	629.20
		Mountings and Hardware for Tractors:	
	BLV10594	Subframe Mounting Kit (For MY '17 and newer 2032R and 2038R Tractors with 270B backhoe) <i>Power Beyond kit BLV10881 is required on tractor.</i>	1,497.10

JOHN DEERE TURF & UTILITY PRODUCTS

EQUIPMENT FOR COMPACT UTILITY TRACTORS

375 Backhoe

Equipment for Base Machine

7 ft. 8 In. (2.3 m) Digging
Depth
Quik-Tatch Mounting
Two Double Acting Swing
Cylinders
180 Degree Swing
Narrow Control Console
Two Lever Control
Six Spool Control Valve
Hydraulics

9 In. Bucket
Operator's Seat with
Transport Lock
Hydraulic Stabilizers with
Flip-Over Pads
Rockshaft Assist Mounting
Brackets and Hardware for
3120-3720, 4105 Open
Station Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

6125LV	375 Backhoe <i>For 3120-3720, 4105, 4300-4400, 4310-4410 Cab and OOS Tractors. Tractors Must be Equipped with a Front Loader and Power Beyond Kit. 4105 Tractor Requires LVB25930 Parking Extension Kit. See Sales Manual for 4300-4400, 4310-4410 Tractor/Backhoe Requirements.</i>	9,055.00
--------	---	----------

DESTINATION

0184	Canada	Same Price
0202	United States	In Base Price
0205	Quebec	Same Price
0230	Australia	Same Price
0237	New Zealand	Same Price
024F	Norfolk Island	Same Price
024H	United States Minor Outlying Islands	Same Price

OPERATOR'S MANUAL AND DECAL KIT

0409	English North American Operator's Manual and Decal Kit	In Base Price
0413	French Operator's Manual and Decal Kit	Same Price
0437	Spanish North American Operator's Manual and Decal Kit	Same Price

MOUNTINGS, HYDRAULICS AND SUBFRAME

1000	Subframe Mounting <i>Rockshaft Assist Mounting Brackets and Hardware for 3120-3720, 4105 OOS Tractors</i>	In Base Price
1001	Subframe Mounting <i>For 3320-3720 Cab Tractors. Rockshaft assist mounting brackets and hardware.</i>	328.00

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

375 Backhoe
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
1002		MOUNTINGS, HYDRAULICS AND SUBFRAME Continued... Subframe Mounting <i>Rockshaft Assist Mounting Brackets and Hardware for 4300-4400 and 4310-4410 Tractors with Heavy Duty Sub-Frame.</i>	515.00
1995		Less Subframe Mounting <i>Less mounting brackets and hardware.</i>	-491.00

BUCKETS

3009		9 In. Bucket <i>0.64 Cu. Ft.</i>	In Base Price
3013		13 In. Bucket <i>1.04 Cu. Ft.</i>	51.00
3016		16 In. Bucket <i>1.33 Cu. Ft.</i>	84.00
3020		20 In. Bucket <i>1.74 Cu. Ft.</i>	166.00
3024		24 In. Bucket <i>2.14 Cu. Ft.</i>	227.00
3995		Less Bucket	-378.00

ATTACHMENTS FOR FIELD CONVERSION

	Buckets:	
BM19558	13 In. Bucket (1.04 Cu. Ft.)	506.00
BM19559	16 In. Bucket (1.33 Cu. Ft.)	544.50
BM19560	20 In. Bucket (1.74 Cu. Ft.)	641.30
BM19561	24 In. Bucket (2.14 Cu. Ft.)	712.80
BM19562	36 In. Bucket (3.34 Cu. Ft.)	893.20
BM19557	9 In. Bucket (0.64 Cu. Ft.)	445.50
	HYDRAULICS	
LVB25085	Power Beyond Kit <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 4310-4410 Tractors.</i>	350.90
LVB25781	Power Beyond Kit (Cab Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 3120-3720 Cab Tractors. Not compatible with MY2011 tractors. See sales manual for details.</i>	414.70
LVB26069	Power Beyond Kit (Cab Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for use with Backhoe on 3120-3720 Cab Tractors. Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break.</i>	414.70

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

375 Backhoe
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LVB25505	Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 3120-3720, 4105 Open Station Tractors. Not compatible with MY2011 tractors. See sales manual for details.</i>	414.70
	LVB26064	Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 3120-3720, 4105 Open Station Tractors. Only compatible with 2011 tractors and newer. See Sales Manual for MY2011 serial number break.</i>	414.70
	LVB25221	Power Beyond Kit with RCV Filter <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 4300-4400 Tractors.</i>	414.70
		Miscellaneous:	
	LVB25930	Parking Extension Kit (4105)	107.80
	BM19556	Rubber Street Pad Kit	138.60
	LVB26056	Thumb <i>Only compatible with a 2010 model or later backhoe with a serial number greater than LV0375X030000. Not compatible with 9 In. Bucket (BM19557).</i>	823.90
		Mountings and Hardware for Tractors:	
	LVB24795	Heavy-Duty Subframe Kit <i>See Sales Manual for 4300-4400, 4310-4410 Tractor/Backhoe Requirements.</i>	607.20
	LVB25611	Rockshaft Assist Mounting Brackets and Hardware (3120-3720 Open Station Tractors)	578.60
	BM19564	Rockshaft Assist Mounting Brackets and Hardware (4300-4400, 4310-4410)	578.60
	LVB26149	Rockshaft Assist Mounting Brackets and Hardware (3320-3720 Cab Tractors)	964.70

JOHN DEERE TURF & UTILITY PRODUCTS

EQUIPMENT FOR COMPACT UTILITY TRACTORS

375A Backhoe

Equipment for Base Machine

7.5 ft. Digging Depth
180 Degree Swing
Narrow Control Console
Two Lever Control
Six Spool Control Valve
Hydraulics
9 In. Bucket

Operator's Seat
Hydraulic Stabilizers
Subframe Mounting (3 Point Hitch Assist)
Transport Locks

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

6165LV	375A Backhoe <i>For 3033R-3046R Cab and OOS Tractors. Tractors Must be Equipped with a Front Loader and Power Beyond Kit.</i>	9,373.00
--------	--	----------

DESTINATION

0184	Canada	Same Price
0202	United States	In Base Price
0205	Quebec	Same Price
0230	Australia	Same Price
0237	New Zealand	Same Price
024F	Norfolk Island	Same Price
024H	United States Minor Outlying Islands	Same Price

OPERATOR'S MANUAL AND DECAL KIT

0409	English North American Operator's Manual and Decal Kit	In Base Price
0413	French Operator's Manual and Decal Kit	Same Price
0437	Spanish North American Operator's Manual and Decal Kit	Same Price

MOUNTINGS, HYDRAULICS AND SUBFRAME

1000	Subframe Mounting <i>Rockshaft Assist Mounting Brackets and Hardware for 3033R-3046R Tractors (Open Operator Station Only).</i>	In Base Price
1001	Subframe Mounting <i>Rockshaft Assist Mounting Brackets and Hardware for 3033R-3046R Tractors (Cab Only).</i>	Same Price

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

375A Backhoe

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
BUCKETS			
3009		9 In. Bucket <i>0.684 Cu. Ft.</i>	In Base Price
3012		12 In. Bucket <i>1.12 Cu. Ft.</i>	67.00
3016		16 In. Bucket <i>1.50 Cu. Ft.</i>	155.00
3018		18 In. Bucket <i>Heavy Duty Bucket: 1.69 Cu. Ft.</i>	273.00
3020		20 In. Bucket <i>1.88 Cu. Ft.</i>	244.00
3024		24 In. Bucket <i>2.26 Cu. Ft.</i>	332.00
3995		Less Bucket	-454.00
ATTACHMENTS FOR FIELD CONVERSION			
Buckets:			
	BLV10339	12 In. Bucket (1.12 Cu. Ft.)	613.80
	BLV10340	16 In. Bucket (1.50 Cu. Ft.)	717.20
	BLV10343	18 In. Heavy Duty Bucket (1.69 Cu. Ft.)	856.90
	BLV10341	20 In. Bucket (1.88 Cu. Ft.)	822.80
	BLV10342	24 In. Bucket (2.26 Cu. Ft.)	926.20
	BLV10338	9 In. Bucket (0.684 Cu. Ft.)	534.60
HYDRAULICS			
	LVB26064	Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 3033R-3046R Open Station Tractors. See Sales Manual (SCV Reference Table) or ordering details.</i>	414.70
	BLV10462	Power Beyond Kit (Cab Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 3033R-3046R Cab Tractors. See Sales Manual (SCV Reference Table) or ordering details.</i>	414.70
Miscellaneous:			
	BLV10353	Mechanical Thumb	708.40
	BM19556	Rubber Street Pad Kit	138.60
Mountings and Hardware for Tractors:			
	BLV10460	Subframe Mounting Brackets and Hardware <i>For 3033R-3046R Tractors (Cab and OOS).</i> <i>For Cab Tractors, also order BLV10652, Supplemental Hardware Kit for Subframe Mounting on Cab Tractors.</i>	1,240.80

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

375A Backhoe

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BLV10652	Supplemental Hardware Kit for Subframe Mounting on Cab Tractors <i>For 3033R-3046R Tractors (Cab Only).</i> <i>Also requires Subframe Mounting Brackets and Hardware (BLV10460).</i>	221.10

JOHN DEERE TURF & UTILITY PRODUCTS

EQUIPMENT FOR COMPACT UTILITY TRACTORS

385A Backhoe

Equipment for Base Machine

8.5 ft. Digging Depth
180 Degree Swing
Narrow Control Console
Two Lever Control
Six Spool Control Valve
Hydraulics
12 In. Bucket

Operator's Seat
Hydraulic Stabilizers
Subframe Mounting (3 Point Hitch Assist)
Transport Locks

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

6175LV	385A Backhoe <i>For 3033R-3046R OOS Tractors. Tractors Must be Equipped with a Front Loader and Power Beyond Kit.</i>	10,138.00
--------	--	-----------

DESTINATION

0184	Canada	Same Price
0202	United States	In Base Price
0205	Quebec	Same Price
0230	Australia	Same Price
0237	New Zealand	Same Price
024F	Norfolk Island	Same Price
024H	United States Minor Outlying Islands	Same Price

OPERATOR'S MANUAL AND DECAL KIT

0409	English North American Operator's Manual and Decal Kit	In Base Price
0413	French Operator's Manual and Decal Kit	Same Price
0437	Spanish North American Operator's Manual and Decal Kit	Same Price

MOUNTINGS, HYDRAULICS AND SUBFRAME

1000	Subframe Mounting <i>Rockshaft Assist Mounting Brackets and Hardware for 3033R-3046R Tractors (Open Operator Station Only).</i>	In Base Price
1995	Less Subframe Mounting	-1,053.00

BUCKETS

3009	9 In. Bucket <i>0.684 Cu. Ft.</i>	-67.00
------	--------------------------------------	--------

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

385A Backhoe
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
BUCKETS Continued...			
3012		12 In. Bucket <i>1.12 Cu. Ft.</i>	In Base Price
3016		16 In. Bucket <i>1.50 Cu. Ft.</i>	88.00
3018		18 In. Bucket <i>Heavy Duty Bucket: 1.69 Cu. Ft.</i>	206.00
3020		20 In. Bucket <i>1.88 Cu. Ft.</i>	177.00
3024		24 In. Bucket <i>2.26 Cu. Ft.</i>	265.00
3995		Less Bucket	-521.00
ATTACHMENTS FOR FIELD CONVERSION			
		Buckets:	
	BLV10339	12 In. Bucket (1.12 Cu. Ft.)	613.80
	BLV10340	16 In. Bucket (1.50 Cu. Ft.)	717.20
	BLV10343	18 In. Heavy Duty Bucket (1.69 Cu. Ft.)	856.90
	BLV10341	20 In. Bucket (1.88 Cu. Ft.)	822.80
	BLV10342	24 In. Bucket (2.26 Cu. Ft.)	926.20
	BLV10338	9 In. Bucket (0.684 Cu. Ft.)	534.60
		HYDRAULICS	
	LVB26064	Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 3033R-3046R Open Station Tractors. See Sales Manual (SCV Reference Table) or ordering details.</i>	414.70
		Miscellaneous:	
	BLV10352	Mechanical Thumb	871.20
	BM19556	Rubber Street Pad Kit	138.60
		Mountings and Hardware for Tractors:	
	BLV10460	Subframe Mounting Brackets and Hardware <i>For 3033R-3046R Tractors (OOS Only).</i>	1,240.80

JOHN DEERE TURF & UTILITY PRODUCTS

EQUIPMENT FOR COMPACT UTILITY TRACTORS

485 Backhoe

Equipment for Base Machine

8 ft. 9 In.(2.7 m) Digging Depth Quick-Tatch Mounting Two Double Acting Swing Cylinders 180 Degree Swing Narrow Control Console Two Lever Control Six Spool Control Valve Hydraulics	12 In. Bucket Operator's Seat with Transport Locks Hydraulic Stabilizers with Flip-Over Pads Rockshaft Assist Mounting Brackets, Hardware and Adapter Frame Plate for 4510-4710 and 4120-4720
--	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

6135LV	485 Backhoe <i>For 3120-3720 OOS Tractors, 4120-4720 Cab and OOS Tractors, 4300-4400, 4310-4410, 4500-4700, 4510-4710, 5045E-5075E OOS Tractors 9/3 PRIOR to Final Tier 4, and 5103-5403 OOS Tractors. Does Not Fit Cab 3320-3720 Tractors. Does NOT Fit ANY Final Tier 4 5E 3-Cylinder Tractors. CUT Tractors Must be Equipped with a Front Loader and Power Beyond Kit. 5 Series Tractors do not require a Power Beyond Kit. Installation of LVB25628 PRT Oil Cooler Kit is Recommended for 4000 Twenty Series Tractors with a PRT Trans. and Equipped with a Backhoe that will be used for Extended Continuous Periods of Time. See Sales Manual for 4300 Through 4710 Tractor/Backhoe Requirements.</i> <i>For 5045E-5075E Tractors, the 485 Backhoe is only compatible with OOS tractors built prior to Final Tier 4 that are equipped with a 9/3 transmission. Not compatible with 12/12 transmission. Not compatible with IOOS.</i>	10,558.00
--------	---	-----------

DESTINATION

0184	Canada	Same Price
0202	United States	In Base Price
0205	Quebec	Same Price
0230	Australia	Same Price
0237	New Zealand	Same Price
024F	Norfolk Island	Same Price
024H	United States Minor Outlying Islands	Same Price

OPERATOR'S MANUAL AND DECAL KIT

0409	English North American Operator's Manual and Decal Kit	In Base Price
0413	French Operator's Manual and Decal Kit	Same Price
0437	Spanish North American Operator's Manual and Decal Kit	Same Price

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

485 Backhoe
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
MOUNTINGS, HYDRAULICS AND SUBFRAME			
1000		Subframe Mounting <i>For 3120-3720 OOS Tractors. Rockshaft assist mounting brackets and hardware.</i>	-449.00
1001		Subframe Mounting <i>Rockshaft Assist Mounting Brackets and Hardware for 4120-4720, 4500-4700, and 4510-4710. 4320-4720 Cab Tractors Equipped with Mid-PTO Require LVB25876 Cab/Backhoe/Mid PTO Additional Mounting Kit. See Sales Manual for Serial Numbers. For 4500-4700 and 4510-4710 Tractors Manufactured Before Nov. '02, See Sales Manual for Additional Required Service Parts.</i>	In Base Price
1002		Subframe Mounting <i>Rockshaft Assist Mounting Brackets and Hardware for 4300-4400 and 4310-4410 Tractors with Heavy Duty Sub-Frame.</i>	66.00
1003		Subframe Mounting <i>Subframe Mounting Brackets, Hydraulics and Hardware. 5045E-5075E Tractor compatibility is limited to open operator station (OOS) Tractors PRIOR to Final Tier 4 with 9/3 transmissions. Requires coupler kit SJ290468. 5103-5403 Tractor compatibility is limited to tractors with serial numbers after PY5103U013641, PY5203U005570, PY5303U007753, and PY5403U000735. Requires the following service parts (must be ordered separately): RE264086, X8C50L0-S, LVU13291, 61M5071, X8F650L-S. For 5045E-5075E Tractors, the 485 Backhoe is only compatible with OOS tractors PRIOR to Final Tier 4 that are equipped with a 9/3 transmission (see note above for coupler kit). Not compatible with Final Tier 4 5E 3-Cylinder Tractors. Not compatible with 12/12 transmission. Not compatible with IOOS.</i>	1,005.00
1995		Less Subframe Mounting <i>Less mounting brackets and hardware.</i>	-940.00
ADAPTER FRAME FOR BACKHOE			
2000		Adapter Frame Weldment Plate <i>For 3120-3720, 4300-4400, 4310-4410 Tractors.</i>	-68.00
2003		Adapter Frame Weldment Plate <i>For 4120-4720, 4500-4700 and 4510-4710 Tractors.</i>	In Base Price
2995		Less Adapter Frame Weldment Plate	-974.00
BUCKETS			
3012		12 In. Bucket <i>1.53 Cu.Ft.</i>	In Base Price
3018		18 In. Bucket <i>2.47 Cu. Ft.</i>	78.00
3024		24 In. Bucket <i>3.48 Cu. Ft.</i>	162.00
3995		Less Bucket	-611.00
ATTACHMENTS FOR FIELD CONVERSION			
	LVB25613	Backhoe Adapter Frames: Adapter Frame Weldment Plate (3120-3720, 4300-4400, 4310-4410)	1,068.10

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

485 Backhoe

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LVB26163	Adapter Frame Weldment Plate (4120-4720, 4500-4700 and 4510-4710)	1,148.40
		Buckets:	
	BM19568	12 In. Standard Bucket (1.53 Cu. Ft.)	720.50
	LVB25173	14 In. Heavy Duty Bucket (1.74 Cu. Ft.)	797.50
	LVB25174	18 In. Heavy Duty Bucket (2.68 Cu. Ft.)	876.70
	BM19569	18 In. Standard Bucket (2.47 Cu. Ft.)	811.80
	LVB25175	24 In. Heavy Duty Bucket (3.71 Cu. Ft.)	980.10
	BM19570	24 In. Standard Bucket (3.48 Cu. Ft.)	910.80
		HYDRAULICS	
	LVB25085	Power Beyond Kit <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 4310-4410 Tractors.</i>	350.90
	LVB25780	Power Beyond Kit (Cab Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 4320-4720 Cab Tractors.</i>	414.70
	LVB26071	Power Beyond Kit (Cab Only) <i>Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break.</i>	414.70
	LVB25505	Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 3120-3720, 4105 Open Station Tractors. Not compatible with MY2011 tractors. See sales manual for details.</i>	414.70
	LVB25512	Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hose for Use with Backhoe on 4510-4710 and 4120-4720 Open Station Tractors. Not compatible with MY2011 tractors. See sales manual for details.</i>	414.70
	LVB26064	Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 3120-3720, 4105 Open Station Tractors. Only compatible with 2011 tractors and newer. See Sales Manual for MY2011 serial number break.</i>	414.70
	LVB26066	Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hose for Use with Backhoe on 4510-4710 and 4120-4720 Open Station Tractors. Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break.</i>	414.70
	LVB25220	Power Beyond Kit with RCV Filter <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 4500-4700 Tractors.</i>	414.70
	LVB25221	Power Beyond Kit with RCV Filter <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 4300-4400 Tractors.</i>	414.70

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

485 Backhoe

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Miscellaneous:	
LVB26039		Creep to Reposition Kit <i>Only compatible with 4520 and 4720 tractors starting with Model Year 2011, and the latest 485 Backhoe LVB26189 and Adaptor LVB26163. Ensure software is LVA16028P or later. Previous software versions are not compatible with this kit.</i>	1,001.00
BM19556		Rubber Street Pad Kit	138.60
LVB26057		Thumb <i>Only compatible with a 2010 model or later backhoe with a serial number greater than LV0485X030000. Not compatible with 12 In. Standard Bucket (BM19568) or 14 In. Heavy Duty Bucket (LVB25173).</i>	1,060.40
LVB25876		Mountings and Hardware for Tractors: Cab/Backhoe/Mid PTO Additional Mounting Kit <i>Required in addition to Order Code 1003 for 4320-4720 Cab Tractors Equipped with Mid PTO.</i>	119.90
LVB24795		Heavy-Duty Subframe Kit <i>Required for Use on 4300-4400, 4310-4410 Tractors with a 48, 448 or 485 Backhoe.</i>	607.20
LVB25611		Rockshaft Assist Mounting Brackets and Hardware (3120-3720 Open Station Tractors)	578.60
LVB26148		Rockshaft Assist Mounting Brackets and Hardware (4120-4720. See notes below on 4500-4700 and 4510-4710) <i>4320-4720 Cab Tractors Equipped with Mid-PTO Require LVB25876 Cab/Backhoe/Mid PTO Additional Mounting Kit. See Sales Manual for Serial Numbers. For 4500-4700 and 4510-4710 Tractors Manufactured Before Nov. '02, See Sales Manual for Additional Required Service Parts.</i>	1,107.70
BM19564		Rockshaft Assist Mounting Brackets and Hardware (4300-4400, 4310-4410)	578.60
LVB26092		Subframe Mounting Brackets, Hydraulics and Hardware For 5045E-5075E Series Tractors and 5103-5403 Series Tractors <i>Compatible with serial numbers after PY5103U013641, PY5203U005570, PY5303U007753, and PY5403U000735.</i>	2,292.40
LVB25865		Transmission: PRT Oil Cooler Kit <i>Required for 4120-4720 PRT Tractors</i>	292.60

JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR COMPACT UTILITY TRACTORS

485A Backhoe Equipment for Base Machine

8.5 ft. Digging Depth
180 Degree Swing
Narrow Control Console
Two Lever Control
Six Spool Control Valve
Hydraulics
12 In. Bucket

Operator's Seat
Hydraulic Stabilizers
Subframe Mounting (3 Point Hitch Assist)
Transport Locks

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

6185LV	485A Backhoe <i>For 4044M-4066M OOS and 4044R-4066R Cab and OOS Tractors. Tractors Must be Equipped with a Front Loader and Power Beyond Kit.</i>	10,765.00
--------	--	-----------

DESTINATION

0184	Canada	Same Price
0195	Mexico	Same Price
0202	United States	In Base Price
0205	Quebec	Same Price
0230	Australia	Same Price
0237	New Zealand	Same Price
024H	United States Minor Outlying Islands	Same Price

OPERATOR'S MANUAL AND DECAL KIT

0409	English North American Operator's Manual and Decal Kit	In Base Price
0413	French Operator's Manual and Decal Kit	Same Price
0437	Spanish North American Operator's Manual and Decal Kit	Same Price

MOUNTINGS, HYDRAULICS AND SUBFRAME

1000	Subframe Mounting <i>Rockshaft Assist Mounting Brackets and Hardware for 4044M-4066M and 4044R-4066R Tractors (Cab and OOS).</i>	In Base Price
1995	Less Subframe Mounting	-1,053.00

BUCKETS

3009	9 In. Bucket <i>0.684 Cu. Ft.</i>	-67.00
------	--------------------------------------	--------

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

485A Backhoe
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
BUCKETS Continued...			
3012		12 In. Bucket <i>1.12 Cu. Ft.</i>	In Base Price
3016		16 In. Bucket <i>1.50 Cu. Ft.</i>	88.00
3018		18 In. Bucket <i>Heavy Duty Bucket: 1.69 Cu. Ft.</i>	206.00
3020		20 In. Bucket <i>1.88 Cu. Ft.</i>	177.00
3024		24 In. Bucket <i>2.26 Cu. Ft.</i>	265.00
3995		Less Bucket	-521.00
ATTACHMENTS FOR FIELD CONVERSION			
		Buckets:	
	BLV10339	12 In. Bucket (1.12 Cu. Ft.)	613.80
	BLV10340	16 In. Bucket (1.50 Cu. Ft.)	717.20
	BLV10343	18 In. Heavy Duty Bucket (1.69 Cu. Ft.)	856.90
	BLV10341	20 In. Bucket (1.88 Cu. Ft.)	822.80
	BLV10342	24 In. Bucket (2.26 Cu. Ft.)	926.20
	BLV10338	9 In. Bucket (0.684 Cu. Ft.)	534.60
		HYDRAULICS	
	BLV10039	Power Beyond Kit (Cab and OOS) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 4044M/R-4066M/R Tractors. See Sales Manual (SCV Reference Table) or ordering details.</i>	414.70
		Miscellaneous:	
	BLV10352	Mechanical Thumb	871.20
	BM19556	Rubber Street Pad Kit	138.60
		Mountings and Hardware for Tractors:	
	BLV10334	Rockshaft Assist Mounting Brackets and Hardware for 4044M/R-4066M/R Tractors (Cab and Open Station)	1,240.80

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

54 in. Quick-Hitch Front Blade
Equipment for Base Machine

1372 mm (54 in.) Clearing Width Straight	Two Adjustable Skid Shoes
1219 mm (48 in.) Clearing Width Fully Angled	Reinforced Angle Bar on Back of Blade Spring Breakaway with Lock-Out Pin
Replaceable Cutting Edge	Less Front Hitch
Heavy 11-Gauge, Curved Blade	Less Hydraulic Angling
Angled Left or Right Up to 27 degrees	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

1492M	54 in. Quick-Hitch Front Blade <i>For 425, 445, 455, X400/X500 Heavy Duty Garden Tractors, X700's, X950R, 1023E, 1025R, 1026R, 2210, 2305, 2025R, Model Year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110 and 4115 Tractors. BM20761 Hydraulic Coupler Kit Required on 425, X465, X475, X700, and X710 Tractors. Compact Tractors Require Dual Selective Control Valve and Front Attaching Support Kit. See Sales Manual for Front Attaching Support Requirements. See Sales Manual for Ballast Requirements.</i>	515.00
-------	---	--------

DESTINATION

0202	United States <i>Requires Option Code 0409 English North American Operator's Manual and Decal Kit or Option Code 0437 Spanish Operator's Manual and Decal Kit</i>	In Base Price
0184	Canada <i>Requires Option Code 0409 English North American Operator's Manual and Decal Kit or Option Code 0413 French Canadian Operator's Manual and Decal Kit</i>	Same Price
0205	Quebec <i>Requires Option Code 0413 French Canadian Operator's Manual and Decal Kit</i>	Same Price

OPERATOR'S MANUAL

0409	English North American Operator's Manual and Decal Kit	In Base Price
0413	French Canadian Operator's Manual and Decal Kit	Same Price
0437	Spanish North American Operator's Manual and Decal Kit	Same Price

FRONT QUICK-HITCH

6940	Front Quick-Hitch and Hydraulic Lift <i>For X400 and X500 Heavy Duty Garden Tractors, and X700's.</i>	615.00
6947	Front Quick-Hitch and Hydraulic Lift <i>For 425, 445, and 455.</i>	638.00
6943	Front Quick-Hitch and Hydraulic Lift	656.00

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

54 in. Quick-Hitch Front Blade

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
FRONT QUICK-HITCH Continued...			
<i>For 2210 and 2305.</i>			
6950		Front Quick-Hitch and Hydraulic Lift <i>For 2025R, Model Year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115.</i>	716.00
6948		Front Quick-Hitch and Hydraulic Lift <i>For 1023E, 1025R, and 1026R.</i>	716.00
<i>Requires BLV10160 Front Attaching Support.</i>			
6968		Less Front Quick-Hitch	In Base Price
HYDRAULIC ANGLING			
6800		Hydraulic Angling <i>For X400/X500 Heavy Duty Garden Tractors, X700's, and X950R.</i>	189.00
6801		Hydraulic Angling <i>For 425, 445, and 455.</i>	165.00
6802		Hydraulic Angling <i>For 2210 and 2305.</i>	191.00
6803		Hydraulic Angling <i>For 2025R, Model Year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115.</i>	198.00
6804		Hydraulic Angling <i>For 1023E, 1025R, and 1026R.</i>	191.00
6818		Less Hydraulic Angling	In Base Price
ATTACHMENTS FOR FIELD CONVERSION			
Blades:			
M42868		Rubber Blade Squeegee Kit 48 In. and 54 In. Blade <i>Requires 10 03M7188 bolts and 10 14M7273 nuts.</i>	66.21
Front Hitch:			
BLV10159		Front Quick Hitch and Hydraulic Lift (1023E, 1025R, 1026R)	820.69
BM20921		Front Quick-Hitch and Hydraulic Lift (2305) <i>Fits also 2210 Tractors (for 47SB only).</i>	751.14
BM17347		Front Quick-Hitch and Hydraulic Lift (415, 425, 445, 455)	731.89
LVB24898		Front Quick-Hitch and Hydraulic Lift (MY '16 and Older 2025R, MY '16 and Older 2032R, 2320 - 2720) <i>Fits also 4010, 4100, 4110 and 4115 Tractors for 47SB only.</i>	820.69
BM26236		Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's)	706.20
HYDRAULICS			
LVB26108		Hydraulic Angling (1023E, 1025R, 1026R)	219.36
LVB24901		Hydraulic Angling (2025R, MY '16 and Older 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	226.84

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

54 in. Quick-Hitch Front Blade

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM17650	Hydraulic Angling (415, 425, 445, 455)	189.39
	BM25609	Hydraulic Angling (X400/X500 HDGT's, X700's)	217.21
	BM20922	Hydraulic Angling Kit (2210, 2305)	219.36
	BM20761	Hydraulic Coupler Kit <i>Required on X700, X465, X475 and 425 Tractors.</i>	56.71
		Miscellaneous:	
	BM20714	Click-N-Go Bracket (X400/X500 HDGT's, X700's)	116.63
	LVB25302	Front Attaching Support Kit <i>For 2520, 2720, 4100, 4110, 4115 Tractors. See Sales Manual for Front Attaching Support Requirements.</i>	62.06
	BLV10160	Front Attaching Support Kit (1023E, 1025R, 1026R) <i>See Sales Manual for Front Attaching Support Requirements.</i>	86.67
	LVB24895	Front Attaching Support Kit (2025R, 2320) <i>See Sales Manual for Front Attaching Support Requirements.</i>	88.81
	LVB25396	Front Attaching Support Kit (2305) <i>Fits also 2210 Tractors (for 475B only.) See Sales Manual for Front Attaching Support Requirements.</i>	60.99
	LP53767	Front Blade Snow Extension Kit <i>Pair of 9-inch extensions to lengthen 54-inch front blade to 72-inch width. For use in snow removal applications on X400/X500 HDGT's and X700's. Not approved for dirt or any CUT applications.</i>	199.95
	LVB24899	Front Hitch/Mid-Mount Mower Combo Bracket (MY '16 and Older 2025R, MY '16 and Older 2032R, 2320-2720) <i>Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (2025R, 2032R, 2320, 2520, 2720, 4115).</i>	132.69
	BM20753	Front Light Kit <i>For X400/X500 HDGT and X700 Series Garden Tractors.</i>	211.86
	AM119321	Heavy Duty Skid Shoe (1)	57.37
	LP64664	Snow Plow Markers	24.95
	BM22725	Wheel Spacer Kit <i>For all Wheel Steer Tractors when Installing TY15956 Chains.</i>	163.71
		Order Zone:	
	LP54000	54 In. Tractor Shovel <i>For X400/X500 HDGT's and X700's Only. Go to Order Zone for Specific Requirements.</i>	744.95
		Seats / Wheels / Tires:	
	TY15956	Tire Chains (Pair) for 23x10.50-12 In. Drive Tires <i>All Wheel Steer Tractors with Standard 23x10.50-12 In. Tires Require BM18021 Wheel Spacer Kit to Provide Clearance Between Tire Chains and Steering Linkage.</i>	81.08
	TY15845	Tire Chains (Pair) for 23x10.50-12 In. Rear Tires (318, 322, 332)	80.34

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

54 in. Quick-Hitch Front Blade

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	TY15841	Tire Chains (Pair) for 23x8.50-12 In. Drive Tires	68.14
	TY15958	Tire Chains (Pair) for 26x12-12 Tires	97.67
		Weights:	
	BM20715	Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	288.90
	R66949	Quik-Tatch Weight, 42 Lb.	59.91
	BM20779	Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	159.43

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

60 in. Quick-Hitch Front Blade
Equipment for Base Machine

1524 mm (60 in.) Clearing Width Straight	Two Adjustable Heavy Duty Skid Shoes
1358 mm (53.5 in.) Clearing Width Fully Angled	Reinforced Angle Bar on Back of Blade Spring Breakaway with
Replaceable Cutting Edge	Lock-Out Pin
Heavy 7-Gauge, Curved Blade	Less Front Hitch
Angled Left or Right Up to 27 degrees	Less Hydraulic Angling

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

9820M	60 in. Quick-Hitch Front Blade <i>For X400/X500 Heavy Duty Garden Tractors, X700's, X950R, 1023E, 1025R, 1026R, 2210, 2305, 2025R, Model Year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110 and 4115 Tractors.</i> <i>BM20761 Hydraulic Coupler Kit Required on 425, X465, X475, X700, and X710 Tractors.</i> <i>Compact Tractors Require Dual Selective Control Valve and Front Attaching Support Kit.</i> <i>See Sales Manual for Front Attaching Support Requirements.</i> <i>See Sales Manual for Ballast Requirements</i>	885.00
-------	---	--------

DESTINATION

0202	United States <i>Requires Option Code 0409 English North American Operator's Manual and Decal Kit or</i> <i>Option Code 0437 Spanish Operator's Manual and Decal Kit</i>	In Base Price
0184	Canada <i>Requires Option Code 0409 English North American Operator's Manual and Decal Kit or</i> <i>Option Code 0413 French Canadian Operator's Manual and Decal Kit</i>	Same Price
0205	Quebec <i>Requires Option Code 0413 French Canadian Operator's Manual and Decal Kit</i>	Same Price

OPERATOR'S MANUAL

0409	English North American Operator's Manual and Decal Kit	In Base Price
0413	French Canadian Operator's Manual and Decal Kit	Same Price
0437	Spanish North American Operator's Manual and Decal Kit	Same Price

FRONT QUICK-HITCH

6940	Front Quick-Hitch and Hydraulic Lift <i>For X400 and X500 Heavy Duty Garden Tractors, and X700's.</i>	615.00
6943	Front Quick-Hitch and Hydraulic Lift <i>For 2210 and 2305.</i>	656.00
6950	Front Quick-Hitch and Hydraulic Lift	716.00

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

60 in. Quick-Hitch Front Blade

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
FRONT QUICK-HITCH Continued...			
<i>For 2025R, Model Year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115.</i>			
6948		Front Quick-Hitch and Hydraulic Lift <i>For 1023E, 1025R, and 1026R.</i> <i>Requires BLV10160 Front Attaching Support.</i>	716.00
6968		Less Front Quick-Hitch	In Base Price
HYDRAULIC ANGLING			
6800		Hydraulic Angling <i>For X400/X500 Heavy Duty Garden Tractors, X700's, and X950R.</i>	189.00
6802		Hydraulic Angling <i>For 2210 and 2305.</i>	191.00
6803		Hydraulic Angling <i>For 2025R, Model Year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115.</i>	198.00
6804		Hydraulic Angling <i>For 1023E, 1025R, and 1026R.</i>	191.00
6818		Less Hydraulic Angling	In Base Price
ATTACHMENTS FOR FIELD CONVERSION			
Front Hitch:			
BLV10159		Front Quick Hitch and Hydraulic Lift (1023E, 1025R, 1026R)	820.69
BM20921		Front Quick-Hitch and Hydraulic Lift (2305) <i>Fits also 2210 Tractors (for 47SB only).</i>	751.14
LVB24898		Front Quick-Hitch and Hydraulic Lift (MY '16 and Older 2025R, MY '16 and Older 2032R, 2320 - 2720) <i>Fits also 4010, 4100, 4110 and 4115 Tractors for 47SB only.</i>	820.69
BM26236		Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's)	706.20
HYDRAULICS			
LVB26108		Hydraulic Angling (1023E, 1025R, 1026R)	219.36
LVB24901		Hydraulic Angling (2025R, MY '16 and Older 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	226.84
BM25609		Hydraulic Angling (X400/X500 HDGT's, X700's)	217.21
BM20922		Hydraulic Angling Kit (2210, 2305)	219.36
BM20761		Hydraulic Coupler Kit <i>Required on X700, X465, X475 and 425 Tractors.</i>	56.71
Miscellaneous:			
BM20714		Click-N-Go Bracket (X400/X500 HDGT's, X700's)	116.63

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

60 in. Quick-Hitch Front Blade

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LVB25302	Front Attaching Support Kit <i>For 2520, 2720, 4100, 4110, 4115 Tractors. See Sales Manual for Front Attaching Support Requirements.</i>	62.06
	BLV10160	Front Attaching Support Kit (1023E, 1025R, 1026R) <i>See Sales Manual for Front Attaching Support Requirements.</i>	86.67
	LVB24895	Front Attaching Support Kit (2025R, 2320) <i>See Sales Manual for Front Attaching Support Requirements.</i>	88.81
	LVB25396	Front Attaching Support Kit (2305) <i>Fits also 2210 Tractors (for 475B only.) See Sales Manual for Front Attaching Support Requirements.</i>	60.99
	LVB24899	Front Hitch/Mid-Mount Mower Combo Bracket (MY '16 and Older 2025R, MY '16 and Older 2032R, 2320-2720) <i>Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (2025R, 2032R, 2320, 2520, 2720, 4115).</i>	132.69
	BM20753	Front Light Kit <i>For X400/X500 HDGT and X700 Series Garden Tractors.</i>	211.86
	AM119321	Heavy Duty Skid Shoe (1)	57.37
	LP64664	Snow Plow Markers	24.95
	BM22725	Wheel Spacer Kit <i>For all Wheel Steer Tractors when Installing TY15956 Chains.</i>	163.71
		Seats / Wheels / Tires:	
	TY15956	Tire Chains (Pair) for 23x10.50-12 In. Drive Tires <i>All Wheel Steer Tractors with Standard 23x10.50-12 In. Tires Require BM18021 Wheel Spacer Kit to Provide Clearance Between Tire Chains and Steering Linkage.</i>	81.08
	TY15845	Tire Chains (Pair) for 23x10.50-12 In. Rear Tires (318, 322, 332)	80.34
	TY15841	Tire Chains (Pair) for 23x8.50-12 In. Drive Tires	68.14
	TY15958	Tire Chains (Pair) for 26x12-12 Tires	97.67
		Weights:	
	BM20715	Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	288.90
	R66949	Quik-Tatch Weight, 42 Lb.	59.91
	BM20779	Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	159.43

JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR COMPACT UTILITY TRACTORS

366 Front Mounted Blade Equipment for Base Machine

66 In. Blade with Spring Trip Mounting Frame
Hydraulic Angling
Skid Shoes
A-frame Quick Change System
(Common with 59 In. Snow Blower)
Hydraulic Hoses

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

6007M	366 Front Mounted Blade <i>For Model Year 2017 and newer 2032R and 2038R Tractors, 3033R-3046R Tractors and 3120-3720 Tractors.</i> <i>For 3120-3720 Tractors with AutoConnect Mowers, Front Three-Point Hitch/Mid Mount Brackets (LVB25820) are required. For 3120-3720 Tractors with the old 7-iron decks, Front Three-Point Hitch/Mid-Mount Mower Draft Arms (LVB24810) are required.</i> <i>Not for use with 4200-4410 Tractors.</i>	3,636.00
-------	---	----------

DESTINATION

0184	Canada	Same Price
0202	United States	In Base Price
024H	UM United States Minor Outlying Islands	Same Price

OPERATOR'S MANUAL

0409	English North American Operator's Manual and Decal Kit	In Base Price
0413	French Canadian Operator's Manual and Decal Kit	Same Price
0437	Spanish North American Operator's Manual and Decal Kit	Same Price

FRONT HITCH

6950	Front Three-Point Hitch with A-Frame Quick Attach System <i>For 3120-3720 and 3033R-3046R Tractors.</i>	In Base Price
6967	Less Front Three-Point Hitch with A-Frame Quick Attach System	-1,404.00
6951	Front Three-Point Hitch with A-Frame Quick Attach System <i>For MY2017 and newer 2032R and 2038R Tractors.</i>	Same Price

ATTACHMENTS FOR FIELD CONVERSION

BLV10316	Front Hitch: A-Frame Quick Attach System (3033R-3046R and 3120-3720 Tractors)	203.30
----------	---	--------

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

366 Front Mounted Blade

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10637		A-Frame Quick Attach System (MY '17 and newer 2032R and 2038R Tractors) <i>For use on MY '17 and newer 2032R and 2038R Tractors.</i>	209.00
BLV10634		Auxiliary Front Hydraulic Coupler Kit (MY '17 and newer 2032R and 2038R Tractors) <i>For use on MY '17 and newer 2032R and 2038R Tractors.</i> <i>Includes couplers, hoses, and brackets to route hydraulics from the mid-SCV to the front three-point hitch.</i>	92.40
BM20921		Front Quick-Hitch and Hydraulic Lift (2305) <i>Fits also 2210 Tractors (for 47SB only).</i>	751.14
BLV10439		Front Three-Point Hitch (3033R-3046R)	1,353.00
LVB25878		Front Three-Point Hitch (3120-3720)	1,311.81
BLV10631		Front Three-Point Hitch (MY '17 and newer 2032R and 2038R Tractors) <i>For use on MY '17 and newer 2032R and 2038R Tractors.</i>	1,353.00
BLV10638		Hydraulic Accumulator Kit for Front Three-Point Hitch (MY '17 and newer 2032R and 2038R Tractors) <i>For use on MY '17 and newer 2032R and 2038R Tractors.</i> <i>For use in applications where there is significant transporting done at higher speeds.</i> <i>Accumulator system will absorb the bounce associated with front implements when traveling on the roadway.</i>	123.20
BLV10452		Front PTO: Front PTO Bracket (3033R-3046R)	92.40
LVB25759		Front PTO Bracket (3120-3720)	89.89
LVB25820		Miscellaneous: Front Three-Point Hitch/Mid Mount Mower Compatibility Brackets <i>Required for use with BLV10316, BLV10439 and BLV10452 Front Three-Point Hitch with A-Frame (3033R-3046R and 3120-3720 Tractors Only) and AutoConect Mowers.</i>	173.80
LVB24810		Front Three-Point Hitch/Mid Mount Mower Draft Arms <i>Required for use with LVB25878 Front Three-Point Hitch with A-Frame (3033R-3046R and 3120-3720 Tractors Only) and old 7-Iron Mid-Mount Mowers.</i>	237.54
LP64664		Snow Plow Markers <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	24.95
BLV10176		Spanish Operators Manual and Decal Kit	0.00

JOHN DEERE TURF & UTILITY PRODUCTS

EQUIPMENT FOR COMPACT UTILITY TRACTORS

220R Loader

Equipment for Base Machine

Non-Self Leveling boom (includes bucket level indicator and parking stands)
 Mounting frame for MY17 Deere 2R
 Hoses and parts to connect to tractor mid-valve

Hood guard
 Less ballast box
 1450 mm (57") materials bucket

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Laredo, Texas; Martinez, Georgia; Waterloo, Iowa; Frisco, Texas; Grimsby, Ontario.

1480P	220R Loader For MY17 Deere 2R tractors (2032R and 2038R) - also for EU 2036R For MY16 Yanmar 2R and former 2X20 Series tractors	4,059.00
-------	---	----------

DESTINATION

0202	United States <i>Operator's Manual.</i>	In Base Price
0184	Canada <i>English Operator's Manual. If French Operator's Manual is required, also order code 9102 for French Operator's Manual and Decal Kit.</i>	Same Price

OPERATOR'S MANUAL

0409	English	In Base Price
0413	French North America	Same Price
0437	Spanish North America	Same Price

PACKAGE CONFIGURATIONS

0921	220R Loader for MY '17 2032R, and 2028R (also for 2036R EU) <i>For Field Installed Only</i> Package 0921 includes all necessary parts for loader assembly on MY '17 2R tractors (Includes boom, mast, cylinders, mounting frames, hydraulics, hood guard and 1450mm (57") General Materials Bucket)	In Base Price
------	---	---------------

TRACTOR CONFIGURATION

1220	Mounting Frame For MY17 and Future Deere 2R Tractors For 2032R, 2038R (and EU 2036R)	In Base Price
------	--	---------------

Note:
 Field installed loader for 2016 and earlier 2R and 2X20 Series Tractors, see Additional Information section and Attachments for individual part numbers that will be needed.
 Field installed loaders for 2016 and earlier 2R and 2X20 Series Tractors, order "less

JOHN DEERE TURF & UTILITY PRODUCTS

EQUIPMENT FOR COMPACT UTILITY TRACTORS

220R Loader

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
TRACTOR CONFIGURATION Continued...			
<i>mounting frame" and then the specific part numbers based off model needed. See Additional Information and Attachments</i>			
1995		Less Mounting Frame <i>Less mounting frame</i> - Note: For MY17 2032R and 2038R Tractors and field installed loaders, need to order mounting frames and hood guard through parts (see attachments). -Review Additional Information section For MY16 2025R and 2032R tractors and 2X20 Series Tractors, order mounting frames and hood guard from parts (see attachments) - Review Additional Information section	-349.00
CARRIERS			
7020		John Deere Compact Utility Tractor (CUT) carrier <i>Order with bucket Codes 8110, 8115, 8116, 8117 and 8120.</i>	In Base Price
TRACTOR AND LOADER HYDRAULIC CONNECTION			
4200		Two Function Hoses and Parts <i>Hoses and Parts for MY17 Deere 2R</i> <i>For 2032R, 2038R (and EU 2036R)</i>	In Base Price
4995		Less hydraulic connection	-414.00
IMPLEMENTS			
<i>Additional bucket options are available as attachments.</i>			
8116		1450 mm (57 in.) Quick Change Materials Bucket <i>Base bucket for 220R</i>	In Base Price
8750		Less bucket	-698.00
HOOD GUARDS			
<i>Hood guard must be installed on tractor to mount loader.</i>			
5202		Hood Guard <i>For MY17 and forward 2032R, 2038R (and EU 2036R)</i> <i>Note:</i> <i>Field installed loader for 2016 and earlier 2R and 2X20 Series Tractors, see Additional Information section and Attachments for individual part numbers that will be needed.</i> <i>- Field installed loaders for 2016 and earlier 2R and 2X20 Series Tractors, order "less hood guard" and then the specific part numbers based off model needed.</i> <i>See Additional Information and Attachments</i>	In Base Price
5995		Less hood guard <i>For MY17 2032R and 2038R Tractors and field installed loaders, need to order mounting frames and hood guard through parts (see attachments).</i> -Review Additional Information section For MY16 2025R and 2032R tractors and 2X20 Series Tractors, order mounting frames and hood guard from parts (see attachments) - Review Additional Information section	-217.00

JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR COMPACT UTILITY TRACTORS

220R Loader

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
BALLAST			
<i>3-point hitch ballast is required for loader stability and reducing stress of vital tractor components. See operator's manual for ballast recommendations. For ballast box use with iMatch Quick-Hitch, BW15056 is required.</i>			
6995		Less ballast box	In Base Price

PARTS FOR FIELD INSTALLED LOADERS

Mounting Frames

- (For field installed 220R Loaders, some additional bundles may be needed)

For 2320 / 2025R Tractors (MY16 and earlier) - BW16764

For 2520 Tractors - BW16732

For 2720 / 2032R Tractors (MY16 and earlier) - BW16762

For MY '17 and newer 2032R, 2038R (and EU 2036R) - BLV10704

Hood Guard

- (For field installed 220R Loaders, some additional bundles may be needed)

For 2320 & 2025R Tractors (MY16 and earlier) - BW15217

For 2520, 2720, 2032R Yanmar Tractors MY16 and earlier) - BW15634

For MY '17 2032R, 2038R (and EU 2036R) - BLV10705

Hydraulics

- (For field installed 220R Loaders, some additional bundles may be needed)

For MY '16 and earlier 2R's and 2X20 Series - BW16978 (fittings) and BW15406 (hoses)

For MY '17 and newer 2032R, 2038R (and EU 2036R) - BW16612 (hoses and fittings)

For MY '17 and newer 2032R, 2038R (and EU 2036R) Single Point Hydraulic Connection

- BW16970

Buckets

- BW14144 : 1250mm (49") Materials Bucket

- BW14145 : 1350 mm (53") Materials Bucket

- BW16609 : 1450 mm (57") Materials Bucket

- BW16787 : 1450 mm (57") Heavy Duty Bucket with Loops

- BW14146 : 1500 mm (61") Materials Bucket

ATTACHMENTS FOR FIELD CONVERSION

Ballast Box:

BW15073	Ballast Box	288.20
---------	-------------	--------

BW15074	Ballast Box Extension	136.40
---------	-----------------------	--------

Buckets:

BW14144	49 In. (1250mm) Loader Materials Bucket - Quik Change	725.46
---------	---	--------

BW14145	53 In. (1350mm) Loader Materials Bucket - Quik Change	786.46
---------	---	--------

BW16787	53 in (1450 mm) Heavy Duty Bucket with Bucket Loops	1,036.20
---------	---	----------

BW16609	57 in (1450 mm) Materials Bucket	843.70
---------	----------------------------------	--------

BW14146	61 In. (1550mm) Loader Materials Bucket - Quik Change	833.53
---------	---	--------

Carrier:

BW15939	John Deere CUT Carrier	295.31
---------	------------------------	--------

BW16184	John Deere CUT Carrier	303.60
---------	------------------------	--------

HITCH ADAPTERS

BW15056	iMatch / Quik-Coupler Bushing Kit	96.80
---------	-----------------------------------	-------

For using ballast box with iMatch system.

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

220R Loader

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		HYDRAULICS	
	BW15406	Hoses and Parts (Couplers) <i>For MY16 and older 2320, 2520, 2720, 2025R, 2032R Tractors</i> <i>BW15406 contains necessary hoses</i> <i>Used with BW16978</i>	298.53
	BW16612	Hoses and Parts (Couplers) <i>For MY17 and newer Deere 2032R, 2038R (and EEU 2036R).</i>	500.50
	BW16978	Hoses and Parts (Couplers) <i>For MY16 and older 2320, 2520, 2720, 2025R, 2032R Tractors</i> <i>BW16978 contains fittings for connection (90 degree)</i> <i>Used with BW15406</i>	29.85
	BW16970	Single Point Connector <i>For MY17 and newer Deere 2032R, 2038R (and EEU 2036R).</i>	708.40
		Hood Guards:	
	BLV10705	Hood Guard <i>For Deere MY17 and newer 2032R, 2038R (and 2036 EEU) Tractors.</i>	261.80
	BW15634	Hood Guard (MY '16 and Older 2032R, 2520, 2720 Tractors) <i>For MY '16 and Older 2032R, 2520, 2720 Tractors.</i>	254.66
	BW15217	Hood Guard (MY '16 and older 2025R (Yanmar built), 2320, 2210 and 2305 Tractors) <i>For MY '16 and older 2025R (Yanmar built), 2320, 2210 and 2305 Tractors.</i>	240.76
		Miscellaneous (Australia Only):	
	BXX10003	Anti Spill Kit <i>For 220R Loaders.</i>	See Parts
	BXX10004	Service Locks <i>For 220R Loader - Australia Only.</i>	187.00
		Miscellaneous:	
	BW16050	Anti -Drop Valve Kit - Bucket Circuit <i>For 220R Loader.</i>	369.60
	BW16049	Anti -Drop Valve Kit - Lift Circuit <i>For 220R Loader.</i>	369.60
	AH163186	Shut Off Valve <i>For 220R Loader - EU Requirement.</i>	57.87
		Mounting Frames:	
	BLV10704	Mounting Frame <i>For MY17 Deere 2032R, 2038R (and EEU 2036R) Tractors</i>	421.30
	BW16764	Mounting Frame <i>For 2320 and 2025R Tractors.</i>	421.30
	BW16762	Mounting Frame <i>For 2720 and MY16 and earlier 2032R (Yanmar Built Tractors).</i>	421.30
	BW16732	Mounting Frame <i>For 2520 Tractors.</i>	421.30

JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR COMPACT UTILITY TRACTORS

D120 Loader Equipment for Base Machine

1250-mm (49-in) pin-on materials bucket
 Hood guard
 Basic loader mounting system
 Mounting frame for 1023E,
 1025R, and non-current 1026R
 Series Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

<i>EX-WORKS Laredo, Texas; Martinez, Georgia; Waterloo, Iowa; Frisco, Texas; Grimsby, Ontario.</i>			
1752P		D120 Loader <i>For 1023E, 1025R, and non-current 1026R Tractors.</i>	2,625.00

DESTINATION

0202		United States <i>Operator's Manual.</i>	In Base Price
0184		Canada <i>English Operator's Manual. If French Operator's Manual is required, will need to order seperatly.</i>	Same Price

OPERATOR'S MANUAL

0409		English	In Base Price
0413		French North America	Same Price
0437		Spanish North America	Same Price
0400		Less OM	Same Price

IMPLEMENTS

<i>Additional bucket options are available as attachments.</i>			
8111		1250 mm (49 in.) Pin-On Materials Bucket	In Base Price
8995		Less Bucket	-571.00

BALLAST

<i>3-point hitch ballast is required for loader stability and reducing stress of vital tractor components. See operator's manual for ballast recommendations. For ballast box use with iMatch Quick-Hitch</i>			
6000		Ballast Box	238.00
6010		Ballast Box with Extension	351.00

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

D120 Loader
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
BALLAST Continued...			
6995		Less Ballast Box	In Base Price
ATTACHMENTS FOR FIELD CONVERSION			
		Ballast Box:	
BW15073		Ballast Box	288.20
BW15074		Ballast Box Extension	136.40
		Buckets:	
BW14144		49 In. (1250mm) Loader Materials Bucket - Quik Change	725.46
BW15896		49 in. (1250mm) Materials Bucket - Pin ON	671.96
BW14145		53 In. (1350mm) Loader Materials Bucket - Quik Change	786.46
		Carrier:	
BW15939		John Deere CUT Carrier <i>Compatible with Quick-Change Buckets.</i>	295.31
		HITCH ADAPTERS	
BW15056		iMatch / Quik-Coupler Bushing Kit <i>For using ballast box with iMatch system.</i>	96.80
		Hood Guards:	
BW15901		Deluxe Hood Guard (1023E, 1025R & 1026R Tractors)	233.20
BW15900		Hood Guard (1023E, 1025R & 1026R Tractors)	211.20
		Miscellaneous (Australia Only):	
BW16242		Anti Spill Kit <i>For H120 Loader - Australia Only.</i>	283.80
BW16244		Australian Code of Practice Kit <i>For D120, H130, 300CX, 400CX Loader - Australia Only.</i>	0.00
BW16274		Service Lock <i>For H120 - Australia Only.</i>	187.00
		Miscellaneous:	
BW15476		Bucket Level Indicator	63.80
BW16474		French North American Operator's Manual and Decal Kit	See Parts
		Mounting Frames:	
BW15898		Mounting Frame <i>For 1023E and 1026R Tractors.</i>	421.30

JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR COMPACT UTILITY TRACTORS

H120 Loader Equipment for Base Machine

1250-mm (49-in.) quick-change materials bucket Quick-change attachment carrier Quik-Park loader mounting system Mounting frame for 1023E, 1025R, and non-current 1026R	Series Tractors Deluxe hood guard Mechanical bucket level indicator Oil line cover
---	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	----------------------------------

Select One Code From Each Required Category

BASE MACHINE

1762P	H120 Loader <i>For 1023E, 1025R, and non-current 1026R Tractors. The Above Specifications are Indicative of the Base Feature Machine only and may Differ if Alternative Options/Attachments are Ordered.</i> <i>Pricing and Specifications are Recommended only and are Subject to Change without Notice.</i>	3,367.00
-------	--	----------

DESTINATION

0202	United States <i>Operator's Manual.</i>	In Base Price
0184	Canada <i>English Operator's Manual. If French Operator's Manual is required, will need to order seperatly.</i>	Same Price

OPERATOR'S MANUAL

0409	English	In Base Price
0413	French North America	Same Price
0437	Spanish North America	Same Price
0400	Less OM	Same Price

CARRIERS

7020	John Deere Compact Utility Tractor (CUT) Carrier	In Base Price
7095	Less Carrier	-251.00

IMPLEMENTS

Additional bucket options are available as attachments.

8111	1250 mm (49 in.) Pin-On Materials Bucket	-46.00
8995	Less Bucket	-617.00

JOHN DEERE TURF & UTILITY PRODUCTS

EQUIPMENT FOR COMPACT UTILITY TRACTORS

H120 Loader

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
IMPLEMENTS Continued...			
8110		1250 mm (49 in.) Quick-Change Materials Bucket	In Base Price
8115		1350 mm (53 in.) Quick-Change Materials Buckets	52.00
BALLAST			
<i>3-point hitch ballast is required for loader stability and reducing stress of vital tractor components. See operator's manual for ballast recommendations. For ballast box use with iMatch Quick-Hitch</i>			
6000		Ballast Box	238.00
6010		Ballast Box with Extension	351.00
6995		Less Ballast Box	In Base Price
REGIONAL REQUIREMENT KITS			
9608		Australian compliance kit <i>Required when ordering Destination Code 0230.</i> <i>Kit consists of:</i> <i>BW16242 - Anti spill kit</i> <i>BW16244 - Australian Code of Practice</i> <i>BW16274 - H120 Service lock</i>	415.00
ATTACHMENTS FOR FIELD CONVERSION			
Ballast Box:			
BW15073		Ballast Box	288.20
BW15074		Ballast Box Extension	136.40
Buckets:			
BW14144		49 In. (1250mm) Loader Materials Bucket - Quik Change	725.46
BW15896		49 in. (1250mm) Materials Bucket - Pin ON	671.96
BW14145		53 In. (1350mm) Loader Materials Bucket - Quik Change	786.46
BW14146		61 In. (1550mm) Loader Materials Bucket - Quik Change	833.53
Carrier:			
BW15939		John Deere CUT Carrier <i>Compatible with Quick-Change Buckets.</i>	295.31
HITCH ADAPTERS			
BW15056		iMatch / Quik-Coupler Bushing Kit <i>For using ballast box with iMatch system.</i>	96.80
Hood Guards:			
BW15901		Deluxe Hood Guard (1023E, 1025R & 1026R Tractors)	233.20
BW15900		Hood Guard (1023E, 1025R & 1026R Tractors)	211.20
Miscellaneous:			
BW15476		Bucket Level Indicator	63.80

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

H120 Loader
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BW16182	Hoses and Clamp <i>To Update H120 Loaders for Cab Tractors.</i>	73.70
	BW15898	Mounting Frames: Mounting Frame <i>For 1023E and 1026R Tractors.</i>	421.30

JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR COMPACT UTILITY TRACTORS

H130 Loader Equipment for Base Machine

1250-mm (49-in.) Quik-Tach
materials bucket 0.17 m (6.0 ft
)
Quik-Park loader mounting
system
Mounting frame for 2025R and
non-current 2320 Tractors
Hood guard for 2025R, and

non-current 2210, 2305, 2320
Tractors
Quik-Tach attachment carrier
Mechanical bucket level
indicator
Oil line cover

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2372P	H130 Loader <i>For 2025R and 2032R, and non-current 2305, 2320, 2520, and 2720 Tractors. This price does NOT include the Mandatory and Recommended Optional Ordering codes. The Above Specifications are Indicative of the Base Feature Machine only and may Differ if Alternative Options/Attachments are Ordered. Pricing and Specifications are Recommended only and are Subject to Change without Notice.</i>	3,496.00
-------	--	----------

DESTINATION

0202	United States <i>Operator's Manual.</i>	In Base Price
0184	Canada <i>English Operator's Manual. If French Operator's Manual is required, will need to order seperatly.</i>	Same Price
0230	Australia	Same Price
0237	New Zealand	Same Price

OPERATOR'S MANUAL

0409	English	In Base Price
0413	French North America	Same Price
0437	Spanish North America	Same Price

CARRIERS

7020	John Deere Compact Utility Tractor (CUT) Carrier <i>Order with bucket codes 8110, 8115, and 8120.</i>	In Base Price
7095	Less Carrier	-248.00

IMPLEMENTS

Additional bucket options are available as attachments.

8111	1250 mm (49 in.) Pin-On Materials Bucket	-45.00
8995	Less Bucket	-611.00

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

H130 Loader
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
IMPLEMENTS Continued...			
8110		1250 mm (49 in.) Quick-Change Materials Bucket	In Base Price
8115		1350 mm (53 in.) Quick-Change Materials Buckets	52.00
8120		1550 mm (61 in.) Quick-Change Materials Buckets	91.00
HOOD GUARDS			
5200		Hood Guard <i>For 2025R and non-current 2210, 2305, and 2320 Tractors.</i>	In Base Price
5201		Hood Guard <i>For 2032R and non-current 2520, and 2720 Tractors.</i>	Same Price
5995		Less Hood Guard	-203.00
BALLAST			
<i>3-point hitch ballast is required for loader stability and reducing stress of vital tractor components. See operator's manual for ballast recommendations. For ballast box use with iMatch Quick-Hitch</i>			
6000		Ballast Box	232.00
6010		Ballast Box with Extension	342.00
6995		Less Ballast Box	In Base Price
TRACTOR CONFIGURATION			
1200		Mounting frame <i>For 2305.</i>	Same Price
1201		Mounting frame <i>For 2025R and non-current 2320.</i>	In Base Price
1202		Mounting frame <i>For non-current 2520 tractors.</i>	Same Price
1203		Mounting frame <i>For 2032R and non-current 2720.</i>	Same Price
1995		Less Mounting Frame <i>Less mounting frame</i>	-345.00
REGIONAL REQUIREMENT KITS			
9608		Australian compliance kit <i>Required when ordering Destination Code 0230.</i> <i>Kit consists of:</i> <i>BW16198 - Anti spill kit</i> <i>BW16244 - Australian Code of Practice</i> <i>BW16278 - H130 Service lock</i> <i>W56435 - Operators manual (Australia)</i>	415.00

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

H130 Loader
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
		Ballast Box:	
	BW15073	Ballast Box	288.20
	BW15074	Ballast Box Extension	136.40
		Buckets:	
	BW14144	49 In. (1250mm) Loader Materials Bucket - Quik Change	725.46
	BW15896	49 in. (1250mm) Materials Bucket - Pin ON	671.96
	BW14145	53 In. (1350mm) Loader Materials Bucket - Quik Change	786.46
	BW14146	61 In. (1550mm) Loader Materials Bucket - Quik Change	833.53
		Carrier:	
	BW15939	John Deere CUT Carrier	295.31
		HITCH ADAPTERS	
	BW15056	iMatch / Quik-Coupler Bushing Kit <i>For using ballast box with iMatch system.</i>	96.80
		Hood Guards:	
	BW15634	Hood Guard (MY '16 and Older 2032R, 2520, 2720 Tractors) <i>For MY '16 and Older 2032R, 2520, 2720 Tractors.</i>	254.66
	BW15217	Hood Guard (MY '16 and older 2025R (Yanmar built), 2320, 2210 and 2305 Tractors) <i>For MY '16 and older 2025R (Yanmar built), 2320, 2210 and 2305 Tractors.</i>	240.76
		Miscellaneous (Australia Only):	
	BW16198	Anti Spill Kit <i>For H120, H130 Loader - Australia Only.</i>	559.90
	BW16244	Australian Code of Practice Kit <i>For D120, H130, 300CX, 400CX Loader - Australia Only.</i>	0.00
	BW16278	Service Lock <i>For H130 - Australia Only.</i>	187.00
		Miscellaneous:	
	BW15476	Bucket Level Indicator	63.80
		Mounting Frames:	
	BW15324	Mounting Frame <i>For 2025R and Non-Current 2320 Tractors.</i>	421.30
	BW15426	Mounting Frame <i>For Non-Current 2305 Tractors.</i>	421.30
	BW15731	Mounting Frame <i>For Non-Current 2520 Tractors.</i>	421.30
	BW15730	Mounting Frame <i>For 2032R and Non-Current 2720 Tractors.</i>	421.30

JOHN DEERE TURF & UTILITY PRODUCTS

EQUIPMENT FOR COMPACT UTILITY TRACTORS

D160 Loader

Equipment for Base Machine

Non-parking loader	1550-mm (61-in.) Materials
Quik-change attachment carrier	bucket
Mounting frame	Less ballast box
Hood guard	
Single lever control valve	
(two-function)	
Tractor to valve oil line kit	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	----------------------------------

Select One Code From Each Required Category

BASE MACHINE

1460P	D160 Loader <i>For 3025E, 3032E and 3038E Tractors.</i>	4,331.00
-------	--	----------

CONTROLS AND FUNCTIONS

2000	Single lever control valve (two-function) and tractor to valve oil line kit	In Base Price
------	---	---------------

IMPLEMENTS

Additional bucket options are available as attachments.

8122	1550 mm (61 in.) materials bucket	In Base Price
------	-----------------------------------	---------------

HOOD GUARDS

5000	Hood Guard <i>For 3025E, 3032E and 3038E Tractors.</i>	In Base Price
------	---	---------------

BALLAST

3-point hitch ballast is required for loader stability and reducing stress of vital tractor components. See operator's manual for ballast recommendations. BW15073 Ballast box and BW15074 Ballast box extension available for order under attachments for field conversion. For ballast box use with iMatch Quick-Hitch, BW15056 is required.

4095	Less Ballast Box	In Base Price
------	------------------	---------------

TRACTOR CONFIGURATION

1000	Mounting frame (for 3025E, 3032E and 3038E Tractors) <i>Compatible with both vertical and side exhaust tractors.</i>	In Base Price
------	---	---------------

DECAL KIT

9105	Export decals kit	No Charge
------	-------------------	-----------

OPERATOR'S MANUAL AND DECAL KIT

9100	Spanish North American operator's manual and decal kit	No Charge
------	--	-----------

9102	French North American operator's manual and decal kit	No Charge
------	---	-----------

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

D160 Loader
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
OPERATOR'S MANUAL AND DECAL KIT Continued...			
REGIONAL REQUIREMENT KITS			
9608		Australian compliance kit <i>Kit consists of:</i> BW16288 - 305 Anti spill kit BW16289 - 305 Service lock BW16244 - Australian Code of Practice.	620.00
ATTACHMENTS FOR FIELD CONVERSION			
		Buckets:	
	BW15863	61 In. (1550mm) Loader Materials Bucket	833.53
		DECAL KIT	
	BW16365	Text Free Decals for Export	0.00
		HITCH ADAPTERS	
	BW15056	iMatch / Quik-Coupler Bushing Kit <i>For using ballast box with iMatch system.</i>	96.80
		Hood Guards:	
	LVB25998	Hood Guard <i>Hood Guard is Standard with 305 and D160 Loaders.</i>	254.66
		Miscellaneous (Australia Only):	
	BW16288	Anti Spill Kit <i>For 305 and D160 Loader - Australia Only.</i>	451.00
	BW16289	Service Lock <i>For 305 Loader and D160 - Australia Only.</i>	150.70
		Miscellaneous:	
	BW15872	Parking Stand Kit	418.00
		OPERATOR'S MANUAL AND DECAL KIT	
	BW16397	French North American operator's manual and decal kit	See Parts
	BW15835	Spanish North American operator's manual and decal kit	0.00

JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR COMPACT UTILITY TRACTORS

H160 Loader Equipment for Base Machine

Quik-Park loader mounting system bucket
Quik-change attachment carrier Less ballast box
Mounting frame
Hood guard
Bucket level indicator
1550-mm (61-in.) Materials

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1440P	H160 Loader <i>For 3033R, 3039R, 3046R, 3120-3720, 3203, 4200, 4400, 4210, and 4410 Tractors.</i>	4,636.00
-------	--	----------

DESTINATION

0202	United States <i>Operator's Manual.</i>	In Base Price
0184	Canada <i>English Operator's Manual. If French Operator's Manual is required, will need to order seperately.</i>	Same Price

OPERATOR'S MANUAL

0409	English	In Base Price
0413	French North America	Same Price
0437	Spanish North America	Same Price
0400	Less OM	Same Price

IMPLEMENTS

Additional bucket options are available as attachments.

8115	1350 mm (53 in.) Quick-Change Materials Buckets	-40.00
8120	1550 mm (61 in.) Quick-Change Materials Buckets	In Base Price
8750	Less bucket	-709.00
8125	61 In. (1550 mm) Heavy Duty Bucket with Holes for Cutting Edge	157.00
8130	73 In. (1850mm) Materials Bucket	130.00
8135	73 In. (1850 mm) Heavy Duty Bucket with Holes for Cutting Edge	298.00

HOOD GUARDS

5995	Less Hood Guard	-217.00
------	-----------------	---------

JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR COMPACT UTILITY TRACTORS

H160 Loader Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
HOOD GUARDS Continued...			
5240		Hood Guard <i>For 3033R, 3039R, and 3046R Tractors.</i>	Same Price
5245		Deluxe Hood Guard <i>For 3033R, 3039R, and 3046R Tractors.</i>	266.00
5250		Hood Guard <i>For 4200, 4300, 4400, 4210, 4310, and 4410 Tractors.</i>	Same Price
5255		Hood Guard <i>For 3120, 3320, 3520, and 3720 Tractors.</i>	In Base Price
5260		Deluxe Hood Guard <i>For 3120, 3320, 3520, and 3720 Tractors.</i>	266.00
5280		Hood Guard <i>For 3203 Tractors.</i>	Same Price
BALLAST			
<i>3-point hitch ballast is required for loader stability and reducing stress of vital tractor components. See operator's manual for ballast recommendations. For ballast box use with iMatch Quick-Hitch</i>			
6000		Ballast Box	238.00
6010		Ballast Box with Extension	351.00
6995		Less Ballast Box	In Base Price
TRACTOR CONFIGURATION			
1995		Less Mounting Frame <i>Less mounting frame</i>	-668.00
1305		Mounting frame and hoses <i>For 3033R, 3039R, 3046R, 3120, 3320, 3520, and 3720 Open operator station tractors.</i>	In Base Price
1310		Mounting frame and hoses <i>For 3033R, 3039R, 3046R, 3320, 3520, and 3720 Cab tractors.</i>	Same Price
ATTACHMENTS FOR FIELD CONVERSION			
Ballast Box:			
BW15073		Ballast Box	288.20
BW15074		Ballast Box Extension	136.40
Buckets:			
BW14145		53 In. (1350mm) Loader Materials Bucket - Quik Change	786.46
BW14764		61 In. (1550 mm) Loader Heavy Duty Bucket with Holes for Cutting Edge	1,018.64
BW14146		61 In. (1550mm) Loader Materials Bucket - Quik Change	833.53
BW14765		73 In. (1850 mm) Loader Heavy Duty Bucket with Holes for Cutting Edge	1,183.41

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

H160 Loader
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BW14147	73 In. (1850mm) Loader Materials Bucket	986.54
		Cutting Edges:	
	BW14762	61 In. (1550 mm) Replaceable Bucket Cutting Edge with Hardware	156.21
	BW14763	73 In. (1850 mm) Replaceable Bucket Cutting Edge with Hardware	191.53
		HITCH ADAPTERS	
	BW15056	iMatch / Quik-Coupler Bushing Kit <i>For using ballast box with iMatch system.</i>	96.80
		HYDRAULICS	
	BW15599	Hoses and Parts <i>For 3R, 3020, 3203, 4X00, and 4X10 OOS and Cab series tractors.</i>	298.53
		Hood Guards:	
	BWA1190	Deluxe Hood Guard <i>For 3000 TWENTY tractors.</i>	567.10
	BW15222	Deluxe Hood Guard Attachment <i>For 3000 TWENTY tractors.</i>	321.00
	BW16585	Deluxe Hood Guard Attachment <i>For 3R and 3000 TWENTY Series Tractors.</i>	321.20
	BW14378	Hood Guard <i>For 4200-4400, 4210-4400 Tractors.</i>	254.66
	BW15219	Hood Guard <i>For 3000 TWENTY tractors.</i>	254.66
	BW16617	Hood Guard <i>For H160 and H165 on 3033R, 3039R, and 3046R Tractors.</i>	261.80
	BW15534	Hood Guard (3203)	254.66
		Miscellaneous:	
	BW15223	Bucket Level Indicator	66.00
		Mounting Frames:	
	BW15456	Mounting Frame (3320-3720, 4320-4720 Cab Tractors)	500.50
	BW15204	Mounting Frame (4200-4400, 4210-4400, 3120-3720, 3203 Open Station Tractors)	500.50
	BWA1191	Mounting Frame with Hoses <i>For 3033R, 3039R, 3046R, 3120, 3320, 3520, 3720, 3203, 4200, 4300, 4400, 4210, 4310, and 4410 Tractors.</i>	807.40
	BWA1248	Mounting Frame with Hoses and Parts (3320-3720 Cab Tractors)	807.40
		Tooth Bars:	
	BW15227	61 In. (1550 mm) Tooth Bar for Bucket <i>Recommended for use with heavy-duty buckets only.</i>	482.90

JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR COMPACT UTILITY TRACTORS

H165 Loader Equipment for Base Machine

Quik-Park loader mounting system bucket
 Quik-change attachment carrier Less Ballast Box
 Mounting frame
 Hood guard
 Bucket level indicator
 1550-mm (61-in.) Materials

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1450P	H165 Loader <i>For 3033R, 3039R, 3046R, 3120-3720, 3203, 4005, 4105, 990, 970, 1070, 4300-4400, and 4310-4410 Tractors.</i>	5,332.00
-------	--	----------

DESTINATION

0202	United States <i>Operator's Manual.</i>	In Base Price
0184	Canada <i>English Operator's Manual. If French Operator's Manual is required, will need to order seperatly.</i>	Same Price

OPERATOR'S MANUAL

0409	English	In Base Price
0413	French North America	Same Price
0437	Spanish North America	Same Price
0400	Less OM	Same Price

IMPLEMENTS

Additional bucket options are available as attachments.

8120	1550 mm (61 in.) Quick-Change Materials Buckets	In Base Price
8750	Less bucket	-709.00
8125	61 In. (1550 mm) Heavy Duty Bucket with Holes for Cutting Edge	157.00
8130	73 In. (1850mm) Materials Bucket	130.00
8135	73 In. (1850 mm) Heavy Duty Bucket with Holes for Cutting Edge	298.00
8140	73 In. (1850 mm) High Volume Bucket	466.00
8145	85 In. (2150 mm) High Volume Bucket	728.00

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

H165 Loader
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
HOOD GUARDS			
5995		Less Hood Guard	-217.00
5240		Hood Guard <i>For 3033R, 3039R, and 3046R Tractors.</i>	Same Price
5245		Deluxe Hood Guard <i>For 3033R, 3039R, and 3046R Tractors.</i>	266.00
5250		Hood Guard <i>For 4300, 4400, 4310, and 4410 Tractors.</i>	Same Price
5255		Hood Guard <i>For 3120, 3320, 3520, and 3720 Tractors.</i>	In Base Price
5260		Deluxe Hood Guard <i>For 3120, 3320, 3520, and 3720 Tractors.</i>	266.00
5280		Hood Guard <i>For 3203 Tractors.</i>	Same Price
5265		Hood Guard <i>For 970, 990, and 1070 Tractors</i> <i>Note: Required for loader installation.</i>	Same Price
5270		Hood Guard <i>For 4105 Tractors</i> <i>Note: Required for loader installation.</i>	Same Price
5275		Hood Guard <i>For 4005 Tractors.</i>	Same Price
BALLAST			
<i>3-point hitch ballast is required for loader stability and reducing stress of vital tractor components. See operator's manual for ballast recommendations. For ballast box use with iMatch Quick-Hitch</i>			
6000		Ballast Box	238.00
6010		Ballast Box with Extension	351.00
6995		Less Ballast Box	In Base Price
TRACTOR CONFIGURATION			
1995		Less Mounting Frame <i>Less mounting frame</i>	-668.00
1305		Mounting frame and hoses <i>For 3033R, 3039R, 3046R, 3120, 3320, 3520, and 3720 Open operator station tractors.</i>	In Base Price
1310		Mounting frame and hoses <i>For 3033R, 3039R, 3046R, 3320, 3520, and 3720 Cab tractors.</i>	Same Price
1315		Mounting frame and hoses <i>For 970, 990, 1070, and 4005 Tractors.</i>	Same Price
1320		Mounting frame and hoses	Same Price

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

H165 Loader
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
TRACTOR CONFIGURATION Continued...			
<i>For 3203 Tractors.</i>			
1325		Mounting frame and hoses <i>For 4105.</i>	Same Price
DECAL KIT			
9210		Text Free Decals for Export	No Charge
REGIONAL REQUIREMENT KITS			
9608		Australian compliance kit <i>3x20 OOS Kit consists of: BW16260 - Service Locks BW16605 - Anti Spill Kit</i>	715.00
9609		Australian Compliance Kit 3x20 Cab <i>Kit consists of:</i> <i>BW16260 Service locks</i> <i>BW16253 Anti spill kit</i>	715.00
9610		Australian compliance kit 3R Open Operator Station (OOS) and cab <i>Kit consists of:</i> <i>BW16260 Service locks</i> <i>BW16253 Anti spill kit</i>	715.00
ATTACHMENTS FOR FIELD CONVERSION			
		Ballast Box:	
	BW15073	Ballast Box	288.20
	BW15074	Ballast Box Extension	136.40
		Buckets:	
	AT332288	56 in. Dirt Bucket (12.3 cu. ft.) with Edge	948.00
	AT333697	60 in. Dirt Bucket (14.3 cu. ft.) with Edge	1,007.00
	BW14764	61 In. (1550 mm) Loader Heavy Duty Bucket with Holes for Cutting Edge	1,018.64
	BW14146	61 In. (1550mm) Loader Materials Bucket - Quik Change	833.53
	KV24751	66 in. Construction Bucket (16.2 cu. ft.) with Edge	1,139.00
	KV11636	66 in. Foundry Bucket (14.6 cu. ft.)	889.00
	KV22801	66 in. Utility Bucket (20.6 cu. ft.)	963.00
	LVB25341	72 In. Quik-Tatch Standard Front Loader Bucket <i>Requires Skid Steer Attachment Carrier.</i>	1,150.26
	BW14765	73 In. (1850 mm) Loader Heavy Duty Bucket with Holes for Cutting Edge	1,183.41
	BW14658	73 In. (1850 mm) Loader High Volume Bucket	1,381.37
	BW14147	73 In. (1850mm) Loader Materials Bucket	986.54

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

H165 Loader

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BW15273	85 In. (2150 mm) Loader High Volume Bucket	1,689.53
		Cutting Edges:	
	T225190	56 in. Bolt-On Cutting Edge <i>Requires additional hardware; see Parts.</i>	121.61
	KV17819	60 in. Bolt-On Cutting Edge <i>Requires additional hardware; see Parts.</i>	128.03
	BW14762	61 In. (1550 mm) Replaceable Bucket Cutting Edge with Hardware	156.21
	BW14763	73 In. (1850 mm) Replaceable Bucket Cutting Edge with Hardware	191.53
		DECAL KIT	
	BW16329	Text Free Decals for Export	See Parts
		HITCH ADAPTERS	
	BW15056	iMatch / Quik-Coupler Bushing Kit <i>For using ballast box with iMatch system.</i>	96.80
		HYDRAULICS	
	BW15352	Hoses and Parts <i>For 4005, 990, 970, 1070 Tractors.</i>	298.53
	BW15599	Hoses and Parts <i>For 3203 and 4105.</i>	298.53
	BW15762	Hoses and Parts <i>For 3120, 3320, 3520, 3720, 4300, 4400, 4310 and 4410 Open Station Tractors. For 3320, 3520 and 3720 Cab Tractors.</i>	298.53
	BW16138	Hydraulic Lines and Hoses (3 Function) <i>If Used with Skid Steer Attachments, Couplers will not Match. The Following Parts are Required to Convert for this Application: (1) KV14216, (1) KV15976 and (2) AT191333.</i>	414.09
		Hood Guards:	
	BWA1190	Deluxe Hood Guard <i>For 3000 TWENTY tractors.</i>	567.10
	BW15222	Deluxe Hood Guard Attachment <i>For 3000 TWENTY tractors.</i>	321.00
	BW16585	Deluxe Hood Guard Attachment <i>For 3R and 3000 TWENTY Series Tractors.</i>	321.20
	BW14378	Hood Guard <i>For 4300-4400, 4310-4410 Tractors.</i>	254.66
	BW15219	Hood Guard <i>For 3000 TWENTY tractors.</i>	254.66
	BW15416	Hood Guard <i>For 970, 990 and 1070 Tractors. Required For Loader Installation on 970, 990, 1070 Tractors, Includes Front Weight Bracket.</i>	254.66
	BW16617	Hood Guard <i>For H160 and H165 on 3033R, 3039R, and 3046R Tractors.</i>	261.80

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

H165 Loader
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BW15848	Hood Guard (3005, 4005)	254.66
	BW15534	Hood Guard (3203)	254.66
	BW16040	Hood Guard (4105)	254.66
		Miscellaneous (Australia Only):	
	BW16253	Anti Spill Kit <i>For 300CX - Australia Only.</i>	589.60
	BW16324	Anti Spill Kit <i>For H165 Loader - Australia Only.</i>	See Parts
	BW16605	Anti Spill Kit <i>For H165 Loader - Australia Only.</i>	See Parts
	BW16244	Australian Code of Practice Kit <i>For D120, H130, 300CX, 400CX Loader - Australia Only.</i>	0.00
	BW16607	Service Lock <i>For H165 Loader - Australia Only.</i>	See Parts
		Miscellaneous:	
	U16748	66 in. Bolt-On Cutting Edge <i>Requires additional hardware; see Parts.</i>	127.19
	T32742	72 in. Bolt-On Cutting Edge <i>Requires additional hardware; see Parts.</i>	145.36
	BW16050	Anti -Drop Valve Kit - Bucket Circuit <i>For 300CX, H165 Loaders.</i>	369.60
	BW16049	Anti -Drop Valve Kit - Lift Circuit <i>For 300CX, H165 Loaders.</i>	369.60
	BW15223	Bucket Level Indicator	66.00
	BW15244	Skid Steer Attachment Carrier <i>See Sales Manual for Compatible Attachments.</i>	657.80
		Mounting Frames:	
	BW15347	Mounting Frame <i>For 4005, 970, 990, and 1070 Tractors.</i>	500.50
	BW15456	Mounting Frame (3320-3720, 4320-4720 Cab Tractors)	500.50
	BW15682	Mounting Frame (4105)	500.50
	BW15204	Mounting Frame (4200-4400, 4210-4400, 3120-3720, 3203 Open Station Tractors)	500.50
	BWA1191	Mounting Frame with Hoses <i>For 3203 Tractors.</i>	807.40
	BWA1201	Mounting Frame with Hoses (4005, 990, 970, 1070 Tractors) <i>Must Order Appropriate Hood Guard. For 970, 990 (Serial No. - LV0990G590000) and 1070 Tractors, Refer to Parts Catalog for Additional Oil Lines Required.</i>	807.40

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

H165 Loader
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BWA1276	Mounting Frame with Hoses and Parts (3320-3720 Cab Tractors)	807.40
	BWA1452	Mounting Frame with Hoses and Parts (4105)	807.40
	BWA1200	Mounting Frame with Hoses and Parts (4300-4400, 4310-4410, 3120-3720 Open Station Tractors)	807.40
		Tooth Bars:	
	AT337951	56 in. Tooth Bar - 6 Teeth <i>Recommended for use with heavy-duty buckets only.</i>	438.00
	BW15227	61 In. (1550 mm) Tooth Bar for Bucket <i>Recommended for use with heavy-duty buckets only.</i>	482.90
	BW15228	73 In. (1850 mm) Tooth Bar for Bucket <i>Recommended for use with heavy-duty buckets only.</i>	586.30

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

D170 Loader
Equipment for Base Machine

4M mounting frame
Single lever control valve
assembly
Less ballast box
1850-mm (73-in.) Materials
bucket

Quik-change attachment carrier
Hood guard (part of the bracing
system)

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

1401P	D170 Loader <i>For 4044M, 4052M, 4066M, and 4R open operator station (OOS) Tractors.</i>	5,465.00
-------	---	----------

OPERATOR'S MANUAL

0409	English	In Base Price
0413	French North America	Same Price
0437	Spanish North America	Same Price

TRACTOR AND LOADER HYDRAULIC CONNECTION

4405	Two-Function Single Lever Control - for D170 and 4M tractor compatibility <i>Loader joystick and valve assembly are mounted to the loader frame.</i>	In Base Price
4406	Two-Function Single Lever Control - for D170 and 4R tractor compatibility (open operator station (OOS) only) <i>Loader joystick is integrated into the tractor and loader hoses connect to tractor mid-valve assembly.</i>	-650.00

IMPLEMENTS

Additional bucket options are available as attachments.

8000	73 In. (1850 mm) Materials Bucket	In Base Price
------	------------------------------------	---------------

BALLAST

3-point hitch ballast is required for loader stability and reducing stress of vital tractor components. See operator's manual for ballast recommendations. For ballast box use with iMatch Quick-Hitch

6995	Less Ballast Box	In Base Price
------	------------------	---------------

TRACTOR CONFIGURATION

1400	Mounting frame <i>For 4M Series Tractors and 4R Open Operator Station Tractors.</i>	In Base Price
------	--	---------------

ATTACHMENTS FOR FIELD CONVERSION

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

D170 Loader
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Buckets:	
BW14764		61 In. (1550 mm) Loader Heavy Duty Bucket with Holes for Cutting Edge	1,018.64
BW15863		61 In. (1550mm) Loader Materials Bucket	833.53
BW14146		61 In. (1550mm) Loader Materials Bucket - Quik Change	833.53
BW14765		73 In. (1850 mm) Loader Heavy Duty Bucket with Holes for Cutting Edge	1,183.41
BW14658		73 In. (1850 mm) Loader High Volume Bucket	1,381.37
BW16183		73 In. (1850 mm) Materials Bucket	1,014.20
BW15273		85 In. (2150 mm) Loader High Volume Bucket	1,689.53
		Cutting Edges:	
BW14762		61 In. (1550 mm) Replaceable Bucket Cutting Edge with Hardware	156.21
BW14763		73 In. (1850 mm) Replaceable Bucket Cutting Edge with Hardware	191.53
		HITCH ADAPTERS	
BW15056		iMatch / Quik-Coupler Bushing Kit <i>For using ballast box with iMatch system.</i>	96.80
		HYDRAULICS	
BW16448		3rd Function hydraulic lines and hoses <i>For D170 on 4M Tractors</i> <i>Contains hoses and lines. Joystick must be ordered from tractor factory.</i>	402.31
BW16491		3rd Function hydraulic lines and hoses <i>For D170 on 4R OOS tractors</i> <i>Contains hoses and lines. Joystick must be ordered from tractor factory.</i>	413.60
BLV10015		Two Function Single Lever Control - for D170 and 4M tractor compatibility <i>Hydraulic hoses, SLC, and ICV for D170 on 4M.</i>	1,229.80
BLV10016		Two Function Single Lever Control - for D170 and 4R tractor compatibility <i>Hydraulic hoses and parts for D170 on 4R.</i>	444.40
		Hood Guards:	
BW16989		Deluxe Brush Guard Attachment <i>For D170 (OOS) on 4044R, 4052R and 4066R Tractors.</i>	158.36
BW16155		Deluxe Hood Guard Attachment <i>For D170 and H180 on 4044R, 4052R, and 4066R Tractors (D170 OOS only).</i>	168.30
BW16335		Hood Guard <i>For D170 (OOS Only) on 4044R, 4052R, and 4066R Tractors.</i>	283.80
		Miscellaneous:	
BW16127		Parking Stand Kit	622.60
		Tooth Bars:	
BW15227		61 In. (1550 mm) Tooth Bar for Bucket <i>Recommended for use with heavy-duty buckets only.</i>	482.90
BW15228		73 In. (1850 mm) Tooth Bar for Bucket <i>Recommended for use with heavy-duty buckets only.</i>	586.30

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

D170 Loader
Continued

JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR COMPACT UTILITY TRACTORS

H180 Loader Equipment for Base Machine

Mounting frame (cab)	bucket	
Non-self-leveling boom	Compact utility tractor (CUT)	
Hoses to tractor mid-valve and parts	carrier	
Hood guard for 4R Tractor		
Less ballast box		
1850-mm (73-in.) Materials		

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
Select One Code From Each Required Category			
BASE MACHINE			
1421P		H180 Loader <i>For 4044R, 4052R, 4066R, 4120-4720, 4500-4700, and 4510-4710 Tractors. BLV10506 kit is required with 4M tractors to fit this loader.</i>	6,156.00
DESTINATION			
0202		United States <i>Operator's Manual.</i>	In Base Price
0184		Canada <i>English Operator's Manual. If French Operator's Manual is required, will need to order seperatly.</i>	Same Price
OPERATOR'S MANUAL			
0409		English	In Base Price
0413		French North America	Same Price
0437		Spanish North America	Same Price
0400		Less OM	Same Price
LEVELING			
2401		H180 Standard Loader Non-Self-Leveling (NSL)	In Base Price
2402		H180 Mechanical Self-Leveling Loader (MSL)	677.00
CARRIERS			
7095		Less Carrier	-251.00
7400		John Deere Compact Utility Tractor (CUT) carrier	In Base Price
7410		Skid Steer Carrier <i>Attachments for skid steer carrier can be ordered from attachments and Worksite PRO attachments.</i>	293.00

JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR COMPACT UTILITY TRACTORS

H180 Loader

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
TRACTOR AND LOADER HYDRAULIC CONNECTION			
4400		Single-Point Hydraulic Connector (open operator station (OOS) only) <i>Single-point hydraulic connection, tractor and loader half. Tractor half mounts to operator platform with bracket.</i>	172.00
4401		Hoses to Tractor Mid-Valve <i>Hoses from loader to quick-couplers at mid-valve.</i>	In Base Price
4995		Less Hydraulic Connection	-414.00
IMPLEMENTS			
<i>Additional bucket options are available as attachments.</i>			
8120		1550 mm (61 in.) Quick-Change Materials Buckets <i>Order with Code 7400. Not compatible with Code 7410.</i>	-130.00
8750		Less bucket	-839.00
8125		61 In. (1550 mm) Heavy Duty Bucket with Holes for Cutting Edge <i>Not compatible with Code 7410.</i>	27.00
8130		73 In. (1850mm) Materials Bucket <i>Not compatible with Code 7410.</i>	In Base Price
8140		73 In. (1850 mm) High Volume Bucket <i>Not compatible with Code 7410.</i>	336.00
8145		85 In. (2150 mm) High Volume Bucket <i>Not compatible with Code 7410.</i>	598.00
8136		73 In. 1850 mm) Heavy Duty Bucket with Bucket Loops and Holes for Cutting Edge <i>Not compatible with Code 7410.</i>	237.00
HOOD GUARDS			
<i>Hood guard must be installed on tractor to mount loader.</i>			
5995		Less Hood Guard	-235.00
5350		Hood Guard <i>For 4500, 4600, 4700, 4510, 4610, and 4710 Tractors.</i>	49.00
5360		Hood Guard <i>For 4120, 4320, 4520, and 4720 Tractors.</i>	49.00
5370		Hood Guard <i>For 4044R, 4052R, and 4066R Tractors.</i>	In Base Price
5371		Deluxe Hood Guard <i>For 4044R, 4052R, and 4066R Tractors.</i>	135.00
5361		Deluxe Hood Guard <i>For 4120, 4320, 4520, and 4720 Tractors. Hanging weldment for retro fit tractors.</i>	184.00
BALLAST			

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

H180 Loader
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
BALLAST Continued...			
<i>3-point hitch ballast is required for loader stability and reducing stress of vital tractor components. See operator's manual for ballast recommendations. For ballast box use with iMatch Quick-Hitch</i>			
6000		Ballast Box	238.00
6010		Ballast Box with Extension	351.00
6995		Less Ballast Box	In Base Price
TRACTOR CONFIGURATION			
1995		Less Mounting Frame <i>Less mounting frame</i>	-551.00
1401		Mounting frame <i>For 4R Series Open Station and Non-Current 4120, 4320, 4520, 4720, 4500, 4600, 4700, 4510, 4610, and 4710 Open Station Tractors</i>	Same Price
1402		Mounting frame <i>For 4R Series Cab and Non-Current 4320, 4520, and 4720 Cab Tractors</i>	In Base Price
DECAL KIT			
9210		Text Free Decals for Export	No Charge
OPERATOR'S MANUAL AND DECAL KIT			
9104		Spanish North American operator's manual and decal kit	No Charge
REGIONAL REQUIREMENT KITS			
9608		Australian compliance kit <i>Required when ordering Destination Code 0230. Kit consists of: BW16466 - Service locks Required when ordering Destination Code 0230. Kit consists of: BW16466 - Service Locks BW16049 - Anti-Drop Valve Kit (Lift Circuit) BW16050 - Anti-Drop Valve Kit (Bucket Circuit)</i>	852.00
HYDRAULIC CONNECTION - LOADER TO IMPLEMENT			
9611		Third Function Hydraulic kit (hoses and parts)	376.00
LOADER SUSPENSION SYSTEM			
9540		Loader suspension kit (H180 Only) <i>Manual on and off lever.</i>	431.00
ATTACHMENTS FOR FIELD CONVERSION			
	Buckets:		
BW14764		61 In. (1550 mm) Loader Heavy Duty Bucket with Holes for Cutting Edge	1,018.64

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

H180 Loader

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BW14146	61 In. (1550mm) Loader Materials Bucket - Quik Change	833.53
	KV24751	66 in. Construction Bucket (16.2 cu. ft.) with Edge <i>Requires Skid Steer Attachment Carrier.</i>	1,139.00
	KV11636	66 in. Foundry Bucket (14.6 cu. ft.) <i>Requires Skid Steer Attachment Carrier.</i>	889.00
	KV22801	66 in. Utility Bucket (20.6 cu. ft.) <i>Requires Skid Steer Attachment Carrier.</i>	963.00
	LVB25342	72 In. Quik-Tatch Heavy Duty Front Loader Bucket w/Replaceable Cutting Edge <i>Requires Skid Steer Attachment Carrier.</i>	1,383.51
	LVB25341	72 In. Quik-Tatch Standard Front Loader Bucket <i>Requires Skid Steer Attachment Carrier.</i>	1,150.26
	BW16358	73 In. (1850 mm) Heavy Duty Bucket with Bucket Loops and Holes for Cutting Edge	1,300.20
	BW14765	73 In. (1850 mm) Loader Heavy Duty Bucket with Holes for Cutting Edge	1,183.41
	BW14658	73 In. (1850 mm) Loader High Volume Bucket	1,381.37
	BW14147	73 In. (1850mm) Loader Materials Bucket	986.54
	LVB25345	84 In. Light Material Bucket <i>Requires Skid Steer Attachment Carrier.</i>	1,415.61
	BW15273	85 In. (2150 mm) Loader High Volume Bucket	1,689.53
	BW16184	Carrier: John Deere CUT Carrier	303.60
	BW14762	Cutting Edges: 61 In. (1550 mm) Replaceable Bucket Cutting Edge with Hardware	156.21
	BW14763	73 In. (1850 mm) Replaceable Bucket Cutting Edge with Hardware	191.53
	BW16365	DECAL KIT Text Free Decals for Export	0.00
	BW15056	HITCH ADAPTERS iMatch / Quik-Coupler Bushing Kit <i>For using ballast box with iMatch system.</i>	96.80
	BW16414	HYDRAULIC CONNECTION - LOADER TO IMPLEMENT Third Function Hydraulic kit (hoses and parts)	413.60
	BW16221	HYDRAULICS Hoses to tractor mid-valve <i>For H180 on 4R tractors.</i> <i>Hoses from loader to quickcouplers at midvalve.</i>	500.50
	BW16220	Single Point Hydraulic Connector <i>For H180 on 4R OOS tractors only.</i> <i>Single point hydraulic connection, tractor and loader half. Tractor half mounts to operator platform with bracket.</i>	708.40

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

H180 Loader
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Hood Guards:	
	BW16989	Deluxe Brush Guard Attachment <i>For H180 on 4044R, 4052R, and 4066R Tractors. Hood guard required for loader installation.</i>	158.36
	BW15222	Deluxe Hood Guard Attachment <i>For 4000 TWENTY tractors.</i>	321.00
	BW16155	Deluxe Hood Guard Attachment <i>For D170 and H180 on 4044R, 4052R, and 4066R Tractors (D170 OOS only).</i>	168.30
	BW16335	Hood Guard <i>For H180 on 4044R, 4052R, and 4066R Tractors. Hood guard required for loader installation.</i>	283.80
	BW15221	Hood Guard (4120-4720) <i>For H180 loader on 4020 series tractors. To install loader on tractor, must order and install BW16393 hanging weldment kit on hood guard.</i>	254.66
		LOADER SUSPENSION SYSTEM	
	BW16470	Loader suspension kit (H180 Only) <i>Manual on and off lever.</i>	474.10
		Miscellaneous (Australia Only):	
	BW16466	Service Locks (boom cylinders) <i>For H180 Loader - Australia Only.</i>	218.90
		Miscellaneous:	
	BW16050	Anti -Drop Valve Kit - Bucket Circuit <i>For 300CX, H165 Loaders.</i>	369.60
	BW16049	Anti -Drop Valve Kit - Lift Circuit <i>For 300CX, H165 Loaders.</i>	369.60
	BW16364	Bucket Level Indicator <i>For H180 Loader.</i>	72.60
	BW16393	Hanging Weldment Kit <i>Required when installing H180 on former 4X20 and 4X10 Series Tractors.</i>	81.40
	BW15244	Skid Steer Attachment Carrier <i>See Sales Manual for Compatible Attachments.</i>	657.80
		Mounting Frames:	
	BW16171	Mounting Frame <i>For H180 on 4R OOS and Non-Current 4120, 4320, 4520, 4720, 4500, 4600, 4700, 4510, 4610, and 4710 OOS Tractors.</i>	666.60
	BW16268	Mounting Frame <i>For H180 on 4R Cab and Non-Current 4320, 4520, and 4720 Cab Tractors.</i>	666.60
		OPERATOR'S MANUAL AND DECAL KIT	
	BW16290	Spanish North American operator's manual and decal kit	0.00
		Tooth Bars:	
	BW15227	61 In. (1550 mm) Tooth Bar for Bucket <i>Recommended for use with heavy-duty buckets only.</i>	482.90

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

H180 Loader
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BW15228	73 In. (1850 mm) Tooth Bar for Bucket <i>Recommended for use with heavy-duty buckets only.</i>	586.30

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

54D In. Mid-Mount Side Discharge Mower (1 Family Tractors)
Equipment for Base Machine

54 In. Cutting Width	Quick Release Belt Shields
Three Cutting Blades	Hinged Discharge Chute
10 Gauge Stamped Steel Deck	Greasable Spindles
(4) Front and Rear Adjustable	Deck Lockup
and Quick Release Gauge	Mower Wash Port
Wheels with Memory Settings	
PTO Shaft with Manual Connection	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	----------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

5315M	54D In. Mid-Mount Side Discharge Mower (1 Family Tractors) <i>For 1023E, 1025R, and 1026R Tractors.</i>	1,815.00
-------	--	----------

DESTINATION

0230	Australia	Same Price
0184	Canada	Same Price
024A	Christmas Island	Same Price
024B	Heard Island and McDonald Islands	Same Price
0079	Japan	Same Price
0195	Mexico	Same Price
0237	New Zealand	Same Price
024F	Norfolk Island	Same Price
0202	United States	In Base Price
024H	United States Minor Outlying Islands	Same Price
0205	Quebec	Same Price

OPERATOR'S MANUAL

0409	English <i>English North American Operator's Manual and Decal Kit</i>	In Base Price
0413	French <i>French Canadian Operator's Manual and Decal Kit</i>	Same Price
0437	Spanish <i>Spanish North American Operator's Manual and Decal Kit</i>	Same Price
0450	Australian Operator's Manual and Decal Kit	Same Price

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

54D In. Mid-Mount Side Discharge Mower (1 Family Tractors)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHING PARTS			
1995		Less Attaching Parts <i>Mower lift system not included. Only compatible with a tractor that already has a mower lift installed.</i>	-237.00
1000		Attaching Parts (Mechanical Mower Lift) <i>For Model Year 2016 and older 1023E, 1026R, and TLB models. Also used on Model Year 2015 and older 1025R Tractors serial number break (XXXXXX - 324500).</i>	206.00
1001		Attaching Parts (Hydraulic Mower Lift) <i>For Model Year 2016 and older 1023E, 1026R, and TLB models. Also used on Model Year 2015 and older 1025R Tractors serial number break (XXXXXX - 324500).</i>	390.00
1002		Attaching Parts (Independent Hydraulic Mower Lift) <i>For Model Year 2016 and older 1023E, 1026R, and TLB models. Also used on Model Year 2015 and older 1025R Tractors serial number break (XXXXXX - 324500).</i>	610.00
1100		Attaching Parts (Mechanical Mower Lift) <i>For Model Year 2015 1025R Tractors serial number break (324501 - XXXXXX) and Model Year 2016 and newer 1025R Tractors serial number break (00101 - XXXXX). Also used on Model Year 2017 and newer 1023E and 1025R TLB models.</i>	In Base Price
1101		Attaching Parts (Hydraulic Mower Lift) <i>For Model Year 2015 1025R Tractors serial number break (324501 - XXXXXX) and Model Year 2016 and newer 1025R Tractors serial number break (00101 - XXXXX). Also used on Model Year 2017 and newer 1023E and 1025R TLB models.</i>	293.00
1102		Attaching Parts (Independent Hydraulic Mower Lift) <i>For Model Year 2015 1025R Tractors serial number break (324501 - XXXXXX) and Model Year 2016 and newer 1025R Tractors serial number break (00101 - XXXXX). Also used on Model Year 2017 and newer 1023E and 1025R TLB models.</i>	512.00
DRIVE SHAFT			
2000		Manual PTO Connection	In Base Price
2001		Auto PTO Coupler	253.00
2995		Less Drive Shaft	-187.00
ATTACHMENTS FOR FIELD CONVERSION			
		Miscellaneous:	
BLV10688		Ind. Valve and Switch Kit <i>Electro-hydraulic valve, switch, and plumbing for all 1023E, 1025R, and 1026R Tractors - Required for Independent hydraulic lift. See Sales Manual.</i>	327.80
BLV10739		Mower Deck Hydraulic Lift Power Kit <i>Hydraulic Cylinder Components for all 1023E, 1025R, and 1026R Tractors - Required for Hydraulic lift and Independent hydraulic lift. See Sales Manual.</i>	276.10
BLV10736		Mower Deck Lift Components <i>Required for all 1023E, 1025R, and 1026R Tractors. - Required for Mechanical lift, Hydraulic lift and Independent hydraulic lift. See Sales Manual.</i>	279.40

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

54D In. Mid-Mount Side Discharge Mower (1 Family Tractors)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BLV10738	Mower Deck Mechanical Linkage Kit <i>Rockshaft Linkage Components for 1023E, 1026R, and TLB models. Also used on 1025R (non-TLB) models built prior to the following S/N Break (XXXXXX - 324500) - Required for Mechanical lift only. See Sales Manual.</i>	128.70
	BLV10737	Mower Deck Shaft Kit <i>Cross Shaft Components for all 1023E, 1026R, and TLB models. Also used on 1025R (non-TLB) models built prior to the following S/N Break (XXXXXX - 324500) - Required for Mechanical lift, Hydraulic lift and Independent hydraulic lift. See Sales Manual.</i>	114.40
	LVB26206	SCV Hose Kit <i>Hydraulic hose and fittings for connecting mower deck lift system to Loader SCV. For use on all 1023E, 1025R, and 1026R Tractors. - Required for Hydraulic lift. See Sales Manual.</i>	69.30
	AM130907	Mower Decks: Mower deck leveling gauge	6.95
	BM20827	Mulch Kits: Mulch kit (54C/54D/54X)	217.21
	BLV10616	PTO Connection: Auto PTO Coupler	518.10
	LVB26044	Manual PTO Connection	220.00

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

54D In. OnRamp Mid-Mount Side Discharge Mower (2025R and 2320 Tractors)
Equipment for Base Machine

54 In. Cutting Width
Three Cutting Blades
10 Gauge Stamped Steel Deck
Front and Rear Quick
Release Gauge Wheels with
Memory Setting
PTO Shaft
Quick Release Belt Shields

Anti-Scalp Front Roller
Hinged Discharge Chute
Greaseable Spindles
Front Lip Reinforcement
Less Attaching Parts
Deck Lockup
Mower Wash Port

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
Select One Code From Each Required Category			
BASE MACHINE			
<i>F.O.B. Davenport, Iowa</i>			
0175LV		54D In. OnRamp Mid-Mount Side Discharge Mower (2025R and 2320 Tractors) <i>For 2025R and 2320 Tractors.</i>	1,933.00
DESTINATION			
0230		Australia	Same Price
0184		Canada	Same Price
0195		Mexico	Same Price
0237		New Zealand	Same Price
0202		United States	In Base Price
0205		Quebec	Same Price
OPERATOR'S MANUAL			
0409		English <i>English North American Operator's Manual and Decal Kit</i>	In Base Price
0413		French <i>French Canadian Operator's Manual and Decal Kit</i>	Same Price
0437		Spanish <i>Spanish North American Operator's Manual and Decal Kit</i>	Same Price
0450		Australian Operator's Manual and Decal Kit	Same Price
ATTACHING PARTS			
1995		Less Attaching Parts	In Base Price
1000		Attaching Parts (Mechanical Mower Lift) <i>For Independent Mower Lift, LVB25630 must also be ordered.</i>	371.00

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

54D In. OnRamp Mid-Mount Side Discharge Mower (2025R and 2320 Tractors)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
		Lift Kit:	
LVB25630		Independent Lift Kit for 2305, 2025R, 2320 Tractors <i>Requires LVB25620 (option code 1001) attaching parts. Requires LVB25631 (independent lift attaching parts). Not available for 2210 tractors.</i>	408.74
LVB25822		Loader and Mower Mechanical Diverter Valve Kit (2305, 2025R, 2320) <i>Diverter is not compatible with mechanical mower lift system.</i>	421.59
		Miscellaneous:	
LVB25620		Attaching Parts for MY '16 and Older 2025R, 2320 Tractor (Mechanical Mower Lift)	425.86
LVB24899		Front Hitch/Mid-Mount Mower Combo Bracket (MY '16 and Older 2025R, MY '16 and Older 2032R, 2320-2720) <i>Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (MY '16 and Older 2025R, MY '16 and Older 2032R, 2320, 2520, 2720, 4115).</i>	132.69
		Mower Decks:	
AM130907		Mower deck leveling gauge	6.95
		Mulch Kits:	
BM20827		Mulch kit (54C/54D/54X)	217.21

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS**

54-in. Shaft Drive Convertible/Edge Xtra Mower Deck (54C/54X)
Equipment for Base Machine

54-in. (137-cm) cutting width Side discharge Edge# Xtra 10-gauge, 0.135-in. (3.4-mm) stamped-steel deck shell Shaft drive Three greaseable blade spindles Mower wash port	Four mower wheels and front center roller Mower wheels rotate 90 degrees for easy mower removal
---	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Janesville, Wisconsin

9071M	54-in. Shaft Drive Convertible/Edge Xtra Mower Deck (54C/54X) <i>For X400/X500 HDGTs (Heavy-Duty Garden Tractors), Model Year 2006-2012 X700 Signature Series, 2210 and 2305 Compact Utility Tractors.</i>	1,300.00
-------	---	----------

DESTINATION

0202	United States and Canada	In Base Price
0230	Australia and New Zealand	Same Price
0195	Mexico	Same Price
0250	All Other Countries	Same Price

ATTACHING PARTS/MOWER DECK LIFT

1000	Attaching Parts for 2305, 2210 (Mechanical Mower Lift)	265.00
1001	Attaching Parts for 2305 (Independent Mower Lift) <i>Independent Lift is not Available on 2210.</i>	487.00
1010	Less Attaching Parts	In Base Price

ATTACHMENTS FOR FIELD CONVERSION

LVB25631	Attaching Parts: Attaching Parts for 2305 (Independent Mower Lift) <i>Requires LVB25630 independent lift kit. Not available for 2210 tractors.</i>	192.60
LVB25419	Attaching Parts for 2305, 2210 (Mechanical Mower Lift)	303.89
LVB25630	Lift Kit: Independent Lift Kit for 2305, 2025R, 2320 Tractors <i>Requires LVB25620 (option code 1001) attaching parts. Requires LVB25631 (independent lift attaching parts). Not available for 2210 tractors.</i>	408.74
LVB25822	Loader and Mower Mechanical Diverter Valve Kit (2305, 2025R, 2320) <i>Diverter is not compatible with mechanical mower lift system.</i>	421.59

Mower Decks:

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS

54-in. Shaft Drive Convertible/Edge Xtra Mower Deck (54C/54X)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	AM130907	Mower deck leveling gauge	6.95
	BM23648	Roller striping kit (X400/X500 HDGT, X700s) <i>Compatible with model year 2004- (SN 040, 001-) 54C, 54X, 62X, and 60-in. (152-cm) 7-Iron Mowers used on X400/X500 HDGT and X700 Ultimate Tractors. See Sales Manual for additional parts requirements on model year 2004-2007 (SN 040,001-100,000) 54C, 54X, 62C and 62X Decks.</i>	286.76
		Mulch Kits:	
	BM20827	Mulch kit (54C/54D/54X)	217.21
		Spanish North American Kit:	
	LVB26020	North American Spanish Labels	0.00
	LVB26015	North American Spanish Operator's Manual	0.00

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

60D 7-Iron Mid Mount Side Discharge Mower (1 Family Tractors)
Equipment for Base Machine

60 In. Cutting Width	Hinged Discharge Chute
Three Cutting Blades	Greasable Spindles
7 Gauge Stamped Steel Deck	Front Lip Reinforcement
(4) Front and Rear Adjustable	Deck Lockup
and Quick Release Gauge	Mower Wash Port
Wheels with Memory Settings	
PTO Shaft with Manual Connection	
Quick Release Belt Shields	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

5325M	60D 7-Iron Mid Mount Side Discharge Mower (1 Family Tractors) <i>For 1023E, 1025R, and 1026R Tractors.</i>	2,237.00
-------	---	----------

DESTINATION

0230	Australia	Same Price
0184	Canada	Same Price
024A	Christmas Island	Same Price
024B	Heard Island and McDonald Islands	Same Price
0079	Japan	Same Price
0195	Mexico	Same Price
0237	New Zealand	Same Price
024F	Norfolk Island	Same Price
0202	United States	In Base Price
024H	United States Minor Outlying Islands	Same Price
0205	Quebec	Same Price

OPERATOR'S MANUAL

0409	English <i>English North American Operator's Manual and Decal Kit</i>	In Base Price
0413	French <i>French Canadian Operator's Manual and Decal Kit</i>	Same Price
0437	Spanish <i>Spanish North American Operator's Manual and Decal Kit</i>	Same Price
0450	Australian Operator's Manual and Decal Kit	Same Price

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

60D 7-Iron Mid Mount Side Discharge Mower (1 Family Tractors)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
OPERATOR'S MANUAL Continued...			
ATTACHING PARTS			
1995		Less Attaching Parts <i>Mower lift system not included. Only compatible with a tractor that already has a mower lift installed.</i>	-237.00
1000		Attaching Parts (Mechanical Mower Lift) <i>For Model Year 2016 and older 1023E, 1026R, and TLB models. Also used on Model Year 2015 and older 1025R Tractors serial number break (XXXXXX - 324500).</i>	206.00
1001		Attaching Parts (Hydraulic Mower Lift) <i>For Model Year 2016 and older 1023E, 1026R, and TLB models. Also used on Model Year 2015 and older 1025R Tractors serial number break (XXXXXX - 324500).</i>	390.00
1002		Attaching Parts (Independent Hydraulic Mower Lift) <i>For Model Year 2016 and older 1023E, 1026R, and TLB models. Also used on Model Year 2015 and older 1025R Tractors serial number break (XXXXXX - 324500).</i>	610.00
1100		Attaching Parts (Mechanical Mower Lift) <i>For Model Year 2015 1025R Tractors serial number break (324501 - XXXXXX) and Model Year 2016 and newer 1025R Tractors serial number break (00101 - XXXXX). Also used on Model Year 2017 and newer 1023E and 1025R TLB models.</i>	In Base Price
1101		Attaching Parts (Hydraulic Mower Lift) <i>For Model Year 2015 1025R Tractors serial number break (324501 - XXXXXX) and Model Year 2016 and newer 1025R Tractors serial number break (00101 - XXXXX). Also used on Model Year 2017 and newer 1023E and 1025R TLB models.</i>	293.00
1102		Attaching Parts (Independent Hydraulic Mower Lift) <i>For Model Year 2015 1025R Tractors serial number break (324501 - XXXXXX) and Model Year 2016 and newer 1025R Tractors serial number break (00101 - XXXXX). Also used on Model Year 2017 and newer 1023E and 1025R TLB models.</i>	512.00
DRIVE SHAFT			
2000		Manual PTO Connection	In Base Price
2001		Auto PTO Coupler	253.00
2995		Less Drive Shaft	-187.00
ATTACHMENTS FOR FIELD CONVERSION			
BLV10688		Miscellaneous: Ind. Valve and Switch Kit <i>Electro-hydraulic valve, switch, and plumbing for all 1023E, 1025R, and 1026R Tractors - Required for Independent hydraulic lift. See Sales Manual.</i>	327.80
BLV10739		Mower Deck Hydraulic Lift Power Kit <i>Hydraulic Cylinder Components for all 1023E, 1025R, and 1026R Tractors - Required for Hydraulic lift and Independent hydraulic lift. See Sales Manual.</i>	276.10
BLV10736		Mower Deck Lift Components <i>Required for all 1023E, 1025R, and 1026R Tractors. - Required for Mechanical lift, Hydraulic lift and Independent hydraulic lift. See Sales Manual.</i>	279.40

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

60D 7-Iron Mid Mount Side Discharge Mower (1 Family Tractors)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BLV10738	Mower Deck Mechanical Linkage Kit <i>Rockshaft Linkage Components for 1023E, 1026R, and TLB models. Also used on 1025R (non-TLB) models built prior to the following S/N Break (XXXXXX - 324500) - Required for Mechanical lift only. See Sales Manual.</i>	128.70
	BLV10737	Mower Deck Shaft Kit <i>Cross Shaft Components for all 1023E, 1026R, and TLB models. Also used on 1025R (non-TLB) models built prior to the following S/N Break (XXXXXX - 324500) - Required for Mechanical lift, Hydraulic lift and Independent hydraulic lift. See Sales Manual.</i>	114.40
	LVB26206	SCV Hose Kit <i>Hydraulic hose and fittings for connecting mower deck lift system to Loader SCV. For use on all 1023E, 1025R, and 1026R Tractors. - Required for Hydraulic lift. See Sales Manual.</i>	69.30
		Mower Decks:	
	AM130907	Mower deck leveling gauge	6.95
		Mulch Kits:	
	BM23978	60 HC Mulch kit	242.89
	TCB10953	Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	326.36
		PTO Connection:	
	BLV10616	Auto PTO Coupler	518.10
	LVB26044	Manual PTO Connection	220.00

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

**60D AutoConnect 7-Iron Mid-Mount Side Discharge Mower (MY17 and newer
2032R/2038R, 3R Series, and 3120-3720 Tractors)**
Equipment for Base Machine

60 In. Cutting Width
Three Cutting Blades
7 Gauge Stamped Steel Deck
Drive-Over Capability with
Adjustable Tractor Alignment
Guide
Front and Rear Quick Release
Gauge Wheels with Memory

Settings
Auto-Connect PTO Shaft
Quick Release Belt Shields
Anti-Scalp Front Skid
Hinged Discharge Chute
Greaseable Spindles
Front Lip Reinforcement

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

7017LV	60D AutoConnect 7-Iron Mid-Mount Side Discharge Mower (MY17 and newer 2032R/2038R, 3R Series, and 3120-3720 Tractors)	2,183.00
--------	---	----------

*For MY2017 and newer 2032R and 2038R OOS Tractors.
For 4310-4410, 3120-3720, and 3033R-3046R Tractors.*

The 60 In. deck is a close fit for the 3R and 3x20 Series Tractor. The right front tire can rub against the spring pin in the top of the right front anti-scalp wheel post if it is in the in-board-most position and the tire is too far to the right. Care must be exercised during installation and removal of the deck.

3000 Twenty Tractors Equipped with PRT Transmission (SN ending in 910000 and above) and 3R Tractors Equipped with a PRT Transmission are NOT compatible with mid-mount mowers.

3120-3720 Tractors Require Mid PTO. Mower Deck is Not Compatible with R3 Turf Special Tires or R1 Tires. See Sales Manual for Tire/Mower Clearance Chart and additional compatibility details.

LVB25820 Front Three-Point/Mid Mount Brackets is Required if Tractor is also equipped with BLV10316, BLV10439 and BLV10452 Front Three-Point Hitch with A-Frame (3033R-3046R and 3x20 Tractors Only) and a Mid-Mount Mower.

For Installation of Mid-Mount Mower on Cab Tractor, Must Order (1) LVA14927, (3) 19M7785, (1) 19M7788, (1) LVA15373 and (1) 34H311 Through Service Parts. See Sales Manual for 4310-4410 Requirements.

DESTINATION

0184	Canada	Same Price
0202	United States	In Base Price
024H	United States Minor Outlying Islands	Same Price
0205	Quebec	Same Price

OPERATOR'S MANUAL

0409	English English North American Operator's Manual and Decal Kit	In Base Price
------	---	---------------

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

**60D AutoConnect 7-Iron Mid-Mount Side Discharge Mower (MY17 and newer
2032R/2038R, 3R Series, and 3120-3720 Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
OPERATOR'S MANUAL Continued...			
0413		French <i>French Canadian Operator's Manual and Decal Kit</i>	Same Price
0437		Spanish <i>Spanish North American Operator's Manual and Decal Kit</i>	Same Price
ATTACHING PARTS			
1004		AutoConnect Mower Lift <i>For 60D and 72D mower decks with SN 060001 and above. For 3033R-3046R and 3120-3720 Tractors.</i> <i>NOT COMPATIBLE with 3120-3720 Tractors equipped with PowrReverser Transmission (PRT) (SN ending in 910000 and above). NOT COMPATIBLE with 3033R-3046R Tractors Equipped with PRT.</i> <i>The Mid Hydraulic Cylinder Lift Kit (included) allows the mower to be raised and lowered independently of the rear implements using the dual selective control valve (SCV) (loader joystick). If you do not wish to use the loader joystick to lift the mower deck, order the Third SCV kit.</i>	1,377.00
1295		Less AutoConnect Mower Lift	In Base Price
1006		AutoConnect Mower Lift <i>For 60D and 72D mower decks. For MY2017 and newer 2032R and 2038R OOS Tractors. Includes all mower attaching parts plus CommandCut Height-of-Cut wiring harness, actuator, rotary dial and raise/lower lever. System must be calibrated after installation to insure accurate cut-heights. Refer to installation instructions for calibration procedure or refer to ServiceADVISOR.</i>	1,734.00
ATTACHMENTS FOR FIELD CONVERSION			
BLV10593		Miscellaneous: AutoConnect Mower Lift Kit with CommandCut <i>For MY '17 and Newer 2032R and 2038R Tractors with 60D and 72D mower decks.</i> <i>Includes all mower attaching parts plus CommandCut Height-of-Cut wiring harness, actuator, rotary dial and raise/lower lever. System must be calibrated after installation to insure accurate cut-heights. Refer to installation instructions for calibration procedure or refer to ServiceAdvisor.</i>	2,053.70
BM23978		Mulch Kits: 60 HC Mulch kit	242.89

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

62D In. OnRamp Mid-Mount Side Discharge Mower (2025R and 2320 Tractors)
Equipment for Base Machine

62 In. Cutting Width
Three Cutting Blades
10 Gauge Stamped Steel Deck
Front and Rear Quick
Release Gauge Wheels with
Memory Settings
PTO Shaft
Quick Release Belt Shields

Anti-Scalp Front Roller
Hinged Discharge Chute
Greaseable Spindles
Front Lip Reinforcement
Less Attaching Parts
Deck Lockup
Mower Wash Port

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
Select One Code From Each Required Category			
BASE MACHINE			
<i>F.O.B. Davenport, Iowa</i>			
0185LV		62D In. OnRamp Mid-Mount Side Discharge Mower (2025R and 2320 Tractors) <i>For 2025R and 2320 Tractors.</i>	2,615.00
DESTINATION			
0230		Australia	Same Price
0184		Canada	Same Price
0195		Mexico	Same Price
0237		New Zealand	Same Price
0202		United States	In Base Price
0205		Quebec	Same Price
OPERATOR'S MANUAL			
0409		English <i>English North American Operator's Manual and Decal Kit</i>	In Base Price
0413		French <i>French Canadian Operator's Manual and Decal Kit</i>	Same Price
0437		Spanish <i>Spanish North American Operator's Manual and Decal Kit</i>	Same Price
0450		Australian Operator's Manual and Decal Kit	Same Price
ATTACHING PARTS			
1995		Less Attaching Parts	In Base Price
1000		Attaching Parts (Mechanical Mower Lift) <i>For Independent Mower Lift, LVB25630 must also be ordered.</i>	371.00

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

62D In. OnRamp Mid-Mount Side Discharge Mower (2025R and 2320 Tractors)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
		Lift Kit:	
	LVB25630	Independent Lift Kit for 2305, 2025R, 2320 Tractors <i>Requires LVB25620 (option code 1001) attaching parts. Requires LVB25631 (independent lift attaching parts). Not available for 2210 tractors.</i>	408.74
	LVB25822	Loader and Mower Mechanical Diverter Valve Kit (2305, 2025R, 2320) <i>Diverter is not compatible with mechanical mower lift system.</i>	421.59
		Miscellaneous:	
	LVB25620	Attaching Parts for MY '16 and Older 2025R, 2320 Tractor (Mechanical Mower Lift)	425.86
	LVB24899	Front Hitch/Mid-Mount Mower Combo Bracket (MY '16 and Older 2025R, MY '16 and Older 2032R, 2320-2720) <i>Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (MY '16 and Older 2025R, MY '16 and Older 2032R, 2320, 2520, 2720, 4115).</i>	132.69
		Mower Decks:	
	AM130907	Mower deck leveling gauge	6.95
		Mulch Kits:	
	BM21890	Mulch kit (62C/62D/62X)	237.54

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

62D In. OnRamp Mid-Mount Side Discharge Mower (MY16 and older 2032R, 2520, and 2720 Tractors)

Equipment for Base Machine

62 In. Cutting Width
Three Cutting Blades
10 Gauge Stamped Steel Deck
Front and Rear Quick
Release Gauge Wheels with
Memory Setting
PTO Shaft
Quick Release Belt Shields

Anti-Scalp Front Roller
Hinged Discharge Chute
Greaseable Spindles
Front Lip Reinforcement
Less Attaching Parts
Mower Wash Port

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0195LV	62D In. OnRamp Mid-Mount Side Discharge Mower (MY16 and older 2032R, 2520, and 2720 Tractors) <i>For MY2016 and older 2032R, 2520, 2720, and 4115 Tractor.</i>	3,050.00
--------	---	----------

DESTINATION

0230	Australia	Same Price
0184	Canada	Same Price
0195	Mexico	Same Price
0237	New Zealand	Same Price
0202	United States	In Base Price
0205	Quebec	Same Price

OPERATOR'S MANUAL

0409	English <i>English North American Operator's Manual and Decal Kit</i>	In Base Price
0413	French <i>French Canadian Operator's Manual and Decal Kit</i>	Same Price
0437	Spanish <i>Spanish North American Operator's Manual and Decal Kit</i>	Same Price
0450	Australian Operator's Manual and Decal Kit	Same Price

ATTACHING PARTS

1995	Less Attaching Parts	In Base Price
1000	Attaching Parts (Mechanical Mower Lift) <i>For Independent Mower Lift (Not Available for 4115), BLV10476 Must be Ordered with Code 1095 (Less Attaching Parts).</i>	410.00

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

62D In. OnRamp Mid-Mount Side Discharge Mower (MY16 and older 2032R, 2520, and 2720 Tractors)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHING PARTS Continued...			
ATTACHMENTS FOR FIELD CONVERSION			
		HYDRAULICS	
BLV10476		Independent Lift Kit for MY '16 and Older 2032R, 2520, 2720 <i>Not Available for 4115 Tractor.</i>	955.90
LVB25823		Loader/Mower Mechanical Diverter Valve Kit (MY '16 and Older 2032R, 2520, 2720)	559.90
		Miscellaneous:	
LVB25902		Attaching Parts for MY '16 and Older 2032R, 2520, 2720, 4115 (Mechanical Mower Lift)	482.90
LVB24899		Front Hitch/Mid-Mount Mower Combo Bracket (MY '16 and Older 2025R, MY '16 and Older 2032R, 2320-2720) <i>Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (MY '16 and Older 2025R, MY '16 and Older 2032R, 2320, 2520, 2720, 4115).</i>	132.69
		Mower Deck and Mower Deck Attachments:	
LVB24962		Mower Height Latch Kit <i>For Use with Mechanical Mower Lift.</i>	165.00
		Mower Decks:	
AM130907		Mower deck leveling gauge	6.95
		Mulch Kits:	
BM21890		Mulch kit (62C/62D/62X)	237.54

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS**

62-in. Shaft Drive Convertible/Edge Xtra Mower Deck (62C/62X)
Equipment for Base Machine

62-in. (157-cm) cutting width Side discharge Edge# Xtra 10-gauge, 0.135-in. (3.4-mm) stamped-steel deck shell Shaft drive Three greaseable blade spindles Mower wash port	Four mower wheels and front center roller Mower wheels rotate 90 degrees for easy mower removal
---	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Janesville, Wisconsin

9072M	62-in. Shaft Drive Convertible/Edge Xtra Mower Deck (62C/62X) <i>For X400/X500 HDGTs (Heavy-Duty Garden Tractors), Model Year 2006-2012 X700 Signature Series, 2210 and 2305 Compact Utility Tractors.</i>	1,700.00
-------	---	----------

DESTINATION

0202	United States and Canada	In Base Price
0230	Australia and New Zealand	Same Price
0195	Mexico	Same Price
0250	All Other Countries	Same Price

ATTACHING PARTS/MOWER DECK LIFT

1000	Attaching Parts for 2305, 2210 (Mechanical Mower Lift)	265.00
1001	Attaching Parts for 2305 (Independent Mower Lift) <i>Independent Lift is not Available on 2210.</i>	487.00
1010	Less Attaching Parts	In Base Price

ATTACHMENTS FOR FIELD CONVERSION

LVB25631	Attaching Parts: Attaching Parts for 2305 (Independent Mower Lift) <i>Requires LVB25630 independent lift kit. Not available for 2210 tractors.</i>	192.60
LVB25419	Attaching Parts for 2305, 2210 (Mechanical Mower Lift)	303.89
LVB25630	Lift Kit: Independent Lift Kit for 2305, 2025R, 2320 Tractors <i>Requires LVB25620 (option code 1001) attaching parts. Requires LVB25631 (independent lift attaching parts). Not available for 2210 tractors.</i>	408.74
LVB25822	Loader and Mower Mechanical Diverter Valve Kit (2305, 2025R, 2320) <i>Diverter is not compatible with mechanical mower lift system.</i>	421.59

Mower Decks:

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS

62-in. Shaft Drive Convertible/Edge Xtra Mower Deck (62C/62X)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	AM130907	Mower deck leveling gauge	6.95
	BM23648	Roller striping kit (X400/X500 HDGT, X700s) <i>Compatible with model year 2004- (SN 040, 001-) 54C, 54X, 62X, and 60-in. (152-cm) 7-Iron Mowers used on X400/X500 HDGT and X700 Ultimate Tractors. See Sales Manual for additional parts requirements on model year 2004-2007 (SN 040,001-100,000) 54C, 54X, 62C and 62X Decks.</i>	286.76
		Mulch Kits:	
	BM21890	Mulch kit (62C/62D/62X)	237.54
		Spanish North American Kit:	
	LVB26020	North American Spanish Labels	0.00
	LVB26015	North American Spanish Operator's Manual	0.00

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

72 In. Mid-Mount Side Discharge Mower (MY16 and older 2032R, 2520, and 2720 Tractors)

Equipment for Base Machine

72 In. Cutting Width
Three Cutting Blades
9 Gauge Stamped Steel Deck
Front and Rear Adjustable
Gauge Wheels
PTO Shaft
Mower Lift: Steel Rods from
Tractor Rockshaft

Quick Release Belt Shields
Spring Loaded Front Gauge Wheels
Anti-Scalp Rollers (3)
Hinged Discharge Chute
Greaseable Spindles
Front Lip Reinforcement
Less Attaching Parts

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	----------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0045LV	72 In. Mid-Mount Side Discharge Mower (MY16 and older 2032R, 2520, and 2720 Tractors) <i>For 2032R, 2520, 2720, and 4115 Tractors</i> <i>Tractors must be equipped with Front Attaching Support Kit. See Sales Manual for Front Attaching Support Requirements.</i> <i>If Tractor is Equipped with Hood Guard, Attaching Support Kit is not Required.</i> <i>2520 Tractors with 200X or 200CX Hood Guard Require Attaching Support Kit.</i>	3,320.00
--------	---	----------

DESTINATION

0230	Australia	Same Price
0184	Canada	Same Price
0195	Mexico	Same Price
0237	New Zealand	Same Price
0202	United States	In Base Price
0205	Quebec	Same Price

OPERATOR'S MANUAL

0409	English <i>English North American Operator's Manual and Decal Kit</i>	In Base Price
0413	French <i>French Canadian Operator's Manual and Decal Kit</i>	Same Price
0437	Spanish <i>Spanish North American Operator's Manual and Decal Kit</i>	Same Price
0450	Australian Operator's Manual and Decal Kit	Same Price

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

72 In. Mid-Mount Side Discharge Mower (MY16 and older 2032R, 2520, and 2720 Tractors)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHING PARTS			
1995		Less Attaching Parts	In Base Price
1003		Attaching Parts	598.00
ATTACHMENTS FOR FIELD CONVERSION			
		Miscellaneous:	
	LVB25263	Attaching Parts	705.10
	LVB25302	Front Attaching Support Kit <i>See Sales Manual for Front Attaching Support Requirements.</i>	62.06
		Mower Deck and Mower Deck Attachments:	
	LVB24962	Mower Height Latch Kit <i>For Use with Mechanical Mower Lift.</i>	165.00

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

72 In. 7-Iron Mid-Mount Side Discharge Mower (4120-4720 Tractors)
Equipment for Base Machine

72 In. Cutting Width	Anti-Scalp Rollers (2)
Three Cutting Blades	Hinged Discharge Chute
7 Gauge Stamped Steel Deck	Greasable Spindles
Front and Rear Adjustable	Front Lip Reinforcement
Gauge Wheels	Less Attaching Parts
Mowerlift: Steel Rods from	Less PTO Shaft
Tractor Rockshaft	Deck Lockup
Removable Belt Shields	
Spring Loaded Front Gauge Wheels	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0046LV	72 In. 7-Iron Mid-Mount Side Discharge Mower (4120-4720 Tractors) <i>For 4120-4720, 4500-4700, and 4510-4710 Tractors</i>	3,220.00
	<i>4000 Twenty Tractors with SN ending in 916000 (OOS) and 946000 (CAB) and above are NOT compatible with Mid-Mount Mowers. Tractors Require Mid PTO.</i>	
	<i>Mower Deck is Not Compatible with R3 Turf Special or R1 Tires, R4 Tires will Rub if Deck is Raised to Full Transport Height. See Sales Manual for Tire/Mower Clearance Chart.</i>	
	<i>4510-4710 Tractors Require LVU14258 Oil Filter when Installing 72 In. Mower to Prevent Contact Between the Oil Filter and Mower Lift System.</i>	
	<i>00 Series and 10 Series Tractors Require (2) M148759 Front Plates for Installation of Mower Deck.</i>	

DESTINATION

0184	Canada	Same Price
0202	United States	In Base Price
0205	Quebec	Same Price

OPERATOR'S MANUAL

0409	English <i>English North American Operator's Manual and Decal Kit</i>	In Base Price
0413	French <i>French Canadian Operator's Manual and Decal Kit</i>	Same Price
0437	Spanish <i>Spanish North American Operator's Manual and Decal Kit</i>	Same Price

ATTACHING PARTS

1995	Less Attaching Parts	In Base Price
------	----------------------	---------------

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

72 In. 7-Iron Mid-Mount Side Discharge Mower (4120-4720 Tractors)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
1003		ATTACHING PARTS Continued... Attaching Parts <i>Includes PTO Shaft.</i>	1,324.00
ATTACHMENTS FOR FIELD CONVERSION			
	LVB25554	Miscellaneous: 7-Iron Deck Attaching Parts and PTO Shaft <i>00 Series and 10 Series Tractors require (2) M148759 Front Plates for Installation of Mower Deck.</i>	1,560.90
	TCB10951	Mower Deck and Mower Deck Attachments: Mulch Kit (72 In. 7-Iron, 7-Iron II and 7-Iron PRO)	331.70

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

**72D AutoConnect 7-Iron Mid-Mount Side Discharge Mower (MY17 and newer
2032R/2038R, 3R Series, and 3120-3720 Tractors)**
Equipment for Base Machine

72 In. Cutting Width
Three Cutting Blades
7 Gauge Stamped Steel Deck
Drive-Over Capability with
Adjustable Tractor Alignment
Guide
Front and Rear Quick Release
Gauge Wheels with Memory

Settings
Auto-Connect PTO Shaft
Quick Release Belt Shields
Anti-Scalp Front Skid
Hinged Discharge Chute
Greaseable Spindles
Front Lip Reinforcement

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

7027LV	72D AutoConnect 7-Iron Mid-Mount Side Discharge Mower (MY17 and newer 2032R/2038R, 3R Series, and 3120-3720 Tractors) <i>For MY2017 and newer 2032R and 2038R OOS Tractors. For 4310-4410, 3120-3720, and 3033R-3046R Tractors</i>	2,892.00
	<i>3000 Twenty Tractors Equipped with PRT Transmission (SN ending in 910000 and above) and 3R Tractors Equipped with a PRT Transmission are NOT compatible with mid-mount mowers.</i>	
	<i>3120-3720 Tractors Require Mid PTO. Mower Deck is Not Compatible with R3 Turf Special Tires or R1 Tires. See Sales Manual for Tire/Mower Clearance Chart and additional compatibility details.</i>	
	<i>LVB25820 Front Three-Point/Mid Mount Brackets is Required if Tractor is also equipped with BLV10316, BLV10439 and BLV10452 Front Three-Point Hitch with A-Frame (3033R-3046R and 3x20 Tractors Only) and a Mid-Mount Mower.</i>	
	<i>For Installation of Mid-Mount Mower on Cab Tractor, Must Order (1) LVA14927, (3) 19M7785, (1) 19M7788, (1) LVA15373 and (1) 34H311 Through Service Parts. See Sales Manual for 4310-4410 Requirements.</i>	

DESTINATION

0184	Canada	Same Price
0202	United States	In Base Price
024H	United States Minor Outlying Islands	Same Price
0205	Quebec	Same Price

OPERATOR'S MANUAL

0409	English <i>English North American Operator's Manual and Decal Kit</i>	In Base Price
0413	French <i>French Canadian Operator's Manual and Decal Kit</i>	Same Price
0437	Spanish	Same Price

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

**72D AutoConnect 7-Iron Mid-Mount Side Discharge Mower (MY17 and newer
2032R/2038R, 3R Series, and 3120-3720 Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
OPERATOR'S MANUAL Continued...			
<i>Spanish North American Operator's Manual and Decal Kit</i>			
ATTACHING PARTS			
1004		AutoConnect Mower Lift <i>For 60D and 72D mower decks with SN 060001 and above. For 3033R-3046R and 3120-3720 Tractors.</i> <i>NOT COMPATIBLE with 3120-3720 Tractors equipped with PowrReverser Transmission (PRT) (SN ending in 910000 and above). NOT COMPATIBLE with 3033R-3046R Tractors Equipped with PRT.</i> <i>The Mid Hydraulic Cylinder Lift Kit (included) allows the mower to be raised and lowered independently of the rear implements using the dual selective control valve (SCV) (loader joystick). If you do not wish to use the loader joystick to lift the mower deck, order the Third SCV kit.</i>	1,377.00
1295		Less AutoConnect Mower Lift	In Base Price
1006		AutoConnect Mower Lift <i>For 60D and 72D mower decks. For MY2017 and newer 2032R and 2038R OOS Tractors. Includes all mower attaching parts plus CommandCut Height-of-Cut wiring harness, actuator, rotary dial and raise/lower lever. System must be calibrated after installation to insure accurate cut-heights. Refer to installation instructions for calibration procedure or refer to ServiceADVISOR.</i>	1,734.00
ATTACHMENTS FOR FIELD CONVERSION			
		Miscellaneous:	
BLV10593		AutoConnect Mower Lift Kit with CommandCut <i>For MY '17 and Newer 2032R and 2038R Tractors with 60D and 72D mower decks.</i> <i>Includes all mower attaching parts plus CommandCut Height-of-Cut wiring harness, actuator, rotary dial and raise/lower lever. System must be calibrated after installation to insure accurate cut-heights. Refer to installation instructions for calibration procedure or refer to ServiceAdvisor.</i>	2,053.70
		Mower Deck and Mower Deck Attachments:	
TCB10951		Mulch Kit (72 In. 7-Iron, 7-Iron II and 7-Iron PRO) <i>For use on AutoConnect 72D mower decks installed on MY '17 and Newer 2032R and 2038R tractors.</i>	331.70

JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR COMPACT UTILITY TRACTORS

3-Bag Power Flow System Equipment for Base Machine

14 Bushel Capacity
Polyethylene Hopper Top
3 Polyester Bags
Attaching Parts
Chute

Less Power Flow

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

140LGX	3-Bag Power Flow System <i>For 1023E, 1025R, 1026R, 2305, 2025R, MY2016 and Older 2032R, 2320, 2520, 2720, 2210 and 4115.</i>	1,534.00
<i>Tractors Require a High Performance Power Flow Kit for the Appropriate Mower Deck Which Must be Ordered Separately. Tractors Using OnRamp Mower Decks also Require Appropriate OnRamp Belt Cover Kit. Not Compatible with 72-Inch Decks. I Series tractors also require a hitch plate that must be ordered separately. (5) R66949 Quik-Tatch Weights are Recommended for Proper Ballast.</i>		

DESTINATION

0230	Australia	Same Price
0184	Canada	Same Price
024A	Christmas Island	Same Price
024B	Heard Island and McDonald Islands	Same Price
0079	Japan	Same Price
0195	Mexico	Same Price
0237	New Zealand	Same Price
0202	United States	In Base Price
024H	United States Minor Outlying Islands	Same Price
0205	Quebec	Same Price

OPERATOR'S MANUAL

0409	English <i>English North American Operator's Manual and Decal Kit</i>	In Base Price
0413	French <i>French Canadian Operator's Manual and Decal Kit</i>	Same Price
0437	Spanish	Same Price

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

3-Bag Power Flow System

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		OPERATOR'S MANUAL Continued... <i>Spanish North American Operator's Manual and Decal Kit</i>	
0450		Australian Operator's Manual and Decal Kit	Same Price
		ATTACHMENTS FOR FIELD CONVERSION	
		Material Collection System Power Flow Blowers:	
BM22697		54C/54X/54D High-Performance Blower Assembly (X300/X500 M-T/X700, 1023E, 1025R, 1026R, 2305, MY '16 and Older 2025R, 2320, 2210 and 4115)	541.41
BM24514		60 In. High Performance Power Flow (For use with 60D and 7-Iron Mower Decks X700, 1023E, 1025R and 1026R) <i>Not compatible with Cabs.</i>	719.04
BM21496		62 In. High Performance Power Flow (For Use with 62C or 62D Mower Decks X700, 2305, MY '16 and Older 2025R, MY '16 and Older 2032R, 2320, 2520, 2720, 2210 and 4115)	541.41
		Miscellaneous:	
LVB24947		54D OnRamp Belt Cover Kit (MY '16 and Older 2025R, MY '16 and Older 2032R, 2320, 2520, 2720) <i>Required for Use with 54D OnRamp Mower Deck.</i>	57.79
LVB24948		62D OnRamp Belt Cover Kit (MY '16 and Older 2025R, MY '16 and Older 2032R, 2320, 2520, 2720) <i>Required for Use with 62D OnRamp Mower Deck.</i>	80.26
BLV10028		Hitch Plate for 3 Bag MCS on 54D and 60D (1023E, 1025R, 1026R) <i>Required for Use with 54D and 60D mower decks.</i>	54.57
LVB24957		Small Chasis MCS Chute (1023E, 1025R, 1026R, 2305, MY '16 and Older 2025R, MY '16 and Older 2032R, 2320, 2520, 2720, 2210 and 4115)	269.64
		Weights:	
R66949		Quik-Tatch Weight, 42 Lb. <i>When Installed on 1023E, 1025R, 1026R, 2305, MY '16 and Older 2025R, MY '16 and Older 2032R, 2320, 2520, 2720, 2210, or 4115 Tractors, (1) M128726 Rod and (4) A15147 Spring Clips are Required.</i>	59.91

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

52 in. Quick-Hitch Rotary Broom
Equipment for Base Machine

52 In. Clearing Width "Straight"	Caster Wheels
48 In. Clearing Width "Angled"	Brush Head Height Adjustment
Storage Stands	Three Spare Driveshaft Shear
21 In. Diameter Polypropylene Brush	Bolts "Mounted to Shell"
Gearbox with 3:1 Reduction	Less Front Quick-Hitch
Heavy Duty No. 50 Chain Drive	Less Hydraulic Angling
(2) Adjustable Rear Mounting	Less Front PTO
	Less Implement Drive Shaft

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

3880M	52 in. Quick-Hitch Rotary Broom <i>For X400/X500 Heavy Duty Garden Tractors, X700's, 1023E, 1025R, 1026R, 2210, 2305, 2025R, Model Year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115 Tractors. BM20761 Hydraulic Coupler Kit Required on X465, X475, X700, and X710 Tractors. Not Compatible with BM17347, 425-455 Quick-Hitch Updated for Use on X400/X500 HDGT's and X700's with BM20979 Front-Hitch Angling Retro-Fit Kit. Compact Tractors Require Dual Selective Control Valve and Front Attaching Support Kit. See Sales Manual for Front Attaching Support Requirements.</i>	2,185.00
-------	---	----------

FRONT QUICK-HITCH

1000	Front Quick-Hitch and Hydraulic Lift <i>For X400/X500 Heavy Duty Garden Tractors, and X700's.</i>	615.00
1001	Front Quick-Hitch and Hydraulic Lift <i>For 1023E, 1025R, and 1026R. Requires BLV10160, Front Attaching Support.</i>	716.00
1005	Front Quick-Hitch and Hydraulic Lift <i>For 2210 and 2305</i>	656.00
1006	Front Quick-Hitch and Hydraulic Lift <i>For 2025R, Model Year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115</i>	716.00
1010	Less Front Quick-Hitch	In Base Price

HYDRAULIC ANGLING

2000	Hydraulic Angling <i>For X400/X500 Heavy Duty Garden Tractors, X700's, and X950R.</i>	190.00
2001	Hydraulic Angling <i>For 1023E, 1025R, and 1026R.</i>	191.00
2005	Hydraulic Angling <i>For 2210 and 2305.</i>	191.00
2006	Hydraulic Angling	198.00

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

52 in. Quick-Hitch Rotary Broom

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
HYDRAULIC ANGLING Continued...			
<i>For 2025R, Model Year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115.</i>			
2010		Less Hydraulic Angling	In Base Price
FRONT POWER TAKE-OFF (PTO)			
3003		2000 RPM Front PTO <i>For 4100 and 4110.</i>	259.00
3004		2000 RPM Front PTO <i>For 4010 and 4115.</i>	259.00
3005		2000 RPM Front PTO <i>For 2210 and 2305.</i>	281.00
3006		2000 RPM Front PTO <i>For 2025R and 2320.</i>	258.00
3007		2000 RPM Front PTO <i>For Model Year 2013-2016 2032R, 2520, and 2720.</i>	267.00
3009		2000 RPM Front PTO <i>For 1023E, 1025R, and 1026R with RIO. Serial numbers starting: 1023E - 1LV1023ETCH210309 1026R - 1LV1026RHCH210658 1026R Tractor Loader Backhoe - 1LV1026RECH210659 Fits all 1025R Tractors</i>	335.00
3010		Less 2000 RPM Front PTO	In Base Price
3014		2-Wheel Drive 2000 RPM Front PTO <i>For X400 Heavy Duty Garden Tractors, X700, X720, X724, X740, X744, X710, X730, X734, X750, and X754.</i>	335.00
3015		4-Wheel Drive 2000 RPM Front PTO <i>For X500 Heavy Duty Garden Tractors, X728, X729, X748, X749, X738, X739, and X758.</i>	335.00
IMPLEMENT DRIVE SHAFT			
4000		Implement Drive Shaft <i>For 1023E, 1025R, 1026R, 2210, and 2305.</i>	250.00
4002		Implement Drive Shaft <i>For 2025R, Model Year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115.</i>	263.00
4004		Implement Drive Shaft <i>For X400/X500 Heavy Duty Garden Tractors and X700's.</i>	250.00
4010		Less Implement Drive Shaft	In Base Price
ATTACHMENTS FOR FIELD CONVERSION			
BLV10159		Front Hitch: Front Quick Hitch and Hydraulic Lift (1023E, 1025R, 1026R)	820.69

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

52 in. Quick-Hitch Rotary Broom

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM20921	Front Quick-Hitch and Hydraulic Lift (2305) <i>Fits also 2210 Tractors (for 47SB only).</i>	751.14
	LVB24898	Front Quick-Hitch and Hydraulic Lift (MY '16 and Older 2025R, MY '16 and Older 2032R, 2320 - 2720) <i>Fits also 4010, 4100, 4110 and 4115 Tractors for 47SB only.</i>	820.69
	BM26236	Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's) <i>BM25609 Hydraulic Angling Recommended.</i>	706.20
	BM25304	Front PTO: 2-Wheel Drive 2000 RPM Front PTO (X400 HDGT's, X700, X720, X724, X740, X744, X710, X730, X734, X750, X754) <i>BM25304 must be used with BM25772 implement drive and upstop for snow blowers, or BM25775 implement drive shaft for rotary brooms. BM25772 is available as an attachment through parts, 47-in. Snow Blower (1474M) option code 4013, and 54-in. Snow Blower (02C1M) option code 4013. BM25775 is available as an attachment through parts, 52-in. Rotary Broom (3880M) option code 4004, and 60-in. Broom (3790M) option code 5004.</i>	385.20
	BLV10166	2000 RPM Front PTO (1023E, 1025R, 1026R) <i>Includes RIO override for front implements.</i>	385.20
	LVB25966	2000 RPM Front PTO (2210, 2305)	323.14
	BM18695	2000 RPM Front PTO (4100, 4110)	297.46
	LVB24900	2000 RPM Front PTO (MY '16 and Older 2025R, 2320)	297.46
	BLV10475	2000 RPM Front PTO (MY '16 and Older 2032R, 2520-2720, 3120-3720, 3033R-3046R) <i>Includes RIO override for front implements.</i>	306.01
	LVB25305	2000 RPM Front PTO Kit (4010, 4115)	297.46
	BM25305	4-Wheel Drive 2000 RPM Front PTO (X500 HDGT's, X728, X729, X748, X749, X738, X739, X758)	385.20
	BM20978	Front PTO Shield <i>For BM20382 (4WD) 2000 RPM Front PTO when used on X595 or X748. Required to Meet Homologation Standards. Not Required for CE.</i>	142.31
	BM20966	Front PTO Shield Kit <i>For BM20991 (2WD) 2000 RPM Front PTO when used on X495 or X740. Required to Meet Homologation Standards. Not Required for CE.</i>	105.93
		HYDRAULICS	
	LVB26108	Hydraulic Angling (1023E, 1025R, 1026R)	219.36
	LVB24901	Hydraulic Angling (2025R, MY '16 and Older 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	226.84
	BM25609	Hydraulic Angling (X400/X500 HDGT's, X700's)	217.21
	BM20922	Hydraulic Angling Kit (2210, 2305)	219.36
	BM20761	Hydraulic Coupler Kit <i>Required on X700, X465, X475 and 425 Tractors.</i>	56.71

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

52 in. Quick-Hitch Rotary Broom

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Miscellaneous:	
BM20714		Click-N-Go Bracket (X400/X500 HDGT's, X700's)	116.63
BM21777		Deflector Kit for 52 Broom	62.06
LVB25302		Front Attaching Support Kit <i>For 2520, 2720, 4100, 4110, 4115 Tractors. See Sales Manual for Front Attaching Support Requirements.</i>	62.06
BLV10160		Front Attaching Support Kit (1023E, 1025R, 1026R) <i>See Sales Manual for Front Attaching Support Requirements.</i>	86.67
LVB24895		Front Attaching Support Kit (2025R, 2320) <i>See Sales Manual for Front Attaching Support Requirements.</i>	88.81
LVB25396		Front Attaching Support Kit (2305) <i>See Sales Manual for Front Attaching Support Requirements. Fits also 2210 Tractors (for 47SB only.) See Sales Manual for Front Attaching Support Requirements.</i>	60.99
LVB24899		Front Hitch/Mid-Mount Mower Combo Bracket (MY '16 and Older 2025R, MY '16 and Older 2032R, 2320-2720) <i>Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (2025R, 2032R, 2320, 2520, 2720, 4115).</i>	132.69
BM20753		Front Light Kit <i>For X400/X500 HDGT and X700 Series Garden Tractors.</i>	211.86
BM20836		Implement Drive Shaft (2025R, MY '16 and Older 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	301.74
BM21854		Implement Drive Shaft for Rotary Brooms (425-455, 1023E, 1025R, 1026R, 2210, 2305)	286.76
BM25775		Implement Drive Shaft for Rotary Brooms (X400/X500 HDGT's, X700's)	286.76
BM21853		Thatching Wheel Kit for 52 Broom	268.57
BM22725		Wheel Spacer Kit <i>For all Wheel Steer Tractors when Installing TY15956 Chains.</i>	163.71
		Seats / Wheels / Tires:	
TY15958		Tire Chains (Pair) for 26x12-12 Tires	97.67
TY25326		Tire Chains for 26x10.50-12 Turf Drive Tires <i>For X400 All Wheel Steer Tractors with Standard 26x10.5-12 In Tires. For all Wheel Steer Tractors.</i>	89.40
		Weights:	
BM20715		Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	288.90
R66949		Quik-Tatch Weight, 42 Lb.	59.91
BM20779		Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	159.43

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

60 In. Heavy-Duty Quick-Hitch Rotary Broom
Equipment for Base Machine

57 In. Clearing Width "Straight"	Broom Head Float
50 In. Clearing Width "Angled"	Four Spare Driveshaft Shear
Storage Stands	Bolts Two Sizes, "Mounted to
26 In. Diameter Polypropylene	Shell"
Brush	Less Mounting Frame
Gearbox with 3:1 Reduction	Less Front Quick-Hitch
Chain and Sprocket Final Drive	Less Front PTO
(2) Adjustable Rear Mounted	Less Implement Drive Shaft
Caster Wheels	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

3790M	60 In. Heavy-Duty Quick-Hitch Rotary Broom <i>For X400/X500 Heavy Duty Garden Tractors, X700's, 1023E, 1025R, 1026R, 2305, 2025R, 2032R, 2320, 2520, 2720, 3120-3720, 3033R-3046R, 2210, and 4010 Thru 4400-4410 Tractors.</i> <i>For X400/X500 Heavy Duty Garden Tractors, X700's, 1023E, 1025R, 1026R, 2305, 2025R, 2032R, 2038R, 2320, 2520, 2720, 3120-3720, 3033R-3046R, 2210, and 4010 Thru 4400-4410 Tractors.</i> <i>BM20761 Hydraulic Coupler Kit Required on X465, X475, X700, and X710 Tractors.</i> <i>See Sales Manual for Ballast Requirements.</i> <i>Not Compatible with BM17347, 400 Series Quick Hitch.</i> <i>Compact Tractors Require Dual Selective Control Valve and Mid PTO.</i> <i>Small Chassis Compact Tractors also Require Front Attaching Support Kit. See Sales Manual for Front Attaching Support Requirements.</i> <i>3120-3720 Tractors with Mid-Mount Mowers for use with Front Three-Point Hitch with A-Frame require LVB25820 (AutoConnect decks) or LVB24810 (old 7-Iron decks).</i>	3,345.00
-------	---	----------

MOUNTING FRAME

1000	Mounting Frame <i>For X400/X500 Heavy Duty Garden Tractors, X700's, 1023E, 1025R, 1026R, 2210, 2305, 2025R, Model Year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115.</i>	392.00
1001	Mounting Frame with Drive Shaft and Hydraulic Angling (4200-4400 and 4210-4410) <i>Option Code no longer available. Order the following pieces from parts: AM127788, M140171, M40461, M144432, 19H2458, R50647, R121660, M140170, M140169, AM128694, AM127787, M140165, AM128696, AM128695, AM124726 and AM124747.</i>	1,182.00
1002	Mounting Frame with Drive Shaft and Hydraulic Angling <i>For 3033R-3046R, and 3120-3720.</i>	829.00
1003	Mounting Frame with Drive Shaft and Hydraulic Angling <i>For Model Year 2017- 2032R and 2038R.</i>	913.00
1010	Less Mounting Frame	In Base Price

FRONT QUICK-HITCH

2000	Front Quick-Hitch and Hydraulic Lift <i>For X400/X500 Heavy Duty Garden Tractors and X700's.</i>	616.00
------	---	--------

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

60 In. Heavy-Duty Quick-Hitch Rotary Broom
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
2002		FRONT QUICK-HITCH Continued... Front Quick-Hitch and Hydraulic Lift <i>For 4210-4410.</i>	755.00
2004		Front Quick-Hitch and Hydraulic Lift <i>For 2210 and 2305.</i>	655.00
2005		Front Quick-Hitch and Hydraulic Lift <i>For 2025R, Model Year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115.</i>	716.00
2006		Front Three-Point Hitch with A-Frame Quick Attach System <i>For 3120-3720.</i>	1,439.00
2007		Front Quick-Hitch and Hydraulic Lift <i>For 1023E, 1025R, and 1026R.</i>	716.00
2008		Front Three-Point Hitch with A-Frame Quick Attach System <i>For 3120-3720, and 3033R-3046R.</i>	1,439.00
2010		Less Front Quick-Hitch and Hydraulic Lift	In Base Price
2009		Front Three-Point Hitch with A-Frame Quick Attach System <i>For Model Year 2017- 2032R and 2038R.</i>	1,544.00

HYDRAULIC ANGLING

*Hydraulic Angling for 3120-3720, 4200-4400 and 4210-4410 Tractors are Included in Code 1001/1002.
Hydraulic Angling for 3120-3720, Model Year 2017- 2032R, Model Year 2017- 2038R, 4200-4400, and 4210-4410 Tractors are Included in Option Codes 1001, 1002, and 1003.*

3000		Hydraulic Angling <i>For X400/X500 Heavy Duty Garden Tractors and X700's.</i>	190.00
3002		Hydraulic Angling Kit <i>For 2210 and 2305.</i>	191.00
3003		Hydraulic Angling <i>For 2025R, Model Year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115.</i>	198.00
3004		Hydraulic Angling <i>For 1023E, 1025R, and 1026R.</i>	191.00
3010		Less Hydraulic Angling	In Base Price

FRONT POWER TAKE-OFF (PTO)

4002		2000 RPM Front PTO Kit <i>For 4100 and 4110.</i>	259.00
4003		2000 RPM Front PTO Kit <i>For 4010 and 4115.</i>	259.00
4004		2000 RPM Front PTO Kit <i>For 4200-4400 and 4210-4410.</i>	220.00
4005		2000 RPM Front PTO Kit <i>For 2210 and 2305.</i>	281.00

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

60 In. Heavy-Duty Quick-Hitch Rotary Broom
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
FRONT POWER TAKE-OFF (PTO) Continued...			
4006		2000 RPM Front PTO Kit <i>For 2025R and 2320.</i>	258.00
4007		2000 RPM Front PTO Kit <i>For Model Year 2013-2016 2032R, 2520, 2720, 3033R-3046R, and 3120-3720.</i>	267.00
4009		2000 RPM Front PTO <i>For 1023E, 1025R, and 1026R with RIO. Serial numbers starting:</i> <i>1023E - 1LV1023ETCH210309</i> <i>1026R - 1LV1026RHCH210658</i> <i>1026R Tractor Loader Backhoe - 1LV1026RECH210659</i> <i>Fits all 1025R Tractors</i>	335.00
4010		Less 2000 RPM Front PTO Kit	In Base Price
4014		2-Wheel Drive 2000 RPM Front PTO <i>For X400 Heavy Duty Garden Tractors, X700, X720, X724, X740, X744, X710, X730, X734, X750, and X754.</i>	335.00
4015		4-Wheel Drive 2000 RPM Front PTO <i>For X500 Heavy Duty Garden Tractors, X728, X729, X748, X749, X738, X739, and X758.</i>	335.00
4012		2000 RPM Front PTO Kit <i>For Model Year 2017- 2032R and 2038R.</i>	292.00
IMPLEMENT DRIVE SHAFT			
<i>Drive Shaft for 3120-3720, 4200-4400 and 4210-4410 Tractors are Included in Code 1001/1002.</i> <i>Drive Shaft for Model Year 2017- 2032R, Model Year 20138R, 3120-3720, 4200-4400 and 4210-4410 Tractors are Included in Option Codes 1001, 1002, and 1003.</i>			
5001		Implement Drive Shaft <i>For 2025R, Model Year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115.</i>	263.00
5003		Implement Drive Shaft <i>For 1023E, 1025R, 1026R, 2210, and 2305.</i>	250.00
5004		Implement Drive Shaft <i>For X400/X500 Heavy Duty Garden Tractors and X700's.</i>	250.00
5010		Less Implement Drive Shaft	In Base Price
ATTACHMENTS FOR FIELD CONVERSION			
		Front Hitch:	
BLV10316		A-Frame Quick Attach System (3033R-3046R and 3120-3720 Tractors)	203.30
BLV10637		A-Frame Quick Attach System (MY '17 and newer 2032R and 2038R Tractors)	209.00
BLV10634		Auxiliary Front Hydraulic Coupler Kit (MY '17 and newer 2032R and 2038R Tractors)	92.40
BLV10159		Front Quick Hitch and Hydraulic Lift (1023E, 1025R, 1026R)	820.69

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

60 In. Heavy-Duty Quick-Hitch Rotary Broom
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM20921	Front Quick-Hitch and Hydraulic Lift (2305) <i>Fits also 2210 Tractors (for 47SB only).</i>	751.14
	LVB25306	Front Quick-Hitch and Hydraulic Lift (4210-4410)	865.63
	LVB24898	Front Quick-Hitch and Hydraulic Lift (MY '16 and Older 2025R, MY '16 and Older 2032R, 2320 - 2720) <i>Fits also 4010, 4100, 4110 and 4115 Tractors for 47SB only.</i>	820.69
	BM26236	Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's) <i>BM25609 Hydraulic Angling Recommended.</i>	706.20
	BLV10439	Front Three-Point Hitch (3033R-3046R)	1,353.00
	LVB25878	Front Three-Point Hitch (3120-3720)	1,311.81
	BLV10631	Front Three-Point Hitch (MY '17 and newer 2032R and 2038R Tractors)	1,353.00
	BLV10638	Hydraulic Accumulator Kit for Front Three-Point Hitch (MY '17 and newer 2032R and 2038R Tractors)	123.20
	BM25304	Front PTO: 2-Wheel Drive 2000 RPM Front PTO (X400 HDGT's, X700, X720, X724, X740, X744, X710, X730, X734, X750, X754) <i>BM25304 must be used with BM25772 implement drive and upstop for snow blowers, or BM25775 implement drive shaft for rotary brooms. BM25772 is available as an attachment through parts, 47-in. Snow Blower (1474M) option code 4013, and 54-in. Snow Blower (02C1M) option code 4013. BM25775 is available as an attachment through parts, 52-in. Rotary Broom (3880M) option code 4004, and 60-in. Broom (3790M) option code 5004.</i>	385.20
	BLV10166	2000 RPM Front PTO (1023E, 1025R, 1026R) <i>Includes RIO override for front implements.</i>	385.20
	LVB25966	2000 RPM Front PTO (2210, 2305)	323.14
	BM18695	2000 RPM Front PTO (4100, 4110)	297.46
	BM19576	2000 RPM Front PTO (4200-4400, 4210-4410)	296.39
	LVB24900	2000 RPM Front PTO (MY '16 and Older 2025R, 2320)	297.46
	BLV10475	2000 RPM Front PTO (MY '16 and Older 2032R, 2520-2720, 3120-3720, 3033R-3046R) <i>Includes RIO override for front implements.</i>	306.01
	BLV10633	2000 RPM Front PTO (MY '17 and newer 2032R and 2038R Tractors)	313.50
	LVB25305	2000 RPM Front PTO Kit (4010, 4115)	297.46
	BM25305	4-Wheel Drive 2000 RPM Front PTO (X500 HDGT's, X728, X729, X748, X749, X738, X739, X758)	385.20
	BLV10452	Front PTO Bracket (3033R-3046R)	92.40
	LVB25759	Front PTO Bracket (3120-3720)	89.89

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

60 In. Heavy-Duty Quick-Hitch Rotary Broom
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		HYDRAULICS	
LVB26108		Hydraulic Angling (1023E, 1025R, 1026R)	219.36
LVB24901		Hydraulic Angling (2025R, MY '16 and Older 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	226.84
BM25609		Hydraulic Angling (X400/X500 HDGT's, X700's)	217.21
BM20922		Hydraulic Angling Kit (2210, 2305)	219.36
BM20761		Hydraulic Coupler Kit <i>Required on X700, X465, X475 and 425 Tractors.</i>	56.71
BM20706		Miscellaneous: 19.25x12.5x6.5 Heavy Duty Wheel Kit	361.66
BM20714		Click-N-Go Bracket (X400/X500 HDGT's, X700's)	116.63
BM19805		Debris Deflector	417.30
LVB25302		Front Attaching Support Kit <i>For 2520, 2720, 4100, 4110, 4115 Tractors. See Sales Manual for Front Attaching Support Requirements.</i>	62.06
BLV10160		Front Attaching Support Kit (1023E, 1025R, 1026R) <i>See Sales Manual for Front Attaching Support Requirements.</i>	86.67
LVB24895		Front Attaching Support Kit (2025R, 2320) <i>See Sales Manual for Front Attaching Support Requirements.</i>	88.81
LVB25396		Front Attaching Support Kit (2305) <i>See Sales Manual for Front Attaching Support Requirements.</i> <i>Fits also 2210 Tractors (for 47SB only.) See Sales Manual for Front Attaching Support Requirements.</i>	60.99
LVB24899		Front Hitch/Mid-Mount Mower Combo Bracket (MY '16 and Older 2025R, MY '16 and Older 2032R, 2320-2720) <i>Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (2025R, 2032R, 2320, 2520, 2720, 4115).</i>	132.69
BM20753		Front Light Kit <i>For X400/X500 HDGT and X700 Series Garden Tractors.</i>	211.86
LVB25820		Front Three-Point Hitch/Mid Mount Mower Compatability Brackets <i>Required for use with BLV10316, BLV10439 and BLV10452 Front Three-Point Hitch with A-Frame (3120-3720 and 3033R-3046R Tractors Only) and AutoConenct Mowers.</i>	173.80
LVB24810		Front Three-Point Hitch/Mid Mount Mower Draft Arms	237.54
BM20836		Implement Drive Shaft (2025R, MY '16 and Older 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	301.74
LVB24956		Implement Drive Shaft (3120-3720, 3033R-3046R)	174.41
BM21854		Implement Drive Shaft for Rotary Brooms (425-455, 1023E, 1025R, 1026R, 2210, 2305)	286.76

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

60 In. Heavy-Duty Quick-Hitch Rotary Broom
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BLV10800	Implement Drive Shaft for Rotary Brooms (MY '17 and newer 2032R and 2038R Tractors)	224.70
	BM25775	Implement Drive Shaft for Rotary Brooms (X400/X500 HDGT's, X700's)	286.76
	BM20626	Mounting Frame (X400/X500 HDGT's, X700's, 1023E, 1025R, 1026R, 2210, 2305, 2025R, MY '16 and Older 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	449.40
	LVB25879	Mounting Frame and Hydraulic Angling (3120-3720, 3033R-3046R)	776.81
	BLV10776	Mounting Frame and Hydraulic Angling (MY '17 and newer 2032R and 2038R Tractors)	754.36
	BM19804	Mounting Frame with Drive Shaft and Hydraulic Angling (4200-4400, 4210-4410) <i>Option Code no longer available. Order the following pieces from parts: AM127788, M140171, M40461, M144432, 19H2458, R50647, R121660, M140170, M140169, AM128694, AM127787, M140165, AM128696, AM128695, AM124746 and AM124747.</i>	1,355.69
	AM128682	Wafers, Polypropylene Bristle (Pack of 16)	278.54
	AM128683	Wafers, Steel Bristle (Pack of 16)	477.48
		Weights:	
	BM17972	50 Lb. Cast Iron Wheel Weight (1)	133.76
	BM17976	50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
	BM17973	72 Lb. Cast Iron Starter Wheel Weight (1)	187.26
	BM17987	Attaching Hardware for Rear Wheel Weight, 60 Lb.	16.50
	BM20715	Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	288.90
	BM18101	Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire	29.96
	BM18089	Mounting Hardware (1) for Attaching 72 Lb. Starter Weight on 26x12-12 Tire	23.54
	BM17977	Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 In., 24 In. or 26 In. Tire <i>Two Wheel Steer only.</i>	21.40
	BM18094	Mounting Hardware (1), for Attaching 1 Wheel Weight. 4-Wheel Steer Only.	23.54
	R66949	Quik-Tatch Weight, 42 Lb.	59.91
	BM20779	Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	159.43
	BM17965	Rear Wheel Weight, 60 Lb. <i>Starter and Additional Weight for 15, 16, 16.5 and 17.5-Inch Wheel. Requires BM17987.</i>	140.80
	BM17964	Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.)	103.79
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

60 In. Heavy-Duty Quick-Hitch Rotary Broom
Continued

JOHN DEERE TURF & UTILITY PRODUCTS

EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

647 Rotary Tiller

Equipment for Base Machine

48 In. Tilling Width	6 Hybrid Tines per Flange
540 PTO Shaft Drive with	6 Flanges - Total of 36 Tines
"Quick Lock" Collar	4 Position Adjustable Skidshoes
Pre-set Slip Clutch	ASA 60 Roller Chain
15-35 PTO HP Rated Main Gearbox	Parking Stands
Breather on Gearbox and Chain Case	Adjustable Rear Hinged Cover
Dipstick on Gearbox	Door
Sight Glass on Chain Case	Center Mounted Cat 1 Hitch
7 In. Tilling Depth	iMatch & Alpha Compatible
14 In. Rotor Diameter	3-Point Hitch
	Drive Shaft (CUT Tractors)

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0206LV	647 Rotary Tiller <i>For X400/X500 HDGT, X700 Series, 3005, 4005, 1023E, 1025R, 1026R, 3025E, 3032E, 3038E, 2210, 4010, 4100, 4110, 4115, 2305, 2025R, 2032R, 2038R, 2320-2720, 3203, 3033R-3039R, 3120-3720, and 4105 Tractors.</i> <i>X400/X500HDGT and X700 Series Tractors Must be Equipped with 540 RPM Rear PTO Drive and Category 1 3-Point Hitch.</i> <i>FrontBallast is Required, See Sales Manual for Specific Requirements.</i> <i>If Ordering Tiller for Use with iMatch AutoHitch, Order Code 1995 (Less Drive Shaft) as the AutoHitch Implement Side Components are Used in Place of the Tiller Drive Shaft.</i>	2,592.00
--------	--	----------

DESTINATION

0184	Canada	Same Price
0202	United States	In Base Price
0205	Quebec	Same Price

OPERATOR'S MANUAL

0409	English North American Operator's Manual and Decal Kit	In Base Price
0413	French Canadian Operator's Manual and Decal Kit	Same Price
0437	Spanish North American Operator's Manual and Decal Kit	Same Price

DRIVE SHAFT

1000	Drive Shaft	In Base Price
1001	Drive Shaft for X400/X500 HDGT and X700 Series Tractors <i>X400/X500 HDGT and X700 Series Tractors equipped with iMatch hitch should order option code 1000 Drive Shaft for Compact Utility Tractors.</i>	32.00
1995	Less Drive Shaft	-328.00

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

647 Rotary Tiller
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
DRIVE SHAFT Continued...			
BRACKETS			
2000		Brackets for Compact Utility Tractors	In Base Price
2001		Brackets for X400/X500 HDGT and X700 Series Tractors	Same Price
2995		Less Brackets	-146.00
ATTACHMENTS FOR FIELD CONVERSION			
		AutoHitch Implement Side Components - Tillers:	
LVB25621		AutoHitch Implement Components for John Deere 647 <i>LVB24978 AutoHitch Retrofit Kit is Required for Proper Installation on 647 Tillers With Serial Numbers Prior to LV0647B010001.</i>	236.50
LVB24978		AutoHitch Retrofit Kit (647 Tiller) <i>Required for Proper Installation on 647 Tillers With Serial Numbers Prior to LV0647B010001.</i>	137.50
LVB25675		iMatch AutoHitch PTO Coupler	561.00
		Miscellaneous:	
BM21914		540 RPM Rear PTO Drive (X400/X500 HDGTs, X700's -June 2010 production) <i>Also order AM120840 Module for MY2005 and older X400 or X500 HDGTs.</i>	990.81
LVB25769		Brackets for Compact Utility Tractors	166.91
LVB25770		Brackets for X400/X500 HDGT and X700 Series Tractors	166.91
LVB25518		Drive Shaft Kit (CUTS)	375.57
LVB25545		Drive Shaft Kit (X400/X500 HDGT's, X700's)	411.96
		Weights:	
BM20957		9-Weight Front Weight Bracket <i>For X400/X500 HDGT's, X700, X720, X724, X728, X729, X740, X744, X748, X749.</i>	192.60
BM24363		9-Weight Front Weight Bracket <i>For X400/X500 HDGT's, X700's</i>	192.60
LVBM19607		Front Quik-Tatch Weight Kit (3020 Series, 3203, 4105) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	47.30
CH14083		Front Quik-Tatch Weight Kit (990, 4005) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	42.81
BLV10442		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to ten front Quik-Tatch weights.</i>	238.70
BLV10623		Front Weight Bracket Extension Kit (1023E, 1025R, 1026R, 2305, 2025R, 2320, 2520) <i>Includes Extension Bracket and Hardware (Including Rod and Spring Pins).</i>	216.70
BM17998		Front Weight Bracket Extension Kit (790, 3005) <i>Includes Extension Bracket and Hardware (Including Rod and Spring Pins) to Hold up to Four Quik-Tatch Weights.</i>	239.80

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

647 Rotary Tiller
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	R66949	Quik-Tatch Weight, 42 Lb. <i>For X400/X500 HDGT's and X700 Series also order M147986 Retaining Rod and Two M40461 Spring Clips. For 2210, 2305, 2025R, 2032R, 2038R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115 also order M128726 Retaining Rod and Four A15147 Spring Clips.</i>	59.91

JOHN DEERE TURF & UTILITY PRODUCTS

EQUIPMENT FOR COMPACT UTILITY TRACTORS

655 Rotary Tiller

Equipment for Base Machine

55 In. Tilling Width	15 In. Rotor Diameter	PTO Drive Shaft
540 PTO Shaft Drive with	6 Hybrid Tines per Flange	
"Quick Lock" Collar	7 Flanges - Total of 42 Tines	
Pre-set Slip Clutch	4 Position Adjustable Skidshoes	
15-35 PTO HP Rated Main Gearbox	ASA 80 Roller Chain	
Breather on Gearbox and Chain	Parking Stands	
Case	Adjustable Rear Hinged Cover	
Dipstick on Gearbox	Door	
Sight Glass on Chain Case	Center Mounted Cat 1 Hitch	
7 In. Tilling Depth	iMatch Compatible 3-Point Hitch	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0216LV	655 Rotary Tiller <i>For 3005, 3025E, 3032E, 3038E, 3203, 4005, 790, 990, 4100, 4110, 4115, 2305, 2025R, 2032R, 2038R, 2320-2720, 4200-4400, 4210-4410, 3033R-3046R, 3120-3720 and 4105 Tractors.</i>	3,092.00
--------	--	----------

Front Ballast is Required, See Sales Manual for specific requirements.

If Ordering Tiller for Use with iMatch AutoHitch, Order Code 1995 (Less Drive Shaft) as the Auto Hitch Implement Side Components are Used in Place of the Tiller Drive Shaft.

DESTINATION

0184	Canada	Same Price
0202	United States	In Base Price
0205	Quebec	Same Price

OPERATOR'S MANUAL

0409	English North American Operator's Manual and Decal Kit	In Base Price
0413	French Canadian Operator's Manual and Decal Kit	Same Price
0437	Spanish North American Operator's Manual and Decal Kit	Same Price

DRIVE SHAFT

1000	Drive Shaft	In Base Price
1995	Less Drive Shaft	-342.00

ATTACHMENTS FOR FIELD CONVERSION

LVB25622	AutoHitch Implement Side Components - Tillers: AutoHitch Implement Components for John Deere 655 <i>LVB24946 AutoHitch Retrofit Kit is Required for Proper Installation on 655 Tillers With Serial Numbers Prior to LV0655B010001.</i>	278.30
----------	---	--------

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

655 Rotary Tiller
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LVB24946	AutoHitch Retrofit Kit (655 Tiller) <i>Required for Proper Installation on 655 Tillers With Serial Numbers Prior to LV0655B010001.</i>	173.80
	LVB25675	iMatch AutoHitch PTO Coupler	561.00
	LVB25625	Miscellaneous: Drive Shaft	391.61
	LVBM19607	Weights: Front Quik-Tatch Weight Kit (3020 Series, 3203, 4105) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	47.30
	CH15318	Front Quik-Tatch Weight Kit (790, 3005) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	21.05
	CH14083	Front Quik-Tatch Weight Kit (990, 4005) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	42.81
	LVB24952	Front Weight Bracket Extension Kit <i>For 3032E and 3038E Tractors.</i> <i>For MY '17 and Newer 2032R and 2038R Tractors.</i> <i>Includes Extension Bracket and all Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights.</i> <i>Black in Color.</i>	188.10
	BLV10442	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to ten front Quik-Tatch weights.</i>	238.70
	BLV10623	Front Weight Bracket Extension Kit (1023E, 1025R, 1026R, 2305, 2025R, 2320, 2520) <i>Includes Extension Bracket and Hardware (Including Rod and Spring Pins).</i>	216.70
	BM17998	Front Weight Bracket Extension Kit (790, 3005) <i>Includes Extension Bracket and Hardware (Including Rod and Spring Pins) to Hold up to Four Quik-Tatch Weights.</i>	239.80
	R66949	Quik-Tatch Weight, 42 Lb. <i>For X400/X500 HDGT's and X700 Series also order M147986 Retaining Rod and Two M40461 Spring Clips. For 2210, 2305, 2025R, 2032R, 2038R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115 also order M128726 Retaining Rod and Four A15147 Spring Clips.</i>	59.91
	BM19780	Quik-Tatch Weight, 70 lb.	100.10

JOHN DEERE TURF & UTILITY PRODUCTS

EQUIPMENT FOR COMPACT UTILITY TRACTORS

665 Rotary Tiller

Equipment for Base Machine

65 In. Tilling Width	16 In. Rotor Diameter	PTO Drive Shaft
540 PTO Shaft Drive with	6 Hybrid Tines per Flange	
"Quick Lock" Collar	8 Flanges - Total of 48 Tines	
Pre-set Slip Clutch	4 Position Adjustable Skidshoes	
30-50 PTO HP Rated Main Gearbox	ASA 100 Roller Chain	
Breather on Gearbox and Chain	Parking Stands	
Case	Adjustable Rear Hinged Cover	
Dipstick on Gearbox	Door	
Sight Glass on Chain Case	Center Mounted Cat 1 Hitch	
7 In. Tilling Depth	iMatch Compatible 3-Point Hitch	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	----------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0226LV	665 Rotary Tiller For 3038E, 4005, 790, 990, 2038R, 4300-4700, 4310-4710, 3520, 3720, 3039R-3046R, 4105 and 4120-4320 Tractors.	3,782.00
--------	--	----------

Front Ballast is Required, See Sales Manual for Specific Requirements.

If Ordering Tiller for Use with iMatch AutoHitch, Order Code 1995 (Less Drive Shaft) as the Auto Hitch Implement Side Components are Used in Place of the Tiller Drive Shaft.

DESTINATION

0184	Canada	Same Price
0202	United States	In Base Price
0205	Quebec	Same Price

OPERATOR'S MANUAL

0409	English North American Operator's Manual and Decal Kit	In Base Price
0413	French Canadian Operator's Manual and Decal Kit	Same Price
0437	Spanish North American Operator's Manual and Decal Kit	Same Price

DRIVE SHAFT

1000	Drive Shaft	In Base Price
1995	Less Drive Shaft	-391.00

ATTACHMENTS FOR FIELD CONVERSION

LVB25676	AutoHitch Implement Side Components - Tillers: AutoHitch Implement Components for John Deere 665, 673 LVB25744 AutoHitch Retrofit Kit is Required for Proper Installation on 665 Tillers With Serial Numbers Prior to LV0665B010001, and 673 Tillers With Serial Numbers Prior to LV0673B010001.	313.50
----------	---	--------

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

665 Rotary Tiller
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LVB25675	iMatch AutoHitch PTO Coupler	561.00
	LVB25626	Miscellaneous: Drive Shaft	448.33
	LVB25705	Weights: Front Quik-Tatch Weight Kit <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	45.10
	LVB19607	Front Quik-Tatch Weight Kit (3020 Series, 3203, 4105) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	47.30
	CH15318	Front Quik-Tatch Weight Kit (790, 3005) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	21.05
	CH14083	Front Quik-Tatch Weight Kit (990, 4005) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	42.81
	LVB24952	Front Weight Bracket Extension Kit <i>For 3032E and 3038E Tractors.</i> <i>For MY '17 and Newer 2032R and 2038R Tractors.</i> <i>Includes Extension Bracket and all Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights.</i> <i>Black in Color.</i>	188.10
	BLV10442	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to ten front Quik-Tatch weights.</i>	238.70
	BLV10441	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to twelve front Quik-Tatch weights.</i>	255.20
	BM17998	Front Weight Bracket Extension Kit (790, 3005) <i>Includes Extension Bracket and Hardware (Including Rod and Spring Pins) to Hold up to Four Quik-Tatch Weights.</i>	239.80
	BM19780	Quik-Tatch Weight, 70 lb.	100.10

JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR COMPACT UTILITY TRACTORS

673 Rotary Tiller Equipment for Base Machine

73 In. Tilling Width	16 In. Rotor Diameter	PTO Drive Shaft
540 PTO Shaft Drive with	6 Hybrid Tines per Flange	
"Quick Lock" Collar	9 Flanges - Total of 54 Tines	
Pre-set Slip Clutch	4 Position Adjustable Skidshoes	
30-50 PTO HP Rated Main Gearbox	ASA 100 Roller Chain	
Breather on Gearbox and Chain	Parking Stands	
Case	Adjustable Rear Hinged Cover	
Dipstick on Gearbox	Door	
Sight Glass on Chain Case	Center Mounted Cat 1 Hitch	
7 In. Tilling Depth	iMatch Compatible 3-Point Hitch	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0236LV	673 Rotary Tiller For 4005, 990, 4500-4600, 3038E, 3520, 3720, 3039R-3046R, 4510-4710, 4105, 4120, 4320 Tractors.	4,476.00
--------	---	----------

Front Ballast is Required, See Sales Manual for Specific Requirements.

*If Ordering Tiller for Use with iMatch AutoHitch, Order Code 1995 (Less Drive Shaft)
as the Auto Hitch Implement Side Components are Used in Place of the Tiller Drive Shaft.*

DESTINATION

0184	Canada	Same Price
0202	United States	In Base Price
0205	Quebec	Same Price
0195	Mexico	Same Price

OPERATOR'S MANUAL

0409	English North American Operator's Manual and Decal Kit	In Base Price
0413	French Canadian Operator's Manual and Decal Kit	Same Price
0437	Spanish North American Operator's Manual and Decal Kit	Same Price

DRIVE SHAFT

1000	Drive Shaft	In Base Price
1995	Less Drive Shaft	-391.00

ATTACHMENTS FOR FIELD CONVERSION

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

673 Rotary Tiller
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		AutoHitch Implement Side Components - Tillers:	
LVB25676		AutoHitch Implement Components for John Deere 665, 673 <i>LVB25744 AutoHitch Retrofit Kit is Required for Proper Installation on 665 Tillers With Serial Numbers Prior to LV0665B010001, and 673 Tillers With Serial Numbers Prior to LV0673B010001.</i>	313.50
LVB25675		iMatch AutoHitch PTO Coupler	561.00
		Miscellaneous:	
LVB25626		Drive Shaft	448.33
		Weights:	
LVB25705		Front Quik-Tatch Weight Kit <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	45.10
LVBM19607		Front Quik-Tatch Weight Kit (3020 Series, 3203, 4105) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	47.30
CH14083		Front Quik-Tatch Weight Kit (990, 4005) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	42.81
BLV10442		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to ten front Quik-Tatch weights.</i>	238.70
BLV10441		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to twelve front Quik-Tatch weights.</i>	255.20
BM19780		Quik-Tatch Weight, 70 lb.	100.10

JOHN DEERE TURF & UTILITY PRODUCTS

EQUIPMENT FOR COMPACT UTILITY TRACTORS

681 Rotary Tiller

Equipment for Base Machine

81 In. Tilling Width	18 In. Rotor Diameter	PTO Drive Shaft
540 PTO Shaft Drive with	6 Hybrid Tines per Flange	
"Quick Lock" Collar	8 Flanges - Total of 48 Tines	
Pre-set Slip Clutch	4 Position Adjustable Skidshoes	
35-60 PTO HP Rated Main Gearbox	Gear Driveline	
Breather on Gearbox and Chain Case	Parking Stands	
Dipstick on Gearbox	Adjustable Rear Hinged Cover	
Sight Glass on Chain Case	Door	
8 In. Tilling Depth	Center Mounted Cat 1 Hitch	
	iMatch Compatible 3-Point Hitch	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0246LV	681 Rotary Tiller For 4005, 990, 4500-4600, 4510-4710, 3720, 3046R, 4120-4720 and 5000 Series Tractors.	5,312.00
--------	--	----------

Front Ballast is Required, See Sales Manual for Specific Requirements.

If Ordering Tiller for Use with iMatch AutoHitch, Order Code 1995 (Less Drive Shaft) as the AutoHitch Implement Side Components are Used in Place of the Tiller Drive Shaft.

DESTINATION

0184	Canada	Same Price
0202	United States	In Base Price
0205	Quebec	Same Price
0195	Mexico	Same Price

OPERATOR'S MANUAL

0409	English North American Operator's Manual and Decal Kit	In Base Price
0413	French Canadian Operator's Manual and Decal Kit	Same Price
0437	Spanish North American Operator's Manual and Decal Kit	Same Price

DRIVE SHAFT

1000	Drive Shaft	In Base Price
1995	Less Drive Shaft	-458.00

ATTACHMENTS FOR FIELD CONVERSION

LVB25675	AutoHitch Implement Side Components - Tillers: iMatch AutoHitch PTO Coupler	561.00
----------	--	--------

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

681 Rotary Tiller
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Miscellaneous:	
	LVB25627	Drive Shaft	525.37
		Weights:	
	LVB25705	Front Quik-Tatch Weight Kit <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	45.10
	LVBM19607	Front Quik-Tatch Weight Kit (3020 Series, 3203, 4105) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	47.30
	CH14083	Front Quik-Tatch Weight Kit (990, 4005) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	42.81
	BLV10442	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to ten front Quik-Tatch weights.</i>	238.70
	BLV10441	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to twelve front Quik-Tatch weights.</i>	255.20
	BM19780	Quik-Tatch Weight, 70 lb.	100.10

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

47 In. Quick-Hitch Two-Stage Snow Blower
Equipment for Base Machine

Hydraulic Discharge Chute	Wear Plates
Rotation 100 Degrees Right and Left	Reversible and Replaceable
47 In. Clearing Width "Straight"	Scraper Blade
15.5 In. Diameter Impeller	Four Extra Shear Bolts
16 In. Diameter Auger	"Shell Mounted"
Shear Bolt Protection	Hydraulic Chute Angling
Adjustable Spout Cap Deflector	Less Front Quick-Hitch
Two-Stage Design	Less Front PTO
	Less Implement Drive and Upstop

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

1474M	47 In. Quick-Hitch Two-Stage Snow Blower <i>For 425, 445, 455, X400/X500 Heavy Duty Garden Tractors, X700's, 1023E, 1025R, 1026R, 2210, 2305, 2025R, Model Year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115 Tractors.</i> <i>BM20761 Hydraulic Coupler Kit Required on 425, X465, X475, X700, and X710 Tractors. Compact Tractors Require Dual Selective Control Valve and Front Attaching Support Kit. See Sales Manual for Front Attaching Support Requirements.</i> <i>See Sales Manual for Ballast requirements.</i>	2,130.00
-------	---	----------

FRONT QUICK-HITCH

2000	Front Quick-Hitch and Hydraulic Lift <i>For 425, 445, and 455.</i>	625.00
2005	Front Quick-Hitch and Hydraulic Lift <i>For X400-X500 Heavy Duty Garden Tractors, and X700s.</i>	615.00
2006	Front Quick-Hitch and Hydraulic Lift <i>For 2210, 2305 Tractors. Also requires LVB25396 Front Attaching Support (2305).</i>	656.00
2007	Front Quick-Hitch and Hydraulic Lift <i>For 2025R, Model Year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115 Tractors.</i> <i>Also requires LVB24895 Front Attaching Support (2025R and 2320).</i> <i>Also requires LVB25302 Front Attaching Support (2032R, 2520, 2720, 4100, 4110, 4115).</i>	716.00
2008	Front Quick-Hitch and Hydraulic Lift <i>For 1023E, 1025R, 1026R.</i> <i>Requires BLV10160 Front Attaching Support.</i>	716.00
2010	Less Front Quick-Hitch	In Base Price

FRONT POWER TAKE-OFF (PTO)

3000	2000 RPM Front PTO <i>For 425, 445, and 455.</i>	236.00
3003	2000 RPM Front PTO <i>For 4100 and 4110.</i>	259.00

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

47 In. Quick-Hitch Two-Stage Snow Blower

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
FRONT POWER TAKE-OFF (PTO) Continued...			
3006		2000 RPM Front PTO <i>For 4010 and 4115.</i>	259.00
3007		2000 RPM Front PTO <i>For 2210, 2305 Tractors.</i>	281.00
3008		2000 RPM Front PTO Kit <i>For 2025R and 2320.</i>	258.00
3009		2000 RPM Front PTO <i>For Model Year 2013-2016 2032R, 2520-2720, 3120-3720, and 3033R-3046R.</i>	267.00
3010		Less Power Take Off	In Base Price
3012		2000 RPM Front PTO <i>For 1023E, 1025R, and 1026R.</i>	335.00
3014		2-Wheel Drive 2000 RPM Front PTO <i>For X400 Heavy Duty Garden Tractors, X700, X720, X724, X740, X744, X710, X730, X734, X750, and X754.</i>	335.00
3015		4-Wheel Drive 2000 RPM Front PTO <i>For X500 Heavy Duty Garden Tractors, X728, X729, X748, X749, X738, X739, and X758.</i>	335.00
IMPLEMENT DRIVE AND UPSTOP			
4000		Implement Drive and Upstop <i>For 425, 445, and 455.</i>	221.00
4005		Implement Drive and Upstop <i>For 2025R, Model Year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115 Tractors.</i>	369.00
4006		Implement Drive and Upstop <i>For 1023E, 1025R, 1026R, 2210, and 2305.</i>	421.00
4010		Less Implement Drive and Upstop	In Base Price
4013		Implement Drive and Upstop <i>For X400/X500 Heavy Duty Garden Tractors and X700's.</i>	267.00
ATTACHMENTS FOR FIELD CONVERSION			
		Front Hitch:	
BLV10159		Front Quick Hitch and Hydraulic Lift (1023E, 1025R, 1026R)	820.69
BM20921		Front Quick-Hitch and Hydraulic Lift (2305) <i>Fits also 2210 Tractors (for 47SB only).</i>	751.14
LVB24898		Front Quick-Hitch and Hydraulic Lift (MY '16 and Older 2025R, MY '16 and Older 2032R, 2320 - 2720) <i>Fits also 4010, 4100, 4110 and 4115 Tractors for 47SB only.</i>	820.69
BM26236		Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's)	706.20
		Front PTO:	

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

47 In. Quick-Hitch Two-Stage Snow Blower

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM25304	2-Wheel Drive 2000 RPM Front PTO (X400 HDGT's, X700, X720, X724, X740, X744, X710, X730, X734, X750, X754) <i>BM25304 must be used with BM25772 implement drive and upstop for snow blowers, or BM25775 implement drive shaft for rotary brooms. BM25772 is available as an attachment through parts, 47-in. Snow Blower (1474M) option code 4013, and 54-in. Snow Blower (02CIM) option code 4013. BM25775 is available as an attachment through parts, 52-in. Rotary Broom (3880M) option code 4004, and 60-in. Broom (3790M) option code 5004.</i>	385.20
	BLV10166	2000 RPM Front PTO (1023E, 1025R, 1026R) <i>Includes RIO override for front implements.</i>	385.20
	LVB25966	2000 RPM Front PTO (2210, 2305)	323.14
	BM18695	2000 RPM Front PTO (4100, 4110)	297.46
	BM17330	2000 RPM Front PTO (415, 425, 445, 455) <i>European Region II 455 Requires BM17861.</i>	270.71
	LVB24900	2000 RPM Front PTO (MY '16 and Older 2025R, 2320)	297.46
	BLV10475	2000 RPM Front PTO (MY '16 and Older 2032R, 2520-2720, 3120-3720, 3033R-3046R) <i>Includes RIO override for front implements.</i>	306.01
	LVB25305	2000 RPM Front PTO Kit (4010, 4115)	297.46
	BM25305	4-Wheel Drive 2000 RPM Front PTO (X500 HDGT's, X728, X729, X748, X749, X738, X739, X758)	385.20
		HYDRAULICS	
	BM20761	Hydraulic Coupler Kit <i>Required on X700, X465, X475 and 425 Tractors.</i>	56.71
	BM20896	Hydraulic Retro Kit <i>Required to fit a Customer's 425, 445 and 455 Snow Blower or Snow Thrower on a New X400/X500 HDGT or X700 Series Tractor.</i>	28.89
		Miscellaneous:	
	BM20714	Click-N-Go Bracket (X400/X500 HDGT's, X700's)	116.63
	M88984	Drift Blade	29.87
	LVB25302	Front Attaching Support Kit <i>For 2032R, 2520, 2720, 4100, 4110, 4115 Tractors. See Sales Manual for Front Attaching Support Requirements.</i>	62.06
	BLV10160	Front Attaching Support Kit (1023E, 1025R, 1026R) <i>See Sales Manual for Front Attaching Support Requirements.</i>	86.67
	LVB24895	Front Attaching Support Kit (2025R, 2320) <i>2025R, 2320 Tractors with 200X or 200CX Hood Guard Require Attaching Support Kit.</i>	88.81
	LVB25396	Front Attaching Support Kit (2305) <i>Fits also 2210 Tractors (for 47SB only.) See Sales Manual for Front Attaching Support Requirements.</i>	60.99

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

47 In. Quick-Hitch Two-Stage Snow Blower
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LVB24899	Front Hitch/Mid-Mount Mower Combo Bracket (MY '16 and Older 2025R, MY '16 and Older 2032R, 2320-2720) <i>Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (2025R, 2032R, 2320, 2520, 2720, 4115).</i>	132.69
	BM20753	Front Light Kit <i>For X400/X500 HDGT and X700 Series Garden Tractors.</i>	211.86
	AM119321	Heavy Duty Skid Shoe (1) <i>For Snow Blowers Serial Numbered up to 060000.</i>	57.37
	LVB26135	Implement Drive and Upstop (1023E, 1025R, 1026R, 2210, 2305)	483.64
	LVB24902	Implement Drive and Upstop (2025R, 2032R, 2320, 2520, 2720) <i>Fits also 4010, 4100, 4110 and 4115 Tractors (for 47SB only).</i>	423.71
	BM20871	Implement Drive and Upstop (425, 445, 455, F900's)	253.59
	BM25772	Implement Drive and Upstop (X400/X500 HDGT's, X700's)	307.09
	AM128337	Left-Side Skid Shoe Plate and Hardware	50.41
	BM20960	Remote Spout Cap Control Kit <i>For 425-455, 318, 322, 332, 420, 430, X400/X500 HDGT's, F900's, X700's, 2210, 2305, 4010, 4100, 4110, 4115 Tractors. See Sales Manual for Required Attaching Parts.</i>	126.26
	LVB24958	Remote Spout Cap Control Kit <i>For 2025R, 2032R, 2320, 2520, 2720 Tractors. See Sales Manual for Required Attaching Parts.</i>	156.21
	LVB26213	Remote Spout Cap Control Kit <i>For 1023E, 1025R and 1026R Tractors.</i>	209.71
	AM128336	Right-Side Skid Shoe Plate and Hardware	50.41
	M157831	Skid shoe, Plastic (1) <i>For 44-, 47-, and 54-in. Snow Blowers. Two required.</i>	22.10
	BM22725	Wheel Spacer Kit <i>For all Wheel Steer Tractors when Installing TY15956 Chains.</i>	163.71
		Seats / Wheels / Tires:	
	TY15956	Tire Chains (Pair) for 23x10.50-12 In. Drive Tires <i>All Wheel Steer Tractors with Standard 23x10.50-12 In. Tires Require BM18021 Wheel Spacer Kit to Provide Clearance Between Tire Chains and Steering Linkage.</i>	81.08
	TY15845	Tire Chains (Pair) for 23x10.50-12 In. Rear Tires (318, 322, 332)	80.34
	TY15841	Tire Chains (Pair) for 23x8.50-12 In. Drive Tires <i>Compatible on all Wheel Steer Tractors with BM17332 Tires.</i>	68.14
	TY15958	Tire Chains (Pair) for 26x12-12 Tires	97.67

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

47 In. Quick-Hitch Two-Stage Snow Blower
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Weights:	
BM20715		Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	288.90
R66949		Quik-Tatch Weight, 42 Lb.	59.91
BM20779		Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	159.43

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

54 In. Quick-Hitch Two-Stage Snow Blower
Equipment for Base Machine

Hydraulic Discharge Chute	Wear Plates
Rotation 100 Degrees Right and Left	Reversible and Replaceable Scraper Blade
54 In. Clearing Width "Straight"	Four Extra Shear Bolts
15 In. Diameter Impeller	"Shell Mounted"
16 In. Diameter Auger	Hydraulic Chute Angling
Shear Bolt Protection	Less Front Quick-Hitch
Adjustable Spout Cap Deflector	Less Front PTO
Two-Stage Design	Less Implement Drive and Upstop

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
Select One Code From Each Required Category			
BASE MACHINE			
<i>F.O.B. Davenport, Iowa</i>			
02C1M		54 In. Quick-Hitch Two-Stage Snow Blower <i>For X400/X500 Heavy Duty Garden Tractors, X700's, 1023E, 1025R, 1026R, 2305, 2025R, Model Year 2013-2016 2032R, 2320-2720 Tractors. BM20761 Hydraulic Coupler Kit Required on X465, X475, X700, and X710 Tractors. Compact Tractors Require Dual Selective Control Valve and Front Attaching Support Kit. See Sales Manual for Front Attaching Support Requirements. See Sales Manual for Ballast requirements.</i>	2,550.00
FRONT QUICK-HITCH			
2005		Front Quick-Hitch and Hydraulic Lift <i>For X400-X500 Heavy Duty Garden Tractors, and X700s.</i>	615.00
2006		Front Quick-Hitch and Hydraulic Lift <i>For 2305 Tractor. Also requires LVB25396 Front Attaching Support (2305).</i>	656.00
2007		Front Quick-Hitch and Hydraulic Lift <i>For 2025R, Model Year 2013-2016 2032R, 2320-2720 Tractors. Also requires LVB24895 Front Attaching Support (2025R and 2320). Also requires LVB25302 Front Attaching Support (2032R, 2520, 2720, 4100, 4110, 4115).</i>	716.00
2008		Front Quick-Hitch and Hydraulic Lift <i>For 1023E, 1025R, 1026R.</i> <i>Requires BLV10160 Front Attaching Support.</i>	716.00
2010		Less Front Quick-Hitch	In Base Price
FRONT POWER TAKE-OFF (PTO)			
3007		2000 RPM Front PTO <i>For 2305 Tractor.</i>	281.00
3008		2000 RPM Front PTO Kit <i>For 2025R and 2320.</i>	258.00
3009		2000 RPM Front PTO <i>For Model Year 2013-2016 2032R, 2520-2720, 3120-3720, and 3033R-3046R.</i>	267.00
3010		Less Power Take Off	In Base Price

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

54 In. Quick-Hitch Two-Stage Snow Blower

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
FRONT POWER TAKE-OFF (PTO) Continued...			
3012		2000 RPM Front PTO <i>For 1023E, 1025R, and 1026R.</i>	335.00
3014		2-Wheel Drive 2000 RPM Front PTO <i>For X400 Heavy Duty Garden Tractors, X700, X720, X724, X740, X744, X710, X730, X734, X750, and X754.</i>	335.00
3015		4-Wheel Drive 2000 RPM Front PTO <i>For X500 Heavy Duty Garden Tractors, X728, X729, X748, X749, X738, X739, and X758.</i>	335.00

IMPLEMENT DRIVE AND UPSTOP

4005		Implement Drive and Upstop <i>For 2025R, Model Year 2013-2016 2032R, 2320-2720 Tractors.</i>	288.00
4006		Implement Drive and Upstop <i>For 1023E, 1025R, 1026R, 2210, and 2305.</i>	421.00
4010		Less Implement Drive and Upstop	In Base Price
4013		Implement Drive and Upstop <i>For X400/X500 Heavy Duty Garden Tractors and X700's.</i>	267.00

ATTACHMENTS FOR FIELD CONVERSION

	Front Hitch:	
BLV10159	Front Quick Hitch and Hydraulic Lift (1023E, 1025R, 1026R)	820.69
BM20921	Front Quick-Hitch and Hydraulic Lift (2305)	751.14
LVB24898	Front Quick-Hitch and Hydraulic Lift (MY '16 and Older 2025R, MY '16 and Older 2032R, 2320 - 2720)	820.69
BM26236	Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's)	706.20
	Front PTO:	
BM25304	2-Wheel Drive 2000 RPM Front PTO (X400 HDGT's, X700, X720, X724, X740, X744, X710, X730, X734, X750, X754) <i>BM25304 must be used with BM25772 implement drive and upstop for snow blowers, or BM25775 implement drive shaft for rotary brooms. BM25772 is available as an attachment through parts, 47-in. Snow Blower (1474M) option code 4013, and 54-in. Snow Blower (02C1M) option code 4013. BM25775 is available as an attachment through parts, 52-in. Rotary Broom (3880M) option code 4004, and 60-in. Broom (3790M) option code 5004.</i>	385.20
BLV10166	2000 RPM Front PTO (1023E, 1025R, 1026R) <i>Includes RIO override for front implements.</i>	385.20
LVB25966	2000 RPM Front PTO (2210, 2305)	323.14
LVB24900	2000 RPM Front PTO (MY '16 and Older 2025R, 2320)	297.46
BLV10475	2000 RPM Front PTO (MY '16 and Older 2032R, 2520-2720, 3120-3720, 3033R-3046R) <i>Includes RIO override for front implements.</i>	306.01

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

54 In. Quick-Hitch Two-Stage Snow Blower

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM25305	4-Wheel Drive 2000 RPM Front PTO (X500 HDGT's, X728, X729, X748, X749, X738, X739, X758)	385.20
	BM20761	HYDRAULICS Hydraulic Coupler Kit <i>Required on X700, X465, X475 and 425 Tractors.</i>	56.71
	BM20714	Miscellaneous: Click-N-Go Bracket (X400/X500 HDGT's, X700's)	116.63
	M88984	Drift Blade	29.87
	LVB25302	Front Attaching Support Kit <i>For 2032R, 2520, 2720 Tractors. See Sales Manual for Front Attaching Support Requirements.</i>	62.06
	BLV10160	Front Attaching Support Kit (1023E, 1025R, 1026R) <i>See Sales Manual for Front Attaching Support Requirements.</i>	86.67
	LVB24895	Front Attaching Support Kit (2025R, 2320) <i>2025R, 2320 Tractors with 200X or 200CX Hood Guard Require Attaching Support Kit. See Sales Manual for Front Attaching Support Requirements.</i>	88.81
	LVB25396	Front Attaching Support Kit (2305) <i>See Sales Manual for Front Attaching Support Requirements. Fits also 2210 Tractors (for 47SB only.) See Sales Manual for Front Attaching Support Requirements.</i>	60.99
	LVB24899	Front Hitch/Mid-Mount Mower Combo Bracket (MY '16 and Older 2025R, MY '16 and Older 2032R, 2320-2720) <i>Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (2025R, 2032R, 2320, 2520, 2720, 4115). Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (2025R, 2032R, 2320, 2520, 2720).</i>	132.69
	BM20753	Front Light Kit <i>For X400/X500 HDGT and X700 Series Garden Tractors.</i>	211.86
	LVB26135	Implement Drive and Upstop (1023E, 1025R, 1026R, 2210, 2305)	483.64
	BM23238	Implement Drive and Upstop (2025R, 2032R, 2320, 2520, 2720)	330.63
	BM25772	Implement Drive and Upstop (X400/X500 HDGT's, X700's)	307.09
	BM20960	Remote Spout Cap Control Kit <i>For 425-455, 318, 322, 332, 420, 430, X400/X500 HDGT's, F900's, X700's, 2210, 2305, 4010, 4100, 4110, 4115 Tractors. See Sales Manual for Required Attaching Parts.</i>	126.26
	LVB24958	Remote Spout Cap Control Kit <i>For 2025R, 2032R, 2320, 2520, 2720 Tractors. See Sales Manual for Required Attaching Parts.</i>	156.21
	LVB26213	Remote Spout Cap Control Kit <i>For 1023E, 1025R and 1026R Tractors.</i>	209.71

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

54 In. Quick-Hitch Two-Stage Snow Blower

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	M157831	Skid shoe, Plastic (1) <i>For 44-, 47-, and 54-in. Snow Blowers. Two required.</i>	22.10
	BM22725	Wheel Spacer Kit <i>For all Wheel Steer Tractors when Installing TY15956 Chains.</i>	163.71
		Seats / Wheels / Tires:	
	TY15958	Tire Chains (Pair) for 26x12-12 Tires	97.67
		Weights:	
	BM20715	Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	288.90
	R66949	Quik-Tatch Weight, 42 Lb.	59.91
	BM20779	Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	159.43

JOHN DEERE TURF & UTILITY PRODUCTS

EQUIPMENT FOR COMPACT UTILITY TRACTORS

59 In. Two-Stage Snow Blower Equipment for Base Machine

Hydraulic Discharge Chute Rotation 100 Degrees Right and Left 59 In. Clearing Width "Straight" 16 In. Diameter Impeller 16 In. Diameter Auger Shear Bolt Protection Adjustable Spout Cap Deflector Two-Stage Design	Wear Plates Reversible and Replaceable Scraper Blade Hydraulic Chute Angling Less Front Hitch Less Front PTO Less Mounting Kit and Less Snow Blower Driveshaft
--	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa.

2759M	59 In. Two-Stage Snow Blower <i>For 3033R-3046R, 3120-3720, 3005, 790, 855, 955, 670, 770, 4200-4400, 4210-4410 Tractors. Also for MY2017 and Newer 2032R and 2038R Tractors. For Use with Front Three-Point Hitch with A-Frame. Tractors Require Dual SCV, Mid PTO and Rear Wheel Ballasting. 3120-3720 Tractors with Mid-Mount Mowers Require LVB24810. Current 59 In. Snow Blowers Ordered for 4200-4400 or 4210-4410 Tractors can be Converted to Work with 3120-3720 Tractors by Using the Following Bundle Numbers: LVB24815, LVB24801, LVB25741, LVB24800.</i>	4,254.00
-------	--	----------

DESTINATION

0205	Quebec	Same Price
0184	Canada	Same Price
0202	United States	In Base Price

OPERATOR'S MANUAL

0409	English North American Operator's Manual and Decal Kit	In Base Price
0413	French Canadian Operator's Manual and Decal Kit	Same Price
0437	Spanish North American Operator's Manual and Decal Kit	Same Price

MOUNTING KIT / DRIVESHAFT

6833	Snow Blower Mounting Kit and Driveshaft <i>For 3005, 855, 955, 670, 770, 790, 4200-4400, 4210-4410 Tractors.</i>	623.00
6834	Snow Blower Mounting Kit and Driveshaft <i>For 3033R-3046R, 3120-3720 Tractors.</i>	326.00
6835	Less Snow Blower Mounting Kit and Driveshaft	In Base Price
6836	Snow Blower Mounting Kit and Driveshaft <i>For MY2017 and Newer 2032R and 2038R Tractors.</i>	326.00

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

59 In. Two-Stage Snow Blower

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
FRONT HITCH			
6941		Front Quick-Hitch and Hydraulic Lift <i>For 4210-4410 Tractors.</i>	755.00
6950		Front Three-Point Hitch with A-Frame Quick Attach System <i>For 3120-3720 and 3033R-3046 Tractors.</i>	1,404.00
6967		Less Front Hitch and Less Hydraulic Lift	In Base Price
6951		Front Three-Point Hitch with A-Frame Quick Attach System <i>For MY2017 and Newer 2032R and 2038R Tractors.</i>	1,404.00
FRONT POWER TAKE-OFF (PTO)			
6880		2000 RPM Front PTO <i>For 4200-4400, 4210-4410 Tractors.</i>	259.00
6882		2000 RPM Front PTO <i>For 670 Tractors.</i>	387.00
6883		2000 RPM Front PTO <i>For 770, 790, 3005 Tractors.</i>	398.00
6884		2000 RPM Front PTO <i>For 855, 955 Tractors.</i>	364.00
6885		2000 RPM Front PTO <i>For 3033R-3046R, 3120-3720 Tractors.</i>	267.00
6910		Less 2000 RPM Front PTO	In Base Price
6886		2000 RPM Front PTO <i>For MY2017 and Newer 2032R and 2038R Tractors.</i>	266.00
ATTACHMENTS FOR FIELD CONVERSION			
		Front Hitch:	
BLV10316		A-Frame Quick Attach System (3033R-3046R and 3120-3720 Tractors)	203.30
BLV10637		A-Frame Quick Attach System (MY '17 and newer 2032R and 2038R Tractors) <i>For use on MY '17 and newer 2032R and 2038R Tractors.</i>	209.00
BLV10634		Auxiliary Front Hydraulic Coupler Kit (MY '17 and newer 2032R and 2038R Tractors) <i>For use on MY '17 and newer 2032R and 2038R Tractors. Includes couplers, hoses, and brackets to route hydraulics from the mid-SCV to the front three-point hitch.</i>	92.40
LVB25306		Front Quick-Hitch and Hydraulic Lift (4210-4410)	865.63
BLV10439		Front Three-Point Hitch (3033R-3046R)	1,353.00
LVB25878		Front Three-Point Hitch (3120-3720)	1,311.81
BLV10631		Front Three-Point Hitch (MY '17 and newer 2032R and 2038R Tractors) <i>For use on MY '17 and newer 2032R and 2038R Tractors.</i>	1,353.00

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

59 In. Two-Stage Snow Blower

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BLV10638	Hydraulic Accumulator Kit for Front Three-Point Hitch (MY '17 and newer 2032R and 2038R Tractors) <i>For use on MY '17 and newer 2032R and 2038R Tractors. For use in applications where there is significant transporting done at higher speeds. Accumulator system will absorb the bounce associated with front implements when traveling on the roadway.</i>	123.20
		Front PTO:	
	BM19576	2000 RPM Front PTO (4200-4400, 4210-4410)	296.39
	BM16856	2000 RPM Front PTO (670)	444.06
	BM21379	2000 RPM Front PTO (770, 790, 3005)	455.81
	BM16494	2000 RPM Front PTO (855, 955)	417.30
	BLV10475	2000 RPM Front PTO (MY '16 and Older 2032R, 2520-2720, 3120-3720, 3033R-3046R) <i>Includes RIO override for front implements.</i>	306.01
	BLV10633	2000 RPM Front PTO (MY '17 and newer 2032R and 2038R Tractors) <i>Includes RIO override for front implements.</i>	313.50
	BLV10452	Front PTO Bracket (3033R-3046R)	92.40
	LVB25759	Front PTO Bracket (3120-3720)	89.89
		Miscellaneous:	
	LVB24810	Front Three-Point Hitch/Mid Mount Mower Draft Arms	237.54
	AM128337	Left-Side Skid Shoe Plate and Hardware	50.41
	AM128336	Right-Side Skid Shoe Plate and Hardware	50.41
	LVB24800	Snow Blower Drive Shaft (3033R-3046R, 3120-3720)	160.50
	BLV10799	Snow Blower Drive Shaft (MY '17 and newer 2032R and 2038R)	165.00
	LVB25741	Snow Blower Mounting Kit (3033R-3046R, 3120-3720) <i>Requires Snow Blower Driveshaft LVB24800.</i>	212.93
	BLV10715	Snow Blower Mounting Kit (MY '17 and newer 2032R and 2038R) <i>Requires Snow Blower Driveshaft BLV10799.</i>	218.90
	BM21660	Snow Blower Mounting Kit and Driveshaft (3005, 855, 955, 670, 770, 790, 3005, 4200-4400, 4210-4410)	714.76

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 7 Backhoe (For 3005, 790, 770 Open Station Tractors)

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
		Buckets:	
BM19558		13 In. Bucket (1.04 Cu. Ft.)	506.00
BM19559		16 In. Bucket (1.33 Cu. Ft.)	544.50
BM19560		20 In. Bucket (1.74 Cu. Ft.)	641.30
BM19557		9 In. Bucket (0.64 Cu. Ft.)	445.50
		HYDRAULICS	
BM18005		Power Beyond Kit (3005, 790, 770)	325.60
BM16763		Power Beyond Kit (55 Series) <i>See Sales Manual for Serial Number Breaks.</i>	290.40
BLV10039		Power Beyond Kit (Cab and OOS) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 4044M/R-4066M/R Tractors. See Sales Manual (SCV Reference Table) or ordering details.</i>	414.70
		Miscellaneous:	
BM22373		Mountings, Hydraulics, Subframe and Rear Hanger Brackets for 3005, 770 and 790 Tractors with 419, 300 or 70 Loader	1,607.10
		Operator Environment:	
AM107212		10 In. Extension for Roll-Gard Cross Tube <i>Required for Use with 7 Backhoe on 3005, 790 and 770 Tractors.</i>	163.82
AM119856		Tall Roll-Gard <i>Required for Use with 7 Backhoe on 755, 855, 955 Tractors.</i>	701.54

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 8B Backhoe (For 4005, 990, 870, 970, 1070 Open Station Tractors)

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
		Buckets:	
BM19568		12 In. Standard Bucket (1.53 Cu. Ft.)	720.50
BM19569		18 In. Standard Bucket (2.47 Cu. Ft.)	811.80
BM19570		24 In. Standard Bucket (3.48 Cu. Ft.)	910.80
		HYDRAULICS	
BM18010		Power Beyond Kit	350.90
		Miscellaneous:	
AH75164		Elbow Assy., 90 Degree Adjustable <i>Order AH75164 or AV43772 When 8, 8A or 8B Backhoe is Mounted on 850 (SN 009000 and Below) or 950 (SN 012000 and Below) Tractors.</i>	11.96
BM17019		Mountings, Hydraulics, Subframe and Rear Hanger Brackets (4005, 870, 970, 990, 1070)	1,725.90

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 200X, 200CX, 300, 300X, 300CX, 305, 400X, 400CX, D120, H120 and H130 Compact Utility Tractor Loaders

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
BW15073		Ballast Box: Ballast Box <i>Compatible with 200X, 200CX, 300, 300X, 300CX, 305, 400X, 400CX, D120, H120 and H130 loaders.</i>	288.20
BW15074		Ballast Box Extension <i>Compatible with 200X, 200CX, 300, 300X, 300CX, 305, 400X, 400CX, D120, H120 and H130 loaders.</i>	136.40
BW14144		Buckets: 49 In. (1250mm) Loader Materials Bucket - Quik Change <i>Compatible with 200X and 200CX loaders.</i>	725.46
BW15896		49 in. (1250mm) Materials Bucket - Pin ON <i>Compatible with 200X and 200CX, H130 loaders.</i>	671.96
BW14145		53 In. (1350mm) Loader Materials Bucket - Quik Change <i>Compatible with 200X, 200CX, 300, 300X, and H130 loaders.</i>	786.46
AT332288		56 in. Dirt Bucket (12.3 cu. ft.) with Edge <i>Compatible with 300CX loaders.</i>	948.00
AT333697		60 in. Dirt Bucket (14.3 cu. ft.) with Edge <i>Compatible with 300CX loaders.</i>	1,007.00
BW14764		61 In. (1550 mm) Loader Heavy Duty Bucket with Holes for Cutting Edge <i>Compatible with 300, 300X, 300CX, 400X and 400CX loaders.</i>	1,018.64
BW15863		61 In. (1550mm) Loader Materials Bucket <i>Compatible with 305 loaders.</i>	833.53
BW14146		61 In. (1550mm) Loader Materials Bucket - Quik Change <i>Compatible with 200X, 200CX, 300, 300X, 300CX, 400X, 400CX and H130 loaders.</i>	833.53
LVB25342		72 In. Quik-Tatch Heavy Duty Front Loader Bucket w/Replaceable Cutting Edge <i>Requires Skid Steer Attachment Carrier. Compatible with 400X and 400CX loaders.</i>	1,383.51
LVB25341		72 In. Quik-Tatch Standard Front Loader Bucket <i>Requires Skid Steer Attachment Carrier. Compatible with 300CX, 400X and 400CX loaders.</i>	1,150.26
BW14765		73 In. (1850 mm) Loader Heavy Duty Bucket with Holes for Cutting Edge <i>Compatible with 300CX, 400X and 400CX loaders.</i>	1,183.41
BW14658		73 In. (1850 mm) Loader High Volume Bucket <i>Compatible with 300CX, 400X and 400CX loaders.</i>	1,381.37
BW14147		73 In. (1850mm) Loader Materials Bucket <i>Compatible with 300, 300X, 300CX loaders.</i>	986.54

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 200X, 200CX, 300, 300X, 300CX, 305, 400X, 400CX, D120, H120 and H130 Compact Utility Tractor Loaders

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LVB25345	84 In. Light Material Bucket <i>Requires Skid Steer Attachment Carrier. Compatible with 400X and 400CX loaders.</i>	1,415.61
	BW15273	85 In. (2150 mm) Loader High Volume Bucket <i>Compatible with 300CX, 400X and 400CX loaders.</i>	1,689.53
	BW15939	Carrier: John Deere CUT Carrier <i>Compatible with Quick-Change Buckets. Compatible with 200X, 200CX and H130 loaders.</i>	295.31
	BW14762	Cutting Edges: 61 In. (1550 mm) Replaceable Bucket Cutting Edge with Hardware <i>Compatible with 300, 300X, 300CX, 400X and 400CX loaders.</i>	156.21
	BW14763	73 In. (1850 mm) Replaceable Bucket Cutting Edge with Hardware <i>Compatible with 300, 300X, 300CX, 400X and 400CX loaders.</i>	191.53
	BW15056	HITCH ADAPTERS iMatch / Quik-Coupler Bushing Kit <i>For using ballast box with iMatch system. Compatible with 200X, 200CX, D120, H120, H130, 300, 300X, 300CX, 305, 400X and 400CX loaders.</i>	96.80
	BW16448	HYDRAULICS 3rd Function hydraulic lines and hoses <i>Compatible with 200X, 200CX, 300, 300CX, 400X and 400CX loaders.</i>	402.31
	BW15349	Hoses and Parts <i>For 3005, 770, 790 Tractors. Compatible with 300 loaders.</i>	298.53
	BW15352	Hoses and Parts <i>For 4005, 990, 970, 1070 Tractors. Compatible with 300CX loaders.</i>	298.53
	BW15599	Hoses and Parts <i>For 3203 and 4105. Compatible with 300X and 300CX loaders.</i>	298.53
	BW15760	Hoses and Parts <i>Compatible with 400X and 400CX loaders.</i>	298.53
	BW15762	Hoses and Parts <i>For 3120, 3320, 3520, 3720, 4300, 4400, 4310 and 4410 Open Station Tractors. For 3320, 3520 and 3720 Cab Tractors. Compatible with 300CX loaders.</i>	298.53
	BW15406	Hoses and Parts (Couplers) <i>For 2305, 2320, 2520, 2720. Compatible with 200X, 200CX and H130 loaders.</i>	298.53
	BW16138	Hydraulic Lines and Hoses (3 Function) <i>If Used with Skid Steer Attachments, Couplers will not Match. The Following Parts are Required to Convert for this Application: (1) KV14216, (1) KV15976 and (2) AT191333. Compatible with 300CX loaders.</i>	414.09

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 200X, 200CX, 300, 300X, 300CX, 305, 400X, 400CX, D120, H120 and H130 Compact Utility Tractor Loaders

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BW16139	Hydraulic Lines and Hoses (3 Function) <i>If Used with Skid Steer Attachments, Couplers will not Match. The Following Parts are Required to Convert for this Application: (1) KV14216, (1) KV15976 and (2) AT191333. Compatible with 400X and 400CX loaders.</i>	414.09
	BW16989	Hood Guards: Deluxe Brush Guard Attachment <i>Compatible with 200X, 200CX, 300, 300X, 300CX, 400X and 400CX loaders.</i>	158.36
	BWA1190	Deluxe Hood Guard <i>For 3000 TWENTY tractors. Compatible with 300X and 300CX loaders.</i>	567.10
	BW15222	Deluxe Hood Guard Attachment <i>For 3000 TWENTY tractors. For 4000 TWENTY tractors. Compatible with 300X, 300CX, 400X and 400CX loaders.</i>	321.00
	BW14378	Hood Guard <i>For 4200-4400, 4210-4400 Tractors. For 4500-4700, 4510-4710 Tractors. Compatible with 300X, 300CX, 400X and 400CX loaders.</i>	254.66
	BW15219	Hood Guard <i>For 3000 TWENTY tractors. Compatible with 300X and 300CX loaders.</i>	254.66
	BW15416	Hood Guard <i>For 970, 990 and 1070 Tractors. Required For Loader Installation on 970, 990, 1070 Tractors, Includes Front Weight Bracket. Compatible with 300CX loaders.</i>	254.66
	LVB25998	Hood Guard <i>Hood Guard is Standard with 305 and D160 Loaders. Compatible with 305 loaders.</i>	254.66
	BW15848	Hood Guard (3005, 4005) <i>Compatible with 300 and 300CX loaders.</i>	254.66
	BW15534	Hood Guard (3203) <i>Compatible with 300, 300X, 300CX loaders.</i>	254.66
	BW16040	Hood Guard (4105) <i>Compatible with 300CX loaders.</i>	254.66
	BW15221	Hood Guard (4120-4720) <i>Compatible with 400X and 400CX loaders.</i>	254.66
	BW15350	Hood Guard (770, 790) <i>Compatible with 300 loaders.</i>	254.66
	BW15634	Hood Guard (MY '16 and Older 2032R, 2520, 2720 Tractors) <i>Compatible with 200X, 200CX and H130 Loaders.</i>	254.66
	BW15217	Hood Guard (MY '16 and older 2025R (Yanmar built), 2320, 2210 and 2305 Tractors) <i>Compatible with 200X, 200CX and H130 Loaders.</i>	240.76

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 200X, 200CX, 300, 300X, 300CX, 305, 400X, 400CX, D120, H120 and H130 Compact Utility Tractor Loaders

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Miscellaneous (Australia Only):	
	BW16242	Anti Spill Kit <i>Compatible with 300CX, 400X and 400CX loaders.</i>	283.80
	BW16253	Anti Spill Kit <i>Compatible with 300CX loaders.</i>	589.60
	BW16288	Anti Spill Kit <i>Compatible with 305 loaders.</i>	451.00
	BW16244	Australian Code of Practice Kit <i>Compatible with 300CX and 400CX loaders.</i>	0.00
	BW16210	Service Lock <i>Compatible with 400CX loaders.</i>	214.50
	BW16260	Service Lock <i>Compatible with 300CX loaders.</i>	196.90
	BW16289	Service Lock <i>Compatible with 305 loaders.</i>	150.70
		Miscellaneous:	
	BW16050	Anti -Drop Valve Kit - Bucket Circuit <i>Compatible with 300CX loaders.</i>	369.60
	BW16049	Anti -Drop Valve Kit - Lift Circuit <i>Compatible with 200CX, H130 and 300CX loaders.</i>	369.60
	BW15223	Bucket Level Indicator <i>Compatible with 300, 300X. 300CX and 400X loaders.</i>	66.00
	BW15476	Bucket Level Indicator <i>Compatible with 200X and 200CX loaders.</i>	63.80
	BW15446	Bucket Level Indicator <i>Compatible with 400CX loaders.</i>	70.40
	AW34729	Coupler Conversion Kit <i>Compatible with 400CX loaders.</i>	21.21
	AW34781	European CE (France) Anti-Drop Valve Kit <i>Compatible with 200CX, 400X and 400CX loaders.</i>	2,062.43
	BW15357	Oil Line Conversion Kit <i>For 770, 790 Serial No. - LV0790G790000.</i> <i>Compatible with 300 loaders.</i>	255.20
	BW15872	Parking Stand Kit <i>Compatible with 305 loaders.</i>	418.00
	BW15244	Skid Steer Attachment Carrier <i>See Sales Manual for Compatible Attachments.</i> <i>Compatible with 300CX, 400X and 400CX loaders.</i>	657.80

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 200X, 200CX, 300, 300X, 300CX, 305, 400X, 400CX, D120, H120 and H130 Compact Utility Tractor Loaders

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Mounting Frames:	
	BW15347	Mounting Frame <i>Compatible with 300CX loaders.</i>	500.50
	BW15324	Mounting Frame <i>Compatible with 200X, 200CX and H130 loaders.</i>	421.30
	BW15426	Mounting Frame <i>Compatible with 200X, 200CX and H130 loaders.</i>	421.30
	BW15731	Mounting Frame <i>Compatible with 200X, 200CX and H130 loaders.</i>	421.30
	BW15730	Mounting Frame <i>Compatible with 200X, 200CX, and H130 loaders.</i>	421.30
	BW15206	Mounting Frame (3005, 770, 790) <i>3005, 770, 790 Hood Guard (BW15350) is Required to Install Loader.</i> <i>Compatible with 300 loaders.</i>	500.50
	BW15456	Mounting Frame (3320-3720, 4320-4720 Cab Tractors) <i>Compatible with 300X, 300CX, 400X and 400CX loaders.</i>	500.50
	BW15682	Mounting Frame (4105) <i>Compatible with 300CX loaders.</i>	500.50
	BW15204	Mounting Frame (4200-4400, 4210-4400, 3120-3720, 3203 Open Station Tractors) <i>Compatible with 300, 300X and 300CX loaders.</i>	500.50
	BW15205	Mounting Frame (4500-4700, 4510-4710, 4120-4720 Open Station Tractors) <i>Compatible with 400X and 400CX loaders.</i>	500.50
	BWA1191	Mounting Frame with Hoses <i>For 3120, 3320, 3520, 3720, 3203, 4200, 4300, 4400, 4210, 4310, and 4410 Open Station Tractors.</i> <i>For 3203 Tractors.</i> <i>Compatible with 300X and 300CX loaders.</i>	807.40
	BWA1201	Mounting Frame with Hoses (4005, 990, 970, 1070 Tractors) <i>Must Order Appropriate Hood Guard. For 970, 990 (Serial No. - LV0990G590000) and 1070 Tractors, Refer to Parts Catalog for Additional Oil Lines Required.</i> <i>Compatible with 300CX loaders.</i>	807.40
	BWA1276	Mounting Frame with Hoses and Parts (3320-3720 Cab Tractors) <i>Compatible with 300CX loaders.</i>	807.40
	BWA1248	Mounting Frame with Hoses and Parts (3320-3720 Cab Tractors) <i>Compatible with 300X loaders.</i>	807.40
	BWA1452	Mounting Frame with Hoses and Parts (4105) <i>Compatible with 300CX loaders.</i>	807.40
	BWA1200	Mounting Frame with Hoses and Parts (4300-4400, 4310-4410, 3120-3720 Open Station Tractors) <i>Compatible with 300CX loaders.</i>	807.40

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 200X, 200CX, 300, 300X, 300CX, 305, 400X, 400CX, D120, H120 and H130 Compact Utility Tractor Loaders

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BWA1199	Mounting Frame with Hoses and Parts and Hood Guard (770, 790 Serial No.- LV0790G790000) <i>Compatible with 300 loaders.</i>	1,324.40
	BWA1198	Mounting Frame with Hoses and Parts and Hood Guard (For 790 Serial No. LV0790G790001-) <i>Compatible with 300 loaders.</i>	1,069.20
	BWA1503	Mounting Frame with Hoses and Parts and Hood Guard (3005) <i>Compatible with 300 loaders.</i>	1,069.20
	BWA1355	Mounting Frame with Hoses and Parts and Hood Guard (3203) <i>Compatible with 300 loaders.</i>	1,069.20
		OPERATOR'S MANUAL AND DECAL KIT	
	BW16397	French North American operator's manual and decal kit <i>Compatible with 305 loaders.</i>	See Parts
	BW15835	Spanish North American operator's manual and decal kit <i>Compatible with 305 loaders.</i>	0.00
		Tooth Bars:	
	AT337951	56 in. Tooth Bar - 6 Teeth <i>Recommended for use with heavy-duty buckets only.</i> <i>Compatible with 300, 300X, 305, 400X and 400CX loaders.</i>	438.00
	BW15227	61 In. (1550 mm) Tooth Bar for Bucket <i>Recommended for use with heavy-duty buckets only.</i> <i>Compatible with 300, 300X, 305, 400X and 400CX loaders.</i>	482.90
	BW15228	73 In. (1850 mm) Tooth Bar for Bucket <i>Recommended for use with heavy-duty buckets only.</i> <i>Compatible with 300, 300X, 305, 400X and 400CX loaders.</i>	586.30