



WHOLEGOODS PRICING

Iowa Department of Transportation



Hydro Select
Effective
1/1/2017-12/31/2017

Hydro Select Line Price Book

Section

Table of Contents
Machete2 Boom
Machete2 Boom- Mount Kits
Maverick Boom
Maverick Boom- Mount Kits
Maverick2 Boom
Maverick2 Boom- Mount Kits
Rear Mount Boom
Samurai Boom
Samurai Boom- Mount Kits
Versa Boom
Versa Boom- Mount Kits
Falcon Hydraulic Rotary
Versa Mower
Versa Mower- Mount Kits
Versa Pro- Flail Mowers
Right Hand Interstater
Right Hand Interstater- Mount Kits
Dual Wing Interstater
Dual Wing Interstater- Mount Kits
88" Rear Interstater- Flail Mowers
96" Rear Interstater- Flail Mowers
TRAXX RF
RidgeRunner
John Deere " Turn Key" Tractors
New Holland " Turn Key" Tractors

MACHETE2 BOOM

18', 22', 25' Articulated Models

F.O.B. Seguin, TX

STANDARD SPECIFICATIONS

- ◆ 4" X 4" Square Tubular Frame
- ◆ Features a 2 1/2" greaseable "king post" style turning arm.
- ◆ Main pivots points utilize 2' pins with greaseable, hardened steel bushings.
- ◆ Self contained hydraulic system.
- ◆ 20 gal Front-Mounted Reservoir/35 gal Total System Volume
- ◆ Motor Circuit: Piston Pump Rated @ 25 gpm (43.8 hp) & 3,000 psi @ 2,200 rpm.
Charge Pump Rated @ 8 gpm (1.4 hp) & 300 psi @ 2,200 rpm.
- ◆ Control Circuit: Piston Pump Rated @ 18 gpm (31.5 hp) & 3,000 psi @ 2,200 rpm.
- ◆ Inner Boom Arm 6"x6"x1/4" Alloy Steel Tubing
- ◆ Outer Boom Arm 5"x5"x1/4" Alloy Steel Tubing
- ◆ 120° Horizontal Boom Swing
- ◆ Boom Reach: Up-18' 7", Out-18', Down-5' 1".
- ◆ Mount Kit, Wheel Weight, and Polycarbonate Window Included in Base Price
- ◆ Tractor Req: Min of 8,500 lbs and 90 eng. hp. Min 90" Wheelbase and 18" Ground Clearance

HEAD SPECIFICATIONS

- ◆ 58" Cutting Diameter
- ◆ Alloy Deck Material with Double Wall Side Skirt
- ◆ 4-1/2"x9" Heat-Treated Alloy Spindle
- ◆ 205 HP Direct-Coupled Piston Motor
- ◆ Stacked Three-Leaf, Alloy Steel Blade Bar
- ◆ 5/8" x 5" Double -Edged, Tempered Steel Blades, 360° Swing
- ◆ Standard (1) year limited parts and labor warranty.

PRODUCT ORDER CODE	DESCRIPTION	APPRX. WEIGHT		LIST PRICE
Base Unit (One Choice Required)				
04861801	18' Machete II Boom- 4wd (Joystick Control)			44,377
04861800	18' Machete II Boom- 2wd (Joystick Control)			44,377
04862201	22' Machete II Boom- 4wd (Joystick Control)			45,803
04862200	22' Machete II Boom- 2wd (Joystick Control)			45,803
04862501	25' Machete II Boom- 4wd (Joystick Control)			46,946
Tier Four (IV) Tractors Require Double Highframes To Allow 25' Models To Clear Exhaust Systems				
Sales Note: This Will Affect Transport Widths				
04862511	25' Machete2 Boom 4wd (Joystick Control) Tier IV Tractor Models			47,996
MOWER HEAD (One Choice Required)				
02986191	60" Rotary w/Ctr Hyd Door, Blade Bar & Head Swivel	1,080		17,987
02986205	60" Rotary w/Ctr Hyd Door, Blade Bar (No Head Swivel)	1,026		16,518
02986197	50" Rotary w/Ctr Hyd Door, Blade Bar & Head Swivel			17,609
02986704	50" Rotary w/Ctr Hyd Door, Blade Bar (No Head Swivel)			15,616
02986198	50" Rotary w/Ctr Hyd Door, Blade Pan & Head Swivel			16,712
02986703	50" Rotary w/Ctr Hyd Door, Blade Pan (No Head Swivel)			14,718
02986262	48" Flail-Axe w/Head Swivel			16,979
02986254	48" Flail-Axe (No Head Swivel)			14,985
02989697	48" Flail-Axe, SHD Cuttershaft (4 oz Knives, No Head Swivel)			16,483
02992639	52" Battle Axe (No Head Swivel) Piston Type	1,150		17,482
02986263	Bomford 60" HD Grass Flail (Swivel) Piston-Type- Requires Swivel Wiring Kit			17,720
02988186	Bomford 60" HD Grass Flail (Non-Swivel) Piston-Type	870		15,727

18', 22', 25' Articulated Models

F.O.B. Seguin, TX

PRODUCT ORDER CODE	DESCRIPTION	APPRX. WEIGHT		LIST PRICE
MOWER HEAD <i>(One Choice Required)</i>				
02988159	5' Timber Cat Sickle Bar	682		13,773
02988158	7' Timber Cat Sickle Bar	770		14,414
02986245	90" Buzzbar (4 Blade)	1098		15,938
02986237	69" Buzzbar (3 Blade)	705		15,052
02986236	48" Buzzbar (2 Blade)	550		12,069
02988100	Ditcher Head (Hitch Post Mounted) Piston Type			13,993
OPTIONS				
02986941A	Additional Operators and Parts Manuals			57
02989463	Quick Hitch Kit*			3,882
02989464	Hydraulic Kit for Quick Hitch Head**			515
02975647M	Flail-Axe Jack Stand Kit*** (02975647)			362
02984400	HD Grass Flail Jack Stand Kit***			373
02982002	Mounting Labor & Oil			7,692
02791800	Special Mower Paint			1,392
02968967	Special Tractor Paint			6,262
00889899MC	Additional 12 Month Warranty (00889899)			4,496

* Includes all components to convert boom and (1) head to Quick Hitch

** Required to convert additional heads to Quick Hitch

*** Required to level Flail Heads for Quick Hitch

MACHETE2 BOOM

18', 22' 25' Mount Kit Options

F.O.B. Seguin, TX

Note: 25" Machete units are to be mounted on 4WD model tractors only

TRACTOR DESCRIPTION	MOUNT KIT	MAXIMUM TIRE SIZE		
		2WD Front	4WD Front	Rear
Case IH				
Case-IH Maxxum 110/110 Pro/120 Pro/130 Pro Cab/4wd	02987861	Double -Edge	14.9-24	18.4-34
Case Farmall 110A/120A Cab 4wd (2015-) (Tier IV-B Model Engines)	02995032	Blades, 36"	14.9-28	18.4-38
Case Farmall 130A/140A Cab 4wd (2015-) (Tier IV-B Model Engines)	TBD	1) year limit	14.9-28	18.4-38
Case-IH Maxxum 110/110 Pro/120 Pro/130 Pro Cab/4wd	02987861	labor warrar	14.9-24	18.4-34
Case-IH Maxxum 115/125/125 Pro/140 Pro Cab/2wd	02988161	11.00-16	N/A	18.4-34
Case-IH Maxxum 115/125/125 Pro/140 Pro Cab/4wd	02988204	N/A	14.9-24	18.4-34
Case Maxxum 115/125/135/145 Cab 4wd (2015-) (Tier IV-B Model Engines)	TBD	N/A	14.9-28	18.4-38
Case-IH Puma 165/180/195/210 Cab/4wd (Frt Axle Stabilizer Not Incl.)	02990699	N/A	16.9R30	20.8R42
Challenger				
Challenger MT445B/455B/465B Cab/4wd (Tier III Engine Only)	02989771	N/A	14.9-24	18.4-34
Challenger MT455/465/475/485/495D Cab 4wd (2014-2015) (Tier IV-A Model Engines)	02994112	N/A	14.9-24	18.4-38
Challenger MT475B Cab/4wd (Tier III)	02989824	N/A	14.9-28	18.4-38
John Deere				
JD 6105/6115D Series Interim-TIV Cab 4WD (2013-2014)	02993901	N/A	14.9-24	18.4-34
JD 6105/6120E Series TIV-B Cab 4WD (MY2015-)	TBD	N/A	14.9-24	18.4-38
JD 6105/6115/6125M Series Interim-TIV Cab 4WD (2013-2014)	02993018	N/A	14.9-24	18.4-34
JD 6110/6120/6130M Cab 4WD (2015+) (Tier IV-B Model Engines)- 18-22' Model	02993033	N/A	14.9-24	18.4-38
JD 6110/6120/6130M Cab 4WD (2015+) (Tier IV-B Model Engines)- 25' Model	02996032	N/A	14.9-24	18.4-38
JD 6140/6150R Cab/4wd 2014- (Tier IV-A Model Engines) Tractors equipped with Bar Axle & Cast Rims	TBD	N/A	16.5-30	18.9-46
JD 6170/6190/6210R Cab/4wd 2014- (Tier IV-A Model Engines) Tractors equipped with Bar Axle & Cast Rims	02993238	N/A	16.5-30	18.9-46
JD 6215/6415 Cab/2wd	02990190	10.00-16	N/A	18.4-30
JD 6220/6320/6420 (Tier II) Cab/2wd	02990190	10.00-16	N/A	18.4-30
JD 6230/6330/6430 "Mid-Spec" Cab/2wd	02988521	10.00-16	N/A	18.4-34
JD 6230/6330/6430 "Mid-Spec" Cab/4wd	02987774	N/A	13.6-24	18.4-34
JD 6230/6330/6430 "Premium" Cab/4wd	02987901	N/A	13.6-24	18.4-34
JD 7130/7230 "Mid-Spec" Cab/2wd (Frt Axle Stabilizer Not Incl.)	02989869	11.00-16		18.4-38
JD 7130/7230 "Mid-Spec" Cab/4wd	02987751	N/A	13.6-28	18.4-38
JD 7130/7230 "Prem" Cab/4wd (6 cyld / 55 gal. fuel tank / Flanged Rear Whl / Built Before Nov. 1, 2010)	02989132	N/A	14.9-28	18.4-38
JD 7130/7230/7330 "Prem" Cab/4wd (4 & 6 cyld / 66 gal. fuel tank / Rack & Pinion Rear Whl)	02991260		14.9-28	18.4-38
JD 7410 "Mid-Spec" Cab/2wd	02991666	11.00-16	N/A	18.4-38
Massey Ferguson				
MF 5465/5475 Cab/4wd (Tier III Perkins Engine Only)	02988043	N/A	14.9-24	18.4-34
MF 6614/6615/6617 Cab 4wd (Interim-Tier IV Engine Models)	02995041	N/A	14.9-24	18.4-34
McCormick				
McCormick MC105 Cab/4wd	02991916	N/A	14.9-24	18.4-34

TRACTOR DESCRIPTION	MOUNT KIT	MAXIMUM TIRE SIZE		
		2WD Front	4WD Front	Rear
NEW HOLLAND				
NH T6020/6040/6060 Cab/4wd (Built Before May 2010)	02987861	N/A	14.9-24	18.4-34
NH T6020/6040/6060 Cab/4wd (Built After May 2010)	02991288	N/A	14.9-24	18.4-34
NH T6030/6050/6070/6080 Cab/2wd (Built Before May 2010)	02988161	11.00-16	N/A	18.4-34
NH T6030/6050/6070/6080 Cab/2wd (Built After May 2010)	02991289	11.00-16	N/A	18.4-34
NH T6030/6050/6070/6080 Cab/4wd (Built Before May 2010)	02988204	N/A	14.9-24	18.4-34
NH T6030/6050/6070/6080 Cab/4wd (Built After May 2010)	02991290	N/A	14.9-24	18.4-34
NH TS 6.110/6.120 Cab 4WD (2013-2014) (Tier III Emissions)	02992676	N/A	14.9-28	18.4-38
NH TS 6.110/6.120 Cab 4wd TIV-B Emissions 2015-	02995382	N/A	14.9-28	18.4-38
NH TS 6.110/6.120 Cab 2WD (2013-2014) (Tier III Emissions)	02992649	10.00-16	N/A	18.4-38
NH TS 6.110/6.120 Cab 2wd (2015-) (Tier IV-B Model Engines) Note: This mount will include an axle stabilizer cylinder	Sales TBD- Call For Availability	10.00-16	N/A	18.4-38
NH TS 6.130/6.140 Cab 4wd TIV-B Emissions 2015-	TBD- Call For Availability	N/A	14.9-28	18.4-38
NH TS 6.130/6.140 Cab 2wd TIV-B Emissions 2015- Note: This mount will include an axle stabilizer cylinder	Sales TBD- Call For Availability	10.00-16	N/A	18.4-38
NH T6.140/6.150/6.160 Cab/4wd 2013-Early 2015 (Tier IV-A Model Engines)	02993869	N/A	14.9-24	18.4-34
NH T6.155/6.165/6.175 Cab/4wd (2013-Early 2015) (Tier IV-A Model Engines)	02993835	N/A	14.9-24	18.4-34
NH T6.145/6.155/6.165/6.175 Cab 4wd (2015-) (Tier IV-B Model Engines)	TBD- Call For Availability	N/A	14.9-28	18.4-38

Sales Notes:

- (1) Always use the maximum tire size noted for most favorable ground clearance.
 - (2) Kits are designed for tractors equipped with flange-type rear axles.
 - (3) 2wd models should only be sold with shortest boom configuration available
- Perceived stability will be compromised because of the lack of a front stabilizer cylinder.

MAVERICK BOOM

24', 30' Articulated Models

F.O.B. Seguin, TX

STANDARD SPECIFICATIONS

- ◆ Bolt-On Undermount with Front and Rear Attached Rails
- ◆ Boom Features Dipper, Lift, and Telescopic Sections w/ Axle-Mounted Boom Rest
- ◆ Standard Boom Structure Made from Alloy Steel, Designed Box Section
- ◆ Main Pivot Features 2' Chrome Pins with Greaseable, Hardened Steel Bushings
- ◆ Hydraulic Pivot is Featured on Head for Maneuverability.
- ◆ Front Axle Mounted Cylinder for Automatic Self-stabilization of Unit
- ◆ Self Contained Front Mounted Hydraulic System
- ◆ Self-Cleaning, Thermostatically Controlled Oil-to-Air Cooler
- ◆ Ability to Mow Horizontally Within 6" of Rear Tire
- ◆ Boom Reach: **24' Models=** Up-21'10", Out-24', Down-14'8" **30' Models=** Up-27'10", Out-30', Down-19'3"
- ◆ Exclusive Slewing Ring Bearing is Utilized for Boom Maneuverability and 180° Horizontal Boom Swing
- ◆ Joystick, Mount Kit, All Wheel Weight, Polycarbonate Window Included in Base Price
- ◆ **Tractor Req: Min of 8,500 lbs and 90 HP. Min 90" Wheelbase and 18" Ground Clearance**

HEAD SPECIFICATIONS

- ◆ 58" Cutting Diameter
- ◆ Alloy Deck Material with Double Wall Side Skirt
- ◆ 4-1/2"x9" Heat-Treated Alloy Spindle
- ◆ 199 HP Motor Direct-Coupled
- ◆ 2-1/2" x 5" Stacked Three-Leaf Blade Bar, T1 Steel
- ◆ 5/8" x 5" Double -Edged, Tempered Steel Blades, 360° Swing
- ◆ Standard (1) year limited parts and labor warranty.

PRODUCT ORDER CODE	DESCRIPTION	APPRX. WEIGHT		LIST PRICE
Maverick Base Unit (One Choice Required)				
04802400	24' Maverick w/ Telescoping Boom (Joystick Control)	6000		56,787
04802425	24' Maverick w/ Non-Telescoping Boom (Joystick Control)	6000		55,474
Sales Note: This Non-Telescoping option above mechanically locks the sliding dipper section in the retracted position resulting in a maximum 22' Boom Reach				
04803024	30' Maverick w/ Telescoping Boom (Joystick Control)	7500		64,279
All Tier Four (IV) Tractors will Require Wider Undermounts To Clear The Larger Exhaust Systems.				
Sales Note: This will Affect Transport Widths				
04802410	24' Maverick w/ Telescoping Boom- Tier IV Tractor Models (Joystick Control)	6300		56,674
04802435	24' Maverick w/ Non-Telescoping Boom- Tier IV Tractor Models (Joystick Control)	6300		56,474
Sales Note: This Non-Telescoping option above mechanically locks the sliding dipper section in the retracted position resulting in a maximum 22' Boom Reach				
04803034	28' Maverick2 w/ Non-Telescoping Boom (Joystick Control) TIV-B Models- Larger One Piece Undermount System	8000		63,799
Mower Heads (One Choice Required)				
02981782	60" Rotary w/Ctr Hyd Door, Blade Bar & Head Swivel	919		18,512
02983590	60" Rotary w/Ctr Hyd Door, Blade Bar (No Head Swivel)			16,519
02981783	50" Rotary w/Ctr Hyd Door, Blade Bar & Head Swivel			17,609
02984823	50" Rotary w/Ctr Hyd Door, Blade Pan & Head Swivel			16,712
02983554	48" Flail-Axe (No Head Swivel)	770		14,985
02984371	48" Flail-Axe w/Head Swivel			16,979
02983586	48" Flail-Axe, SHD Cuttershaft (3 oz Knives)			16,483
02992639	52" Battle Axe (No Head Swivel) Piston Type	1150		17,482
02983560	Bomford 60" HD Grass Flail (No Head Swivel)	870		15,726
02985449	Bomford 60" HD Grass Flail w/Head Swivel			17,720
02983548	5' Timber Cat Sickle Bar	440		13,773
02983549	7' Timber Cat Sickle Bar	520		14,414
02983557	48" (2 Blade) Buzzbar Tree Cutter	550		12,068
02983556	69" (3 Blade) BuzzBar Tree Cutter	705		15,052
02983555	90" (4 Blade) Buzzbar Tree Cutter	1098		17,993
02982531	Ditcher Head (Hitch Post Mounted) Piston-Type			13,993

MAVERICK BOOM

24', 30' Articulated Models

F.O.B. Seguin, TX

PRODUCT ORDER CODE	DESCRIPTION	APPRX. WEIGHT		LIST PRICE
Options				
02989463	Quick Hitch Kit*			3,882
02989464	Hydraulic Kit for Quick Hitch Head**			515
02990399	Ditcher Stand Kit *****			714
02975647M	Flail-Axe Jack Stand Kit*** (02975647)			362
02984400	HD Grass Flail Jack Stand Kit***			373
02984407	JD6615/6715/7220/7320/7130/7230 Oil Cooler Brush Guard			639
02982002	Mounting Labor & Oil			7,692
02791800MV	Special Mower Paint (02791800)			1,427
00889899MV	Additional 12 Month Warranty (00889899)			4,496

* Includes all components to convert boom and (1) head to Quick Hitch

** Required to convert additional heads to Quick Hitch

*** Required to level heads for Quick Hitch

MAVERICK BOOM

24' Mount Kit Options

F.O.B. Seguin, TX

TRACTOR DESCRIPTION	MOUNT KIT	MAXIMUM TIRE SIZE	
		FRONT	REAR
Case IH			
Case-IH Farmall 125/140A Cab/4wd (Tier III Engine Only)- 24' Mount Kit	TBD	14.9-24	18.4-34
Case-IH MXU100/110 Cab/4wd (24' Models Only)	02982358	14.9-24	18.4-34
Case-IH MXU115/125/130/135 Cab/4wd	02982341	Double -Edge	18.4-34
Case-IH Maxxum 110/110 Pro/120 Pro/130 Pro (24' Models Only)	02986046	Blades, 36"	18.4-34
Case-IH Maxxum 115/125/125 Pro/140 Pro	02986049	1) year limit	18.4-34
Challenger			
Challenger MT445B/455B/465B Cab/4wd (Tier III Engine Only)	02990779	14.9-24	18.4-34
John Deere			
JD 6105/6115/6125M Interim TIV Models Cab 4wd 2012-2014	02992847	14.9-24	18.4-34
JD 6140/6150M Cab 4wd (Interim TIV Engines Only) 2012-2014- 24' Mount Kit	02993457	14.9-28	18.4-38
JD 6215/6415 Cab/4wd	02982548	13.6-24	18.4-34
JD 6220/6320/6420 (Tier II) Cab/4wd	02982577	13.6-24	18.4-34
JD 6230/6330/6430 "Mid Spec" Cab/4wd	02986011	13.6-24	18.4-34
JD 6230/6330/6430 Premium Cab/4wd w/ Panoramic Door	02991611	13.6-24	18.4-34
JD 6615/6715 Cab/4wd	02982450	13.6-24	18.4-34
JD 7210/7410/7510 Cab/4wd	02985971	13.6-28	18.4-34
JD 7220/7320 Cab/4wd (34" Flanged Rear Whl)	02983364	13.6-28	18.4-34
JD 7220/7320 Cab/4wd (38" Flanged Rear Whl)	02985173	14.9-28	18.4-38
JD 7220/7320 Cab/4wd (38" Rack & Pinion Whl)	02983920	14.9-28	18.4-38
JD 7130/7230 "Mid" Cab/4wd (4 or 6 cyl / 55 gal. fuel tank)	02987697	13.6-28	18.4-38
JD 7130/7230 "Prem" Cab/4wd (6 cyl / 55 gal. fuel tank / Flanged Rear Whl / Built Before Nov. 1, 2010)	02986620	14.9-28	18.4-38
JD 7130/7230 "Prem" Cab/4wd (6 cyl / 55 gal. fuel tank / Rack & Pinion Rear Whl / Built Before Nov. 1, 2010)	02990148	14.9-28	18.4-38
JD 7130/7230 "Prem" Cab/4wd (6 cyl IVT / 55 gal. fuel tank / Flanged Rear Whl / Built Before Nov. 1, 2010)	02986829	14.9-28	18.4-38
Massey Ferguson			
MF 5460 Cab/4wd (Tier II Engine Only)	02988138	14.9-24	18.4-34
MF 5465 Cab/4wd (Tier II Engine Only)	02983605	14.9-24	18.4-34
MF 5465/5475 Cab/4wd (Tier III Perkins Engine Only)	02991112	14.9-28	18.4-38
MF 5465/5475 Cab/4wd (Tier III Sisu Engine Only)	02991353	14.9-28	18.4-38
MF 7614/7615/7616/7618 Cab 4wd 2014 (Tier IV 6 Cyl Engines Only)- 24' Mount Kit	02993693	14.9-28	18.4-38
New Holland			
NH TS100A/110A Cab/4wd (24' Models Only)	02982358	14.9-24	18.4-34
NH TS115A/125A/130A/135A Cab/4wd	02982341	14.9-24	18.4-34
NH T6010/6020/6040/6060 Cab/4wd (Built Before May 2010)	02986046	14.9-24	18.4-34
NH T6010/6020/6040/6060 Cab/4wd (Built After May 2010)	02991292	14.9-24	18.4-34
NH T6030/6050/6070 Cab/4wd (Built Before May 2010)	02986049	14.9-24	18.4-34
NH T6030/6050/6070 Cab/4wd (Built After May 2010)	02991293	14.9-24	18.4-34

OTHER SPECIFICATIONS

- (1) Always use the maximum tire size for favorable ground clearance.
- (2) Mount kits are designed for use with 4wd tractors only.
- (3) Tractors should not be ordered with armrest-integrated controls.
- (4) Tractors must be equipped with flanged rear rims unless otherwise noted.

MAVERICK BOOM

30' Mount Kit Options

F.O.B. Seguin, TX

Note: 30' Maverick units are to be mounted on 4WD model tractors only

TRACTOR DESCRIPTION	MOUNT KIT	MAXIMUM TIRE SIZE	
		FRONT	REAR
Case IH			
Case-IH Farmall 125/140A Cab/4wd (Tier III Engine Only)- 30' Mount Kit	02993192	14.9-24	18.4-34
Case-IH MXU115/125/130/135 Cab/4wd	02981892	14.9-24	18.4-34
Case-IH Maxxum 115/125/125 Pro/140 Pro	02986052	14.9-24	18.4-34
Challenger			
Challenger MT445/455/465B Cab/4wd (4 Cyl.-TIII Engine)	02991792	14.9-28	18.4-38
Challenger MT475B Cab/4wd (Tier III)	02989840	14.9-28	18.4-38
John Deere			
JD 6105/6115/6125M Interim TIV Models Cab 4wd 2012-2014	02992945	14.9-24	18.4-34
JD 6140/6150M Cab 4wd (Interim TIV Engines Only) 2012-2014- 30' Mount Kit	02993490	14.9-28	18.4-38
JD 6615/6715 Cab/4wd	02982395	13.6-24	18.4-34
JD 7210/7410/7510 Cab/4wd (34" Flanged Rear Rim)	02984191	13.6-28	18.4-34
JD 7220/7320 Cab/4wd (34" Flanged Rear Whl)	02983096	13.6-28	18.4-34
JD 7220/7320 Cab/4wd (38" Flanged Rear Whl)	02984772	14.9-28	18.4-38
JD 7220/7320 Cab/4wd (38" Rack & Pinion Whl)	02984684	14.9-28	18.4-38
JD 7130 "Mid" Cab/4wd (4 cyld / 55 gal. fuel tank)	02989932	13.6-28	18.4-38
JD 7130/7230 "Mid" Cab/4wd (6 cyld / 55 gal. fuel tank)	02986363	13.6-28	18.4-38
JD 7130/7230 Premium Cab/4wd w Panoramic Door (55 Gal Tank Only)	02991723	14.9-28	18.4-38
JD 7130/7230 "Prem" Cab/4wd (6 cyld / 55 gal. fuel tank / Flanged Rear Whl / Built Before Nov. 1, 2010)	02986617	14.9-28	18.4-38
Massey Ferguson			
MF 5465 Cab/4wd (Tier II Engine Only)	02984419	14.9-24	18.4-34
MF 5465/5475 Cab/4wd (Tier III Perkins Engine Only)	02988639	14.9-28	18.4-38
MF 5465/5475 Cab/4wd (Tier III Sisu Engine Only)	02991559	14.9-28	18.4-38
MF 7614/7615/7616/7618 Cab 4wd 2014 (Tier IV 6 Cyl Engines Only)- 30' Mount Kit	02993624	14.9-28	18.4-38
New Holland			
NH TS115A/125A/130A/135A Cab/4wd	02981892	14.9-24	18.4-34
NH T6030/6050/6070 Cab/4wd (Built Before May 2010)	02986052	14.9-24	18.4-34
NH T6030/6050/6070 Cab/4wd w/ Command Armrest (Built before May 2010)	02987356	14.9-24	18.4-34
NH T6030/6050/6070 Cab/4wd (Built After May 2010)	02991294	14.9-24	18.4-34
NH T6030/6050/6070 Cab/4wd w/ Command Armrest (Built after May 2010)	02991295	14.9-24	18.4-34

OTHER SPECIFICATIONS

- (1) Always use the maximum tire size for favorable ground clearance.
- (2) Mount kits are designed for use with 4wd tractors only.
- (3) Tractors should not be ordered with armrest-integrated controls.
- (4) Tractors must be equipped with flanged rear rims unless otherwise noted.

MAVERICK2 BOOM

24', 30' Articulated Models

F.O.B. Seguin, TX

STANDARD SPECIFICATIONS

- ◆ Bolt-On Undermount- Support Rails Tie Into to the Rear Axle and Front Bolster Support
- ◆ Boom Features Dipper, Lift, and Telescopic Sections w/ Axle-Mounted Boom Rest
- ◆ Standard Boom Structure Made from Alloy Steel, Designed Box Section
- ◆ Main Pivot Features 2' Chrome Pins with Greaseable, Hardened Steel Bushings
- ◆ Hydraulic Pivot is Featured on Head for Maneuverability.
- ◆ Front Axle Mounted Cylinder for Automatic Self-stabilization of Unit
- ◆ Self Contained Front Mounted Hydraulic System
- ◆ Self-Cleaning, Thermostatically Controlled Oil-to-Air Cooler
- ◆ Boom Reach (Telescopic Models Only): **24' Models=** Up-21'10", Out-24', Down-14'8"
30' Models= Up-27'10", Out-30', Down-19'3"
- ◆ Exclusive Slewing Ring Bearing is Utilized for Boom Maneuverability and 180° Horizontal Boom Swing
- ◆ Joystick, Mount Kit, All Wheel Weight, Polycarbonate Window Included in Base Price
- ◆ Both 24' & 30' Models available as "fixed dipper" builds that will take 2' off of the advertised boom reach measurements above
- ◆ Tractor Req: Min of 10,500 lbs and 90 PTO HP. Min 90" Wheelbase and 18" Ground Clearance

HEAD SPECIFICATIONS

- ◆ 58" Cutting Diameter
- ◆ Alloy Deck Material with Double Wall Side Skirt
- ◆ 4-1/2"x9" Heat-Treated Alloy Spindle
- ◆ 199 HP Motor Direct-Coupled
- ◆ 2-1/2" x 5" Stacked Three-Leaf Blade Bar, T1 Steel
- ◆ 5/8" x 5" Double -Edged, Tempered Steel Blades, 360° Swing
- ◆ Standard (1) year limited parts and labor warranty.

PRODUCT ORDER CODE	DESCRIPTION	APPRX. WEIGHT		LIST PRICE
Maverick Base Unit (One Choice Required)				
<u>All Tier IV Final (TIV-B) Tractors</u> Require Wider Undermounts To Clear The Larger Exhaust Systems.				
Sales Note: This will Affect Transport Widths				
04802440	24' Maverick2 w/ Telescoping Boom (Joystick Control)	6000		56,787
04802441	22' Maverick2 w/ Non-Telescoping Boom (Joystick Control)	6000		55,287
Part # 04802441 features a fixed dipper section allowing the boom to reach to 22' maximum				
04803040	30' Maverick2 w/ Telescoping Boom (Joystick Control)	7500		64,279
04803041	28' Maverick2 w/ Non-Telescoping Boom (Joystick Control)	7500		62,779
Part # 04803041 features a fixed dipper section allowing the boom to reach to 28' maximum				
04802413	24' Maverick2 w/ Telescoping Boom (Joystick Control) TIV-B Models- Larger One Piece Undermount System	6500		57,807
04802414	22' Maverick2 w/ Non-Telescoping Boom (Joystick Control) TIV-B Models- Larger One Piece Undermount System	6500		56,307
Part # 04802414 features a fixed dipper section allowing the boom to reach to 22' maximum				
04803033	30' Maverick2 w/ Telescoping Boom (Joystick Control) TIV-B Models- Larger One Piece Undermount System	8000		65,299
04803034	28' Maverick2 w/ Non-Telescoping Boom (Joystick Control) TIV-B Models- Larger One Piece Undermount System	8000		63,799
Part # 04803034 features a fixed dipper section allowing the boom to reach to 28' maximum				
Mower Heads (One Choice Required)				
02981782	60" Rotary w/Ctr Hyd Door, Blade Bar & Head Swivel	919		18,512
02983590	60" Rotary w/Ctr Hyd Door, Blade Bar (No Head Swivel)			16,519
02981783	50" Rotary w/Ctr Hyd Door, Blade Bar & Head Swivel			17,609
02984823	50" Rotary w/Ctr Hyd Door, Blade Pan & Head Swivel			16,712

MAVERICK BOOM

24', 30' Articulated Models

F.O.B. Seguin, TX

PRODUCT ORDER CODE	DESCRIPTION	APPRX. WEIGHT		LIST PRICE
Mower Heads (One Choice Required)				
02983554	48" Flail-Axe (No Head Swivel)	770		14,985
02984371	48" Flail-Axe w/Head Swivel			16,979
02983586	48" Flail-Axe, SHD Cuttershaft (3 oz Knives)			16,483
02992639	52" Battle Axe (No Head Swivel) Piston Type	1150		17,482
02983560	Bomford 60" HD Grass Flail (No Head Swivel)	870		15,726
02985449	Bomford 60" HD Grass Flail w/Head Swivel			17,720
02983548	5' Timber Cat Sickle Bar	440		13,773
02983549	7' Timber Cat Sickle Bar	520		14,414
02983557	48" (2 Blade) Buzzbar Tree Cutter	550		12,068
02983556	69" (3 Blade) BuzzBar Tree Cutter	705		15,052
02983555	90" (4 Blade) Buzzbar Tree Cutter	1098		17,993
02982531	Ditcher Head (Hitch Post Mounted) Piston-Type			13,993
Options				
02981992A	Additional Operators and Parts Manuals			57
02989463	Quick Hitch Kit*			3,882
02989464	Hydraulic Kit for Quick Hitch Head**			515
02990399	Ditcher Stand Kit *****			714
02975647M	Flail-Axe Jack Stand Kit*** (02975647)			362
02984400	HD Grass Flail Jack Stand Kit***			373
02984407	JD6615/6715/7220/7320/7130/7230 Oil Cooler Brush Guard			639
02982002	Mounting Labor & Oil			7,692
02791800MV	Special Mower Paint (02791800)			1,427
00889899MV	Additional 12 Month Warranty (00889899)			4,496

* Includes all components to convert boom and (1) head to Quick Hitch

** Required to convert additional heads to Quick Hitch

*** Required to level heads for Quick Hitch

MAVERICK2 BOOM

Mount Kit Options

F.O.B. Seguin, TX

TRACTOR DESCRIPTION	MOUNT KIT	MAXIMUM TIRE SIZE	
		FRONT	REAR
Case IH			
#####	TBD	14.9-28	18.4-38
Farmall 130/140A Cab/4wd (2015 -) (Tier IV-B Engine Models)- 24' Mount Kit	02995835	14.9-28	18.4-38
Farmall 130/140A Cab/4wd (2015 -) (Tier IV-B Engine Models)- 30' Mount Kit	02995750	14.9-28	18.4-38
Maxxum 115/125/135/145 Cab/4wd (2015 -) (4 cyl Tier IV-B Engine Models)- 24' Mount Kit Sales Note: Tractor must be equipped with a standard MFWD Front Axle (Code 392196)	TBD	14.9-28	18.4-38
Maxxum 115/125/135/145 Cab/4wd (2015 -) (4 cyl Tier IV-B Engine Models)- 30' Mount Kit Sales Note: Tractor must be equipped with a standard MFWD Front Axle (Code 392196)	TBD	14.9-28	18.4-38
John Deere			
6105/6115/6125M (2012-2014) (Interim-Tier IV Engines) Cab 4wd- 24' Mount Kit	02995331	14.9-24	18.4-38
6105/6115/6125M (2012-2014) (Interim-Tier IV Engines) Cab 4wd- 30' Mount Kit	02995008	14.9-28	18.4-38
#####	TBD	14.9-28	18.4-38
6145/6155M Cab 4wd TIV-B Emissions 2015- 24' Mount Kit	TBD	14.9-28	18.4-38
6145/6155M Cab 4wd TIV-B Emissions 2015- 30' Mount Kit	TBD	14.9-28	18.4-38
New Holland			
#####	TBD	14.9-28	18.4-38
TS6.130/140A Cab/4wd (2015 -) (Tier IV-B Engine Models)- 24' Mount Kit	02995835	14.9-28	18.4-38
TS6.130/140A Cab/4wd (2015 -) (Tier IV-B Engine Models)- 30' Mount Kit	02995750	14.9-28	18.4-38
T6.145/155/165/175 Cab/4wd (2015 -) (4 cyl Tier IV-B Engine Models)- 24' Mount Kit Sales Note: Tractor must be equipped with a standard MFWD Front Axle (Code 758420)	TBD	14.9-28	18.4-38
T6.145/155/165/175 Cab/4wd (2015 -) (4 cyl Tier IV-B Engine Models)- 30' Mount Kit Sales Note: Tractor must be equipped with a standard MFWD Front Axle (Code 758420)	TBD	14.9-28	18.4-38

OTHER SPECIFICATIONS

- (1) Always use the maximum tire size for maximum ground clearance.
- (2) Mount kits are designed for use with 4wd tractors only.
- (3) Tractors should not be ordered with armrest-integrated controls.
- (4) Tractors must be equipped with flanged rear rims unless otherwise noted.
- (5) The right handrail must be removed for boom transport clearance.

REAR MOUNT BOOM

17', 20', 23' Articulated Models

F.O.B. Seguin, TX

STANDARD SPECIFICATIONS

- ◆ Welded Steel Plate Frame Mounted to the Rear Axle and Three-Point Hitch
- ◆ 60-Gallon Hydraulic Reservoir with 12 Micron Filtration
- ◆ 4" King Post with 3" Tapered Roller Bearings
- ◆ Inner Boom Arm 6"x 6" x 1/4" Steel Tubing
- ◆ Outer Boom Arm 5"x 5" x 1/4" Steel Tubing
- ◆ 120° Horizontal Boom Swing
- ◆ Boom Reaches:
 - 17: Up-19'6", Out- 18'9", Down- 8'9"
 - 23: Up-22'10", Out- 22'4", Down- 15'6"
- ◆ Stacked Hydraulic Pump @ 51 GPM @ 2500 PSI
- ◆ 4-Spool, Open Center, Tapered Positive Metering Valve
- ◆ Safety Cage (ROPS Units ONLY)
- ◆ Tractor Req: Min. 5,000 lbs. with 65 HP rating
- ◆ Mount Kit & Polycarbonate Window Included in Base Price
- ◆ Front End Weight to be Supplied by the End User.

HEAD SPECIFICATIONS

- ◆ 60" Boom-Axe Head
- ◆ 10-Gauge Top Deck with 1/4" Side Skirts
- ◆ Full Length Replaceable Skid Shoes
- ◆ 4-1/2"x 9" Heat-Treated Alloy Spindle
- ◆ 101 HP Motor Direct-Coupled
- ◆ 5/8" x 5" Double -Edged, Tempered Steel Blades, 360° Swing
- ◆ Standard (1) year limited parts and labor warranty.

PRODUCT ORDER CODE	DESCRIPTION	APPRX. WEIGHT		LIST PRICE
REAR MOUNT BASE UNIT (One Choice Required)				
04912217	17' Rear-Mount Boom Assembly	6000		31,955
04912218	20' Rear-Mount Boom Assembly	6100		34,062
04912219	23' Rear-Mount Boom Assembly	6200		35,581
JSTKOPT	Joystick Control Option for Rear Mount Booms (Add To Prices Above)			7,500
MOWER HEAD (One Choice Required)				
02974676	60" Boom-Axe with Bar	820		11,680
02974680	50" Boom-Axe with Pan	810		11,978
02974681	50" Boom-Axe with Bar	750		11,403
02970299	48" Flail Axe	700		13,675
02963870	60" SHD Flail	760		12,683
02974204	90" Buzzbar Head	1098		17,993
02979250	69" Buzzbar Head	705		15,127
02979266	48" Buzzbar Head	550		12,127
02972145	5' Timbercat	440		15,173
02972146	7' Timbercat	520		15,555

REAR MOUNT BOOM

17', 20', 23' Articulated Models

F.O.B. Seguin, TX

PRODUCT ORDER CODE	DESCRIPTION	APPRX. WEIGHT		LIST PRICE
OPTIONS				
02924700	Additional Operators and Parts Manuals			57
02976534	Quick Hitch Kit*			2,879
02976535	Hydraulic Kit for Quick Hitch Head**			512
02975647M	Flail-Axe Jack Stand Kit*** (02975647)			362
02959639	Caster Wheel Kit, Super Heavy Duty Flail	24		1,656
02972609	Wheel Weight Kit-500 lbs.	500		1,383
02971789	Wheel Weight Kit-1300 lbs.	1300		2,960
02976671	Additional 408 lbs. Kit for 1300 lbs. Wheel Weight	408		1,741
02976670	Additional 680 lbs. Kit for 1300 lbs. Wheel Weight	680		2,581
02963038	Mounting Labor & Oil			8,384
02791800	Special Mower Paint			1,392
02968967	Special Tractor Paint			6,262
00889899RW	Additional 12 Month Warranty (00889899)			4,453

* Includes all components to convert boom and (1) head to Quick Hitch

***Required to level Flail-Axe for Quick Hitch

*** Required to level Flail-Axe for Quick Hitch

SAMURAI BOOM

18', 22', 25' Articulated Models

F.O.B. Seguin, TX

STANDARD SPECIFICATIONS

- ◆ 4" X 4" Square Tubular Frame
- ◆ Features a 2 1/2" greaseable "king post" style turning arm.
- ◆ Main pivots points utilize 2" pins with greaseable, hardened steel bushings.
- ◆ Self contained hydraulic system w/integrated oil cooler.
- ◆ 20 gal Front-Mounted Reservoir/35 gal Total System Volume
- ◆ Motor Circuit: Gear Pump Rated @ 30 gpm (66.5 hp) & 3,800 psi @ 2,200 rpm.
- ◆ Control Circuit: Gear Pump Rated @ 12 gpm (21 hp) & 3,000 psi @ 2,200 rpm.
- ◆ Inner Boom Arm 6"x6"x1/4" Alloy Steel Tubing labor warranty.
- ◆ 120° Horizontal Boom Swing
- ◆ Boom Reach: **18' Models**= Up-18' 7", Out-18', Down-5' 1" **22' Models**= Up-22' 7", Out-22', Down-9' 1" **25' Models**= Up-25' 7", Out-25', Down-12' 1".
- ◆ Mount Kit, Wheel Weight, and Polycarbonate Window Included in Base Price
- ◆ Tractor Req: Min of 8,500 lbs and 90 eng. hp. Min 90" Wheelbase and 18" Ground Clearance

HEAD SPECIFICATIONS

- ◆ 58" Cutting Diameter
- ◆ Alloy Deck Material with Double Wall Side Skirt
- ◆ 4-1/2"x9" Heat-Treated Alloy Spindle
- ◆ 152 HP Direct-Coupled Gear Motor
- ◆ Stacked Three-Leaf, Alloy Steel Blade Bar
- ◆ 5/8" x 5" Double -Edged, Tempered Steel Blades, 360° Swing
- ◆ Standard (1) year limited parts and labor warranty.

PRODUCT ORDER CODE	DESCRIPTION	APPRX. WEIGHT		LIST PRICE
Boom Base Unit (One Choice Required)				
04851802	18' Samurai Boom- 4wd (Joystick Control)			44,871
04851803	18' Samurai Boom- 4wd (Cable Control)			37,717
04851805	18' Samurai 1.8 Boom- 4wd (Joystick Control)			44,871
04851804	18' Samurai 1.8 Boom- 4wd (Cable Control)			37,717
04851800	18' Samurai Boom- 2wd (Joystick Control)			44,871
04851801	18' Samurai Boom- 2wd (Cable Control)			37,717
04851806	18' Samurai 1.8 Boom- 2wd (Joystick Control)			44,871
04851807	18' Samurai 1.8 Boom- 2wd (Cable Control)			37,717
04852202	22' Samurai Boom- 4wd (Joystick Control)			46,245
04852203	22' Samurai Boom - 4wd (Cable Control)			39,091
04852208	22' Samurai 1.8 Boom- 4wd (Joystick Control)			46,245
04852205	22' Samurai 1.8 Boom - 4wd (Cable Control)			39,091
04852200	22' Samurai Boom- 2wd (Joystick Control)			46,245
04852201	22' Samurai Boom- 2wd (Cable Control)			39,091
04852206	22' Samurai 1.8 Boom- 2wd (Joystick Control)			46,245
04852207	22' Samurai 1.8 Boom- 2wd (Cable Control)			39,091
04852502	25' Samurai Boom- 4wd (Joystick Control)			48,682
04852503	25' Samurai Boom- 4wd (Cable Control)			41,528
04852504	25' Samurai 1.8 Boom- 4wd (Joystick Control)			48,682
04852505	25' Samurai 1.8 Boom- 4wd (Cable Control)			41,528
Mower Head (One Choice Required)				
02986190SJ	60" Rotary w/Ctr Hyd Door, Blade Bar & Head Swivel (Joystick Control)	1115		16,051
02986190SC	60" Rotary w/Ctr Hyd Door, Blade Bar & Head Swivel (Cable Control)	1115		16,051
02986203	60" Rotary w/Ctr Hyd Door, Blade Bar (No Head Swivel)	1061		14,251
02986213SJ	50" Rotary w/Ctr Hyd Door, Blade Bar & Head Swivel (Joystick Control)			15,288
PRODUCT ORDER CODE	DESCRIPTION	APPRX. WEIGHT		LIST PRICE

SAMURAI BOOM

18', 22', 25' Articulated Models

F.O.B. Seguin, TX

02986213SC	50" Rotary w/Ctr Hyd Door, Blade Bar & Head Swivel (Cable Control)			15,288
02986211	50" Rotary w/Ctr Hyd Door, Blade Bar (No Head Swivel)			13,467
02986212SJ	50" Rotary w/Ctr Hyd Door, Blade Pan & Head Swivel (Joystick Control)			14,389
02986212SC	50" Rotary w/Ctr Hyd Door, Blade Pan & Head Swivel (Cable Control)			14,389
02986210	50" Rotary w/Ctr Hyd Door, Blade Pan (No Head Swivel)			13,671
02986251SJ	48" Flail-Axe w/Head Swivel (Joystick Control)			15,888
02986251SC	48" Flail-Axe w/Head Swivel (Cable Control)			15,888
02986253	48" Flail-Axe (No Head Swivel)	777		14,085
02986252SJ	48" Flail-Axe, SHD Cuttershaft (3 oz Knives) w/Head Swivel (Joystick Control)			17,188
02986252SC	48" Flail-Axe, SHD Cuttershaft (3 oz Knives) w/Head Swivel (Cable Control)			17,188
02988228	48" Grass Flail, SHD Cuttershaft			15,422
02992647	52" Battle Axe (No Head Swivel) Gear Type	1150		18,006
02988229	60" Grass Flail, SHD Cuttershaft	800		15,545
02988233	Bomford 60" HD Grass Flail (Non-Swivel)			14,225
02988881	Bomford 60" HD Grass Flail (Swivel)- Requires Swivel Wiring Kit			16,200
02988255	5' Timber Cat Sickle Bar	682		16,363
02988256	7' Timber Cat Sickle Bar	770		16,165
02986235	90" Buzzbar (4 Blade)	1098		17,554
02986229	69" Buzzbar (3 Blade)	705		15,581
02986219	48" Buzzbar (2 Blade)	550		12,491
02988854	Ditcher Head (Hitch Post Mounted) Gear Type			14,483
Options				
02986950A	Additional Operators and Parts Manuals			57
02989326	Quick Hitch Kit*			4,314
02989327	Hydraulic Kit for Quick Hitch Head**			572
02975647	Flail-Axe Jack Stand Kit***			362
02985029	Mounting Labor & Oil			7,692
02791800	Special Mower Paint			1,392
02968967	Special Tractor Paint			6,262
00889899S	Additional 12 Month Warranty (00889899)			4,453

* Includes all components to convert boom and (1) head to Quick Hitch

** Required to convert additional heads to Quick Hitch

*** Required to level Flail-Axe for Quick Hitch

SAMURAI BOOM

18', 22', 25' Mount Kit Options

F.O.B. Seguin, TX

Note: 25' Samurai units are to be mounted on 4WD model tractors only

TRACTOR DESCRIPTION	MOUNT KIT	MAXIMUM TIRE SIZE		
		2WD Front	4WD Front	Rear
Case IH				
Case Farmall 095/105/115U TIV-A Emissions Cab 4wd 2013-2014 (Cable Control)-SAM1.5 Rear Fender Tank Version-18-22' Models	02995234	Double -Edge	14.9-24	18.4-34
Case Farmall 110/120A TIV-B Emissions Cab 4wd 2015- (Joystick Control)-SAM1.8 Rear Fender Tank Version- 18-22' Models	02995850	Blades, 36"	14.9-28	18.4-38
Case Farmall 110/120A TIV-B Emissions Cab 4wd 2015- (Cable Control)-SAM1.8 Rear Fender Tank Version-18-22' Models	02995850	1) year limit	14.9-28	18.4-38
labor warranty.	02995703	labor warrar	14.9-28	18.4-38
Case Farmall 110/120A TIV-B Emissons Cab 4wd 2015- (Joystick Control)-SAM1.8 Rear Fender Tank Version- 25' Models	02995535	N/A	14.9-28	18.4-38
Case Maxxum 115/125/135/145 TIV-B Emissions Cab 4wd 2015- (Joystick Control)-SAM1.8 Rear Fender Tank Version- 18-22' Models	TBD- Available 08/2016	N/A	14.9-28	18.4-38
Case Maxxum 115/125/135/145 TIV-B Emissions Cab 4wd 2015- (Cable Control)-SAM1.8 Rear Fender Tank Version- 18-22' Models	TBD- Available 08/2016	N/A	14.9-28	18.4-38
Case Maxxum 115/125/135/1455 TIV-B Emissions Cab 4wd 2015- (Joystick Control)-SAM1.8 Rear Fender Tank Version- 25' Models	TBD- Available 08/2016	N/A	14.9-28	18.4-38
Case Maxxum 115/125/135/145 TIV-B Emissions Cab 4wd 2015- (Cable Control)-SAM1.8 Rear Fender Tank Version- 25' Models	TBD- Available 08/2016	N/A	14.9-28	18.4-38
Case Maxxum 110/120 TIV-A Emissions Cab 4wd 2013-2014 (Joystick Control)	02993525	N/A	14.9-28	18.4-38
Case Maxxum 110/120 TIV-A Emissions Cab 4wd 2013-2014 (Cable Control)	02993538	N/A	14.9-28	18.4-38
Case-IH Maxxum 110/120/130 TIII Emissions Cab 4wd 2010-2012 (Joystick Control)	02991299	N/A	14.9-28	18.4-38
Case-IH Maxxum 110/120/130 TIII Emissions Cab 4wd 2010-2012 (Cable Control)	02991298	N/A	14.9-28	18.4-38
Case-IH Maxxum 110/120/130 TIII Emissions Cab 4wd Pre -2010 (Joystick Control)	02987863	N/A	14.9-28	18.4-38
Case-IH Maxxum 110/120/130 TIII Emissions Cab 4wd Pre -2010 (Cable Control)	02987836	N/A	14.9-28	18.4-38
Case Maxxum 115/125/140 TIV-A Emissions Cab 4wd 2013-2014 (Joystick Control)	02993820	N/A	14.9-28	18.4-38
Case Maxxum 115/125/140 TIV-A Emissions Cab 4wd 2013-2014 (Cable Control)	02993817	N/A	14.9-28	18.4-38
Case-IH Maxxum 115/125/140 TIII Emissions Cab 4wd 2010-2012 (Joystick Control)	02992448	N/A	14.9-28	18.4-38
Case-IH Maxxum 115/125/140 TIII Emissions Cab 4wd 2010-2012 (Cable Control)	02992111	N/A	14.9-28	18.4-38
Case-IH Maxxum 115/125/140 TIII Emissions Cab 4wd Pre -2010 (Joystick Control)	02988241	N/A	14.9-28	18.4-38
Case-IH Maxxum 115/125/140 TIII Emissions Cab 4wd Pre -2010 (Cable Control)	02988242	N/A	14.9-28	18.4-38
Challenger				
Challenger MT445/455/465D TIV-B Emissions Cab 4wd 2014- Current SAM1.0 Front Tank Version (Joystick Control)	02993774	N/A	14.9-24	18.4-38
Challenger MT445/455/465D TIV-B Emissions Cab 4wd 2014- Cuurent SAM1.0 Front Tank Version (Joystick Control)	02993785	N/A	14.9-24	18.4-38
Challenger MT445B/455B/465B Cab/4wd (Tier III Engine Only / Cable)	02989997	N/A	14.9-24	18.4-34
Challenger MT445B/455B/465B Cab/2wd (Tier III Engine Only / Frt Axle Stabilizer Not Incl. / Joystick)	02990188	10.00-16	N/A	18.4-34
Challenger MT445B/455B/465B Cab/4wd (Tier III Engine Only / Joystick)	02990793	N/A	14.9-24	18.4-34

OTHER SPECIFICATIONS

- (1) Always use the maximum tire size for favorable ground clearance.
- (3) Tractors must be equipped with flanged rear rims unless otherwise noted.
- (4) Right handrail removal may be necessary for boom transport clearance.

Note: 25' Samurai units are to be mounted on 4WD model tractors only

SAMURAI BOOM

18', 22', 25' Mount Kit Options

F.O.B. Seguin, TX

TRACTOR DESCRIPTION	MOUNT KIT	MAXIMUM TIRE SIZE		
		2WD Front	4WD Front	Rear
John Deere				
JD 5085/5100/5115E TIV-B Emissions Cab 4wd 2015- (Joystick Control)- SAM1.8 Rear Fender Tank Version- 18-22' Models	TBD- Available 10/2016	N/A	12.4-24	18.4-30
JD 5085/5100/5115E TIV-B Emissions Cab 4wd 2015- (Cable Control)- SAM1.8 Rear Fender Tank Version- 18-22' Models	TBD- Available 10/2016	N/A	12.4-24	18.4-30
JD 6105/6120E TIV-B Emissions Cab 4wd 2015- (Joystick Control)- SAM1.8 Rear Fender Tank Version- 18-22' Models	TBD- Available 08/2016	N/A	14.9-24	18.4-38
JD 6105/6120E TIV-B Emissions Cab 4wd 2015- (Cable Control)- SAM1.8 Rear Fender Tank Version- 18-22' Models	TBD- Available 08/2016	N/A	14.9-24	18.4-38
JD 6105/6120E TIV-B Emissions Cab 4wd 2015- (Joystick Control)- SAM1.8 Rear Fender Tank Version- 25' Models	TBD- Available 08/2016	N/A	14.9-24	18.4-38
JD 6105/6120E TIV-B Emissions Cab 4wd 2015- (Cable Control)- SAM1.8 Rear Fender Tank Version- 25' Models	TBD- Available 08/2016	N/A	14.9-24	18.4-38
JD 6105/6115D Series Interim TIV Cab/4wd (Joystick) 2013-2014	02993871	N/A	14.9-24	18.4-34
JD 6105/6115D Series Interim TIV Cab/4wd (Cable control) 2013-2014	02993899	N/A	14.9-24	18.4-34
JD 6110/6120/6130M TIV-B Emissions Cab 4wd 2015- (Joystick Control)- SAM1.8 Rear Fender Tank Version- 18-22' Models	02996030	N/A	14.9-24	18.4-38
JD 6110/6120/6130M TIV-B Emissions Cab 4wd 2015- (Cable Control)- SAM1.8 Rear Fender Tank Version- 18-22' Models	02996031	N/A	14.9-24	18.4-38
JD 6110/6120/6130M TIV-B Emissions Cab 4wd 2015- (Joystick Control)- SAM1.8 Rear Fender Tank Version- 25' Models	02996007	N/A	14.9-24	18.4-38
JD 6110/6120/6130M TIV-B Emissions Cab 4wd 2015- (Cable Control)- SAM1.8 Rear Fender Tank Version- 25' Models	02996029	N/A	14.9-24	18.4-38
JD 6105/6115/6125M Series Interim TIV Cab/4wd (Joystick) 2013-2014	02993016	N/A	14.9-24	18.4-34
JD 6105/6115/6125M Series Interim TIV Cab/4wd (Cable control) 2013-2014	02992975	N/A	14.9-24	18.4-34
JD 6110/6210/6310/6405/6410 Cab/2wd (Frt Axle Stabilizer Not Incl. / Joystick)	02988769	10.00-16	N/A	18.4-34
JD 6110/6210/6310/6405/6410 Cab/4wd (Frt Axle Stabilizer Not Incl. / Joystick)	02988769	N/A	12.4-24	18.4-34
JD 6120/6215/6220/6320/6415/6420 Cab/4wd (Joystick)	02988766	N/A	12.4-24	18.4-34
JD 6120/6215/6220/6320/6415/6420 ROPS/2wd (Cable)	02989021	10.00-16	N/A	18.4-34
JD 6230/6330/6430 "Mid-Spec" Cab/4wd (Cable)	02987668	N/A	13.6-24	18.4-34
JD 6230/6330/6430 "Mid-Spec" Cab/2wd (Joystick)	02987787	10.00-16	N/A	18.4-34
JD 6230/6330/6430 "Mid-Spec" Cab/4wd (Joystick)	02987809	N/A	13.6-24	18.4-34
JD 6230/6330/6430 "Mid-Spec" ROPS/4wd (Joystick)	02988180	N/A	13.6-24	18.4-34
JD 7210/7410/7510 Cab/2wd (Cable)	02987707	11.00-16	N/A	18.4-34
JD 7130/7230 "Mid-Spec" Cab/2wd (Frt Axle Stabilizer Not Incl. / Joystick)	02991302	11.00-16	N/A	18.4-38
JD 7130/7230 "Mid-Spec" Cab/4wd (Cable)	02987845	N/A	13.6-28	18.4-38
JD 7130/7230 "Mid-Spec" Cab/4wd (Joystick)	02990032	N/A	13.6-28	18.4-38
McCormick				
McCormick T-Max 100/110 2012-2013 TIII Emissions Cab 4wd (Cable Control)	02992340	N/A	11.2-24	16.9-30
Massey Ferguson				
MF 5465/5475 Cab/4wd (Tier III Engine Only - Cable)	02988061	N/A	14.9-24	18.4-34
MF 5465/5475 Cab/4wd (Tier III Engine Only - Joystick)	02988004	N/A	14.9-24	18.4-34

OTHER SPECIFICATIONS

- (1) Always use the maximum tire size for favorable ground clearance.
- (3) Tractors must be equipped with flanged rear rims unless otherwise noted.
- (4) Right handrail removal may be necessary for boom transport clearance.

Note: 25' Samurai units are to be mounted on 4WD model tractors only

TRACTOR DESCRIPTION	MOUNT KIT	MAXIMUM TIRE SIZE
---------------------	-----------	-------------------

SAMURAI BOOM

18', 22', 25' Mount Kit Options

F.O.B. Seguin, TX

		2WD Front	4WD Front	Rear
New Holland				
NH T6020/6040/6060 Cab/4wd (Built Before May 2010 / Cable)	02987836	N/A	14.9-24	18.4-34
NH T6020/6040/6060 Cab/4wd (Built After May 2010 / Cable)	02991298	N/A	14.9-24	18.4-34
NH T6020/6040/6060 Cab/4wd (Built Before May 2010 / Joystick)	02987863	N/A	14.9-24	18.4-34
NH T6020/6040/6060 Cab/4wd (Built After May 2010 / Joystick)	02991299	N/A	14.9-24	18.4-34
NH T6030/6050/6070/6080 Cab/4wd (Built Before May 2010 / Cable)	02988242	N/A	14.9-24	18.4-34
NH T6030/6050/6070/6080 Cab/4wd (Built After May 2010 / Cable)	02991300	N/A	14.9-24	18.4-34
NH T6030/6050/6070/6080 Cab/4wd (Built After May 2010 / Joystick)	02991301	N/A	14.9-24	18.4-34
NH T5.95/105/115 TIV-A Emissions Cab 4wd 2013-2014 (Cable Control)- SAM1.5 Rear Fender Tank Version-18-22' Models	02995234	N/A	14.9-24	18.4-34
NH TS6.110/6.120 TIV-B Emissions Cab 4wd 2015- (Joystick Control)- SAM1.8 Rear Fender Tank Version- 18-22' Models	02995850	N/A	14.9-24	18.4-38
NH TS6.110/6.120 TIV-B Emissions Cab 4wd 2015- (Cable Control)- SAM1.8 Rear Fender Tank Version-18-22' Models	02995850	N/A	14.9-24	18.4-38
NH TS6.110/6.120 TIV-B Emissions Cab 4wd 2015- (Cable Control)- SAM1.8 Rear Fender Tank Version- 25' Models	02995703	N/A	14.9-24	18.4-38
NH TS6.110/6.120 TIV-B Emissions Cab 4wd 2015- (Joystick Control)- SAM1.8 Rear Fender Tank Version- 25' Models	02995535	N/A	14.9-24	18.4-38
NH TS6.110/6.115/6.120 TIII Emissions Cab 4wd 2012-2014 (Joystick Control)	02991301	N/A	14.9-24	18.4-34
NH TS6.110/6.115/6.120 TIII Emissions Cab 4wd 2012-2014 (Cable Control)	02992798	N/A	14.9-24	18.4-34
NH TS6.130/6.140 TIV-B Emissions Cab 4wd 2015- (Joystick Control)- SAM1.8 Rear Fender Tank Version- 18-22' Models	TBD- Call For Availability	N/A	14.9-24	18.4-38
NH TS6.110/6.120 TIV-B Emissions Cab 4wd 2015- (Cable Control)- SAM1.8 Rear Fender Tank Version-18-22' Models	TBD- Call For Availability	N/A	14.9-24	18.4-38
NH TS6.110/6.120 TIV-B Emissions Cab 4wd 2015- (Cable Control)- SAM1.8 Rear Fender Tank Version- 25' Models	TBD- Call For Availability	N/A	14.9-24	18.4-38
NH TS6.110/6.120 TIV-B Emissions Cab 4wd 2015- (Joystick Control)- SAM1.8 Rear Fender Tank Version- 25' Models	TBD- Call For Availability	N/A	14.9-24	18.4-38
NH TS6.125/6.140 TIII Emissions Cab 4wd 2012-2014 (Joystick Control)	02991301	N/A	14.9-24	18.4-34
NH TS6.125/6.140 TIII Emissions Cab 4wd 2012-2014 (Cable Control)	02991301	N/A	14.9-24	18.4-34
NH T6.145/6.155/6.165/6.175 TIV-B Emissions Cab 4wd 2015- (Joystick Control)- SAM1.8 Rear Fender Tank Version- 18-22' Models	TBD- Available 08/2016	N/A	14.9-24	18.4-38
NH T6.145/6.155/6.165/6.175 TIV-B Emissions Cab 4wd 2015- (Cable Control)- SAM1.8 Rear Fender Tank Version- 18-22' Models	TBD- Available 08/2016	N/A	14.9-24	18.4-38
NH T6.145/6.155/6.165/6.175 TIV-B Emissions Cab 4wd 2015- (Joystick Control)- SAM1.8 Rear Fender Tank Version- 25' Models	TBD- Available 08/2016	N/A	14.9-24	18.4-38
NH T6.145/6.155/6.165/6.175 TIV-B Emissions Cab 4wd 2015- (Cable Control)- SAM1.8 Rear Fender Tank Version- 25' Models	TBD- Available 08/2016	N/A	14.9-24	18.4-38
NH T6.140/6.150/6.160 TIV-A Emissions Cab 4wd 2013-2014 (Joystick Control)	02993525	N/A	14.9-24	18.4-34
NH T6.140/6.150/6.160 TIV-A Emissions Cab 4wd 2013-2014 (Cable Control)	02993538	N/A	14.9-24	18.4-34
NH T6.155/6.165/6.175 TIV-A Emissions Cab 4wd 2013-2014 (Joystick Control)	02993820	N/A	14.9-24	18.4-34
NH T6.155/6.165/6.175 TIV-A Emissions Cab 4wd 2013-2014 (Cable Control)	02993817	N/A	14.9-24	18.4-34

OTHER SPECIFICATIONS

- (1) Always use the maximum tire size for favorable ground clearance.
- (3) Tractors must be equipped with flanged rear rims unless otherwise noted.
- (4) Right handrail removal may be necessary for boom transport clearance.

VERSA BOOM

17', 20', 23' Articulated Models

F.O.B. Seguin, TX

STANDARD SPECIFICATIONS

- ♦ Welded Steel Plate Frame Braced to the Front Bolster & Rear Axle
- ♦ 60-Gallon Hydraulic Reservoir with 12-Micron Filtration
- ♦ 1300 lbs. Counterweight Tank Mounted
- ♦ 4" King Post with 3" Tapered Roller Bearings
- ♦ Inner Boom Arm 6"x6"x1/4" Steel Tubing
- ♦ Exterior Boom Arm 5"x5"x1/4" Steel Tubing
- ♦ 120° Horizontal Boom Swing
- ♦ Stacked Hydraulic Pump Rated @ 51 GPM @ 2500 PSI

labor warranty.

♦ Boom Reach: **17' Models**= Up-19'6", Out-18'9", Down-8'9" **20' Models**= Up-20'3", Out-20'7", Down-12'3"

23' Models= Up-22'10", Out-23'10", Down-15'6"

♦ Axle-Mounted Boom Rest

♦ Mount Kit, 1,300# Wheel Weight & Polycarbonate Window Included in Base Price

HEAD SPECIFICATIONS

- ♦ 60" Boom-Axe Head
- ♦ 10-Gauge Deck with 1/4" Side Skirts
- ♦ Full-Length Replaceable Skid Shoes
- ♦ 4-1/2" Hardened Spindle
- ♦ 90 HP Motor Directly Splined to the Spindle
- ♦ 5/8" x 5" Double -Edged, Tempered Steel Blades, 360° Swing
- ♦ Standard (1) year limited parts and labor warranty.

PRODUCT ORDER CODE	DESCRIPTION	APPRX. WEIGHT		LIST PRICE
Versa Boom Base Unit (One Choice Required)				
Due to design constraints the Versa Boom will not be available for mounting on most Tier IV-B tractors. See Samurai Models.				
04953001	17' Versa-Boom (Joystick Control)	3850		43,788
04951001	17' Versa-Boom (Cable Control)	3800		34,913
04953005	20' Versa-Boom (Joystick Control)	4050		45,469
04951005	20' Versa-Boom (Cable Control)	4000		37,169
04953009	23' Versa-Boom (Joystick Control)	4150		46,957
04951009	23' Versa-Boom (Cable Control)	4100		38,703
Mower Head (One Choice Required)				
See Options Below for Extra Mower Head Options				
02974676	60" Boom-Axe with Bar	820		11,680
02974680	50" Boom-Axe with Pan	810		11,978
02974681	50" Boom-Axe with Bar	750		11,403
02970299	48" Flail Axe	700		13,675
02963870	60" SHD Flail	760		12,683
02974204	90" Buzzbar Head	1098		17,993
02979250	69" Buzzbar Head	705		15,127
02979266	48" Buzzbar Head	550		12,127
02972145	5' Timbercat	440		15,173
02972146	7' Timbercat	520		15,555
02985350	Ditcher Head (Hitch-Post Mounted)			14,061
02990405	Hose Kit, Tractor Aux to Chute 17' *****			863
02990605	Hose Kit, Tractor Aux to Chute 20' *****			916
02990608	Hose Kit, Tractor Aux to Chute 23' *****			970

***** Required to operate Ditcher Head Discharge Chute

VERSA BOOM

17', 20', 23' Articulated Models

F.O.B. Seguin, TX

PRODUCT ORDER CODE	DESCRIPTION	APPRX. WEIGHT		LIST PRICE
02897300	Additional Operators and Parts Manuals			57
02976534	Quick Hitch Kit*			2,879
02976535	Hydraulic Kit for Quick Hitch Head**			512
02975647	Flail-Axe Jack Stand Kit***			362
02977500	60" SHD Flail Jack Stand Kit****			373
02990399	Ditcher Stand Kit *****			714
02959639	Caster Wheel Kit, Super Heavy Duty Flail	24		1,656
02966905	Accumulator Kit Option	25		1,494
VBumpGrd	Pump Guard- Protects Front Pumps on Versa Units			699
VBAxleStab	Front Axle Stabilizer Kit (4wd Only)			1,538
02982767	Case-IH JXU Replacement Battery (Factory Mount Only) NH TL-A Replacement Battery (Factory Mount Only)			221
02980929	Case-IH MXU & Maxxum Aluminum ROPS Canopy NH TS-A & T6000 Aluminum ROPS Canopy			1,093
02979486	JD 6015 & 6020 Rear ROPS Screen Kit			491
02976333	JD 6015 & 6020 Aluminum ROPS Canopy			1,093
02976500	JD 7020 Wheel Weight Adapter Kit (34" Flanged Axle)			482
02978473	JD 7020 & 7030 "Prem" Whl Wt Adapter Kit (38" Flanged Axle)			482
02978103	JD 7020 & 7030 "Prem" Whl Wt Adapter (38" Rack & Pinion)			482
2 Kits Below Are To Interchange A Versa Mower/Head With Your Existing Boom- Requires Purchase of the Versa Mower Head Separately (See Versa Mower Page)				Also
02964297	Versa Boom to Mower Interchange Extension Arm- Non Breakaway	280		4,270
02964297	Versa Boom to Mower Interchange Extension Arm- Non Breakaway	280		4,270
02976671	Additional 408 lbs. Kit for 1300 lbs. Wheel Weight	408		1,741
02976670	Additional 680 lbs. Kit for 1300 lbs. Wheel Weight	680		2,581
02963038	Mounting Labor & Oil			8,384
02791800	Special Mower Paint			1,392
02968967	Special Tractor Paint			6,262
00889899VB	Additional 12 Month Warranty (00889899)			4,453

* Includes all components to convert boom and (1) head to Quick Hitch

** Required to convert additional heads to Quick Hitch

*** Required to level Flail-Axe for Quick Hitch

**** Required to level SHD Flail for Quick Hitch

***** Required to level Ditcher for Quick Hitch

VERSA BOOM

17", 20", 23' Mount Kits

F.O.B. Seguin, TX

TRACTOR DESCRIPTION	MOUNT KIT	MAXIMUM TIRE SIZE		
		2WD Front	4WD Front	Rear
Case IH				
Case-IH Farmall 85U/95U/105U Cab/2&4wd (Cable/Fender Tank)	02986803	10.00-16	12.4-24	18.4-30
Case-IH Farmall 85U/95U/105U Cab/2&4wd (Joystick/Fender Tank)	02987108	10.00-16	12.4-24	18.4-30
Case-IH Farmall 85U/95U/105U ROPS/2&4wd (Fender Tank)	02989928	10.00-16	12.4-24	18.4-30
Case-IH JX1080U/1090U/1100U Cab/2&4wd (Cable/Fender Tank)	02982098	Double -Edge	12.4-24	18.4-30
Case-IH JX1080U/1090U/1100U Cab/2&4wd (Joystick/Fender Tank)	02984094	Blades, 360	12.4-24	18.4-30
Case-IH JX1080U/1090U/1100U ROPS/2&4wd (Fender Tank)	02985822	(1) year limit	12.4-24	18.4-30
labor warranty.	02981137	labor warran	12.4-24	18.4-30
Case-IH Maxxum 115/125/125 Pro/140 Pro Cab 2 & 4wd 2007-2014 TIII Emissions (Joystick/Fender Tank)	02982226	10.00-16	12.4-24	18.4-30
Case-IH Maxxum 115/125/125 Pro/140 Pro Cab 2 & 4wd 2007-2014 TIII Emissions (Factory Loader Valve/Cable Control/Fender Tank)	02989499	12.4-24	12.4-24	18.4-34
Case-IH Maxxum 115/125/125 Pro/140 Pro Cab 2 & 4wd 2007-2014 TIII Emissions (540 PTO Pump/Joystick/Fender Tank)	02982832	12.4-24	12.4-24	18.4-34
Case-IH Maxxum 115/125/125 Pro/140 Pro Rops 2 & 4wd 2007-2014 TIII Emissions (Fender Tank)	02984650	10.00-16	12.4-24	18.4-30
Case-IH MXU100/110 Cab 2wd TII Emissions 2005-2006 (Cable/Fender Tank)	02982228	10.00-16	N/A	18.4-34
Case-IH MXU100/110 Cab 2wd TII Emissions 2005-2006 (Joystick/Fender Tank)	02981898	10.00-16	N/A	18.4-34
Case-IH MXU100/110 Cab 4wd TII Emissions 2005-2006 (Cable/Fender Tank)	02982809	N/A	12.4-24	18.4-30
Case-IH MXU115/125/130/135 Cab/2&4wd (Cable/Fender Tank)	02981137	10.00-16	12.4-24	18.4-34
Case-IH MXU115/125/130/135 Cab/2&4wd (Joystick/Fender Tank)	02982226	10.00-16	12.4-24	18.4-34
Case-IH MXU115/125/130/135 ROPS/2&4wd (Cable/Fender Tank)	02984650	10.00-16	12.4-24	18.4-34
John Deere				
JD 5085/5100E Series Cab 4wd TIV-B Emissions 2014- (Joystick Control/Fender tank)	02995724	N/A	12.4-24	18.4-30
JD 5085/5100E Series Cab 4wd TIV-B Emissions 2014- (Cable Control/Fender tank)	02993738	N/A	12.4-24	18.4-30
JD 5083E/5093E/5101E Cab 4wd TIII Emissions 2012-2013 (New Rail Design- Joystick Control/Fender Tank)- 17'-20' Booms Only	02991936	N/A	12.4-24	18.4-30
JD 5083E/5093E/5101E Cab 4wd TIII Emissions 2012-2013 (New Rail Design- Cable Control/Fender Tank)- 17'-20' Booms Only	02992776	N/A	12.4-24	18.4-30
JD 5085/5100/5115M Series Cab 4wd TIV-B Emissions 2014- (Joystick Control/Fender tank)	02995475	N/A	12.4-24	18.4-30
JD 5085/5100/5115M Series Cab 4wd TIV-B Emissions 2014- (Cable Control/Fender tank)	TBD	N/A	12.4-24	18.4-30
JD 5085/5095/5105M- Series Cab 2wd TIII Emissions 2012-2014 (New Rail Design- Joystick Control/Fender Tank)- 17'-20' Booms Only	02992801	11.0L-15	N/A	16.9-30
JD 5085/5095/5105M- Series Cab 2wd TIII Emissions 2012-2014 (New Rail Design- Cable Control/Fender Tank)- 17'-20' Booms Only	02991902	11.0L-15	N/A	16.9-30
JD 5085/5095/5105M- Series Cab 4wd TIII Emissions 2012-2014 (New Rail Design- Cable Control/Fender Tank)- 17'-20' Booms Only	02991900	N/A	12.4-24	16.9-30
JD 5085/5095/5105M- Series Cab 4wd TIII Emissions 2012-2014 (New Rail Design- Joystick Control/Fender Tank)- 17'-20' Booms Only	02991856	N/A	12.4-24	16.9-30
JD 5425/5525/5625 Cab/2&4wd (Cable/Fender Tank)	02983913	7.50-16	11.2-24	16.9-30
JD 5425/5525/5625 Cab/2&4wd (Joystick/Fender Tank)	02983243	7.50-16	11.2-24	16.9-30
JD 5603 Cab/4wd (Cable/Fender Tank)	02986167	N/A	12.4-24	18.4-30
JD 5603 Cab/4wd (Joystick/Fender Tank)	02986509	N/A	12.4-24	18.4-30

OTHER SPECIFICATIONS

Always use the maximum tire size for favorable ground clearance.

Tractors must be equipped with flanged rear rims unless otherwise noted.

VERSA BOOM

17", 20", 23' Mount Kits

F.O.B. Seguin, TX

TRACTOR DESCRIPTION	MOUNT KIT	MAXIMUM TIRE SIZE		
		2WD Front	4WD Front	Rear
John Deere				
JD 6105/6115/6125M Series Interim-TIV Cab 4wd 2013-2014 (Joystick Control/Fender tank)	02993347	N/A	14.9-24	18.4-34
JD 6105/6115/6125M Series Interim-TIV Cab 4wd 2013-2014 (Cable control/Fender tank)	02993343	N/A	14.9-24	18.4-34
JD 6110/6210/6310/6405/6410 Cab 2wd (Cable Control/Fender Tank)	02973845	10.5-80/18	N/A	18.4-30
JD 6110/6210/6310/6405/6410 Cab 2wd (Joystick Control/Fender Tank)	02991250	10.5-80/18	N/A	18.4-30
JD 6110/6210/6310/6405/6410 Cab 4wd (Cable Control/Fender Tank)	02973849	N/A	12.4-24	18.4-30
JD 6215/6415 Cab/2&4wd (Cable/Mid-Mt Tank)	02979218	10.00-16	12.4-24	18.4-34
JD 6215/6415 Cab/2&4wd (Cable/Fender Tank)	02981500	10.00-16	12.4-24	18.4-34
JD 6215/6415 Cab/2&4wd (Joystick/Mid-Mt Tank)	02981036	10.00-16	12.4-24	18.4-34
JD 6215/6415 ROPS/2&4wd (Mid-Mt Tank)	02980731	10.00-16	12.4-24	18.4-34
JD 6120/6220/6320/6420 (Tier II) Cab/2&4wd (Cable/Mid-Mt Tank)	02979218	10.00-16	12.4-24	18.4-34
JD 6120/6220/6320/6420 (Tier II) Cab/2&4wd (Cable/Fender Tank)	02981500	10.00-16	12.4-24	18.4-34
JD 6120/6220/6320/6420 (Tier II) Cab/2&4wd (Joystick/Mid-Mt Tank)	02979290	10.00-16	12.4-24	18.4-34
JD 6120/6220/6320/6420 (Tier II) Cab/2&4wd (Joystick/Fender Tank)	02986353	10.00-16	12.4-24	18.4-34
JD 6120/6220/6320/6420 (Tier II) ROPS/2&4wd (Cable/Mid-Mt Tank)	02980731	10.00-16	12.4-24	18.4-34
JD 6230/6330/6430 "Mid-Spec" Cab/2&4wd (Cable/Fender Tank)	02986747	10.00-16	12.4-24	18.4-34
JD 6230/6330/6430 "Mid-Spec" Cab/2&4wd (Joystick/Fender Tank)	02986711	10.00-16	12.4-24	18.4-34
JD 6230/6330/6430 "Mid-Spec" ROPS 2wd (Fender Tank)	02987954	11L-16	N/A	18.4-34
JD 6230/6330/6430 "Mid-Spec" ROPS 4wd (Fender Tank)	02990042	N/A	12.4-24	18.4-34
JD 6230/6330/6430 "Premium" Cab/2&4wd (Cable/Fender Tank)	02986184	10.00-16	12.4-24	18.4-34
JD 6230/6330/6430 "Premium" Cab/2&4wd (Joystick/Fender Tank)	02985260	10.00-16	12.4-24	18.4-34
JD 6615/6715 Cab/2&4wd (Cable/Mid-Mt Tank)	02979858	11.00-16	13.6-24	18.4-34
JD 6615/6715 Cab/2&4wd (Joystick/Mid-Mt Tank)	02979925	11.00-16	13.6-24	18.4-34
JD 7220/7320/7420/7520 Cab/2&4wd (Cable/Mid-Mt Tank)	02979858	11.00-16	13.6-28	18.4-38
JD 7220/7320/7420/7520 Cab/2&4wd (Joystick/Mid-Mt Tank)	02979925	11.00-16	13.6-28	18.4-38
JD 7130/7230 "Mid Spec" Cab 2/4wd (w/55 gal. fuel tank/Cable/Fender Tank)	02987878	11.00-16	13.6-28	18.4-38
JD 7130/7230 "Mid Spec" Cab 2/4wd (w/55 gal. fuel tank/Joystick/Fender Tank)	02987277	11.00-16	13.6-28	18.4-38
JD 7130/7230 "Mid Spec" Cab 2/4wd (w/673 Loader Pkg/ 55 gal. fuel tank/Joystick/Fender Tank)	02991416	11.00-16	13.6-28	18.4-38
JD 7130/7230 "Mid Spec" ROPS 2/4wd (w/55 gal. fuel tank/Joystick/Fender Tank)	02987526	11.00-16	13.6-28	18.4-38
Massey Ferguson				
MF 2650/2660 Cab 4wd (Joystick Control/Fender Tank)	02991688	N/A	11.2-24	16.9-30
New Holland				
NH T5040/5050/5060/5070 Cab 2/4wd (Cable/Fender Tank)	02986803	10.00-16	12.4-24	18.4-30
NH T5040/5050/5060/5070 Cab 2/4wd (Joystick/Fender Tank)	02987108	10.00-16	12.4-24	18.4-30
NH T5040/5050/5060/5070 ROPS 2/4wd (Fender Tank)	02989928	10.00-16	12.4-24	18.4-30
NH T6010/6020/6040/6060 Cab/2wd (Cable/Fender Tank)	02985514	10.00-16	N/A	18.4-34
NH T6010/6020/6040/6060 Cab/2wd (Joystick/Fender Tank)	02988197	10.00-16	N/A	18.4-34
NH T6010/6020/6040/6060 Cab/4wd (Cable Control/Fender Tank)	02991887	N/A	12.4-24	18.4-30
NH T6010/6020/6040/6060 Cab/4wd (Joystick/Fender Tank)	02987018	N/A	12.4-24	18.4-30
NH T6010/6020 "Delta" ROPS/2wd (Fender Tank)	02986206	10.00-16	N/A	18.4-34
NH T6010/6020 Cab 2wd Models with Bar-style axles (Joystick Control/Fender Tank)	02990053	10.00-16	N/A	18.4-34
NH T6030/6050/6070 Cab/2&4wd (Flanged Wheel Axle/Cable/Fender Tank)	02981137	10.00-16	12.4-24	18.4-34
NH T6030/6050/6070 Cab/2&4wd (Rack & Pinion Axle/Cable/Fender Tank)	02991003	10.00-16	12.4-24	18.4-34
NH T6030/6050/6070 Cab/2&4wd (Joystick/Fender Tank)	02982226	10.00-16	12.4-24	18.4-34
NH T6030/6050/6070 Cab 2/4wd (Factory Loader Valve/Cable Control/Fender Tank)	02982832	10.00-16	12.4-24	18.4-34
NH T6030/6050/6070 Cab/2&4wd (540 PTO Pump/Joystick/Fender Tank)	02989499	10.00-16	12.4-24	18.4-34

OTHER SPECIFICATIONS

Always use the maximum tire size for favorable ground clearance.

Tractors must be equipped with flanged rear rims unless otherwise noted.

TRACTOR DESCRIPTION	MOUNT KIT	MAXIMUM TIRE SIZE		
		2WD Front	4WD Front	Rear
New Holland				

VERSA BOOM

17", 20", 23' Mount Kits

F.O.B. Seguin, TX

NH T6030/6050 ROPS/2&4wd (Fender Tank)	02984650	10.00-16	12.4-24	18.4-34
NH TL80/90/100 Cab/2&4wd (Cable/Fender Tank)	02980259	10.00-16	12.4-24	18.4-30
NH TL80A/90A/100A Cab/2&4wd (Cable/Fender Tank)	02982098	10.00-16	12.4-24	18.4-30
NH TL80A/90A/100A Cab/2&4wd (Joystick/Fender Tank)	02984094	10.00-16	12.4-24	18.4-30
NH TL80A/90A/100A ROPS/2&4wd (Fender Tank)	02985822	10.00-16	12.4-24	18.4-30
NH TS100A/110A Cab 2wd 2003- 2006 (Cable/Fender Tank)	02982228	10.00-16	N/A	18.4-34
NH TS100A/110A Cab 2wd 2003- 2006 (Joystick/Fender Tank)	02981898	10.00-16	N/A	18.4-34
NH TS100A/110A Cab 4wd 2003- 2006 (Cable/Fender Tank)	02982809	N/A	12.4-24	18.4-30
NH TS115A/125A/130A/135A Cab/2&4wd (Cable/Fender Tank)	02981137	10.00-16	12.4-24	18.4-30
NH TS115A/125A/130A/135A Cab/2&4wd (Joystick/Fender Tank)	02982226	10.00-16	12.4-24	18.4-30
NH T6030/6050/6070 Cab 2/4wd (Factory Loader Valve/Cable Control/Fender Tank)	02982832	10.00-16	12.4-24	18.4-34
NH TS115A/125A/130A/135A Cab/2&4wd (540 PTO Pump/Joystick/Fender Tank)	02989499	10.00-16	12.4-24	18.4-34
NH TS115/125/130/135- A Series Cab 2/4wd (Factory Loader Valve/Joystick/Fender Tank)	02982832	10.00-16	12.4-24	18.4-34
NH TS115A/125A/130A/135A ROPS/2&4wd (Fender Tank)	02984650	10.00-16	12.4-24	18.4-34
NH TS6020/6030 Cab/2wd (Cable/Fender Tank)	02991179	10.00-16	N/A	18.4-34
NH TS6020/6030 ROPS/2wd (Fender Tank)	02989952	10.00-16	N/A	18.4-34
NH TS6.110/6.120 Cab/ 2wd & 4wd 2012-2014 (Cable Control/Fender Tank)	02992684	10.00-16	14.9-24	18.4-34
NH TS6.110/6.120 Cab/ 2wd & 4wd 2012-2014 (Joystick Control/Fender Tank)	02992525	10.00-16	14.9-24	18.4-34

OTHER SPECIFICATIONS

Always use the maximum tire size for favorable ground clearance.

Tractors must be equipped with flanged rear rims unless otherwise noted.

FALCON HYDRAULIC ROTARY

Flex- Wing Mower

F.O.B. Seguin, TX

STANDARD SPECIFICATIONS

- ◆ 540 PTO
- ◆ Available In 10' or 15' Cutting Width
- ◆ Minimum Tractor Requirement: 75 PTO hp
- ◆ 1/4" x 10-1/2" Bolt-On Side Skirts
- ◆ 3 Rear Remotes Required on Tractor For Proper Operation
- ◆ 35-Gallon Reservoir with Dual Filtration
- ◆ Wing Motor Cutoff - standard
- ◆ 63-HP Center Motor, 58-HP wing motor labor warranty.
- ◆ Concrete Fill not Included
- ◆ Standard (1) year limited parts and labor warranty.
- ◆ Double Row Chainguards
- ◆ Hydraulically Folding Wings
- ◆ Pan Assembly
- ◆ Updraft Blades
- ◆ Replaceable Skid Shoes
- ◆ 5/8" x 5" Double -Edged, Tempered Steel Blades, 360° Swing
- ◆ Standard (1) year limited parts and labor warranty.
- ◆ Deck Rings - standard
- ◆ Dual Level Lift Rods

PRODUCT ORDER CODE	DESCRIPTION	APPRX. WEIGHT		LIST PRICE
Base Unit (One Choice Required)				
04532210	Falcon 10', 540 rpm, Pan w/Deck Rings			28,950
04522715	Falcon 15', 540 rpm, Pan w/Deck Rings	6,400		35,305
NOTE: TRACTOR MUST BE EQUIPPED WITH 3 REAR REMOTES FOR PROPER OPERATION				
Wheel & Tire Options (One Choice Required)				
00770532	(Five) Implement Tires & Wheels (6.70-15 / 6 ply)	200		1,059
00770542	(Five) Recapped Airplane Tires (22 ply)	390		1,810
00770527	(Five) 15" Wheels (Wheels Only)	90		265
00770522	(Five) Laminated Tires & Wheels	375		978
02986580	(Five) Foam Filled Used Airplane Tire & Wheel (Standard Choice For 10 Ft. Models)	375		1,375
00770533	(Six) Implement Tires & Wheels (6.70-15 / 6 ply)	240		1,270
00770543	(Six) Recapped Airplane Tires (22 ply)	468		2,172
00770528	(Six) 15" Wheels (Wheels Only)	108		316
00770523	(Six) Laminated Tires & Wheels	450		1,173
02986581	(Six) Foam Filled Used Airplane Tire & Wheel (Included in Standard Pricing for 15 Ft. Models)	450		1,650
Mount Kits (One Choice Required)				
02985210	Case-IH JX-U Series			N/C
02981883	Case-IH MXU & Maxxum Series			N/C
02983169	John Deere 5425/5525/5603/5625			N/C
02991047	John Deere 6000/6010 Series			N/C
00765452	John Deere 6020/6030/7020/7030 Series			N/C
02991275	Kubota M8540/M9540			N/C
02985210	New Holland TL-A Series			N/C
02991409	New Holland T5000 Series			N/C
00751562	New Holland TS90/100/110			N/C
02981883	New Holland TS-A & T6000 Series			N/C
02993071	NH TS 6.110/6.120/6.125/6.140 Cab/Rops 2 & 4WD 2013-2014			N/C
00751565	Universal (Modification/Fabrication Req'd at the Dealer/Customer's Expense)			N/C

FALCON HYDRAULIC ROTARY

Flex- Wing Mower

Additional Options				
02985378	Additional Operators and Parts Manuals			58
00786015	Falcon 15 Auxiliary Spindle Kit for Dual Wheels On Both Wings (Requires 2 Additional Tires and Wheels)	45		523
00774802	Falcon 10 Auxiliary Spindle Kit for Dual Wheels On Wing (Requires 1 Additional Tire and Wheel)	24		304
Single Wheel and Tires For Spindle Kits Above				
00786014	27" Foam-Filled Used Airplane Tire & Wheel (Standard Choice Wheel and Tire)	75 each		312
00025200	Laminated Tire & Wheel	75 each		155
00749698	Implement Tire & Wheel	40 each		246
00771461	Used Airplane Tire & Wheel	75 each		263
02991066	Asy, Winch & Stand - Falcon 10/15	34		731
00769178	Captive Ball Hitch (2 5/16" Ball)	50		456
00773869	Pintle Hitch Kit (Requires Tractor Drawbar Modification)	50		926
00756846	Falcon 10: Concrete Filler for Weight Box (706 lbs.)	706		447
00755234	Stroke Control Segments	3		38
02991206	Fan Reverser Kit- Standard Equipment on units after 09/01/2012			526
02791800F1	Special Mower Paint (02791800)			952
00889899F3	Additional 12 Month Warranty (00889899)			4496

VERSA MOWER

60", 72", 74" Mid-Mount Rotary/Flails

F.O.B. Seguin, TX

STANDARD SPECIFICATIONS

- ◆ Welded Steel Plate Frame Braced to the Front Bolster & Rear Axle
 - ◆ 60-Gallon Hydraulic Reservoir with 12-Micron Filtration
 - ◆ Lift Frame Capable of Tilting the Head 180°
 - ◆ Lift Frame is Capable of Lifting the Head 17" Above & 6" Below Grade Level
 - ◆ Exterior Boom Arm 5"x5"x1/4" Steel Tubing
 - ◆ Stacked Hydraulic Pump Rated @ 51 GPM @ 2500 PSI
 - ◆ 2-Spool, Open Center, Tapered Positive Metering Valve
 - ◆ Tractor Req: 60 HP
- labor warranty.

HEAD SPECIFICATIONS

- ◆ 60" Mower Head
- ◆ 1/4" Gauge Deck with 3/8" Side Skirts
- ◆ Channel Reinforcements on the Top Deck
- ◆ Spindle Mounting Plate is 1" at the Spindle
- ◆ 90 HP Gear Motor Directly Splined to the Spindle
- ◆ 5/8" x 5" Double -Edged, Tempered Steel Blades, 360° Swing
- ◆ Standard (1) year limited parts and labor warranty.
- ◆ Front & Rear Chain Guards
- ◆ Standard (1) year limited parts and labor warranty

PRODUCT ORDER CODE	DESCRIPTION	APPRX. WEIGHT		LIST PRICE
Versa Mower Base Unit (One Choice Required)				
04950004	VERSA Rotary Extreme Service Extension Arm-Rops	2,300		7,382
04950005	VERSA Rotary Extreme Service Extension Arm-Cab	2,300		7,382
04952004	VERSA Ditcher Extreme Service Extension Arm-Rops	2,300		8,080
04952005	VERSA Ditcher Extreme Service Extension Arm-Cab	2,300		8,080
04950010	VERSA Rotary Extreme Service Extension Arm- Pre-TIV Model Tractors Only- Cutting Circuit Only- Requires 2 Open Sets of Hydraulic Remotes On Tractor To Operate	2,300		6,682
04950020	VERSA Rotary Extreme Service Extension Arm- TIV-B Model Tractors- Cutting Circuit Only- Requires 2 Open Sets of Hydraulic Remotes On Tractor To Operate	2,300		6,682
Breakaway Extension Arms Below Are Not For Use On 72" Rotary Models				
04950008	VERSA Rotary Breakaway Extension Arm-Rops	2,370		9,773
04950009	VERSA Rotary Breakaway Extension Arm-Cab	2,370		9,773
MOWER HEAD (One Choice Required)				
02964876	60" Rotary with Bar, Front & Rear Chain Guards	1,050		9,866
02977051	60" Rotary with Bar, Front & Rear Chain Guards (1/4" deck)	1,100		10,598
02964878	60" Rotary with Pan, Front & Rear Chain Guards	1,100		10,787
02975016	60" Rotary with Pan, Front & Rear Chain Guards (1/4" deck)	1,150		11,536
02964884	60" Breakaway Rotary with Bar, Front & Rear Chain Guards	1,050		10,625
02964886	60" Breakaway Rotary with Pan, Front & Rear Chain Guards	1,100		11,640
02964888	60" Rotary with Bar, Tail Wheel, Front & Rear Chain Guards	1,140		10,768
02964890	60" Rotary with Pan, Tail Wheel, Front & Rear Chain Guards	1,190		11,700
02967263	60" Deep Deck Rotary with Bar, Front & Rear Chain Guards (1/4" deck) Designed for use with Rear Roller Kit Below	1,050		11,984
02967267	60" Deep Deck Rotary with Pan, Front & Rear Chain Guards (1/4" deck) Designed for use with Rear Roller Kit Below	1,125		13,108
703262	Rear Roller Kit (Required for 60" Deep-Deck Versa)	232		
72" Rotary Models Below Are Not For Use On Breakaway Extension Arms				
02964880	72" Rotary with Bar, Front & Rear Chain Guards	1270		11,615
02964882	72" Rotary with Pan, Front & Rear Chain Guards	1320		12,472
02963836	60" Versa Flail, Belt Drive	740		14,447
02968968	60" Versa Flail, Belt Drive, Extreme-Duty Knife	734		14,221
02963837	74" Versa Flail, Belt Drive	840		14,800
02967639	74" Versa Flail, Belt Drive, Extreme-Duty Knife	834		14,801
02957866	Ditcher Attachment	600		14,733
02990405	Hose Kit, Tractor Aux to Chute 17' *****			863
02990605	Hose Kit, Tractor Aux to Chute 20' *****			916
02990608	Hose Kit, Tractor Aux to Chute 23' *****			970

VERSA MOWER

60", 72", 74" Mid-Mount Rotary/Flails

F.O.B. Seguin, TX

PRODUCT ORDER CODE	DESCRIPTION	APPRX. WEIGHT		LIST PRICE
Options (Continued)				
02897300	Additional Operators and Parts Manuals			57
VBumpGrd	Pump Guard- Protects Front Pumps on Versa Units			699
02964900	Cable & Clamp Kit	5		46
02966070	Side Gauge Wheel Option (60" Deep-Deck VERSA Only)	75		644
02978378	Tilt Cylinder Kit - NH TS & 40 Series	15		837
02978383	Tilt Cylinder Kit - JD 6000,6010,6020 Series	15		837
02978391	Tilt Cylinder Kit - JD 7000, 7010 Series	15		837
02972609	Wheel Weight Kit-500 lbs.			1,383
02971789	Wheel Weight Kit-1300 lbs.			2,960
02976671	Additional 408 lbs. Kit for 1300 lbs. Wheel Weight			1,741
02976670	Additional 680 lbs. Kit for 1300 lbs. Wheel Weight			2,581
02983104	JD 5425/5525 Repl. Window (Incl. Molded Corner Window)			2,346
02982412	JD 6015 & 6020 Replacement Window Kit (Clear)			2,346
02985234	JD 6030 Replacement Window Kit (Clear)			2,346
02982429	JD 7020 Repl. Window Kit (Tractors w/No RH Door)			2,346
02986182	JD 7030 "Prem" Window Kit (Clear) (Tractors w/No RH Door)			2,346
02983528	Case-IH JXU & NH TL-A Replacement Window Kit			2,346
02980888	Case-IH MXU & Maxxum Replacement Window Kit NH TS-A & T6000 Replacement Window Kit			2,346
02963045	Mounting Labor & Oil			6,792
02791800V6	Special Mower Paint (02791800)			920
02968967	Special Tractor Paint			6,262
00889899VM	Additional 12 Month Warranty (00889899)			4,496
NOTE: ALL ORDERS FOR VERSA MOWER UNITS REQUIRE THE PURCHASE OF A MOUNT KIT TO COMPLETE AN INSTALLATION (See Next Pages)				

VERSA MOWER

60", 72", 74" Mid-Mount Rotary/Flail Mount Kit Options

F.O.B. Seguin, TX

TRACTOR DESCRIPTION	MOUNT KIT	MAXIMUM TIRE SIZE			LIST PRICE
		2WD Front	4WD Front	Rear	
Case IH					
Case-IH Farmall 85U/95U/105U Cab/2&4wd (Fender Tank)	02986594	10.00-16	12.4-24	18.4-34	7,541
Case-IH Farmall 85U/95U/105U Cab/2&4wd (Tractor Hyd/Fender Tank)	02991132	10.00-16	12.4-24	18.4-34	6,951
Case-IH Farmall 85U/95U/105U ROPS/2&4wd (Fender Tank)	02986665	Double -Edge	12.4-24	18.4-34	7,541
Case-IH JX1060C/1070C/1075C Cab/2&4wd (Fender Tank)	02983986	Blades, 36"	11.2-24	16.9-30	7,541
Case-IH JX1060C/1070C/1075C Cab/2&4wd (Tractor Hyd/Fender Tank)	02987283	1) year limit	11.2-24	16.9-30	6,951
labor warranty.	02977579	labor warrar	N/A	16.9-30	7,541
Case-IH JX1060C/1070C/1075C ROPS/4wd (Fender Tank)	02981057	N/A	11.2-24	16.9-30	7,541
Case-IH JX1080U/1090U/1100U Cab/2&4wd (Fender Tank)	02982265	10.00-16	12.4-24	18.4-30	7,541
Case-IH JX1080U/1090U/1100U Cab/2&4wd (Tractor Hyd/Fender Tank)	02985908	10.00-16	12.4-24	18.4-30	6,951
Case-IH JX1080U/1090U/1100U ROPS/2wd (Fender Tank)	02982253	10.00-16	N/A	18.4-30	7,541
Case-IH JX1080U/1090U/1100U ROPS/4wd (Fender Tank)	02982879	N/A	12.4-24	18.4-30	7,541
Case-IH Maxxum 110/110 Pro/120 Pro/130 Pro Cab/2wd (Fender Tank)	02989121	10.00-16	N/A	18.4-34	7,541
Case-IH Maxxum 110/110 Pro/120 Pro/130 Pro Cab/2wd (Tractor Hyd/Fender Tank)	02985615	10.00-16	N/A	18.4-34	6,951
Case-IH Maxxum 110/110 Pro/120 Pro/130 Pro Cab/4wd (Fender Tank)	02985927	N/A	12.4-24	18.4-30	6,951
Case-IH Maxxum 115/125/125 Pro/140 Pro Cab/2&4wd (Fender Tank)	02984316	10.00-16	12.4-24	18.4-34	7,541
Case-IH Maxxum 115/125/125 Pro/140 Pro Cab/2&4wd (Tractor Hyd/Fender Tank)	02990039	10.00-16	12.4-24	18.4-34	6,951
Case-IH Maxxum 115/125/125 Pro/140 Pro ROPS/2&4wd (Fender Tank)	02984870	10.00-16	12.4-24	18.4-34	7,541
Case-IH MXU100/110 Cab/2wd (Mid-Mt Tank)	02980734	10.00-16	N/A	18.4-34	7,540
Case-IH MXU100/110 Cab/2wd (Tractor Hyd/Mid-Mt Tank)	02980831	10.00-16	N/A	18.4-34	6,951
Case-IH MXU100/110 Cab/4wd (Fender Tank)	02981497	N/A	13.6-24	18.4-34	7,541
Case-IH MXU100/110 ROPS/2wd (Mid-Mt Tank)	02982461	10.00-16	N/A	18.4-34	7,541
Case-IH MXU115/125/130/135 Cab/2&4wd (Fender Tank)	02984316	10.00-16	12.4-24	18.4-34	7,541
Case-IH MXU115/125/130/135 Cab/2&4wd (Tractor Hyd/Fender Tank)	02990039	10.00-16	12.4-24	18.4-34	6,951
Case-IH MXU115/125/130/135 ROPS/2&4wd (Fender Tank)	02984870	10.00-16	12.4-24	18.4-34	7,541
Challenger					
Challenger MT445B/455B/465B Cab/2&4wd (Tier III Engine Only/Fender Tank)	02989829	10.00-16	14.9-24	18.4-34	7,541
John Deere					
JD 5065/5075M Series Cab 2 & 4wd 2011-2013 (Cable Control/Fender Tank)	TBD	7.50-16	11.2-24	16.9-30	7,541
JD 5065/5075M Series Cab 2 & 4wd 2011-2013 (Tractor Hydraulic Stack Control/Fender Tank)	02988303	7.50-16	11.2-24	16.9-30	6,951
JD 5065/5075M Series Rops 2 & 4wd 2012-2013 (Cable Control/Fender Tank)	02993119	7.50-16	11.2-24	16.9-30	7,541
JD 5085/5100E Series Cab 4wd TIV-B Emissions 2015- (Cable Control)	TBD	N/A	12.4-24	18.4-30	7,541
JD 5083E/5093E/5101E Limited Cab/4wd (Tapped Axles-Built Before 2011/Fender Tank)	TBD	N/A	12.4-24	18.4-30	7,541
Tank)	TBD	N/A	12.4-24	18.4-30	6,951
JD 5083E/5093E/5101E Limited Cab/4wd (Ribbed Axles-Built Before 2011/Fender Tank)	TBD	N/A	12.4-24	18.4-30	7,541
Tank)	TBD	N/A	12.4-24	18.4-30	6,951
JD 5083E/5093E/5101E Limited Cab/4wd (MY2011/Fender Tank)	TBD	N/A	12.4-24	18.4-30	7,541
JD 5083E/5093E/5101E Limited Cab/4wd (MY2011/Tractor Hyd/Fender Tank)	TBD	N/A	12.4-24	18.4-30	6,951
JD 5083E/5093E/5101E Limited Cab/4wd (MY2011/Loader Hyd/Fender Tank)	TBD	N/A	12.4-24	18.4-30	6,951
JD 5083E/5093E/5101E Limited Cab/4wd 2012-2013 (Cable Control/Fender Tank)	TBD	11L-15	11.2-24	16.9-30	7,541
JD 5083E/5093E/5101E Limited Cab/4wd 2012-2013 (Fender Tank/Loader J-stick Control/AI Valve)	02992561	11L-15	11.2-24	16.9-30	7,541
JD 5085/5105/5115M Series Cab 4wd TIV-B Emissions 2015- (Cable Control)	02996049	N/A	12.4-24	18.4-30	7,541
JD 5085M/5095M/5105M Cab/2&4wd (MY2008-2011/Fender Tank)	02990965	11L-15	11.2-24	16.9-30	7,541
JD 5085/5105/5115M Series Cab 2 & 4wd 2012-2013 (Cable Control/ Fender Tank)	02991889	11L-15	11.2-24	16.9-30	7,541
JD 5085/5105/5115M Series Rops 2 & 4wd 2012-2013 (Loader J-stick Control/AI Valve/ Fender Tank)	02991903	11L-15	11.2-24	16.9-30	7,541
JD 5085/5105/5115M Series Rops 2 & 4wd 2012-2013 (Cable Control/ Fender Tank)	02993123	11L-15	11.2-24	16.9-30	7,541

VERSA MOWER

60", 72", 74" Mid-Mount Rotary/Flail Mount Kit Options

F.O.B. Seguin, TX

TRACTOR DESCRIPTION	MOUNT KIT	MAXIMUM TIRE SIZE			LIST PRICE
		2WD Front	4WD Front	Rear	
John Deere (Continued)					
JD 5225/5325 Cab/2&4wd (Fender Tank)	02984121	7.50-16	11.2-24	16.9-30	7,541
JD 5225/5325 ROPS/2wd (Fender Tank)	02988266	7.50-16	11.2-24	16.9-30	7,541
JD 5425/5525 Cab/2&4wd (Fender Tank)	02982838	7.50-16	11.2-24	16.9-30	7,541
JD 5425/5525/5625 Cab/2&4wd (Tractor Loader Valve Hyd/Fender Tank)	02982855	7.50-16	11.2-24	16.9-30	6,951
JD 5425/5525/5625 ROPS/2&4wd (Flat "IOOS" Platform/Fender Tank)	02982719	7.50-16	11.2-24	16.9-30	7,541
JD 5425/5525/5625 ROPS/2&4wd (Straddle Platform/Fender Tank)	02983600	7.50-16	11.2-24	16.9-30	7,541
JD 5603 Cab/4wd (Fender Tank)	02986435	N/A	12.4-24	18.4-30	7,541
JD 5603 Cab/4wd (Loader Hyd/Fender Tank)	02986717	N/A	12.4-24	18.4-30	6,951
JD 6100D/6115D/6130D/6140D Cab/2&4wd (540 PTO Pump/Fender Tank)	02988491	10.00-16	13.6-24	18.4-34	8,328
JD 6110/6210/6310/6405/6410 Cab 2wd (Fender Tank)	02973843	10.00-16	12.4-24	18.4-30	7,541
JD 6110/6210/6310/6405/6410 Cab 4wd (Fender Tank)	02973847	10.00-16	12.4-24	18.4-30	7,541
JD 6120/6220/6320/6420 (Tier II) CAB/2&4wd (Fender Tank)	02985096	10.00-16	12.4-24	18.4-30	7,541
JD 6120/6220/6320/6420 (Tier II) CAB/2wd (Tractor Hyd/Mid-Mt Tank)	02980756	10.00-16	N/A	18.4-34	6,951
JD 6120/6220/6320/6420 (Tier II) CAB/4wd (Tractor Hyd/Mid-Mt Tank)	02980768	N/A	12.4-24	18.4-34	6,951
JD 6120/6220/6320/6420 (Tier II) ROPS/2&4wd (Fender Tank)	02988531	10.00-16	12.4-24	18.4-30	7,541
JD 6120/6215/6220/6320/6415/6420 (Tier II) CAB 2wd (Frame Mounted Tank)	02978819	10.00-16	12.4-24	18.4-30	7,541
JD 6120/6215/6220/6320/6415/6420 (Tier II) Cab 4wd (Frame Mounted Tank)	02980105	10.00-16	12.4-24	18.4-30	7,541
JD 6120/6215/6220/6320/6415/6420 (Tier II) Rops 2/4wd (Frame Mounted Tank)	02979371	10.00-16	12.4-24	18.4-30	7,541
JD 6105/6115/6125M Cab 4wd 2012-2014 (Cable Control/ Fender Tank) Equipped with Short Ext. Arm	02993204	N/A	14.9-24	18.4-34	7,541
JD 6215/6415 Cab/2&4wd (Fender Tank)	02985096	10.00-16	12.4-24	18.4-30	7,541
JD 6215/6415 Cab/4wd (Tractor Hyd-2nd Remote Req'd/Mid-Mt Tank)	02980768	N/A	12.4-24	18.4-34	6,951
JD 6215/6415 Cab/4wd (Tractor Hyd-2nd Remote Req'd/Mid-Mt Tank)	02980768	N/A	12.4-24	18.4-34	6,951
JD 6230/6330/6430 "Mid-Spec" Cab/2&4wd (Tractor Hyd/Fender Tank)	02992019	10.00-16	12.4-24	18.4-34	7,541
JD 6230/6330/6430 "Mid-Spec" Cab/2&4wd (Fender Tank)	02985543	10.00-16	12.4-24	18.4-34	7,541
JD 6230/6330/6430 "Mid-Spec" Cab/2&4wd (Tractor Hyd/Fender Tank)	02992019	10.00-16	12.4-24	18.4-34	7,541
JD 6230/6330/6430 "Mid-Spec" ROPS/2&4wd (Fender Tank)	02987161	10.00-16	12.4-24	18.4-34	7,541
JD 6230/6330/6430 "Premium" Cab/2&4wd (Fender Tank)	02985543	10.00-16	12.4-24	18.4-34	7,541
JD 6230/6330/6430 "Premium" Cab/2&4wd (540 PTO Pump/Fender Tank)	02986699	10.00-16	12.4-24	18.4-34	8,328
JD 6615/6715 Cab/2wd (Mid-Mt Tank)	02982138	11.00-16	N/A	18.4-34	7,541
JD 6615/6715 Cab/4wd (Mid-Mt Tank)	02985103	N/A	13.6-28	18.4-38	7,541
JD 7220/7320/7420/7520 Cab/2wd (Mid-Mt Tank)	02982138	11.00-16	N/A	18.4-38	7,541
JD 7220/7320/7420/7520 Cab/4wd (Mid-Mt Tank)	02985103	N/A	13.6-28	18.4-38	7,541
JD 7130/7230 "Mid" Cab/2&4wd (4 or 6 cyl/55 gal. fuel tank/Fender Tank)	02988406	11.00-16	13.6-28	18.4-38	7,541
JD 7130/7230 "Mid" Cab/2&4wd w/JD673 Loader (4 or 6 cyl/55 gal. fuel tank/Fender Tank)	02991326	11.00-16	13.6-28	18.4-38	7,541
Massey Ferguson					
MF 2670/2680 Cab/2wd (Under Fender Tank)	02991912	9.5L-15F	N/A	18.4-30	7,541
MF 5445/5455 Cab/2wd w/Std Hood (Tier II Engine Only/Fender Tank)	02985185	9.5L-15	N/A	18.4-30	7,541
MF 5460 ROPS/2wd w/Std Hood (Tier II Engine Only/Fender Tank)	02982101	10.00-16	N/A	18.4-34	7,541
New Holland					
NH T4020/4030 Cab 2 & 4wd 2011-2013 (Tractor Hydraulic Stack Control/Fender Tank)	02993085	9.5L-15	11.2-24	16.9-30	7,541
NH T4040/4050 "Deluxe" Cab/2&4wd (Fender Tank)	02989713	9.5L-15	11.2-24	16.9-30	7,541
NH T4.85/4.95/4.105/4.115 Cab 4wd I-TIV Emissions 2012-2014 (Cable Control)	02994342	N/A	11.2-24	16.9-30	7,541
NH T5.95/5.105/5.115 Cab 4wd I-TIV Emissions 2012-2014 (Cable Control)	02994806	N/A	12.4-24	18.4-30	7,541
NH T5.95/5.105/5.115 Cab 4wd I-TIV Emissions 2012-2014 (Tractor Hyd. Control)	02994524	N/A	12.4-24	18.4-30	6,951

VERSA MOWER

60", 72", 74" Mid-Mount Rotary/Flail Mount Kit Options

F.O.B. Seguin, TX

TRACTOR DESCRIPTION	MOUNT KIT	MAXIMUM TIRE SIZE			LIST PRICE
		2WD Front	4WD Front	Rear	
New Holland (Continued)					
NH T5040/5050/5060/5070 Cab/2&4wd (Fender Tank)	02986594	10.00-16	12.4-24	18.4-34	7,541
NH T5040/5050/5060/5070 Cab/2&4wd (Tractor Hyd/Fender Tank)	02991132	10.00-16	12.4-24	18.4-34	6,951
NH T5040/5050/5060/5070 ROPS/2&4wd (Fender Tank)	02986665	10.00-16	12.4-24	18.4-34	7,541
NH T6010/6020/6040/6060 Cab/2wd (Fender Tank)	02989121	10.00-16	N/A	18.4-34	7,541
NH T6010/6020/6040/6060 Cab/2wd (Tractor Hyd/Fender Tank)	02985615	10.00-16	N/A	18.4-34	6,951
NH T6010/6020/6040/6060 Cab/4wd (Fender Tank)	02985927	N/A	12.4-24	18.4-30	6,951
NH T6010/6020 "Delta" ROPS/2wd (Mid-Mt Tank)	02982461	10.00-16	N/A	18.4-34	7,541
NH T6030/6050/6070 Cab/2&4wd (Fender Tank)	02984316	10.00-16	12.4-24	18.4-34	7,541
NH T6030/6050/6070 Cab/2&4wd (Tractor Hyd/Fender Tank)	02990039	10.00-16	12.4-24	18.4-34	6,951
NH T6030/6050 ROPS/2&4wd (Fender Tank)	02984870	10.00-16	12.4-24	18.4-34	7,541
NH TB100/110 ROPS/2wd (Mid-Mt Tank)	02980759	10.00-16	N/A	18.4-30	7,541
NH TB100/110 ROPS/4wd	02986653	N/A	12.4-24	18.4-30	7,541
NH TL80/90/100 Cab/2&4wd (Fender Tank)	02980207	10.00-16	12.4-24	18.4-30	7,541
NH TL80/90/100 Cab/2&4wd (Tractor Hyd/Fender Tank)	02980910	10.00-16	12.4-24	18.4-30	6,951
NH TL80/90/100 ROPS/2wd (Mid-Mt Tank)	02979674	36x11-16 Air	N/A	20x20 Logging	7,541
NH TL80/90/100 ROPS/4wd (Fender Tank)	02980891	N/A	12.4-24	18.4-30	7,541
NH TL80/90/100 ROPS/4wd (Tractor Hyd/Fender Tank)	02980907	N/A	12.4-24	18.4-30	6,951
NH TL80A/90A/100A Cab/2&4wd (Fender Tank)	02982265	10.00-16	12.4-24	18.4-30	7,541
NH TL80A/90A/100A Cab/2&4wd (Tractor Hyd/Fender Tank)	02985908	10.00-16	12.4-24	18.4-30	7,541
NH TL80A/90A/100A ROPS/2wd (Fender Tank)	02982253	10.00-16	N/A	18.4-30	7,541
NH TL80A/90A/100A ROPS/4wd (Fender Tank)	02982879	N/A	12.4-24	18.4-30	7,541
NH TN55D/65D/70D/75D Cab/2&4wd (Fender Tank)	02983986	7.50-16	11.2-24	16.9-30	7,541
NH TN55D/65D/70D/75D Cab/2&4wd (Tractor Hyd/Fender Tank)	02987283	7.50-16	11.2-24	16.9-30	6,951
NH TN55/65/70/75 ROPS/2wd (Mid-Mt Tank)	02977579	7.50-16	N/A	16.9-30	7,541
NH TN55/65/70/75 ROPS/4wd (Fender Tank)	02981057	N/A	11.2-24	16.9-30	7,541
NH TN60DA/70DA/75DA Cab/2&4wd (Fender Tank)	02983986	7.50-16	11.2-24	16.9-30	7,541
NH TN60DA/70DA/75DA Cab/2&4wd (Tractor Hyd/Fender Tank)	02987283	7.50-16	11.2-24	16.9-30	6,951
NH TN60A/70A/75A ROPS/2wd (Mid-Mt Tank)	02977579	7.50-16	N/A	16.9-30	7,541
NH TN60A/70A/75A ROPS/4wd (Fender Tank)	02981057	N/A	11.2-24	16.9-30	7,541
NH TS100A/110A Cab 2wd 2003- 2006 (Mid-Mt Tank)	02980734	10.00-16	N/A	18.4-34	7,540
NH TS100A/110A Cab 2wd 2003- 2006 (Tractor Hyd/Mid-Mt Tank)	02980831	10.00-16	N/A	18.4-34	6,951
NH TS100A/110A Cab 4wd 2003- 2006 (Fender Tank)	02981497	N/A	13.6-24	18.4-34	7,541
NH TS100A/110A ROPS 2wd 2003- 2006 (Mid-Mt Tank)	02982461	10.00-16	N/A	18.4-34	7,541
NH TS115A/125A/130A/135A Cab/2&4wd (Fender Tank)	02984316	10.00-16	12.4-24	18.4-34	7,541
NH TS115A/125A/130A/135A Cab/2&4wd (Tractor Hyd/Fender Tank)	02990039	10.00-16	12.4-24	18.4-34	6,951
NH TS115A/125A/130A/135A ROPS/2&4wd (Fender Tank)	02984870	10.00-16	12.4-24	18.4-34	7,541
NH TS6.110/6.120 Cab 2 & 4wd TIV-B Emissions 2015- (Cable Control)	02995364	10.00-16	14.9-24	18.4-34	7,541
NH TS6.110/6.120 Cab 2 & 4wd 2012-2014 (Cable Control/Fender Tank)	02992794	10.00-16	14.9-24	18.4-34	7,541
NH TS6.110/6.120 Rops 2 & 4wd 2012-2014 (Cable Control/Fender Tank)	02992703	10.00-16	14.9-24	18.4-34	7,541
NH TS6.125/6.140 Cab 2 & 4wd 2012-2014 (Cable Control/Fender Tank)	02992667	10.00-16	14.9-24	18.4-34	7,541
NH TS6.125/6.140 Rops 2 & 4wd 2012-2014 (Cable Control/Fender Tank)	TBD	10.00-16	14.9-24	18.4-34	7,541
NH TS6020/6030 Rops 4/2wd	02989606	10.00-16	N/A	18.4-34	7,541

OTHER SPECIFICATIONS

- (1) Case-IH JX-U & Farmall U and New Holland TL-A, T4000 & T5000 series tractors require a smaller replacement battery which is not included. We recommend using Exide® #34R-84N.

RIGHT-HAND INTERSTATER

62", 74", 88" Flail Mowers

F.O.B. Seguin, TX

STANDARD SPECIFICATIONS

- ◆ 62", 74", or 88" Cutting Widths
- ◆ Full-Length Welded Tubular Frame with Transport Lock
- ◆ 19-Gallon Reservoir with 12 Micron Filtration
- ◆ Piston Pump Rated @ 24 GPM @ 3800 PSI
- ◆ 2-Spool Valve with Detent Position
- ◆ 1-5/16" Bore Greaseable, Self-aligning Cuttershaft Bearings
- ◆ Lift Cylinder Capable of 14" Vertical Lift
- ◆ Tilt Cylinder Capable of 45° Down & 90° Up labor warranty.
- ◆ 1/2" Inboard & 5/16" Outboard Side Plates
- ◆ Replaceable Skid Shoes
- ◆ 4-1/2" x 5/16" Wall Cuttershaft
- ◆ Automatic Cut-Off Switch
- ◆ 53 HP Piston Motor
- ◆ Belt Drive From Motor To Cuttershaft with Automatic Spring Tension
- ◆ 5/8" x 5" Double -Edged, Tempered Steel Blades, 360° Swing
- ◆ Standard (1) year limited parts and labor warranty.
- ◆ Standard (1) year limited parts and labor warranty

PRODUCT ORDER CODE	DESCRIPTION	APPRX. WEIGHT		LIST PRICE
RIGHT HAND INTERSTATER BASE UNIT				
988002	62" Fine-Cut			21,557
988001	62" Coarse-Cut (3 oz. Knives)			21,526
988004	62" Extreme Service (4 oz. Knives)			21,678
988005	74" Coarse-Cut (3 oz. Knives)	1200		22,458
988008	74" Extreme Service (4 oz. Knives)	1205		22,610
988009	88" Coarse-Cut (3 oz. Knives)	1250		22,705
988012	88" Extreme Service (4 oz. Knives)	1255		22,853
OPTIONS				
ALL INTERSTATERS PURCHASED FOR INSTALLATION ON 4WD TRACTORS MUST INCLUDE A CLIPPED FOOTGUARD ON ORDER				
107532	62" Right-Clipped Foot Guard	32		392
107519	74" Right-Clipped Foot Guard	37		431
107524	88" Right-Clipped Foot Guard	42		470
801022	Mounting Labor & Oil, CAB Tractor			5,053
02791800IR	Special Mower Paint (02791800)			893
02968967	Special Tractor Paint			6,262
803213	Additional Operators and Parts Manual			57
0088989911	Additional 12 Month Warranty (00889899)			4,496
NOTE: ALL ORDERS FOR INTERSTATER UNITS REQUIRE THE PURCHASE OF A MOUNT KIT TO COMPLETE AN INSTALLATION (See Next Pages)				

RIGHT-HAND INTERSTATER

62", 74", 88" Mount Kit Options

F.O.B. Seguin, TX

TRACTOR DESCRIPTION	MOUNT KIT	REAR OFFSET	MAXIMUM TIRE SIZE			LIST PRICE
	COMP BOX		2WD Front	4WD Front	Rear	
Case IH						
Case-IH Farmall 95C Cab 4wd 2008-2012 (RH-Single Wing- Offset 13.5")	02990821 02990822	88" Ctr 96" Ctr	N/A	11.2-20	16.9-30	\$9,744
Case-IH 695/895 Cab 4wd 1991-1994 (RH-Single Wing- Centered)	106832 703735	88" Ctr 96" Ctr	N/A	7.5-18	18.4-30	\$9,744
Case-IH JX1060C/1070C/1075C Cab 2wd 2004-2008 (RH-Single Wing- Offset 5")	108777 704548	88"OR 8.5" 96"OR 12.5"	9.5L-15	N/A	16.9-30	\$9,744
Case-IH JX1060C/1070C/1075C Cab/2wd 2004-2008 (RH-Single Wing- Offset 5"/ Using Tractor Hydraulics)	108777 02980173	88"OR 8.5" 96"OR 12.5"	9.5L-15	N/A	16.9-30	\$9,052
Case-IH JX1060C/1070C/1075C Cab 4wd 2004-2008 (RH-Single Wing- Offset 5")	02984334 02984335	88"OR 8.5" 96"OR 12.5"	N/A	11.2-20	14.9-28	\$9,744
Case-IH JX1060C/1070C/1075C Rops 2wd 2004-2008 (RH-Single Wing- Offset 5")	108775 704546	88"OR 8.5" 96"OR 12.5"	11L-15	N/A	16.9-30	\$9,744
Case-IH JX1080U/1090U/1100U Cab 2wd 2004-2008 (RH-Single Wing- Offset 5")	02983494 02983537	88"OR 8.5" 96" Ctr	11L-15	11.2-24	16.9-34	\$9,744
Case-IH JX1080U/1090U/1100U Rops 2wd 2004-2008 (RH-Single Wing- Offset 5")	02980206 02983546	88"OR 8.5" 96" Ctr	10.00-16	N/A	16.9-34	\$9,744
Case-IH MXU100/110 Cab 4wd 2004-2006 (RH-Single Wing- Offset 5")	02981068 02981075	88"OR 8.5" 96" Ctr	N/A	12.4-24	18.4-30	\$9,744
Case-IH MXU100/110 Rops 4wd 2004-2006 (RH-Single Wing- Offset 5")*	02981068 02981072	88"OR 8.5" 96" Ctr	N/A	12.4-24	18.4-30	\$9,744
Case-IH MXU115/125/130/135 Cab 4wd 2004-2006 (RH-Single Wing- Offset 5")*	02982986 02983000	88"OR 8.5" 96" Ctr	N/A	12.4-24	18.4-30	\$9,744
John Deere						
JD 5065/5075M- Series ROPS 2wd 2008-2011 (RH-Single Wing- Offset 5")	02988389 02988729	88"OR 8.5" 96" Ctr	11L-15	N/A	16.9-30	\$9,744
JD 5065/5075M- Series Cab 2wd 2008-2011 (RH-Single Wing- Offset 5"/ Using Loader Joystick Control)	02988389 02988338	88"OR 8.5" 96" Ctr	11L-15	N/A	16.9-30	\$9,744
JD 5085/5100E- Series Cab 4wd TIV-B Emissions 2015- (RH-Single Wing- AI Standard Cable Control)	TBD- Call For Availability	88"OR 14.5" 96" OR 12.5"	N/A	11.2-24	16.9-30	\$9,744
JD 5085/5100E- Series Rops 4wd TIV-B Emissions 2015- (RH-Single Wing- AI Standard Cable Control)	02996001 02996002	88"OR 14.5" 96" OR 12.5"	N/A	11.2-24	16.9-30	\$9,744
JD 5083/5093/5101E- Series Cab 4wd Late 2011-2012 Tier III Ribbed Style Axle (RH-Single Wing- Offset 5")	02990386 02991126	88"OR 8.5" 96" Ctr	N/A	12.4-24	18.4-30	\$9,744
JD 5083/5093/5101E- Series Cab 4wd 2008- Early 2011 Tier II Ribbed Style Axle (RH-Single Wing- Offset 5"/ Using Loader Joystick Control)	02990386 02990387	88"OR 8.5" 96" Ctr	N/A	12.4-24	18.4-30	\$9,744
JD 5083/5093/5101E- Series Cab 4wd Late 2011-2012 Tier III Ribbed Style Axle (RH-Single Wing- Offset 5")	02990386 02991126	88"OR 8.5" 96" Ctr	N/A	12.4-24	18.4-30	\$9,744
JD 5083/5093/5101E- Series Cab 4wd Late 2011-2012 Tier III Ribbed Style Axle (RH-Single Wing- Offset 5"/ Using Loader Joystick Control)	02990386 02990500	88"OR 8.5" 96" Ctr	N/A	12.4-24	18.4-30	\$9,744
JD 5085/5100/5115M- Series Cab 2 & 4wd TIV-B Emissions 2015- (RH-Single Wing- AI Standard Cable Control)	02995649 02995650	88"OR 14.5" 96" OR 12.5"	N/A	12.4-24	18.4-30	\$9,744
JD 5085/5100/5115M- Series Cab 2 & 4wd TIV-B Emissions 2015- (RH-Single Wing- AI Standard Cable Control)	TBD- Call For Availability	88"OR 14.5" 96" OR 12.5"	N/A	12.4-24	18.4-30	\$9,744
JD 5085/5095/5105M- Series Cab 4wd 2008-2011 (RH-Single Wing- Offset 5")	02991095 02991097	88"OR 8.5" 96" Ctr	N/A	12.4-24	18.4-30	\$9,744
JD 5085/5095/5105M- Series Cab 4wd 2012-2013 (RH-Single Wing- Offset 5")	02992041 02992036	88"OR 8.5" 96" Ctr	N/A	12.4-24	18.4-30	\$9,744
JD 5225/5325 Cab/2wd 2005-2008 (RH Only/Aux Pump)	02983231 02983224	88"OR 8.5" 96" Ctr	6.50-16	N/A	13.6-28	\$9,744

Note: Please list BOTH mount kit part numbers on your order.

TRACTOR DESCRIPTION	MOUNT KIT COMP BOX	REAR OFFSET	MAXIMUM TIRE SIZE			LIST PRICE
			2WD Front	4WD Front	Rear	

RIGHT-HAND INTERSTATTER

62", 74", 88" Mount Kit Options

F.O.B. Seguin, TX

John Deere						
JD 5225/5325 Cab/4wd 2005-2008 (RH Only/Aux Pump)	02983848 02983858	88"OR 8.5" 96" Ctr	N/A	11.2-24	16.9-30	\$9,744
JD 5420/5520 Cab 4wd 2002-2004 (RH-Single Wing- Offset 5")	02978138 02980203	88"OR 8.5" 96" Ctr	N/A	11.2-24	16.9-30	\$9,744
JD 5420/5520 Rops 4wd 2002-2004 (RH-Single Wing- Offset 5")	02978138 02980632	88"OR 8.5" 96" Ctr	N/A	11.2-24	16.9-30	\$9,744
JD 5425/5525 Cab 4wd 2005-2008 (RH-Single Wing- Offset 5")	02978138 02983640	88"OR 8.5" 96" Ctr	N/A	11.2-24	16.9-30	\$9,744
JD 5425/5525 Cab 4wd 2005-2008 (RH-Single Wing- Offset 5"/ Using Tractor Hydraulics)	02978138 02984124	88"OR 8.5" 96" Ctr	N/A	11.2-24	16.9-30	\$9,744
JD 5425/5525 Rops 2wd 2005-2008 (RH-Single Wing- Offset 5")	02985265 02985266	88"OR 8.5" 96" Ctr	7.50-16	N/A	16.9-30	\$9,744
JD 6120/6220/6320/6420 Cab 4wd 2002-2007 (RH-Single Wing- Offset 5")	02978882 02978908	88"OR 8.5" 96" Ctr	N/A	12.4-24	18.4-30	\$9,744
JD 6120/6220/6320/6420 Cab 4wd 2002-2007 (RH-Single Wing- Offset 5"/ Using Tractor Hydraulics)	02978882 02978879	88"OR 8.5" 96" Ctr	N/A	12.4-24	18.4-30	\$9,744
JD 6215/6415 Cab/2&4wd (RH Only/Aux Pump)	02978882 02978908	88"OR 8.5" 96" Ctr	N/A	12.4-24	18.4-34	\$9,744
JD 6215/6415 Cab/2&4wd (RH Only/Tractor Hyd) (2nd Remote Req'd)	02978882 02978879	88"OR 8.5" 96" Ctr	N/A	12.4-24	18.4-34	\$9,052
JD 6330/6430 Mid-Spec & Premium Cab 4wd 2007-2012 (RH-Single Wing- Offset 5")	02978882 02990429	88"OR 8.5" 96" Ctr	N/A	13.6-28	18.4-34	\$9,744
JD 6330/6430 Mid-Spec & Premium Cab 4wd 2007-2012 (RH-Single Wing- Offset 5"/ Using Tractor Hydraulics)	02978882 02989257	88"OR 8.5" 96" Ctr	N/A	13.6-28	18.4-34	\$9,052
JD 6330/6430 Mid-Spec & Premium Cab 2wd 2007-2012 (RH-Single Wing- Offset 5")	02986192 02986193	88"OR 8.5" 96" Ctr	10.00-16	N/A	18.4-34	\$9,744
JD 6330/6430 Mid-Spec & Premium Cab 2wd 2007-2012 (RH-Single Wing- Offset 5"/ Using Tractor Hydraulics)	02986192 02990077	88"OR 8.5" 96" Ctr	10.00-16	N/A	18.4-34	\$9,052
JD 7130/7230 Mid-Spec Cab 4wd 2007-2012 (RH-Single Wing- Offset 5")	02989681 02989682	88"OR 8.5" 96" Ctr	N/A	13.6-28	18.4-34	\$9,744
McCormick						
McCormick CX75/85/95/105 TII Models Cab 2wd 2003-2010 (RH-Single Wing- Offset 5")	02982467 02982079	88"OR 8.5" 96" Ctr	11L-16	N/A	16.9-30	\$9,744
McCormick CX75/85/95/105 TII Models Cab 4wd 2003-2010 (RH-Single Wing- Offset 5")	02982218 02982079	88"OR 8.5" 96" Ctr	N/A	11.2-24	16.9-30	\$9,744
Massey Ferguson						
MF 492 Cab 4wd 2004-2006 (RH-Single Wing- Offset 5")	02982944 02982973	88"OR 8.5" 96" Ctr	N/A	12.4-24	18.4-30	\$9,744
MF 4335/4345/4355 Cab 4wd w/ Standard Hood 2001-2003 (RH-Single Wing- Offset 5")	02983792 02979222	88"OR 8.5" 96" Ctr	N/A	11.2-24	16.9-30	\$9,744
MF 4335/4345/4355 Cab 4wd w/ Standard Hood 2001-2003 (RH-Single Wing- Offset 5"/ Using Tractor Hydraulics)	02983792 02989305	88"OR 8.5" 96" Ctr	N/A	11.2-24	16.9-30	\$9,052
MF 5435/5445/5455 Cab 2wd w/ Standard Hood 2005-2008 (RH-Single Wing- Offset 5")	02981881 02981312	88"OR 8.5" 96" Ctr	7.50-16	N/A	16.9-28	\$9,744

Note: Please list BOTH mount kit part numbers on your order.

RIGHT-HAND INTERSTATER

62", 74", 88" Mount Kit Options

F.O.B. Seguin, TX

TRACTOR DESCRIPTION	MOUNT KIT	REAR OFFSET	MAXIMUM TIRE SIZE			LIST PRICE
			2WD Front	4WD Front	Rear	
New Holland						
NH T4020/4030 "Deluxe" Cab 2wd 2008-2012 (RH-Single Wing-Offset 5")	02987359 02986821	88"OR 8.5" 96"OR 12.5"	11L-15	N/A	16.9-30	\$9,744
NH T4020/4030 "Deluxe" Cab 2wd 2008-2012 (RH-Single Wing-Offset 5"/ Using Tractor Hydraulics)	02987359 02986821	88"OR 8.5" 96"OR 12.5"	11L-15	N/A	16.9-30	\$9,052
NH T4020/4030 "Deluxe" Cab 2wd 2008-2012 (RH-Single Wing-Offset 5"/ Using Tractor Loader Hydraulics)	02987359 02986821	88"OR 8.5" 96"OR 12.5"	11L-15	N/A	16.9-30	\$9,744
NH T4020/4030 "Deluxe" Cab 4wd 2008-2012 (RH-Single Wing-Offset 5")	02987887 02987922	88"OR 14.5" 96"OR 12.5"	N/A	13.6-16	16.9-24	\$9,744
NH T4020/4030 "Standard" Rops 2wd 2008-2012 (RH-Single Wing-Offset 5")	02987048 02987586	88"OR 8.5" 96"OR 12.5"	7.50-16	N/A	16.9-30	\$9,744
NH T4040/4050 "Deluxe" Cab 2wd 2008-2012 (RH-Single Wing-Offset 5")	02986812 02986821	88"OR 8.5" 96"OR 12.5"	8.5L-15	N/A	16.9-30	\$9,744
NH T4040/4050 "Deluxe" Cab 4wd 2008-2012 (RH-Single Wing-Offset 5")	02990821 02990822	88"OR 14.5" 96"OR 12.5"	N/A	11.2-20	16.9-30	\$9,744
NH T5040/5050/5060/5070 Cab 2 & 4wd 2008-2012 (RH-Single Wing- Offset 5")	02983494 02986605	88"OR 8.5" 96" Ctr	10.00-16	11.2-24	18.4-30	\$9,744
NH T5040/5050/5060/5070 Cab 2 & 4wd 2008-2012 (RH-Single Wing- Offset 5"/ Using Tractor Hydraulics)	02983494 02989472	88"OR 8.5" 96" Ctr	10.00-16	11.2-24	18.4-30	\$9,052
NH T5040/5050/5060/5070 Rops 2wd 2008-2012 (RH-Single Wing-Offset 5")	02980206 02988018	88"OR 8.5" 96" Ctr	10.00-16	N/A	18.4-30	\$9,744
NH T6030/6050/6070 Cab 2 & 4wd 2008-2012 (RH-Single Wing-Offset 5")	02982986 02986187	88"OR 8.5" 96" Ctr	11.00-16	14.9-24	18.4-34	\$9,744
NH T6030/6050/6070 Cab 2 & 4wd 2008-2012 (RH-Single Wing-Offset 5"/ Using Tractor Hydraulics)	02982986 02989446	88"OR 8.5" 96" Ctr	11.00-16	14.9-24	18.4-34	\$9,052
NH T6030/6050/6070 Rops 2wd 2008-2012 (RH-Single Wing- Offset 5")	02982986 02989451	88"OR 8.5" 96" Ctr	11.00-16	N/A	18.4-30	\$9,744
NH T7030/7040/7050/7060 Cab 4wd 2008-2012 (RH-Single Wing-Offset 5")	02982986 02990749	88"OR 8.5" 96" Ctr	N/A	14.9-30	18.4-42	\$9,744
NH TB100/110 Rops 2 & 4wd 2005-2011 (RH-Single Wing- Offset 5")	02980834 02980255	88"OR 8.5" 96" Ctr	N/A	12.4-24	18.4-30	\$9,744
NH TL80/90/100 Cab 2wd 1999--2004 (RH-Single Wing- Offset 5")	02980206 02983635	88"OR 8.5" 96" Ctr	10.00-16	N/A	16.9-34	\$9,744
NH TL80A/90A/100A Cab 2 & 4wd 2004-2007 (RH-Single Wing-Offset 5")	02983494 02983537	88"OR 8.5" 96" Ctr	10.00-16	11.2-24	16.9-34	\$9,744
NH TL80A/90A/100A Rops 2 & 4wd 2004-2007 (RH-Single Wing-Offset 5")	02980206 02983546	88"OR 8.5" 96" Ctr	10.00-16	11.2-24	16.9-34	\$9,744

Note: Please list BOTH mount kit part numbers on your order.

RIGHT-HAND INTERSTATER

62", 74", 88" Mount Kit Options

F.O.B. Seguin, TX

TRACTOR DESCRIPTION	MOUNT KIT	REAR OFFSET	MAXIMUM TIRE SIZE			LIST PRICE
			2WD Front	4WD Front	Rear	
New Holland (Continued)						
NH TN60DA/70DA/75DA Cab 2wd 2004-2008 (RH-Single Wing-Offset 8.75"/ Using Tractor Hydraulics)	108777 02980173	88"OR 8.5" 96"OR 12.5"	9.5L-15	N/A	16.9-30	\$9,052
NH TN60DA/70DA/75DA Cab 4wd 2004-2008 (RH-Single Wing-Offset 13.78"/ Using Tractor Hydraulics)	02984334 02984335	88"OR14.5" 96"OR12.5"	N/A	11.2-20	14.9-28	\$9,744
NH TN60A/70A/75A Rops 2wd 2004-2008 (RH-Single Wing- Offset 8.75")	108775 704546	88"OR 8.5" 96"OR 12.5"	11L-15	N/A	16.9-30	\$9,744
NH TS100A/110A Rops 2 & 4wd 2003-2006 (RH-Single Wing-Offset 5")	02981068 02981072	88"OR 8.5" 96" Ctr	10.00-16	12.4-24	18.4-30	\$9,744
NH TS115A/125A/135A Cab 2 & 4wd 2003-2006 (RH-Single Wing-Offset 5")	02981078 02983720	88"OR 8.5" 96" Ctr	10.00-16	12.4-24	18.4-30	\$9,744
NH TS115A/125A/135A Rops 2 & 4wd 2003-2006 (RH-Single Wing-Offset 5")	02981078 02983720	88"OR 8.5" 96" Ctr	10.00-16	12.4-24	18.4-30	\$9,744
NH T4.75 Powerstar Cab 2wd TIV-B 2015- (RH- Single Wing) Standard Lever Controls.	TBD- Call For Availability	88" OR 8.5" 96" CTR	N/A	11.2-24	16.9-30	\$11,572
NH T4.75 Powerstar Rops 4wd TIV-A Emmisiions 2012- (RH Single Wing) Standard Lever Controls. Requires HD bolster code on tractor.	02994318 02994306	96" Ctr	N/A	11.2-24	16.9-30	\$11,572
NH T4.90/T4.100/4.110/T4.120 Cab 4wd TIV-B 2015- (RH- Single Wing) Standard Lever Controls.	02995236 02993917	88" OR 20.5" 96" OR 18.5"	N/A	11.2-24	16.9-30	\$11,572
NH T4.90/T4.100/4.110/T4.120 Cab 4wd TIV-B 2015- (RH- Single Wing) Standard Lever Controls.	02995236 02993917	88" OR 20.5" 96" OR 18.5"	N/A	11.2-24	16.9-30	\$11,572
NH T4.90/T4.100/4.110/T4.120 Rops 4wd TIV-B 2015- (RH- Single Wing) Uses Cab-Style Standard Lever Controls.	02995236/ 02995774 02993917	88" OR 20.5" 96" OR 18.5"	N/A	11.2-24	16.9-30	\$11,572
NH T4.85/T4.95/4.105 Cab 4wd TIV-A 2012- (RH Single Wing- 5" Offset Right) Standard Lever Controls. Includes 500 lb rear wheel weight. Requires HD bolster code on tractor.	02994065/ 02995388 02994068	88" OR 8.5" 96" CTR	N/A	11.2-24	16.9-30	\$11,572
NH T4.85/T4.95/4.105 Rops 4wd TIV-A 2012- (RH Single Wing- 5" Offset Right) Standard Lever Controls. Includes 500 lb rear wheel weight. Requires HD bolster code on tractor.	02994065/ 02995388 02994820	88" OR 8.5" 96" CTR	N/A	11.2-24	16.9-30	\$11,572
NH TS6.110/TS6.115/TS6.120 Cab 2 & 4wd TIII Emissions 2012-2014 (RH Single Wing- 5" Offset Right)	02993738 02993767	96" Ctr	10.00-16	12.4-24	18.4-30	\$9,744
NH TS6.125/TS6.140 Cab 2 & 4wd TIII Emissions 2012-2014 (RH Single Wing- 5" Offset Right)	02981078 02983720	96" Ctr	10.00-16	12.4-24	18.4-30	\$9,744

Note: Please list BOTH mount kit part numbers on your order.

INTERSTATER DUAL-WING

18'5", 20'9" Flail Mower

F.O.B. Seguin, TX

BASE UNIT SPECIFICATIONS

- ◆ 18'5", or 20'9" Overall Cutting Widths
- ◆ Full-Length Welded Tubular Frame with Transport Lock
- ◆ 19-Gallon Reservoir with 12 Micron Filtration
- ◆ Tandem Piston Pumps Rated @ 48 GPM @ 3800 PSI
- ◆ 4-Spool Valve with Detent Position
- ◆ Standard (1) year limited parts and labor warranty

WING MOWER SPECIFICATIONS

- ◆ 62", 74", or 88" Cutting Widths
- labor warranty.
- ◆ Replaceable Skid Shoes
- ◆ 4-1/2" x 5/16" Wall Cuttershaft
- ◆ 1-5/16" Bore Greaseable, Self-aligning Cuttershaft Bearings
- ◆ 53 HP Piston Motor
- ◆ Belt Drive From Motor To Cuttershaft with Automatic Spring Tension
- ◆ 6" Adjustable Rear Roller
- ◆ 1/2" to 6" Cutting Height
- ◆ Available in Fine or Coarse-Cut
- ◆ Front and Rear Safety Deflectors
- ◆ Automatic Cut-Off Switch
- ◆ Lift Cylinder Capable of 14" Vertical Lift
- ◆ Tilt Cylinder Capable of 45° Down & 90° Up
- ◆ 10-Gauge Unitized Cutter Housing

REAR MOWER SPECIFICATIONS

- ◆ 88" or 96" Cutting Width (Depending on tractor mnt. kit)
- ◆ 10-Gauge Unitized Cutter Housing
- ◆ 5/16" Side Plates
- ◆ CAT I or CAT II Three-Point Hitch
- ◆ 4-1/2" x 5/16" Wall Cuttershaft
- ◆ 5/8" x 5" Double -Edged, Tempered Steel Blades, 360° Swing
- ◆ Standard (1) year limited parts and labor warranty.
- ◆ 1/2" to 6" Cutting Height
- ◆ Available in Fine or Coarse-Cut
- ◆ Torque Limiter Clutch
- ◆ Front and Rear Safety Deflectors
- ◆ CAT 4 Driveline
- ◆ Belt Drive From Gearbox To Cuttershaft with Automatic Spring Tension

PRODUCT ORDER CODE	DESCRIPTION	APPRX. WEIGHT		LIST PRICE
INTERSTATER BASE UNIT (One Choice Required)				
988030	18'5" Fine-Cut	4560		47,688
988029	18'5" Coarse-Cut (3 oz. Knives)	4570		47,626
988032	18'5" Extreme Service (4 oz. Knives)	4574		47,977
988034	20'9" Fine-Cut	4611		48,438
988033	20'9" Coarse-Cut (3 oz. Knives)	4620		48,377
988036	20'9" Extreme Service (4 oz. Knives)	4624		48,726
MOUNT KIT (One Choice Required)				
<i>See Mount Kit Page for Descriptions & Part Numbers</i>				
OPTIONS				
803213	Additional Operators and Parts Manual			57
ALL INTERSTATERS PURCHASED FOR INSTALLATION ON 4WD TRACTORS MUST INCLUDE CLIPPED FOOTGUARDS ON ORDER				
107520	74" Left-Clipped Foot Guard	37		431
107519	74" Right-Clipped Foot Guard	37		431
107525	88" Left-Clipped Foot Guard	42		470
107524	88" Right-Clipped Foot Guard	42		470
02972480	Left-Wing Remote Positioning System	65		3,185
803399	Mounting Labor & Oil			8,537
02791800DW	Special Mower Paint (02791800)			1,399
02968967	Special Tractor Paint			6,262
00889899DW	Additional 12 Month Warranty (00889899)			5,768
NOTE: ALL ORDERS FOR INTERSTATER UNITS REQUIRE THE PURCHASE OF A MOUNT KIT TO COMPLETE AN INSTALLATION (See Next Pages)				

DUAL-WING INTERSTATER

18'5", 20'9" MOUNT KIT OPTIONS

F.O.B. Seguin, TX

TRACTOR DESCRIPTION	MOUNT KIT	REAR OFFSET	MAXIMUM TIRE SIZE			LIST PRICE
			2WD Front	4WD Front	Rear	
Case IH						
Case Farmall 110 /120A Cab 4wd TIV-B Emissions-2015- (Dual Wing Model- AI Standard Cable Controls)	TBD- Call For Availability	112" Ctr	10.00-16	11.2-28	18.4-38	15,142
Case Farmall 110 /120A Cab 2wd TIV-B Emissions-2015- (Dual Wing Model- AI Standard Cable Controls)	TBD- Call For Availability	112" Ctr	10.00-16	N/A	18.4-38	15,142
Case Farmall 110 /120A Cab 2 & 4wd TIII Emissions-2010-2014 (Dual Wing Model)	02993002 02993038	96" Ctr	10.00-16	14.9-24	18.4-34	15,142
Case Farmall 4.90/4.100/4.110/4.120C Cab 4wd TIV-B Emissions- 2015- (Dual Wing Model- AI Standard Cable Controls)	TBD- Call For Availability	112" Ctr	10.00-16	11.2-28	18.4-38	15,142
John Deere						
JD 5085/5100/5115M- Series Cab 4wd TIV-B Emissions 2015- (Dual Wing Model- AI Standard Cable Controls)	02995569 02995570	112" Ctr	N/A	12.4-24	18.4-30	15,142
JD 5085/5100/5115M Series cab 4wd TIV-A Emissions 2013-2014 (Dual Wing Model- AI Standard Cable Controls)	02993271 02993234	96" Ctr	N/A	12.4-24	18.4-30	15,142
JD 5085/5100E- Series Cab 4wd TIV-B Emissions 2015- (Dual Wing Model- AI Standard Cable Controls)	TBD- Call For Availability	112" Ctr	N/A	11.2-24	16.9-30	15,142
JD 5085/5100E- Series Rops 4wd TIV-B Emissions 2015- (Dual Wing Model- AI Standard Cable Controls)	TBD- Call For Availability	112" Ctr	N/A	11.2-24	16.9-30	15,142
JD 5083/5093/5101E Series cab 4wd TIII Emissions 2010-2013 (Dual Wing Model- AI Standard Cable Controls)	02992215 02992216	96" Ctr	N/A	12.4-24	18.4-30	15,142
JD 5425/5525 Cab 4wd 2005-2008 (Dual Wing Model- 5" Offset Left & Right)*	02984649 02984646	96" Ctr	N/A	11.2-24	16.9-30	15,142
JD 5425/5525 Rops 2wd w/ Straddle Platform 2005-2008 (Dual Wing Model- 5" Offset Left & Right)*	02983067 02982994	96" Ctr	7.50-16	N/A	16.9-30	15,142
JD 6615/6715 Rops 2wd 2003-2005 (Dual Wing Model- 5" Offset Left & Right)*	02981706 02983950	96" OL 5"	10.00-16	N/A	18.4-38	15,142
JD 6120/6220/6320/6420 Cab 4wd 2002-2007 (Dual Wing Model- 5" Offset Left & Right)*	108776 02979604	96" Ctr	N/A	12.4-24	18.4-30	15,142
JD 6120/6220/6320/6420 Rops 2 & 4wd 2002-2007 (Dual Wing Model- 5" Offset Left & Right)*	108776 02979815	96" Ctr	10.00-16	12.4-24	18.4-30	15,142

Note that ALL part numbers listed must be included with your order.

DUAL-WING INTERSTATER

18'5", 20'9" MOUNT KIT OPTIONS

F.O.B. Seguin, TX

TRACTOR DESCRIPTION	MOUNT KIT	REAR OFFSET	MAXIMUM TIRE SIZE			LIST PRICE
			2WD Front	4WD Front	Rear	
John Deere						
JD 6330/6430 "Mid-Spec" Cab 4wd 2007-2012 (Dual Wing Model- 5" Offset Left & Right)*	02985892 02985893	96" Ctr	N/A	13.6-24	18.4-38	15,142
JD 6330/6430 "Mid-Spec" Cab 2wd 2007-2012 (Dual Wing Model- 5" Offset Left & Right)*	108776 02986889	96" Ctr	10.00-16	N/A	18.4-34	15,142
JD 6330/6430 "Mid-Spec" ROPS 4wd 2007-2012 (Dual Wing Model- 5" Offset Left & Right)*	108776 02988706	96" Ctr	N/A	12.4-24	18.4-34	15,142
JD 7130/7230 "Mid-Spec" Cab 4wd 2007-2012 (Dual Wing Model- 10" Offset Left)*	02981706 02988897	96" Ctr	N/A	13.6-28	18.4-38	15,142
JD 7130/7230 "Mid-Spec" Cab 2wd 2007-2012 (Dual Wing Model- 5" Offset Left)*	02991026 02988897	96" Ctr	N/A	13.6-28	18.4-38	15,142
New Holland						
NH T5040/5050/5060/5070 Cab 2 & 4wd 2008-2012 (Dual Wing Model- 5" Offset Left & Right)* (27 gal repl fuel tank included)	02980423 02986612	96" Ctr	10.00-16	11.2-24	18.4-30	15,142
NH T5040/5050/5060/5070 Rops 2wd 2008-2012 (Dual Wing Model- 5" Offset Left & Right) (27 gal repl fuel tank included)	02980423 02987792	96" Ctr	10.00-16	N/A	18.4-30	15,142
NH T6010/6020/6040/6060 Cab 2wd 2008-2012 (Dual Wing Model- 5" Offset Left & Right) (51 gal repl fuel tank & exhaust pipe included)	02980935 02986403	96" Ctr	10.00-16	N/A	18.4-30	15,142
NH T6010/6020/6040/6060 Cab 4wd 2008-2012 (Dual Wing Model- 5" Offset Left & Right/Using Tractor Hydraulics) (51 gal repl fuel tank & exhaust pipe included)	02980935 02988759	96" Ctr	N/A	14.9-24	18.4-34	15,142
NH T6010/6020/6040/6060 Cab 4wd 2008-2012 (Dual Wing Model- 5" Offset Left & Right) (51 gal repl fuel tank & exhaust pipe included)	02987990 02987818	96" Ctr	N/A	14.9-24	18.4-34	15,142
NH T6030/6050 Cab 2wd 2008-2012 (Dual Wing Model- 5" Offset Left & Right)* (51 gal repl fuel tank & exhaust pipe included)	02981078 02986365	96" Ctr	11.00-16	N/A	18.4-30	15,142
NH T6030/6050 Cab 4wd 2008-2012 (Dual Wing Model- 5" Offset Left & Right)* (51 gal repl fuel tank & exhaust pipe included)	02981078 02987119	96" Ctr	N/A	14.9-24	18.4-34	15,142
NH T6030/6050 Cab 4wd 2008-2012 w/ Large Tires (Dual Wing Model- 5" Offset Left & Right)* (51 gal repl fuel tank & exhaust pipe included)	02991113 02991115	96" Ctr	N/A	14.9-28	18.4-38	15,142
NH TB100/110 Rops 2wd 2005-2012 (Dual Wing Model- 5" Offset Left & Right)*	02980834 02980178	96" Ctr	N/A	12.4-24	18.4-30	15,142
NH TL80/90/100 Cab 2wd 2004-2007 (Dual Wing Model- 5" Offset Left & Right)* (27 gal repl fuel tank included)	02980423 02981017	96" Ctr	10.00-16	N/A	18.4-30	15,142
NH TL80/90/100 ROPS 2wd 2004-2007 (Dual Wing Model- 5" Offset Left & Right)* (27 gal repl fuel tank included)	02980423 02980333	96" Ctr	10.00-16	N/A	18.4-30	15,142

Note that ALL part numbers listed must be included with your order.

TRACTOR DESCRIPTION	MOUNT KIT	REAR OFFSET	MAXIMUM TIRE SIZE			LIST PRICE
			2WD Front	4WD Front	Rear	

DUAL-WING INTERSTATER

18'5", 20'9" MOUNT KIT OPTIONS

F.O.B. Seguin, TX

New Holland						
NH TL80A/90A/100A Cab 2 & 4wd 2004-2007 (Dual Wing Model- 5" Offset Left & Right)* (27 gal repl fuel tank included)	02980423 02983400	96" Ctr	10.00-16	11.2-24	18.4-30	15,142
NH TL80A/90A/100A ROPS 2wd 2004-2007 (Dual Wing Model- 5" Offset Left & Right) (27 gal repl fuel tank included)	02980423 02983273	96" Ctr	10.00-16	N/A	18.4-30	15,142
NH TM115/125/135/150 Cab 2wd 2000-2002 (Dual Wing Model- 10" Offset Left)*	02978837 02978834	96" OL 5"	11.00-16	N/A	18.4-34	15,142
NH TM120/130/140/155 Cab 2wd 2002-2007 (Dual Wing Model- 10" Offset Left)*	02978837 02979781	96" OL 5"	11.00-16	N/A	18.4-34	15,142
NH TS115A/125A/130A/135A Cab/2&4wd 2003-2006 (Dual Wing Model- 5" Offset Left & Right)* (51 gal repl fuel tank & exhaust pipe included)	02981078 02981009	96" Ctr	N/A	12.4-24	18.4-30	15,142
NH TS115A/125A/130A/135A Cab 2 & 4wd 2003-2006 (Dual Wing Model- 5" Offset Left & Right/Using Tractor Hyd)* (51 gal repl fuel tank & exhaust pipe included) (Tractor must have four rear remotes)	02981078 02981087	96" Ctr	N/A	12.4-24	18.4-30	15,142
NH TS115A/125A/130A/135A Rops 2 & 4wd 2003-2006 (Dual Wing Model- 5" Offset Left & Right)* (51 gal repl fuel tank & exhaust pipe included)	02981078 02983720	96" Ctr	10.00-16	12.4-24	18.4-30	15,142
NH TS6.110/6.120 Cab 4wd TIV-B Emissions 2015- (Dual Wing Model- AI Standard Cable Controls)	TBD- Call For Availability	112" Ctr	N/A	12.4-24	18.4-30	15,142
NH TS6.110/6.120 Cab 2wd TIV-B Emissions 2015- (Dual Wing Model- AI Standard Cable Controls)	TBD- Call For Availability	112" Ctr	10.00-16	N/A	18.4-30	15,142
NH TS6.110/6.120 Cab 2 & 4wd TIII Emissions 2010-2014 (Dual Wing Model- AI Standard Cable Controls)	02993002 02993038	96" Ctr	10.00-16	14.9-24	18.4-34	15,142
NH TS6.110/6.120 Rops 2 & 4wd TIII Emissions 2010-2014 (Dual Wing Model- AI Standard Cable Controls)	02993068 02993063	96" Ctr	10.00-16	14.9-24	18.4-34	15,142
NH TS6.130/6.145 Cab 2 & 4wd TIV-B Emissions 2015- (Dual Wing Model- AI Standard Cable Controls)	TBD- Call For Availability	112" Ctr	10.00-16	12.4-24	18.4-30	15,142
NH TS6.125/6.140 Cab 2 & 4wd TIII Emissions 2010-2014 (Dual Wing Model- AI Standard Cable Controls)	02993132 02993127	96" Ctr	10.00-16	12.4-24	18.4-30	15,142

Note that ALL part numbers listed must be included with your order.

REAR INTERSTATER

88" Flail Mower

F.O.B. Seguin, TX

STANDARD SPECIFICATIONS

- ♦ 88" Cutting Width
- ♦ 10-Gauge Unitized Cutter Housing
- ♦ 5/16" Side Plates
- ♦ CAT I or CAT II Three-Point Hitch
- ♦ 4-1/2" x 5/16" Wall Cuttershaft
- ♦ 1-5/16" Bore Greaseable, Self-aligning Cuttershaft Bearings
- ♦ Belt Drive From Gearbox to Cuttershaft with Automatic Spring Tension
- ♦ Standard (1) year limited parts and labor warranty

- ♦ 60 HP Gearbox
- ♦ 6" Adjustable Rear Roller
- ♦ 1/2" to 6" Cutting Height
- ♦ Available in Fine or Coarse-Cut
- ♦ Torque Limiter Clutch
- ♦ 5/8" x 5" Double -Edged, Tempered Steel Blades, 360° Swing
- ♦ Standard (1) year limited parts and labor warranty.

PRODUCT ORDER CODE	DESCRIPTION	APPRX. WEIGHT		LIST PRICE
88" REAR INTERSTATER BASE UNIT (One Choice Required)				
SHD88CTRFC	88" SHD Center Mount (Fine Cut Knives)	1035		7,755
SHD88CTRCC	88" SHD Center Mount (Course Cut- 3oz Knives)	1035		7,755
SHD88CTRES	88" SHD Center Mount (Extreme Service- 4 oz Knives)	1035		8,021
SHD88085FC	88" SHD Offset 8.5" Right (Fine Cut Knives)	1035		7,755
SHD88085CC	88" SHD Offset 8.5" Right (Course Cut- 3oz Knives)	1035		7,755
SHD88085ES	88" SHD Offset 8.5" Right (Extreme Service- 4 oz Knives)	1035		8,021
SHD88145FC	88" SHD Offset 14.5" Right (Fine Cut Knives)	1035		7,755
SHD88145CC	88" SHD Offset 14.5" Right (Course Cut- 3oz Knives)	1035		7,755
SHD88145ES	88" SHD Offset 14.5" Right (Extreme Service- 4 oz Knives)	1035		8,021
SHD88205FC	88" SHD Offset 20.5" Right (Fine Cut Knives)	1035		7,755
SHD88205CC	88" SHD Offset 20.5" Right (Course Cut- 3oz Knives)	1035		7,755
SHD88265CC	88" SHD Offset 26.5" Right (Course Cut- 3oz Knives)	1035		7,755
SHD88265FC	88" SHD Offset 26.5" Right (Fine Cut Knives)	1035		7,755
SHD88265CC	88" SHD Offset 26.5" Right (Course Cut- 3oz Knives)	1035		7,755
SHD88265ES	88" SHD Offset 26.5" Right (Extreme Service- 4 oz Knives)	1035		8,021
OPTIONS				
803211	Additional Operators and Parts Manuals			57
701150	Lift Chains	7		110
801002	Special Mower Paint (Rear Unit Only)			655
00889899I2	Additional 12 Month Warranty (00889899)			1,919

REAR INTERSTATER

96" Flail Mower

F.O.B. Seguin, TX

STANDARD SPECIFICATIONS

- ♦ 96" Cutting Width
- ♦ 10-Gauge Unitized Cutter Housing
- ♦ 5/16" Side Plates
- ♦ CAT I or CAT II Three-Point Hitch
- ♦ 4-1/2" x 5/16" Wall Cuttershaft
- ♦ 1-5/16" Bore Greaseable, Self-aligning Cuttershaft Bearings
- ♦ Belt Drive From Gearbox to Cuttershaft with Automatic Spring Tension
- ♦ Standard (1) year limited parts and labor warranty

- ♦ 60 HP Gearbox
- ♦ 6" Adjustable Rear Roller
- ♦ 1/2" to 6" Cutting Height
- ♦ Available in Fine or Coarse-Cut
- ♦ Torque Limiter Clutch
- ♦ 5/8" x 5" Double -Edged, Tempered Steel Blades, 360° Swing
- ♦ Standard (1) year limited parts and labor warranty.

PRODUCT ORDER CODE	DESCRIPTION	APPRX. WEIGHT		LIST PRICE
96" REAR SHD- INTERSTATER BASE UNIT (One Choice Required)				
SHD96CTRFC	96" SHD Center Mount (Fine Cut Knives)	1170		8,637
SHD96CTRCC	96" SHD Center Mount (Course Cut- 3 oz. knives)	1170		8,637
SHD96CTRES	96" SHD Center Mount (Extreme Service- 4 oz. knives)	1170		8,928
SHD96125FC	96" SHD Offset 12.5" Right (Fine Cut Knives)	1170		8,637
SHD96125CC	96" SHD Offset 12.5" Right (Course Cut 3 oz. knives)	1170		8,637
SHD96125ES	96" SHD Offset 12.5" Right (Extreme Service 4 oz. knives)	1170		8,928
SHD96185FC	96" SHD Offset 18.5" Right (Fine Cut Knives)	1170		8,637
SHD96185CC	96" SHD Offset 18.5" Right (Course Cut 3 oz. knives)	1170		8,637
SHD96185ES	96" SHD Offset 18.5" Right (Extreme Service 4 oz. knives)	1170		8,928
SHD96245CC	96" SHD Offset 24.5" Right (Course Cut 3 oz. knives)	1170		8,637
SHD96245ES	96" SHD Offset 24.5" Right (Extreme Service 4 oz. knives)	1170		8,928
SHD96305CC	96" SHD Offset 30.5" Right (Course Cut 3 oz. knives)	1170		8,637
SHD96305ES	96" SHD Offset 30.5" Right (Extreme Service 4 oz. knives)	1170		8,928
OPTIONS				
803211	Additional Operators and Parts Manuals			57
701150	Lift Chains	7		110
801002	Special Mower Paint (Rear Unit Only)			655
0088989912	Additional 12 Month Warranty (00889899)			1,919

TRAXX™ RF

Remote-Control Mower

TRAXX™ RF BASE UNIT STANDARD FEATURES

- ◆ Rubber Tracks w/Steel Cleats (Installed)
- ◆ Spike Kit w/Rubber Transport Pads (Boxed for Customer Assy.)
- ◆ Roll Guard/Frame (Installed)
- ◆ High Pressure Grease Gun Kit (Included)
- ◆ LED Strobe Light (Installed)
- ◆ Towing Kit Accessories (Included)

ORDER CODE	DESCRIPTION	LIST PRICE
TRAXX™ RF BASE UNIT		
04773000	TRAXX™ RF All-Terrain Vehicle	77,841
OPTIONAL HEADS (COMPLETE)		
04773200	51" (1.3m) Heavy Duty Head for Brush and Saplings	8,711
04773100	51" (1.3m) Heavy Duty Head for Grass and Brush	7,577
04773620M	51" (1.3m) Heavy Duty Tipping Loader Bucket Kit Load capacity- 550 lb.	7,603
OPTIONS		
TR477378	Super Rubber Tracks 11" Wide- Deep Tread (Boxed Set of 2/Customer Assy)	2,919
TR477622	Replacement Cutter Shaft For Heavy Duty Head for Brush and Saplings (Includes Replacement Bearings)	3,708
TR477623	Replacement Cutter Shaft For Heavy Duty Head for Grass and Brush (Includes Replacement Bearings)	2,574
TR477136	High Pressure Grease Gun Kit (One kit is included with Base Unit)	342
TR477147	High Wear Kit for Heavy Duty Head for Brush and Saplings	1,406

TRAXX™ RF

Remote-Control Mower

ORDER CODE	DESCRIPTION	LIST PRICE
OPTIONS		
TR477143	High Wear Kit for Heavy Duty Head for Grass and Brush	1,332
TR477144	Additional Operators Manual	49
TR477145	Additional Parts Manual	49
TRXDLRSETUP	Dealer Setup Charges	685
TR477640	1 Year Extended Warranty	5,427
OPTIONAL ATTACHMENTS (SPECIAL ORDER ONLY)		
04771600	51" (1.3m) Snow Blower	13,251
4773550	51" (1.3m) Snow Blade	5,715
TBD	Stump Grinder	13,782
04773610	Rear Tow Hitch	602
04773110	51" (1.3m) Fixed Tooth Forestry Head (For Forestry Use Only)	13,754
04773640	Pushing Frame for Forestry Heads above (For Forestry Use Only)	716
TBD	Heavy Duty Loader Kit with Bucket Load capacity- 850 lb.	9,051
TBD	Lift Forks Load capacity- 440 lb.	1,432

RidgeRunner™

Remote-Control Rotary Mower

F.O.B. Seguin, TX

RidgeRunner™ Standard Features

- ◆ Rubber Tracks
- ◆ 2 Portable Gas Cans
- ◆ LED Strobe Light (Installed)

ORDER CODE	DESCRIPTION	LIST PRICE
RidgeRunner™ Unit		
04600115	RidgeRunner™ All-Terrain Rotary Mower	44,598
RR104136	Gas Can (Qty. of 1 Ea.)	54
RRBLDKIT	Blade Change Kit (Includes new blades & hardware for 1 machine)	536
RRSPDLKIT-MIN	Spindle Rebuild Kit- Minor (Includes new belt, bearings & hardware for 1 machine)	348
RRSPDLKIT-MAJ	Spindle Rebuild Kit- Major (Includes new belt, housings, bearings & hardware for 1 machine)	718
RRHW001	High Wear Kit	957
RRM0020	Manual- Operators	57
RRM0030	Manual- Parts	57
RRDLRSETUP	Dealer Setup Charges	379
RREXWARR	Extended Warranty- 1 Year	2,000

John Deere Tractors for "Turn-key" Packages

Alamo Industrial Quick Reference Tractor Model Guide

Part #	Model Description	Transmission	Tire Sizes	HP Rating Eng/PTO	List Pricing
02995245	John Deere 5085E Cab 4wd	12F x 12R w/ LH Power Reverser	12.4-24/18.4-30 8PR R1 Bias	276 CI (4.5L) 85/70 PTO (4-Cyl Tier TIVB)	67,219
02995246	John Deere 5085E Cab 4wd w/ Factory Mid-Valve	12F x 12R w/ LH Power Reverser	12.4-24/18.4-30 8PR R1 Bias	276 CI (4.5L) 85/70 PTO (4-Cyl Tier TIVB)	68,637
TBD	John Deere 5100E Cab 4wd w/ Factory Mid-Valve	12F x 12R w/ LH Power Reverser	12.4-24/18.4-30 8PR R1 Bias	276 CI (4.5L) 100/85 PTO (4-Cyl Tier TIVB)	72,799
02995248	John Deere 5085M Cab 4wd	16F x 16R w/ LH Power Reverser	12.4-24/18.4-30 8PR R1 Bias	276 CI (4.5L) 85/70 PTO (4-Cyl Tier TIVB)	78,358
02995249	John Deere 5085M Cab 4wd w/ Factory Mid-Valve	16F x 16R w/ LH Power Reverser	12.4-24/18.4-30 8PR R1 Bias	276 CI (4.5L) 85/70 PTO (4-Cyl Tier TIVB)	79,462
02995247	John Deere 5085M Cab 2wd- Mower	16F x 16R w/ LH Power Reverser	12.4-24/18.4-30 8PR R1 Bias	276 CI (4.5L) 85/70 PTO (4-Cyl Tier TIVB)	68,349
02995550	John Deere 6105E Cab 4wd- Boom	12F x 12R w/ LH Power Reverser	14.9-24/18.4-38 8PR R1 Radial	276 CI (4.5L) 105/87 PTO (4-Cyl Tier TIVB)	80,627
02995552	John Deere 6105E Cab 4wd- Mower	12F x 12R w/ LH Power Reverser	13.6-24/18.4-34 8PR R1 Radial	276 CI (4.5L) 105/87 PTO (4-Cyl Tier TIVB)	79,684
02995554	John Deere 6120E Cab 4wd- Boom	12F x 12R w/ LH Power Reverser	14.9-24/18.4-38 8PR R1 Radial	276 CI (4.5L) 115/95 PTO (4-Cyl Tier TIVB)	87,159
02995556	John Deere 6120E Cab 4wd- Mower	12F x 12R w/ LH Power Reverser	13.6-24/18.4-34 8PR R1 Radial	276 CI (4.5L) 115/95 PTO (4-Cyl Tier TIVB)	86,215
02995549	John Deere 6110M Cab 4wd	16F x 16R w/ LH Power Reverser	13.6-28/18.11-38 8PR R1 Radials	276 CI (4.5L) 105/86PTO (4-Cyl Tier TIVB)	107,592
02995551	John Deere 6110M Cab 4wd w/ Nokian R4 Tires	16F x 16R w/ LH Power Reverser	400/80-R24/480-80R38 Nokian Radial	276 CI (4.5L) 105/86PTO (4-Cyl Tier TIVB)	109,589
02995553	John Deere 6120M Cab 4wd	16F x 16R w/ LH Power Reverser	13.6-28/18.11-38 8PR R1 Radials	276 CI (4.5L) 115/95PTO (4-Cyl Tier TIVB)	113,457
02995555	John Deere 6120M Cab 4wd w/ Nokian R4 Tires	16F x 16R w/ LH Power Reverser	400/80-R24/480-80R38 Nokian Radial	276 CI (4.5L) 115/95PTO (4-Cyl Tier TIVB)	115,692
02995557	John Deere 6130M Cab 4wd	16F x 16R w/ LH Power Reverser	13.6-28/18.11-38 8PR R1 Radials	276 CI (4.5L) 125/102PTO (4-Cyl Tier TIVB)	119,307
02995559	John Deere 6130M Cab 4wd w/ Nokian R4 Tires	16F x 16R w/ LH Power Reverser	400/80-R24/480-80R38 Nokian Radial	276 CI (4.5L) 125/102PTO (4-Cyl Tier TIVB)	121,574
02995558	John Deere 6145M Cab 4wd w/ Nokian R4 Tires	16F x 16R w/ LH Power Reverser	400/80-R24/480-80R38 Nokian Radial	276 CI (4.5L) 140/114 PTO (4-Cyl Tier TIVB)	133,095
TBD	John Deere 6145M Cab 2wd	16F x 16R w/ LH Power Reverser	11.00-16/18.4R34 12PR F2 Bias/ 8PR R1 Radial	276 CI (4.5L) 140/114 PTO (4-Cyl Tier TIVB)	121,049

* Please Note: Tractors May Take Up To 120 Days For Delivery From Manufacturers

New Holland Tractors for "Turn-key" Packages

Alamo Industrial Quick Reference Tractor Model Guide

Part #	Model Description	Transmission	Tire Sizes	HP Rating Eng/PTO	List Pricing
02994799	New Holland T4.90 Cab 4wd	12F x 12R w/ Power Shuttle	11.2-24/16.9-30 8PR R1 Bias	207 CI (3.4L) 86/73 PTO (4- Cyl Tier TIVB)	76,988
02994531	New Holland T4.90 Cab 4wd w/ Mid Mount Loader Valve	12F x 12R w/ Power Shuttle	11.2-24/16.9-30 8PR R1 Bias	207 CI (3.4L) 86/73 PTO (4- Cyl Tier TIVB)	78,595
02994415	New Holland TS6.110 Cab 4wd	16F x 8 R w/ Power Shuttle	14.9-28/18.4-38 8PR R1 Radials	274 CI (4.5L) 110/90 PTO (4-Cyl Tier TIVB)	88,895
02996243	New Holland TS6.110 Cab 2wd w/ Heavy Duty Front Axle	8F x 8 R w/ Power Shuttle 10:1 Creeper	10.00-16/18.4R34 10PR F2 Bias/ 8PR R1 Radial	274 CI (4.5L) 110/90 PTO (4-Cyl Tier TIVB)	80,352
TBD	New Holland TS6.120 Cab 4wd	16F x 8 R w/ Power Shuttle	14.9-28/18.4-38 8PR R1 Radials	274 CI (4.5L) 120/95 PTO (4-Cyl Tier TIVB)	93,575
02994417	New Holland TS6.130 Cab 4wd	16F x 8 R w/ Power Shuttle	14.9-28/18.4-38 8PR R1 Radials	274 CI (4.5L) 130/105 PTO (4-Cyl Tier TIVB)	98,824

* Please Note: Tractors May Take Up To 120 Days For Delivery From Manufacturers



WHOLEGOODS PRICING

STATE OF ARIZONA

State Contract



Universal Line

Effective

11/8/16-11/7/17

Universal Line Price Book

Section

Table of Contents

Switchblade

Switchblade- Mount Kits

74" Super Heavy Duty (SHD)- Flail Mowers

88" Super Heavy Duty (SHD)- Flail Mowers

96" Super Heavy Duty (SHD)- Flail Mowers

RX- Standard Duty Lift -Type Rotary Mowers

RX- Standard Duty Pull -Type Rotary Mowers

RX- Heavy Duty Series Lift -Type Rotary Mowers

Eagle Mechanical Flex Wing Mowers

Exten-A-Kut II Rotary Mowers

Grass King Flail Mowers

McConnel Power Arm (PA)

SWITCHBLADE

5', 6' Sickle Bar Mower

F.O.B. Seguin, TX

STANDARD SPECIFICATIONS

- ♦ Full Hydraulic Drive of Cutter Knife
- ♦ Hydraulically Actuated Breakaway
- ♦ Hydraulic Lift and Tilt
- ♦ Knife Speed Governor
- ♦ 3" Heavy Duty Industrial Rock Guards
- ♦ Reversible Hydraulic Motor
- ♦ Safety Transport Locks
- ♦ Self-Contained Hydraulics
- ♦ Cutting Capacity: 1/2" diameter material
- ♦ Tractor Req: Min. 3,000 lbs. and a 25 HP rating

PRODUCT ORDER CODE	DESCRIPTION	APPROX. WEIGHT		LIST PRICE
SWITCHBLADE BASE UNIT <i>(One Choice Required)</i>				
04116007	5' Switchblade Single RH w/ Serrated Knives	709		13,299
04117207	6' Switchblade Single RH w/ Serrated Knives	723		13,572
MOUNT KIT <i>(One Choice Required)</i>				
<i>See Mount Kit Page for Descriptions and Part Numbers</i>				
OPTIONS				
02974374	Additional Operators and Parts Manuals (Hard Copy)			56
02986457	Additional Operators, Parts & Service Manuals (CD Format)			56
0487100	Knife Holder Brackets (Order Quantity 2 per Unit)	9		137
02986583	Case-IH Farmall U & NH T5000 Series Pump Guard Kit			324
02977682	Case-IH JX-C & NH TN-A / T4000 Series Pump Guard Kit			324
02982781	Case-IH JX-U & NH TL-A Series Pump Guard Kit			324
02983392	John Deere 5105/5205 Pump Guard Kit			324
02985461	John Deere 5220/5320 & 5E Series Pump Guard Kit			324
02983480	John Deere 5025 / 5E Limited & 5M Series Pump Guard Kit			324
02988134	Kubota M5040/M6040/M7040 Pump Guard Kit			324
0800000	Factory Mount			2,098
02991513	Special Mower Paint			406
02991505	Additional 12 Month Warranty			2,095

**NOTE: ALL ORDERS FOR SWITCHBLADE UNITS REQUIRE THE PURCHASE OF A MOUNT KIT
(See Next Pages) TO COMPLETE AN INSTALLATION**

SWITCHBLADE

5', 6' MOUNT KIT OPTIONS

F.O.B. Seguin, TX

TRACTOR DESCRIPTION	SUBFRAME	HYDRAULIC	MAX. TIRE SIZE		LIST
	KIT	KIT	FRONT	REAR	PRICE
Case-IH					
Case-IH Farmall 85U/95U/105U Cab/2&4wd	02986587	02986588	11.2-24	16.9-30	5,777
Case-IH JX1060C/1070C/1075C Cab/2&4wd	02980118	02980119	11.2-24	16.9-30	5,777
Case-IH JX1080U/1090U/1100U ROPS/2&4wd	02982821	02982819	11.2-24	16.9-30	5,777
Case-IH JX1080U/1090U/1100U Cab/2&4wd	02982774	02982768	11.2-24	16.9-30	5,777
John Deere					
John Deere 5045E/5055E/5065E/5075E ROPS/2&4wd	02993841	02990108	9.5-24	16.9-28	5,777
John Deere 5055/5065/5075E Rops - 2wd (TIV-B Models- 2015 +)	02995030	02995031	7.5-16	16.9-28	5,777
John Deere 5055/5065/5075E Rops - 4wd (TIV-B Models- 2015 +)	02995505	02995509	9.5-24	16.9-28	5,777
John Deere 5065M/5075M ROPS 2 & 4wd (TIII Models- 2012-2014)	02988414	02988413	9.5-24	16.9-30	5,777
John Deere 5065M/5075M Cab 2 & 4wd (TIII Models- 2012-2014)	02988414	02988412	9.5-24	16.9-30	5,777
John Deere 5065M/5075M Cab 4wd (TIV-B Models- 2015 +)					
Sales Note: Uses Loader Joystick with AI Valve to Control- Tractor Must be Equipped w/ Loader Joystick	02995740	02995742	9.5-24	16.9-30	5,777
John Deere 5083/5093/5101 E- Series Cab 4wd 2011-2014	02990238	02991122	12.4-24	18.4-30	5,777
John Deere 5085/5100 E- Series Cab 4wd 2015-	TBD- 04-2016	TBD-04-2016	11.2-24	16.9-30	5,777
John Deere 5085/5100/5115- M Series Cab 2/4wd 2012- 2014	02991985	02991972	11.2-24	16.9-30	5,777
John Deere 5085/5100/5115- M Series Cab 2/4wd 2012- 2014	02991985	02991972	11.2-24	16.9-30	5,777
John Deere 5105/5205 ROPS/2&4wd	02983241	02983239	9.5-24	14.9-28	5,777
John Deere 5220/5320 ROPS/2wd (Straddle Platform)	02975240	02979841	7.50-16	16.9-30	5,777
John Deere 5220/5320 Cab/2wd	02977928	02982282	7.50-16	16.9-30	5,777
John Deere 5225/5325 ROPS/2&4wd	02983098	02983099	9.5-24	16.9-30	5,777
John Deere 5225/5325 Cab/2&4wd	02983098	02983101	9.5-24	16.9-30	5,777
John Deere 5425/5525 ROPS/2&4wd (IOOS Platform)	02982523	02982524	11.2-24	16.9-30	5,777
John Deere 5425/5525/5603/5625 Cab/2&4wd	02982523	02983229	11.2-24	16.9-30	5,777
John Deere 5425/5525/5603/5625 Cab/2&4wd w/JD Loader	02983935	02983936	11.2-24	16.9-30	5,777
New Holland					
New Holland T4020/4030 ROPS/2&4wd	02987690	02987691	11.2-20	16.9-28	5,777
New Holland T4020/4030 Cab/2&4wd	02988096	02988098	11.2-20	16.9-28	5,777
New Holland T5040/5050/5060/5070 Cab/2&4wd	02986587	02986588	11.2-24	16.9-30	5,777
New Holland TL80A/90A/100A ROPS/2&4wd	02982821	02982819	11.2-24	16.9-30	5,777
New Holland TL80A/90A/100A Cab/2&4wd	02982774	02982768	11.2-24	16.9-30	5,777
New Holland TN60A/70A/75A ROPS/2&4wd	02977320	02977321	11.2-24	16.9-28	5,777
New Holland TN60DA/70DA/75DA Cab/2&4wd	02980118	02980119	11.2-24	16.9-30	5,777
New Holland TN85A/95A ROPS/2&4wd	02984694	02984695	11.2-24	16.9-30	5,777
New Holland T4.85/4.95/4.105 Cab 4wd (HD Bolster Code Only) (For Tractors Manufactured after 07-2014-2015 TIV-A Models Only)	02994407	2994408	11.2-24	16.9-30	5,777

The Above Unit Will Not Fit Final Tier IVB Tractors

OTHER SPECIFICATIONS

- 1) Tractors should not be ordered with mid-mount loader valves as they may interfere with the subframe structure.
- 2) New Holland T4000, T5000 and TL-A models require a smaller replacement battery. We recommend Exide #34R-84N (Alamo #02982767).
- 3) The John Deere 5105/5205 will require a modification to the front bolster for proper driveline clearance.

SUPER HEAVY DUTY

74" Flail Mower

F.O.B. Seguin, TX

STANDARD SPECIFICATIONS

- ◆ 74" Cutting Width
- ◆ 10-Gauge Unitized Cutter Housing
- ◆ 5/16" Side Plates
- ◆ 4-1/2" x 5/16" Wall Cuttershaft
- ◆ 1-15/16" Bore Greaseable, Self Aligning Cuttershaft Bearings
- ◆ Belt Drive from Gearbox to Cuttershaft with Automatic Spring Tension
- ◆ 6" Adjustable Rear Roller
- ◆ Cutting Capacity: 1" Diameter Grass Material
- ◆ Factory Set-Up
- ◆ 60 HP Gearbox
- ◆ CAT 4 Driveline
- ◆ Torque Limiter Clutch
- ◆ Front & Rear Deflectors
- ◆ Available in Fine or Coarse-Cut
- ◆ 1/2" - 6" Cutting Height
- ◆ Tractor Req: Min 35 HP
- ◆ CAT I or CAT II Three-Point Hitch

PRODUCT ORDER CODE	DESCRIPTION	APPROX. WEIGHT		LIST PRICE
74" SHD FLAIL BASE UNIT (One Choice Required)				
SHD74CTRFC	74" SHD, Center Mount (Fine Cut)	930		7,647
SHD74CTRCC	74" SHD, Center Mount (Course Cut- 3 oz. knives)	930		7,647
SHD74CTRES	74" SHD, Center Mount (Extreme Service- 4 oz. knives)	930		7,870
SHD74080FC	74" SHD, Offset 8" Right (Fine Cut)	930		7,647
SHD74080CC	74" SHD, Offset 8" Right (Course Cut- 3 oz. knives)	930		7,647
SHD74080ES	74" SHD, Offset 8" Right (Extreme Service- 4 oz. knives)	930		7,870
SHD74140FC	74" SHD, Offset 14" Right (Fine Cut)	930		7,647
SHD74140CC	74" SHD, Offset 14" Right (Course Cut- 3 oz. knives)	930		7,647
SHD74140ES	74" SHD, Offset 14" Right (Extreme Service- 4 oz. knives)	930		7,870
74" SHD FLAIL BASE UNIT FOR USE WITH CASTER WHEELS (One Choice Required)				
SHD74CTRFCB	74" SHD, Center Mount, Caster Brackets (Fine Cut)	974		8,255
SHD74CTRCCB	74" SHD, Center Mount, Caster Brackets (Course Cut- 3 oz. knives)	974		8,255
SHD74CTRESCB	74" SHD, Center Mount, Caster Brackets (Extreme Service- 4 oz. knives)	974		8,478
SHD74080FCB	74" SHD, Offset 8" Right, Caster Brackets (Fine Cut)	974		8,255
SHD74080CCB	74" SHD, Offset 8" Right, Caster Brackets (Course Cut- 3 oz. knives)	974		8,255
SHD74080ESCB	74" SHD, Offset 8" Right, Caster Brackets (Extreme Service- 4 oz. knives)	974		8,478
SHD74140FCB	74" SHD, Offset 14" Right, Caster Brackets (Fine Cut)	974		8,255
SHD74140CCB	74" SHD, Offset 14" Right, Caster Brackets (Course Cut- 3 oz. knives)	974		8,255
SHD74140ESCB	74" SHD, Offset 14" Right, Caster Brackets (Extreme Service- 4 oz. knives)	974		8,478
CASTERS (One Choice Required)				
702193	360° Laminated Caster Wheel w/ Roller	154		1,262
702192	360° Pneumatic Caster Wheel w/ Roller	86		1,377
OPTIONS				
701150	Lift Chain (1 Required for offset units; 2 Required for Centered Units)	7		109
00888990	Dealer Setup Fee			180
02991506	Additional 12 Month Warranty			1,937
02991514	Special Mower Paint			531

SUPER HEAVY DUTY

88" Flail Mower

F.O.B. Seguin, TX

STANDARD SPECIFICATIONS

- ♦ 88" Cutting Width
- ♦ 10-Gauge Unitized Cutter Housing
- ♦ 5/16" Side Plates
- ♦ 4-1/2" x 5/16" Wall Cuttershaft
- ♦ 1-15/16" Bore Greaseable, Self Aligning Cuttershaft Bearings
- ♦ Belt Drive from Gearbox to Cuttershaft with Automatic Spring Tension
- ♦ 6" Adjustable Rear Roller
- ♦ Cutting Capacity: 1" Diameter Grass Material
- ♦ Factory Set-Up
- ♦ 60 HP Gearbox
- ♦ CAT 4 Driveline
- ♦ Torque Limiter Clutch
- ♦ Front & Rear Deflectors
- ♦ Available in Fine or Coarse-Cut
- ♦ 1/2" - 6" Cutting Height
- ♦ Tractor Req: Min 35 HP
- ♦ CAT I or CAT II Three-Point Hitch

PRODUCT ORDER CODE	DESCRIPTION	APPROX. WEIGHT		LIST PRICE
88" SHD FLAIL BASE UNIT <i>(One Choice Required, Continued Next Page)</i>				
SHD88CTRFC	88" SHD, Center Mount (Fine Cut)	1035		7,755
SHD88CTRCC	88" SHD, Center Mount (Course Cut- 3 oz. knives)	1035		7,755
SHD88CTRES	88" SHD, Center Mount (Extreme Service- 4 oz. knives)	1035		8,021
SHD88085FC	88" SHD, Offset 8.5" Right (Fine Cut)	1035		7,755
SHD88085CC	88" SHD, Offset 8.5" Right (Course Cut- 3 oz. knives)	1035		7,755
SHD88085ES	88" SHD, Offset 8.5" Right (Extreme Service- 4 oz. knives)	1035		8,021
SHD88145FC	88" SHD, Offset 14.5" Right (Fine Cut)	1035		7,755
SHD88145CC	88" SHD, Offset 14.5" Right (Course Cut- 3 oz. knives)	1035		7,755
SHD88145ES	88" SHD, Offset 14.5" Right (Extreme Service- 4 oz. knives)	1035		8,021
SHD88205FC	88" SHD, Offset 20.5" Right (Fine Cut)	1035		7,755
SHD88205CC	88" SHD, Offset 20.5" Right (Course Cut- 3 oz. knives)	1035		7,755
SHD88205ES	88" SHD, Offset 20.5" Right (Extreme Service- 4 oz. knives)	1035		8,021
SHD88265FC	88" SHD, Offset 26.5" Right (Fine Cut)	1035		7,755
SHD88265CC	88" SHD, Offset 26.5" Right (Course Cut- 3 oz. knives)	1035		7,755
SHD88265ES	88" SHD, Offset 26.5" Right (Extreme Service- 4 oz. knives)	1035		8,021
SHD88CTRFCB	88" SHD, Center Mount, Caster Brackets (Fine Cut)	1069		8,633
SHD88CTRCCB	88" SHD, Center Mount, Caster Brackets (Course Cut- 3 oz. knives)	1069		8,633
SHD88CTRESCB	88" SHD, Center Mount, Caster Brackets (Extreme Service- 4 oz. knives)	1069		8,899
SHD88085FCB	88" SHD, Offset 8.5" Right, Caster Brackets (Fine Cut)	1069		8,633
SHD88085CCB	88" SHD, Offset 8.5" Right, Caster Brackets (Course Cut- 3 oz. knives)	1069		8,633
SHD88085ESCB	88" SHD, Offset 8.5" Right, Caster Brackets (Extreme Service- 4 oz. knives)	1069		8,899
SHD88145FCB	88" SHD, Offset 14.5" Right, Caster Brackets (Fine Cut)	1069		8,633
SHD88145CCB	88" SHD, Offset 14.5" Right, Caster Brackets (Course Cut- 3 oz. knives)	1069		8,633
SHD88145ESCB	88" SHD, Offset 14.5" Right, Caster Brackets (Extreme Service- 4 oz. knives)	1069		8,899
PRICING CONTINUED ON NEXT PAGE				

SUPER HEAVY DUTY

88" Flail Mower

F.O.B. Seguin, TX

PRODUCT ORDER CODE	DESCRIPTION	APPROX. WEIGHT		LIST PRICE
88" SHD FLAIL BASE UNIT FOR USE WITH CASTER WHEELS <i>(One Choice Required)</i>				
SHD88205FCCB	88" SHD, Offset 20.5" Right, Caster Brackets (Fine Cut)	1069		8,633
SHD88205CCCB	88" SHD, Offset 20.5" Right, Caster Brackets (Course Cut- 3 oz. knives)	1069		8,633
SHD88205ESCB	88" SHD, Offset 20.5" Right, Caster Brackets (Extreme Service- 4 oz. knives)	1069		8,899
SHD88265CCCB	88" SHD, Offset 26.5" Right, Caster Brackets (Course Cut- 3 oz. knives)	1069		8,633
SHD88265ESCB	88" SHD, Offset 26.5" Right, Caster Brackets (Extreme Service- 4 oz. knives)	1069		8,899
CASTERS <i>(One Choice Required)</i>				
702193	360° Laminated Caster Wheel w/ Roller	154		1,262
702192	360° Pneumatic Caster Wheel w/ Roller	86		1,377
OPTIONS				
701150	Lift Chain (1 Required for offset units; 2 Required for Centered Units)	7		109
803211	Additional Operators and Parts Manual			54
00888990	Dealer Setup Fee			180
02991506	Additional 12 Month Warranty			1,937
02991515	Special Mower Paint			631

SUPER HEAVY DUTY

96" 3-Point Mount Flail Mower

F.O.B. Seguin, TX

STANDARD SPECIFICATIONS

- ◆ 96" Cutting Width
- ◆ 10-Gauge Unitized Cutter Housing
- ◆ 5/16" Side Plates
- ◆ 4-1/2" x 5/16" Wall Cuttershaft
- ◆ 1-15/16" Bore Greaseable, Self Aligning Cuttershaft Bearings
- ◆ Belt Drive from Gearbox to Cuttershaft with Automatic Spring Tension
- ◆ 6" Adjustable Rear Roller
- ◆ Cutting Capacity: 1" Diameter Grass Material
- ◆ Factory Set-Up
- ◆ Available in Fine or Coarse-Cut
- ◆ 60 HP Gearbox
- ◆ CAT 4 Driveline
- ◆ Torque Limiter Clutch
- ◆ Front & Rear Deflectors
- ◆ Available in Fine or Coarse-Cut
- ◆ 1/2" - 6" Cutting Height
- ◆ Tractor Req: Min 35 HP
- ◆ CAT I or CAT II Three-Point Hitch

PRODUCT ORDER CODE	DESCRIPTION	APPROX. WEIGHT		LIST PRICE
96" SHD FLAIL BASE UNIT (One Choice Required)				
SHD96CTRFC	96" SHD, Center Mount (Fine Cut)	1170		8,637
SHD96CTRCC	96" SHD, Center Mount (Course Cut- 3 oz. knives)	1170		8,637
SHD96CTRES	96" SHD, Center Mount (Extreme Service- 4 oz. knives)	1170		8,928
SHD96125FC	96" SHD, Offset 12.5" Right (Fine Cut)	1170		8,637
SHD96125CC	96" SHD, Offset 12.5" Right (Course Cut- 3 oz. knives)	1170		8,637
SHD96125ES	96" SHD, Offset 12.5" Right (Extreme Service- 4 oz. knives)	1170		8,928
SHD96185FC	96" SHD, Offset 18.5" Right (Fine Cut)	1170		8,637
SHD96185CC	96" SHD, Offset 18.5" Right (Course Cut- 3 oz. knives)	1170		8,637
SHD96185ES	96" SHD, Offset 18.5" Right (Extreme Service- 4 oz. knives)	1170		8,928
SHD96245CC	96" SHD, Offset 24.5" Right (Course Cut- 3 oz. knives)	1170		8,637
SHD96245ES	96" SHD, Offset 24.5" Right (Extreme Service- 4 oz. knives)	1170		8,928
SHD96305CC	96" SHD, Offset 30.5" Right (Course Cut- 3 oz. knives)	1170		8,637
SHD96305ES	96" SHD, Offset 30.5" Right (Extreme Service- 4 oz. knives)	1170		8,928
88" SHD FLAIL BASE UNIT FOR USE WITH CASTER WHEELS (One Choice Required)				
SHD96CTRFCB	96" SHD, Center Mount, Caster Brackets (Fine Cut)	1249		9,220
SHD96CTRCCB	96" SHD, Center Mount, Caster Brackets (Course Cut- 3 oz. knives)	1249		9,220
SHD96CTRESCB	96" SHD, Center Mount, Caster Brackets (Extreme Service- 4 oz. knives)	1249		9,511
SHD96125CCCB	96" SHD, Offset 12.5" Right, Caster Brackets (Course Cut 3 oz. knives)	1249		9,220
SHD96125ESCB	96" SHD, Offset 18.5" Right, Caster Brackets (Extreme Service- 4 oz. knives)	1249		9,511
SHD96245CCCB	96" SHD, Offset 24.5" Right, Caster Brackets (Course Cut- 3 oz. knives)	1249		9,220
SHD96245ESCB	96" SHD, Offset 24.5" Right, Caster Brackets (Extreme Service- 4 oz. knives)	1249		9,511

SUPER HEAVY DUTY

96" 3-Point Mount Flail Mower

F.O.B. Seguin, TX

PRODUCT ORDER CODE	DESCRIPTION	APPROX. WEIGHT		LIST PRICE
88" SHD FLAIL BASE UNIT FOR USE WITH CASTER WHEELS <i>(One Choice Required)</i>				
SHD96305CCCB	96" SHD, Offset 30.5" Right, Caster Brackets (Course Cut- 3 oz. knives)	1249		9,220
SHD96305ESCB	96" SHD, Offset 30.5" Right, Caster Brackets (Extreme Service- 4 oz. knives)	1249		9,511
CASTERS <i>(One Choice Required)</i>				
702193	360° Laminated Caster Wheel w/ Roller	154		1,262
702192	360° Pneumatic Caster Wheel w/ Roller	86		1,377
OPTIONS				
701150	Lift Chain (1 Required for offset units; 2 Required for Centered Units)	7		109
803211	Additional Operators and Parts Manual			54
00888990	Dealer Setup Fee			180
02991506	Additional 12 Month Warranty			1,937
02991516	Special Mower Paint			689

RX- HEAVY DUTY

60", 72", 84", 96" Lift -Type Rotary Mower

F.O.B. Seguin, TX

STANDARD SPECIFICATIONS

- ◆ RX60 Models- 60" Cutting Width
- RX72 Models- 72" Cutting Width
- RX84 Models- 84" Cutting Width
- RX96 Models- 96" Cutting Width
- ◆ All models- 540 PTO Type
- ◆ RX60 Models- CAT I Three-Point Hitch
- RX72/RX84/RX96 Models- CAT II Three-Point Hitch
- ◆ RX60/RX72 Models- 110 HP Gearbox
- RX 84 Models- 120 HP Gearbox
- RX96 Models- 120 HP Center Power Divider - 110 HP Gearboxes
- ◆ CAT 4 Shielded Drivelines
- ◆ Slip Clutch Protection
- ◆ Pan Blade Carrier w/ Updraft Blades
- ◆ 360° Swivel Tailwheel
- ◆ Rated For 2" Brush
- ◆ Front & Rear Double Chainguards
- ◆ 10-Gauge Rolled Top Deck
- ◆ 1/4" x 9" Side Skirts
- ◆ Continuous Weld Deck to Skirt Seam

PRODUCT ORDER CODE	DESCRIPTION	APPROX. WEIGHT		LIST PRICE
NOTE: SOME ASSEMBLY IS REQUIRED ON ALL RX UNITS				
RX60 BASE UNIT				
RX020160	RX60 Lift- Type 540 PTO Model (Round Pan, Single Tail Wheel, w/Double Chain Guards)	1069		4,978
RX020172	RX72 Lift- Type 540 PTO Model (Round Pan, Single Tail Wheel, w/Double Chain Guards)	1252		5,481
RX000184	RX84 Lift- Type 540 PTO Model (Round Pan, Single Tail Wheel, w/Double Chain Guards)	1,381		5,985
RX000284	RX84 Lift-Type 540 PTO Model (Round Pan, Dual Tail Wheel, w/Double Chain Guards)	1,479		6,441
04200096	RX96 Lift-Type 540 PTO (Round Pan, Dual Tail Wheel, w/Double Chain Guards)	2024		9,296
OPTIONS				
3570	Check Chain Kit (Contains a Set of 2 Chains) (CAT I)	8		223
3571M	Check Chain Kit (Contains a Set of 2 Chains) (CAT II)	15		479
00763420	Offset Adapter Kit (15 3/4 in Offset)- RX84 & RX96 Units only	240		3,099
8B208	Additional Operators Manual- RX 60/72/84 Series			58
8B184	Additional Operators Manual- RX 96 Models			58
00888990	Dealer Setup Fee			180
02991507	Additional 12 Month Warranty- RX Series			1,799
02991517	Special Mower Paint on RX60 Units			474
02991518	Special Mower Paint on RX72 Units			568
02991519	Special Mower Paint on RX84 Units			648
02991520	Special Mower Paint on RX96 Units			759

RX- HEAVY DUTY

84", 96" Pull-Type Rotary Mowers

F.O.B. Seguin, TX

STANDARD SPECIFICATIONS

- ♦ RX84- 84" Cutting Width
- RX96- 96" Cutting Width
- ♦ Designed for 540 RPM PTO applications
- ♦ 10-Gauge Top Deck
- ♦ Pan Blade Carriers w/ Updraft Type Blades
- ♦ 4" Blade Overlap
- ♦ Replaceable Skid Shoes
- ♦ Front & Rear Double Chainguards
- ♦ RX84- 120 HP Gearbox
- RX96- 120 HP Center Power Divider - 110HP Outer Gearboxes
- ♦ Parking Jack
- ♦ Safety Tow Chain
- ♦ Pull-Type Design
- ♦ 1/4" x 9" Side Skirts
- ♦ CAT 4 Shielded Driveline
- ♦ Slip Clutch Protection

PRODUCT ORDER CODE	DESCRIPTION	APPROX. WEIGHT		LIST PRICE
NOTE: SOME ASSEMBLY IS REQUIRED ON ALL RX UNITS				
RX96 PULL-TYPE BASE UNIT (Less Wheels)				
RX011184	RX84 Pull-Type 540 PTO (Round Pan, Hyd Cyl & Hose Kit, Dual Tail Wheel, w/Double Chain Guards)	1238		8,406
04300096	RX96 Pull-Type 540 PTO (Round Pan, Hyd Cyl & Hose Kit, Dual Tail Wheel, w/Double Chain Guards)	2439		10,629
WHEEL & TIRE OPTIONS (One Choice Required)				
00770519	Two Laminated Tires & Wheels	150		475
00770544	Two Used Airplane Tires & Wheels	156		563
00770524	Two 15" Wheels (Wheels Only)	36		159
00770529	Two Implement Tires & Wheels	80		504
OPTIONS				
00778158	Spring Shock Absorber- RX84 & RX96 Units only	25		809
00755234	Stroke Control- RX84 & RX96 Units only	1		45
8B184	Additional Operators Manual- RX 96 Models			58
00888990	Dealer Setup Fee			180
02991507	Additional 12 Month Warranty- RX Series			1,799
02991519	Special Mower Paint on RX84 Units			648
02991520	Special Mower Paint on RX96 Units			759

RX- SUPER HEAVY DUTY

72" Lift-Type Rotary Mower

F.O.B. Seguin, TX

STANDARD SPECIFICATIONS

- ♦ 72" Cutting Width
- ♦ 540 PTO
- ♦ CAT I or II Three-Point Hitch
- ♦ Pan Blade Carrier
- ♦ Slip Clutch Protection
- ♦ 7-gauge top deck
- ♦ Continuous Weld Deck to Skirt Seam
- ♦ Front & Rear Double Chainguards
- ♦ Tractor PTO HP Required - 40
- ♦ 130 HP Gearbox
- ♦ CAT 5 Shielded Drivelines
- ♦ 360° Swivel Tailwheel
- ♦ Rated For 4" Brush

PRODUCT ORDER CODE	DESCRIPTION	APPROX. WEIGHT		LIST PRICE
NOTE: SOME ASSEMBLY IS REQUIRED ON ALL RX UNITS				
RX72HD BASE UNIT				
RXHD1072	RX72HD Lift- Type 540 PTO Model (Round Pan, Single Tail Wheel, w/Double Chain Guards)	1275		6,937
OPTIONS				
3570	Check Chain Kit (Contains a Set of 2 Chains) (CAT I)	8		223
8B209	Additional Operators Manual- RX72HD Models			58
00888990	Dealer Setup Fee			180
02991507	Additional 12 Month Warranty- RX Series			1,799
02991518	Special Mower Painton RX72 Units			568

EAGLE MECHANICAL

10', 15' Flex-Wing Rotary Mower

F.O.B. Seguin, TX

Standard Specifications

- ♦ All Models: 540 PTO Only
- ♦ Cutting Width: Eagle 10' Models: 126" Eagle 15' Models: 180"
- ♦ Overall Width: Eagle 10' Models: 133" Eagle 15' Models: 186"
- ♦ Overall Length: Eagle 10' Models: 183" Eagle 15' Models: 183"
- ♦ Transport Width: Eagle 10' Models: 88" Eagle 15' Models: 96"
- ♦ Cutting Height Range: 1-1/2" Min. to 14-1/2" Max
- ♦ Self-Leveling Height Adjustment: Hydraulic Cylinder
- ♦ Blade Carrier: Reinforced Pan w/ Updraft Style Blades
- ♦ Standard Blades: 1/2" Thick x 4" Wide
- ♦ Gearbox Rating: * (Ratings based on actual field performance)
Power Divider - 235 HP Center & Wing - 205 HP
- ♦ Wing Flex Degrees: 90 up, 22 down
- ♦ Blade Overlap: 6"
- ♦ Jack Stand: Standard
- ♦ Required Horsepower: 50
- ♦ Weight: Eagle 10' Models: Approximately 3,850 lbs.
Eagle 15' Models: Approximately 5,435 lbs.
- ♦ Safety Tow Chain: Standard
- ♦ Output Shaft Diameter: 2-3/8"
- ♦ Blade Tip Speed: Center 16,286 FPM
Wing 16,415 FPM
- ♦ Cutting Capacity: 3-1/2" Grass Material
- ♦ Driveline Size: Main - Cat 5
Constant Velocity
Wing - Cat 5
- ♦ Driveline Protection: Slip Clutch
- ♦ Deck Thickness: 7 gauge
- ♦ Side Skirt: 1/4" x 10-1/2"
- ♦ Tires & Wheel: Foam-filled used airplane
- ♦ Wing Lift Hydraulics: Standard
- ♦ Double Chainguards
- ♦ Mower Warranty: One year limited
- ♦ Gearbox Warranty: 5 year limited
- ♦ Hitch: Drawbar- Pull-Type Unit

PRODUCT ORDER CODE	DESCRIPTION	APPROX. WEIGHT		LIST PRICE
04052115	Eagle 15' Flex-Wing 540 PTO Model (Deck Rings, w/ 6 Foam Filled Airplane Tires)	5435		27,794
04052110	Eagle 10' Flex-Wing 540 PTO Model (Deck Rings, w/ 5 Foam Filled Airplane Tires)	3850		24,079
NOTE: TRACTOR MUST BE EQUIPPED WITH 2 OR MORE REAR REMOTES FOR PROPER OPERATION				
OPTIONS				
02991066	Winch & Stand	34		940
00769178	Ball Hitch (2-5/16" Ball)	50		596
00773869	Pintle Hitch Kit (Requires Tractor Drawbar Modification)	50		1227
00774802	Single Auxillary Spindle Kit (Requires 1 Additional Tire and Wheel)	24		256
00774803	Dual Auxillary Spindle Kit (Requires 2 Additional Tires and Wheels)	24		512
00779383	Set of Heavy Duty Updraft Blades (5/8" Thick x 4" Wide)- 15' Eagle Model	100		548
00779389	Set of Heavy Duty Updraft Blades (5/8" Thick x 4" Wide)- 10' Eagle Model	100		389
00780567C	Additional Operators Manual- Eagle Series			57
00780567P	Additional Parts Manual- Eagle Series			57
00888990	Dealer Setup Fee			270
02991508	Additional 12 Month Warranty- Eagle Series			2918
02991522	Special Mower Paint- Eagle 15 Models (Call before quoting)			1326
02991521	Special Mower Paint- Eagle 10 Models (Call before quoting)			973
WHEEL & TIRE PRICING- OPTIONAL SELECTIONS (SELECT FROM ONE GROUP OF TIRES) (5 OR 6 REQUIRED)				
00008700	15" Wheel- Rim only (5 Hole Pattern)	18 each		66
00025200	Laminated Tire & Wheel	75 each		246
00749698	Implement Tire & Wheel	40 each		266
00771461	Used Airplane Tire & Wheel (Not Foam Filled)	78 each		293
00787512	Foam-Filled Used Airplane Tire & Wheel (21 x 7- 12 ply) - Standard in base pricing	75 each		342
02986581	Set of 6- Foam-Filled Used Airplane Tire & Wheel (21 x 7- 12 ply) - Standard in base pricing	450		2809

EXTEN-A-KUT II

Rear-Mount Offset Rotary Mower

F.O.B. Seguin, TX

STANDARD SPECIFICATIONS

- ◆ 60" Cutting Width
- ◆ CAT II Three-Point Hitch
- ◆ 60-Gallon Hydraulic Reservoir
- ◆ 12'6" Maximum Reach from Right Side of Tractor
- ◆ 180° Head Tilt
- ◆ 79 HP Hydraulic Pump Attached to a Speed Increaser
- ◆ 10-Gauge Deck with Boxed Channel Frame
- ◆ 81 HP Hydraulic Motor Directly Splined to Spindle
- ◆ 2" Spindle in a Unibody Cast Housing
- ◆ Bar Blade Carrier
- ◆ 1/2" x 4" Updraft Blades
- ◆ Front & Rear Double Chainguards

PRODUCT ORDER CODE	DESCRIPTION	APPROX. WEIGHT		LIST PRICE
EXTEN-A-KUT II BASE UNIT <i>(One Choice Required)</i>				
04700014	Exten-A-Kut II, 540 PTO, Bar Blade Carrier	1620		16,461
04700011	Exten-A-Kut II, 540 PTO, Pan Blade Carrier	1650		16,682
FRONT GUARD <i>(One Choice Required)</i>				
00775779	Double Chain Guard	58		In Base Price
REAR GUARD <i>(One Choice Required)</i>				
00775779	Double Chain Guard	58		In Base Price
OPTIONS				
02969111	Additional Operators and Parts Manual			57
00777523	Tail Wheel Kit (Ser.#011804 & Up)	72		857
02964902	Cable & Clamp Kit	12		24
00888990	Dealer Setup Fee			360
02991509	Additional 12 Month Warranty			1,799
02991523	Special Mower Paint			430

GRASS KING

62" & 74" Offset Flail Mowers

F.O.B. Seguin, TX

STANDARD SPECIFICATIONS

- ◆ 6"x8"x3/16" Welded Rectangular Tube Frame
- ◆ 360 degree Rotating Rear Caster Wheel
- ◆ CAT I or CAT II Three-Point Hitch
- ◆ 50 to 90 Horsepower Tractor Required
- ◆ Hydraulic Piston Pump Rated @ 4000 PSI
- ◆ CAT 4 Driveline
- ◆ 1 to 4 Speed Increaser
- ◆ 14 Gallon Hydraulic Reservoir
- ◆ 12 Micron Filtration System
- ◆ 10 Gauge Unitized Cutter Housing
- ◆ 62" or 74" Cutting Widths
- ◆ 1/2" Inboard & 5/16" Outboard End Plates
- ◆ Replaceable Skid Shoes
- ◆ 4-1/2" x 5/16" Bore, Greasable, Self-Aligning Cuttershaft Bearings
- ◆ Belt Drive from Motor to Cuttershaft with Automatic Spring Tension
- ◆ 74 HP Motor
- ◆ 6" Adjustable Rear Roller
- ◆ Front & Rear Deflectors
- ◆ Available in Fine or Coarse-Cut
- ◆ 1/2" - 6" Cutting Height
- ◆ Cutting Capacity: 1" diameter material
- ◆ Tractor Req: Min 50-90 HP range

PRODUCT ORDER CODE	DESCRIPTION	APPROX. WEIGHT		LIST PRICE
GRASS KING FLAIL BASE UNIT <i>(One Choice Required)</i>				
04006200	Grass King 62" Flail Mower	2038		19,848
04006202	Grass King 62" Flail Mower w/ Extreme Service- 4 oz.Knives	2032		20,456
04007400	Grass King 74" Flail Mower	2080		20,569
04007410	Grass King 74" Flail Mower w/ Extreme Service- 4 oz.Knives	2074		20,810
LIFT PIN OPTIONS <i>(One Choice Required)</i>				
02965040	Lift Pin CAT I	8		N/C
02965050	Lift Pin CAT II	8		N/C
OPTIONS				
02965180	Additional Operators and Parts Manual			56
3570GK	Check Chains (CAT I)	8		223
3571MGK	Check Chains (CAT II)	15		479
00772391	Parking Jack (3,000 lb / Side Wind)	11		94
00888990	Dealer Setup Fee			360
02991510	Additional 12 Month Warranty			899
02991524	Special Mower Paint			430

MCCONNEL PA REAR-MOUNT BOOM

Articulated Rear-Mount Models

F.O.B. Seguin, TX

STANDARD SPECIFICATIONS

- ♦ All Models Feature Welded Tubular Frame Design
- ♦ PA4330- CAT I or CAT II Three-Point Hitch
- ♦ PA4745/48- CAT II Three-Point Hitch
- ♦ All Models Feature Self-Contained Hydraulics
- ♦ Machine Weight With Flail & Oil: PA4330- 1,409 lbs/PA4745: 2,151 lbs/ PA48: 2,750 lbs
- ♦ Boom Reach:
 - PA4330- Up-16'8", Out-13'8"
 - PA4745- Up-16'0", Out-14'0"
 - PA48- Up-16'5", Out-15'0"
- ♦ Minimum Tractor Requirements*:
 - PA4330- Tractor Weight of 4,010 lbs & 45 PTO hp
 - PA4745- Tractor Weight of 5,512 lbs & 50 PTO hp
 - PA48- Tractor Weight of 6,614 lbs & 60 PTO hp

- ♦ Reservoir Capacity:
 - PA4330- 17 Gallon
 - PA4745- 39 Gallon
 - PA48- 47 Gallon
- ♦ Output Horsepower:
 - PA4330- 25 hp (1" Cutting Capacity)
 - PA4745- 45 hp (2" Cutting Capacity)
 - PA48- 54 hp (2" Cutting Capacity)

* Sales Note: Units are shipped without hydraulic oil.

* This product line is not recommended for Kubota tractors.

PRODUCT ORDER CODE	DESCRIPTION	APPROX. WEIGHT		LIST PRICE
PA 4330- POWER ARM BOOMS				
Tractors with CAT I or CAT II, three-point hitch, 540 PTO shaft, 45 PTO hp minimum*				
Note: Front counterweight may be required				
BASE UNIT				
04090265	PA 4330 Rear-Mount RH Boom Assembly (Cable-operated/ w Lift float)	1360		17,568
MOWER HEADS				
02991665	PA 4330 39" Flail Head Assy.- 1.0m Supercut w/ Universal Knives	418		7,871
02991833	PA 4330 47" Flail Head Assy.- 1.2m Supercut w/ "Duck" Knives	665		9,768
PA4745/48- POWER ARM BOOMS				
Tractors with CAT II, three-point hitch, 540 PTO shaft, 60 Eng HP minimum*				
Note: Front counterweight may be required.				
BASE UNIT				
04090260	PA4745 Rear-Mount RH Boom (Cable-operated/ w Lift float)	1951		19,468
04090262	PA48M Rear-Mount RH Boom Mower (Mid-Cut) (Cable-operated/ w Lift float)	1985		22,575
MOWER HEADS				
02987798	PA 4745 47" Flail Head Assy.- 1.2m Supercut Flail w/ F91 "Competition" Knives	660		8,790
02987799	PA48 47" Flail Head Assy.- 1.2m Multicut w/Competition Knives	665		9,407
02988618	PA 4745/48 48" Rotary Head Assy. w/Flaps	600		8,521
UNIVERSAL SAFETY SCREENS (One Choice Required)				
02964407	Universal Safety Screen Kit- Cab Tractors			N/C
00765754	Universal Safety Screen Kit- Rops Tractors			N/C
OPTIONS				
22674.82	PA 4330 Additional Operators Manual			56
22674.51	PA 4745 Additional Operators Manual			56
41570.69	PA 48 Additional Operators Manual			56
00888990	Dealer Setup Fee			360
02991512	Additional 12 Month Warranty			1,349



1502 East Walnut St.
Seguin, TX 78155

Sales & Marketing
800-882-5762 830-379-0864 fax
support@alamo-industrial.com

Warranty Registration/Claims
www.alamoparts.com

Return Authorizations
Online Part Orders
Technical Information
www.alamoparts.com
800-356-6286 800-322-5041 fax

www.alamo-industrial.com

