

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

636M 18.5HP* Commercial QuikTrak with 36 In. 7-Gauge Floating Deck
 Equipment for Base Machine

18.5HP*
 Vertical-Shaft Air Cooled
 Gas Engine 603cc (36.8 cu.
 in.)
 Full Pressure Lubrication
 System With Replaceable Oil
 Filter
 Dry Replaceable Filter Element
 with Secondary Safety Element
 12 Volt Charge System
 10cc Hydro-Gear Transmission
 Pumps
 12 cu. In / Rev Hydro-Gear Wheel
 Motors
 Hydraulic Oil Cooler
 Dual Wheel Parking Brake
 Operator Presence System
 Platform
 36 In. Floating, Side Discharge
 7 Ga. Fabricated Steel Deck

Cast Iron Spindle Housing
 1.25 - 5 In. Cutting Heights
 in 0.25 In. Increments
 Dual Lever Direction/Speed
 Control with Reverse Bar
 8.2 MPH Forward / 3.5 MPH
 Reverse
 5.5 U.S. Gallon Fuel Capacity
 with Fuel Shutoff Valve
 18 x 8.5 - 10 In.
 4PR Turf Drive Tires
 11 x 4-5 In. Front Caster Tires
 Electric PTO Clutch
 Digital Hourmeter
 Thick, Insulated Leaning Pad
 * @ 3600 RPM engine manufacturer
 certified
 gross power tested in
 accordance with SAE
 J1995, 726cc. The engine

horsepower and
 torque information is provided
 by the engine
 manufacturer to be used for
 comparison
 purposes only. Actual
 operating horsepower
 and torque will be less. Refer
 to the engine
 manufacturer's web site for
 additional information.

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

| | | |
|--------|-------------------------------------------------------------------------------------------------------------------|----------|
| 2360TC | 636M 18.5HP* Commercial QuikTrak with 36 In. 7-Gauge Floating Deck <i>F.O.B. Fuquay Varina, North Carolina</i> | 8,159.00 |
|--------|-------------------------------------------------------------------------------------------------------------------|----------|

DESTINATION

| | | |
|------|--------------------------|---------------|
| 001A | United States and Canada | In Base Price |
|------|--------------------------|---------------|

ATTACHMENTS FOR FIELD CONVERSION

| | | |
|----------|-----------------------------------------------|--------|
| | Engine: | |
| AM108146 | Spark Arrester Screen for Muffler | 25.48 |
| | Mower Deck and Mower Deck Attachments: | |
| BTC10691 | Mulch Kit (36 In.) | 197.94 |

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

648M 22.0HP* Commercial QuikTrak with 48 In. 7-Gauge Floating Deck
 Equipment for Base Machine

22.0HP*
 Vertical-Shaft Air Cooled
 Gas Engine 726 cm³ (44.3cu.
 in.)
 Full Pressure Lubrication
 System With Replaceable Oil
 Filter
 Heavy Duty Canister Air Cleaner
 Dry Replaceable Filter Element
 with Secondary Safety Element
 12 Volt Charge System
 10cc Hydro-Gear Transmission
 Pumps
 12 cu. In / Rev Hydro-Gear Wheel
 Motors
 Hydraulic Oil Cooler
 Dual Wheel Parking Brake
 Operator Presence System
 Platform
 48 In. Floating, Side Discharge
 7 Ga. Fabricated Steel Deck

Cast Iron Spindle Housing
 1.25 - 5 In. Cutting Heights
 in 0.25 In. Increments
 Dual Lever Direction/Speed
 Control with Reverse Bar
 8.2 MPH Forward / 3.5 MPH
 Reverse
 5.5 U.S. Gallon Fuel Capacity
 with Fuel Shutoff Valve
 18 X 10.50 - 10
 4PR Turf Drive Tires
 11 x 4-5 In. Front Caster Tires
 Electric PTO Clutch
 Digital Hourmeter
 Thick, Insulated Leaning Pad
 * @ 3600 RPM engine manufacturer
 certified
 gross power tested in
 accordance with SAE
 J1995, 726cc. The engine
 horsepower and

torque information is provided
 by the engine
 manufacturer to be used for
 comparison
 purposes only. Actual
 operating horsepower
 and torque will be less. Refer
 to the engine
 manufacturer's web site for
 additional information.

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

| | | |
|--------|-------------------------------------------------------------------------------------------------------------------|----------|
| 2340TC | 648M 22.0HP* Commercial QuikTrak with 48 In. 7-Gauge Floating Deck <i>F.O.B. Fuquay Varina, North Carolina</i> | 8,869.00 |
|--------|-------------------------------------------------------------------------------------------------------------------|----------|

DESTINATION

| | | |
|------|--------------------------|---------------|
| 001A | United States and Canada | In Base Price |
|------|--------------------------|---------------|

ATTACHMENTS FOR FIELD CONVERSION

| | | |
|--|------------------------------------------------------------------------------|--------|
| | Engine: AM108146 Spark Arrester Screen for Muffler | 25.48 |
| | Mower Deck and Mower Deck Attachments: BTC10693 Mulch Kit (48 In.) | 240.76 |

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**652M 22.0HP* Commercial QuikTrak with 52 In. 7-Gauge Floating Deck
Equipment for Base Machine**

22.0HP*
Vertical-Shaft Air Cooled
Gas Engine 726 cm³ (44.3cu.
in.)
Full Pressure Lubrication
System With Replaceable Oil
Filter
Heavy Duty Canister Air Cleaner
Dry Replaceable Filter Element
with Secondary Safety Element
12 Volt Charge System
10cc Hydro-Gear Transmission
Pumps
12 cu. In / Rev Hydro-Gear Wheel
Motors
Hydraulic Oil Cooler
Dual Wheel Parking Brake
Operator Presence System
Platform
52 In. Floating, Side Discharge
7 Ga. Fabricated Steel Deck

Cast Iron Spindle Housing
1.25 - 5 In. Cutting Heights
in 0.25 In. Increments
Dual Lever Direction/Speed
Control with Reverse Bar
8.2 MPH Forward / 3.5 MPH
Reverse
5.5 U.S. Gallon Fuel Capacity
with Fuel Shutoff Valve
18 X 10.50 - 10
4PR Turf Drive Tires
11 x 4-5 In. Front Caster Tires
Electric PTO Clutch
Digital Hourmeter
Thick, Insulated Leaning Pad
* @ 3600 RPM engine manufacturer
certified
gross power tested in
accordance with SAE
J1995, 726cc. The engine
horsepower and

torque information is provided
by the engine
manufacturer to be used for
comparison
purposes only. Actual
operating horsepower
and torque will be less. Refer
to the engine
manufacturer's web site for
additional information.

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

| | | |
|--------|-------------------------------------------------------------------------------------------------------------------|----------|
| 2330TC | 652M 22.0HP* Commercial QuikTrak with 52 In. 7-Gauge Floating Deck <i>F.O.B. Fuquay Varina, North Carolina</i> | 9,179.00 |
|--------|-------------------------------------------------------------------------------------------------------------------|----------|

DESTINATION

| | | |
|------|--------------------------|---------------|
| 001A | United States and Canada | In Base Price |
|------|--------------------------|---------------|

ATTACHMENTS FOR FIELD CONVERSION

| | | |
|--|------------------------------------------------------------------------------|--------|
| | Engine: AM108146 Spark Arrester Screen for Muffler | 25.48 |
| | Mower Deck and Mower Deck Attachments: BTC10560 Mulch Kit (52 In.) | 309.23 |

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**648R 22HP* Commercial QuikTrak with 48 In. 7-Gauge Floating Deck
Equipment for Base Machine**

| | | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 22HP* Vertical-Shaft Air Cooled Gas Engine 726cc (44.3 cu. in.) Full Pressure Lubrication System With Replaceable Oil Filter Heavy Duty Canister Air Cleaner Dry Replaceable Filter Element with Secondary Safety Element 12 Volt Charge System Dual Hydrostatic Wheel Drive 12cc Hydro-Gear Transmission 15 cu. in. Hydro-Gear Wheel Motors Dual Wheel Parking Brake Operator Presence System Platform 48 In. Floating, Side Discharge 7 Ga. Fabricated Steel Mower Deck Cast Iron Spindle Housing | Pin Height of Cut Adjustment No-tool Lever Assisted Height Cut Adjustment 1.5 - 5 In. Cutting Heights in 0.25 In. Increments Dual Lever Direction/Speed Control with Reverse Bar 9.5 MPH Forward/5.5 MPH Reverse 5.6 U.S. Gallon Fuel Capacity with Fuel Shutoff Valve 20 x 10-8 In. 4PR Turf Drive Tires 13x6.5-6 Semi Pnuematic Front Caster Tires Electric PTO Clutch Digital Hourmeter Thick, Insulated Leaning Pad * @ 3600 RPM engine manufacturer certified gross power tested in accordance with SAE J1995, 726cc. The engine | horsepower and torque information is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information. |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

| | | |
|--------|-----------------------------------------------------------------------------------------------------------------|----------|
| 2320TC | 648R 22HP* Commercial QuikTrak with 48 In. 7-Gauge Floating Deck <i>F.O.B. Fuquay Varina, North Carolina</i> | 9,249.00 |
|--------|-----------------------------------------------------------------------------------------------------------------|----------|

DESTINATION

| | | |
|------|--------------------------|---------------|
| 001A | United States and Canada | In Base Price |
|------|--------------------------|---------------|

ATTACHMENTS FOR FIELD CONVERSION

| | | |
|----------|-----------------------------------------------|--------|
| | Engine: | |
| AM108146 | Spark Arrester Screen for Muffler | 25.48 |
| | Mower Deck and Mower Deck Attachments: | |
| BTC10693 | Mulch Kit (48 In.) | 240.76 |

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**652R 23.5HP* Commercial QuikTrak with 52 In. 7-Gauge Floating Deck
Equipment for Base Machine**

| | | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>23.5HP* Vertical-Shaft Air Cooled Gas Engine 726cc (44.3 cu. in.) Full Pressure Lubrication System With Replaceable Oil Filter Heavy Duty Canister Air Cleaner Dry Replaceable Filter Element with Secondary Safety Element 12 Volt Charge System Dual Hydrostatic Wheel Drive 12cc Hydro-Gear Transmission 15 cu. in. Hydro-Gear Wheel Motors Dual Wheel Parking Brake Operator Presence System Platform 52 In. Floating, Side Discharge 7 Ga. Fabricated Steel Mower Deck Cast Iron Spindle Housing</p> | <p>Pin Height of Cut Adjustment No-tool Lever Assisted Height Cut Adjustment 1.5 - 5 In. Cutting Heights in 0.25 In. Increments Dual Lever Direction/Speed Control with Reverse Bar 9.5 MPH Forward/5.5 MPH Reverse 5.6 U.S. Gallon Fuel Capacity with Fuel Shutoff Valve 20 x 10-8 In. 4PR Turf Drive Tires 13x6.5-6 Semi Pnuematic Front Caster Tires Electric PTO Clutch Digital Hourmeter Thick, Insulated Leaning Pad * @ 3600 RPM engine manufacturer certified gross power tested in accordance with SAE J1995, 726cc. The engine</p> | <p>horsepower and torque information is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.</p> |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

| | | |
|--------|-------------------------------------------------------------------------------------------------------------------|----------|
| 2310TC | 652R 23.5HP* Commercial QuikTrak with 52 In. 7-Gauge Floating Deck <i>F.O.B. Fuquay Varina, North Carolina</i> | 9,659.00 |
|--------|-------------------------------------------------------------------------------------------------------------------|----------|

DESTINATION

| | | |
|------|--------------------------|---------------|
| 001A | United States and Canada | In Base Price |
|------|--------------------------|---------------|

ATTACHMENTS FOR FIELD CONVERSION

| | | |
|----------|------------------------------------------------------------------------|--------|
| | Engine: | |
| AM108146 | Spark Arrester Screen for Muffler | 25.48 |
| | Mower Deck and Mower Deck Attachments: | |
| BUC10057 | 52 In. Mulch On Demand Kit <i>Compatible with 652R models only.</i> | 924.21 |
| BTC10560 | Mulch Kit (52 In.) | 309.23 |

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

652R EFI 25.0HP* Commercial QuikTrak with 52 In. 7-Gauge Floating Deck
 Equipment for Base Machine

25.0 HP*
 Vertical-Shaft Air Cooled
 Electronically Fuel Injected
 Closed Loop System
 Engine (45.6 Cu. In.)
 747cc, 18.3 kW
 Full Pressure Lubrication
 System With Replaceable Oil
 Filter
 Heavy Duty Canister Air Cleaner
 Dry Replaceable Filter Element
 with Secondary Safety Element
 12 Volt Charge System
 Dual Hydrostatic Wheel Drive
 12cc Hydro-Gear Transmission
 15 cu. in. Hydro-Gear Wheel
 Motors
 Dual Wheel Parking Brake
 Operator Presence System
 Platform
 52 In. Floating, Side Discharge
 7 Ga. Fabricated Steel Mower

Deck
 Cast Iron Spindle Housing
 Pin Height of Cut Adjustment
 No-tool Lever Assisted Height
 Cut Adjustment
 1.5 - 5 In. Cutting Heights
 in 0.25 In. Increments
 Dual Lever Direction/Speed
 Control with Reverse Bar
 9.5 MPH Forward/5.5 MPH Reverse
 5.6 U.S. Gallon Fuel Capacity
 with Fuel Shutoff Valve
 20 x 10-8 In.
 4PR Turf Drive Tires
 13x6.5-6 Semi Pnuematic Front
 Caster Tires
 Electric PTO Clutch
 Digital Hourmeter
 Thick, Insulated Leaning Pad
 * @ 3600 RPM engine manufacturer
 certified
 gross power tested in

accordance with SAE
 J1995, 747cc. The engine
 horsepower and
 torque information is provided
 by the engine
 manufacturer to be used for
 comparison
 purposes only. Actual
 operating horsepower
 and torque will be less. Refer
 to the engine
 manufacturer's web site for
 additional information.

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

| | | |
|--------|-----------------------------------------------------------------------------------------------------------------------|-----------|
| 2311TC | 652R EFI 25.0HP* Commercial QuikTrak with 52 In. 7-Gauge Floating Deck <i>F.O.B. Fuquay Varina, North Carolina</i> | 10,169.00 |
|--------|-----------------------------------------------------------------------------------------------------------------------|-----------|

DESTINATION

| | | |
|------|--------------------------|---------------|
| 001A | United States and Canada | In Base Price |
|------|--------------------------|---------------|

ATTACHMENTS FOR FIELD CONVERSION

| | | |
|----------|-------------------------------------------------------------------------------------------------------------------------|--------|
| | Engine: | |
| AM108146 | Spark Arrester Screen for Muffler | 25.48 |
| BUC10057 | Mower Deck and Mower Deck Attachments: 52 In. Mulch On Demand Kit <i>Compatible with 652R models only.</i> | 924.21 |
| BTC10560 | Mulch Kit (52 In.) | 309.23 |

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**661R 23.5HP* Commercial QuikTrak with 61 In. 7-Gauge Floating Deck
Equipment for Base Machine**

23.5HP*
Vertical-Shaft Air Cooled
Gas Engine 726cc (44.3 cu.
in.)
Full Pressure Lubrication
System With Replaceable Oil
Filter
Heavy Duty Canister Air Cleaner
Dry Replaceable Filter Element
with Secondary Safety Element
12 Volt Charge System
Dual Hydrostatic Wheel Drive
12cc Hydro-Gear Transmission
15 cu. in. Hydro-Gear Wheel
Motors
Dual Wheel Parking Brake
Operator Presence System
Platform
61 In. Floating, Side Discharge
7 Ga. Fabricated Steel Mower
Deck
Cast Iron Spindle Housing

Pin Height of Cut Adjustment
No-tool Lever Assisted Height
Cut Adjustment
1.5 - 5 In. Cutting Heights
in 0.25 In. Increments
Dual Lever Direction/Speed
Control with Reverse Bar
9.5 MPH Forward/5.5 MPH Reverse
5.6 U.S. Gallon Fuel Capacity
with Fuel Shutoff Valve
20 x 10-8 In.
4PR Turf Drive Tires
13x6.5-6 Semi Pnuematic Front
Caster Tires
Electric PTO Clutch
Digital Hourmeter
Thick, Insulated Leaning Pad
* @ 3600 RPM engine manufacturer
certified
gross power tested in
accordance with SAE
J1995, 726cc. The engine

horsepower and
torque information is provided
by the engine
manufacturer to be used for
comparison
purposes only. Actual
operating horsepower
and torque will be less. Refer
to the engine
manufacturer's web site for
additional information.

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

| | | |
|--------|-------------------------------------------------------------------------------------------------------------------|-----------|
| 2300TC | 661R 23.5HP* Commercial QuikTrak with 61 In. 7-Gauge Floating Deck <i>F.O.B. Fuquay Varina, North Carolina</i> | 10,269.00 |
|--------|-------------------------------------------------------------------------------------------------------------------|-----------|

DESTINATION

| | | |
|------|--------------------------|---------------|
| 001A | United States and Canada | In Base Price |
|------|--------------------------|---------------|

ATTACHMENTS FOR FIELD CONVERSION

| | | |
|----------|-----------------------------------------------|--------|
| | Engine: | |
| AM108146 | Spark Arrester Screen for Muffler | 25.48 |
| | Mower Deck and Mower Deck Attachments: | |
| BTC10561 | Mulch Kit (61 In.) | 319.93 |

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

661R EFI 25.0HP* Commercial QuikTrak with 61 In. 7-Gauge Floating Deck
 Equipment for Base Machine

25.0 HP*
 Vertical-Shaft Air Cooled
 Electronically Fuel Injected
 Closed Loop System
 Engine (45.6 Cu. In.)
 747cc, 18.3 kW
 Full Pressure Lubrication
 System With Replaceable Oil
 Filter
 Heavy Duty Canister Air Cleaner
 Dry Replaceable Filter Element
 with Secondary Safety Element
 12 Volt Charge System
 Dual Hydrostatic Wheel Drive
 12cc Hydro-Gear Transmission
 15 cu. in. Hydro-Gear Wheel
 Motors
 Dual Wheel Parking Brake
 Operator Presence System
 Platform
 61 In. Floating, Side Discharge
 7 Ga. Fabricated Steel Mower

Deck
 Cast Iron Spindle Housing
 Pin Height of Cut Adjustment
 No-tool Lever Assisted Height
 Cut Adjustment
 1.5 - 5 In. Cutting Heights
 in 0.25 In. Increments
 Dual Lever Direction/Speed
 Control with Reverse Bar
 9.5 MPH Forward/5.5 MPH Reverse
 5.6 U.S. Gallon Fuel Capacity
 with Fuel Shutoff Valve
 20 x 10-8 In.
 4PR Turf Drive Tires
 13x6.5-6 Semi Pnuematic Front
 Caster Tires
 Electric PTO Clutch
 Digital Hourmeter
 Thick, Insulated Leaning Pad
 * @ 3600 RPM engine manufacturer
 certified
 gross power tested in

accordance with SAE
 J1995, 747cc. The engine
 horsepower and
 torque information is provided
 by the engine
 manufacturer to be used for
 comparison
 purposes only. Actual
 operating horsepower
 and torque will be less. Refer
 to the engine
 manufacturer's web site for
 additional information.

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

| | | |
|--------|-----------------------------------------------------------------------------------------------------------------------|-----------|
| 2301TC | 661R EFI 25.0HP* Commercial QuikTrak with 61 In. 7-Gauge Floating Deck <i>F.O.B. Fuquay Varina, North Carolina</i> | 10,779.00 |
|--------|-----------------------------------------------------------------------------------------------------------------------|-----------|

DESTINATION

| | | |
|------|--------------------------|---------------|
| 001A | United States and Canada | In Base Price |
|------|--------------------------|---------------|

ATTACHMENTS FOR FIELD CONVERSION

| | | |
|----------|-----------------------------------------------|--------|
| | Engine: | |
| AM108146 | Spark Arrester Screen for Muffler | 25.48 |
| | Mower Deck and Mower Deck Attachments: | |
| BTC10561 | Mulch Kit (61 In.) | 319.93 |

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

652E 22HP* Commercial QuikTrak with 52in. 7-Gauge Fixed Deck
 Equipment for Base Machine

22HP* (16.4-kW)
 Vertical-Shaft Air Cooled
 Gas Engine 726cc (44.3 cu. in.)
 Full Pressure Lubrication
 System With Replaceable Oil
 Filter
 Heavy Duty Canister Air Cleaner
 Dry Replaceable Filter Element
 with Secondary Safety Element
 12 Volt Charge System
 12cc Hydro-Gear Transmission
 Pumps
 15 cu. in. Hydro-Gear Wheel
 Motors
 Dual Wheel Parking Brake
 Operator Presence System
 Platform
 52 In. Fixed, Side Discharge
 7 Ga. Fabricated Steel Deck
 Cast Iron Spindle Housing

1.25 - 5 In. Cutting Heights
 in 0.25 In. Increments
 Dual Lever Direction/Speed
 Control with Reverse Bar
 9.5 MPH Forward / 5.5 MPH
 Reverse
 5.6 U.S. Gallon Fuel Capacity
 with Fuel Shutoff Valve
 20 x 10-8 In.
 4PR Turf Drive Tires
 11 x 4-5 In. Front Caster Tires
 Electric PTO Clutch
 Digital Hourmeter
 Thick, Insulated Leaning Pad
 * @ 3600 RPM engine manufacturer
 certified
 gross power tested in accordance
 with SAE
 J1995, 726cc. The engine
 horsepower and

torque information is provided
 by the engine
 manufacturer to be used for
 comparison
 purposes only. Actual operating
 horsepower
 and torque will be less. Refer
 to the engine
 manufacturers web site for
 additional information.

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

| | | |
|--------|-------------------------------------------------------------------------------------------------------------|----------|
| 2390TC | 652E 22HP* Commercial QuikTrak with 52in. 7-Gauge Fixed Deck <i>F.O.B. Fuquay Varina, North Carolina</i> | 8,635.00 |
|--------|-------------------------------------------------------------------------------------------------------------|----------|

DESTINATION

| | | |
|------|--------------------------|---------------|
| 001A | United States and Canada | In Base Price |
|------|--------------------------|---------------|

ATTACHMENTS FOR FIELD CONVERSION

| | | |
|----------|-----------------------------------------------|--------|
| | Engine: | |
| AM108146 | Spark Arrester Screen for Muffler | 25.48 |
| | Mower Deck and Mower Deck Attachments: | |
| BTC10560 | Mulch Kit (52 In.) | 309.23 |

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z915B Commercial ZTrak
 Equipment for Base Machine

25 HP*
 Vertical-Shaft Air Cooled
 Engine (44.2 Cu. In.)
 725cc, 17.8 kW
 Full Pressure Lubrication System
 with Replaceable Oil Filter
 Heavy Duty Canister Air
 Cleaner; Dry Replaceable
 Filter Element with
 Secondary Safety Element
 12 Volt with 15 AMP Regulated
 Charge System
 Dual Hydrostatic Wheel Drive
 TuffTorq Heavy Duty Ground Drive
 Hand Actuated Parking Brake
 Steel Channel Frame
 Operator Presence System
 Folding Two Post ROPS (Roll-
 Over Protective Structure)
 and Seat Belt
 48 In. 7-Iron II Side Discharge
 Mower Deck
 7-Gauge Stamped Steel Mower Deck
 8 In. Aluminum Spindle Housing
 One-Touch Dial and Foot Spring
 Assisted Height of Cut

Adjustment
 Single-Turn Deck Transport Lock
 System
 Full Floating Suspension Deck
 1.0 - 5.5 In. Cutting Heights
 in 0.25 In. Increments
 Dual Lever Direction/Speed
 Control
 Wide Control Lever Bends for
 Increased Operator Comfort
 Quick-Service Removable Foot
 Platform
 10.0 MPH Travel Speed
 11.5 U.S. Gallon Fuel Capacity
 24x9.5-12 In. Square Shoulder
 4PR Turf Drive Tires (48 In.)
 24x12-12 In. Square Shoulder
 4PR Turf Drive Tires (54 In. &
 60 In.)
 13x5-6 Pneumatic Front
 Caster Tires
 Right Hand Control Console
 Cluster
 Cup Holder
 Fuel Gauge
 Electric PTO Clutch

Digital Hourmeter
 * @ 3600 RPM engine manufacturer
 certified
 gross power tested in
 accordance with SAE
 J1940, 725cc. The engine
 horsepower and
 torque information is provided
 by the engine
 manufacturer to be used for
 comparison
 purposes only. Actual
 operating horsepower
 and torque will be less. Refer
 to the engine
 manufacturer's web site for
 additional information.

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

*F.O.B. Raleigh, North Carolina
 This product is no longer orderable from the factory; Availability Limited to Dealer
 Inventory (ALDI).*

| | | |
|--------|------------------------|----------|
| 2132TC | Z915B Commercial ZTrak | 8,259.00 |
|--------|------------------------|----------|

DESTINATION

| | | |
|------|----------------------|---------------|
| 001A | United States/Canada | In Base Price |
|------|----------------------|---------------|

MOWER DECKS

| | | |
|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| 1500 | 48 In. Side Discharge Mower Deck <i>48 In. 7-Iron II 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Requires Tires & Wheels option code 1035.</i> | In Base Price |
| 1502 | 54 In. Side Discharge Mower Deck <i>54 In. 7-Iron II 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Requires Tires & Wheels option code 1036.</i> | 270.00 |
| 1504 | 60 In. Side Discharge Mower Deck <i>60 In. 7-Iron II 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Requires Tires & Wheels option code 1036.</i> | 540.00 |

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z915B Commercial ZTrak
Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|-----------------------------------------|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|
| SEAT | | | |
| 2000 | | Deluxe Comfort Seat with Armrests | In Base Price |
| 2001 | | Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i> | 195.00 |
| DRIVE WHEELS AND TIRES | | | |
| 1035 | | 24x9.5x12 Pneumatic Turf Tire for 48 In. Decks | In Base Price |
| 1036 | | 24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks | Same Price |
| 1038 | | 24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i> | 749.00 |
| ATTACHMENTS FOR FIELD CONVERSION | | | |
| | | Engine: | |
| AM115838 | | Spark Arrester Screen | 28.19 |
| | | Miscellaneous: | |
| TCU31258 | | Cast Iron Bumper | 349.96 |
| TCB11281 | | Front Light (2) Kit | 247.17 |
| TCB11531 | | Hitch Kit | 36.39 |
| BTC10907 | | Isolated Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B,E,M and R gas machines.</i> | 258.94 |
| BTC10906 | | Jack Kit | 219.36 |
| BTC10908 | | Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B, E, M, R gas machines.</i> | 788.59 |
| TCB11248 | | Trash Receptacle Kit | 99.51 |
| | | Mower Deck and Mower Deck Attachments: | |
| TCB10952 | | Mulch Kit (48 In. 7-Iron, 7-Iron II and 7-Iron PRO) | 298.53 |
| TCB11469 | | Mulch Kit (54 In. 7-Iron, 7-Iron II, 7-Iron PRO and HC) | 309.23 |
| BTC10445 | | Rear Anti-Scalp Wheel Kit (48" Deck) <i>For 48" 7-Iron II Deck fitted to Z900B-Series only.</i> | 174.41 |
| BTC10442 | | Rear Anti-Scalp Wheel Kit (54" Deck) <i>For 54" 7-Iron II Deck fitted to Z900B-Series only.</i> | 174.41 |
| BTC10591 | | Rear Anti-Scalp Wheel Kit (60" Deck) <i>For 60" 7-Iron II Deck fitted to Z900B-Series only.</i> | 174.41 |
| BTC10285 | | Rubber Flap Striping Kit for 48" Deck | 419.44 |

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z915B Commercial ZTrak
Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|---------------------------------------------------------------|-------------------------------|
| | | ATTACHMENTS FOR FIELD CONVERSION Continued... | |
| | BTC10286 | Rubber Flap Striping Kit for 54" & 60" Decks | 439.77 |
| | | Mulch Kits: | |
| | TCB10953 | Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO) | 326.36 |
| | | Order Zone: | |
| | LP40112 | Beacon Light Kit | 251.00 |
| | LPA11548 | Sun Canopy | 169.00 |

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z915E Commercial ZTrak
 Equipment for Base Machine

25 HP*
 Vertical-Shaft Air Cooled
 Engine (44.2 Cu. In.)
 725cc, 17.8 kW
 Full Pressure Lubrication System
 with Replaceable Oil Filter
 Heavy Duty Canister Air
 Cleaner; Dry Replaceable
 Filter Element with
 Secondary Safety Element
 12 Volt with 15 AMP Regulated
 Charge System
 Dual Hydrostatic Wheel Drive
 TuffTorq Heavy Duty Ground Drive
 Hand Actuated Parking Brake
 Steel Channel Frame
 Operator Presence System
 Folding Two Post ROPS (Roll-
 Over Protective Structure)
 and Seat Belt
 48 In. 7-Iron II Side Discharge
 Mower Deck
 7-Gauge Stamped Steel Mower Deck
 8 In. Aluminum Spindle Housing
 One-Touch Dial and Foot Spring
 Assisted Height of Cut

Adjustment
 Single-Turn Deck Transport Lock
 System
 Full Floating Suspension Deck
 1.0 - 5.5 In. Cutting Heights
 in 0.25 In. Increments
 Dual Lever Direction/Speed
 Control
 Wide Control Lever Bends for
 Increased Operator Comfort
 Quick-Service Removable Foot
 Platform
 10.0 MPH Travel Speed
 11.5 U.S. Gallon Fuel Capacity
 24x9.5-12 In. Square Shoulder
 4PR Turf Drive Tires (48 In.)
 24x12-12 In. Square Shoulder
 4PR Turf Drive Tires (54 In. &
 60 In.)
 13x5-6 Pneumatic Front
 Caster Tires
 Right Hand Control Console
 Cluster
 Cup Holder
 Fuel Gauge
 Electric PTO Clutch

Digital Hourmeter
 * @ 3600 RPM engine manufacturer
 certified
 gross power tested in accordance
 with SAE
 J1940, 725cc. The engine
 horsepower and
 torque information is provided
 by the engine
 manufacturer to be used for
 comparison
 purposes only. Actual operating
 horsepower
 and torque will be less. Refer
 to the engine
 manufacturer's web site for
 additional information.

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

| | | |
|--------|------------------------|----------|
| 2500TC | Z915E Commercial ZTrak | 8,379.00 |
|--------|------------------------|----------|

DESTINATION

| | | |
|------|----------------------|---------------|
| 001A | United States/Canada | In Base Price |
|------|----------------------|---------------|

MOWER DECKS

| | | |
|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| 1500 | 48 In. Side Discharge Mower Deck <i>48 In. 7-Iron II 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Requires Tires & Wheels option code 1035.</i> | In Base Price |
| 1502 | 54 In. Side Discharge Mower Deck <i>54 In. 7-Iron II 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Requires Tires & Wheels option code 1036.</i> | 270.00 |
| 1504 | 60 In. Side Discharge Mower Deck <i>60 In. 7-Iron II 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Requires Tires & Wheels option code 1036.</i> | 540.00 |

SEAT

| | | |
|------|-----------------------------------|---------------|
| 2000 | Deluxe Comfort Seat with Armrests | In Base Price |
|------|-----------------------------------|---------------|

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z915E Commercial ZTrak
Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|-----------------------------------------------|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|
| SEAT Continued... | | | |
| 2001 | | Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i> | 195.00 |
| DRIVE WHEELS AND TIRES | | | |
| 1035 | | 24x9.5x12 Pneumatic Turf Tire for 48 In. Decks | In Base Price |
| 1036 | | 24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks | Same Price |
| 1038 | | 24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i> | 749.00 |
| ATTACHMENTS FOR FIELD CONVERSION | | | |
| Engine: | | | |
| AM115838 | | Spark Arrester Screen | 28.19 |
| Miscellaneous: | | | |
| TCU31258 | | Cast Iron Bumper | 349.96 |
| TCB11281 | | Front Light (2) Kit | 247.17 |
| TCB11531 | | Hitch Kit | 36.39 |
| BTC10907 | | Isolated Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B,E,M and R gas machines.</i> | 258.94 |
| BTC10906 | | Jack Kit | 219.36 |
| BTC10908 | | Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B, E, M, R gas machines.</i> | 788.59 |
| TCB11248 | | Trash Receptacle Kit | 99.51 |
| Mower Deck and Mower Deck Attachments: | | | |
| TCB10952 | | Mulch Kit (48 In. 7-Iron, 7-Iron II and 7-Iron PRO) | 298.53 |
| TCB11469 | | Mulch Kit (54 In. 7-Iron, 7-Iron II, 7-Iron PRO and HC) | 309.23 |
| BTC10445 | | Rear Anti-Scalp Wheel Kit (48" Deck) | 174.41 |
| BTC10442 | | Rear Anti-Scalp Wheel Kit (54" Deck) | 174.41 |
| BTC10591 | | Rear Anti-Scalp Wheel Kit (60" Deck) | 174.41 |
| BTC10285 | | Rubber Flap Striping Kit for 48" Deck | 419.44 |
| BTC10286 | | Rubber Flap Striping Kit for 54" & 60" Decks | 439.77 |
| Mulch Kits: | | | |
| TCB10953 | | Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO) | 326.36 |

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z915E Commercial ZTrak
Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|------------------------------------------------------|-------------------------------|
| | | ATTACHMENTS FOR FIELD CONVERSION Continued... | |
| | | Order Zone: | |
| | LP40112 | Beacon Light Kit | 251.00 |
| | LPA11548 | Sun Canopy | 169.00 |

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z920M Commercial ZTrak
Equipment for Base Machine

23.5 HP*
 Vertical-Shaft Air Cooled
 Engine (44.3 Cu. In.)
 726cc,17.5 kW
 Full Pressure Lubrication System
 with Replaceable Oil Filter
 Heavy Duty Canister Air
 Cleaner; Dry Replaceable
 Filter Element with
 Secondary Safety Element
 12 Volt with 20 AMP Regulated
 Charge System
 Dual Hydrostatic Wheel Drive
 TuffTorq Heavy Duty Ground Drive
 Hand Actuated Parking Brake
 Steel Channel Frame
 Operator Presence System
 Folding Two Post ROPS (Roll-
 Over Protective Structure)
 and Seat Belt
 48 In. 7-Iron PRO Side Discharge
 Mower Deck
 7-Gauge Stamped Steel Mower Deck
 8 In. Aluminum Spindle Housing
 Rear Anti-Scalp Wheels
 One-Touch Dial and Foot Spring
 Assisted Height of Cut

Adjustment
 Single-Turn Deck Transport Lock
 System
 Full Floating Suspension Deck
 1.0 - 5.5 In. Cutting Heights
 in 0.25 In. Increments
 Dual Lever Direction/Speed
 Control
 Wide Control Lever Bends for
 Increased Operator Comfort
 Quick-Service Removable Foot
 Platform
 10 MPH Travel Speed
 11.5 U.S. Gallon Fuel Capacity
 24x9.5-12 In. Square Shoulder
 4PR Turf Drive Tires (48 In.)
 24x12-12 In. Square Shoulder
 4PR Turf Drive Tires (54 In. &
 60 In.)
 13x6.5-6 Semi-Pneumatic Front
 Caster Tires
 Rear Bumper
 Right Hand Control Console
 Cluster
 Cup Holder
 Fuel Gauge
 Electric PTO Clutch

Digital Hourmeter
 * @ 3600 RPM engine manufacturer
 certified
 gross power tested in
 accordance with SAE
 J1995, 726cc. The engine
 horsepower and
 torque information is provided
 by the engine
 manufacturer to be used for
 comparison
 purposes only. Actual
 operating horsepower
 and torque will be less. Refer
 to the engine
 manufacturer's web site for
 additional information.

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

| | | |
|--------|------------------------|----------|
| 2142TC | Z920M Commercial ZTrak | 9,629.00 |
|--------|------------------------|----------|

DESTINATION

| | | |
|------|----------------------|---------------|
| 001A | United States/Canada | In Base Price |
|------|----------------------|---------------|

MOWER DECKS

| | | |
|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| 1500 | 48 In. Side Discharge Mower Deck <i>48 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1035.</i> | In Base Price |
| 1502 | 54 In. Side Discharge Mower Deck <i>54 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i> | 270.00 |
| 1504 | 60 In. Side Discharge Mower Deck <i>60 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i> | 540.00 |

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z920M Commercial ZTrak
Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|
| 1501 | | MOWER DECKS Continued... 48 In. Mulch On Demand Mower Deck <i>48 In. 7-Iron PRO</i> 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. <i>Requires Tires & Wheels option code 1035.</i> | 870.00 |

SEAT

| | | | |
|------|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| 2000 | | Deluxe Comfort Seat with Armrests | In Base Price |
| 2001 | | Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i> | 195.00 |
| 2002 | | Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i> | 475.00 |

DRIVE WHEELS AND TIRES

| | | | |
|------|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| 1035 | | 24x9.5x12 Pneumatic Turf Tire for 48 In. Decks | In Base Price |
| 1036 | | 24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks | Same Price |
| 1038 | | 24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i> | 749.00 |

ATTACHMENTS FOR FIELD CONVERSION

| | | |
|----------|------------------------------------------------------------------------------------------------------|--------|
| AM115838 | Engine: Spark Arrester Screen | 28.19 |
| TCB11281 | Miscellaneous: Front Light (2) Kit | 247.17 |
| TCB11531 | Hitch Kit | 36.39 |
| BTC10907 | Isolated Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B,E,M and R gas machines.</i> | 258.94 |
| BTC10906 | Jack Kit | 219.36 |
| BTC10908 | Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B, E, M, R gas machines.</i> | 788.59 |
| TCB11248 | Trash Receptacle Kit | 99.51 |
| TCB10952 | Mower Deck and Mower Deck Attachments: Mulch Kit (48 In. 7-Iron, 7-Iron II and 7-Iron PRO) | 298.53 |
| TCB11469 | Mulch Kit (54 In. 7-Iron, 7-Iron II, 7-Iron PRO and HC) | 309.23 |
| BTC10285 | Rubber Flap Striping Kit for 48" Deck | 419.44 |

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z920M Commercial ZTrak
Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|---------------------------------------------------------------|-------------------------------|
| | | ATTACHMENTS FOR FIELD CONVERSION Continued... | |
| | BTC10286 | Rubber Flap Striping Kit for 54" & 60" Decks | 439.77 |
| | | Mulch Kits: | |
| | TCB10953 | Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO) | 326.36 |
| | | Order Zone: | |
| | LP40112 | Beacon Light Kit | 251.00 |
| | LPA11548 | Sun Canopy | 169.00 |

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z920M Commercial ZTrak (California)
 Equipment for Base Machine

23.5 HP*
 Vertical-Shaft Air Cooled
 Engine (44.3 Cu. In.)
 726cc, 17.5 kW
 Full Pressure Lubrication System
 with Replaceable Oil Filter
 Heavy Duty Canister Air
 Cleaner; Dry Replaceable
 Filter Element with
 Secondary Safety Element
 12 Volt with 20 AMP Regulated
 Charge System
 Dual Hydrostatic Wheel Drive
 TuffTorq Heavy Duty Ground Drive
 Hand Actuated Parking Brake
 Steel Channel Frame
 Operator Presence System
 Folding Two Post ROPS (Roll-
 Over Protective Structure)
 and Seat Belt
 48 In. 7-Iron PRO Side Discharge
 Mower Deck
 7-Gauge Stamped Steel Mower Deck
 8 In. Aluminum Spindle Housing
 Rear Anti-Scalp Wheels
 One-Touch Dial and Foot Spring

Assisted Height of Cut
 Adjustment
 Single-Turn Deck Transport Lock
 System
 Full Floating Suspension Deck
 1.0 - 5.5 In. Cutting Heights
 in 0.25 In. Increments
 Dual Lever Direction/Speed
 Control
 Wide Control Lever Bends for
 Increased Operator Comfort
 Quick-Service Removable Foot
 Platform
 10 MPH Travel Speed
 11.5 U.S. Gallon Fuel Capacity
 24x12-12 In. Square Shoulder
 4PR Turf Drive Tires (54 In.)
 13x6.5-6 Semi-Pneumatic Front
 Caster Tires
 Rear Bumper
 Right Hand Control Console
 Cluster
 Cup Holder
 Fuel Gauge
 Electric PTO Clutch
 Digital Hourmeter

* @ 3600 RPM engine manufacturer
 certified
 gross power tested in
 accordance with SAE
 J1995, 726cc. The engine
 horsepower and
 torque information is provided
 by the engine
 manufacturer to be used for
 comparison
 purposes only. Actual
 operating horsepower
 and torque will be less. Refer
 to the engine
 manufacturer's web site for
 additional information.

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

| | | |
|--------|-------------------------------------|----------|
| 2143TC | Z920M Commercial ZTrak (California) | 9,629.00 |
|--------|-------------------------------------|----------|

DESTINATION

| | | |
|------|----------------------|---------------|
| 001A | United States/Canada | In Base Price |
|------|----------------------|---------------|

MOWER DECKS

| | | |
|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| 1500 | 48 In. Side Discharge Mower Deck <i>48 In. 7-Iron PRO</i> <i>This option is no longer available. Please use base code 2142TC to order a Z920M with 48 In. Side Discharge deck.</i> | In Base Price |
|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|

| | | |
|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|
| 1502 | 54 In. Side Discharge Mower Deck <i>54 In. 7-Iron PRO</i> <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels.</i> <i>Requires Tires & Wheels option code 1036 or 1038.</i> | 270.00 |
|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|

SEAT

| | | |
|------|-----------------------------------|---------------|
| 2000 | Deluxe Comfort Seat with Armrests | In Base Price |
|------|-----------------------------------|---------------|

| | | |
|------|---------------------------------------------------------------------------------------------------------------|--------|
| 2001 | Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i> | 195.00 |
|------|---------------------------------------------------------------------------------------------------------------|--------|

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z920M Commercial ZTrak (California)
Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|-----------------------------------------|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|
| 2002 | | SEAT Continued... Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i> | 475.00 |
| DRIVE WHEELS AND TIRES | | | |
| 1035 | | 24x9.5x12 Pneumatic Turf Tire for 48 In. Decks | In Base Price |
| 1036 | | 24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks | Same Price |
| 1038 | | 24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i> | 749.00 |
| ATTACHMENTS FOR FIELD CONVERSION | | | |
| | | Engine: | |
| AM115838 | | Spark Arrester Screen | 28.19 |
| | | Miscellaneous: | |
| TCB11281 | | Front Light (2) Kit | 247.17 |
| TCB11531 | | Hitch Kit | 36.39 |
| BTC10907 | | Isolated Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B,E,M and R gas machines.</i> | 258.94 |
| BTC10906 | | Jack Kit | 219.36 |
| BTC10908 | | Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B, E, M, R gas machines.</i> | 788.59 |
| TCB11248 | | Trash Receptacle Kit | 99.51 |
| | | Mower Deck and Mower Deck Attachments: | |
| TCB10952 | | Mulch Kit (48 In. 7-Iron, 7-Iron II and 7-Iron PRO) | 298.53 |
| TCB11469 | | Mulch Kit (54 In. 7-Iron, 7-Iron II, 7-Iron PRO and HC) | 309.23 |
| BTC10285 | | Rubber Flap Striping Kit for 48" Deck | 419.44 |
| BTC10286 | | Rubber Flap Striping Kit for 54" & 60" Decks | 439.77 |
| | | Order Zone: | |
| LP40112 | | Beacon Light Kit | 251.00 |
| LPA11548 | | Sun Canopy | 169.00 |

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z925M Flex Fuel Commercial ZTrak
 Equipment for Base Machine

| | | |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 25 HP* Vertical-Shaft Air Cooled Electronically Fuel Injected Closed Loop System Flex Fuel (E0 to E85) Engine (45.6 Cu. In.) 747cc, 18.3 kW Full Pressure Lubrication System with Replaceable Oil Filter Heavy Duty Canister Air Cleaner; Dry Replaceable Filter Element with Secondary Safety Element 12 Volt with 20 AMP Regulated Charge System Dual Hydrostatic Wheel Drive TuffTorq Heavy Duty Ground Drive Hand Actuated Parking Brake Steel Channel Frame Operator Presence System Folding Two Post ROPS (Roll- Over Protective Structure) and Seat Belt 54 In. 7-Iron PRO Side Discharge Mower Deck 7-Gauge Stamped Steel Mower Deck 8 In. Aluminum Spindle Housing | Rear Anti-Scalp Wheels One-Touch Dial and Foot Spring Assisted Height of Cut Adjustment Single-Turn Deck Transport Lock System Full Floating Suspension Deck 1.0 - 5.5 In. Cutting Heights in 0.25 In. Increments Dual Lever Direction/Speed Control Wide Control Lever Bends for Increased Operator Comfort Quick-Service Removable Foot Platform 10 MPH Travel Speed 11.5 U.S. Gallon Fuel Capacity 24x12-12 In. Square Shoulder 4PR Turf Drive Tires 13x6.5-6 Semi-Pneumatic Front Caster Tires Rear Bumper Right Hand Control Console Cluster Cup Holder Fuel Gauge Electric PTO Clutch | Digital Hourmeter * @ 3600 RPM engine manufacturer certified gross power tested in accordance with SAE J1995, 747cc. The engine horsepower and torque information is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information. |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

| | | |
|--------|----------------------------------|-----------|
| 2153TC | Z925M Flex Fuel Commercial ZTrak | 10,849.00 |
|--------|----------------------------------|-----------|

DESTINATION

| | | |
|------|----------------------|---------------|
| 001A | United States/Canada | In Base Price |
|------|----------------------|---------------|

MOWER DECKS

| | | |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| 1502 | 54 In. Side Discharge Mower Deck 54 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038. | In Base Price |
| 1504 | 60 In. Side Discharge Mower Deck 60 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038. | 270.00 |
| 1503 | 54 In. Mulch On Demand Mower Deck 54 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038. | 870.00 |

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z925M Flex Fuel Commercial ZTrak
Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|-----------------------------------------|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|
| SEAT | | | |
| 2000 | | Deluxe Comfort Seat with Armrests | In Base Price |
| 2001 | | Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i> | 195.00 |
| 2002 | | Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i> | 475.00 |
| DRIVE WHEELS AND TIRES | | | |
| 1036 | | 24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks | In Base Price |
| 1038 | | 24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i> | 749.00 |
| ATTACHMENTS FOR FIELD CONVERSION | | | |
| | | Engine: | |
| AM115838 | | Spark Arrester Screen | 28.19 |
| | | Miscellaneous: | |
| TCB11281 | | Front Light (2) Kit | 247.17 |
| TCB11531 | | Hitch Kit | 36.39 |
| BTC10907 | | Isolated Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B,E,M and R gas machines.</i> | 258.94 |
| BTC10906 | | Jack Kit | 219.36 |
| BTC10908 | | Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B, E, M, R gas machines.</i> | 788.59 |
| TCB11248 | | Trash Receptacle Kit | 99.51 |
| | | Mower Deck and Mower Deck Attachments: | |
| TCB11469 | | Mulch Kit (54 In. 7-Iron, 7-Iron II, 7-Iron PRO and HC) | 309.23 |
| BTC10286 | | Rubber Flap Striping Kit for 54" & 60" Decks | 439.77 |
| | | Mulch Kits: | |
| TCB10953 | | Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO) | 326.36 |
| | | Order Zone: | |
| LP40112 | | Beacon Light Kit | 251.00 |
| LPA11548 | | Sun Canopy | 169.00 |

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z930M Commercial ZTrak
 Equipment for Base Machine

25.5 HP*
 Vertical-Shaft Air Cooled
 Engine (52.0 Cu. In.)
 852cc,19.0 kW
 Full Pressure Lubrication System
 with Replaceable Oil Filter
 Heavy Duty Canister Air
 Cleaner; Dry Replaceable
 Filter Element with
 Secondary Safety Element
 12 Volt with 20 AMP Regulated
 Charge System
 Dual Hydrostatic Wheel Drive
 TuffTorq Heavy Duty Ground Drive
 Hand Actuated Parking Brake
 Steel Channel Frame
 Operator Presence System
 Folding Two Post ROPS (Roll-
 Over Protective Structure)
 and Seat Belt
 60 In. 7-Iron PRO Side Discharge
 Mower Deck
 7-Gauge Stamped Steel Mower Deck
 8 In. Aluminum Spindle Housing
 Rear Anti-Scalp Wheels
 One-Touch Dial and Foot Spring

Assisted Height of Cut
 Adjustment
 Single-Turn Deck Transport Lock
 System
 Full Floating Suspension Deck
 1.0 - 5.5 In. Cutting Heights
 in 0.25 In. Increments
 Dual Lever Direction/Speed
 Control
 Wide Control Lever Bends for
 Increased Operator Comfort
 Quick-Service Removable Foot
 Platform
 10 MPH Travel Speed
 11.5 U.S. Gallon Fuel Capacity
 24x12-12 In. Square Shoulder
 4PR Turf Drive Tires (60" &
 72")
 13x6.5-6 Semi-Pneumatic Front
 Caster Tires
 Rear Bumper
 Right Hand Control Console
 Cluster
 Cup Holder
 Fuel Gauge
 Electric PTO Clutch

Digital Hourmeter
 * @ 3600 RPM engine manufacturer
 certified
 gross power tested in
 accordance with SAE
 J1995, 852cc. The engine
 horsepower and
 torque information is provided
 by the engine
 manufacturer to be used for
 comparison
 purposes only. Actual
 operating horsepower
 and torque will be less. Refer
 to the engine
 manufacturer's web site for
 additional information.

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

| | | |
|--------|------------------------|-----------|
| 2163TC | Z930M Commercial ZTrak | 10,579.00 |
|--------|------------------------|-----------|

DESTINATION

| | | |
|------|----------------------|---------------|
| 001A | United States/Canada | In Base Price |
|------|----------------------|---------------|

MOWER DECKS

| | | |
|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| 1502 | 54 In. Side Discharge Mower Deck <i>54 In. 7-Iron PRO</i> 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038. | -270.00 |
| 1504 | 60 In. Side Discharge Mower Deck <i>60 In. 7-Iron PRO</i> 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038. | In Base Price |
| 1503 | 54 In. Mulch On Demand Mower Deck <i>54 In. 7-Iron PRO</i> 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038. | 600.00 |
| 1505 | 60 In. Mulch On Demand Mower Deck | 870.00 |

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z930M Commercial ZTrak
Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|
| MOWER DECKS Continued... | | | |
| <i>60 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i> | | | |
| SEAT | | | |
| 2000 | | Deluxe Comfort Seat with Armrests | In Base Price |
| 2001 | | Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i> | 195.00 |
| 2002 | | Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i> | 475.00 |
| DRIVE WHEELS AND TIRES | | | |
| 1036 | | 24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks | In Base Price |
| 1038 | | 24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i> | 749.00 |
| ATTACHMENTS FOR FIELD CONVERSION | | | |
| AM115838 | | Engine: Spark Arrester Screen | 28.19 |
| TCB11281 | | Miscellaneous: Front Light (2) Kit | 247.17 |
| TCB11531 | | Hitch Kit | 36.39 |
| BTC10907 | | Isolated Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B,E,M and R gas machines.</i> | 258.94 |
| BTC10906 | | Jack Kit | 219.36 |
| BTC10908 | | Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B, E, M, R gas machines.</i> | 788.59 |
| TCB11248 | | Trash Receptacle Kit | 99.51 |
| TCB11469 | | Mower Deck and Mower Deck Attachments: Mulch Kit (54 In. 7-Iron, 7-Iron II, 7-Iron PRO and HC) | 309.23 |
| BTC10286 | | Rubber Flap Striping Kit for 54" & 60" Decks | 439.77 |
| TCB10953 | | Mulch Kits: Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO) | 326.36 |

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z930M Commercial ZTrak
Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|------------------------------------------------------|-------------------------------|
| | | ATTACHMENTS FOR FIELD CONVERSION Continued... | |
| | | Order Zone: | |
| | LP40112 | Beacon Light Kit | 251.00 |
| | LPA11548 | Sun Canopy | 169.00 |

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z930M Commercial ZTrak (California)
 Equipment for Base Machine

| | | |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 25.5 HP* Vertical-Shaft Air Cooled Engine (52.0 Cu. In.) 852cc,19.0 kW Full Pressure Lubrication System with Replaceable Oil Filter Heavy Duty Canister Air Cleaner; Dry Replaceable Filter Element with Secondary Safety Element 12 Volt with 20 AMP Regulated Charge System Dual Hydrostatic Wheel Drive TuffTorq Heavy Duty Ground Drive Hand Actuated Parking Brake Steel Channel Frame Operator Presence System Folding Two Post ROPS (Roll-Over Protective Structure) and Seat Belt 60 In. 7-Iron PRO Side Discharge Mower Deck 7-Gauge Stamped Steel Mower Deck 8 In. Aluminum Spindle Housing Rear Anti-Scalp Wheels One-Touch Dial and Foot Spring | Assisted Height of Cut Adjustment Single-Turn Deck Transport Lock System Full Floating Suspension Deck 1.0 - 5.5 In. Cutting Heights in 0.25 In. Increments Dual Lever Direction/Speed Control Wide Control Lever Bends for Increased Operator Comfort Quick-Service Removable Foot Platform 10 MPH Travel Speed 11.5 U.S. Gallon Fuel Capacity 24x12-12 In. Square Shoulder 4PR Turf Drive Tires (60" & 72") 13x6.5-6 Semi-Pneumatic Front Caster Tires Rear Bumper Right Hand Control Console Cluster Cup Holder Fuel Gauge Electric PTO Clutch | Digital Hourmeter * @ 3600 RPM engine manufacturer certified gross power tested in accordance with SAE J1995, 852cc. The engine horsepower and torque information is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information. |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

| | | |
|--------|-------------------------------------|-----------|
| 2165TC | Z930M Commercial ZTrak (California) | 10,579.00 |
|--------|-------------------------------------|-----------|

DESTINATION

| | | |
|------|----------------------|---------------|
| 001A | United States/Canada | In Base Price |
|------|----------------------|---------------|

MOWER DECKS

| | | |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| 1504 | 60 In. Side Discharge Mower Deck 60 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038. | In Base Price |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|

SEAT

| | | |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| 2000 | Deluxe Comfort Seat with Armrests | In Base Price |
| 2001 | Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i> | 195.00 |
| 2002 | Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i> | 475.00 |

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z930M Commercial ZTrak (California)

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|-------------------------------|-----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|
| DRIVE WHEELS AND TIRES | | | |
| 1036 | | 24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks | In Base Price |
| 1038 | | 24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i> | 749.00 |

ATTACHMENTS FOR FIELD CONVERSION

| | | | |
|----------|--|------------------------------------------------------------------------------------------------------|--------|
| | | Engine: | |
| AM115838 | | Spark Arrester Screen | 28.19 |
| | | Miscellaneous: | |
| TCB11281 | | Front Light (2) Kit | 247.17 |
| TCB11531 | | Hitch Kit | 36.39 |
| BTC10907 | | Isolated Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B,E,M and R gas machines.</i> | 258.94 |
| BTC10906 | | Jack Kit | 219.36 |
| BTC10908 | | Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B, E, M, R gas machines.</i> | 788.59 |
| TCB11248 | | Trash Receptacle Kit | 99.51 |
| | | Mower Deck and Mower Deck Attachments: | |
| BTC10286 | | Rubber Flap Striping Kit for 54" & 60" Decks | 439.77 |
| | | Mulch Kits: | |
| TCB10953 | | Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO) | 326.36 |
| | | Order Zone: | |
| LP40112 | | Beacon Light Kit | 251.00 |
| LPA11548 | | Sun Canopy | 169.00 |

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z930M EFI Commercial ZTrak
 Equipment for Base Machine

26.5 HP*
 Vertical-Shaft Air Cooled
 Electronically Fuel Injected
 Closed Loop System
 Engine (45.6 Cu. In.)
 747cc, 18.3 kW
 Full Pressure Lubrication System
 with Replaceable Oil Filter
 Heavy Duty Canister Air
 Cleaner; Dry Replaceable
 Filter Element with
 Secondary Safety Element
 12 Volt with 20 AMP Regulated
 Charge System
 Dual Hydrostatic Wheel Drive
 TuffTorq Heavy Duty Ground Drive
 Hand Actuated Parking Brake
 Steel Channel Frame
 Operator Presence System
 Folding Two Post ROPS (Roll-
 Over Protective Structure)
 and Seat Belt
 60 In. 7-Iron PRO Side Discharge
 Mower Deck
 7-Gauge Stamped Steel Mower Deck
 8 In. Aluminum Spindle Housing
 Rear Anti-Scalp Wheels

One-Touch Dial and Foot Spring
 Assisted Height of Cut
 Adjustment
 Single-Turn Deck Transport Lock
 System
 Full Floating Suspension Deck
 1.0 - 5.5 In. Cutting Heights
 in 0.25 In. Increments
 Dual Lever Direction/Speed
 Control
 Wide Control Lever Bends for
 Increased Operator Comfort
 Quick-Service Removable Foot
 Platform
 10 MPH Travel Speed
 11.5 U.S. Gallon Fuel Capacity
 24x12-12 In. Square Shoulder
 4PR Turf Drive Tires
 13x6.5-6 Semi-Pneumatic Front
 Caster Tires
 Rear Bumper
 Right Hand Control Console
 Cluster
 Cup Holder
 Fuel Gauge
 Electric PTO Clutch
 Digital Hourmeter

* @ 3600 RPM engine manufacturer
 certified
 gross power tested in
 accordance with SAE
 J1995, 747cc. The engine
 horsepower and
 torque information is provided
 by the engine
 manufacturer to be used for
 comparison
 purposes only. Actual
 operating horsepower
 and torque will be less. Refer
 to the engine
 manufacturer's web site for
 additional information.

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

| | | |
|--------|----------------------------|-----------|
| 2164TC | Z930M EFI Commercial ZTrak | 11,119.00 |
|--------|----------------------------|-----------|

DESTINATION

| | | |
|------|----------------------|---------------|
| 001A | United States/Canada | In Base Price |
|------|----------------------|---------------|

MOWER DECKS

| | | |
|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| 1504 | 60 In. Side Discharge Mower Deck <i>60 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i> | In Base Price |
| 1505 | 60 In. Mulch On Demand Mower Deck <i>60 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i> | 870.00 |

SEAT

| | | |
|------|-------------------------------------------------|---------------|
| 2000 | Deluxe Comfort Seat with Armrests | In Base Price |
| 2001 | Deluxe Comfort Seat with Armrests and Isolation | 195.00 |

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z930M EFI Commercial ZTrak
Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|-----------------------------------------|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|
| | | SEAT Continued... <i>Includes Isolation System to Reduce Shock/Vibration</i> | |
| 2002 | | Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i> | 475.00 |
| <hr/> | | | |
| DRIVE WHEELS AND TIRES | | | |
| 1036 | | 24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks | In Base Price |
| 1038 | | 24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i> | 749.00 |
| <hr/> | | | |
| ATTACHMENTS FOR FIELD CONVERSION | | | |
| | | Engine: | |
| AM115838 | | Spark Arrester Screen | 28.19 |
| | | Miscellaneous: | |
| TCB11281 | | Front Light (2) Kit | 247.17 |
| TCB11531 | | Hitch Kit | 36.39 |
| BTC10907 | | Isolated Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B,E,M and R gas machines.</i> | 258.94 |
| BTC10906 | | Jack Kit | 219.36 |
| BTC10908 | | Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B, E, M, R gas machines.</i> | 788.59 |
| TCB11248 | | Trash Receptacle Kit | 99.51 |
| | | Mower Deck and Mower Deck Attachments: | |
| BTC10286 | | Rubber Flap Striping Kit for 54" & 60" Decks | 439.77 |
| | | Mulch Kits: | |
| TCB10953 | | Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO) | 326.36 |
| | | Order Zone: | |
| LP40112 | | Beacon Light Kit | 251.00 |
| LPA11548 | | Sun Canopy | 169.00 |

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z950M Commercial Ztrak
 Equipment for Base Machine

27.0 HP*
 Vertical-Shaft Air Cooled
 Engine (52.0 Cu. In.)
 852cc, 20.1 kW
 Full Pressure Lubrication System
 with Replaceable Oil Filter
 Heavy Duty Canister Air
 Cleaner; Dry Replaceable
 Filter Element with
 Secondary Safety Element
 12 Volt with 20 AMP Regulated
 Charge System
 Dual Hydrostatic Wheel Drive
 TuffTorq Heavy Duty Ground Drive
 Hand Actuated Parking Brake
 Steel Channel Frame
 Operator Presence System
 Folding Two Post ROPS (Roll-
 Over Protective Structure)
 and Seat Belt
 60 In. 7-Iron PRO Side Discharge
 Mower Deck
 7-Gauge Stamped Steel Mower Deck
 8 In. Aluminum Spindle Housing
 Rear Anti-Scalp Wheels
 One-Touch Dial and Foot Spring

Assisted Height of Cut
 Adjustment
 Single-Turn Deck Transport Lock
 System
 Full Floating Suspension Deck
 1.0 - 5.5 In. Cutting Heights
 in 0.25 In. Increments
 Dual Lever Direction/Speed
 Control
 Wide Control Lever Bends for
 Increased Operator Comfort
 Quick-Service Removable Foot
 Platform
 10 MPH Travel Speed
 11.5 U.S. Gallon Fuel Capacity
 24x12-12 In. Square Shoulder
 4PR Turf Drive Tires (60" &
 72")
 13x6.5-6 Semi-Pneumatic Front
 Caster Tires
 Rear Bumper
 Right Hand Control Console
 Cluster
 Cup Holder
 Fuel Gauge
 Electric PTO Clutch

Digital Hourmeter
 * @ 3600 RPM engine manufacturer
 certified
 gross power tested in
 accordance with SAE
 J1995, 852cc. The engine
 horsepower and
 torque information is provided
 by the engine
 manufacturer to be used for
 comparison
 purposes only. Actual
 operating horsepower
 and torque will be less. Refer
 to the engine
 manufacturer's web site for
 additional information.

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

| | | |
|--------|------------------------|-----------|
| 0691TC | Z950M Commercial Ztrak | 10,999.00 |
|--------|------------------------|-----------|

DESTINATION

| | | |
|------|----------------------|---------------|
| 001A | United States/Canada | In Base Price |
|------|----------------------|---------------|

MOWER DECKS

| | | |
|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| 1504 | 60 In. Side Discharge Mower Deck <i>60 In. 7-Iron PRO</i> 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038. | In Base Price |
| 1505 | 60 In. Mulch On Demand Mower Deck <i>60 In. 7-Iron PRO</i> 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038. | 870.00 |
| 1506 | 72 In. Side Discharge Mower Deck <i>72 In. 7-Iron PRO</i> 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1037 or 1039. | 540.00 |

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z950M Commercial Ztrak
Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|-----------------------------------------|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|
| SEAT | | | |
| 2000 | | Deluxe Comfort Seat with Armrests | In Base Price |
| 2001 | | Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i> | 195.00 |
| 2002 | | Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i> | 475.00 |
| DRIVE WHEELS AND TIRES | | | |
| 1036 | | 24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks | In Base Price |
| 1038 | | 24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i> | 749.00 |
| 1037 | | 24x12x12 Pneumatic Turf Tire for 72" Decks | Same Price |
| 1039 | | 24x12N12 Michelin X Tweel Turf for 72 In. Decks <i>For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i> | 749.00 |
| ATTACHMENTS FOR FIELD CONVERSION | | | |
| | | Engine: | |
| AM115838 | | Spark Arrester Screen | 28.19 |
| | | Miscellaneous: | |
| TCB11281 | | Front Light (2) Kit | 247.17 |
| TCB11531 | | Hitch Kit | 36.39 |
| BTC10907 | | Isolated Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B,E,M and R gas machines.</i> | 258.94 |
| BTC10906 | | Jack Kit | 219.36 |
| BTC10908 | | Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B, E, M, R gas machines.</i> | 788.59 |
| TCB11248 | | Trash Receptacle Kit | 99.51 |
| | | Mower Deck and Mower Deck Attachments: | |
| TCB10951 | | Mulch Kit (72 In. 7-Iron, 7-Iron II and 7-Iron PRO) | 331.70 |
| BTC10286 | | Rubber Flap Striping Kit for 54" & 60" Decks | 439.77 |
| BTC10287 | | Rubber Flap Striping Kit for 72" Deck | 449.40 |

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z950M Commercial Ztrak
Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|---------------------------------------------------------------|-------------------------------|
| | | ATTACHMENTS FOR FIELD CONVERSION Continued... | |
| | | Mulch Kits: | |
| | TCB10953 | Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO) | 326.36 |
| | | Order Zone: | |
| | LP40112 | Beacon Light Kit | 251.00 |
| | LPA11548 | Sun Canopy | 169.00 |

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z960M Commercial ZTrak
 Equipment for Base Machine

31.0 HP*
 Vertical-Shaft Air Cooled
 Engine (61.0 Cu. In.)
 999cc, 23.1 kW
 Full Pressure Lubrication System
 with Replaceable Oil Filter
 Heavy Duty Canister Air
 Cleaner; Dry Replaceable
 Filter Element with
 Secondary Safety Element
 12 Volt with 20 AMP Regulated
 Charge System
 Dual Hydrostatic Wheel Drive
 TuffTorq Heavy Duty Ground Drive
 Hand Actuated Parking Brake
 Steel Channel Frame
 Operator Presence System
 Folding Two Post ROPS (Roll-
 Over Protective Structure)
 and Seat Belt
 60 In. 7-Iron PRO Side Discharge
 Mower Deck
 7-Gauge Stamped Steel Mower Deck
 8 In. Aluminum Spindle Housing
 Rear Anti-Scalp Wheels
 One-Touch Dial and Foot Spring

Assisted Height of Cut
 Adjustment
 Single-Turn Deck Transport Lock
 System
 Full Floating Suspension Deck
 1.0 - 5.5 In. Cutting Heights
 in 0.25 In. Increments
 Dual Lever Direction/Speed
 Control
 Wide Control Lever Bends for
 Increased Operator Comfort
 Quick-Service Removable Foot
 Platform
 10 MPH Travel Speed
 11.5 U.S. Gallon Fuel Capacity
 24x12-12 In. Square Shoulder
 4PR Turf Drive Tires (60" &
 72")
 13x6.5-6 Semi-Pneumatic Front
 Caster Tires
 Rear Bumper
 Right Hand Control Console
 Cluster
 Cup Holder
 Fuel Gauge
 Electric PTO Clutch

Digital Hourmeter
 * @ 3600 RPM engine manufacturer
 certified
 gross power tested in
 accordance with SAE
 J1995, 852cc. The engine
 horsepower and
 torque information is provided
 by the engine
 manufacturer to be used for
 comparison
 purposes only. Actual
 operating horsepower
 and torque will be less. Refer
 to the engine
 manufacturer's web site for
 additional information.

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

| | | |
|--------|------------------------|-----------|
| 2230TC | Z960M Commercial ZTrak | 11,699.00 |
|--------|------------------------|-----------|

DESTINATION

| | | |
|------|----------------------|---------------|
| 001A | United States/Canada | In Base Price |
|------|----------------------|---------------|

MOWER DECKS

| | | |
|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| 1504 | 60 In. Side Discharge Mower Deck <i>60 In. 7-Iron PRO</i> 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038. | In Base Price |
| 1505 | 60 In. Mulch On Demand Mower Deck <i>60 In. 7-Iron PRO</i> 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038. | 870.00 |
| 1506 | 72 In. Side Discharge Mower Deck <i>72 In. 7-Iron PRO</i> 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1037 or 1039. | 540.00 |

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z960M Commercial ZTrak
Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|-----------------------------------------|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|
| SEAT | | | |
| 2000 | | Deluxe Comfort Seat with Armrests | In Base Price |
| 2001 | | Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i> | 195.00 |
| 2002 | | Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i> | 475.00 |
| DRIVE WHEELS AND TIRES | | | |
| 1036 | | 24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks | In Base Price |
| 1038 | | 24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i> | 749.00 |
| 1037 | | 24x12x12 Pneumatic Turf Tire for 72" Decks | Same Price |
| 1039 | | 24x12N12 Michelin X Tweel Turf for 72 In. Decks <i>For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i> | 749.00 |
| ATTACHMENTS FOR FIELD CONVERSION | | | |
| | | Engine: | |
| AM115838 | | Spark Arrester Screen | 28.19 |
| | | Miscellaneous: | |
| TCB11281 | | Front Light (2) Kit | 247.17 |
| TCB11531 | | Hitch Kit | 36.39 |
| BTC10907 | | Isolated Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B,E,M and R gas machines.</i> | 258.94 |
| BTC10906 | | Jack Kit | 219.36 |
| BTC10908 | | Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B, E, M, R gas machines.</i> | 788.59 |
| TCB11248 | | Trash Receptacle Kit | 99.51 |
| | | Mower Deck and Mower Deck Attachments: | |
| TCB10951 | | Mulch Kit (72 In. 7-Iron, 7-Iron II and 7-Iron PRO) | 331.70 |
| BTC10286 | | Rubber Flap Striping Kit for 54" & 60" Decks | 439.77 |
| BTC10287 | | Rubber Flap Striping Kit for 72" Deck | 449.40 |

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z960M Commercial ZTrak
Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|---------------------------------------------------------------|-------------------------------|
| | | ATTACHMENTS FOR FIELD CONVERSION Continued... | |
| | | Mulch Kits: | |
| | TCB10953 | Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO) | 326.36 |
| | | Order Zone: | |
| | LP40112 | Beacon Light Kit | 251.00 |
| | LPA11548 | Sun Canopy | 169.00 |

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z930R Commercial Ztrak
 Equipment for Base Machine

25.5 HP*
 Vertical-Shaft Air Cooled
 Engine (52.0 Cu. In.)
 852cc, 19.0 kW
 Full Pressure Lubrication System
 with Replaceable Oil Filter
 Heavy Duty Canister Air
 Cleaner; Dry Replaceable
 Filter Element with
 Secondary Safety Element
 12 Volt with 20 AMP Regulated
 Charge System
 Dual Hydrostatic Wheel Drive
 TuffTorq Heavy Duty Ground Drive
 With Cross Porting
 Foot Actuated Parking Brake
 Steel Channel Frame
 Operator Presence System
 Folding Two Post ROPS (Roll-
 Over Protective Structure)
 and Seat Belt
 54 In. 7-Iron PRO Side Discharge
 Mower Deck
 7-Gauge Stamped Steel Mower Deck
 8 In. Aluminum Spindle Housing
 Rear Anti-Scalp Wheels
 One-Touch Dial and Power
 Height of Cut Adjustment

Ergonomic Operator Contoured
 Soft Touch Grips and
 Integrated
 Handle Controls
 Single-Turn Deck Transport Lock
 System
 Full Floating Suspension Deck
 1.0 - 5.5 In. Cutting Heights
 in 0.25 In. Increments
 Dual Lever Direction/Speed
 Control
 Wide Control Lever Bends for
 Increased Operator Comfort
 Quick-Service Removable Foot
 Platform
 12 MPH Travel Speed
 11.5 U.S. Gallon Fuel Capacity
 24x12-12 In. Square Shoulder
 4PR Turf Drive Tires
 13x6.5-6 Semi-Pneumatic Front
 Caster Tires
 Rear Bumper
 Right Hand Control Console
 Cluster
 Cup Holder
 Fuel Gauge
 Electric PTO Clutch
 Digital Hourmeter and Diagnostic

Pkg.
 * @ 3600 RPM engine manufacturer
 certified
 gross power tested in
 accordance with SAE
 J1995, 852cc. The engine
 horsepower and
 torque information is provided
 by the engine
 manufacturer to be used for
 comparison
 purposes only. Actual
 operating horsepower
 and torque will be less. Refer
 to the engine
 manufacturer's web site for
 additional information.

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

| | | |
|--------|------------------------|-----------|
| 2181TC | Z930R Commercial Ztrak | 12,239.00 |
|--------|------------------------|-----------|

DESTINATION

| | | |
|------|----------------------|---------------|
| 001A | United States/Canada | In Base Price |
|------|----------------------|---------------|

MOWER DECKS

| | | |
|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| 1502 | 54 In. Side Discharge Mower Deck <i>54 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i> | In Base Price |
|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|

| | | |
|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|
| 1504 | 60 In. Side Discharge Mower Deck <i>60 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i> | 270.00 |
|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z930R Commercial Ztrak
Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|-----------------------------------------|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|
| 1503 | | MOWER DECKS Continued... 54 In. Mulch On Demand Mower Deck <i>54 In. 7-Iron PRO</i> 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. <i>Requires Tires & Wheels option code 1036 or 1038.</i> | 870.00 |
| SEAT | | | |
| 2000 | | Deluxe Comfort Seat with Armrests | In Base Price |
| 2001 | | Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i> | 195.00 |
| 2002 | | Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i> | 475.00 |
| DRIVE WHEELS AND TIRES | | | |
| 1036 | | 24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks | In Base Price |
| 1038 | | 24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i> | 749.00 |
| ATTACHMENTS FOR FIELD CONVERSION | | | |
| AM115838 | | Engine: Spark Arrester Screen | 28.19 |
| TCB11281 | | Miscellaneous: Front Light (2) Kit | 247.17 |
| TCB11531 | | Hitch Kit | 36.39 |
| BTC10907 | | Isolated Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B,E,M and R gas machines.</i> | 258.94 |
| BTC10906 | | Jack Kit | 219.36 |
| BTC10908 | | Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B, E, M, R gas machines.</i> | 788.59 |
| TCB11248 | | Trash Receptacle Kit | 99.51 |
| TCB11469 | | Mower Deck and Mower Deck Attachments: Mulch Kit (54 In. 7-Iron, 7-Iron II, 7-Iron PRO and HC) | 309.23 |
| BTC10286 | | Rubber Flap Striping Kit for 54" & 60" Decks | 439.77 |
| TCB10953 | | Mulch Kits: Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO) | 326.36 |
| Order Zone: | | | |

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z930R Commercial Ztrak
Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|------------------------------------------------------|-------------------------------|
| | | ATTACHMENTS FOR FIELD CONVERSION Continued... | |
| | LP40112 | Beacon Light Kit | 251.00 |
| | LPA11548 | Sun Canopy | 169.00 |

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z950R Commercial ZTrak
 Equipment for Base Machine

27.0 HP*
 Vertical-Shaft Air Cooled
 Engine (52.0 Cu. In.)
 852cc, 20.1 kW
 Full Pressure Lubrication System
 with Replaceable Oil Filter
 Heavy Duty Canister Air
 Cleaner; Dry Replaceable
 Filter Element with
 Secondary Safety Element
 12 Volt with 20 AMP Regulated
 Charge System
 Dual Hydrostatic Wheel Drive
 TuffTorq Heavy Duty Ground Drive
 With Cross Porting
 Foot Actuated Parking Brake
 Steel Channel Frame
 Operator Presence System
 Folding Two Post ROPS (Roll-
 Over Protective Structure)
 and Seat Belt
 60 In. 7-Iron PRO Side Discharge
 Mower Deck
 7-Gauge Stamped Steel Mower Deck
 8 In. Aluminum Spindle Housing
 Rear Anti-Scalp Wheels
 One-Touch Dial and Power
 Height of Cut Adjustment

Ergonomic Operator Contoured
 Soft Touch Grips and
 Integrated
 Handle Controls
 Single-Turn Deck Transport Lock
 System
 Full Floating Suspension Deck
 1.0 - 5.5 In. Cutting Heights
 in 0.25 In. Increments
 Dual Lever Direction/Speed
 Control
 Wide Control Lever Bends for
 Increased Operator Comfort
 Quick-Service Removable Foot
 Platform
 12 MPH Travel Speed
 11.5 U.S. Gallon Fuel Capacity
 24x12-12 In. Square Shoulder
 4PR Turf Drive Tires
 13x6.5-6 Semi-Pneumatic Front
 Caster Tires
 Rear Bumper
 Right Hand Control Console
 Cluster
 Cup Holder
 Fuel Gauge
 Electric PTO Clutch
 Digital Hourmeter and Diagnostic

Pkg.
 * @ 3600 RPM engine manufacturer
 certified
 gross power tested in
 accordance with SAE
 J1995, 852cc. The engine
 horsepower and
 torque information is provided
 by the engine
 manufacturer to be used for
 comparison
 purposes only. Actual
 operating horsepower
 and torque will be less. Refer
 to the engine
 manufacturer's web site for
 additional information.

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

| | | |
|--------|------------------------|-----------|
| 2191TC | Z950R Commercial ZTrak | 12,939.00 |
|--------|------------------------|-----------|

DESTINATION

| | | |
|------|----------------------|---------------|
| 001A | United States/Canada | In Base Price |
|------|----------------------|---------------|

MOWER DECKS

| | | |
|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| 1504 | 60 In. Side Discharge Mower Deck <i>60 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i> | In Base Price |
|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|

| | | |
|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|
| 1505 | 60 In. Mulch On Demand Mower Deck <i>60 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i> | 870.00 |
|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z950R Commercial ZTrak
Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|
| 1506 | | MOWER DECKS Continued... 72 In. Side Discharge Mower Deck 72 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. <i>Requires Tires & Wheels option code 1037 or 1039.</i> | 540.00 |

SEAT

| | | | |
|------|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| 2000 | | Deluxe Comfort Seat with Armrests | In Base Price |
| 2001 | | Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i> | 195.00 |
| 2002 | | Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i> | 475.00 |

DRIVE WHEELS AND TIRES

| | | | |
|------|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| 1036 | | 24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks | In Base Price |
| 1038 | | 24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i> | 749.00 |
| 1037 | | 24x12x12 Pneumatic Turf Tire for 72" Decks | Same Price |
| 1039 | | 24x12N12 Michelin X Tweel Turf for 72 In. Decks <i>For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i> | 749.00 |

ATTACHMENTS FOR FIELD CONVERSION

| | | | |
|----------|-----------------------|------------------------------------------------------------------------------------------------------|--------|
| | Engine: | | |
| AM115838 | | Spark Arrester Screen | 28.19 |
| | Miscellaneous: | | |
| TCB11281 | | Front Light (2) Kit | 247.17 |
| TCB11531 | | Hitch Kit | 36.39 |
| BTC10907 | | Isolated Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B,E,M and R gas machines.</i> | 258.94 |
| BTC10906 | | Jack Kit | 219.36 |
| BTC10908 | | Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B, E, M, R gas machines.</i> | 788.59 |
| TCB11248 | | Trash Receptacle Kit | 99.51 |

Mower Deck and Mower Deck Attachments:

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z950R Commercial ZTrak
Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|---------------------------------------------------------------|-------------------------------|
| | | ATTACHMENTS FOR FIELD CONVERSION Continued... | |
| | TCB10951 | Mulch Kit (72 In. 7-Iron, 7-Iron II and 7-Iron PRO) | 331.70 |
| | BTC10286 | Rubber Flap Striping Kit for 54" & 60" Decks | 439.77 |
| | BTC10287 | Rubber Flap Striping Kit for 72" Deck | 449.40 |
| | | Mulch Kits: | |
| | TCB10953 | Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO) | 326.36 |
| | | Order Zone: | |
| | LP40112 | Beacon Light Kit | 251.00 |
| | LPA11548 | Sun Canopy | 169.00 |

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z970R Commercial ZTrak
 Equipment for Base Machine

35.0 HP*
 Vertical-Shaft Air Cooled
 Engine (61.0 Cu. In.)
 999cc, 26.1 kW)
 Full Pressure Lubrication System
 with Replaceable Oil Filter
 Heavy Duty Canister Air
 Cleaner; Dry Replaceable
 Filter Element with
 Secondary Safety Element
 12 Volt with 20 AMP Regulated
 Charge System
 Dual Hydrostatic Wheel Drive
 TuffTorq Heavy Duty Ground Drive
 With Cross Porting
 Steel Channel Frame
 Operator Presence System
 Folding Two Post ROPS (Roll-
 Over Protective Structure)
 and Seat Belt
 72 In. 7-Iron PRO Side Discharge
 Mower Deck
 7-Gauge Stamped Steel Mower Deck
 8 In. Aluminum Spindle Housing
 Rear Anti-Scalp Wheels
 One-Touch Dial and Power
 Height of Cut Adjustment

Ergonomic Operator Contoured
 Soft Touch Grips and
 Integrated
 Handle Controls
 Single-Turn Deck Transport Lock
 System
 Full Floating Suspension Deck
 1.0 - 5.5 In. Cutting Heights
 in 0.25 In. Increments
 Dual Lever Direction/Speed
 Control
 Wide Control Lever Bends for
 Increased Operator Comfort
 Quick-Service Removable Foot
 Platform
 12 MPH Travel Speed
 11.5 U.S. Gallon Fuel Capacity
 24x12-12 In. Square Shoulder
 4PR Turf Drive Tires
 13x6.5-6 Semi-Pneumatic Front
 Caster Tires
 Rear Bumper
 Right Hand Control Console
 Cluster
 Cup Holder
 Fuel Gauge
 Electric PTO Clutch

Digital Hourmeter and Diagnostic
 Pkg.
 * @ 3600 RPM engine manufacturer
 certified
 gross power tested in
 accordance with SAE
 J1995, 999cc. The engine
 horsepower and
 torque information is provided
 by the engine
 manufacturer to be used for
 comparison
 purposes only. Actual
 operating horsepower
 and torque will be less. Refer
 to the engine
 manufacturer's web site for
 additional information.

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

| | | |
|--------|------------------------|-----------|
| 2211TC | Z970R Commercial ZTrak | 14,769.00 |
|--------|------------------------|-----------|

DESTINATION

| | | |
|------|----------------------|---------------|
| 001A | United States/Canada | In Base Price |
|------|----------------------|---------------|

MOWER DECKS

| | | |
|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| 1504 | 60 In. Side Discharge Mower Deck <i>60 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i> | -540.00 |
| 1505 | 60 In. Mulch On Demand Mower Deck <i>60 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i> | 330.00 |
| 1506 | 72 In. Side Discharge Mower Deck <i>72 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1037 or 1039.</i> | In Base Price |

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z970R Commercial ZTrak
Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|-----------------------------------------------|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|
| SEAT | | | |
| 2000 | | Deluxe Comfort Seat with Armrests | In Base Price |
| 2001 | | Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i> | 195.00 |
| 2002 | | Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i> | 475.00 |
| DRIVE WHEELS AND TIRES | | | |
| 1036 | | 24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks | Same Price |
| 1038 | | 24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i> | 749.00 |
| 1037 | | 24x12x12 Pneumatic Turf Tire for 72" Decks | In Base Price |
| 1039 | | 24x12N12 Michelin X Tweel Turf for 72 In. Decks <i>For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i> | 749.00 |
| ATTACHMENTS FOR FIELD CONVERSION | | | |
| Engine: | | | |
| AM115838 | | Spark Arrester Screen | 28.19 |
| Miscellaneous: | | | |
| TCB11281 | | Front Light (2) Kit | 247.17 |
| TCB11531 | | Hitch Kit | 36.39 |
| BTC10907 | | Isolated Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B,E,M and R gas machines.</i> | 258.94 |
| BTC10908 | | Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B, E, M, R gas machines.</i> | 788.59 |
| TCB11248 | | Trash Receptacle Kit | 99.51 |
| Mower Deck and Mower Deck Attachments: | | | |
| TCB10951 | | Mulch Kit (72 In. 7-Iron, 7-Iron II and 7-Iron PRO) | 331.70 |
| BTC10286 | | Rubber Flap Striping Kit for 54" & 60" Decks | 439.77 |
| BTC10287 | | Rubber Flap Striping Kit for 72" Deck | 449.40 |
| Mulch Kits: | | | |
| TCB10953 | | Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO) | 326.36 |

Order Zone:

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z970R Commercial ZTrak
Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|------------------------------------------------------|-------------------------------|
| | | ATTACHMENTS FOR FIELD CONVERSION Continued... | |
| | LP40112 | Beacon Light Kit | 251.00 |
| | LPA11548 | Sun Canopy | 169.00 |

**JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**Z997R Commercial L. C. Diesel Max-Frame Z-Trak with 60 In. Side Discharge 7-Iron
PRO Deck**

Equipment for Base Machine

| | | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 37.4 HP (27.5 kW), gross SAE J1995, PS Rated at 3000 rpm Diesel Engine 100.2 cu. in. (1.64 L) Three Cylinder Liquid-Cooled Up to B20 Compliant Full Pressure Lubrication System With Replaceable Oil Filter Heavy-Duty Canister Air Cleaner; Dual Element, Dry-Type with Safety Element and Air Service Indicator 1.5 x 3.0 In. Steel Tubular Frame - 7 Gauge 12 Volt with 75 AMP Regulated Charge System Dual Hydrostatic Wheel Drive Tuff Torq Dual Unitized Pump Dual Wheel Parking Brake Operator Presence System Folding Two Post ROPS | (Roll-Over Protective Structure) and Seat Belt 60 In. 7-Iron PRO Commercial Side Discharge Mower Deck 7-Gauge Stamped Steel Mower Deck 8 In. Aluminum Spindle Housing One-Touch Dial and Electric Deck Lift Height of Cut Adjustment Full Floating Suspension Deck 1.5 - 5.0 In. Cutting Heights in 0.25 In. Increments Dual Lever Direction/Speed Control Quick-Service Hinged Foot Platform Fully Enclosed Engine Compartment Ergonomic Operator Contoured Soft Touch Grips and Integrated Handle Controls 11.5 MPH Mowing Speed | 12 U.S. Gallon Fuel Capacity with Fuel Shutoff Valve 26x12-12 In. Square Shoulder 4PR Turf Drive Tires 15x6-6 Flat Free Front Caster Tires Right Hand Control Console Cluster Cup & Tool Holder Hydraulic PTO Clutch Digital Multi-function Display Deluxe Comfort Seat with Armrests or Available Suspension Seat |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

| | | | |
|--------|--|-------------------------------------------------------------------------------------------|-----------|
| 0910TC | | Z997R Commercial L. C. Diesel Max-Frame Z-Trak with 60 In. Side Discharge 7-Iron PRO Deck | 23,335.00 |
|--------|--|-------------------------------------------------------------------------------------------|-----------|

SEATS

| | | | |
|------|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| 2009 | | Standard Seat | In Base Price |
| 2011 | | Comfort Adjust Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i> | 375.00 |

DESTINATION

| | | | |
|------|--|----------------------|---------------|
| 001A | | United States/Canada | In Base Price |
|------|--|----------------------|---------------|

ATTACHMENTS FOR FIELD CONVERSION

| | | | |
|----------|--|----------------------------------------------------------|--------|
| | | Miscellaneous: | |
| TCA18513 | | Deluxe Comfort Seat with Armrest | 696.40 |
| BTC10713 | | Front Jack Kit <i>Includes jack and mounting kit.</i> | 219.36 |
| TCB11281 | | Front Light (2) Kit | 247.17 |

JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

**Z997R Commercial L. C. Diesel Max-Frame Z-Trak with 60 In. Side Discharge 7-Iron
PRO Deck**

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|------------------------------------------------------------------------------------------------|-------------------------------|
| | | ATTACHMENTS FOR FIELD CONVERSION Continued... | |
| | BTC10674 | Rear Bumper Kit | 251.46 |
| | | Mower Deck and Mower Deck Attachments: | |
| | TCB11230 | Roller Striping Kit for 60 In. Deck <i>For Model Year '11 and Later (Serial # 060000-).</i> | 448.33 |
| | | Mulch Kits: | |
| | TCB10953 | Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO) | 326.36 |

**JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

Z997R Commercial L. C. Diesel Max-Frame Z-Trak with 60 In. Mulch On Demand 7-Iron PRO Deck

Equipment for Base Machine

| | | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 37.4 HP (27.5 kW), gross SAE J1995, PS Rated at 3000 rpm Diesel Engine 100.2 cu. in. (1.64 L) Three Cylinder Liquid-Cooled Up to B20 Compliant Full Pressure Lubrication System With Replaceable Oil Filter Heavy-Duty Canister Air Cleaner; Dual Element, Dry-Type with Safety Element and Air Service Indicator 1.5 x 3.0 In. Steel Tubular Frame - 7 Gauge 12 Volt with 75 AMP Regulated Charge System Dual Hydrostatic Wheel Drive Tuff Torq Dual Unitized Pump Dual Wheel Parking Brake Operator Presence System Folding Two Post ROPS | (Roll-Over Protective Structure) and Seat Belt 60 In. 7-Iron PRO Commercial Mulch On Demand Mower Deck 7-Gauge Stamped Steel Mower Deck 8 In. Aluminum Spindle Housing One-Touch Dial and Electric Deck Lift Height of Cut Adjustment Full Floating Suspension Deck 1.5 - 5.0 In. Cutting Heights in 0.25 In. Increments Dual Lever Direction/Speed Control Quick-Service Hinged Foot Platform Fully Enclosed Engine Compartment Ergonomic Operator Contoured Soft Touch Grips and Integrated Handle Controls 11.5 MPH Mowing Speed | 12 U.S. Gallon Fuel Capacity with Fuel Shutoff Valve 26x12-12 In. Square Shoulder 4PR Turf Drive Tires 15x6-6 Flat Free Front Caster Tires Right Hand Control Console Cluster Cup & Tool Holder Hydraulic PTO Clutch Digital Multi-function Display Deluxe Comfort Seat with Armrests or Available Suspension Seat |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

| | | | |
|--------|--|--------------------------------------------------------------------------------------------|-----------|
| 0913TC | | Z997R Commercial L. C. Diesel Max-Frame Z-Trak with 60 In. Mulch On Demand 7-Iron PRO Deck | 24,205.00 |
|--------|--|--------------------------------------------------------------------------------------------|-----------|

SEATS

| | | | |
|------|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| 2009 | | Standard Seat | In Base Price |
| 2011 | | Comfort Adjust Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i> | 375.00 |

DESTINATION

| | | | |
|------|--|----------------------|---------------|
| 001A | | United States/Canada | In Base Price |
|------|--|----------------------|---------------|

ATTACHMENTS FOR FIELD CONVERSION

| | | | |
|----------|--|----------------------------------------------------------|--------|
| | | Miscellaneous: | |
| TCA18513 | | Deluxe Comfort Seat with Armrest | 696.40 |
| BTC10713 | | Front Jack Kit <i>Includes jack and mounting kit.</i> | 219.36 |
| TCB11281 | | Front Light (2) Kit | 247.17 |

JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

**Z997R Commercial L. C. Diesel Max-Frame Z-Trak with 60 In. Mulch On Demand 7-Iron
PRO Deck**

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|
| | | ATTACHMENTS FOR FIELD CONVERSION Continued... | |
| | BTC10674 | Rear Bumper Kit | 251.46 |
| | TCB11230 | Mower Deck and Mower Deck Attachments: Roller Striping Kit for 60 In. Deck <i>For Model Year '11 and Later (Serial # 060000-).</i> | 448.33 |

**JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**Z997R Commercial L. C. Diesel Max-Frame Z-Trak with 60 In. Rear Discharge 7- Iron
PRO Deck
Equipment for Base Machine**

| | | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 37.4 HP (27.5 kW), gross SAE J1995, PS Rated at 3000 rpm Diesel Engine 100.2 cu. in. (1.64 L) Three Cylinder Liquid-Cooled Up to B20 Compliant Full Pressure Lubrication System With Replaceable Oil Filter Heavy-Duty Canister Air Cleaner; Dual Element, Dry-Type with Safety Element and Air Service Indicator 1.5 x 3.0 In. Steel Tubular Frame - 7 Gauge 12 Volt with 75 AMP Regulated Charge System Dual Hydrostatic Wheel Drive Tuff Torq Dual Unitized Pump Dual Wheel Parking Brake Operator Presence System Folding Two Post ROPS | (Roll-Over Protective Structure) and Seat Belt 60 In. Commercial Rear Discharge Mower Deck 7-Gauge Steel Mower Deck 8 In. Aluminum Spindle Housing One-Touch Dial and Electric Deck Lift Height of Cut Adjustment Full Floating Suspension Deck 1.5 - 5.0 In. Cutting Heights in 0.25 In. Increments Dual Lever Direction/Speed Control Quick-Service Hinged Foot Platform Fully Enclosed Engine Compartment Ergonomic Operator Contoured Soft Touch Grips and Integrated Handle Controls 11.5 MPH Mowing Speed | 12 U.S. Gallon Fuel Capacity with Fuel Shutoff Valve 26x12-12 In. Square Shoulder 4PR Turf Drive Tires 15x6-6 Flat Free Front Caster Tires Right Hand Control Console Cluster Cup & Tool Holder Hydraulic PTO Clutch Digital Multi-function Display Deluxe Comfort Seat with Armrests or Available Suspension Seat |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

| | | |
|--------|--------------------------------------------------------------------------------------------|-----------|
| 0912TC | Z997R Commercial L. C. Diesel Max-Frame Z-Trak with 60 In. Rear Discharge 7- Iron PRO Deck | 23,965.00 |
|--------|--------------------------------------------------------------------------------------------|-----------|

SEATS

| | | |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| 2009 | Standard Seat | In Base Price |
| 2011 | Comfort Adjust Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i> | 375.00 |

DESTINATION

| | | |
|------|----------------------|---------------|
| 001A | United States/Canada | In Base Price |
|------|----------------------|---------------|

ATTACHMENTS FOR FIELD CONVERSION

| | | |
|----------|----------------------------------------------------------|--------|
| | Miscellaneous: | |
| TCA18513 | Deluxe Comfort Seat with Armrest | 696.40 |
| BTC10713 | Front Jack Kit <i>Includes jack and mounting kit.</i> | 219.36 |
| TCB11281 | Front Light (2) Kit | 247.17 |

JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

**Z997R Commercial L. C. Diesel Max-Frame Z-Trak with 60 In. Rear Discharge 7- Iron
PRO Deck**

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|--------------------------|------------------------------------------------------|-------------------------------------|
| | | ATTACHMENTS FOR FIELD CONVERSION Continued... | |
| | BTC10674 | Rear Bumper Kit | 251.46 |

**JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**Z997R Commercial L. C. Diesel Max-Frame Z-Trak with 72 In. Side Discharge 7-Iron
PRO Deck**

Equipment for Base Machine

| | | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 37.4 HP (27.5 kW), gross SAE J1995, PS Rated at 3000 rpm Diesel Engine 100.2 cu. in. (1.64 L) Three Cylinder Liquid-Cooled Up to B20 Compliant Full Pressure Lubrication System With Replaceable Oil Filter Heavy-Duty Canister Air Cleaner; Dual Element, Dry-Type with Safety Element and Air Service Indicator 1.5 x 3.0 In. Steel Tubular Frame - 7 Gauge 12 Volt with 75 AMP Regulated Charge System Dual Hydrostatic Wheel Drive Tuff Torq Dual Unitized Pump Dual Wheel Parking Brake Operator Presence System Folding Two Post ROPS | (Roll-Over Protective Structure) and Seat Belt 72 In. 7-Iron PRO Commercial Side Discharge Mower Deck 7-Gauge Stamped Steel Mower Deck 8 In. Aluminum Spindle Housing One-Touch Dial and Electric Deck Lift Height of Cut Adjustment Full Floating Suspension Deck 1.5 - 5.0 In. Cutting Heights in 0.25 In. Increments Dual Lever Direction/Speed Control Quick-Service Hinged Foot Platform Fully Enclosed Engine Compartment Ergonomic Operator Contoured Soft Touch Grips and Integrated Handle Controls 11.5 MPH Mowing Speed | 12 U.S. Gallon Fuel Capacity with Fuel Shutoff Valve 26x12-12 In. Square Shoulder 4PR Turf Drive Tires 15x6-6 Flat Free Front Caster Tires Right Hand Control Console Cluster Cup & Tool Holder Hydraulic PTO Clutch Digital Multi-function Display Deluxe Comfort Seat with Armrests or Available Suspension Seat |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

| | | | |
|--------|--|-------------------------------------------------------------------------------------------|-----------|
| 0911TC | | Z997R Commercial L. C. Diesel Max-Frame Z-Trak with 72 In. Side Discharge 7-Iron PRO Deck | 23,805.00 |
|--------|--|-------------------------------------------------------------------------------------------|-----------|

SEATS

| | | | |
|------|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| 2009 | | Standard Seat | In Base Price |
| 2011 | | Comfort Adjust Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i> | 375.00 |

DESTINATION

| | | | |
|------|--|----------------------|---------------|
| 001A | | United States/Canada | In Base Price |
|------|--|----------------------|---------------|

ATTACHMENTS FOR FIELD CONVERSION

| | | | |
|----------|--|----------------------------------------------------------|--------|
| | | Miscellaneous: | |
| TCA18513 | | Deluxe Comfort Seat with Armrest | 696.40 |
| BTC10713 | | Front Jack Kit <i>Includes jack and mounting kit.</i> | 219.36 |
| TCB11281 | | Front Light (2) Kit | 247.17 |

JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

**Z997R Commercial L. C. Diesel Max-Frame Z-Trak with 72 In. Side Discharge 7-Iron
PRO Deck**

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|------------------------------------------------------------------------------------------------|-------------------------------|
| | | ATTACHMENTS FOR FIELD CONVERSION Continued... | |
| | BTC10674 | Rear Bumper Kit | 251.46 |
| | | Mower Deck and Mower Deck Attachments: | |
| | TCB10951 | Mulch Kit (72 In. 7-Iron, 7-Iron II and 7-Iron PRO) | 331.70 |
| | TCB11231 | Roller Striping Kit for 72 In. Deck <i>For Model year '11 and Later (Serial # 060000-).</i> | 448.33 |

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

60 In. 7-Iron PRO Commercial Mulch-On-Demand Mower Deck
 Equipment for Base Machine

| | |
|----------------------------------|---------------------------------|
| 60 In. Cutting Width | Steel Bar Reinforcement |
| (3) HD Spindles, Blades | Offset Spindles |
| One Piece Stamped Deck | 8 In. Cast Iron Spindle Housing |
| 1.5-5.0 In. Height of Cut | Hinged Side Discharge Chute |
| Mulch On Demand System | Greaseable Spindles |
| Deep Deck Design | 7-Iron PRO 7-Gauge (.177 In.) |
| Quick Release Belt Shields | Steel |
| (2) Rear Adjustable | Splined Shaft Drive |
| Gauge Wheel | Baffling System |
| Front and Rear Anti-Scalp Wheels | |

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

| | | |
|--------|-------------------------------------------------------------------------------------------------|----------|
| 035DTC | 60 In. 7-Iron PRO Commercial Mulch-On-Demand Mower Deck <i>For 997R and 997 Diesel ZTrak</i> | 3,630.00 |
|--------|-------------------------------------------------------------------------------------------------|----------|

DESTINATION

| | | |
|------|----------------------|---------------|
| 001A | United States/Canada | In Base Price |
|------|----------------------|---------------|

ATTACHMENTS FOR FIELD CONVERSION

| | | |
|----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|
| | Mower Deck and Mower Deck Attachments: | |
| TCB11230 | Roller Striping Kit for 60 In. Deck <i>For Model Year '11 and Later Power Units (Serial # 060000-) or Serialized Replacement Decks (Serial # 010001-).</i> | 448.33 |

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

60 In. 7-Iron PRO Commercial Side Discharge Mower Deck
Equipment for Base Machine

| | |
|----------------------------------|---------------------------------|
| 60 In. Cutting Width | Steel Bar Reinforcement |
| (3) HD Spindles, Blades | Offset Spindles |
| One Piece Stamped Deck | 8 In. Cast Iron Spindle Housing |
| 1.5-5.0 In. Height of Cut | Hinged Side Discharge Chute |
| Deep Deck Design | Greaseable Spindles |
| Quick Release Belt Shields | 7-Iron PRO 7-Gauge (.177 In.) |
| (2) Rear Adjustable | Steel |
| Gauge Wheel | Splined Shaft Drive |
| Front and Rear Anti-Scalp Wheels | Baffling System |

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

| | | |
|--------|-------------------------------------------------------------------------------------------------|----------|
| 033BTC | 60 In. 7-Iron PRO Commercial Side Discharge Mower Deck <i>For Z997R and 997 Diesel ZTrak</i> | 2,760.00 |
|--------|-------------------------------------------------------------------------------------------------|----------|

DESTINATION

| | | |
|------|----------------------|---------------|
| 001A | United States/Canada | In Base Price |
|------|----------------------|---------------|

ATTACHMENTS FOR FIELD CONVERSION

| | | |
|----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|
| | Mower Deck and Mower Deck Attachments: | |
| TCB11230 | Roller Striping Kit for 60 In. Deck <i>For Model Year '11 and Later Power Units (Serial # 060000-) or Serialized Replacement Decks (Serial # 010001-).</i> | 448.33 |
| | Mulch Kits: | |
| TCB10953 | Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO) | 326.36 |

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

60 In. 7-Iron PRO Commercial Rear Discharge Mower Deck
 Equipment for Base Machine

| | |
|----------------------------|---------------------------------|
| 60 In. Cutting Width | Offset Spindles |
| (3) HD Spindles, Blades | 8 In. Cast Iron Spindle Housing |
| Fabricated Deck | Rear Discharge Chute |
| 1.5-5 In. Height of Cut | Greaseable Spindles |
| Deep Deck Design | 7-Iron PRO 7-Gauge (.177 In.) |
| Vehicle Enclosure Kit | Steel |
| Quick Release Belt Shields | Splined Shaft Drive |
| Front Anti-Scalp Wheels | Baffling System |
| Steel Bar Reinforcement | |

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

| | | |
|--------|-------------------------------------------------------------------------------------------------|----------|
| 051ATC | 60 In. 7-Iron PRO Commercial Rear Discharge Mower Deck <i>For Z997R and 997 Diesel Ztrak</i> | 3,390.00 |
|--------|-------------------------------------------------------------------------------------------------|----------|

DESTINATION

| | | |
|------|----------------------|---------------|
| 001A | United States/Canada | In Base Price |
|------|----------------------|---------------|

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

72 In. 7-Iron PRO Commercial Side Discharge Mower Deck
Equipment for Base Machine

| | |
|----------------------------------|---------------------------------|
| 72 In. Cutting Width | Steel Bar Reinforcement |
| (3) HD Spindles, Blades | Offset Spindles |
| One Piece Stamped Deck | 8 In. Cast Iron Spindle Housing |
| 1.5-5 In. Height of Cut | Hinged Side Discharge Chute |
| Deep Deck Design | Greaseable Spindles |
| Quick Release Belt Shields | 7-Iron PRO 7-Gauge (.177 In.) |
| (2) Rear Adjustable | Steel |
| Gauge Wheels | Splined Shaft Drive |
| Front and Rear Anti-Scalp Wheels | Baffling System |

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

| | | |
|--------|-------------------------------------------------------------------------------------------------|----------|
| 034ATC | 72 In. 7-Iron PRO Commercial Side Discharge Mower Deck <i>For Z997R and 997 Diesel ZTrak</i> | 3,180.00 |
|--------|-------------------------------------------------------------------------------------------------|----------|

DESTINATION

| | | |
|------|----------------------|---------------|
| 001A | United States/Canada | In Base Price |
|------|----------------------|---------------|

ATTACHMENTS FOR FIELD CONVERSION

| | | |
|-----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|
| Mower Deck and Mower Deck Attachments: | | |
| TCB10951 | Mulch Kit (72 In. 7-Iron, 7-Iron II and 7-Iron PRO) | 331.70 |
| TCB11231 | Roller Striping Kit for 72 In. Deck <i>For Model Year '11 and Later Power Units (Serial # 060000-) or Serialized Replacement Decks (Serial # 010001-).</i> | 448.33 |

**JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**14 Bushel 3-Bag Material Collection System (For 48 In./54 In./60 In. Z900 B/M/R Series
and 72 In. Z900 M/R Series Mowers including Mulch-On-Demand Decks)
Equipment for Base Machine**

| | |
|-----------------------------|--------------------------|
| 3-Bag Collection Hopper | 14 In. Impeller Diameter |
| 14 Bushel Capacity | Easy-To-Empty Bags |
| Steel Hopper Top | 8 In. Diameter Chute |
| Mechanical Hopper Top Lock | Quick Detach Blower |
| Horizontal 7-Iron | Weight Bracket |
| Blower Configuration | |
| Steel Blower Housing | |
| 5 Blade Commercial Impeller | |

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

| | | |
|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| 0788TC | 14 Bushel 3-Bag Material Collection System (For 48 In./54 In./60 In. Z900 B/M/R Series and 72 In. Z900 M/R Series Mowers including Mulch-On-Demand Decks) <i>When installing 3-Bag MCS on Z900B Models, Rear Anti-Scalp Wheel Kit is required. Not Compatible with Model Year 2012 and Prior ZTrak Mowers. Not Compatible with Michelin Tweel Turf tires. Refer to Sales Manual for Proper Ballast Requirements.</i> | 2,999.00 |
|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|

DESTINATION

| | | |
|------|---------------------------|---------------|
| 001A | United States and Canada | In Base Price |
| 001C | Australia and New Zealand | Same Price |
| 0195 | Mexico | Same Price |

ATTACHING PARTS

| | | |
|------|------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| 1005 | Attaching Parts for 48 In. 7-Iron PRO Decks <i>For all Z900 B/M/R Series with 48" side discharge decks. DFS MCS for Z900 M & R Series only.</i> | In Base Price |
| 1006 | Attaching Parts for 60 In. 7-Iron PRO Decks <i>For all Z900 B/M/R Series with 60" side discharge decks. DFS MCS for Z900 M & R Series only.</i> | In Base Price |
| 1007 | Attaching Parts for 72 In. 7-Iron PRO Decks <i>For all Z900 M/R Series with 72" side discharge decks.</i> | In Base Price |
| 1008 | Attaching Parts for 48 In. and 54 In. 7-Iron PRO Mulch-on-Demand Decks <i>For all Z900 M/R Series with 48" & 54" Mulch-on-Demand decks.</i> | 124.00 |
| 1009 | Attaching Parts for 60 In. 7-Iron PRO Mulch-on-Demand Decks <i>For all Z900 M/R Series with 60" Mulch-on-Demand decks.</i> | 124.00 |
| 1010 | Less Attaching Parts | -1,079.00 |
| 1011 | Attaching Parts for 54 In. 7-Iron PRO Decks <i>For all Z900 B/M/R Series with 54" side discharge decks. DFS MCS for Z900 M & R Series only.</i> | In Base Price |

JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

**14 Bushel 3-Bag Material Collection System (For 48 In./54 In./60 In. Z900 B/M/R Series
and 72 In. Z900 M/R Series Mowers including Mulch-On-Demand Decks)**

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|-----------------------------------------------|-----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|
| ATTACHING PARTS Continued... | | | |
| BLOWER | | | |
| 2000 | | 7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks | In Base Price |
| 2010 | | Less Blower | -749.00 |
| ATTACHMENTS FOR FIELD CONVERSION | | | |
| Material Collection System: | | | |
| TCB11690 | | 7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks | 861.36 |
| BTC10221 | | Attaching Parts for 48 In. 7-Iron PRO Decks <i>For all Z900 B/M/R Series with 48" side discharge decks. DFS MCS for Z900 M & R Series only.</i> | 1,239.06 |
| BTC10363 | | Attaching Parts for 54 In. 7-Iron PRO Decks <i>For all Z900 B/M/R Series with 54" side discharge decks. DFS MCS for Z900 M & R Series only.</i> | 1,239.06 |
| BTC10368 | | Attaching Parts for 60 In. 7-Iron PRO Decks <i>For all Z900 B/M/R Series with 60" side discharge decks. DFS MCS for Z900 M & R Series only.</i> | 1,213.39 |
| BTC10370 | | Attaching Parts for 72 In. 7-Iron PRO Decks <i>For all Z900 M/R Series with 72" side discharge decks.</i> | 1,239.06 |
| BTC10365 | | Attaching Parts for 48 In. and 54 In. 7-Iron PRO Mulch-on-Demand Decks <i>For all Z900M/R Series with 48" & 54" Mulch-on-Demand decks.</i> | 1,381.37 |
| BTC10369 | | Attaching Parts for 60 In. 7-Iron PRO Mulch-on-Demand Decks <i>For all Z900M/R Series with 60" Mulch-on-Demand decks.</i> | 1,381.37 |
| Mower Deck and Mower Deck Attachments: | | | |
| BTC10445 | | Rear Anti-Scalp Wheel Kit (48" Deck) <i>For 48" 7-Iron II Deck fitted to Z900B-Series only.</i> | 174.41 |
| BTC10442 | | Rear Anti-Scalp Wheel Kit (54" Deck) <i>For 54" 7-Iron II Deck fitted to Z900B-Series only.</i> | 174.41 |
| BTC10591 | | Rear Anti-Scalp Wheel Kit (60" Deck) <i>For 60" 7-Iron II Deck fitted to Z900B-Series only.</i> | 174.41 |
| Weights: | | | |
| R66949 | | Quik-Tatch Weight, 42 Lb. | 59.91 |

**JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**14 Bushel 3-Bag Material Collection System (For Z-Trak PRO 48 In./54 In./60 In./72 In. Mowers including Mulch-On-Demand Decks)
Equipment for Base Machine**

| | |
|-----------------------------|--------------------------|
| 3-Bag Collection Hopper | 14 In. Impeller Diameter |
| 14 Bushel Capacity | Easy-To-Empty Bags |
| Steel Hopper Top | 8 In. Diameter Chute |
| Mechanical Hopper Top Lock | Quick Detach Blower |
| Horizontal 7-Iron | Weight Bracket |
| Blower Configuration | |
| Steel Blower Housing | |
| 5 Blade Commercial Impeller | |

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

| | | |
|--------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| 0784TC | 14 Bushel 3-Bag Material Collection System (For Z-Trak PRO 48 In./54 In./60 In./72 In. Mowers including Mulch-On-Demand Decks) <i>Not Compatible with Model Year 2007 and Prior Z-Trak Mowers. Not Compatible with Z-Trak Estate Mowers. Refer to Sales Manual for Proper Ballast Requirements.</i> | 2,915.00 |
|--------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|

ATTACHING PARTS

| | | |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| 1005 | Attaching Parts for 48 In. 7-Iron PRO Decks <i>For Model Year 2009 Z820A Serial Numbers 20001 and above. For Model Year 2010-up Z920A Serial Numbers 10001 and above.</i> | In Base Price |
| 1006 | Attaching Parts for 60 In. 7-Iron PRO Decks <i>For all Z800A, Z900A w/60" side discharge decks.</i> | In Base Price |
| 1007 | Attaching Parts for 72 In. 7-Iron PRO Decks <i>For all Z800A, Z900A with 72" side discharge decks</i> | In Base Price |
| 1008 | Attaching Parts for 48 In. and 54 In. 7-Iron PRO Mulch-on-Demand Decks <i>For all Z800A, Z900A with 48" & 54" Mulch-on-Demand decks</i> | 124.00 |
| 1009 | Attaching Parts for 60 In. 7-Iron PRO Mulch-on-Demand Decks <i>For all Z800A, Z900A with 60" Mulch-on-Demand decks.</i> | 124.00 |
| 1010 | Less Attaching Parts | -1,079.00 |
| 1011 | Attaching Parts for 54 In. 7-Iron PRO Decks <i>For all Z800A, Z900A w/54" side discharge decks.</i> | In Base Price |

BLOWER

| | | |
|------|---------------------------------------------------------------------------|---------------|
| 2000 | 7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks | In Base Price |
| 2010 | Less Blower | -749.00 |

ATTACHMENTS FOR FIELD CONVERSION

JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

14 Bushel 3-Bag Material Collection System (For Z-Trak PRO 48 In./54 In./60 In./72 In. Mowers including Mulch-On-Demand Decks)

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------------------------------------------------------|-----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|
| ATTACHMENTS FOR FIELD CONVERSION Continued... | | | |
| | | Material Collection System: | |
| TCB11690 | | 7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks | 861.36 |
| TCB11705 | | Attaching Parts for 48 In. 7-Iron PRO Decks <i>For Model Year 2009 Z820A Serial Numbers 20001 and above. For Model Year 2010-up Z920A Serial Numbers 10001 and above.</i> | 1,239.06 |
| TCB11704 | | Attaching Parts for 54 In. 7-Iron PRO Decks <i>For all Z800A, Z900A w/54" side discharge decks.</i> | 1,239.06 |
| TCB11686 | | Attaching Parts for 60 In. 7-Iron PRO Decks <i>For all Z800A, Z900A w/60" side discharge decks.</i> | 1,213.39 |
| TCB11707 | | Attaching Parts for 72 In. 7-Iron PRO Decks <i>For all Z800A, Z900A with 72" side discharge decks.</i> | 1,239.06 |
| TCB11703 | | Attaching Parts for 48 In. and 54 In. 7-Iron PRO Mulch-on-Demand Decks <i>For all Z800A, Z900A with 48" & 54" Mulch-on-Demand decks.</i> | 1,381.37 |
| TCB11706 | | Attaching Parts for 60 In. 7-Iron PRO Mulch-on-Demand Decks <i>For all Z800A, Z900A with 60" Mulch-on-Demand decks</i> | 1,381.37 |
| | | Weights: | |
| R66949 | | Quik-Tatch Weight, 42 Lb. | 59.91 |

**JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**14 Bushel Dump From Seat Material Collection System (For 48 In./54 In./60 In./72 In.
Z900 M/R Series Mowers including Mulch-On-Demand Decks)
Equipment for Base Machine**

| | |
|----------------------------|-----------------------------|
| High Density Polypropylene | 5 Blade Commercial Impeller |
| Hopper | 14 In. Impeller Diameter |
| 14 Bushel Capacity | 8 In. Diameter Chute |
| Mechanical Dump From | Quick Detach Blower |
| Operator Seat | Weight Bracket |
| Horizontal 7-Iron | |
| Blower Configuration | |
| Steel Blower Housing | |

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

| | | |
|--------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| 0787TC | 14 Bushel Dump From Seat Material Collection System (For 48 In./54 In./60 In./72 In. Z900 M/R Series Mowers including Mulch-On-Demand Decks) <i>Not Compatible with Model Year 2012 and Prior ZTrak Mowers. Not Compatible with Michelin Tweel Turf tires. Not Compatible with Z900B Mowers. Refer to Sales Manual for Proper Ballast Requirements.</i> | 3,240.00 |
|--------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|

DESTINATION

| | | |
|------|---------------------------|---------------|
| 001A | United States and Canada | In Base Price |
| 001C | Australia and New Zealand | Same Price |
| 0195 | Mexico | Same Price |

ATTACHING PARTS

| | | |
|------|------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| 1005 | Attaching Parts for 48 In. 7-Iron PRO Decks <i>For all Z900 B/M/R Series with 48" side discharge decks. DFS MCS for Z900 M & R Series only.</i> | In Base Price |
| 1006 | Attaching Parts for 60 In. 7-Iron PRO Decks <i>For all Z900 B/M/R Series with 60" side discharge decks. DFS MCS for Z900 M & R Series only.</i> | In Base Price |
| 1007 | Attaching Parts for 72 In. 7-Iron PRO Decks <i>For all Z900 M/R Series with 72" side discharge decks.</i> | In Base Price |
| 1008 | Attaching Parts for 48 In. and 54 In. 7-Iron PRO Mulch-on-Demand Decks <i>For all Z900 M/R Series with 48" & 54" Mulch-on-Demand decks.</i> | 124.00 |
| 1009 | Attaching Parts for 60 In. 7-Iron PRO Mulch-on-Demand Decks <i>For all Z900 M/R Series with 60" Mulch-on-Demand decks.</i> | 124.00 |
| 1010 | Less Attaching Parts | -1,079.00 |
| 1011 | Attaching Parts for 54 In. 7-Iron PRO Decks <i>For all Z900 B/M/R Series with 54" side discharge decks. DFS MCS for Z900 M & R Series only.</i> | In Base Price |

JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

**14 Bushel Dump From Seat Material Collection System (For 48 In./54 In./60 In./72 In.
Z900 M/R Series Mowers including Mulch-On-Demand Decks)**

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|-----------------------------------------|-----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|
| ATTACHING PARTS Continued... | | | |
| BLOWER | | | |
| 2000 | | 7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks | In Base Price |
| 2010 | | Less Blower | -749.00 |
| ATTACHMENTS FOR FIELD CONVERSION | | | |
| Material Collection System: | | | |
| TCB11690 | | 7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks | 861.36 |
| BTC10221 | | Attaching Parts for 48 In. 7-Iron PRO Decks <i>For all Z900 B/M/R Series with 48" side discharge decks. DFS MCS for Z900 M & R Series only.</i> | 1,239.06 |
| BTC10363 | | Attaching Parts for 54 In. 7-Iron PRO Decks <i>For all Z900 B/M/R Series with 54" side discharge decks. DFS MCS for Z900 M & R Series only.</i> | 1,239.06 |
| BTC10368 | | Attaching Parts for 60 In. 7-Iron PRO Decks <i>For all Z900 B/M/R Series with 60" side discharge decks. DFS MCS for Z900 M & R Series only.</i> | 1,213.39 |
| BTC10370 | | Attaching Parts for 72 In. 7-Iron PRO Decks <i>For all Z900 M/R Series with 72" side discharge decks.</i> | 1,239.06 |
| BTC10365 | | Attaching Parts for 48 In. and 54 In. 7-Iron PRO Mulch-on-Demand Decks <i>For all Z900M/R Series with 48" & 54" Mulch-on-Demand decks.</i> | 1,381.37 |
| BTC10369 | | Attaching Parts for 60 In. 7-Iron PRO Mulch-on-Demand Decks <i>For all Z900M/R Series with 60" Mulch-on-Demand decks.</i> | 1,381.37 |
| Weights: | | | |
| R66949 | | Quik-Tatch Weight, 42 Lb. | 59.91 |

**JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**14 Bushel Dump From Seat Material Collection System (For Z-Trak PRO 48 In./54 In./60 In./72 In. Mowers including Mulch-On-Demand Decks)
Equipment for Base Machine**

| | |
|-------------------------------------------------------|------------------------------------|
| High Density Polypropylene Hopper | 5 Blade Commercial Impeller |
| 14 Bushel Capacity Mechanical Dump From Operator Seat | 14 In. Impeller Diameter |
| Horizontal 7-Iron Blower Configuration | 8 In. Diameter Chute |
| Steel Blower Housing | Quick Detach Blower Weight Bracket |

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

| | | |
|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| 0785TC | 14 Bushel Dump From Seat Material Collection System (For Z-Trak PRO 48 In./54 In./60 In./72 In. Mowers including Mulch-On-Demand Decks) <i>Not Compatible with Model Year 2007 and Prior Z-Trak Mowers. Not Compatible with Z-Trak Estate Mowers. Refer to Sales Manual for Proper Ballast Requirements.</i> | 3,160.00 |
|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|

ATTACHING PARTS

| | | |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| 1005 | Attaching Parts for 48 In. 7-Iron PRO Decks <i>For Model Year 2009 Z820A Serial Numbers 20001 and above. For Model Year 2010-up Z920A Serial Numbers 10001 and above.</i> | In Base Price |
| 1006 | Attaching Parts for 60 In. 7-Iron PRO Decks <i>For all Z800A, Z900A w/60" side discharge decks.</i> | In Base Price |
| 1007 | Attaching Parts for 72 In. 7-Iron PRO Decks <i>For all Z800A, Z900A with 72" side discharge decks</i> | In Base Price |
| 1008 | Attaching Parts for 48 In. and 54 In. 7-Iron PRO Mulch-on-Demand Decks <i>For all Z800A, Z900A with 48" & 54" Mulch-on-Demand decks</i> | 124.00 |
| 1009 | Attaching Parts for 60 In. 7-Iron PRO Mulch-on-Demand Decks <i>For all Z800A, Z900A with 60" Mulch-on-Demand decks.</i> | 124.00 |
| 1010 | Less Attaching Parts | -1,079.00 |
| 1011 | Attaching Parts for 54 In. 7-Iron PRO Decks <i>For all Z800A, Z900A w/54" side discharge decks.</i> | In Base Price |

BLOWER

| | | |
|------|---------------------------------------------------------------------------|---------------|
| 2000 | 7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks | In Base Price |
| 2010 | Less Blower | -749.00 |

ATTACHMENTS FOR FIELD CONVERSION

JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

14 Bushel Dump From Seat Material Collection System (For Z-Trak PRO 48 In./54 In./60 In./72 In. Mowers including Mulch-On-Demand Decks)

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------------------------------------------------------|-----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|
| ATTACHMENTS FOR FIELD CONVERSION Continued... | | | |
| | | Material Collection System: | |
| TCB11690 | | 7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks | 861.36 |
| TCB11705 | | Attaching Parts for 48 In. 7-Iron PRO Decks <i>For Model Year 2009 Z820A Serial Numbers 20001 and above. For Model Year 2010-up Z920A Serial Numbers 10001 and above.</i> | 1,239.06 |
| TCB11704 | | Attaching Parts for 54 In. 7-Iron PRO Decks <i>For all Z800A, Z900A w/54" side discharge decks.</i> | 1,239.06 |
| TCB11686 | | Attaching Parts for 60 In. 7-Iron PRO Decks <i>For all Z800A, Z900A w/60" side discharge decks.</i> | 1,213.39 |
| TCB11707 | | Attaching Parts for 72 In. 7-Iron PRO Decks <i>For all Z800A, Z900A with 72" side discharge decks.</i> | 1,239.06 |
| TCB11703 | | Attaching Parts for 48 In. and 54 In. 7-Iron PRO Mulch-on-Demand Decks <i>For all Z800A, Z900A with 48" & 54" Mulch-on-Demand decks.</i> | 1,381.37 |
| TCB11706 | | Attaching Parts for 60 In. 7-Iron PRO Mulch-on-Demand Decks <i>For all Z800A, Z900A with 60" Mulch-on-Demand decks</i> | 1,381.37 |
| | | Weights: | |
| R66949 | | Quik-Tatch Weight, 42 Lb. | 59.91 |

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**14 Bushel 3-Bag Material Collection System For 737, 757, 777, 797 Mowers only
Equipment for Base Machine**

| | |
|--------------------------------|---------------------------------|
| 3-Bag Collection Hopper | Upper and Lower Weight Brackets |
| 14 Bushel Capacity | 5 Blade Commercial Impeller |
| Polyethylene Hopper Top | 14 In. Impeller Diameter |
| with Gas Cylinder Lift Assist | Easy-To-Empty Bags |
| and Mechanical Hopper Top Lock | 8 In. Diameter Chute |
| Horizontal 7-Iron Blower | Quick Detach Blower |
| Configuration | |
| Steel Blower Housing | |

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

| | | |
|--------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| 0771TC | 14 Bushel 3-Bag Material Collection System For 737, 757, 777, 797 Mowers only <i>Compatible with both 7-Iron and 7-Iron II Decks. Due to Overall Power Consumption with 757 Mulch-On-Demand and MCS, this Combination is not Recommended. Refer to Sales Manual for Proper Ballast Requirements.</i> | 2,740.00 |
|--------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|

CHUTES

| | | |
|------|-------------------------------------------------------------------------------------------|---------------|
| 1000 | Chute for 54 In. and 60 In. 7-Iron and 7-Iron II Decks (737, 757) and 757 Mulch-On-Demand | In Base Price |
| 1001 | Chute for 60 In. 7-Iron and 7-Iron II Decks (777, 797 and 777 Mulch on Demand) | In Base Price |
| 1002 | Chute for 72 In. 7-Iron and 7-Iron II Decks (777, 797) | In Base Price |
| 1010 | Less Chute | -214.00 |

ATTACHING PARTS

| | | |
|------|---------------------------------------------------------------------------------------|---------------|
| 3000 | Attaching Parts for 54 In. 7-Iron and 7-Iron II Decks (737, 757) | In Base Price |
| 3001 | Attaching Parts for 60 In. and 72 In. 7-Iron and 7-Iron II Decks (737, 757, 777, 797) | In Base Price |
| 3002 | Attaching Parts for 60 In. 7-Iron and 7-Iron II Mulch on Demand Decks (757, 777) | In Base Price |
| 3010 | Less Attaching Parts | -438.00 |

ATTACHMENTS FOR FIELD CONVERSION

| | | |
|----------|----------------------------------------------------------------------------------|--------|
| | Material Collection System: | |
| TCB11690 | 7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks | 861.36 |
| TCB11048 | Attaching Parts for 54 In. 7-Iron and 7-Iron II Decks (737, 757) | 503.97 |
| TCB11050 | Attaching Parts for 60 In. 7-Iron and 7-Iron II Mulch on Demand Decks (757, 777) | 503.97 |

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

14 Bushel 3-Bag Material Collection System For 737, 757, 777, 797 Mowers only
Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|----------|-----------------------|---------------------------------------------------------------------------------------------------------------------------------|-------------------------------|
| | | ATTACHMENTS FOR FIELD CONVERSION Continued... | |
| TCB11047 | | Attaching Parts for 60 In. and 72 In. 7-Iron and 7-Iron II Decks (737, 757, 777, 797) | 503.97 |
| TCB11079 | | Chute for 54 In. and 60 In. 7-Iron and 7-Iron II Decks (737, 757) and 757 Mulch-On-Demand | 245.03 |
| TCB11052 | | Chute for 60 In. 7-Iron and 7-Iron II Decks (777, 797 and 777 Mulch on Demand) | 245.03 |
| TCB11053 | | Chute for 72 In. 7-Iron and 7-Iron II Decks (777, 797) | 245.03 |
| | | Weights: | |
| TCB11099 | | Lower Weight Bracket <i>Requires R66949 Quik-Tatch Weight 42 lb., Refer to Sales Manual for Proper Ballast Requirements.</i> | 156.21 |
| R66949 | | Quik-Tatch Weight, 42 Lb. | 59.91 |
| TCB11100 | | Upper Weight Bracket <i>Requires R66949 Quik-Tatch Weight 42 lb., Refer to Sales Manual for Proper Ballast Requirements.</i> | 123.06 |

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**14 Bushel Dump From Seat Material Collection System for 737, 757, 777 & 797
Mowers only
Equipment for Base Machine**

| | |
|----------------------------------------|---------------------------------|
| Polypropylene Hopper | Upper and Lower Weight Brackets |
| 14 Bushel Capacity | 5 Blade Commercial Impeller |
| Mechanical Dump From Operator Seat | 14 In. Impeller Diameter |
| Attaching Framework | 8 In. Diameter Chute |
| Horizontal 7-Iron Blower Configuration | Quick Detach Blower |
| Steel Blower Housing | Weight Bracket |

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

| | | |
|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| 0772TC | 14 Bushel Dump From Seat Material Collection System for 737, 757, 777 & 797 Mowers only <i>Compatible with both 7-Iron and 7-Iron II Decks. Due to Overall Power Consumption with 757 Mulch-On-Demand and MCS, this Combination is not Recommended. Refer to Sales Manual for Proper Ballast Requirements.</i> | 3,040.00 |
|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|

CHUTES

| | | |
|------|-------------------------------------------------------------------------------------------|---------------|
| 1000 | Chute for 54 In. and 60 In. 7-Iron and 7-Iron II Decks (737, 757) and 757 Mulch-On-Demand | In Base Price |
| 1001 | Chute for 60 In. 7-Iron and 7-Iron II Decks (777, 797 and 777 Mulch on Demand) | In Base Price |
| 1002 | Chute for 72 In. 7-Iron and 7-Iron II Decks (777, 797) | In Base Price |
| 1010 | Less Chute | -214.00 |

ATTACHING PARTS

| | | |
|------|---------------------------------------------------------------------------------------|---------------|
| 3000 | Attaching Parts for 54 In. 7-Iron and 7-Iron II Decks (737, 757) | In Base Price |
| 3001 | Attaching Parts for 60 In. and 72 In. 7-Iron and 7-Iron II Decks (737, 757, 777, 797) | In Base Price |
| 3002 | Attaching Parts for 60 In. 7-Iron and 7-Iron II Mulch on Demand Decks (757, 777) | In Base Price |
| 3010 | Less Attaching Parts | -438.00 |

ATTACHMENTS FOR FIELD CONVERSION

| | | |
|----------|----------------------------------------------------------------------------------|--------|
| | Material Collection System: | |
| TCB11690 | 7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks | 861.36 |
| TCB11048 | Attaching Parts for 54 In. 7-Iron and 7-Iron II Decks (737, 757) | 503.97 |
| TCB11050 | Attaching Parts for 60 In. 7-Iron and 7-Iron II Mulch on Demand Decks (757, 777) | 503.97 |

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

**14 Bushel Dump From Seat Material Collection System for 737, 757, 777 & 797
Mowers only**

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|----------|-----------------------|---------------------------------------------------------------------------------------------------------------------------------|-------------------------------|
| | | ATTACHMENTS FOR FIELD CONVERSION Continued... | |
| TCB11047 | | Attaching Parts for 60 In. and 72 In. 7-Iron and 7-Iron II Decks (737, 757, 777, 797) | 503.97 |
| TCB11079 | | Chute for 54 In. and 60 In. 7-Iron and 7-Iron II Decks (737, 757) and 757 Mulch-On-Demand | 245.03 |
| TCB11052 | | Chute for 60 In. 7-Iron and 7-Iron II Decks (777, 797 and 777 Mulch on Demand) | 245.03 |
| TCB11053 | | Chute for 72 In. 7-Iron and 7-Iron II Decks (777, 797) | 245.03 |
| | | Weights: | |
| TCB11099 | | Lower Weight Bracket <i>Requires R66949 Quik-Tatch Weight 42 lb., Refer to Sales Manual for Proper Ballast Requirements.</i> | 156.21 |
| R66949 | | Quik-Tatch Weight, 42 Lb. | 59.91 |
| TCB11100 | | Upper Weight Bracket <i>Requires R66949 Quik-Tatch Weight 42 lb., Refer to Sales Manual for Proper Ballast Requirements.</i> | 123.06 |

**JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**13 Bushel Dump From Seat Material Collection System For 997 60/72 In. Side
Discharge Diesel Z-TRAK Mowers
Equipment for Base Machine**

| | |
|----------------------------------|--------------------------|
| High Density Polyethylene Hopper | Steel Blower Housing |
| Tubular Steel Frame With | Upper Weight Bracket |
| Polypropylene Fabric Door | 14 In. Impeller Diameter |
| 13 Bushel Capacity | 6 In. Diameter Chute |
| Mechanical Dump From Operator | Quick Detach Blower |
| Seat | Weight Bracket |
| Attaching Framework | |
| 7-Iron Blower | |

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

| | | |
|--------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| 0775TC | 13 Bushel Dump From Seat Material Collection System For 997 60/72 In. Side Discharge Diesel Z-TRAK Mowers <i>For 997 with 60/72 In. side discharge decks and 60 In. Mulch-On-Demand decks only. Refer to Sales Manual for Proper Ballast Requirements.</i> | 3,499.00 |
|--------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|

DESTINATION

| | | |
|------|---------------------------|---------------|
| 001A | United States and Canada | In Base Price |
| 001B | Europe | Same Price |
| 001C | Australia and New Zealand | Same Price |
| 001D | Other | Same Price |

ATTACHING PARTS

| | | |
|------|----------------------------------------------------------------------------------------------------------------|---------------|
| 3405 | Attaching Parts for 60 In. 7-Iron PRO Decks <i>For all 997 w/60" side discharge decks.</i> | In Base Price |
| 3406 | Attaching Parts for 72 In. 7-Iron PRO Decks <i>For all 997 w/72" side discharge decks.</i> | 14.00 |
| 3408 | Attaching Parts for 60 In. 7-Iron PRO Mulch-On-Demand Decks <i>For all 997 w/60" Mulch-On-Demand decks.</i> | 194.00 |
| 3490 | Less Attaching Parts | -292.00 |

BLOWER

| | | |
|------|-------------------------------------------------------------------|---------------|
| 3500 | 7-Iron Blower for 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks | In Base Price |
| 3520 | Less Blower | -736.00 |

ATTACHMENTS FOR FIELD CONVERSION

JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

13 Bushel Dump From Seat Material Collection System For 997 60/72 In. Side Discharge Diesel Z-TRAK Mowers

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------------------------------------------------------|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|
| ATTACHMENTS FOR FIELD CONVERSION Continued... | | | |
| | | Material Collection System: | |
| TCB11690 | | 7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks | 861.36 |
| BTC10264 | | Attaching Parts for Blower <i>For all 997 with 72" side discharge decks.</i> | 350.96 |
| BTC10265 | | Attaching Parts for Blower <i>For all 997 with 60" Mulch-On-Demand decks.</i> | 556.40 |
| BTC10266 | | Attaching Parts for Blower <i>For all 997 with 60" side discharge decks.</i> | 335.99 |
| | | Weights: | |
| R66949 | | Quik-Tatch Weight, 42 Lb. | 59.91 |
| DMA210494 | | Upper Weight Bracket (997) <i>Equipment for Base Machine Weight Bracket, Order if so needed. Refer to Sales Manual for Proper Ballast Requirements. Refer to Parts Catalog for Additional Required Hardware.</i> | 284.36 |

**JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**14 Bushel Dump From Seat Material Collection System For Z997R 60/72 In. Side
Discharge Diesel Z-TRAK Mowers
Equipment for Base Machine**

| | |
|---------------------------------|--------------------------|
| Low Density Polyethylene Hopper | Steel Blower Housing |
| Tubular Steel Frame With Low | Tilt for Service Feature |
| Density Polyethylene Door | 14 In. Impeller Diameter |
| 14 Bushel Capacity | 6 In. Diameter Chute |
| Electrical Power Dump From | Quick Detach Blower |
| Operator Seat | Weight Bracket |
| Attaching Framework | |
| 7-Iron Blower | |

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

| | | |
|--------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| 0776TC | 14 Bushel Dump From Seat Material Collection System For Z997R 60/72 In. Side Discharge Diesel Z-TRAK Mowers <i>For MY15 and newer Z997R with 60/72 In. side discharge decks and 60 In. Mulch-On-Demand decks only. Refer to Sales Manual for Proper Ballast Requirements.</i> | 4,289.00 |
|--------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|

DESTINATION

| | | |
|------|---------------------------|---------------|
| 001A | United States and Canada | In Base Price |
| 001C | Australia and New Zealand | Same Price |

ATTACHING PARTS

| | | |
|------|----------------------------------------------------------------------------------------------------------------|---------------|
| 3405 | Attaching Parts for 60 In. 7-Iron PRO Decks <i>For all 997 w/60" side discharge decks.</i> | In Base Price |
| 3406 | Attaching Parts for 72 In. 7-Iron PRO Decks <i>For all 997 w/72" side discharge decks.</i> | 13.00 |
| 3408 | Attaching Parts for 60 In. 7-Iron PRO Mulch-On-Demand Decks <i>For all 997 w/60" Mulch-On-Demand decks.</i> | 188.00 |
| 3490 | Less Attaching Parts | -284.00 |

BLOWER

| | | |
|------|-------------------------------------------------------------------|---------------|
| 3500 | 7-Iron Blower for 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks | In Base Price |
| 3520 | Less Blower | -715.00 |

ATTACHMENTS FOR FIELD CONVERSION

| | | |
|----------|---------------------------------------------------------------------------------|--------|
| | Material Collection System: | |
| TCB11690 | 7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks | 861.36 |
| BTC10264 | Attaching Parts for Blower <i>For all 997 with 72" side discharge decks.</i> | 350.96 |

JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

**14 Bushel Dump From Seat Material Collection System For Z997R 60/72 In. Side
Discharge Diesel Z-TRAK Mowers**

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|
| | | ATTACHMENTS FOR FIELD CONVERSION Continued... | |
| | BTC10265 | Attaching Parts for Blower <i>For all 997 with 60" Mulch-On-Demand decks.</i> | 556.40 |
| | BTC10266 | Attaching Parts for Blower <i>For all 997 with 60" side discharge decks.</i> | 335.99 |
| | | Weights: | |
| | R66949 | Quik-Tatch Weight, 42 Lb. | 59.91 |
| | DMA210494 | Upper Weight Bracket (997) <i>Equipment for Base Machine Weight Bracket, Order if so needed. Refer to Sales Manual for Proper Ballast Requirements. Refer to Parts Catalog for Additional Required Hardware.</i> | 284.36 |

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Current Attachments for Non-Current Commercial Zero-Turn-Radius Mowers and Equipment

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|-----------------------------------------------|-----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|
| ATTACHMENTS FOR FIELD CONVERSION | | | |
| Material Collection System: | | | |
| TCB11690 | | 7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks | 861.36 |
| TCB11732 | | Attaching Parts for 48 In. 7-Iron Estate and 7-Iron PRO Decks <i>For all Z500A, Z800A & Z900A with 48" side discharge decks.</i> | 891.31 |
| TCB11735 | | Attaching Parts for 48 In. and 54 In 7-Iron PRO Mulch-on-Demand Decks <i>For all Z800A & Z900A with 48" & 54" Mulch-on-Demand decks.</i> | 1,145.97 |
| TCB11075 | | Attaching Parts for 48 In. and 54 In. 7-Iron and 7-Iron II Decks (717A, 727A) | 488.99 |
| TCB11736 | | Attaching Parts for 54 In. 7-Iron Estate and 7-Iron PRO Decks <i>For all Z500A, Z800A & Z900A with 54" side discharge decks.</i> | 891.31 |
| TCB11074 | | Attaching Parts for 54 In. 7-Iron and 7-Iron II Decks (737, 757) | 503.97 |
| TCB11088 | | Attaching Parts for 60 In. 7-Iron and 7-Iron II Mulch on Demand Deck (757) | 503.97 |
| TCB11734 | | Attaching Parts for 60 In. Z-Trak Estate <i>For Z520A.</i> | 891.31 |
| TCB11234 | | Chute | 161.57 |
| Miscellaneous: | | | |
| TCA17208 | | Bumper Kit <i>Requires (2) 19M7817.</i> | 126.02 |
| TCB11673 | | Bumper Kit <i>Z700A Mowers.</i> | 107.00 |
| TCB11281 | | Front Light (2) Kit | 247.17 |
| Mower Deck and Mower Deck Attachments: | | | |
| TCB10801 | | Cloth Grass Catcher (3.5 Bushel) | 439.77 |
| TCB10952 | | Mulch Kit (48 In. 7-Iron, 7-Iron II and 7-Iron PRO) | 298.53 |
| TCB11469 | | Mulch Kit (54 In. 7-Iron, 7-Iron II, 7-Iron PRO and HC) | 309.23 |
| TCB11228 | | Rear Anti-Scalp Wheel Kit <i>For Z710 and Z720.</i> | 173.34 |
| TCB11266 | | Roller Striping Kit for 48 In. Deck <i>For Z710.</i> | 448.33 |
| TCB11229 | | Roller Striping Kit for 54 In. Deck <i>For Z710.</i> | 448.33 |
| TCB11230 | | Roller Striping Kit for 60 In. Deck <i>For Z720.</i> | 448.33 |
| Mulch Kits: | | | |

JOHN DEERE TURF & UTILITY PRODUCTS
 COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Current Attachments for Non-Current Commercial Zero-Turn-Radius Mowers and Equipment

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|----------|-----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|
| | | ATTACHMENTS FOR FIELD CONVERSION Continued... | |
| TCB10953 | | Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO) | 326.36 |
| TCB10900 | | Weights: (1) Caster Wheel Weight <i>For 717A, 727A Mini-Frame Z-TRAK Mowers. Requires Additional Attaching Hardware: (1) N231578 (2) E54809, (2) 24M7180.</i> | 136.96 |
| TCB11099 | | Lower Weight Bracket <i>Requires R66949 Quik-Tatch Weight 42 lb., Refer to Sales Manual for Proper Ballast Requirements.</i> | 156.21 |