



January 1, 2020

PRODUCT AND PRICING BULLETIN

NEW HOLLAND BRAND PRODUCTS, U.S. NO. 20-09A

NEW HOLLAND DEALERS WITH H&F AGREEMENT

**SUBJECT: HAYING EQUIPMENT: CROP PACKAGING - UPDATED PRICE & DATA
PAGES EFFECTIVE 1/1/20**



The MY2020 Crop Packaging Price & Data pages have been revised and will be effective with orders placed beginning January 1, 2020. Fast pick selection has been expanded and associated pricing adjustments will be reflected on all new dealer orders; orders placed prior to period two will be protected from these adjustments.

Please note the following changes that have been made to Crop Packaging products with the goal of simplifying the ordering process and aligning better with dealer requests:

- Fast pick packages have been created for the following models
 - Model 72 Bale Thrower
 - RF Series Fixed Chamber Round Balers
 - RF440 Utility and RF450 Utility in twine, net or twine & net configurations with available performance pack
 - RF450 SuperFeed™ in net or net & twine configurations
 - Combi Bale Wrappers (4'x5' and 4'x6')
 - Stackcruiser® Series Self-Propelled Bale Wagons (all models)

This bulletin and the price pages can be accessed via the Dealer Portal if you have the Hay & Forage agreement with New Holland. Log on to the Dealer Portal, with the "Wholegoods" button displayed, click on "Pricing," click on "Hay & Forage," then click "Crop Packaging." The latest published item will appear at the top of the list.

Please replace your current P&D pages with those attached to this bulletin.

Good Selling!

Seth Wilson
Director, Sales Operations
New Holland, North America

Dan Valen
Director, Product Marketing
New Holland, North America

Attachment



HAYING EQUIPMENT INDEX - CROP PACKAGING

<u>EQUIPMENT DESCRIPTION</u>	<u>LATEST REVISION</u>	<u>PAGE NUMBER</u>
Index	01/01/20	1
<u>*Small Square Balers</u>		
BC5050 (14" x 18" bale) - Current Inventory Only	09/01/18	2-3
BC5060 (14" x 18" bale)	01/01/20	4-6
BC5070 (14" x 18" bale)	01/01/20	7-10
BC5080 (16" x 18" bale) - Current Inventory Only	09/01/18	11-12
72 Belt-Type Bale Thrower	01/01/20	13-14
<u>*Large Square Balers</u>		
BigBaler 230 (27.6" x 31.5" bale) - Current Inventory Only Standard & CropCutter® Packer Cutter	09/01/18	15-20
BigBaler 330 (35.4" x 31.5" bale) Standard, CropCutter® Packer Cutter, & CropCutter® Rotor Cutter	01/01/20	21-31
BigBaler 340 (35.4" x 47.3" bale) Standard, & CropCutter® Rotor Cutter	01/01/20	32-40
<u>*RF Series Fixed Chamber Round Balers</u>		
RF 440 Utility baler (47" x 47" bale)	01/01/20	41-44
RF 450 Utility baler (47" x 59" bale)	01/01/20	45-48
RF 450 SuperFeed™ baler (47" x 59" bale)	01/01/20	49-51
<u>*Roll-Belt™ Round Balers</u>		
Roll-Belt™ 450 Utility (46.5" x 60" bale)	01/01/20	52-54
Roll-Belt™ 450 DRY HAY (46.5" x 60" bale)	01/01/20	55-61
Roll-Belt™ 450 SILAGE (46.5" x 60" bale)	01/01/20	62-74
Roll-Belt™ 460 DRY HAY (46.5" x 72" bale)	01/01/20	75-81
Roll-Belt™ 460 SILAGE (46.5" x 72" bale)	01/01/20	82-93
Roll-Belt™ 550 DRY HAY (61.5" x 60" bale) - Current Inventory Only	09/01/18	94-99
Roll-Belt™ 560 DRY HAY (61.5" x 72" bale)	01/01/20	100-106
Roll-Belt™ 560 SPECIALTY CROP (61.5" x 72" bale)	01/01/20	107-115
COMBI Bale Wrapper	01/01/20	116-118
<u>*Automatic Bale Wagons</u>		
Stackcruiser® 102, 103 & 105	01/01/20	119-121
<u>Parts Division Supplied Accessories</u>	01/01/20	122-130

* Weights defined as shipping weight includes crate weight when item is crate shipped.



MODEL BC5050 SMALL SQUARE BALER
US PRICE LIST

(New Holland, PA)

Standard Equipment

65 in. w/o Flare SuperSweep 4-bar
pickup with 88 curved fingers, gauge
wheel, belt and chain drive
283 sq. in. Feed Opening
Bale Length Control for 12 in. to 52 in.
length bales
14 in. x 18 in. Bale Chamber
6 Hay Dogs
Exclusive Flow-Action Feeding System
Adjustable Feeder Back
Enclosed Automotive-type Hypoid Gear
and Pinion Main Drive Gearbox
3-Joint HD Power Pivot PTO with hose
storage
Long Tongue, Hitch and Jack
Hardened steel bill-hook Rollers and
Knotter Cams
Hard Faced Needles

Gear Driven Knotters
79 spm Plunger mounted completely
on 5 sealed ball bearing rollers and
2 slide blocks
Variable Windguard
Bale Counter
Heavy-Duty Screw Type Jack
Rope controlled Tongue Latch
Conveniently located Toolbox
4 Ball Twine Box
Safety Tow Chain
Tire Bundle:
Right - 25 x 7-50-15, 6 PR
Left - 27 x 9-50-15, 6 PR

WARRANTY
New Holland Standard Warranty Applies

Models

COMMERCIAL MODEL	TWINE-WIRE	Weight	Factory Data	List Price
BC5050	Twine	3,020 LB	9018446P12	\$23,956.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

COMPLETING PACKAGE

BALE CHUTE OPTIONS WHEN NOT USING A BALE THROWER

SD B8408 - BALE CHUTE

	15223	Triple Purpose Bale Chute	39 LB	9000110P88	\$144.00
	710230	Quarter-Turn Bale Chute	91 LB	9000393P47	\$511.00

**MODEL BC5050 SMALL SQUARE BALER
US PRICE LIST**

(New Holland, PA)

FACTORY SUPPLIED OPTIONS

WAGON HITCH

SD 41015 HITCH AND CHUTE KIT

		715231	Wagon Hitch and Chute Kit (For use with triple purpose bale chute)	122 LB	9000452P76	\$588.00
--	--	--------	---	--------	------------	----------

HYDRAULIC KITS

SD B4101 HYDRAULIC SWING TONGUE

		715232	Hydraulic Swing Tongue	68 LB	9000436P59	\$567.00
--	--	--------	------------------------	-------	------------	----------

SD B6502 HYDRAULIC PICKUP LIFT

		715245	Hydraulic Pickup Lift Kit	24 LB	9000393P47	\$511.00
--	--	--------	---------------------------	-------	------------	----------

LIGHT KITS

SD 06028 WORK LIGHTS

		715233	Halogen Work Light Kit	20 LB	9000539P77	\$701.00
--	--	--------	------------------------	-------	------------	----------

SD 06043 ROAD LIGHTS

		717689	Road Light Kit	30 LB	9000614P46	\$798.00
--	--	--------	----------------	-------	------------	----------

SD 06067 ROAD AND WORK LIGHTS

		717690	Road/Halogen Work Light Kit	30 LB	9000942P48	\$1,224.00
--	--	--------	-----------------------------	-------	------------	------------

LANGUAGE KITS

SD 47083 OPERATOR'S MANUAL

		715257	French Canadian Manual - NA	1 LB		No Charge
		715309	Spanish Manual - NA	1 LB		No Charge
		X47083X	No Additional Operators Manual			No Charge



MODEL BC5060 SMALL SQUARE BALER
US PRICE LIST

(New Holland, PA)

Standard Equipment

65 in. w/o Flare SuperSweep 5-bar
pickup with 110 curved fingers, gauge
wheel, belt and chain drive
283 sq. in. Feed Opening
Bale Length Control for 12 in. to 52 in.
length bales
14 in. x 18 in. Bale Chamber
6 Hay Dogs
Exclusive Rotary Feeding System
(2 rotors)
Enclosed Automotive-type Hypoid Gear
and Pinion Main Drive Gearbox
Hardened steel bill-hook Rollers and
Knotter
Cams on Twine Balers
Hard Faced Needles
Gear Driven Knotters/Twisters
93 spm Plunger mounted completely
on 5 sealed ball bearing rollers and
2 slide blocks

Bale Counter
Heavy-Duty Screw Type Jack
Rope controlled Tongue Latch
Conveniently located Toolbox
6-Ball Twine Box (twine balers)
4-Coil Wire Carrier (wire balers)
Heavy-Duty Wheels and Spindles
Clevis Hitch
3-Joint HD Power-Pivot PTO Drive
(Cat. 6) with hose storage
Safety Tow Chain
Tire Bundle:
Right - 27 x 9.50-15, 6 PR
Left - 31 x 13.50-15, 6 PR

WARRANTY
New Holland Standard Warranty Applies

Models

COMMERCIAL MODEL	TWINE-WIRE	Weight	Factory Data	List Price
BC5060	Twine	3,230 LB	9021560P00	\$28,000.00
BC5060	Wire	3,230 LB	9022454P74	\$29,162.00

**MODEL BC5060 SMALL SQUARE BALER
US PRICE LIST**

(New Holland, PA)

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

	X0561XX	BC5060 TWINE FP FAST PICK PKG PRICE = 5% SAVINGS OVER ALA-CART ORDER BC5060 Twine Fast Pick Package Contains: 726613 SPRING TENSION 8069809 FLOTATION TIRE BUNDLE, 27X9.50-15, 31X13.5-15 715236 CLEVIS HITCH Available Options: X9734XX PERFORMANCE PACKAGE 25 CHOICE OF BALE CHUTE		(901001P00)	(\$1,300.00)
	XT9981X	Less Fast Pick Config Fast Pick configurations are complete packaged units. Selecting any option outside of a Fast Pick configuration, unless specifically allowed eliminates the Fast Pick ordering incentive. LESS FAST PICK CONFIG = A LA CARTE ORDERING AND PRICING			No Charge

PACKAGE

SD_T9987 PERFORMANCE PACK

	X9734XX	PERFORMANCE PACK 25 Includes: 715232 Hydraulic Swing Tongue 715245 Hydraulic Pickup Lift Kit		(900041P58)	(\$54.00)
--	---------	--	--	-------------	-----------

COMPLETING PACKAGES

BALE CHUTE OPTIONS WHEN NOT USING A BALE THROWER

SD_B8408 BALE CHUTE

	715223	Triple Purpose Bale Chute	39 LB	9000113P96	\$148.00
	715230	Quarter-Turn Bale Chute	91 LB	9000405P02	\$526.00

**MODEL BC5060 SMALL SQUARE BALER
US PRICE LIST****(New Holland, PA)****FACTORY SUPPLIED OPTIONS****TENSION**

SD_B6302 TENSION

		726613	Spring Tension			No Charge
		726614	Hydraformatic Tension		9001121P89	\$1,457.00

HYDRAULIC KITS

SD_B4101 HYDRAULIC SWING TONGUE

		715232	Hydraulic Swing Tongue	68 LB	9000471P24	\$612.00
--	--	--------	------------------------	-------	------------	----------

SD_B6502 HYDRAULIC PICKUP LIFT

		715245	Hydraulic Pickup Lift Kit	24 LB	9000425P04	\$552.00
--	--	--------	---------------------------	-------	------------	----------

BALE CASE EXTENSION KIT

SD_B8401 BALE CASE EXT KIT

		715240	Bale Case Extension Kit (Not for use with bale thrower; recommended with quarter turn bale chute)	82 LB	9000313P39	\$407.00
--	--	--------	---	-------	------------	----------

LANGUAGE KITS

SD_47083 OPERATOR'S MANUAL

		715257	French Canadian Manual - NA	1 LB		No Charge
		715309	Spanish Manual - NA	1 LB		No Charge
		X47083X	No Additional Operators Manual			No Charge



**MODEL BC5070 SMALL SQUARE BALER
US PRICE LIST**

(New Holland, PA)

Standard Equipment

75 in. w/o Flare SuperSweep 6-bar pickup with 156 curved fingers, gauge wheel with roller bearings, belt and chain drive
283 sq. in. Feed Opening
Bale Length Control for 12 in. to 52 in. length bales
14 in. x 18 in. Bale Chamber
6 Hay Dogs
Exclusive Rotary Feeding System (3 rotors)
Enclosed Automotive-type Hypoid Gear and Pinion Main Drive Gearbox
Heavy-Duty Knotters with hardened steel billhook
Rollers and Knotter Cams on Twine Balers
Hard Faced Needles
Gear Driven Knotters/Twisters
93 spm Plunger mounted completely on 5 sealed ball bearing rollers and 2 slide blocks
Bale Counter
Heavy-Duty Screw-Type Jack
Rope controlled Tongue Latch
Conveniently located Toolbox
4-Way Bale Tension (2 doors)
8-Ball (std. size) Twine Box (twine balers)

4-Coil Wire Carrier (wire balers)
Heavy-Duty Wheels and Spindles
Clevis Hitch
3-Joint HD Power-Pivot PTO Drive (Cat. 6) with hose storage
3 Disc Slip Clutch
Safety Tow Chain
Tire Bundle:
Right - 27 x 9.50-15, 6 PR
Left - 31 x 13.50-15, 6 PR

"Hayliner"
Heavy-Duty 8-ball Twine Box
Hydraulic SideTension Rails
Cast Iron Hay Wedges
12" Longer/heavier Bale Case (Not compatible with Model 72 Bale Thrower)
Hardened Plunger Rails
Tire Bundle:
Right - 11L x 14, 6 PR
Left - 14L - 16.1, 8 PR

WARRANTY
New Holland Standard Warranty Applies

Models

COMMERCIAL MODEL	TWINE-WIRE	Weight	Factory Data	List Price
BC5070	Twine	3,420 LB	9024751P65	\$32,145.00
BC5070	Wire	3,420 LB	9026768P28	\$34,764.00
Includes the following Equipment Hydraformatic Tension (726614) \$1,457.00				
BC5070 HAYLINER	Twine	3,420 LB	9028062P65	\$36,445.00
Includes the following Equipment Hydraulic Swing Tongue (715232) \$612.00 Hydraformatic Tension (726614) \$1,457.00 Hydraulic Pickup Lift Kit (715245) \$552.00				



**MODEL BC5070 SMALL SQUARE BALER
US PRICE LIST**

(New Holland, PA)

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

X0571XX	BC5070 TWINE FP FAST PICK PKG PRICE = 5% SAVINGS OVER ALA-CART ORDER BC5070 Twine Fast Pick Package Contains: 726614 HYDRAFORMATIC TENSION 8069809 FLOTATION TIRE BUNDLE 27X9.50-15, 31X13.5-15 715236 CLEVIS HITCH Available Options: X9734XX PERFORMANCE PACK 25 CHOICE OF BALE CHUTE		(901197P35)	(\$1,555.00)
X0572XX	BC5070 HAYLINER FP FAST PICK PKG PRICE = 5% SAVINGS OVER ALA-CART ORDER BC5070 Hayliner Fast Pick Package Contains: 726614 HYDRAFORMATIC TENSION 8068809 HIGH FLOTATION TIRE BUNDLE 11L-14, 14L-16.1 715236 CLEVIS HITCH 715232 HYDRAULIC SWING TONGUE 715245 HYDRAULIC PICKUP LIFT Available Options: CHOICE OF BALE CHUTE		(901301P30)	(\$1,690.00)
XT9981X	Less Fast Pick Config Fast Pick configurations are complete packaged units. Selecting any option outside of a Fast Pick configuration, unless specifically allowed eliminates the Fast Pick ordering incentive. LESS FAST PICK CONFIG = A LA CARTE ORDERING AND PRICING			No Charge

**MODEL BC5070 SMALL SQUARE BALER
US PRICE LIST****(New Holland, PA)****PACKAGE****SD_T9987 PERFORMANCE PACK**

		X9734XX	PERFORMANCE PACK 25 Includes: 715232 Hydraulic Swing Tongue 715245 Hydraulic Pickup Lift Kit		(900041P58)	(\$54.00)
--	--	---------	--	--	-------------	-----------

COMPLETING PACKAGES**BALE CHUTE OPTIONS WHEN NOT USING A BALE THROWER****SD_B8408 BALE CHUTE**

		715223	Triple Purpose Bale Chute	39 LB	9000113P96	\$148.00
		715230	Quarter-Turn Bale Chute	91 LB	9000405P02	\$526.00

FACTORY SUPPLIED OPTIONS**WAGON HITCH****SD_41039 HITCH**

		715236	Clevis Hitch	20 LB		No Charge
For Hayliner Units Only						
		715243	Ball Hitch	33 LB	9000184P03	\$239.00

TENSION**SD_B6302 TENSION**

		726613	Spring Tension			No Charge
		726614	Hydraformatic Tension		9001121P89	\$1,457.00

HYDRAULIC KITS**SD_B4101 HYDRAULIC SWING TONGUE**

		715232	Hydraulic Swing Tongue	68 LB	9000471P24	\$612.00
--	--	--------	------------------------	-------	------------	----------

SD_B6502 HYDRAULIC PICKUP LIFT

		715245	Hydraulic Pickup Lift Kit	24 LB	9000425P04	\$552.00
--	--	--------	---------------------------	-------	------------	----------

BALE CASE EXTENSION KIT**SD_B8401 BALE CASE EXT KIT**

		715240	Bale Case Extension Kit (Not for use with bale thrower; recommended with quarter turn bale chute)	82 LB	9000313P39	\$407.00
--	--	--------	---	-------	------------	----------



**MODEL BC5070 SMALL SQUARE BALER
US PRICE LIST**

(New Holland, PA)

LANGUAGE KITS

SD_47083 OPERATOR'S MANUAL

		715257	French Canadian Manual - NA	1 LB		No Charge
		715309	Spanish Manual - NA	1 LB		No Charge
		X47083X	No Additional Operators Manual			No Charge

MODEL BC5080 SMALL SQUARE BALER
US PRICE LIST

(New Holland, PA)

Standard Equipment

PICKUP

75 in. w/o Flare SuperSweep 6-bar pickup with 156 curved fingers, gauge wheel with roller bearings, belt and chain drive
318 sq. in. Feed Opening
Bale Length Control for 12 in. to 52 in. length bales
16 in. x 18 in. Bale Chamber
6 Hay Dogs
Exclusive Rotary Feeding System (3 rotors)
Enclosed Automotive-type, Heavy-Duty Hypoid Gear and Pinion Plunger Drive Gearbox
30 in. Plunger Travel
Heavy-Duty Knotters with hardened steel billhook
Rollers and Knotter Cams
Hard Faced Needle and Eye
Bale Case Extension Kit
Gear Driven Knotters
93 spm Plunger mounted completely on 6 sealed ball bearing rollers and 2 slide blocks

Bale Counter
Heavy-Duty Screw Type Jack
Rope Controlled Tongue Latch
Conveniently located Toolbox
Heavy-Duty Bale Case
Hydraformatic Bale Tension
Hydraulic Pickup Lift
Hydraulic Swing Tongue
4-Way Bale Tension (4 doors)
8- Ball (tall size) Twine Box
Heavy Duty Wheels and Spindles
Work Light Kit
3-Joint HD Power-Drive PTO Drive (Cat. 6) with base storage
3 Disc Slip Clutch
Safety PTO Chain
New shielding design for improved machine access
New front open plunger cover shield
Tire Bundle:
Right - 11L x 14, 6 PR
Left - 14L-16.1, 8 PR

WARRANTY
New Holland Standard Warranty Applies

NOT AVAILABLE IN QUEBEC

Models

COMMERCIAL MODEL	TWINE-WIRE	Weight	Factory Data	List Price
BC5080	Twine	4,100 LB	9029720P46	\$38,598.00
Includes the following Equipment				
Halogen Work Light Kit (715233)	\$701.00			
Hydraulic Swing Tongue (715232)	\$567.00			
Hydraformatic Tension (726614)	\$1,349.00			
Hydraulic Pickup Lift Kit (715245)	\$511.00			
Quarter-Turn Bale Chute (715230)	\$511.00			



MODEL BC5080 SMALL SQUARE BALER
US PRICE LIST

(New Holland, PA)

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
WAGON HITCH				
SD 41039 HITCH				
715243	Ball Hitch	33 LB	9000120517	\$221.00
LIGHT KITS				
SD 06028 WORK LIGHTS				
715233	Halogen Work Light Kit	30 LB	9000539P77	\$701.00
SD 06043 ROAD LIGHTS				
717689	Road Light Kit	30 LB	9000614P46	\$798.00
SD 06067 ROAD AND WORK LIGHTS				
717690	Road/Halogen Work Light Kit	30 LB	9000942P48	\$1,224.00
LANGUAGE KITS				
SD 47083 OPERATOR'S MANUAL				
715309	Spanish Manual - NA	1 LB		No Charge
X47083X	No Additional Operators Manual			No Charge



**MODEL 72 BELT-TYPE HYD BALE THROWER
US PRICE LIST**

(New Holland, PA)

Standard Equipment

Hydraulic Drive
Two Thrower Belts
Electric Speed and Hydraulic Direction
Control
Travel Lock
Swing-up Lower Roll
Visible Speed Indicator
Adjustable Roll Positions
Two Position Wagon Hitch for
Twine PTO Models BC5050,
BC5060 and BC5070 Balers

Not compatible with model BC5070
"Hayliner" configurations

WARRANTY
New Holland Standard Warranty Applies

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
72 BC5050	958 LB	9006929P23	\$8,999.00
72 BC5060,BC5070	958 LB	9006929P23	\$8,999.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

	XT9981X	Less Fast Pick Config Fast Pick configurations are complete packaged units. Selecting any option outside of a Fast Pick configuration, unless specifically allowed eliminates the Fast Pick ordering incentive. LESS FAST PICK CONFIG = A LA CARTE ORDERING AND PRICING			No Charge
	XH950XX	72 BALE THROW FP1 72 Belt Thrower Fast Pick - For BC5050 FAST PICK PKG PRICE = ~5% SAVINGS OVER A LA CARTE ORDER		(900308P00)	(\$400.00)
	XH951XX	72 BALE THROW FP2 72 Belt Thrower Fast Pick - For BC5060, BC5070 FAST PICK PKG PRICE = ~5% SAVINGS OVER A LA CARTE		(900308P00)	(\$400.00)



MODEL 72 BELT-TYPE HYD BALE THROWER
US PRICE LIST

(New Holland, PA)

FACTORY SUPPLIED OPTIONS

LANGUAGE KITS

SD_47083 OPERATOR'S MANUAL

		725023	French Manual	1 LB		No Charge
		X47083X	No Additional Operators Manual			No Charge

**BIGBALER 230 PLUS
US PRICE LIST**

**(PORT OF ENTRY)
Standard Equipment**

BIGBALER 230 KEY SALES FEATURES:

Next generation of New Holland "Silage Ready" professional-grade large square balers offer up to 20% more capacity with 48 sprokes per min and up to 5% greater bale density compared to BigBaler 230 Series balers.

The MaxiSweep™ pickup features new "S"- shaped side sheets, over-shot and undershot feed augers, and a powered feed assist roller to keep crop moving into the feeder channel for high-capacity baling operations. The new PLUS balers feature a 31.5 inch longer bale chamber that's a 31% increase in length, for more consistent density and improved bale shape. New LED lights at the pickup, RH/LH stuffer, knotter, needle, and twine box lights for brighter illumination. Standard color/functional coded hydraulic lines.

BALE DIMENSIONS

Width	31.5 in. (800mm)
Height	27.6 in. (700mm)
Max. Length	108 in. (2500mm)

MAXISWEEP™ PICKUP

- Full width feed assist roller with overshot-undershot augers at both ends, "S" shaped side sheets, and spring suspended roller windguard for smooth feeding of over width windrows.
- Windguard and pickup gauge wheels adjust without tools.

PICKUP DIMENSIONS/STD. FEATURES

- 70 in. flare-to-flare
- 70 in. tine-to-tine
- Gauge wheels (2) 15 x 6.00-6, 4PR
- Standard Crop Flares
- Curved Steel Coil Tines
- Poly Pickup Guards

PRECHAMBER FEEDING SYSTEMS

- Standard Model
 - 2 Packer forks w/ 6 tines
- Packer Cutter Model
 - 3 packer forks w/ 6 tines

STUFFER SYSTEMS

- Gearbox Driven Stuffer Assembly
- Standard Model
 - Forks type w/ 6 tines
- Packer Cutter Model
 - Fork type w/ 6 tines

**CROPCUTTER™ PACKER CUTTER
SYSTEM**

- 6 knives (4.5 in. cut width)
- Knives have automatic spring protection
- Knives hydraulically engaged from tractor

PRE-CHARGE CHAMBER

- Chamber fill crop sensor plates and SmartFill™ right/left driving indicator system.
- Split upper pre-charge chamber guards (Standard & Packer Cutter)

CHAMBER & PLUNGER

- Bale Density System - adjustable, automatic
- Full Bale & Partial Bale Active Bale Eject-tractor remotes required for operation
- Plunger Speed = 48 SPM
- Plunger Stroke = 28 in. (710mm)
- Plunger Drive = triple reduction drive direct from gearbox

KNOTTING & TWINE CAPACITY

- Flip Up Pivoting Twine Boxes
- (4) Heavy Duty Double-Tie Knotters
- Knotter Drive - gearbox and shaft
- (2) Knotter Fans

**BIGBALER 230 PLUS
US PRICE LIST**

**(PORT OF ENTRY)
Standard Equipment**

- Twine Capacity = 32 balls
- Individual Mistie Sensors
- Needle Slot Baffles

- Standard Model
 - 102 PTO hp minimum
 - 120 PTO hp recommended

MONITORS:

- Virtual Terminal Capability (ISOBUS) for use with IntelliView™ III or IV monitors.
- Bale Drop Indicator (roller chute only)

- Packer Cutter Model
 - 110 PTO hp minimum
 - 130 PTO hp recommended

STANDARD FEATURES

- Universal Control Module (UCM) equipped
- ISOBUS III with AEF Certification
- Swivel Ball Hitch
Includes both 1 1/4 in. & 1 5/8 in. interchangeable diameters
- HD Slip Clutch with overrunning clutch
- Safety Chain and Parking Jack
- Road Lights and Work Lights
- Automatic Centralized Greasing system with quick fill adapter
- Automatic Chain Lubrication System
- Front, Folding Right, Left and Rear Service Deck Safety Rails

HYDRAULIC REQUIREMENTS

- (1) Single Acting for pickup lift
- (1) Double Acting for bale ejector tandem axle
- (1) Double Acting Remote Valve to operate cutter knife system
- (1) Double Acting for OPTIONAL Hydraulic Jack if equipped

TIRE OPTIONS:

- Single Axle
 - 600/50 x 22.5, 12 PR or
 - 700/40 22.5 16 PR

- Auto-Steer™ Tandem Axle
 - 500/50 x 17, 14 PR

- Large Auto-Steer™ Tandem Axle
 - 560/45 R22.5

TRACTOR REQUIREMENTS

- Clevis Style hitch
- PTO Speed 1000 rpm
1-3/8 in. 21-Spline 1000 PTO

WARRANTY

New Holland Standard Warranty Applies

POWER REQUIREMENTS



**BIGBALER 230 PLUS
US PRICE LIST**

(PORT OF ENTRY)
Models

COMMERCIAL MODEL	FEEDING SYSTEM	Weight	Factory Data	List Price
BIGBALER 230S PLUS	Standard	19,310 LB	9096387P06	\$125,176.00
BIGBALER 230P PLUS	Packer Cutter		9102679P50	\$133,350.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

COMPLETING PACKAGES

BIG BALER AXLES

SD 15001 AXLES

	422090	Lg Steer Tandem Axle w/ Hyd Br		9009996P91	\$12,983.00
	422237	Large Steer Tandem Axle		9008733P34	\$11,342.00
	722446	AutoSteer Tandem Axle w/Hyd Br		9008794P94	\$11,422.00
	722448	AutoSteer Tandem Axle		9007532P14	\$9,782.00
	722007	Single Axle w/ Hyd Brakes		9002517P90	\$3,270.00
	722325	Single Axle			No Charge

HAYTOOLS TIRES AND WHEELS

BIG BALER TIRES AND WHEELS

SD 16066 WHEELS AND TIRES

	8506012	WH 600/50R22.85-16 Alliance Brand			No Charge
	8025012	WH700/40R22.5-32 Alliance		9000218P68	\$284.00
	8504012	WH500/50-17-14PR Alliance			No Charge
	8506010	WH 500/45R22.5-152D Alliance Brand		9003572P03	\$4,639.00

FACTORY SUPPLIED OPTIONS

P. T. O. OPTIONS

SD 03011 PTO

	722376	1-3/4 in. 20 spline			No Charge
--	--------	---------------------	--	--	-----------

BIGBALER 230 PLUS US PRICE LIST

(PORT OF ENTRY)

BALE CHUTES

SD B8403 BALE CHUTE GROUP

		462514	ST P EJ/ROL CH/BAL W Includes standard and partial bale eject with folding hydraulic roller chute with factory fitted & calibrated bale weight kit.		9007983P36	\$19,368.00
		422089	Folding Hyd Roller Chute		9003432P36	\$4,458.00
		422212	Single Piece Roller Chute		9002855P93	\$3,709.00
		422087	Less Bale Chute			No Charge

BIG BALER MONITORS

SD B6301 CONTROL GROUP

		422996	Large Color Monitor (Intelliview IV)		9004427P50	\$5,750.00
		422995	COLOUR MONITOR 422995 (Intelliview III)		9002132P90	\$2,770.00
		422994	No Monitor 422994 (Using Tractor VT)			No Charge

BALE WEIGHT SYSTEM

SD 27053 BALE WEIGHT SYSTEM

		412020	Bale Weight System FI Field Installed		9004280P43	\$5,559.00
--	--	--------	---	--	------------	------------

CAMERA

SD 21014 CAMERAS

		439155	CAM&ADD MON KIT FI Field installed camera kit with additional monitor for camera.		9002011P24	\$2,612.00
		712828	Camera Kit FI Field Installed camera kit ready to work with Intelliview III or IV color monitor.		9001031P03	\$1,339.00

LIGHT KITS

SD 06074 SERVICE LIGHTS

		462261	SERV LIGHT PACK LED Provides factory fitted right and left twine box lid lights as well as right side stuffer and left side stuffer light strips.		9001011P78	\$1,314.00
--	--	--------	---	--	------------	------------

SD 30031 ROTARY BEACON

		412274	BEACON LED FI Field Installed		9000368P06	\$478.00
--	--	--------	---	--	------------	----------

**BIGBALER 230 PLUS
US PRICE LIST**

(PORT OF ENTRY)

PF PACKAGE

SD 27035 PF PACKAGE

		412025	Moisture Sensor FI Field Installed. Double starwheel type sensor, fully ISOBUS compatible within workscreen.		9003168P55	\$4,115.00
--	--	--------	--	--	------------	------------

BUMPER

SD 39042 BUMPER

		422170	Bumper FF Factory Fitted		9000269P50	\$350.00
--	--	--------	------------------------------------	--	------------	----------

JACK

SD 39044 JACK

		449615	Hydraulic Jack FF Factory Fitted Hydraulic Jack, one additional remote needed.		9000850P85	\$1,105.00
--	--	--------	--	--	------------	------------

COMFORT PACKAGE

SD 50130 COMFORT PACKAGE

		422280	Comfort Package FF Factory Fitted large toolbox and watertank for hand cleaning purposes.		9000686P84	\$892.00
--	--	--------	---	--	------------	----------

BALE LENGTH

SD B8301 BALE LENGTH

		412209	Electronic Bale Length Kit Field Installed electric bale length control		9000954P03	\$1,239.00
--	--	--------	---	--	------------	------------

MISCELLANEOUS

SD 16080 PICK-UP WHEEL

		422583	Pick Up Wheels Standard Fixed Pickup Wheels			No Charge
		462535	CAS PU HEAVY DUTY WHE New Heavy Duty tire (160/65-6.60 A8 Vredestein GreenTrax) for fixed pickup wheels.		9000021P56	\$28.00
		449834	Caster Pick Up Wheel Equipped with standard 15 x 6.00-6 4PR V61 Vredestein.		9000850P85	\$1,105.00
		462536	CAS PU HEAVY DUTY WH New Heavy Duty tire (160/65-6.60 A8 Vredestein GreenTrax) for castoring pickup wheels.		9000872P41	\$1,133.00

**BIGBALER 230 PLUS
US PRICE LIST**

(PORT OF ENTRY)

SD 27062 SOFTWARE UNLOCK CODE

		449902	Feed Rate Unlock Code FF Factory Unlock Code For IntelliCruise on all BigBalers. REQUIRES ISOBUS III New Holland T7 AutoCommand tractor with tractor unlock code as well as Model Year 2016 or later BigBaler and BigBaler unlock code for IntelliCruise to function. If either a T7 or BigBaler unlock code(s) was not purchased with the factory order then contact CNH Industrial Parts & Service for unlock code pricing and activation procedures.		9000286P44	\$372.00
--	--	--------	--	--	------------	----------

SD 43028 TOP SRV DECK TOOLBOX

		462558	TOP SERV DECK TOOLBOX Optional top deck toolbox, positioned next to knotters.		9000089P32	\$116.00
--	--	--------	--	--	------------	----------

OPERATOR'S MANUALS

SD 47083 OPERATOR'S MANUAL

		412136	Spanish - North America			No Charge
		712945	French - North America			No Charge

BIGBALER 330 PLUS US PRICE LIST

(PORT OF ENTRY)

Standard Equipment

BIGBALER 330 KEY SALES FEATURES:

Next generation of New Holland "Silage Ready" professional-grade large square balers offer up to 20% more capacity with 48 sprokes per min and up to 5% greater bale density compared to BigBaler 330 Series balers.

The MaxiSweep™ pickup features new "S"- shaped side sheets, over-shot and undershot feed augers, and a powered feed assist roller to keep crop moving into the feeder channel for high-capacity baling operations. The new PLUS balers feature a 31.5 inch longer bale chamber thats a 31% increase in length, for more consistent density and improved bale shape. New LED lights at the pickup, RH/LH stuffer, knotter, needle, and twine box lights for brighter illumination. Standard color/functional coded hydraulic lines.

BALE DIMENSIONS

Width	35.4 in. (900mm)
Height	31.5 in. (800mm)
Max. Length	108 in. (2500mm)

MAXISWEEP™ PICKUP

- Full width feed assist roller with overshot-undershot augers at both ends, "S" shaped side-sheets, and spring suspended roller windguard for smooth feeding of over width windrows.
- Windguard and pickup gauge wheels adjust without tools.

PICKUP DIMENSIONS/STD. FEATURES

- 77 in. flare-to-flare
- 70 in. tine-to-tine
- Gauge wheels (2) 15 x 6.00-6, 4PR
- Standard Crop Flares
- Curved Steel Coil Tines
- Poly Pickup Guards

PRECHAMBER FEEDING SYSTEMS

- Standard Model
- 2 Packer forks w/ 6 tines

- Packer Cutter Model
 - 3 packer forks w/ 6 tines
- Rotor Cutter Model
 - "W" style rotor with paired offset lobes and cutout clutch with automatic reengagement
 - Speed = 99 rpm
 - Width = 31.5 in (800MM)
 - Diameter = 26 in (650 mm)

CROPCUTTER™ ROTOR CUTTER

- Direct transfer of crop to pre compression chamber
- Knives hydraulically engaged from tractor
- Full access knife drawer slides to left side of baler
- Blanking plates replace knives that are not in use
- Knives have automatic spring protection
- Short Cut Rotor Package STANDARD: (23) Hard-faced knives with short cut spacing of 1.5 in. (39mm)
- Medium Cut Rotor Package OPTION: (9) Hard-faced knives with medium cut spacing of 3.1 in. (79mm)

CROPCUTTER™ PACKER CUTTER

- 6 knives (4.5 in. cut width)
- Knives have automatic spring protection
- Knives hydraulically engaged from tractor

STUFFER SYSTEMS

- Gearbox Driven Stuffer Assembly
- Standard Model
 - Forks type w/ 4 tines

- Packer Cutter Model
 - Fork type w/ 6 tines
- Rotor Cutter Model
 - Forks type w/ 4 tines

PRE-CHARGE CHAMBER

- Chamber fill crop sensor plates and SmartFill™ right/left driving indicator system.
- Split upper pre-charge chamber

**BIGBALER 330 PLUS
US PRICE LIST**

**(PORT OF ENTRY)
Standard Equipment**

- guards(Standard & Packer Cutter)
CHAMBER & PLUNGER
- Bale Density System - adjustable, automatic
 - Full Bale & Partial Bale Eject-tractor remotes required for operation
 - Plunger Speed = 48 SPM
 - Plunger Stroke = 28 in. (710mm)
 - Plunger Drive = triple reduction drive direct from gearbox

KNOTTING & TWINE CAPACITY

- Patented Loop Master™ Knotters
 - Eliminates twine disc cut offs
 - No plastic twine cut offs on or in bales
 - 30% stronger knots allowing the use of lower knot strength twine at the same bale density
 - Lower your operating costs!
- Flip Up Pivoting Twine Boxes
- (4) Heavy Duty Double-Tie Knotters
- Knotter Drive - gearbox and shaft
- (2) Knotter Fans
- Twine Capacity = 32 balls
- Individual Mistie Sensors

MONITORS:

- Virtual Terminal Capability (ISOBUS) for use with IntelliView™ IV monitors.
- Bale Drop Indicator (roller chute only)

STANDARD FEATURES

- Universal Control Module (UCM) equipped
- IntelliCruise Ready - Factory Unlock Code Active
- ISOBUS III with AEF Certification
- Swivel Ball Hitch
Includes Choice of Both 1 1/4 in. & 1 19/64 in. interchangeable Swivel Ball diameters
- HD Slip Clutch with overrunning clutch
- Safety Chain and Parking Jack

- Road Lights and Work Lights- LED
- Service Lights - LED
- Automatic Centralized Greasing system with quick fill adapter
- Automatic Chain Lubrication System
- Front, Folding Right, Left and Rear Service Deck Safety Rails
- Top Service Deck Tool Box
- Bale Bumper

TRACTOR REQUIREMENTS

- Clevis Style hitch
- PTO Speed 1000 rpm
1-3/8 in. 21-Spline 1000 PTO

POWER REQUIREMENTS

- Standard Model
102 PTO hp minimum
120 PTO hp recommended
- Packer Cutter Model
110 PTO hp minimum
130 PTO hp recommended
- Rotor Cutter Model
130 PTO hp minimum
145 PTO hp recommended

HYDRAULIC REQUIREMENTS

- (1) Single Acting for pickup lift
- (1) Double Acting for bale ejector/tandem axle
- (1) Double Acting Remote Valve to operate cutter knife system
- (1) Double Acting for OPTIONAL Hydraulic Jack if equipped

TIRE OPTIONS:

- Single Axle
600/50 R22.5
- Auto-Steer™ Tandem Axle
500/50 x 17, 14 PR
- Large Auto-Steer™ Tandem Axle
560/45 R22.5 or
600/50 R22.5 (Rotor Only)

WARRANTY

New Holland Standard Warranty Applies



**BIGBALER 330 PLUS
US PRICE LIST**

(PORT OF ENTRY)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
BIGBALER 330S PLUS	19,310 LB		\$139,350.00
BIGBALER 330P PLUS	19,310 LB		\$148,176.00
BIGBALER 330R PLUS	19,310 LB		\$156,270.00
Includes the following Equipment Knife Drawer - Abrasive Me (422131) (\$1,510.00)			

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_50164 FAST PICK CONFIG

	X0476XX	NRW STD FAST PICK FAST PICK PKG PRICE = 5% SAVINGS OVER ALA-CART ORDER BigBaler 330 PLUS Standard Fast Pick Package Contains: -722448 (Autosteer Tandem Axle) -8504012 (WH500/50-17.0-14PR Alliance) -722001 (1 3/8 in. 21 Spline PTO) -422089 (Folding Hydraulic Roller Chute) -422996 (Large Color Monitor) -462261 (Service Light Pack LED) -422170 (Bumper) -462952 (Mech Bale Length-FF) -449834 (Caster Pickup Wheel) -449902 (Software Unlock Code) -462558 (Top Service Deck Toolbox)			(\$7,450.00)
--	---------	--	--	--	--------------

**BIGBALER 330 PLUS
 US PRICE LIST**
(PORT OF ENTRY)

		X0477XX	NRW PC FAST PICK FAST PICK PKG PRICE = 5% SAVINGS OVER ALA-CART ORDER BigBaler 330 PLUS CropCutter™ Packer Cutter Fast Pick Package Contains: -722448 (Autosteer Tandem Axle) -8504012 (WH500/50-17.0-14PR Alliance) -722001 (1 3/8 in. 21 Spline PTO) -422089 (Folding Hydraulic Roller Chute) -422996 (Large Color Monitor) -462261 (Service Light Pack LED) -412274 (Rotary Beacon) -422170 (Bumper) -422280 (Comfort Pack) -462321 (Electronic Bale Length) -462536 (Castoring Pickup Gauge Wheels With HD Wheels) -462558 (Top Service Deck Toolbox) -449902 (Software Unlock Code)			(\$7,990.00)
		X0478XX	NRW RC FAST PICK FAST PICK PKG PRICE = 5% SAVINGS OVER ALA-CART ORDER BigBaler 330 PLUS CropCutter™ Rotor Cutter Fast Pick Package Contains: -422237 (Large Steer Tandem Axle) -8506010 (WH560/45R22.5-152-D Alliance) -722001 (1 3/8 in. 21 Spline PTO) -422089 (Folding Hydraulic Roller Chute) -422996 (Large Color Monitor) -462261 (Service Light Pack LED) -412274 (Rotary Beacon) -422170 (Bumper) -422280 (Comfort Pack) -422133 (Knife Drawer - Abrasive Short) -462321 (Electronic Bale Length) -462536 (Castoring Pickup Gauge Wheels With HD Wheels) -462558 (Top Service Deck Toolbox) -449902 (Software Unlock Code)			(\$8,745.00)

**BIGBALER 330 PLUS
 US PRICE LIST**
(PORT OF ENTRY)

	X0491XX	NARROW (3x3) X0491XX FAST PICK PKG PRICE = 5% SAVINGS OVER ALA-CARTE ORDER BigBaler 330 PLUS Standard Fast Pick 01 (Standard) Package Contains: 722001 PTO 1 3/8IN 21 SP.LOW 422996 LARGE COLOR MONITOR 412123 ASAE CAT3 AND ISO CAT2 DRAWBAR KIT 722337 SWIVEL BALL HITCH (HOLE) 422583 FIXED PICK-UP GAUGE WHEELS 722325 SINGLE AXLE (NO BRAKES) 8506012 WH 600/50R22.5-159D ALLIANCE / SINGLE Available Options: X0505XX PERFORMANCE PACKAGE FP01 X0504XX COMFORT PACKAGE Choose One: 422089 STD+PARTIAL EJECT/FOLDING ROLLER CHUTE 422087 LESS BALE CHUTE			(\$6,740.00)
	X0492XX	NARROW (3x3) X0492XX FAST PICK PKG PRICE = 5% SAVINGS OVER ALA-CARTE ORDER BigBaler 330 PLUS Packer Cutter Fast Pick 01 (Standard) Package Contains: 722001 PTO 1 3/8IN 21 SP.LOW 422996 LARGE COLOR MONITOR 412123 ASAE CAT3 AND ISO CAT2 DRAWBAR KIT 722337 SWIVEL BALL HITCH (HOLE) 422583 FIXED PICK-UP GAUGE WHEELS 722325 SINGLE AXLE (NO BRAKES) 8506012 WH 600/50R22.5-159D ALLIANCE / SINGLE Available Options: X0505XX PERFORMANCE PACKAGE FP02 X0504XX COMFORT PACKAGE Choose One: 422089 STD+PARTIAL EJECT/FOLDING ROLLER CHUTE 422087 LESS BALE CHUTE			(\$7,150.00)

**BIGBALER 330 PLUS
US PRICE LIST**

(PORT OF ENTRY)

		X0493XX	<p>NARROW (3x3) X0493XX</p> <p>FAST PICK PKG PRICE = 5% SAVINGS OVER ALA-CARTE ORDER</p> <p>BigBaler 330 PLUS Rotor Cutter Fast Pick 01 (Standard)</p> <p>Package Contains:</p> <p>722001 PTO 1 3/8IN 21 SP.LOW</p> <p>422996 LARGE COLOR MONITOR</p> <p>412123 ASAE CAT3 AND ISO CAT2 DRAWBAR KIT</p> <p>722337 SWIVEL BALL HITCH (HOLE)</p> <p>422131 KNIFE DRAWER ABR MED CUT</p> <p>422583 FIXED PICK-UP GAUGE WHEELS</p> <p>462323 ROT CUT ABR AND STUF</p> <p>722325 SINGLE AXLE (NO BRAKES)</p> <p>8506012 WH 600/50R22.5-159D ALLIANCE / SINGLE</p> <p>Available Options:</p> <p>X0505XX PERFORMANCE PACKAGE FP02</p> <p>X0504XX COMFORT PACKAGE</p> <p>Choose One:</p> <p>422089 STD+PARTIAL EJECT/FOLDING ROLLER CHUTE</p> <p>422087 LESS BALE CHUTE</p>			(\$7,570.00)
		X0507XX	<p>FP02 NARROW (3x3) PA</p> <p>FAST PICK PKG PRICE = 5% SAVINGS OVER ALA-CARTE ORDER</p> <p>BigBaler 330 PLUS Standard Fast Pick 02 (Deluxe)</p> <p>Package Contains:</p> <p>722001 PTO 1 3/8IN 21 SP.LOW</p> <p>422996 LARGE COLOR MONITOR</p> <p>412123 ASAE CAT3 AND ISO CAT2 DRAWBAR KIT</p> <p>722337 SWIVEL BALL HITCH (HOLE)</p> <p>462536 CASTER PICKUP HEAVY-DUTY GAUGE WHEELS</p> <p>462261 SERVICE LIGHT PACK (LED)</p> <p>422170 BUMPER</p> <p>462558 TOP SERVICE DECK TOOLBOX</p> <p>722448 STEER.TAND.AXLE/NO BRAKES</p> <p>8504012 WH500/50-17.0-14PR ALLIANCE/TANDEM</p> <p>Available Options:</p> <p>X0505XX PERFORMANCE PACKAGE FP01</p> <p>X0504XX COMFORT PACKAGE</p> <p>Choose One:</p> <p>422089 STD+PARTIAL EJECT/FOLDING ROLLER CHUTE</p> <p>422087 LESS BALE CHUTE</p>			(\$7,375.00)

**BIGBALER 330 PLUS
 US PRICE LIST**

(PORT OF ENTRY)

		X0508XX	FP02 NARROW (3x3) PC FAST PICK PKG PRICE = 5% SAVINGS OVER ALA-CARTE ORDER BigBaler 330 PLUS Packer Cutter Fast Pick 02 (Deluxe) Package Contains: 722001 PTO 1 3/8IN 21 SP.LOW 422996 LARGE COLOR MONITOR 412123 ASAE CAT3 AND ISO CAT2 DRAWBAR KIT 722337 SWIVEL BALL HITCH (HOLE) 462536 CASTER PICKUP HEAVY-DUTY GAUGE WHEELS 462261 SERVICE LIGHT PACK (LED) 422170 BUMPER 462558 TOP SERVICE DECK TOOLBOX Available Options: X0505XX PERFORMANCE PACKAGE FP01 X0504XX COMFORT PACKAGE Choose One: 422089 STD+PARTIAL EJECT/FOLDING ROLLER CHUTE 422087 LESS BALE CHUTE Choose One: X0496XX AXLE & WHEEL FP01 (STD. STEER TANDEM) X0497XX AXLE & WHEEL FP02 (LRG. STEER TANDEM)			(\$7,295.00)
--	--	---------	--	--	--	--------------

**BIGBALER 330 PLUS
US PRICE LIST**

(PORT OF ENTRY)

		X0509XX	<p>FP02 NARROW (3x3) CC</p> <p>FAST PICK PKG PRICE = 5% SAVINGS OVER ALA-CARTE ORDER</p> <p>BigBaler 330 PLUS Rotor Cutter Fast Pick 02 (Deluxe)</p> <p>Package Contains:</p> <p>722001 PTO 1 3/8IN 21 SP.LOW</p> <p>422996 LARGE COLOR MONITOR</p> <p>412123 ASAE CAT3 AND ISO CAT2 DRAWBAR KIT</p> <p>722337 SWIVEL BALL HITCH (HOLE)</p> <p>422133 KNIFE DRAWER ABR SHORT CUT</p> <p>462536 CASTER PICKUP HEAVY-DUTY GAUGE WHEELS</p> <p>462261 SERVICE LIGHT PACK (LED)</p> <p>422170 BUMPER</p> <p>462558 TOP SERVICE DECK TOOLBOX</p> <p>462323 ROT CUT ABR AND STUF</p> <p>Available Options:</p> <p>X0505XX PERFORMANCE PACKAGE FP01</p> <p>X0504XX COMFORT PACKAGE</p> <p>Choose One:</p> <p>422089 STD+PARTIAL EJECT/FOLDING ROLLER CHUTE</p> <p>422087 LESS BALE CHUTE</p> <p>Choose One:</p> <p>X0496XX AXLE/WHEEL FP01 (STD. STEER TANDEM)</p> <p>X0497XX AXLE/WHEEL FP02 (LRG. STEER TANDEM)</p>			(\$7,785.00)
		X50164X	<p>NO FAST PICK CONFIG</p> <p>Fast Pick configurations are complete packaged units. Selecting any option outside of a Fast Pick configuration, unless sepcifically allowed eliminates the Fast Pick ordering incentive.</p> <p>LESS FAST CONFIG = A LA CARTE ORDERING AND PRICING</p>			No Charge

PACKAGE

SD_50165 FAST PICK AXL & WHLS

		X0496XX	<p>AXLE & WHEEL FP01</p> <p>AXLE & WHEEL PKG FOR BB330 PLUS PACKER CUTTER AND ROTOR CUTTER INCLUDES</p> <p>722448 STEER.TAND.AXLE/NO BRAKES</p> <p>8504012 WH500/50-17.0-14PR ALLIANCE/TANDEM</p>			(\$490.00)
--	--	---------	--	--	--	------------



**BIGBALER 330 PLUS
US PRICE LIST**

(PORT OF ENTRY)

		X0497XX	AXLE & WHEEL FP02 AXLE & WHEEL PKG FOR BB330 PLUS PACKER CUTTER AND ROTOR CUTTER INCLUDES 422237 LARGE STEER TANDEM AXLE/NO BRAKES 8506010 WH 560/45R22.5-152D ALLIANCE / LARGE TANDEM			(\$800.00)
--	--	---------	--	--	--	------------

SD_50166 FAST PICK PERF PACK

		X0505XX	PERFORMANCE FP01 PERFORMANCE PKG FOR BB330 PLUS INCLUDES 462514 STD+PARTIAL EJECT/FOLDING ROLLER CHUTE/BALE WEIGHT 462321 ELECTRIC BALE LENGTH KIT 449902 FEED RATE ACTIVATION UNLOCK			(\$600.00)
--	--	---------	---	--	--	------------

SD_50167 FAST PICK COMF PACK

		X0504XX	COMFORT PACK 1 COMFORT PACKAGE UPGRADE INCLUDES 449615 HYDRAULIC JACK 422280 LARGE TOOL BOX AND WATER TANK			(\$100.00)
--	--	---------	--	--	--	------------

COMPLETING PACKAGES

BIG BALER AXLES

SD_15001 AXLES

		422237	Large Steer Tandem Axle			\$12,249.00
		722448	AutoSteer Tandem Axle			\$10,565.00
		722325	Single Axle			No Charge

HAYTOOLS TIRES AND WHEELS

BIG BALER TIRES AND WHEELS

SD_16066 WHEELS AND TIRES

		8506012	WH 600/50R22.8506012 Single Axle Only, Alliance Brand			No Charge
		8504012	WH500/50-17.0-14PR Alliance AutoSteer Tandem Axle Only			No Charge
		8506010	WH 560/45R22.5-152D Large Steer Tandem Axle Only, Alliance Brand			\$5,010.00
		8506011	WH 600/50R22.5-159D Tandem Axle Only, Alliance Brand, Rotor Only			\$7,667.00

**BIGBALER 330 PLUS
US PRICE LIST****(PORT OF ENTRY)****FACTORY SUPPLIED OPTIONS****P. T. O. OPTIONS****SD_03011 PTO**

		722376	1-3/4 in. 20 spline			No Charge
--	--	--------	---------------------	--	--	-----------

BALE CHUTES**SD_B8403 BALE CHUTE GROUP**

		462514	ST P EJ/ROL CH/BAL W Includes standard and partial bale eject with folding hydraulic roller chute with factory fitted & calibrated bale weight kit.			\$11,197.00
		422089	Folding Hyd Roller Chute			\$4,592.00
		422087	Less Bale Chute			No Charge

BIG BALER MONITORS**SD_B6301 CONTROL GROUP**

		422996	Large Color Monitor (Intelliview IV)			\$6,210.00
		422994	No Monitor 422994 (Using Tractor VT)			No Charge

LIGHT KITS**SD_30031 ROTARY BEACON**

		412274	BEACON LED FI Field Installed			\$516.00
--	--	--------	---	--	--	----------

PF PACKAGE**SD_27035 PF PACKAGE**

		412025	Moisture Sensor FI Field Installed. Double starwheel type sensor, fully ISOBUS compatible within workscreen.			\$4,444.00
--	--	--------	--	--	--	------------

JACK**SD_39044 JACK**

		449615	Hydraulic Jack FF Factory Fitted Hydraulic Jack, one additional remote needed.			\$1,193.00
--	--	--------	--	--	--	------------

BIGBALER 330 PLUS US PRICE LIST

(PORT OF ENTRY)

COMFORT PACKAGE

SD_50130 COMFORT PACKAGE

		422280	Comfort Package FF Factory Fitted large toolbox and watertank for hand cleaning purposes.			\$963.00
--	--	--------	---	--	--	----------

KNIFE DRAWER

SD_B6506 KNIFE DRAWER

		422131	Knife Drawer - Abrasive Medium Medium Cut Rotor with knife spacing of 3.1 in. (79mm)			(\$1,510.00)
		422133	Knife Drawer - Abrasive Short Short Cut Rotor with knife spacing of 1.5 in. (39mm)			No Charge

BALE LENGTH

SD_B8301 BALE LENGTH

		412209	Electronic Bale Length Kit Field Installed electric bale length control			\$1,338.00
--	--	--------	---	--	--	------------

MISCELLANEOUS

SD_16080 PICK-UP WHEEL

		422583	Pick Up Wheels Standard Fixed Pickup Wheels			No Charge
		449834	Caster Pick Up Wheel Equipped with standard 15 x 6.00-6 4PR V61 Vredestein.			\$1,193.00
		462536	CAS PU HEAVY DUTY WH Semi Pneumatic (Flat Proof) Heavy Duty tire 15x6.00-6 "Reliance" by Carlisle for castoring pickup wheels.			\$1,224.00

SD_B6501 FEEDER GROUP

		462323	ROT CUT ABR AND STUF ABR (Abrasion Resistant) Rotor for abrasive conditions such as Corn Stalks & Biomass.			\$1,007.00
--	--	--------	--	--	--	------------

OPERATOR'S MANUALS

SD_47083 OPERATOR'S MANUAL

		412136	Spanish - North America			No Charge
		712945	French - North America			No Charge

BIGBALER 340 PLUS US PRICE LIST

(PORT OF ENTRY)

Standard Equipment

BIGBALER 340 PLUS SALES FEATURES:

Next generation of New Holland "Silage Ready" professional-grade large square balers offer up to 20% more capacity with 48 sprokes per min and up to 5% greater bale density compared to BigBaler 340 balers.

The MaxiSweep™ pickup features new "S"- shaped side sheets, especially important when picking up crop material at the edge of overwidth spots in the windrow, over-shot and undershot feed augers, and a powered feed assist roller to keep crop moving into the feeder channel for high-capacity baling operations. The new PLUS balers feature a 31.5 inch longer bale chamber thats a 31% increase in length, for more consistent density and improved bale shape. New LED lights at the pickup, RH/LH stuffer, knotter, needle, and twine box lights for brighter illumination. Standard color/functional coded hydraulic lines.

BALE DIMENSIONS

Width	47.2 in. (1200mm)
Height	35.4 in. (900mm)
Max. Length	108 in. (2500mm)

MAXISWEEP™ PICKUP

- Full width feed assist roller with overshot-undershot augers at both ends, "S" shaped side-sheets, and spring suspended roller windguard for smooth feeding of over width windrows.
- Windguard and pickup gauge wheels adjust without tools.

PICKUP DIMENSIONS/STD. FEATURES

- Standard Model
- 88 in. flare-to-flare
 - 81 in tine-to-tine
 - Gauge wheels (2) 15 x 6.00-6, 4PR
 - Standard Crop Flares
 - Curved Steel Coil Tines

- Poly Pickup Guards
- Rotor Cutter Model
- 92.6 in. flare-to-flare
 - 86.6 in tine-to-tine
 - Gauge wheels (2) 15 x 6.00-6, 4PR
 - Standard Crop Flares
 - Curved Steel Coil Tines
 - Poly Pickup Guards

PRECHAMBER FEEDING SYSTEMS

Standard Model

- 3 Packer forks w/ 9 tines

Rotor Cutter Model

- "W" style rotor with paired offset lobes and cutout clutch with automatic reengagement
- Speed = 99 rpm
- Width = 47.2 in (1200mm)
- Diameter = 26 in (650 mm)

CROP CUTTER™ SYSTEM

- Direct transfer of crop to pre compression chamber
- Knives Hydraulically Engaged from Tractor
- Full access knife drawer slides to left side of baler
- Blanking Plates Replace Knives are not in use
- Knives are protected automatically by springs
- Short Cut Rotor Package STANDARD: (33) Hard-faced knives with short cut spacing of 1.5 in. (39mm)
- Medium Cut Rotor Package OPTION: (15) Hard-faced knives with medium cut spacing of 3.1 in. (79mm)

STUFFER SYSTEMS

- Gearbox Driven Stuffer Assembly
- Standard & Rotor Model
- Forks type w/ 4 tines

PRE-CHARGE CHAMBER

- Chamber fill crop sensor plates and SmartFill™ right/left driving indicator system.
- Split upper pre-charge chamber

**BIGBALER 340 PLUS
US PRICE LIST**

(PORT OF ENTRY)

Standard Equipment

guards (Standard Only)

CHAMBER & PLUNGER

- Bale Density System - adjustable, automatic
- Full Bale & Partial Bale Eject-tractor remotes required for operation
- Plunger Speed = 48 SPM
- Plunger Stroke = 28 in. (710mm)
- Plunger Drive = triple reduction drive direct from gearbox

KNOTTING & TWINE CAPACITY

- Patented Loop Master™ Knotters
 - Eliminates twine disc cut offs
 - No plastic twine cut offs on or in bales
 - 30% stronger knots allowing the use of lower knot strength twine at the same bale density
 - Lower your operating costs!
- Flip Up Pivoting Twine Boxes
- (6) Heavy Duty Double-Tie Knotters
- Knotter Drive - gearbox and shaft
- (3) Knotter Fans
- Twine Capacity = 32 balls
- Individual Mistie Sensors

MONITORS:

- Virtual Terminal Capability (ISOBUS) for use with IntelliView™ IV monitors.
- Bale Drop Indicator (roller chute only)

STANDARD FEATURES

- Universal Control Module (UCM) equipped
- IntelliCruise™ Ready - Factory Unlock Code Active
- ISOBUS III with AEF Certification
- Swivel Ball Hitch
 - Includes Choice of Both 1 1/4 in. & 1 19/64 in. Interchangeable Swivel Ball diameters
- HD Slip Clutch with overrunning clutch
- Safety Chain and Mechanical Parking Jack

- LED Pickup, Needle, Knotter and Rear Work Lights
- Service Lights - LED
- Automatic Centralized Greasing system with quick fill adapter
- Three configurable 12V Accessory Outlets
- Automatic Chain Lubrication System
- Front, Folding Rear, Right, Left, Service Deck Safety Rails
- Color coded Hydraulic Lines for function
- Top Service Deck Tool Box
- Bale Bumper

TRACTOR REQUIREMENTS

- Clevis Style hitch
- PTO Speed 1000 rpm
1-3/4 in. 20-Spline 1000 PTO

POWER REQUIREMENTS

Standard Model

- 130 PTO hp minimum
- 150 PTO hp recommended

Rotor Cutter Model

- 160 PTO hp minimum
- 175 PTO hp recommended

HYDRAULIC REQUIREMENTS

- (1) Single Acting for pickup lift
- (1) Double Acting for bale ejector/tandem axle
- (1) Double Acting Remote Valve to operate cutter knife system
- (1) Double Acting for OPTIONAL Hydraulic Jack if equipped

TIRE OPTIONS:

- Single Axle 600/50 R22.5
- Auto-Steer™ Tandem Axle
500/50 x 17, 14 PR
- Large Auto-Steer™ Tandem Axle
560/45 R22.5 or
600/50 R22.5 (Rotor Only)

WARRANTY

New Holland Standard Warranty Applies



**BIGBALER 340 PLUS
US PRICE LIST**

(PORT OF ENTRY)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
BIGBALER 340S PLUS	23,000 LB		\$169,754.00
BIGBALER 340R PLUS	23,000 LB		\$188,725.00
Includes the following Equipment Knife Drawer - Abrasive Me (422131) (\$1,510.00)			

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_50164 FAST PICK CONFIG

	X0479XX	WD STD FAST PICK FAST PICK PKG PRICE = 5% SAVINGS OVER ALA-CART ORDER BigBaler 340 PLUS Standard Fast Pick Package Contains: -422237 (Large Steer Tandem Axle) -8506010 (WH560/45R22.5-152-D Alliance) -722376 (1 3/4 in. 20 Spline PTO) -422089 (Folding Hydraulic Roller Chute) -422996 (Large Color Monitor) -462261 (Service Light Pack LED) -422170 (Bumper) -462321 (Electronic Bale Length) -462536 (Castoring Pickup Gauge Wheels With HD Wheels) -449902 (Software Unlock Code) -462558 (Top Service Deck Toolbox)			(\$9,230.00)
--	---------	--	--	--	--------------

**BIGBALER 340 PLUS
US PRICE LIST**

(PORT OF ENTRY)

	X0480XX	<p>WD RC FAST PICK</p> <p>FAST PICK PKG PRICE = 5% SAVINGS OVER ALA-CART ORDER</p> <p>BigBaler 340 PLUS CropCutter™ Rotor Cutter Fast Pick</p> <p>Package Contains:</p> <ul style="list-style-type: none"> -422237 (Large Steer Tandem Axle) -8506011 (WH 600/50R22.5-159D) -722376 (1 3/4 in. 20 Spline PTO) -422089 (Folding Hydraulic Roller Chute) -422996 (Large Color Monitor) -462261 (Service Light Pack LED) -412274 (Rotary Beacon) -422170 (Bumper) -422133 (Knife Drawer - Abrasive Short) -462321 (Electronic Bale Length) -462536 (Castoring Pickup Gauge Wheels With HD Wheels) -462558 (Top Service Deck Toolbox) -462323 (Rotor Cut ABR & Stuffer) -449902 (Software Unlock Code) 			(\$10,370.00)
	X0494XX	<p>WIDE (3x4) PACKER FP</p> <p>FAST PICK PKG PRICE = 5% SAVINGS OVER ALA-CARTE ORDER</p> <p>BigBaler 340 PLUS Standard Fast Pick 01 (Standard)</p> <p>Package Contains:</p> <ul style="list-style-type: none"> 722376 PTO 1 3/4IN 20 SPL 422996 LARGE COLOR MONITOR 412123 ASAE CAT3 AND ISO CAT2 DRAWBAR KIT 722337 SWIVEL BALL HITCH (HOLE) 422583 FIXED PICK-UP GAUGE WHEELS 722325 SINGLE AXLE (NO BRAKES) 8025012 WH 700/40R22.5-328 ALLIANCE / SINGLE <p>Available Options:</p> <ul style="list-style-type: none"> X0502XX PERFORMANCE PACKAGE FP03 X0504XX COMFORT PACKAGE <p>Choose One:</p> <ul style="list-style-type: none"> 422089 STD+PARTIAL EJECT/FOLDING ROLLER CHUTE 422087 LESS BALE CHUTE 			(\$8,160.00)

**BIGBALER 340 PLUS
 US PRICE LIST**

(PORT OF ENTRY)

	X0495XX	WIDE (3x4) CRX0495XX FAST PICK PKG PRICE = 5% SAVINGS OVER ALA-CARTE ORDER BigBaler 340 PLUS Rotor Cutter Fast Pick 01 (Standard) Package Contains: 722376 PTO 1 3/4IN 20 SPL 422996 LARGE COLOR MONITOR 412123 ASAE CAT3 AND ISO CAT2 DRAWBAR KIT 722337 SWIVEL BALL HITCH (HOLE) 422131 KNIFE DRAWER ABR MED CUT 422583 FIXED PICK-UP GAUGE WHEELS 462323 ROT CUT ABR & STUF 722448 STEER.TAND.AXLE/NO BRAKES 8504012 WH 500/50-17.014PR ALLIANCE / TANDEM Available Options: X0502XX PERFORMANCE PACKAGE FP04 X0504XX COMFORT PACKAGE Choose One: 422089 STD+PARTIAL EJECT/FOLDING ROLLER CHUTE 422087 LESS BALE CHUTE			(\$9,560.00)
	X0510XX	FP02 WIDE (3x4) PACK FAST PICK PKG PRICE = 5% SAVINGS OVER ALA-CARTE ORDER BigBaler 340 PLUS Standard Fast Pick 02 (Deluxe) Package Contains: 722376 PTO 1 3/4IN 20 SPL 422996 LARGE COLOR MONITOR 412123 ASAE CAT3 AND ISO CAT2 DRAWBAR KIT 722337 SWIVEL BALL HITCH (HOLE) 462536 CASTER PICKUP HEAVY-DUTY GAUGE WHEELS 462261 SERVICE LIGHT PACK (LED) 422170 BUMPER 462558 TOP SERVICE DECK TOOLBOX Available Options: X0502XX PERFORMANCE PACKAGE FP03 X0504XX COMFORT PACKAGE Choose One: 422089 STD+PARTIAL EJECT/FOLDING ROLLER CHUTE 422087 LESS BALE CHUTE Choose One: X0498XX AXLE/WHEEL FP03 (STD. STEER TANDEM) X0499XX AXLE/WHEEL FP04 (LRG. STEER TANDEM)			(\$8,290.00)

**BIGBALER 340 PLUS
US PRICE LIST**

(PORT OF ENTRY)

		X0511XX	FP02 WIDE (3x4) CC FAST PICK PKG PRICE = 5% SAVINGS OVER ALA-CARTE ORDER BigBaler 340 PLUS Rotor Cutter Fast Pick 02 (Deluxe) Package Contains: 722376 PTO 1 3/4IN 20 SPL 422996 LARGE COLOR MONITOR 412123 ASAE CAT3 AND ISO CAT2 DRAWBAR KIT 722337 SWIVEL BALL HITCH (HOLE) 422133 KNIFE DRAWER ABR SHORT CUT 462536 CASTER PICKUP HEAVY-DUTY GAUGE WHEELS 462261 SERVICE LIGHT PACK (LED) 422170 BUMPER 462558 TOP SERVICE DECK TOOLBOX 462323 ROT CUT ABR AND STUF 422237 LARGE STEER TANDEM AXLE/NO BRAKES 8506011 WH 600/50R22.5-159D ALLIANCE / LARGE TANDEM Available Options: X0502XX PERFORMANCE PACKAGE FP03 X0504XX COMFORT PACKAGE Choose One: 422089 STD+PARTIAL EJECT/FOLDING ROLLER CHUTE 422087 LESS BALE CHUTE			(\$10,210.00)
		X50164X	NO FAST PICK CONFIG Fast Pick configurations are complete packaged units. Selecting any option outside of a Fast Pick configuration, unless sepcifically allowed eliminates the Fast Pick ordering incentive. LESS FAST CONFIG = A LA CARTE ORDERING AND PRICING			No Charge

PACKAGE

SD_50165 FAST PICK AXL & WHLS

		X0498XX	AXLE & WHEEL FP03 AXLE & WHEEL PKG FOR BB340 PLUS PACKER (STD) INCLUDES 722448 STEER.TAND.AXLE/NO BRAKES 8504012 WH 500/50-17.0-14PR ALLIANCE / TANDEM			(\$490.00)
		X0499XX	AXLE & WHEEL FP04 AXLE & WHEEL PKG FOR BB340 PLUS PACKER (STD) INCLUDES 422237 LARGE STEER TANDEM AXLE/NO BRAKES 8506010 WH 560/45R22.5-152D ALLIANCE / LARGE TANDEM			(\$800.00)

**BIGBALER 340 PLUS
US PRICE LIST**

(PORT OF ENTRY)

SD_50166 FAST PICK PERF PACK

		X0502XX	PERFORMANCE FP03 PERFORMANCE PKG FOR BB340 PLUS INCLUDES 462514 STD+PARTIAL EJECT/FOLDING ROLLER CHUTE/BALE WEIGHT 462321 ELECTRIC BALE LENGTH KIT 449902 FEED RATE ACTIVATION UNLOCK			(\$600.00)
--	--	---------	---	--	--	------------

SD_50167 FAST PICK COMF PACK

		X0504XX	COMFORT PACK 1 COMFORT PACKAGE UPGRADE INCLUDES 449615 HYDRAULIC JACK 422280 LARGE TOOL BOX AND WATER TANK			(\$100.00)
--	--	---------	--	--	--	------------

COMPLETING PACKAGES

BIG BALER AXLES

SD_15001 AXLES

		422237	Large Steer Tandem Axle			\$12,249.00
		722448	AutoSteer Tandem Axle			\$10,565.00
		722325	Single Axle			No Charge

HAYTOOLS TIRES AND WHEELS

BIG BALER TIRES AND WHEELS

SD_16066 WHEELS AND TIRES

		8506012	WH 600/50R22.8506012 Single Axle Only, Alliance Brand			No Charge
		8504012	WH500/50-17.0-14PR Alliance AutoSteer Tandem Axle Only			No Charge
		8506010	WH 560/45R22.5-152D Large Steer Tandem Axle Only, Alliance Brand			\$5,010.00
		8506011	WH 600/50R22.5-159D Tandem Axle Only, Alliance Brand, Rotor Only			\$7,667.00

FACTORY SUPPLIED OPTIONS

BALE CHUTES

SD_B8403 BALE CHUTE GROUP

		462514	ST P EJ/ROL CH/BAL W Includes standard and partial bale eject with folding hydraulic roller chute with factory fitted & calibrated bale weight kit.			\$11,197.00
		422089	Folding Hyd Roller Chute			\$4,592.00



**BIGBALER 340 PLUS
US PRICE LIST**

(PORT OF ENTRY)

		422087	Less Bale Chute			No Charge
--	--	--------	-----------------	--	--	-----------

BIG BALER MONITORS

SD_B6301 CONTROL GROUP

		422996	Large Color Monitor (Intelliview IV)			\$6,210.00
		422994	No Monitor 422994 (Using Tractor VT)			No Charge

LIGHT KITS

SD_30031 ROTARY BEACON

		412274	BEACON LED FI Field Installed			\$516.00
--	--	--------	---	--	--	----------

PF PACKAGE

SD_27035 PF PACKAGE

		412025	Moisture Sensor FI Field Installed. Double starwheel type sensor, fully ISOBUS compatible within workscreen.			\$4,444.00
--	--	--------	--	--	--	------------

JACK

SD_39044 JACK

		449615	Hydraulic Jack FF Factory Fitted Hydraulic Jack, one additional remote needed.			\$1,193.00
--	--	--------	--	--	--	------------

COMFORT PACKAGE

SD_50130 COMFORT PACKAGE

		422280	Comfort Package FF Factory Fitted large toolbox and watertank for hand cleaning purposes.			\$963.00
--	--	--------	---	--	--	----------

KNIFE DRAWER

SD_B6506 KNIFE DRAWER

		422131	Knife Drawer - Abrasive Medium Medium Cut Rotor with knife spacing of 3.1 in. (79mm)			(\$1,510.00)
		422133	Knife Drawer - Abrasive Short Short Cut Rotor with knife spacing of 1.5 in. (39mm)			No Charge



**BIGBALER 340 PLUS
US PRICE LIST**

(PORT OF ENTRY)

BALE LENGTH

SD_B8301 BALE LENGTH

		412209	Electronic Bale Length Kit Field Installed electric bale length control			\$1,338.00
--	--	--------	---	--	--	------------

MISCELLANEOUS

SD_16080 PICK-UP WHEEL

		422583	Pick Up Wheels Standard Fixed Pickup Wheels			No Charge
		449834	Caster Pick Up Wheel Equipped with standard 15 x 6.00-6 4PR V61 Vredestein.			\$1,193.00
		462536	CAS PU HEAVY DUTY WH Semi Pneumatic (Flat Proof) Heavy Duty tire 15x6.00-6 "Reliance" by Carlisle for castoring pickup wheels.			\$1,224.00

SD_B6501 FEEDER GROUP

		462323	ROT CUT ABR AND STUF ABR (Abrasion Resistant) Rotor for abrasive conditions such as Corn Stalks & Biomass.			\$1,007.00
--	--	--------	--	--	--	------------

OPERATOR'S MANUALS

SD_47083 OPERATOR'S MANUAL

		412136	Spanish - North America			No Charge
		712945	French - North America			No Charge

**RF 440 UTILITY ROUND BALER
US PRICE LIST**

Standard Equipment

BALE DIMENSIONS

Width: 47.2 in.
Diameter: 47.2 in.

PICKUPS

(2.0M) Four-bar Pickup with 92 HD curved steel tines-60 in. tine-to-tine, 78 in. flare-to-flare, 2.6 in. tine spacing, tubular tine bars, 4 reel spider supports, two position-fixed or floating-quick release steel tine windguard with reciprocating stuffer, hydraulic pickup lift and dual bolt on adjustable pickup flotation gauge wheels.

BALE FORMING

- Chain & Slat Design w/34 Chain Bars
- One Steel Slatted Floor Roll
- Mechanical Bale Fill Indicator
- Fixed Chamber

MECHANICAL DENSITY CONTROL

- Three position (Green, Yellow, Red) with lever on baler

BALE WRAP CONTROL

Auto-Wrap™ Bale Control (Monitor)

- Available with Net & Twine Only
- Automatic Wrapping Cycle at Full Bale
- Mechanical Adjustment

Auto-Wrap™ Functions:

- Net or Twine Selection
- Auto or Manual Wrap Cycle

Mechanical Adjustment:

- Twine Spacing
- Placement End Wraps From Bale Edge
- Daily Bale Count
- Total Bale Count

- 3 Manually Adjusted Wrap Patterns
- Audible/Visual Full Bale Alarm
- Wrapping Fault
- Audible/Visual Fault Indicator

BALE WRAPPING MECHANISMS

1. Twine Wrap Features:

- Four active twine ball capacity
- Dual twine guides
- Three Twine Spacing Settings-Narrow, Medium & Large

2. Net Wrap Features:

- One active roll
- One nonactive roll
- Front Loaded
- 2.0 to 3.5 net wraps

DRIVELINE

- 540rpm Constant Velocity
- Driveline with Shear Bolt Protection

TIRES

- 18L-16.1SL 10PR

MISCELLANEOUS

- Trailing Lights for Road Towing
- 10,000 lbs. Safety Tow Chain
- Spring Bale Ramp

TRACTOR REQUIREMENTS

- 540 rpm PTO
- 40 PTO hp minimum
- (2) Hydraulic Remotes:
 1. One SA remote-pickup lift
 2. One DA remote-tailgate raise/lower

WARRANTY

Standard 12 Month Warranty Applies



**RF 440 UTILITY ROUND BALER
US PRICE LIST**

Models

COMMERCIAL MODEL	MODEL	Weight	Factory Data	List Price
RF440 UTILITY	RF440U	2,700 LB		\$30,138.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_50164 FAST PICK CONFIG

	X50164X	NO FAST PICK CONFIG Fast Pick configurations are complete packaged units. Selecting any option outside of a Fast Pick configuration, unless specifically allowed eliminates the Fast Pick ordering incentive. LESS FAST PICK CONFIG = A LA CARTE ORDERING AND PRICING			No Charge
	X0566XX	4X4 UTILITY FP01 RF440 Utility Round Baler Fast Pick - TWINE ONLY FAST PICK PKG PRICE = ~5% SAVINGS OVER A LA CARTE ORDER Fast Pick Package Contains: 462436 Auto Bind Twine Wrap 462443 Rubber PU Wheels Available Options: X50166X No Fast Pick Performance Pack X0505XX Performance Pack 1 for RF440 Utility and RF450 Utility			(\$1,300.00)
	X0567XX	4X4 UTILITY FP02 RF440 Utility Round Baler Fast Pick - NET ONLY FAST PICK PKG PRICE = ~5% SAVINGS OVER A LA CARTE ORDER Fast Pick Package Contains: 462437 Auto Bind - Net Wrap 462443 Rubber PU Wheels Available Options: X50166X No Fast Pick Performance Pack X0505XX Performance Pack 1 for RF440 Utility and RF450 Utility			(\$1,375.00)



**RF 440 UTILITY ROUND BALER
US PRICE LIST**

		X0568XX	4X4 UTILITY FP03 RF440 Utility Round Baler Fast Pick - NET & TWINE FAST PICK PKG PRICE = ~5% SAVINGS OVER A LA CARTE ORDER Fast Pick Package Contains: 462438 Auto Bind - Net & Twine 462443 Rubber PU Wheels Available Options: X50166X No Fast Pick Performance Pack X0505XX Performance Pack 1 for RF440 Utility and RF450 Utility			(\$1,400.00)
--	--	---------	--	--	--	--------------

SD_50166 FAST PICK PERF PACK

		X0505XX	PERFORMANCE FP01 PERFORMANCE PACK 1 FOR RF440 UTILITY & RF450 UTILITY Performance Pack Contains: 462445 Auto Lubrication 462444 Front Service Ladder			(\$30.00)
--	--	---------	---	--	--	-----------

FACTORY SUPPLIED OPTIONS

WRAPPING CONTROL

SD_B8607 WRAPPING CONTROL

		462436	AUTO BIND TWINE WRAP Twine Wrap Only			(\$2,736.00)
		462437	AUTO BIND - NET WRAP Net Wrap Only			(\$733.00)
		462438	AUTO BIND- TWINE+NET Twine & Net Wrap			No Charge

SERVICE LADDER

SD_50152 SERVICE LADDER

		462444	FRONT SERV LADDER			\$84.00
--	--	--------	--------------------------	--	--	---------

AUTOMATIC LUBRICATION

SD_37002 AUTOMATIC LUBRICATI

		462445	AUTO LUBRICATION Automatic Lubrication Including Main Drive Chain.			\$588.00
		722350	AUTO LUB. KIT FF Automatic Lubrication LESS Main Drive Chain.			\$426.00



RF 440 UTILITY ROUND BALER
US PRICE LIST

PICK-UP WHEEL

SD_16080 PICK-UP WHEEL

		462443	RUBBER PU WHEELS Standard bolt on pickup gauge wheels.			No Charge
		463052	RUB PU WH QUICK ADJ Optional no-tools quick adjust gauge wheels.			\$236.00

OPERATOR'S MANUAL

SD_47083 OPERATOR'S MANUAL

		712371	English for North America			No Charge
		712372	French for North America			No Charge

**RF 450 UTILITY ROUND BALER
US PRICE LIST**

Standard Equipment

BALE DIMENSIONS

Width: 47.2 in.
Diameter: 59.1 in.

PICKUPS

(2.0M) Four-bar Pickup with 92 HD curved steel tines-60 in. tine-to-tine, 78 in. flare-to-flare, 2.6 in. tine spacing, tubular tine bars, 4 reel spider supports, two position-fixed or floating-quick release steel tine windguard with reciprocating stuffer & double overshoot augers, hydraulic pickup lift & dual bolt on adjustable pickup flotation gauge wheels.

BALE FORMING

- Chain & Slat Design w/41 Chain Bars
- Two Steel Slatted Floor Rolls
- Mechanical Bale Fill Indicator
- Fixed Chamber

MECHANICAL DENSITY CONTROL

- Three position (Green, Yellow & Red) with lever on baler

BALE WRAP CONTROL

Auto-Wrap™ Bale Control (Monitor)

- Available with Net & Twine Only
- Automatic Wrapping Cycle at Full Bale
- Mechanical Adjustment

Auto-Wrap™ Functions:

- Net or Twine Selection
- Auto or Manual Wrap Cycle

Mechanical Adjustment:

- Twine Spacing
- Placement End Wraps From Bale Edge
- Daily Bale Count

- Total Bale Count
- 3 Manually Adjusted Wrap Patterns
- Audible/Visual Full Bale Alarm
- Wrapping Fault
- Audible/Visual Fault Indicator

BALE WRAPPING MECHANISMS

1. Twine Wrap Features:

- Four active twine ball capacity
- Dual twine guides
- Three Twine Spacing Settings-Narrow, Medium & Large

2. Net Wrap Features:

- One active roll
- One nonactive roll
- Front Loaded
- 2.0 to 3.5 net wraps

DRIVELINE

- 540rpm Constant Velocity Driveline with Shear Bolt Protection

TIRES

- 18L-16.1SL 10PR

MISCELLANEOUS

- Trailing Lights for Road Towing
- 10,000 lbs. Safety Tow Chain
- Spring Bale Ramp

TRACTOR REQUIREMENTS

- 540 rpm PTO
- 50 PTO hp minimum
- (2) Hydraulic Remotes:
 1. One SA remote-pickup lift
 2. One DA remote-tailgate raise/lower

WARRANTY

Standard 12 Month Warranty Applies



**RF 450 UTILITY ROUND BALER
US PRICE LIST**

Models

COMMERCIAL MODEL	MODEL	Weight	Factory Data	List Price
RF450 UTILITY	RF450U	2,900 LB		\$32,325.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_50164 FAST PICK CONFIG

	X50164X	NO FAST PICK CONFIG Fast Pick configurations are complete packaged units. Selecting any option outside of a Fast Pick configuration, unless specifically allowed eliminates the Fast Pick ordering incentive. LESS FAST PICK CONFIG = A LA CARTE ORDERING AND PRICING			No Charge
	X0569XX	4X5 UTILITY FP01 RF450 Utility Round Baler Fast Pick - TWINE ONLY FAST PICK PKG PRICE = ~5% SAVINGS OVER A LA CARTE ORDER Fast Pick Package Contains: 462436 Auto Bind Twine Wrap 462443 Rubber PU Wheels Available Options: X50166X No Fast Pick Performance Pack X0505XX Performance Pack 1 for RF440 Utility and RF450 Utility			(\$1,400.00)
	X0570XX	4X5 UTILITY FP02 RF450 Utility Round Baler Fast Pick - NET ONLY FAST PICK PKG PRICE = ~5% SAVINGS OVER A LA CARTE ORDER Fast Pick Package Contains: 462437 Auto Bind - Net Wrap 462443 Rubber PU Wheels Available Options: X50166X No Fast Pick Performance Pack X0505XX Performance Pack 1 for RF440 Utility and RF450 Utility			(\$1,475.00)



**RF 450 UTILITY ROUND BALER
US PRICE LIST**

		X0573XX	4X5 UTILITY FP03 RF450 Utility Round Baler Fast Pick - NET & TWINE FAST PICK PKG PRICE = ~5% SAVINGS OVER A LA CARTE ORDER Fast Pick Package Contains: 462438 Auto Bind - Net & Twine 462443 Rubber PU Wheels Available Options: X50166X No Fast Pick Performance Pack X0505XX Performance Pack 1 for RF440 Utility and RF450 Utility			(\$1,500.00)
--	--	---------	---	--	--	--------------

SD_50166 FAST PICK PERF PACK

		X0505XX	PERFORMANCE FP01 PERFORMANCE PACK 1 FOR RF440 UTILITY & RF450 UTILITY Performance Pack Contains: 462445 Auto Lubrication 462444 Front Service Ladder			(\$30.00)
--	--	---------	--	--	--	-----------

FACTORY SUPPLIED OPTIONS

WRAPPING CONTROL

SD_B8607 WRAPPING CONTROL

		462436	AUTO BIND TWINE WRAP Twine Wrap Only			(\$2,736.00)
		462437	AUTO BIND - NET WRAP Net Wrap Only			(\$733.00)
		462438	AUTO BIND- TWINE+NET Twine & Net Wrap			No Charge

SERVICE LADDER

SD_50152 SERVICE LADDER

		462444	FRONT SERV LADDER			\$84.00
--	--	--------	-------------------	--	--	---------

AUTOMATIC LUBRICATION

SD_37002 AUTOMATIC LUBRICATI

		462445	AUTO LUBRICATION Automatic Lubrication Including Main Drive Chain.			\$588.00
		722350	AUTO LUB. KIT FF Automatic Lubrication LESS Main Drive Chain.			\$426.00

**RF 450 UTILITY ROUND BALER
US PRICE LIST**

PICK-UP WHEEL

SD_16080 PICK-UP WHEEL

		462443	RUBBER PU WHEELS Standard bolt on pickup gauge wheels.			No Charge
		463052	RUB PU WH QUICK ADJ Optional no-tools quick adjust gauge wheels.			\$236.00

OPERATOR'S MANUAL

SD_47083 OPERATOR'S MANUAL

		712371	English for North America			No Charge
		712372	French for North America			No Charge

**RF 450 SUPERFEED ROUND BALER
US PRICE LIST**

Standard Equipment

BALE DIMENSIONS

Width: 47.2 in.
Diameter: 61.0 in.

PICKUPS

(2.25M) Four-bar Pickup with 108 HD curved steel tines-71 in. tine-to-tine, 89 in. flare-to-flare, 2.6 in. tine spacing, tubular tine bars, 4 reel spider supports, floating winguard w/SuperFeed™ 18.5 in. diameter, shear bolt protected, rotary feeding system with single point feeder tines arranged in a spiral pattern with double overshot augers, hydraulic pickup lift & dual bolt on adjustable pickup flotation gauge wheels.

BALE FORMING

- Chain & Slat Design w/29 Chain Bars
- Seven Steel Slatted Rolls
- Mechanical Bale Fill Indicator
- Fixed Chamber

MECHANICAL DENSITY CONTROL

- Three position (Green, Yellow & Red) with lever on baler

BALE WRAP CONTROL (MONITOR)

Auto-Wrap™ Bale Control (Monitor)

- Available with Net & Twine Only
- Automatic Wrapping Cycle at Full Bale
- Mechanical Adjustment

Auto-Wrap™ Functions:

- Net or Twine Selection
- Auto or Manual Wrap Cycle

Mechanical Adjustment:

- Twine Spacing
- Placement End Wraps From Bale Edge
- Daily Bale Count

- Total Bale Count
- 3 Manually Adjusted Twine Patterns
- Audible/Visual Full Bale Alarm
- Wrapping Fault
- Audible/Visual Fault Indicator

BALE WRAPPING MECHANISMS

1. Twine Wrap Features:

- Four active twine ball capacity
- Dual twine guides
- Three Twine Spacing Settings-Narrow, Medium & Large

2. Net Wrap Features:

- One active roll
- One nonactive roll
- Front Loaded
- 2.0 to 3.5 net wraps

DRIVELINE

- 540rpm Constant Velocity Driveline with Slip Clutch Protection

TIRES

-18L-16.1SL 10PR

MISCELLANEOUS

- Trailing Lights for Road Towing
- 10,000 lbs. Safety Tow Chain
- Spring Bale Ramp
- Banked bearing grease points
- Automatic chain lubrication less main drive chain
- Front Service Ladder

TRACTOR REQUIREMENTS

- 540 rpm PTO
- 85 PTO hp minimum
- (2) Hydraulic Remotes:
 1. One SA remote-pickup lift
 2. One DA remote-tailgate raise/lower

WARRANTY

Standard 12 Month Warranty Applies



**RF 450 SUPERFEED ROUND BALER
US PRICE LIST**

Models

COMMERCIAL MODEL	MODEL	Weight	Factory Data	List Price
RF450 SUPERFEED	RF450S	2,900 LB		\$38,389.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_50164 FAST PICK CONFIG

	X50164X	NO FAST PICK CONFIG Fast Pick configurations are complete packaged units. Selecting any option outside of a Fast Pick configuration, unless specifically allowed eliminates the Fast Pick ordering incentive. LESS FAST PICK CONFIG = A LA CARTE ORDERING AND PRICING			No Charge
	X0574XX	4X5 ROTOR FEED FP01 RF450 SuperFeed™ Round Baler Fast Pick - NET ONLY FAST PICK PKG PRICE = ~5% SAVINGS OVER A LA CARTE ORDER Fast Pick Package Contains: 462437 Auto Bind - Net Wrap 722350 Auto Lube Kit (FF) 462443 Rubber PU Wheels 462444 Front Service Ladder			(\$1,775.00)
	X0575XX	4X5 ROTOR FEED FP02 RF450 SuperFeed™ Round Baler Fast Pick - NET & TWINE FAST PICK PKG PRICE = ~5% SAVINGS OVER A LA CARTE ORDER Fast Pick Package Contains: 462438 Auto Bind - Net & Twine 722350 Auto Lube Kit (FF) 462443 Rubber PU Wheels 462444 Front Service Ladder			(\$1,800.00)

**RF 450 SUPERFEED ROUND BALER
US PRICE LIST**

FACTORY SUPPLIED OPTIONS

WRAPPING CONTROL

SD_B8607 WRAPPING CONTROL

		462436	AUTO BIND TWINE WRAP Twine Wrap Only			(\$2,736.00)
		462437	AUTO BIND - NET WRAP Net Wrap Only			(\$733.00)
		462438	AUTO BIND- TWINE+NET Twine & Net Wrap			No Charge

PICK-UP WHEEL

SD_16080 PICK-UP WHEEL

		462443	RUBBER PU WHEELS Standard bolt on pickup gauge wheels.			No Charge
		463052	RUB PU WH QUICK ADJ Optional no-tools quick adjust gauge wheels.			\$236.00

OPERATOR'S MANUAL

SD_47083 OPERATOR'S MANUAL

		712371	English for North America			No Charge
		712372	French for North America			No Charge



**ROLLBELT™ 450 UTILITY ROUND BALER
US PRICE LIST**

(New Holland, PA.)

Standard Equipment

BALE DIMENSIONS

Width: 46.5 in. wide
Diameter: 36 in. to 60
Max Weight: 1,000 lbs.

BELTS

(5) 7 in. (178 mm) wide x 343 in.
(8.71
m) 3-ply Mini Rough Top Laced Rubber
Belts Clipper® Lacings

PICKUP

Four-bar SuperSweep Pickup - 72
shot peened curved teeth
44.7 in. (1134mm) tine-to-tine
52.6 in. (1337mm) inside side sheets
2.6" tine spacing
12.4 in. (315 mm) Pickup Reel
Quick Release Windguard
Mechanical Pickup Lift
No. 60 roller chain drive

BALE FORMATION

Steel Slatted Floor Roll
Formed Rib Steel Forming Rolls
Adjustable Density System - one
extension spring and one hydraulic
cylinder

Bale Size Indicators/Alarms

Mechanical Bale Size Indicator
Audible Near Full Bale Alarm
Audible Electronic Full Bale Alarm
Audible Electronic Tailgate Alarm

AutoWrap™ II Automatic Wrapping
Four Ball Twine Capacity
One Pivot-dual Twine Arms
Twine Tube Position Indicator
Twine Cut Indicator

BALE WRAPPING-EdgeWrap™ NET

BaleCommand™ II Automatic Wrapping
Four Ball Twine Capacity
FastNet™ Front Load Net Wrap
One Roll Capacity 1.5-6.0 Wraps Range
No Tools Required To Route Net

DRIVELINE

Category 4 - Constant Velocity
Shear Bolt Protection

MISCELLANEOUS

Spare Shear Bolt Holder
Clevis Style Hitch
10,000 lbs. Safety Tow Chain
Trailing Lights for Road Towing
Battery Harness for AutoWrap™ II or
BaleCommand™ II Monitor

TRACTOR REQUIREMENTS

540 rpm 40 PTO hp minimum
1 Hydraulic Remote Minimum
2 Remotes when equipped with
optional hydraulic pickup lift.

TIRES

11Lx14in 6PR Rib- Standard
31x13.5 - 15 6PR - Optional

WARRANTY

New Holland Standard Warranty
Applies

BALE WRAPPING-TWINE



**ROLLBELT™ 450 UTILITY ROUND BALER
US PRICE LIST**

(New Holland, PA.)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
ROLLBELT 450 UTILITY	3,300 LB	9019569P55	\$25,415.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

	X04501X	UTILITY STANDARD FAST PICK FAST PICK PKG PRICE = 5% SAVINGS OVER ALA-CART ORDER Roll-Belt 450 Utility Standard Fast Pick Package Contains: -726738 (Twine Control (Standard)) -8054309 (11L-14 Tires) -726809 (Bale Ramp) -726663 (RH Gauge Wheel)		(900931P70)	(\$1,210.00)
	X04502X	UTILITY DELUXE FAST PICK FAST PICK PKG PRICE = 5% SAVINGS OVER ALA-CART ORDER Roll-Belt 450 Utility Deluxe Fast Pick Package Contains: -726667 (Deluxe Net & Twine Control) -8070309 (31 x 13.50-15 6 PR RIB Tires) -726809 (Bale Ramp) -726663 (RH Gauge Wheel)		(901255P10)	(\$1,630.00)

FACTORY SUPPLIED OPTIONS

ROUND BALER OPTIONS

SD_16081 GATHERING WHEELS

	717760	PU Mtd Gathering Wheels-FI		9000923P23	\$1,199.00
--	--------	----------------------------	--	------------	------------



**ROLLBELT™ 450 UTILITY ROUND BALER
US PRICE LIST**

(New Holland, PA.)

FIELD INSTALLED OPTIONS

ROUND BALER OPTIONS

SD_B5803 HYDRAULIC PICKUP LIFT KIT FI

		715005	Hydraulic Pickup Lift Kit FI	15 LB	9000249P48	\$324.00
--	--	--------	------------------------------	-------	------------	----------

SD_B6002 PICKUP WHEEL

		717762	LH Pneumatic PU Wheel Can be used in the LH or RH position.		9000168P63	\$219.00
--	--	--------	---	--	------------	----------

MANUALS

OPERATORS

SD_47083 OPERATOR'S MANUAL

		725059	French-Canadian Manual	1 LB		No Charge
		725140	Spanish Manual	1 LB		No Charge

**ROLLBELT™ 450 DRY HAY
US PRICE LIST**

(New Holland, PA)

Standard Equipment

BALE DIMENSIONS

- Width: 46.5 in. wide
- Diameter: 36 in. to 60 in.

Max Weight:

1,200 lbs. with a Single Density Cylinder

BELTS

- MRT Laced Rubber Belts (6) 7 in. (178 mm) wide 3-ply belts with Clipper® Fasteners and pins (Standard on Hay 1.8M ActiveSweep)
- Premium Endless Rubber Belts (6) 7 in. (178 mm) wide 3-ply belts with 3 yr/15,000 bale warranty (Optional on Hay 1.8M ActiveSweep)

PICKUPS

- (1.8M) ActiveSweep™ Standard Duty
Four-bar Pickup with 112 5mm HD steel mounted shot peened curved tines-71 in. tine-to-tine, 79 in. flare-to-flare, 2.6 in. tine spacing, tubular tine bars, 3 reel spider supports, quick release steel tine windguard with a 14 inch diameter "W" pattern overshot rotary feeder with double flighted overshot augers, manual pickup lift and dual bolt on adjustable pickup flotation gauge wheels.
(Standard on Hay 1.8M ActiveSweep)

- (1.8M) ActiveSweep™ Heavy Duty
Five-bar Pickup with 140 6mm HD rubber mounted shot peened tines-71 in. tine-to-tine, 79 in. flare-to-flare, 2.6 in. tine spacing, 3 double plate reel spider supports, five solid tine bars pinned in the center, steel roller windguard with a 14 in. diameter "W" pattern overshot rotary feeder with double flighted overshot augers, manual pickup lift and dual bolt-on adjustable pickup flotation gauge wheels.
(Optional on Hay 1.8M ActiveSweep)

BALE FORMING

- One Steel Slatted Floor Roll
- Two Formed Rib Steel Forming Rolls
- One Dimpled Steel Forming Pivot Roll
- One Steel Starter Roll
- Self-Contained Density System:
One extension spring and one hydraulic cylinder

IN-CAB DENSITY CONTROL

- Provides in-cab density pressure display on Bale-Command™ II Plus Deluxe Monitor or ISOBUS display.
- Allows independent settings for bale core size/density and the outer bale density.
- This selection removes the mechanical density pressure gauge from the exterior of the baler.
- Baler must have Deluxe or ISOBUS Wrap Control
(Optional on Hay 1.8M ActiveSweep and only compatible with Deluxe or ISOBUS Wrap Control.)

BALE WRAP CONTROL (MONITOR)

- Bale Command™ II Plus Deluxe Wrap Control (Monitor)
- Available with Net & Twine or Net Only
(Optional on Hay 1.8M ActiveSweep)

Bale Command II Plus Deluxe Monitor Functions:

- Net or Twine Selection
- Auto or Manual Wrap Cycle
- Bale Current Diameter
- Bale Target Diameter
- Twine Spacing & # End Wraps
- Placement of Twine End Wraps From Bale Edge
- Daily Bale Count
- Total Bale Count
- Four Pre-Programed Twine Wrap Patterns
- One Custom Twine Wrap Pattern

ROLLBELT™ 450 DRY HAY US PRICE LIST

(New Holland, PA)

Standard Equipment

- 1.5 to 6.0 Net Wraps
- 20 Resettable Bale Counts
- Bale Shape In-Cab Driving Gauges
- Audible/Visual Near Full Bale Alarm
- Audible/Visual Full Bale Alarm
- Audible/Visual Wrap Cycle Completed Alarm
- Audible/Visual Tailgate Open Alarm
- Wrapping Fault
- Voltage Indicator
- Audible/Visual Fault Indicator
- Bale Wrap Down (if equipped DIA from parts)

ISOBUS No Monitor (less monitor) Wrap Control-ISOBUS tractor REQUIRED

- Tractor must be equipped with a compatible virtual terminal monitor (IntelliView™ IV Monitor)

Functions:

- Same as Bale Command™ II Plus
- Color Graphics
- Controller Area Network Faults
- Easier/Faster Electrical Troubleshooting
- Allows Use of Existing Virtual Terminal on ISOBUS Equipped Tractor

BALE WRAPPING MECHANISMS

1. Net Only Wrap (Optional)

Net Only Features:

- EdgeWrap™ Net Wrap: Two rolls net capacity in front-one active, one nonactive, one stored on the tailgate
- 1.5 to 6.0 net wraps

2. Net-Twine Wrap (Optional)

Net & Twine Features:

- Six active twine ball capacity
- Dual twine arms on single pivot with position indicator
- EdgeWrap™ Net Wrap: One active net roll in front, with one stored roll on the tailgate

- 1.5 to 6.0 net wraps

DRIVELINE

- 540 rpm Constant Velocity Driveline with Cut-Out Clutch Protection & 50 Hour Grease Interval (Standard on all models)
- PTO Support & Locking Hitch Pin
- Hydraulic Hose & Wiring Harness Holder

TIRES

- 31 x 13.5-15 8PR (Standard on Hay 1.8M ActiveSweep)
- 18L-16.1SL 10PR (Optional on Hay 1.8M ActiveSweep)

MISCELLANEOUS

- Trailing Lights for Road Towing
- 10,000 lbs. Safety Tow Chain
- External Banked Greasable Bearings
- Spring Loaded Bale Ramp with Hold Bar

TRACTOR REQUIREMENTS

- 540 rpm - as designated by completing package
- 60 PTO hp minimum
- (1 to 2) Hydraulic Remotes:
 1. One remote for pickup lift (if equipped)
 2. One remote for tailgate raise/lower

MISC. OPTIONAL EQUIPMENT

- Hydraulic Pickup Lift
- No-Tools Adjust Pickup Gauge Wheels
- Factory Installed Bale Moisture System
- In-cab density adjustment

WARRANTY

Standard 12 Month Warranty Applies

*Clipper® is a registered trademark of the Flexible Steel Lacing Corporation

**ROLLBELT™ 450 DRY HAY
US PRICE LIST**

(New Holland, PA)

Models

COMMERCIAL MODEL	VERSION	BALE SIZE	Weight	Factory Data	List Price
ROLL-BELT 450	HAY 1.8M	4X5	5,972 LB	9036890P70	\$47,910.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

	XT9981X	Less Fast Pick Config Fast Pick Configurations are complete packaged units. Selecting any option outside of a Fast Pick configuration, unless specifically allowed eliminates the Fast Pick ordering incentive. LESS FAST PICK CONFIG = A LA CARTE ORDERING AND PRICING			No Charge
	X9810XX	4X5 HAY 1.8M PKG2 4x5 HAY 1.8M FAST PICK PKG2 STD PACK / NET TWINE / 4-BAR FAST PICK PKG PRICE = 5% SAVINGS OVER A LA CARTE ORDER Package Contains: 726964106 NET & TWINE, NH 726871056 540 RPM, 1900NM, CUT OUT CLUTCH, OSF 807260936 TIRE & WHEEL 31X13.5-15, 8 PLY RIB (NH) 726916106 OSF 4 BAR REEL, STD TINES, 1.8M, NH 726819066 1.8M ROLLER, OSF, NH 726821006 DUAL, BOLT ON, 4.80/4.00-8 (NH) 726867026 MANUAL & HYDRAULIC PU LIFT (1.8M OSF) 726664026 MRT BELTS, STANDARD LACED, 4X5 726813156 Standard Density System (4X5), MANUAL ADJUST 726809146 STANDARD BALE RAMP, 4X5, NH 422222016 WITHOUT MOISTURE SENSOR Available Options: X9987XX L/PERFORMANCE PACK X9710XX PERFORMANCE PACK 1 DRY HAY 4X5		(901732P50)	(\$2,250.00)



**ROLLBELT™ 450 DRY HAY
US PRICE LIST**

(New Holland, PA)

		X9811XX	4X5 HAY 1.8M PKG3 4X5 HAY 1.8M FAST PICK PKG3 DLX PACK / NET ONLY / 5-BAR FAST PICK PKG PRICE = 5% SAVINGS OVER A LA CARTE ORDER Package Contains: 726666116 NET ONLY, NH 726871056 540 RPM, 1900NM, CUT OUT CLUTCH, OSF 807490806 TIRE & WHEEL 18L-16.1 SL, 10 PLY AW (NH) 726918146 OSF 5 BAR REEL, RBR TINES, 1.8M, NH 726819066 1.8M ROLLER, OSF, NH 726822106 DUAL, NO TOOLS ADJUST, 4.80/4.00-8 (NH) 726867026 MANUAL & HYDRAULIC PU LIFT (1.8M OSF) 726664026 MRT BELTS, STANDARD LACED, 4X5 726813156 Standard Density System (4X5), MANUAL ADJUST 726809146 STANDARD BALE RAMP, 4X5, NH 422222016 WITHOUT MOISTURE SENSOR Available Options: X9987XX L/PERFORMANCE PACK X9710XX PERFORMANCE PACK 1 DRY HAY 4X5		(901794P10)	(\$2,330.00)
--	--	---------	---	--	-------------	--------------

PACKAGE

SD_T9987 PERFORMANCE PACK

		X9710XX	PERFORMANCE PACK 1 PERFORMANCE PACK 1 - DRY HAY 4X5 Upgrade Pack 727159146 STD DENSITY W/ IN-CAB CONTROL 722629016 MOISTURE SENSOR		(900054P67)	(\$71.00)
--	--	---------	---	--	-------------	-----------

COMPLETING PACKAGES

ROUND BALER COMPLETING PACKAGES

SD_B6101 BELTS

		726664	MRT Laced Belt			No Charge
		726803	Endless Belt		9001940P40	\$2,520.00

SD_B6301 CONTROL GROUP

		726966	Deluxe Wrap Controls Net Only or Net & Twine. Bale Command II Plus Monitor			No Charge
--	--	--------	---	--	--	-----------



**ROLLBELT™ 450 DRY HAY
US PRICE LIST**

(New Holland, PA)

		726969	<p>ISOBUS No Monitor</p> <p>****LESS MONITOR - NO MONITOR IS SUPPLIED****</p> <p>FOR CONTROL OF NET ONLY & NET TWINE WITH ISOBUS COMPLIANTTRACTORS EQUIPED WITH A VIRTUAL TERMINAL MONITOR (IntelliView™ Display) AND TRACTOR ISOBUS CONNECTION.</p> <p>From Model Year 2017 IntelliBale™ ISOBUS baler automation is available for use with 2016 and later T6 AutoCommand™ and T7 Full Powershift as well as T7 AutoCommand™ with ISOBUS 3. Both the tractor and baler require unlock codes.</p> <p>IntelliBale™ baler automation will automatically Stop the tractor, Control tie/wrap, Eject bale and Close tailgate. Cycle FNR lever to forward and back to neutral to start the cycle over. The operator will control shuttle and steering for each bale produced. feature to be functional.</p>		9000350P35	\$455.00
--	--	--------	--	--	------------	----------

SD_B8603 WRAPPER CHOICE

		726666	Net Only (Deluxe or ISO)		(901235P08)	(\$1,604.00)
		726964	<p>Net and Twine (Deluxe or ISO)</p> <p>Option for 1.8M ActiveSweep, SuperFeed and CropCutter ONLY.</p> <p>NOT AVAILABLE for Bale-Slice.</p>			No Charge

PTO OPTIONS

SD_03011 PTO

		726871	540 RPM w/ Cut-Out-Clutch			No Charge
--	--	--------	---------------------------	--	--	-----------

HAYTOOLS TIRES AND WHEELS

TIRES AND WHEELS

SD_16066 WHEELS AND TIRES

		8072609	31 x 13.5-15 8 PR			No Charge
		8074908	18L-16.1SL 10 PR		9001174P25	\$1,525.00

**ROLLBELT™ 450 DRY HAY
US PRICE LIST**
(New Holland, PA)
FACTORY SUPPLIED OPTIONS
TENSION
SD_B6302 TENSION

		727159	In-Cab Density System Density pressure will be controlled by and displayed on the baler monitor. ONLY COMPATIBLE with Deluxe or ISOBUS Wrap Control. STANDARD on all Roll-Belt 450 SuperFeed, 450 CropCutter and all models of Roll-Belt 460. OPTIONAL on Hay 1.8M, Silage 1.8M and Bale-Slice 1.8M. NOTE: This selection removes the mechanical density pressure gauge from the exterior of the baler.		9000399P63	\$519.00
--	--	--------	---	--	------------	----------

HYDRAULIC KITS
SD_20196 BALE RAMP

		726809	Bale Ramp - FF Factory Fitted			No Charge
--	--	--------	---	--	--	-----------

ROUND BALER OPTIONS
SD_16080 PICK-UP WHEEL

		726821	4.80/4.0-8 Bolt On Dual Wheels Standard gauge wheel for all Roll-Belt models			No Charge
		726822	4.80/4.0-8 No Tool Dual Wheels Option for 1.8M ActiveSweep pickup ONLY		9000294P14	\$382.00

SD_27035 PF PACKAGE

		722629	MOISTURE SENSOR FF Factory Fitted Bale Moisture Sensor		9000790P02	\$1,026.00
--	--	--------	--	--	------------	------------

SD_B6003 PICKUP LIFT

		726866	Manual Pickup Lift - FF Factory Fitted (DRY HAY & BASE SILAGE VERSIONS ONLY)			No Charge
		726867	Manual Hyd Pickup Lift - FF Factory Fitted. Hydraulic raise/lower of pickup.		9000269P50	\$350.00

SD_C5606 REEL

		726916	4 Bar Pickup Reel			No Charge
		726918	5 Bar Pickup Reel Option for Hay 1.8M ActiveSweep & Silage 1.8M ActiveSweep. Standard for 1.8M Bale-Slice, 2.07M SuperFeed and 2.07M CropCutter models.		9001114P96	\$1,448.00



**ROLLBELT™ 450 DRY HAY
US PRICE LIST**

(New Holland, PA)

MANUALS

OPERATORS

SD_47083 OPERATOR'S MANUAL

		725060	English for NAR			No Charge
		725831	English/Spanish For NAR			No Charge
		725832	English/French For NAR			No Charge
		727117	English For NAR ISOBUS			No Charge
		727119	English/Spanish For NAR ISOBUS			No Charge
		727115	English/French For NAR ISOBUS			No Charge

**ROLLBELT™ 450 SILAGE
US PRICE LIST**

(New Holland, PA)

Standard Equipment

BALE DIMENSIONS

Width: 46.5 in. wide

Diameter: 36 in. to 60 in.

Max Weight:

1,800 lbs. with a Single Density Cylinder

BELTS

- Premium Endless Rubber Belts (6)
7 in. (178 mm) wide 3-ply belts with
3 yr/15,000 bale warranty
(Standard on all Roll-Belt Silage 1.8M
ActiveSweep, Bale-Slice 1.8M
ActiveSweep, 1.8M SuperFeed
and 2.07M CropCutter models)

PICKUPS

- (1.8M) ActiveSweep™ Standard Duty
Four-bar Pickup with 112 5mm HD
steel mounted shot peened curved
tines- 71 in. tine-to-tine, 79 in. flare-
to- flare, 2.6 in. tine spacing, four
tubular tine bars pinned in the center,
3 single plate reel spider supports,
quick release steel tine windguard
with a 14 in. diameter "W" pattern
overshot rotary feeder with
double flighted overshot augers,
manual pickup lift and dual bolt-on
adjustable pickup flotation gauge
wheels.
(Standard on Silage 1.8M
ActiveSweep)

- (1.8M) ActiveSweep™ Heavy Duty
Five-bar Pickup with 140 6mm HD
rubber mounted shot peened tines-71
in. tine-to-tine, 79 in. flare-to-flare,
2.6 in. tine spacing, 3 double plate
reel spider supports, five solid tine
bars pinned in the center, steel roller
windguard with a 14 in. diameter "W"
pattern overshot rotary feeder with
double flighted overshot augers,
manual pickup lift and dual bolt-on

adjustable pickup flotation gauge
wheels.

(Standard on Bale-Slice™ 1.8M,
Optional on Silage 1.8M ActiveSweep)

- (2.07M) SuperFeed™ Heavy Duty Five-
bar Pickup with 160 6mm HD rubber
mounted shot peened tines-82
in.tine-to-tine, 90 in. flare-to-flare,
2.6 in. tine spacing, industry exclusive
split center solid steel tine bars, 4
double plate reel spider supports, full
height bolt-in tine dividers from top to
bottom of pickup backbone, steel
roller windguard with a 18 in. diameter
"W" pattern undershot rotary feeder,
manual pickup lift, dual bolt-on
adjustable pickup flotation gauge
wheels, and hydraulically actuated
drop floor.
(Standard on Rotor Feeder 2.07M
SuperFeed)

- (2.07M) CropCutter® Heavy Duty Five-
bar Pickup with 160 6mm HD rubber
mounted shot peened tines-82
in.tine-to-tine, 90 in. flare-to-flare,
2.6 in. tine spacing, industry exclusive
split center solid steel tine bars, 4
double plate reel spider supports, full
height bolt-in tine dividers from top to
bottom of pickup backbone, steel
roller windguard with a 18 in. diameter
"W" pattern undershot rotary feeder,
manual pickup lift, dual bolt-on
adjustable pickup flotation gauge
wheels, 15 adjustable knives on 2.6
in. centers with hydraulically actuated
drop floor and 15 knife blanks
(Standard on Rotor Cutter 2.07M
CropCutter)

BALE FORMING

- One Steel Slatted Floor Roll

**ROLLBELT™ 450 SILAGE
US PRICE LIST**

(New Holland, PA)

Standard Equipment

- Two Formed Rib Steel Forming Rolls
- One Dimpled Steel Forming Pivot Roll
- One Steel Starter Roll
- Self-Contained Density System:
One extension spring and one hydraulic cylinder
- Dual Follower roll sledge and tailgate chopping roll
- Looped upper serpentine roll with scraper

IN-CAB DENSITY CONTROL

- Provides in-cab density pressure display on Bale-Command™ II Plus Deluxe Monitor or ISOBUS display
- Allows independent settings for bale core size/density and the outer bale density
- This selection removes the mechanical density pressure gauge from the exterior of the baler
- Baler must have Deluxe or ISOBUS Wrap Control
(Standard on SuperFeed and CropCutter, Optional on Silage 1.8M ActiveSweep and 1.8M Bale-Slice.)

BALE WRAP CONTROL (MONITOR)

- Bale Command™ II Plus Deluxe Wrap Control (Monitor)
- Available with Twine Only, Net & Twine or Net Only
(Standard on 1.8M Bale-Slice, 2.07M SuperFeed and 2.07M CropCutter.
Optional on Silage 1.8M ActiveSweep)

Bale Command II Plus Deluxe Monitor Functions:

- Net or Twine Selection
- Auto or Manual Wrap Cycle
- Bale Current Diameter
- Bale Target Diameter
- Twine Spacing & # End Wraps
- Placement of Twine End Wraps From Bale Edge

- Daily Bale Count
- Total Bale Count
- Four Pre-Programed Twine Wrap Patterns
- One Custom Twine Wrap Pattern
- 1.5 to 6.0 Net Wraps
- 20 Resettable Bale Counts
- Bale Shape In-Cab Driving Gauges
- Audible/Visual Near Full Bale Alarm
- Audible/Visual Full Bale Alarm
- Audible/Visual Wrap Cycle Completed Alarm
- Audible/Visual Tailgate Open Alarm
- Wrapping Fault
- Voltage Indicator
- Audible/Visual Fault Indicator
- Bale Ramp Down (if equipped DIA from parts)
- Bale-Slice Knives In/Out (if equipped from Plant)
- CropCutter Knives In/Out (if equipped with CropCutter)
- Rotor Drop Floor Opened (if equipped with CropCutter)

ISOBUS No Monitor (less monitor) Wrap Control-ISOBUS tractor REQUIRED

- Tractor must be equipped with a compatible virtual terminal monitor (IntelliView™ IV Monitor)

Functions:

- Same as Bale Command™ II Plus
- Color Graphics
- Controller Area Network Faults
- Easier/Faster Electrical Troubleshooting
- Allows Use of Existing Virtual Terminal on ISOBUS Equipped Tractor

BALE WRAPPING MECHANISMS

1. Net Only Wrap
(Must order for Bale-Slice models, Standard on SuperFeed and CropCutter, Optional for 1.8M ActiveSweep)

**ROLLBELT™ 450 SILAGE
US PRICE LIST**

(New Holland, PA)

Standard Equipment

Net Only Features:

- EdgeWrap™ Net Wrap: Two rolls net capacity in front-one active, one nonactive, one stored on the tailgate
- 1.5 to 6.0 net wraps

2. Net & Twine Wrap

(Optional, Not available for Bale-Slice)

Net & Twine Features:

- Six active twine ball capacity
- Dual twine arms on single pivot with position indicator
- EdgeWrap™ Net Wrap: One active net roll in front, with one stored roll on the tailgate
- 1.5 to 6.0 net wraps

DRIVELINE

- 540rpm Constant Velocity Driveline with Cut-Out Clutch Protection & 50 Hour Grease Interval (Standard on all models)
- PTO Support & Locking Hitch Pin
- Hydraulic Hose & Wiring Harness Holder

TIRES

- 31 x 13.5-15 8PR (Standard on Silage 1.8M ActiveSweep and Bale-Slice)
- 18L-16.1SL 10PR (Standard on SuperFeed and CropCutter, Optional on Silage 1.8M ActiveSweep and Bale-Slice)

MISCELLANEOUS

- Trailing Lights for Road Towing
- 10,000 lbs. Safety Tow Chain
- External Banked Greasable Bearings
- Spring Loaded Bale Ramp with Hold Bar

TRACTOR REQUIREMENTS

- 540 rpm
- 60-100 PTO hp minimum depending on model
- (1 to 4) Hydraulic Remotes:
 1. One remote for pickup lift (if equipped)
 2. One remote for the tailgate
 3. One remote for hydraulic drop floor on SuperFeed and CropCutter
 4. One remote for knives on CropCutter

MISC. OPTIONAL EQUIPMENT

- Hydraulic Pickup Lift
- HD Density System = Dual Density Cylinders (Available for Silage 1.8M, SuperFeed and CropCutter)
- No-Tools Adjust Pickup Gauge Wheels (Not Available for SuperFeed nor CropCutter)
- Castoring Gauge Wheels (Optional on SuperFeed and CropCutter ONLY)
- Factory Installed Bale Moisture System

WARRANTY

Standard 12 Month Warranty Applies



**ROLLBELT™ 450 SILAGE
US PRICE LIST**

(New Holland, PA)

Models

COMMERCIAL MODEL	VERSION	BALE SIZE	Weight	Factory Data	List Price
ROLL-BELT 450	SILAGE 1.8M	4X5	5,985 LB	9039541P81	\$51,353.00
Includes the following Equipment Endless Belt (726803) \$2,520.00 1.8M Roller Windguard (726819) \$264.00 Net Only (Deluxe or ISO) (726666) (\$1,604.00)					
ROLL-BELT 450	BALE SLICE	4X5	6,031 LB	9042694P19	\$55,447.00
Includes the following Equipment Manual Hyd Pickup Lift - F (726867) \$350.00 Endless Belt (726803) \$2,520.00 1.8M Roller Windguard (726819) \$264.00 Net Only (Deluxe or ISO) (726666) (\$1,604.00)					
ROLL-BELT 450	ROTOR FEEDER 1.8M	4X5	6,300 LB	9043920P03	\$57,039.00
Includes the following Equipment 18L-16.1SL 10 PR (8074908) \$1,525.00 2.07M Pickup (726827) \$97.00 Manual Hyd Pickup Lift - F (726867) \$350.00 Endless Belt (726803) \$2,520.00 2.07M Roller Windguard (726654) \$901.00 Net Only (Deluxe or ISO) (726666) (\$1,604.00)					
ROLL-BELT 450	ROTOR CUTTER 2.07	4X5	6,637 LB	9046173P82	\$59,966.00
Includes the following Equipment 18L-16.1SL 10 PR (8074908) \$1,525.00 2.07M Pickup (726827) \$97.00 Manual Hyd Pickup Lift - F (726867) \$350.00 Endless Belt (726803) \$2,520.00 2.07M Roller Windguard (726654) \$901.00 Net Only (Deluxe or ISO) (726666) (\$1,604.00)					

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------



**ROLLBELT™ 450 SILAGE
US PRICE LIST**

(New Holland, PA)

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

		XT9981X	Less Fast Pick Config Fast Pick Configurations are complete packaged units. Selecting any option outside of a Fast Pick configuration, unless specifically allowed eliminates the Fast Pick ordering incentive. LESS FAST PICK CONFIG = A LA CARTE ORDERING AND PRICING			No Charge
		X00452X	4X5 SILAGE 1.8M FP FAST PICK PKG PRICE = 5% SAVINGS OVER A LA CARTE ORDER Roll-Belt 450 Silage Special Fast Pick Package Contains: -726803 (Endless Belts) -726966 (Deluxe Wrap) -726964 (Net and Twine (Deluxe or ISO)) -726871 (540 RPM w/Cut-Out-Clutch) -8072609 (31 x 13.5-15 8 PR) -726813 (Manual Adjust Density) -726809 (Spring Bale Ramp) -726821 (4.80/4.0-8 Bolt On Dual Wheels) -726867 (Manual Hyd. Pickup Lift) -726819 (1.8M Roller Windguard) -726918 (5 Bar Pickup Reel) -722629 (With Moisture Sensor)		(902302P30)	(\$2,990.00)

**ROLLBELT™ 450 SILAGE
 US PRICE LIST**

(New Holland, PA)

		X9813XX	4X5 SILAGE 1.8M PKG2 4X5 SILAGE 1.8M FAST PICK PKG2 STD PACK/NET TWINE/4-BAR FAST PICK PKG PRICE = 5% SAVINGS OVER A LA CARTE ORDER Package Contains: 726964106 NET & TWINE, NH 726871056 540 RPM, 1900NM, CUT OUT CLUTCH, OSF 807260936 TIRE & WHEEL 31X13.5-15, 8 PLY RIB (NH) 726916106 OSF 4 BAR REEL, STD TINES, 1.8M, NH 726819066 1.8M ROLLER, OSF, NH 726821006 DUAL, BOLT ON, 4.80/4.00-8 (NH) 726866026 MANUAL CRANK PU LIFT (1.8M OSF) 726803006 BELTS, ENDLESS, 4X5 726813156 Standard Density System (4X5), MANUAL ADJUST 726809146 STANDARD BALE RAMP, 4X5, NH 422222016 WITHOUT MOISTURE SENSOR Available Options: X9987XX L/PERFORMANCE PACK X9711XX PERFORMANCE PACK 2 SILAGE 4x5		(901890P35)	(\$2,455.00)
		X9814XX	4X5 SILAGE 1.8M PKG3 4X5 SILAGE 1.8M FAST PICK PKG3 DLX PACK/NET ONLY/5-BAR FAST PICK PKG PRICE = 5% SAVINGS OVER A LA CARTE ORDER Package Contains: 726666116 NET ONLY, NH 726871056 540 RPM, 1900NM, CUT OUT CLUTCH, OSF 807490806 TIRE & WHEEL 18L-16.1 SL, 10 PLY AW (NH) 726918146 OSF 5 BAR REEL, RBR TINES, 1.8M, NH 726819066 1.8M ROLLER, OSF, NH 726822106 DUAL, NO TOOLS ADJUST, 4.80/4.00-8 (NH) 726867026 MANUAL & HYDRAULIC PU LIFT (1.8M OSF) 726803006 BELTS, ENDLESS, 4X5 726813156 Standard Density System (4X5), MANUAL ADJUST 726809146 STANDARD BALE RAMP, 4X5, NH 422222016 WITHOUT MOISTURE SENSOR Available Options: X9987XX L/PERFORMANCE PACK X9711XX PERFORMANCE PACK 2 SILAGE 4x5		(901963P50)	(\$2,550.00)

**ROLLBELT™ 450 SILAGE
 US PRICE LIST**

(New Holland, PA)

	X00453X	4X5 BALE SLICE FP FAST PICK PKG PRICE = 5% SAVINGS OVER A LA CARTE ORDER Roll-Belt 450 Bale-Slice Fast Pick Package Contains: -726803 (Endless Belts) -726966 (Deluxe Wrap) -726666 (Net Only (Deluxe or ISO)) -726871 (540 RPM w/Cut-Out-Clutch) -8072609 (31 x 13.5-15 8 PR) -726813 (Manual Adjust Density) -726809 (Spring Bale Ramp) -726821 (4.80/4.0-8 Bolt On Dual Wheels) -726867 (Manual Hyd. Pickup Lift) -726819 (1.8M Roller Windguard) -726918 (5 Bar Pickup Reel) -722629 (With Moisture Sensor)		(902371P60)	(\$3,080.00)
	X9816XX	4X5 BALE SLICE PKG2 4X5 BALE SLICE FAST PICK PKG2 DLX PACK/NET ONLY/5-BAR FAST PICK PKG PRICE = 5% SAVINGS OVER A LA CARTE ORDER Package Contains: 726666116 NET ONLY, NH 726871056 540 RPM, 1900NM, CUT OUT CLUTCH, OSF 807490806 TIRE & WHEEL 18L-16.1 SL, 10 PLY AW (NH) 726918146 OSF 5 BAR REEL, RBR TINES, 1.8M, NH 726819066 1.8M ROLLER, OSF, NH 726822106 DUAL, NO TOOLS ADJUST, 4.80/4.00-8 (NH) 726867026 MANUAL & HYDRAULIC PU LIFT (1.8M OSF) 726803006 BELTS, ENDLESS, 4X5 726813156 Standard Density System (4X5), MANUAL ADJUST 726809146 STANDARD BALE RAMP, 4X5, NH 422222016 WITHOUT MOISTURE SENSOR Available Options: X9987XX L/PERFORMANCE PACK X9711XX PERFORMANCE PACK 2 SILAGE 4x5		(902044P35)	(\$2,655.00)

**ROLLBELT™ 450 SILAGE
US PRICE LIST**
(New Holland, PA)

		X00454X	4X5 ROTOR FEEDER FP FAST PICK PKG PRICE = 5% SAVINGS OVER A LA CARTE ORDER Roll-Belt 450 SuperFeed Fast Pick Package Contains: -726803 (Endless Belts) -726966 (Deluxe Wrap) -726666 (Net Only (Deluxe or ISO)) -726871 (540 RPM w/Cut-Out-Clutch) -8074908 (18L - 16.1SL 10PR) -727159 (In-Cab Density System) -726809 (Spring Bale Ramp) -726821 (4.80/4.0-8 Bolt On Dual Wheels) -726867 (Manual Hyd. Pickup Lift) -726654 (2.07M Roller Windguard) -726918 (5 Bar Pickup Reel) -722629 (With Moisture Sensor)		(902440P90)	(\$3,170.00)
		X9819XX	4X5 ROTOR FEED PKG2 4X5 ROTOR FEED FAST PICK PKG2 STD PACK/NET TWINE/5-BAR FAST PICK PKG PRICE = 5% SAVINGS OVER A LA CARTE ORDER Package Requires:Package Contains: 726964106 NET & TWINE, NH 726871066 540 RPM, 1900NM, CUT OUT CLUTCH 807490806 TIRE & WHEEL 18L-16.1 SL, 10 PLY AW (NH) 726918078 5 BAR REEL, RBR TINES, 2.0M, NH 726654018 2.0M ROLLER, ROTOR, NH 726823066 DUAL, CASTERING, 15X6.00-6 (NH) 726867026 MANUAL & HYDRAULIC PU LIFT (1.8M OSF) 726803006 BELTS, ENDLESS, 4X5 727159136 Standard Density System (4X5), IN CAB ADJUST 726809146 STANDARD BALE RAMP, 4X5, NH 422222016 WITHOUT MOISTURE SENSOR Available Options: X9987XX L/PERFORMANCE PACK X9711XX PERFORMANCE PACK 2 SILAGE 4x5		(902105P95)	(\$2,735.00)

**ROLLBELT™ 450 SILAGE
US PRICE LIST**
(New Holland, PA)

		X9820XX	4X5 ROTOR FEED PKG3 4X5 ROTOR FEED FAST PICK PKG3 DLX PACK/NET ONLY/5-BAR FAST PICK PKG PRICE = 5% SAVINGS OVER A LA CARTE ORDER Package Contains: 726666116 NET ONLY, NH 726871066 540 RPM, 1900NM, CUT OUT CLUTCH 807490806 TIRE & WHEEL 18L-16.1 SL, 10 PLY AW (NH) 726918078 5 BAR REEL, RBR TINES, 2.0M, NH 726654018 2.0M ROLLER, ROTOR, NH 726823066 DUAL, CASTERING, 15X6.00-6 (NH) 726867046 MANUAL & HYDRAULIC PU LIFT (2M ROTOR) 726803006 BELTS, ENDLESS, 4X5 727159136 Standard Density System (4X5), IN CAB ADJUST 726809146 STANDARD BALE RAMP, 4X5, NH 422222016 WITHOUT MOISTURE SENSOR Available Options: X9987XX L/PERFORMANCE PACK X9711XX PERFORMANCE PACK 2 SILAGE 4x5		(902048P20)	(\$2,660.00)
		X00455X	4X5 ROTOR CUTTER FP FAST PICK PKG PRICE = 5% SAVINGS OVER A LA CARTE ORDER Roll-Belt 450 CropCutter Fast Pick Package Contains: -726803 (Endless Belts) -726966 (Deluxe Wrap) -726666 (Net Only (Deluxe or ISO)) -726871 (540 RPM w/Cut-Out-Clutch) -8074908 (18L - 16.1SL 10PR) -727159 (In-Cab Density System) -726809 (Spring Bale Ramp) -726823 (15 x 6.00-6 Castering Gauge Wheels) -726867 (Manual Hyd. Pickup Lift) -726654 (2.07M Roller Windguard) -726918 (5 Bar Pickup Reel) -722629 (With Moisture Sensor)		(902564P10)	(\$3,330.00)



**ROLLBELT™ 450 SILAGE
US PRICE LIST**

(New Holland, PA)

		X9822XX	4X5 ROTOR CUT PKG2 4X5 ROTOR CUT FAST PICK PKG2 DLX PACK/NET ONLY/5-BAR FAST PICK PKG PRICE = 5% SAVINGS OVER A LA CARTE ORDER Package Contains: 726666116 NET ONLY, NH 726871036 540 RPM, 1900NM, CUT OUT CLUTCH 807490806 TIRE & WHEEL 18L-16.1 SL, 10 PLY AW (NH) 726918078 5 BAR REEL, RBR TINES, 2.0M, NH 726654018 2.0M ROLLER, ROTOR, NH 726823066 DUAL, CASTERING, 15X6.00-6 (NH) 726867046 MANUAL & HYDRAULIC PU LIFT (2M ROTOR) 726803006 BELTS, ENDLESS, 4X5 727159136 Standard Density System (4X5), IN CAB ADJUST 726809146 STANDARD BALE RAMP, 4X5, NH 422222016 WITHOUT MOISTURE SENSOR Available Options: X9987XX L/PERFORMANCE PACK X9711XX PERFORMANCE PACK 2 SILAGE 4x5		(902152P15)	(\$2,795.00)
--	--	---------	--	--	-------------	--------------

PACKAGE

SD_T9987 PERFORMANCE PACK

		X9711XX	PERFORMANCE PACK 2 PERFORMANCE PACK 2 - SILAGE 4x5 Upgrade Pack 726815086 HD DENSITY SYSTEM W/ IN-CAB CONTROL 722629016 MOISTURE SENSOR		(900060P83)	(\$79.00)
		X9712XX	PERFORMANCE PACK 3 PERFORMANCE PACK 3 - SILAGE 4x5 CropCutter Only 726969046 ISOBUS ELECTRONICS, LESS MONITOR, NH 726815086 HD DENSITY SYSTEM W/ IN-CAB CONTROL 722629016 MOISTURE SENSOR		(900053P13)	(\$69.00)

COMPLETING PACKAGES

ROUND BALER COMPLETING PACKAGES

SD_B6301 CONTROL GROUP

		726966	Deluxe Wrap Controls Net Only or Net & Twine. Bale Command II Plus Monitor			No Charge
--	--	--------	---	--	--	-----------



**ROLLBELT™ 450 SILAGE
US PRICE LIST**

(New Holland, PA)

		726969	<p>ISOBUS No Monitor</p> <p>****LESS MONITOR - NO MONITOR IS SUPPLIED****</p> <p>FOR CONTROL OF NET ONLY & NET TWINE WITH ISOBUS COMPLIANTTRACTORS EQUIPED WITH A VIRTUAL TERMINAL MONITOR (IntelliView™ Display) AND TRACTOR ISOBUS CONNECTION.</p> <p>From Model Year 2017 IntelliBale™ ISOBUS baler automation is available for use with 2016 and later T6 AutoCommand™ and T7 Full Powershift as well as T7 AutoCommand™ with ISOBUS 3. Both the tractor and baler require unlock codes.</p> <p>IntelliBale™ baler automation will automatically Stop the tractor, Control tie/wrap, Eject bale and Close tailgate. Cycle FNR lever to forward and back to neutral to start the cycle over. The operator will control shuttle and steering for each bale produced. feature to be functional.</p>		9000350P35	\$455.00
--	--	--------	--	--	------------	----------

SD_B8603 WRAPPER CHOICE

		726666	Net Only (Deluxe or ISO)		(901235P08)	(\$1,604.00)
		726964	<p>Net and Twine (Deluxe or ISO)</p> <p>Option for 1.8M ActiveSweep, SuperFeed and CropCutter ONLY.</p> <p>NOT AVAILABLE for Bale-Slice.</p>			No Charge

PTO OPTIONS

SD_03011 PTO

		726871	540 RPM w/ Cut-Out-Clutch			No Charge
--	--	--------	---------------------------	--	--	-----------

HAYTOOLS TIRES AND WHEELS

TIRES AND WHEELS

SD_16066 WHEELS AND TIRES

		8072609	31 x 13.5-15 8 PR			No Charge
		8074908	18L-16.1SL 10 PR		9001174P25	\$1,525.00

**ROLLBELT™ 450 SILAGE
US PRICE LIST**
(New Holland, PA)
FACTORY SUPPLIED OPTIONS
TENSION
SD_B6302 TENSION

		726815	HD Density System Adds a second density cylinder to Roll-Belt 450 Silage 1.8M, Roll-Belt 450 Bale-Slice, Roll-Belt 450 SuperFeed, Roll-Belt 450 CropCutter, 460 HAY 1.8M, Roll-Belt 460 Silage 1.8M, Roll-Belt 460 SuperFeed or Roll-Belt 460 CropCutter models ONLY. INCLUDES In-Cab Density System and Looped Upper Serpentine roll with scraper.		9000529P76	\$688.00
		727159	In-Cab Density System Density pressure will be controlled by and displayed on the baler monitor. ONLY COMPATIBLE with Deluxe or ISOBUS Wrap Control. STANDARD on all Roll-Belt 450 SuperFeed, 450 CropCutter and all models of Roll-Belt 460. OPTIONAL on Hay 1.8M, Silage 1.8M and Bale-Slice 1.8M. NOTE: This selection removes the mechanical density pressure gauge from the exterior of the baler.		9000399P63	\$519.00
			if VERSION is ROTOR CUTTER 2.07			No Charge
			if VERSION is ROTOR FEEDER 1.8M			No Charge

HYDRAULIC KITS
SD_20196 BALE RAMP

		726809	Bale Ramp - FF Factory Fitted			No Charge
--	--	--------	---	--	--	-----------

ROUND BALER OPTIONS
SD_16080 PICK-UP WHEEL

		726821	4.80/4.0-8 Bolt On Dual Wheels Standard gauge wheel for all Roll-Belt models			No Charge
		726822	4.80/4.0-8 No Tool Dual Wheels Option for 1.8M ActiveSweep pickup ONLY		9000294P14	\$382.00
		726823	15 x 6.00-6 Castering Option for SuperFeed and CropCutter models ONLY		9000378P84	\$492.00

SD_B6003 PICKUP LIFT

		726866	Manual Pickup Lift - FF Factory Fitted (DRY HAY & BASE SILAGE VERSIONS ONLY)			No Charge
		726867	Manual Hyd Pickup Lift - FF Factory Fitted. Hydraulic raise/lower of pickup.		9000269P50	\$350.00

ROLLBELT™ 450 SILAGE US PRICE LIST

(New Holland, PA)

SD_C5606 REEL

		726916	4 Bar Pickup Reel			No Charge
		726918	5 Bar Pickup Reel Option for Hay 1.8M ActiveSweep & Silage 1.8M ActiveSweep. Standard for 1.8M Bale-Slice, 2.07M SuperFeed and 2.07M CropCutter models.		9001114P96	\$1,448.00
			if VERSION is ROTOR FEEDER 1.8M			No Charge
			if VERSION is BALE SLICE			No Charge
			if VERSION is ROTOR CUTTER 2.07			No Charge

MANUALS

OPERATORS

SD_47083 OPERATOR'S MANUAL

		725060	English for NAR			No Charge
		725831	English/Spanish For NAR			No Charge
		725832	English/French For NAR			No Charge
		727117	English For NAR ISOBUS			No Charge
		727119	English/Spanish For NAR ISOBUS			No Charge
		727115	English/French For NAR ISOBUS			No Charge

**ROLLBELT™ 460 DRY HAY
US PRICE LIST**

(New Holland, PA)

Standard Equipment

BALE DIMENSIONS

- Width: 46.5 in. wide
- Diameter: 36 in. to 72 in.

Max Weight:

1,650 lbs. with a Single Density Cylinder

BELTS

- MRT Laced Rubber Belts (6 belts) 7 in. (178 mm) wide 3-ply belts with Clipper® Fasteners and pins (Standard on Hay 1.8M ActiveSweep)
- Premium MRT Laced Rubber Belts (6 belts) 7 in. (178 mm) wide 3-ply belts with MATO® Rivet Fasteners and corrugated pins. (Optional on Hay 1.8M ActiveSweep)
- Premium Endless Rubber Belts (6 belts) 7 in. (178 mm) wide 3-ply belts with 3 yr/15,000 bale warranty (Optional on Hay 1.8M ActiveSweep)

PICKUPS

- (1.8M) ActiveSweep™ Standard Duty
Four-bar Pickup with 112 5mm HD steel mounted shot peened curved tines-71 in. tine-to-tine, 79 in. flare-to-flare, 2.6 in. tine spacing, tubular tine bars, 3 reel spider supports, quick release steel tine windguard with a 14 in. diameter overshot "W" pattern rotary feeder with double flighted overshot augers, manual pickup lift and dual bolt on adjustable pickup flotation gauge wheels. (Standard on Hay 1.8M ActiveSweep)
- (1.8M) ActiveSweep™ Heavy Duty
Five-bar Pickup with 140 6mm HD rubber mounted shot peened tines-71 in. tine-to-tine, 79 in. flare-to-flare, 2.6 in. tine spacing, 3 double plate reel spider supports, five solid tine bars pinned in the center, steel roller windguard with a 14 in. diameter "W" pattern overshot rotary feeder with double flighted overshot augers,

manual pickup lift and dual bolt-on adjustable pickup flotation gauge wheels.

(Optional on Hay 1.8M ActiveSweep)

BALE FORMING

- One Steel Slatted Floor Roll
- Two Formed Rib Steel Forming Rolls
- One Dimpled Steel Forming Pivot Roll
- One Steel Starter Roll
- Self-Contained Density System: One extension spring and one hydraulic cylinder

IN-CAB DENSITY CONTROL

- Provides in-cab density pressure display on Bale Command™ II Plus Deluxe Monitor or ISOBUS display
- Allows independent settings for bale core size/density and the outer bale density
- This selection removes the mechanical density pressure gauge from the exterior of the baler
- Baler must have Deluxe or ISOBUS Wrap Control (Standard on all Roll-Belt 460 Models)

BALE WRAP CONTROL (MONITOR)

Bale Command II Plus Deluxe Wrap Control (Monitor)

- Available with Net & Twine or Net Only (Standard all Roll-Belt 460 Models)
- Bale Command II Plus Deluxe Monitor Functions:
 - Net or Twine Selection
 - Auto or Manual Wrap Cycle
 - Bale Current & Target Diameter
 - Twine Spacing & # End Wraps
 - Placement of Twine End Wraps From Bale Edge
 - Daily & Total Bale Count
 - 20 Resettable Bale Counts
 - 4 Pre-Programed Twine Wrap Patterns

**ROLLBELT™ 460 DRY HAY
US PRICE LIST**

(New Holland, PA)

Standard Equipment

- One Custom Twine Wrap Pattern
- 1.5 to 6.0 Net Wraps
- Bale Shape In-Cab Driving Gauges
- Audible/Visual Near Full Bale Alarm
- Audible/Visual Full Bale Alarm
- Audible/Visual Wrap Cycle Completed
- Audible/Visual Tailgate Open Alarm
- Wrapping Fault
- Voltage Indicator
- Audible/Visual Fault Indicator
- Bale Ramp Down (if equipped DIA)

ISOBUS No Monitor (less monitor) Wrap
Control-ISOBUS tractor REQUIRED

- Tractor must be equipped with a compatible virtual terminal monitor (IntelliView™ IV Monitor)

Functions:

- Same as Bale Command™ II Plus
- Color Graphics
- Controller Area Network Faults
- Easier/Faster Electrical Troubleshooting
- Allows Use of Existing Virtual Terminal on ISOBUS Equipped Tractor

BALE WRAPPING MECHANISMS

1. Net Only Wrap (Optional)

Net Only Features:

- EdgeWrap™ Net Wrap: Two rolls net capacity in front-one active, one nonactive, one stored on the tailgate
- 1.5 to 6.0 net wraps

2. Net-Twine Wrap (Optional)

Net & Twine Features:

- Six active twine ball capacity
- Dual twine arms on single pivot with position indicator
- EdgeWrap™ Net Wrap: One active net roll in front, with one stored roll on the tailgate
- 1.5 to 6.0 net wraps

DRIVELINE

- 540 rpm Constant Velocity

Driveline with Cut-Out Clutch
Protection & 50 Hour Grease Interval
(Standard on all models)

- PTO Support & Locking Hitch Pin
- Hydraulic Hose & Wiring Harness Holder

TIRES

- 31 x 13.5-15 8PR
(Standard on Hay 1.8M ActiveSweep)
- 18L-16.1SL 10PR
(Optional on Hay 1.8M ActiveSweep)
- 21.5L X 16.1
(Optional on all Roll-Belt 460 Models)

MISCELLANEOUS

- Trailing Lights for Road Towing
- 10,000 lbs. Safety Tow Chain
- External Banked Greasable Bearings
- Spring Loaded Bale Ramp with Hold Bar

TRACTOR REQUIREMENTS

- 540 rpm
- 70 PTO hp minimum
- (1 to 2) Hydraulic Remotes:
 1. One remote for pickup lift (if equipped)
 2. One remote for the tailgate or tailgate and hydraulic bale ramp (if equipped)

MISC. OPTIONAL EQUIPMENT

- Hydraulic Pickup Lift
- HD Density System = Dual Density Cylinders (Available for Hay 1.8M)
- Hydraulic Bale Ramp
- No-Tools Adjust Pickup Gauge Wheels
- Factory Installed Bale Moisture System

WARRANTY

Standard 12 Month Warranty Applies

*MATO® and Clipper® are registered trademarks of the MATO Corporation and the Flexible Steel Lacing Corporation, respectively.



**ROLLBELT™ 460 DRY HAY
US PRICE LIST**

(New Holland, PA)
Models

COMMERCIAL MODEL	VERSION	BALE SIZE	Weight	Factory Data	List Price
ROLL-BELT 460	HAY 1.8M	4X6	6,553 LB	9041076P42	\$53,346.00
Includes the following Equipment MRT Laced Belt (726664) (\$1,473.00)					

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

	XT9981X	Less Fast Pick Config Fast Pick Configurations are complete packaged units. Selecting any option outside of a Fast Pick configuration, unless specifically allowed eliminates the Fast Pick ordering incentive. LESS FAST PICK CONFIG = A LA CARTE ORDERING AND PRICING			No Charge
	X9825XX	4X6 HAY 1.8M PKG2 4X6 HAY 1.8M FAST PICK PKG2 STD PACK/NET TWINE/5-BAR FAST PICK PKG PRICE = 5% SAVINGS OVER A LA CARTE ORDER Package Contains: 726964106 NET & TWINE, NH 726871056 540 RPM, 1900NM, CUT OUT CLUTCH, OSF 807490806 TIRE & WHEEL 18L-16.1 SL, 10 PLY AW (NH) 726918146 OSF 5 BAR REEL, RBR TINES, 1.8M, NH 726819066 1.8M ROLLER, OSF, NH 726821006 DUAL, BOLT ON, 4.80/4.00-8 (NH) 726867026 MANUAL & HYDRAULIC PU LIFT (1.8M OSF) 726664036 MRT BELTS, STANDARD LACED, 4X6 727159156 Standard Density System (4X6), IN-CAB ADJUST 726809236 STANDARD BALE RAMP, 4X6, NH 422222016 WITHOUT MOISTURE SENSOR Available Options: X9987XX L/PERFORMANCE PACK X9713XX PERFORMANCE PACK 4 DRY HAY 4x6		(902048P20)	(\$2,660.00)

**ROLLBELT™ 460 DRY HAY
US PRICE LIST**
(New Holland, PA)

		X9826XX	4X6 HAY 1.8M PKG3 4X6 HAY 1.8M FAST PICK PKG3 DLX PACK/NET ONLY/5-BAR FAST PICK PKG PRICE = 5% SAVINGS OVER A LA CARTE ORDER Package Contains: 726666116 NET ONLY, NH 726871056 540 RPM, 1900NM, CUT OUT CLUTCH, OSF 809980876 TIRE & WHEEL 21.5L-16.1, 10 PLY RIB (NH) 726918146 OSF 5 BAR REEL, RBR TINES, 1.8M, NH 726819066 1.8M ROLLER, OSF, NH 726822106 DUAL, NO TOOLS ADJUST, 4.80/4.00-8 (NH) 726867026 MANUAL & HYDRAULIC PU LIFT (1.8M OSF) 726902016 BELTS, PREMIUM LACED, 4X6 727159156 Standard Density System (4X6), IN-CAB ADJUST 726809236 STANDARD BALE RAMP, 4X6, NH 422222016 WITHOUT MOISTURE SENSOR Available Options: X9987XX L/PERFORMANCE PACK X9713XX PERFORMANCE PACK 4 DRY HAY 4x6		(902136P75)	(\$2,775.00)
--	--	---------	---	--	-------------	--------------

PACKAGE

SD_T9987 PERFORMANCE PACK

		X9713XX	PERFORMANCE PACK 4 PERFORMANCE PACK 4 - DRY HAY 4x6 Upgrade Pack 726815096 HD DENSITY SYSTEM W/ IN-CAB CONTROL 722629016 MOISTURE SENSOR		(900060P83)	(\$79.00)
--	--	---------	---	--	-------------	-----------

COMPLETING PACKAGES
ROUND BALER COMPLETING PACKAGES

SD_B6101 BELTS

		726664	MRT Laced Belt		(901134P21)	(\$1,473.00)
		726902	PREMIUM LACED BELT 726902 Low Profile MATO® lacings with corrugated pins. (Production from YGN190530)		(900696P85)	(\$905.00)
		726803	Endless Belt		9001940P40	\$2,520.00

SD_B6301 CONTROL GROUP

		726966	Deluxe Wrap Controls Net Only or Net & Twine. Bale Command II Plus Monitor			No Charge
--	--	--------	---	--	--	-----------



**ROLLBELT™ 460 DRY HAY
US PRICE LIST**

(New Holland, PA)

		726969	<p>ISOBUS No Monitor</p> <p>****LESS MONITOR - NO MONITOR IS SUPPLIED****</p> <p>FOR CONTROL OF NET ONLY & NET TWINE WITH ISOBUS COMPLIANTTRACTORS EQUIPED WITH A VIRTUAL TERMINAL MONITOR (IntelliView™ Display) AND TRACTOR ISOBUS CONNECTION.</p> <p>From Model Year 2017 IntelliBale™ ISOBUS baler automation is available for use with 2016 and later T6 AutoCommand™ and T7 Full Powershift as well as T7 AutoCommand™ with ISOBUS 3. Both the tractor and baler require unlock codes.</p> <p>IntelliBale™ baler automation will automatically Stop the tractor, Control tie/wrap, Eject bale and Close tailgate. Cycle FNR lever to forward and back to neutral to start the cycle over. The operator will control shuttle and steering for each bale produced. feature to be functional.</p>		9000350P35	\$455.00
--	--	--------	--	--	------------	----------

SD_B8603 WRAPPER CHOICE

		726666	Net Only (Deluxe or ISO)		(901235P08)	(\$1,604.00)
		726964	<p>Net and Twine (Deluxe or ISO)</p> <p>Option for 1.8M ActiveSweep, SuperFeed and CropCutter ONLY.</p> <p>NOT AVAILABLE for Bale-Slice.</p>			No Charge

PTO OPTIONS

SD_03011 PTO

		726871	540 RPM w/ Cut-Out-Clutch			No Charge
--	--	--------	---------------------------	--	--	-----------

HAYTOOLS TIRES AND WHEELS

TIRES AND WHEELS

SD_16066 WHEELS AND TIRES

		8072609	31 x 13.5-15 8 PR			No Charge
		8074908	18L-16.1SL 10 PR		9001174P25	\$1,525.00
		8099808	21.5L x 16.1 10PR		9003595P90	\$4,670.00



**ROLLBELT™ 460 DRY HAY
US PRICE LIST**

(New Holland, PA)

FACTORY SUPPLIED OPTIONS

TENSION

SD_B6302 TENSION

		726815	HD Density System Adds a second density cylinder to Roll-Belt 450 Silage 1.8M, Roll-Belt 450 Bale-Slice, Roll-Belt 450 SuperFeed, Roll-Belt 450 CropCutter, 460 HAY 1.8M, Roll-Belt 460 Silage 1.8M, Roll-Belt 460 SuperFeed or Roll-Belt 460 CropCutter models ONLY. INCLUDES In-Cab Density System and Looped Upper Serpentine roll with scraper.		9000529P76	\$688.00
--	--	--------	--	--	------------	----------

HYDRAULIC KITS

SD_20196 BALE RAMP

		726809	Bale Ramp - FF Factory Fitted			No Charge
--	--	--------	--	--	--	-----------

ROUND BALER OPTIONS

SD_16080 PICK-UP WHEEL

		726821	4.80/4.0-8 Bolt On Dual Wheels Standard gauge wheel for all Roll-Belt models			No Charge
		726822	4.80/4.0-8 No Tool Dual Wheels Option for 1.8M ActiveSweep pickup ONLY		9000294P14	\$382.00

SD_27035 PF PACKAGE

		722629	MOISTURE SENSOR FF Factory Fitted Bale Moisture Sensor		9000790P02	\$1,026.00
--	--	--------	---	--	------------	------------

SD_B6003 PICKUP LIFT

		726866	Manual Pickup Lift - FF Factory Fitted (DRY HAY & BASE SILAGE VERSIONS ONLY)			No Charge
		726867	Manual Hyd Pickup Lift - FF Factory Fitted. Hydraulic raise/lower of pickup.		9000269P50	\$350.00

SD_C5606 REEL

		726916	4 Bar Pickup Reel			No Charge
		726918	5 Bar Pickup Reel Option for Hay 1.8M ActiveSweep & Silage 1.8M ActiveSweep. Standard for 1.8M Bale-Slice, 2.07M SuperFeed and 2.07M CropCutter models.		9001114P96	\$1,448.00



**ROLLBELT™ 460 DRY HAY
US PRICE LIST**

(New Holland, PA)

MANUALS

OPERATORS

SD_47083 OPERATOR'S MANUAL

		725060	English for NAR			No Charge
		725831	English/Spanish For NAR			No Charge
		725832	English/French For NAR			No Charge
		727117	English For NAR ISOBUS			No Charge
		727119	English/Spanish For NAR ISOBUS			No Charge
		727115	English/French For NAR ISOBUS			No Charge

**ROLLBELT™ 460 SILAGE
US PRICE LIST**

(New Holland, PA)

Standard Equipment

BALE DIMENSIONS

- Width: 46.5 in. wide
- Diameter: 36 in. to 72 in.

Max Weight:

- 2,200 lbs. with a Single Density Cylinder
- 2,300 lbs. with Dual Density Cylinders

BELTS

- Premium Endless Rubber Belts (6)
7 in. (178 mm) wide 3-ply belts with
3 yr/15,000 bale warranty
(Standard on all Roll-Belt 460 Silage
models)

PICKUPS

- (1.8M) ActiveSweep™ Standard Duty
Four-bar Pickup with 112 5mm HD
steel mounted shot peened curved
tines- 71 in. tine-to-tine, 79 in. flare-
to- flare, 2.6 in. tine spacing, four
tubular tine bars pinned in the center,
3 single plate reel spider supports,
quick release steel tine windguard
with a 14 in. diameter "W" pattern
overshot rotary feeder with
double flighted overshot augers,
manual pickup lift and dual bolt-on
adjustable pickup flotation gauge
wheels.
(Standard on Silage 1.8M
ActiveSweep)

- (1.8M) ActiveSweep™ Heavy Duty
Five-bar Pickup with 140 6mm HD
rubber mounted shot peened tines-71
in. tine-to-tine, 79 in. flare-to-flare,
2.6 in. tine spacing, 3 double plate
reel spider supports, five solid tine bars
pinned in the center, steel roller
windguard with a 14 in. diameter "W"
pattern overshot rotary feeder with
double flighted overshot augers,
manual pickup lift and dual bolt-on
adjustable pickup flotation gauge
wheels.

(Standard on Bale-Slice™ 1.8M,
Optional on Silage 1.8M ActiveSweep)

- (2.07M) SuperFeed Heavy Duty Five-
bar Pickup with 160 6mm HD rubber
mounted shot peened tines-82
in.tine-to-tine, 90 in. flare-to-flare,
2.6 in. tine spacing, industry exclusive
split center solid steel tine bars, 4
double plate reel spider supports, full
height bolt-in tine dividers from top to
bottom of pickup backbone, steel
roller windguard with a 18 inch
diameter "W" pattern undershot
rotary feeder, manual pickup lift, dual
bolt-on adjustable pickup flotation
gauge wheels, 15 adjustable
knives on 2.6 in. centers with
hydraulically actuated drop floor.
(Standard on Rotor Feeder 2.07M
SuperFeed)

- (2.07M) CropCutter® Heavy Duty Five-
bar Pickup with 160 6mm HD rubber
mounted shot peened tines-82
in.tine-to-tine, 90 in. flare-to-flare,
2.6 in. tine spacing, industry exclusive
split center solid steel tine bars, 4
double plate reel spider supports, full
height bolt-in tine dividers from top to
bottom of pickup backbone, steel
roller windguard with a 18 inch
diameter "W" pattern undershot
rotary feeder, manual pickup lift, dual
bolt-on adjustable pickup flotation
gauge wheels, 15 adjustable
knives on 2.6 in. centers with
hydraulically actuated drop floor and
15 knife blanks.
(Standard on Rotor Cutter 2.07M
CropCutter)

BALE FORMING

- One Steel Slatted Floor Roll
- Two Formed Rib Steel Forming Rolls

**ROLLBELT™ 460 SILAGE
US PRICE LIST**

(New Holland, PA)

Standard Equipment

- One Dimpled Steel Forming Pivot Roll
- One Steel Starter Roll
- Self-Contained Density System:
One extension spring and one
hydraulic cylinder
- Dual Follower roll sledge and tailgate
chopping roll
- Looped upper serpentine roll with
scraper

IN-CAB DENSITY CONTROL

- Provides in-cab density pressure display
on Bale-Command™ II Plus Deluxe
Monitor or ISOBUS display
- Allows independent settings for bale
core size/density and the outer bale
density
- This selection removes the mechanical
density pressure gauge from the
exterior of the baler
- Baler must have Deluxe or ISOBUS
Wrap Control
(Standard on all Roll-Belt 460 Models)

BALE WRAP CONTROL (MONITOR)

Bale Command II Plus Deluxe Wrap
Control (Monitor)

- Available with Net &
Twine or Net Only
(Standard on all Roll-Belt 460 Models)

Bale Command II Plus Deluxe Monitor

Functions:

- Net or Twine Selection
- Auto or Manual Wrap Cycle
- Bale Current Diameter
- Bale Target Diameter
- Twine Spacing & # End Wraps
- Placement of Twine End Wraps From
Bale Edge
- Daily Bale Count
- Total Bale Count
- Four Pre-Programed Twine Wrap
Patterns
- One Custom Twine Wrap Pattern

- 1.5 to 6.0 Net Wraps
- 20 Resettable Bale Counts
- Bale Shape In-Cab Driving Gauges
- Audible/Visual Near Full Bale Alarm
- Audible/Visual Full Bale Alarm
- Audible/Visual Wrap Cycle Completed
Alarm
- Audible/Visual Tailgate Open Alarm
- Wrapping Fault
- Voltage Indicator
- Audible/Visual Fault Indicator
- Bale Ramp Down (if equipped DIA from
parts)
- CropCutter Knives In/Out (if equipped
with CropCutter).
- Rotor Drop Floor Opened (if equipped
with CropCutter)

ISOBUS No Monitor (less monitor) Wrap
Control-ISOBUS tractor REQUIRED

- Tractor must be equipped with a
compatible virtual terminal monitor
(IntelliView™ IV Monitor)

Functions:

- Same as Bale Command™ II Plus
- Color Graphics
- Controller Area Network Faults
- Easier/Faster Electrical
Troubleshooting
- Allows Use of Existing Virtual Terminal
on ISOBUS Equipped Tractor

BALE WRAPPING MECHANISMS

1. Net Wrap Only

(Standard on CropCutter, Optional on
1.8M ActiveSweep and SuperFeed)

Net Only Features:

- EdgeWrap™ Net Wrap: Two rolls net
capacity in front-one active, one
nonactive, one stored on the tailgate
- 1.5 to 6.0 net wraps

2. Net-Twine Wrap (Optional)

Net & Twine Features:

- Six active twine ball capacity
- Dual twine arms on single pivot with

ROLLBELT™ 460 SILAGE US PRICE LIST

(New Holland, PA)

Standard Equipment

- position indicator
- EdgeWrap™ Net Wrap: One active net roll in front, with one stored roll on the tailgate
- 1.5 to 6.0 net wraps

DRIVELINE

- 540 rpm Constant Velocity Driveline with Cut-Out Clutch Protection & 50 Hour Grease Interval (Standard on all models)
- PTO Support & Locking Hitch Pin
- Hydraulic Hose & Wiring Harness Holder

TIRES

- 31 x 13.5-15 8PR (Standard on Silage 1.8M ActiveSweep)
- 18L-16.1SL 10PR (Standard on CropCutter and SuperFeed, Optional on Silage 1.8M ActiveSweep)
- 21.5L X 16.1 (Optional on all Roll-Belt 460 Models)

MISCELLANEOUS

- Trailing Lights for Road Towing
- 10,000 lbs. Safety Tow Chain
- External Banked Greasable Bearings
- Spring Loaded Bale Ramp with Hold Bar

TRACTOR REQUIREMENTS

- 540 rpm
- 70-105 PTO hp minimum depending on model
- (1 to 4) Hydraulic Remotes:
 1. One remote for pickup lift (if equipped)
 2. One remote for the tailgate or tailgate with hydraulic drop floor (if equipped)
 3. One remote for hydraulic drop floor on SuperFeed and CropCutter
 4. One remote for knives on CropCutter

MISC. OPTIONAL EQUIPMENT

- Hydraulic Pickup Lift
- HD Density System = Dual Density Cylinders (Available for Silage 1.8M, SuperFeed and CropCutter)
- Looped upper serpentine roll with scraper
- No-Tools Adjust Pickup Gauge Wheels (Not Available for SuperFeed or CropCutter)
- Castoring Gauge Wheels (Optional on SuperFeed and CropCutter ONLY)
- Factory Installed Bale Moisture System

WARRANTY

Standard 12 Month Warranty Applies



**ROLLBELT™ 460 SILAGE
US PRICE LIST**

(New Holland, PA)
Models

COMMERCIAL MODEL	VERSION	BALE SIZE	Weight	Factory Data	List Price
ROLL-BELT 460	SILAGE 1.8M	4X6	6,566 LB	9044385P88	\$57,644.00
Includes the following Equipment Endless Belt (726803) \$2,520.00 1.8M Roller Windguard (726819) \$264.00 Net Only (Deluxe or ISO) (726666) (\$1,604.00)					
ROLL-BELT 460	ROTOR FEEDER 1.8M	4X6	6,786 LB	9049617P26	\$64,438.00
Includes the following Equipment 18L-16.1SL 10 PR (8074908) \$1,525.00 2.07M Pickup (726827) \$97.00 Manual Hyd Pickup Lift - F (726867) \$350.00 Endless Belt (726803) \$2,520.00 2.07M Roller Windguard (726654) \$901.00 Net Only (Deluxe or ISO) (726666) (\$1,604.00)					
ROLL-BELT 460	ROTOR CUTTER 2.07	4X6	7,160 LB	9051814P07	\$67,291.00
Includes the following Equipment 18L-16.1SL 10 PR (8074908) \$1,525.00 2.07M Pickup (726827) \$97.00 Manual Hyd Pickup Lift - F (726867) \$350.00 Endless Belt (726803) \$2,520.00 2.07M Roller Windguard (726654) \$901.00 Net Only (Deluxe or ISO) (726666) (\$1,604.00)					

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

	XT9981X	Less Fast Pick Config Fast Pick Configurations are complete packaged units. Selecting any option outside of a Fast Pick configuration, unless specifically allowed eliminates the Fast Pick ordering incentive. LESS FAST PICK CONFIG = A LA CARTE ORDERING AND PRICING			No Charge
--	---------	---	--	--	-----------

**ROLLBELT™ 460 SILAGE
 US PRICE LIST**

(New Holland, PA)

	X00462X	4X6 SILAGE 1.8M FP FAST PICK PKG PRICE = 5% SAVINGS OVER A LA CARTE ORDER Roll-Belt 460 Silage Special Fast Pick Package Contains: -726803 (Endless Belts) -726966 (Deluxe Wrap) -726964 (Net and Twine (Deluxe or ISO)) -726871 (540 RPM w/Cut-Out-Clutch) -8074908 (18L - 16.1SL 10 PR) -727159 (In-Cab Density) -726809 (Spring Bale Ramp) -726821 (4.80/4.0-8 Bolt On Dual Wheels) -726867 (Manual Hyd. Pickup Lift) -726819 (1.8M Roller Windguard) -726918 (5 Bar Pickup Reel) -722629 (With Moisture Sensor)		(902579P50)	(\$3,350.00)
	X9828XX	4X6 SILAGE 1.8M PKG2 4X6 SILAGE 1.8M FAST PICK PKG2 STD PACK/NET&TWINE/5-BAR FAST PICK PKG PRICE = 5% SAVINGS OVER A LA CARTE ORDER Package Contains: 726964106 NET & TWINE, NH 726871056 540 RPM, 1900NM, CUT OUT CLUTCH, OSF 807490806 TIRE & WHEEL 18L-16.1 SL, 10 PLY AW (NH) 726918146 OSF 5 BAR REEL, RBR TINES, 1.8M, NH 726819066 1.8M ROLLER, OSF, NH 726821006 DUAL, BOLT ON, 4.80/4.00-8 (NH) 726867026 MANUAL & HYDRAULIC PU LIFT (1.8M OSF) 726803016 BELTS, ENDLESS, 4X6 727159166 Standard Density System (4X6), IN-CAB ADJUST 726809236 STANDARD BALE RAMP, 4X6, NH 422222016 WITHOUT MOISTURE SENSOR Available Options: X9987XX L/PERFORMANCE PACK X9714XX PERFORMANCE PACK 5 SILAGE 4x6		(902233P00)	(\$2,900.00)

**ROLLBELT™ 460 SILAGE
US PRICE LIST**
(New Holland, PA)

		X9829XX	4X6 SILAGE 1.8M PKG3 4X6 SILAGE 1.8M FAST PICK PKG3 DLX PACK/NET&TWINE/5-BAR FAST PICK PKG PRICE = 5% SAVINGS OVER A LA CARTE ORDER Package Contains: 726964106 NET & TWINE, NH 726871056 540 RPM, 1900NM, CUT OUT CLUTCH, OSF 809980876 TIRE & WHEEL 21.5L-16.1, 10 PLY RIB (NH) 726918146 OSF 5 BAR REEL, RBR TINES, 1.8M, NH 726819066 1.8M ROLLER, OSF, NH 726822106 DUAL, NO TOOLS ADJUST, 4.80/4.00-8 (NH) 726867026 MANUAL & HYDRAULIC (1.8M OSF) 726803016 BELTS, ENDLESS, 4X6 727159166 Standard Density System (4X6), IN-CAB ADJUST 726809236 STANDARD BALE RAMP, 4X6, NH 422222016 WITHOUT MOISTURE SENSOR Available Options: X9987XX L/PERFORMANCE PACK X9714XX PERFORMANCE PACK 5 SILAGE 4x6		(902356P20)	(\$3,060.00)
		X00463X	4X6 ROTOR FEEDER FP FAST PICK PKG PRICE = 5% SAVINGS OVER A LA CARTE ORDER Roll-Belt 460 SuperFeed Fast Pick Package Contains: -726803 (Endless Belts) -726966 (Deluxe Wrap) -726666 (Net Only (Deluxe or ISO)) -726871 (540 RPM w/Cut-Out-Clutch) -8074908 (18L - 16.1SL 10 PR) -727159 (In-Cab Density) -726809 (Spring Bale Ramp) -726823 (15 x 6.00-6 Castoring Gauge Wheels) -726867 (Manual Hyd. Pickup Lift) -726654 (2.07M Roller Windguard) -726918 (5 Bar Pickup Reel) -722629 (With Moisture Sensor)		(902721P95)	(\$3,535.00)

**ROLLBELT™ 460 SILAGE
US PRICE LIST**

(New Holland, PA)

		X9831XX	4X6 ROTOR FEED PKG2 4X6 ROTOR FEED FAST PICK PKG2 STD PACK/NET&TWINE/5-BAR FAST PICK PKG PRICE = 5% SAVINGS OVER A LA CARTE ORDER Package Contains: 726964106 NET & TWINE, NH 726871066 540 RPM, 1900NM, CUT OUT CLUTCH 807490806 TIRE & WHEEL 18L-16.1 SL, 10 PLY AW (NH) 726918078 5 BAR REEL, RBR TINES, 2.0M, NH 726654018 2.0M ROLLER, ROTOR, NH 726823066 DUAL, CASTERING, 15X6.00-6 (NH) 726867046 MANUAL & HYDRAULIC (2M ROTOR) 726803016 BELTS, ENDLESS, 4X6 727159166 Standard Density System (4X6), IN-CAB ADJUST 726809236 STANDARD BALE RAMP, 4X6, NH 422222016 WITHOUT MOISTURE SENSOR Available Options: X9987XX L/PERFORMANCE PACK X9714XX PERFORMANCE PACK 5 SILAGE 4x6		(902367P75)	(\$3,075.00)
		X9832XX	4X6 ROTOR FEED PKG3 4X6 ROTOR FEED FAST PICK PKG3 DLX PACK/NET&TWINE/5-BAR FAST PICK PKG PRICE = 5% SAVINGS OVER A LA CARTE ORDER Package Contains: 726964106 NET & TWINE, NH 726871066 540 RPM, 1900NM, CUT OUT CLUTCH 809980876 TIRE & WHEEL 21.5L-16.1, 10 PLY RIB (NH) 726918078 5 BAR REEL, RBR TINES, 2.0M, NH 726654018 2.0M ROLLER, ROTOR, NH 726823066 DUAL, CASTERING, 15X6.00-6 (NH) 726867046 MANUAL & HYDRAULIC PU LIFT (2M ROTOR) 726803016 BELTS, ENDLESS, 4X6 727159166 Standard Density System (4X6), IN-CAB ADJUST 726809236 STANDARD BALE RAMP, 4X6, NH 422222016 WITHOUT MOISTURE SENSOR Available Options: X9987XX L/PERFORMANCE PACK X9714XX PERFORMANCE PACK 5 SILAGE 4x6		(902683P45)	(\$3,485.00)

**ROLLBELT™ 460 SILAGE
US PRICE LIST**
(New Holland, PA)

		X00464X	4X6 ROTOR CUTTER FP FAST PICK PKG PRICE = 5% SAVINGS OVER A LA CARTE ORDER Roll-Belt 460 CropCutter Fast Pick Package Contains: -726803 (Endless Belts) -726966 (Deluxe Wrap) -726666 (Net Only (Deluxe or ISO)) -726871 (540 RPM w/Cut-Out-Clutch) -8074908 (18L - 16.1SL 10 PR) -727159 (In-Cab Density) -726815 (HD (Dual Cylinder) Density System) -726809 (Spring Bale Ramp) -726823 15 x 6.00-6 Castering Gauge Wheels) -726867 (Manual Hyd. Pickup Lift) -726654 (2.07M Roller Windguard) -726918 (5 Bar Pickup Reel) -722629 (With Moisture Sensor)		(902829P75)	(\$3,675.00)
		X9834XX	4X6 ROTOR CUT PKG2 4X6 ROTOR CUT FAST PICK PKG2 STD PACK/NET&TWINE/5-BAR FAST PICK PKG PRICE = 5% SAVINGS OVER A LA CARTE ORDER Package Contains: 726964106 NET & TWINE, NH 726871036 540 RPM, 1900NM, CUT OUT CLUTCH 807490806 TIRE & WHEEL 18L-16.1 SL, 10 PLY AW (NH) 726918078 5 BAR REEL, RBR TINES, 2.0M, NH 726654018 2.0M ROLLER, ROTOR, NH 726823066 DUAL, CASTERING, 15X6.00-6 (NH) 726867046 MANUAL & HYDRAULIC PU LIFT (2M ROTOR) 726803016 BELTS, ENDLESS, 4X6 727159166 Standard Density System (4X6), IN-CAB ADJUST 726809236 STANDARD BALE RAMP, 4X6, NH 422222016 WITHOUT MOISTURE SENSOR Available Options: X9987XX L/PERFORMANCE PACK X9714XX PERFORMANCE PACK 5 SILAGE 4x6 X9715XX PERFORMANCE PACK 6 SILAGE 4x6		(902671P90)	(\$3,470.00)

**ROLLBELT™ 460 SILAGE
US PRICE LIST**
(New Holland, PA)

		X9835XX	4X6 ROTOR CUT PKG3 4X6 ROTOR CUT FAST PICK PKG3 DLX PACK/NET&TWINE/5-BAR FAST PICK PKG PRICE = 5% SAVINGS OVER A LA CARTE ORDER Package Contains: 726964106 NET & TWINE, NH 726871036 540 RPM, 1900NM, CUT OUT CLUTCH 809980876 TIRE & WHEEL 21.5L-16.1, 10 PLY RIB (NH) 726918078 5 BAR REEL, RBR TINES, 2.0M, NH 726654018 2.0M ROLLER, ROTOR, NH 726823066 DUAL, CASTERING, 15X6.00-6 (NH) 726867046 MANUAL & HYDRAULIC PU LIFT (2M ROTOR) 726803016 BELTS, ENDLESS, 4X6 727159166 Standard Density System (4X6), IN-CAB ADJUST 726809236 STANDARD BALE RAMP, 4X6, NH 422222016 WITHOUT MOISTURE SENSOR Available Options: X9987XX L/PERFORMANCE PACK X9714XX PERFORMANCE PACK 5 SILAGE 4x6 X9715XX PERFORMANCE PACK 6 SILAGE 4x6		(902583P35)	(\$3,355.00)
--	--	---------	---	--	-------------	--------------

PACKAGE

SD_T9987 PERFORMANCE PACK

		X9714XX	PERFORMANCE PACK 5 PERFORMANCE PACK 5 - SILAGE 4x6 Upgrade Pack 726815096 HD DENSITY SYSTEM W/ IN-CAB CONTROL 722629016 MOISTURE SENSOR		(900060P83)	(\$79.00)
		X9715XX	PERFORMANCE PACK 6 PERFORMANCE PACK 6 -SILAGE 4x6 CropCutter Only 726969046 ISOBUS ELECTRONICS, LESS MONITOR, NH 726815096 HD DENSITY SYSTEM W/ IN-CAB CONTROL 722629016 MOISTURE SENSOR		(900053P13)	(\$69.00)

COMPLETING PACKAGES

ROUND BALER COMPLETING PACKAGES

SD_B6301 CONTROL GROUP

		726966	Deluxe Wrap Controls Net Only or Net & Twine. Bale Command II Plus Monitor			No Charge
--	--	--------	---	--	--	-----------



**ROLLBELT™ 460 SILAGE
US PRICE LIST**

(New Holland, PA)

		726969	<p>ISOBUS No Monitor</p> <p>****LESS MONITOR - NO MONITOR IS SUPPLIED****</p> <p>FOR CONTROL OF NET ONLY & NET TWINE WITH ISOBUS COMPLIANTTRACTORS EQUIPED WITH A VIRTUAL TERMINAL MONITOR (IntelliView™ Display) AND TRACTOR ISOBUS CONNECTION.</p> <p>From Model Year 2017 IntelliBale™ ISOBUS baler automation is available for use with 2016 and later T6 AutoCommand™ and T7 Full Powershift as well as T7 AutoCommand™ with ISOBUS 3. Both the tractor and baler require unlock codes.</p> <p>IntelliBale™ baler automation will automatically Stop the tractor, Control tie/wrap, Eject bale and Close tailgate. Cycle FNR lever to forward and back to neutral to start the cycle over. The operator will control shuttle and steering for each bale produced. feature to be functional.</p>		9000350P35	\$455.00
--	--	--------	--	--	------------	----------

SD_B8603 WRAPPER CHOICE

		726666	Net Only (Deluxe or ISO)		(901235P08)	(\$1,604.00)
		726964	<p>Net and Twine (Deluxe or ISO)</p> <p>Option for 1.8M ActiveSweep, SuperFeed and CropCutter ONLY.</p> <p>NOT AVAILABLE for Bale-Slice.</p>			No Charge

PTO OPTIONS

SD_03011 PTO

		726871	540 RPM w/ Cut-Out-Clutch			No Charge
--	--	--------	---------------------------	--	--	-----------

HAYTOOLS TIRES AND WHEELS

TIRES AND WHEELS

SD_16066 WHEELS AND TIRES

		8072609	31 x 13.5-15 8 PR			No Charge
		8074908	18L-16.1SL 10 PR		9001174P25	\$1,525.00
		8099808	21.5L x 16.1 10PR		9003595P90	\$4,670.00



**ROLLBELT™ 460 SILAGE
US PRICE LIST**

(New Holland, PA)

FACTORY SUPPLIED OPTIONS

TENSION

SD_B6302 TENSION

		726815	HD Density System Adds a second density cylinder to Roll-Belt 450 Silage 1.8M, Roll-Belt 450 Bale-Slice, Roll-Belt 450 SuperFeed, Roll-Belt 450 CropCutter, 460 HAY 1.8M, Roll-Belt 460 Silage 1.8M, Roll-Belt 460 SuperFeed or Roll-Belt 460 CropCutter models ONLY. INCLUDES In-Cab Density System and Looped Upper Serpentine roll with scraper.		9000529P76	\$688.00
--	--	--------	---	--	------------	----------

HYDRAULIC KITS

SD_20196 BALE RAMP

		726809	Bale Ramp - FF Factory Fitted			No Charge
--	--	--------	---	--	--	-----------

ROUND BALER OPTIONS

SD_16080 PICK-UP WHEEL

		726821	4.80/4.0-8 Bolt On Dual Wheels Standard gauge wheel for all Roll-Belt models			No Charge
		726822	4.80/4.0-8 No Tool Dual Wheels Option for 1.8M ActiveSweep pickup ONLY		9000294P14	\$382.00
		726823	15 x 6.00-6 Castering Option for SuperFeed and CropCutter models ONLY		9000378P84	\$492.00

SD_B6003 PICKUP LIFT

		726866	Manual Pickup Lift - FF Factory Fitted (DRY HAY & BASE SILAGE VERSIONS ONLY)			No Charge
		726867	Manual Hyd Pickup Lift - FF Factory Fitted. Hydraulic raise/lower of pickup.		9000269P50	\$350.00

SD_C5606 REEL

		726916	4 Bar Pickup Reel			No Charge
		726918	5 Bar Pickup Reel Option for Hay 1.8M ActiveSweep & Silage 1.8M ActiveSweep. Standard for 1.8M Bale-Slice, 2.07M SuperFeed and 2.07M CropCutter models.		9001114P96	\$1,448.00
			if VERSION is ROTOR FEEDER 1.8M			No Charge
			if VERSION is ROTOR CUTTER 2.07			No Charge



**ROLLBELT™ 460 SILAGE
US PRICE LIST**

(New Holland, PA)

MANUALS

OPERATORS

SD_47083 OPERATOR'S MANUAL

		725060	English for NAR			No Charge
		725831	English/Spanish For NAR			No Charge
		725832	English/French For NAR			No Charge
		727117	English For NAR ISOBUS			No Charge
		727119	English/Spanish For NAR ISOBUS			No Charge
		727115	English/French For NAR ISOBUS			No Charge

**ROLLBELT™ 550 DRY HAY
US PRICE LIST**

(New Holland, PA)

Standard Equipment

BALE DIMENSIONS

Width: 61.5 in. wide
Diameter: 36 in. to 60 in.
Max Weight: 1,550 lbs.

BELTS

- MRT Laced Rubber Belts (8) 7 in. (178 mm) wide 3-ply belts with Clipper® Fasteners and pins (Optional)
- Premium MRT Laced Rubber Belts (8) 7 in. (178 mm) wide 3-ply belts with MATO® Rivet Fasteners and corrugated pins.

PICKUP

- (1.5M) SuperSweep™ Standard Six-bar Pickup with 4.8mm shot peened tines -144 tines, quick release tine windguard, 60.4 in. tine-to-tine, 68.3 in. flare-to-flare and dual bolt-on flotation pickup gauge wheels. (Standard on 1.5M SuperSweep)

BALE FORMING

- One Steel Slatted Floor Roll
- Two Formed Rib Steel Forming Rolls
- One Dimpled Steel Forming Pivot Roll
- One Steel Slatted Starter Roll
- Self Contained Density System: Two extension springs and two hydraulic cylinders
- Belt Declutching System

Bale Command™ II Standard Monitor

Functions:

- Twine Selection
- Auto or Manual Wrap Cycle
- Bale Current Diameter
- Bale Target Diameter
- Twine Spacing & # End Wraps
- Placement of Twine End Wraps From Bale Edge

- Daily Bale Count
- Total Bale Count
- 3 Pre-Programed Twine Wrap Patterns
- 1 Custom Twine Wrap Pattern
- 1 Resettable Bale Count
- Bale Shape In-cab Driving Gauges
- Audible/Visual Near Full Bale Alarm
- Audible/Visual Full Bale Alarm
- Audible/Visual Wrap Cycle Completed Alarm
- Audible/Visual Tailgate Open Alarm
- Wrapping Fault
- Bale Ramp Down (II Equipped DIA from parts)
- Voltage Indicator
- Audible/Visual Fault Indicator

Bale Command™ II Plus Deluxe Wrap Control (Monitor)

- Available with Twine Only or Net & Twine (Optional)

Bale Command II Plus Deluxe Monitor Functions:

- Net or Twine Selection
- Auto or Manual Wrap Cycle
- Bale Current Diameter
- Bale Target Diameter
- Twine Spacing & # End Wraps
- Placement of Twine End Wraps From Bale Edge
- Daily Bale Count
- Total Bale Count
- Four Pre-Programed Twine Wrap Patterns
- One Custom Twine Wrap Pattern
- 1.5 to 6.0 Net Wraps
- 20 Resettable Bale Counts
- Bale Shape In-Cab Driving Gauges
- Audible/Visual Near Full Bale Alarm
- Audible/Visual Full Bale Alarm
- Audible/Visual Wrap Cycle Completed Alarm
- Audible/Visual Tailgate Open Alarm

**ROLLBELT™ 550 DRY HAY
US PRICE LIST**

(New Holland, PA)

Standard Equipment

- Wrapping Fault
- Voltage Indicator
- Audible/Visual Fault Indicator
- Bale Ramp Down (if equipped DIA from parts)

ISOBUS (with or without monitor)
Wrap Control (Optional)

IntelliView™ III Monitor (or equivalent tractor monitor) ISOBUS Functions:

- Color Graphics
- Controller Area Network Faults
- Easier/Faster Electrical Troubleshooting
- Allows Use of Existing Virtual Terminal on ISOBUS Equipped Tractor
- IntelliView III Monitor Standard
- IntelliView IV DIA available from parts

BALE WRAPPING MECHANISMS

1) Deluxe Twine Wrap (Optional)

Twine Only Features:

- Six active twine ball capacity
- Dual twine arms on single pivot with position indicator

2) Net-Twine Wrap (Optional)

Net & Twine Features:

- Six active twine ball capacity
- Dual twine arms on single pivot with position indicator
- EdgeWrap™ Net Wrap: One active net roll in front, with one stored roll on the tailgate
- 1.5 to 6.0 net wraps

DRIVELINE

- 540 or 1000 rpm Constant Velocity Driveline with Cut-Out Clutch Protection & 50 Hour Grease Interval (Standard on all models)
- PTO Support & Locking Hitch Pin
- Hydraulic Hose & Wiring Harness Holder

TIRES

- 31 x 13.5-15 8PR (Standard)
- 18L-16.1 SL 15PR (Optional)

MISCELLANEOUS

- Trailing Lights for Road Towing
- 10,000 lb Safety Tow Chain
- External Banked Greasable Bearings
- Spring Loaded Bale Ramp w/Hold Bar

TRACTOR REQUIREMENTS

- 540 rpm/1000 rpm - as designated by completing package
- 80 PTO hp minimum
- (1 to 2) Hydraulic Remotes:
 1. One remote for pickup lift (if equipped)
 2. One for the tailgate

MISC. OPTIONAL EQUIPMENT:

- Hydraulic Pickup Lift
- No-Tools Adjust Pickup Gauge Wheels

WARRANTY

Standard 12 Month Warranty Applies

*Clipper® is a registered trademark of the Flexible Steel Lacing Corporation



ROLLBELT™ 550 DRY HAY
US PRICE LIST

(New Holland, PA)

Models

COMMERCIAL MODEL	VERSION	BALE SIZE	Weight	Factory Data	List Price
ROLL-BELT 550	HAY SPU 1.5M	5X5	5,967 LB	9030444P26	\$39,508.00
Includes the following Equipment					
Twine Only (Deluxe) (726963) \$3,187.00					

CURRENT INVENTORY ONLY

**ROLLBELT™ 550 DRY HAY
US PRICE LIST**

(New Holland, PA)

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

COMPLETING PACKAGES

ROUND BALER COMPLETING PACKAGES

SD_B6101 BELTS

	726664	MRT Laced Belt MRT Laced Rubber Belts with with Clipper® Fasteners & Pin		No Charge
	726902	PREMIUM LACED BELT 726902 Low Profile MATO® lacings with corrugated pins. (Production from YGN190530)	9000405P02	\$526.00

SD_B6301 CONTROL GROUP

	726966	Deluxe Wrap Can Control Twine Only, Net Only or Net & Twine Bale Command II Plus Monitor		No Charge
	726969	ISOBUS No Monitor Can control Net Only or Net & Twine No monitor would come with the baler This option is available for customers with ISOBUS compatible tractors that have an existing monitor in the cab.	9000348P04	\$452.00
	726967	ISOBUS with Monitor Can Control Net Only or Net & Twine IntelliView III Monitor	9001952P72	\$2,536.00

SD_B8603 WRAPPER CHOICE

	726963	Twine Only (Deluxe or ISO) Available for Hay SPU 1.5M SuperSweep and Hay WPU 2.07M ActiveSweep ONLY	9002453P99	\$3,187.00
	726964	Net and Twine (Deluxe or ISO) Available for Hay SPU 1.5M SuperSweep, Hay WPU 2.07M ActiveSweep and Specialty Crop ONLY	9005152P07	\$6,691.00

PTO OPTIONS

SD_0301 PTO

	726871	540 RPM w/ Cut-Out-Clutch		No Charge
	726872	1,000 RPM w/ Cut-Out-Clutch	9000573P65	\$745.00

**ROLLBELT™ 550 DRY HAY
US PRICE LIST**
(New Holland, PA)
HAYTOOLS TIRES AND WHEELS
ROUND BALER TIRES AND WHEELS
SD 16066 WHEELS AND TIRES

		8072609	31 x 13.5-15 8 PR Standard on Hay SPU 1.5M SuperSweep only. Not available for any other configurations.			No Charge
		8074908	18L-16.1SL 10 PR		9001087P2	\$1,412.00

FACTORY SUPPLIED OPTIONS
HYDRAULIC KITS
SD 20196 BALE RAMP

		726809	Bale Ramp - FF Factory Fitted			No Charge
--	--	--------	---	--	--	-----------

ROUND BALER OPTIONS
SD 16080 PICK-UP WHEEL

		726821	4.80/4.0-8 Bolt On Dual Wheels			No Charge
		726822	4.80/4.0-8 No Tool Dual Wheels		9000272P58	\$354.00

SD B6001 PICK-UP

		726861	1.5M 6 Bar Pickup 1.5M SuperSweep Pickup			No Charge
--	--	--------	--	--	--	-----------

SD B6003 PICKUP LIFT

		726866	Manual Pickup Lift - FF Factory Fitted			No Charge
		726867	Manual and Pickup Lift - FF Hydraulic raise/lower of pickup. Factory Fitted		9000249P48	\$324.00

SD B6601 WIND GUARD

		726816	1.5M Tire Guard			No Charge
--	--	--------	-----------------	--	--	-----------

**ROLLBELT™ 550 DRY HAY
US PRICE LIST**

(New Holland, PA)

MANUALS

OPERATORS

SD 47083 OPERATOR'S MANUAL

		725060	English for NAR			No Charge
		725831	English/Spanish For NAR			No Charge
		725832	English/French For NAR			No Charge
		727117	English For NAR ISOBUS			No Charge
		727119	English/Spanish For NAR ISOBUS			No Charge
		727115	English/French For NAR ISOBUS			No Charge

CURRENT INVENTORY ONLY

**ROLLBELT™ 560 DRY HAY
US PRICE LIST**

(New Holland, PA)

Standard Equipment

BALE DIMENSIONS

- Width: 61.5 in. wide
- Diameter: 36 in. to 72 in.
- 2,200 lbs Max Weight: Dry Hay

BELTS

- Premium MRT Laced Rubber Belts
(8 belts) 7 in. (178 mm) wide 3-ply
belts with MATO® Rivet Fasteners
and corrugated pins.
- Premium Endless Rubber Belts (8 belts)
7 in. (178 mm) wide 3-ply belts with
yr/15,000 bale warranty
(Optional on all Roll-Belt 560 models)

PICKUP

(2.07m) ActiveSweep™
four-bar Pickup with cut-out style
clutch protection, 128 5mm steel
shot peened tines, 82 in. tine-to-tine,
90 in. flare-to-flare, 2.6 in. tine
spacing, tubular steel tine bars pinned
in the center, 3 single plate reel spider
supports, steel tine windguard, a 14
in. diameter "W" pattern overshot
rotary feeder with double flighted
overshot augers, manual pickup lift
and dual bolt-on adjustable pickup
floatation gauge wheels.
(Standard on Hay WPU 2.07M
ActiveSweep)

BALE FORMING

- One Steel Slatted Floor Roll
- Two Formed Rib Steel Forming Rolls
- One Dimpled Steel Forming Pivot Roll
- One Steel Starter Roll
- Self Contained Density System:
Two extension springs and two
hydraulic cylinders
- Dual Follower roll sledge and tailgate
chopping roll

IN-CAB DENSITY CONTROL

- Provides in-cab density pressure

- display on Bale-Command™ II Plus
Deluxe Monitor or ISOBUS display.
- Allows independent settings for bale
core size/density and the outer bale
density.
- This selection removes the
mechanical density pressure gauge
from the exterior of the baler.
- Baler must have Deluxe or ISOBUS
Wrap Control.
(ONLY compatible with
Deluxe or ISOBUS Wrap Control)

BALE WRAP CONTROL (MONITOR)

Bale Command™ II Plus Deluxe Wrap
Control (Monitor)

- Available with Net & Twine or Net Only
(Standard on Roll-Belt 560 Hay
WPU 2.07M)

Bale Command™ II Plus Functions:

- Net or Twine Selection
- Auto or Manual Wrap Cycle
- Bale Current Diameter
- Bale Target Diameter
- Twine Spacing & # End Wraps
- Placement of Twine End Wraps From
Bale Edge
- Daily Bale Count
- Total Bale Count
- Four Pre-Programed Twine Wrap
Patterns
- One Custom Twine Wrap Pattern
- 1.5 to 6.0 Net Wraps
- 20 Resettable Bale Counts
- Bale Shape In-Cab Driving Gauges
- Audible/Visual Near Full Bale Alarm
- Audible/Visual Full Bale Alarm
- Audible/Visual Wrap Cycle Completed
Alarm
- Audible/Visual Tailgate Open Alarm
- Wrapping Fault
- Voltage Indicator
- Audible/Visual Fault Indicator
- Bale Ramp Down (if equipped DIA from

**ROLLBELT™ 560 DRY HAY
US PRICE LIST**

(New Holland, PA)

Standard Equipment

parts)

ISOBUS No Monitor (less monitor) Wrap
Control-ISOBUS tractor REQUIRED

- Tractor must be equipped with a
compatible virtual terminal monitor
(IntelliView™ IV Monitor)

Functions:

- Same as Bale Command™ II Plus
- Color Graphics
- Controller Area Network Faults
- Easier/Faster Electrical
Troubleshooting
- Allows Use of Existing Virtual Terminal
on ISOBUS Equipped Tractor

BALE WRAPPING MECHANISMS

1) Net Only Wrap

(Standard for Roll-Belt 560 Hay
WPU models)

Net Only Features:

- EdgeWrap™ Net Wrap: Two rolls net
capacity in front-one active, one
nonactive, one stored on the tailgate
- 1.5 to 6.0 net wraps
- Duckbill Trash Baffle Brush

2) Net-Twine Wrap

(Optional for 560 Hay WPU)

Net & Twine Features:

- Six active twine ball capacity
- Dual twine arms on single pivot with
position indicator
- EdgeWrap™ Net Wrap: One active
net roll in front, with one stored roll
on the tailgate
- 1.5 to 6.0 net wraps
- Duckbill Trash Baffle Brush

DRIVELINE

- 540 or 1000 rpm Constant Velocity
Driveline with Cut-Out Clutch

Protection & 50 Hour Grease Interval
(Standard on all models)

- PTO Support & Locking Hitch Pin
- Hydraulic Hose & Wiring Harness Holder
- Standard Duty Main Drive Gearbox and

TIRES

- 31 x 13.5-15 10PR
(Standard on Hay WPU 2.07M)
- 21.5L X 16.1
(Optional)

MISCELLANEOUS

- Trailing Lights for Road Towing
- 10,000 lbs. Safety Tow Chain
- External Banked Greasable Bearings
- Spring Loaded Bale Ramp with Hold
Bar

TRACTOR REQUIREMENTS

- 540 rpm/1000 rpm - as designated by
completing package
- 80 PTO hp minimum
- (1 to 2) Hydraulic Remotes:
 1. One remote for pickup lift (if
equipped)
 2. One for the tailgate or tailgate and
hydraulic bale ramp (if equipped)

MISC. OPTIONAL EQUIPMENT:

- Factory Installed Bale Moisture System
- Hydraulic Bale Ramp
- Hydraulic Pickup Lift
- No-Tools Adjust Pickup Gauge Wheels
- Castoring Pickup Gauge Wheels
- 5 Bar Pickup

WARRANTY

Standard 12 Month Warranty Applies

*MATO® is a registered
trademark of the MATO Coporation.



**ROLLBELT™ 560 DRY HAY
US PRICE LIST**

(New Holland, PA)
Models

COMMERCIAL MODEL	VERSION	BALE SIZE	Weight	Factory Data	List Price
ROLL-BELT 560	HAY WPU 2.07M	5X6	7,585 LB	9047504P38	\$61,694.00
Includes the following Equipment 540 RPM w/ Cut-Out-Clutch (726871) (\$805.00) 31 x 13.50-15 10 PLY (8098909) (\$4,489.00) 4.80/4.0-8 No Tool Dual Wh (726822) \$382.00 2.07M Roller Windguard (726654) \$901.00					

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

	XT9981X	Less Fast Pick Config Fast Pick Configurations are complete packaged units. Selecting any option outside of a Fast Pick configuration, unless specifically allowed eliminates the Fast Pick ordering incentive. LESS FAST PICK CONFIG = A LA CARTE ORDERING AND PRICING			No Charge
	X00561X	5X6 HAY WPU FP FAST PICK PKG PRICE = 5% SAVINGS OVER A LA CARTE ORDER Roll-Belt 560 Hay WPU Fast Pick Package Contains: -726902 (Premium Laced Belts) -726966 (Deluxe Wrap) -726964 (Net and Twine (Deluxe or ISO)) -726871 (540 RPM w/Cut-Out-Clutch) -8099808 (21.5L x 16.1 10PR) -726813 (Manual Adjust Density) -726809 (Spring Bale Ramp) -726822 (4.80/4.0-8 No Tool Dual Wheels) -726867 (Manual Hyd. Pickup Lift) -726654 (2.07M Roller Windguard) -726918 (5 Bar Pickup Reel) -726100 (W/O Belt Dr Declutch) -422222 (No Moisture Sensor)		(902429P35)	(\$3,155.00)

**ROLLBELT™ 560 DRY HAY
 US PRICE LIST**

(New Holland, PA)

		X00566X	5X6 HAY WPU PKG2 5X6 HAY WPU FAST PICK PKG2 - (540 RPM & 18L-16.1 Tires) Package Contains: 726964086 NET & TWINE , NH 726871006 540 RPM, 1900 NM, CUT-OUT CLUTCH (5X6) 807490856 TIRE & WHEEL 18L-16.1 SL, 10 PLY AW (NH) 726918126 OSF 5 BAR REEL, RBR TINES, 2.0M, NH 726654046 2.0M ROLLER (OSF NH) 726822086 DUAL, NO TOOLS ADJ, 4.80/4.00-8 (NH), OSF PU 726867006 MANUAL & HYDRAULIC PU LIFT 726902036 BELTS, PREM LACED, 5X6 726813186 Standard Density System (5X6), MANUAL ADJUST 726809216 STD BALE RAMP, 5X6 NH 726100016 WITHOUT BELT DRIVE DE-CLUTCH, 2.0M OSF PU 422222016 WITHOUT MOISTURE SENSOR Available Options: X9987XX LESS PERFORMANCE PACKAGE X9728XX PERFORMANCE PACK 19 - 560 DRY HAY		(902317P70)	(\$3,010.00)
		X00567X	5X6 HAY WPU PKG3 5X6 HAY WPU FAST PICK PKG3 - (1000 RPM & 21.5L Tires) Package Contains: 726964086 NET & TWINE , NH 726872046 1000 RPM, 1200 NM, CUT-OUT CLUTCH (5X6) 809980804 TIRE & WHEEL 21.5L-16.1, 10 PLY RIB (NH) 726918126 OSF 5 BAR REEL, RBR TINES, 2.0M, NH 726654046 2.0M ROLLER (OSF NH) 726822086 DUAL, NO TOOLS ADJ, 4.80/4.00-8 (NH), OSF PU 726867006 MANUAL & HYDRAULIC PU LIFT 726902036 BELTS, PREM LACED, 5X6 726813226 Standard Density System (5X6), MANUAL ADJUST 726809216 STD BALE RAMP, 5X6 NH 726100016 WITHOUT BELT DRIVE DE-CLUTCH, 2.0M OSF PU 422222016 WITHOUT MOISTURE SENSOR Available Options: X9987XX LESS PERFORMANCE PACKAGE X9728XX PERFORMANCE PACK 19 - 560 DRY HAY		(902460P15)	(\$3,195.00)

PACKAGE

SD_T9987 PERFORMANCE PACK

		X9728XX	PERFORMANCE PACK 19 560 DRY HAY - PERFORMANCE PACKAGE 727159176 STD DENSITY 5X6, IN-CAB DENSITY & VAR CORE 722629016 MOISTURE SENSOR		(900054P67)	(\$71.00)
--	--	---------	--	--	-------------	-----------

**ROLLBELT™ 560 DRY HAY
US PRICE LIST**

(New Holland, PA)

COMPLETING PACKAGES

ROUND BALER COMPLETING PACKAGES

SD_B6101 BELTS

		726902	PREMIUM LACED BELT 726902 Low Profile MATO® lacings with corrugated pins. (Production from YGN190530)		9000437P36	\$568.00
		726803	Endless Belt		9003124P66	\$4,058.00

SD_B6301 CONTROL GROUP

		726966	Deluxe Wrap Can Control Net Only or Net & Twine Bale Command II Plus Monitor			No Charge
		726969	ISOBUS No Monitor ****LESS MONITOR - NO MONITOR IS SUPPLIED**** FOR CONTROL OF NET ONLY & NET TWINE WITH ISOBUS COMPLIANTTRACTORS EQUIPED WITH A VIRTUAL TERMINAL MONITOR (IntelliView™ Display) AND TRACTOR ISOBUS CONNECTION. From Model Year 2017 IntelliBale™ ISOBUS baler automation is available for use with 2016 and later T6 AutoCommand™ and T7 Full Powershift as well as T7 AutoCommand™ with ISOBUS 3. Both the tractor and baler require unlock codes. IntelliBale™ baler automation will automatically Stop the tractor, Control tie/wrap, Eject bale and Close tailgate. Cycle FNR lever to forward and back to neutral to start the cycle over. The operator will control shuttle and steering for each bale produced. feature to be functional.		9000350P35	\$455.00

SD_B8603 WRAPPER CHOICE

		726666	Net Only (Deluxe or ISO)		(901235P08)	(\$1,604.00)
		726964	Net and Twine (Deluxe or ISO) WPU 2.07M ActiveSweep and Specialty Crop PLUS ONLY.			No Charge

PTO OPTIONS

SD_03011 PTO

		726871	540 RPM w/ Cut-Out-Clutch		(900619P85)	(\$805.00)
		726872	1,000 RPM w/ Cut-Out-Clutch			No Charge

**ROLLBELT™ 560 DRY HAY
US PRICE LIST****(New Holland, PA)****HAYTOOLS TIRES AND WHEELS****ROUND BALER TIRES AND WHEELS****SD_16066 WHEELS AND TIRES**

		8098909	31 x 13.50-15 10 PLY Only available for Hay WPU 2.07M.		(903456P53)	(\$4,489.00)
		8074908	18L-16.1SL 10 PR		(902421P65)	(\$3,145.00)
		8099808	21.5L x 16.1 10PR			No Charge

FACTORY SUPPLIED OPTIONS**TENSION****SD_B6302 TENSION**

		727159	In-Cab Density System 560 STD DENSITY SYSTEM (5X6 DUAL SPRING & DUAL HYD CYL) W/ IN-CAB DENSITY & VAR CORE ADJUSTMENT. Density pressure will be controlled by and displayed on the baler monitor. ONLY COMPATIBLE with Deluxe or ISOBUS Wrap Control.		9000399P63	\$519.00
--	--	--------	---	--	------------	----------

HYDRAULIC KITS**SD_20196 BALE RAMP**

		726809	Bale Ramp - FF Factory Fitted			No Charge
		726810	Hydraulic Bale Ramp - FF Factory Fitted		9001001P77	\$1,301.00

ROUND BALER OPTIONS**SD_16080 PICK-UP WHEEL**

		726821	4.80/4.0-8 Bolt On Dual Wheels			No Charge
		726822	4.80/4.0-8 No Tool Dual Wheels		9000294P14	\$382.00

SD_27035 PF PACKAGE

		722629	MOISTURE SENSOR FF Factory Fitted Bale Moisture Sensor		9000790P02	\$1,026.00
--	--	--------	--	--	------------	------------

SD_C5606 REEL

		726916	4 Bar Pickup Reel			No Charge
		726918	5 Bar Pickup Reel Option for Hay WPU 2.07M. Standard for Bale-Slice PLUS 2.07M.		9001114P96	\$1,448.00



ROLLBELT™ 560 DRY HAY
US PRICE LIST

(New Holland, PA)

SD_C6604 DRIVES

		726100	W/O BELT DR DECLUTCH Without Apron Belt DeClutch			No Charge
		726101	BELT DR DE-CLUTCH With Apron Belt DeClutch		9000706P86	\$918.00

MANUALS

OPERATORS

SD_47083 OPERATOR'S MANUAL

		725060	English for NAR			No Charge
		725831	English/Spanish For NAR			No Charge
		725832	English/French For NAR			No Charge
		727117	English For NAR ISOBUS			No Charge
		727119	English/Spanish For NAR ISOBUS			No Charge
		727115	English/French For NAR ISOBUS			No Charge

**ROLLBELT™ 560 SPEC CROP/BALE SLICE PLUS
US PRICE LIST**

(New Holland, PA)

Standard Equipment

BALE DIMENSIONS

- Width: 61.5 in. wide
- Diameter: 36 in. to 72 in.
- Max Weight:
 - 2,200 lbs. Dry Hay
 - 2,500 lbs. Silage

BELTS

- Premium Endless Rubber Belts (8)
 - 7 in. (178 mm) wide 3-ply with
 - 3 yr/15,000 bale warranty
 - (Optional)

PICKUP

- (2.07m) ActiveSweep™ Heavy Duty
 - Five-bar Pickup with cut-out style
 - clutch protection, 160 6mm HD
 - rubber mounted shot peened tines-82
 - in. tine-to-tine, 90 in. flare-to-flare,
 - 2.6 in. tine spacing, industry exclusive
 - split center solid steel tine bars, 4
 - double plate reel spider supports, full
 - height bolt-in tine dividers from top to
 - bottom of pickup backbone, steel
 - roller windguard with a 14 in. diameter
 - "W" pattern overshot rotary feeder
 - with double flighted overshot augers,
 - manual pickup lift and dual no-tools
 - adjust pickup flotation gauge wheels.
 - (Standard on Bale-Slice PLUS)

BALE FORMING

- One Steel Slatted Floor Roll
- Two Formed Rib Steel Forming Rolls
- One Dimpled Steel Forming Pivot Roll
- One Steel Starter Roll
- Self Contained Density System: Two
 - extension springs and two hydraulic
 - cylinders
- Dual Follower roll sledge and tailgate
- chopping roll

IN-CAB DENSITY CONTROL

- Provides in-cab density pressure display
- on Bale-Command™ II Plus Deluxe

Monitor or ISOBUS display

- Allows independent settings for bale
- core size/density and the outer bale
- density
- This selection removes the mechanical
- density pressure gauge from the
- exterior of the baler
- Baler must have Deluxe or ISOBUS
- Wrap Control
- (ONLY compatible with
- Deluxe or ISOBUS Wrap Control)

BALE-SLICE™ (IF EQUIPPED)

- Segmented starter roll with knife
- sections
- Allows the bale to be broken apart
- easily for improved feeding/processing
- A set of 1, 3, 4 or 7 knives can be
- used (baler ships std. with 4 knives)

BALE WRAP CONTROL (MONITOR)

Bale Command II Plus Deluxe Wrap
Control (Monitor)

- Avail. w/ Net & Twine or Net Only
- Bale Command II Plus Deluxe Monitor
- Functions:
 - Net or Twine Selection
 - Auto or Manual Wrap Cycle
 - Bale Current Diameter
 - Bale Target Diameter
 - Twine Spacing & # End Wraps
 - Placement of Twine End Wraps From
 - Bale Edge
 - Daily Bale Count
 - Total Bale Count
 - Four Pre-Programed Twine Wrap
 - Patterns
 - One Custom Twine Wrap Pattern
 - 1.5 to 6.0 Net Wraps
 - 20 Resettable Bale Counts
 - Bale Shape In-Cab Driving Gauges
 - Audible/Visual Near Full Bale Alarm
 - Audible/Visual Full Bale Alarm
 - Audible/Visual Wrap Cycle Completed
 - Alarm

**ROLLBELT™ 560 SPEC CROP/BALE SLICE PLUS
US PRICE LIST**

(New Holland, PA)

Standard Equipment

- Audible/Visual Tailgate Open Alarm
- Wrapping Fault
- Voltage Indicator
- Audible/Visual Fault Indicator
- Bale Ramp Down(if equipped DIA from parts)
- Bale-Slice Knives In/Out (if equipped from plant)

ISOBUS No Monitor (less monitor) Wrap Control-ISOBUS tractor REQUIRED

- Tractor must be equipped with a compatible virtual terminal monitor (IntelliView™ IV Monitor)

Functions:

- Same as Bale Command™ II Plus
- Color Graphics
- Controller Area Network Faults
- Easier/Faster Electrical Troubleshooting
- Allows Use of Existing Virtual Terminal on ISOBUS Equipped Tractor

BALE WRAPPING MECHANISMS

Net Wrap Only (Standard)

Net System Features:

- EdgeWrap™ Net Wrap: Two rolls net capacity in front-one active, one nonactive, one stored on the tailgate
- 1.5 to 6.0 net wraps

Net-Twine Wrap (Optional)

Twine System Features:

- Six active twine ball capacity
- Dual twine arms on single pivot with position indicator

DRIVELINE

- 540 or 1000 rpm Constant Velocity Driveline with Cut-Out Clutch Protection& 50 Hour Grease Interval (Standard on all models)
- PTO Support & Locking Hitch Pin
- Hydraulic Hose & Wiring Harness Holder
- Heavy Duty Main Drive Gearbox and Jack Shaft
- High Quality Diamond® Brand Chains

TIRES

- 21.5L X 16.1

MISCELLANEOUS

- Trailing Lights for Road Towing
- 10,000 lbs. Safety Tow Chain
- External Banked Greasable Bearings
- Castoring Pickup Gauge Wheels

TRACTOR REQUIREMENTS

- 540 rpm/1000 rpm - as designated by completing package
- 80 PTO hp minimum
- (1 to 2) Hydraulic Remotes:
 1. One remote for pickup lift (if equipped)
 2. One remote for the tailgate or tailgate with hydraulic bale ramp (if equipped)

MISC. OPTIONAL EQUIPMENT

- Factory Installed Bale Moisture System
- Hydraulic Bale Ramp
- Hydraulic Pickup Lift

WARRANTY

Standard 12 Month Warranty

**ROLLBELT™ 560 SPEC CROP/BALE SLICE PLUS
US PRICE LIST**

(New Holland, PA)

Models

COMMERCIAL MODEL	VERSION	BALE SIZE	Weight	Factory Data	List Price
ROLL-BELT 560	Bale-Slice Plus	5X6	7,930 LB	9059156P02	\$76,826.00
Includes the following Equipment 15 x 6.00-6 Castering (726823) \$492.00 Endless Belt (726803) \$4,058.00 2.07M Roller Windguard (726654) \$901.00 Net Only (Deluxe or ISO) (726666) (\$1,604.00)					
ROLL-BELT 560	Specialty Crop Plus	5X6	7,930 LB	9056469P49	\$73,337.00
Includes the following Equipment 15 x 6.00-6 Castering (726823) \$492.00 Endless Belt (726803) \$4,058.00 2.07M Roller Windguard (726654) \$901.00					

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

	XT9981X	Less Fast Pick Config Fast Pick Configurations are complete packaged units. Selecting any option outside of a Fast Pick configuration, unless specifically allowed eliminates the Fast Pick ordering incentive. LESS FAST PICK CONFIG = A LA CARTE ORDERING AND PRICING			No Charge
--	---------	---	--	--	-----------

**ROLLBELT™ 560 SPEC CROP/BALE SLICE PLUS
 US PRICE LIST**

(New Holland, PA)

	X00562X	5X6 BALE SLICE FP FAST PICK PKG PRICE = 5% SAVINGS OVER A LA CARTE ORDER Roll-Belt 560 Bale-Slice PLUS Fast Pick Package Contains: -726803 (Endless Belts) -726966 (Deluxe Wrap) -726666 (Net Only (Deluxe or ISO)) -726872 (1,000 RPM w/Cut-Out-Clutch) -8099808 (21.5L x 16.1 10PR) -727159 (In-Cab Density System) -726809 (Spring Bale Ramp) -726823 (15 x 6.00-6 Castoring Gauge Wheels) -726867 (Manual Hyd. Pickup Lift) -726654 (2.07M Roller Windguard) -726918 (5 Bar Pickup Reel) -726101 (With Belt Dr Declutch) -722629 (With Moisture Sensor)		(902825P90)	(\$3,670.00)
	X00569X	5X6 BALE SLICE PKG2 5X6 BALE SLICE FAST PICK PKG2(540 RPM & 21.5L Tires) Package Contains: 726666096 NET ONLY , NH 726871076 540 RPM, 2100 NM, CUT-OUT CLUTCH (5X6) 809980804 TIRE & WHEEL 21.5L-16.1, 10 PLY RIB (NH) 726918126 OSF 5 BAR REEL, RBR TINES, 2.0M, NH 726654046 2.0M ROLLER (OSF NH) 726822086 DUAL, NO TOOLS ADJ, 4.80/4.00-8 (NH), OSF PU 726867006 MANUAL & HYDRAULIC PU LIFT 726803056 BELTS, ENDLESS, 5X6 726813186 Standard Density System (5X6), MANUAL ADJUST 726809216 STD BALE RAMP, 5X6 NH 726100046 WITHOUT BELT DRIVE DE-CLUTCH, 2.0M OSF PU 422222016 WITHOUT MOISTURE SENSOR Available Options: X9987XX LESS PERFORMANCE PACKAGE X9730XX PERFORMANCE PACK 21 560 BALE SLICE		(902706P55)	(\$3,515.00)

**ROLLBELT™ 560 SPEC CROP/BALE SLICE PLUS
US PRICE LIST**

(New Holland, PA)

		X00570X	5X6 BALE SLICE PKG3 5X6 BALE SLICE FAST PICK PKG3(1000 RPM & 21.5L Tires) Package Contains: 726666096 NET ONLY , NH 726872086 1000 RPM, 1500 NM, CUT-OUT CLUTCH (5X6) 809980804 TIRE & WHEEL 21.5L-16.1, 10 PLY RIB (NH) 726918126 OSF 5 BAR REEL, RBR TINES, 2.0M, NH 726654046 2.0M ROLLER (OSF NH) 726822086 DUAL, NO TOOLS ADJ, 4.80/4.00-8 (NH), OSF PU 726867006 MANUAL & HYDRAULIC PU LIFT 726803056 BELTS, ENDLESS, 5X6 726813186 Standard Density System (5X6), MANUAL ADJUST 726809216 STD BALE RAMP, 5X6 NH 726100046 WITHOUT BELT DRIVE DE-CLUTCH, 2.0M OSF PU 422222016 WITHOUT MOISTURE SENSOR Available Options: X9987XX LESS PERFORMANCE PACKAGE X9730XX PERFORMANCE PACK 21 560 BALE SLICE		(902733P50)	(\$3,550.00)
		X00563X	5X6 SPECIAL CROP FP FAST PICK PKG PRICE = 5% SAVINGS OVER A LA CARTE ORDER Roll-Belt 560 Specialty Crop PLUS Fast Pick Package Contains: -726803 (Endless Belts) -726966 (Deluxe Wrap) -726964 (Net and Twine (Deluxe or ISO) -726872 (1,000 RPM w/Cut-Out-Clutch) -8099808 (21.5L x 16.1 10PR) -727159 (In-Cab Density System) -726809 (Spring Bale Ramp) -726823 (15 x 6.00-6 Castoring Gauge Wheels) -726867 (Manual Hyd. Pickup Lift) -726654 (2.07M Roller Windguard) -726918 (5 Bar Pickup Reel) -726101 (With Belt Dr Declutch) -722629 (With Moisture Sensor)		(902702P70)	(\$3,510.00)

**ROLLBELT™ 560 SPEC CROP/BALE SLICE PLUS
US PRICE LIST**
(New Holland, PA)

		X00572X	5X6 SPECIALTY PKG2 5X6 SPECIALTY CROP FAST PICK PKG2(540 RPM & 21.5L Tires) Package Contains: 726964086 NET & TWINE , NH 726871076 540 RPM, 2100 NM, CUT-OUT CLUTCH (5X6) 809980804 TIRE & WHEEL 21.5L-16.1, 10 PLY RIB (NH) 726918126 OSF 5 BAR REEL, RBR TINES, 2.0M, NH 726654046 2.0M ROLLER (OSF NH) 726823046 DUAL, CASTERING, 15X6.00-6 (NH) 726867006 MANUAL & HYDRAULIC PU LIFT 726803056 BELTS, ENDLESS, 5X6 726813186 Standard Density System (5X6), MANUAL ADJUST 726809216 STD BALE RAMP, 5X6 NH 726100036 WITHOUT BELT DRIVE DE-CLUTCH, 2.0M OSF PU 422222016 WITHOUT MOISTURE SENSOR Available Options: X9987XX LESS PERFORMANCE PACKAGE X9732XX PERFORMANCE PACK 23 560 SPECIALTY CROP X9733XX PERFORMANCE PACK 24 560 SPECIALTY CROP		(902587P20)	(\$3,360.00)
		X00573X	5X6 SPECIALTY PKG3 5X6 SPECIALTY CROP FAST PICK PKG3(1000 RPM & 21.5L Tires) Package Contains: 726964086 NET & TWINE , NH 726872086 1000 RPM, 1500 NM, CUT-OUT CLUTCH (5X6) 809980804 TIRE & WHEEL 21.5L-16.1, 10 PLY RIB (NH) 726918126 OSF 5 BAR REEL, RBR TINES, 2.0M, NH 726654046 2.0M ROLLER (OSF NH) 726823046 DUAL, CASTERING, 15X6.00-6 (NH) 726867006 MANUAL & HYDRAULIC PU LIFT 726803056 BELTS, ENDLESS, 5X6 726813186 Standard Density System (5X6), MANUAL ADJUST 726809216 STD BALE RAMP, 5X6 NH 726100036 WITHOUT BELT DRIVE DE-CLUTCH, 2.0M OSF PU 422222016 WITHOUT MOISTURE SENSOR Available Options: X9987XX LESS PERFORMANCE PACKAGE X9732XX PERFORMANCE PACK 23 560 SPECIALTY CROP X9733XX PERFORMANCE PACK 24 560 SPECIALTY CROP		(902614P15)	(\$3,395.00)

**ROLLBELT™ 560 SPEC CROP/BALE SLICE PLUS
US PRICE LIST**

(New Holland, PA)

PACKAGE

SD_T9987 PERFORMANCE PACK

		X9730XX	PERFORMANCE PACK 21 560 BALE SICE - PERFORMANCE PACKAGE 727159186 STD DENSITY 5X6, IN-CAB DENSITY & VAR CORE 722629016 MOISTURE SENSOR		(900054P67)	(\$71.00)
		X9732XX	PERFORMANCE PACK 23 560 SPECIALTY CROP PLUS - PERFORMANCE PACKAGE 727159186 STD DENSITY 5X6, IN-CAB DENSITY & VAR CORE 722629016 MOISTURE SENSOR		(900054P67)	(\$71.00)
		X9733XX	PERFORMANCE PACK 24 560 SPECIALTY CROP-PERFORMANCE PACKAGE (ISOBUS) 726969046 ISOBUS ELECTRONICS, LESS MONITOR, NH 727159186 STD DENSITY 5X6, IN-CAB DENSITY & VAR CORE 722629016 MOISTURE SENSOR		(900046P97)	(\$61.00)

COMPLETING PACKAGES

ROUND BALER COMPLETING PACKAGES

SD_B6301 CONTROL GROUP

		726966	Deluxe Wrap Can Control Net Only or Net & Twine Bale Command II Plus Monitor			No Charge
		726969	ISOBUS No Monitor ****LESS MONITOR - NO MONITOR IS SUPPLIED*** FOR CONTROL OF NET ONLY & NET TWINE WITH ISOBUS COMPLIANTTRACTORS EQUIPED WITH A VIRTUAL TERMINAL MONITOR (IntelliView™ Display) AND TRACTOR ISOBUS CONNECTION. From Model Year 2017 IntelliBale™ ISOBUS baler automation is available for use with 2016 and later T6 AutoCommand™ and T7 Full Powershift as well as T7 AutoCommand™ with ISOBUS 3. Both the tractor and baler require unlock codes. IntelliBale™ baler automation will automatically Stop the tractor, Control tie/wrap, Eject bale and Close tailgate. Cycle FNR lever to forward and back to neutral to start the cycle over. The operator will control shuttle and steering for each bale produced. feature to be functional.		9000350P35	\$455.00



**ROLLBELT™ 560 SPEC CROP/BALE SLICE PLUS
US PRICE LIST**

(New Holland, PA)

SD_B8603 WRAPPER CHOICE

		726666	Net Only (Deluxe or ISO)		(901235P08)	(\$1,604.00)
		726964	Net and Twine (Deluxe or ISO) WPU 2.07M ActiveSweep and Specialty Crop PLUS ONLY.			No Charge

PTO OPTIONS

SD_03011 PTO

		726871	540 RPM w/ Cut-Out-Clutch		(900619P85)	(\$805.00)
		726872	1,000 RPM w/ Cut-Out-Clutch			No Charge

HAYTOOLS TIRES AND WHEELS

ROUND BALER TIRES AND WHEELS

SD_16066 WHEELS AND TIRES

		8098909	31 x 13.50-15 10 PLY Only available for Hay WPU 2.07M.		(903456P53)	(\$4,489.00)
		8074908	18L-16.1SL 10 PR		(902421P65)	(\$3,145.00)
		8099808	21.5L x 16.1 10PR			No Charge

FACTORY SUPPLIED OPTIONS

TENSION

SD_B6302 TENSION

		727159	In-Cab Density System 560 STD DENSITY SYSTEM (5X6 DUAL SPRING & DUAL HYD CYL) W/ IN-CAB DENSITY & VAR CORE ADJUSTMENT. Density pressure will be controlled by and displayed on the baler monitor. ONLY COMPATIBLE with Deluxe or ISOBUS Wrap Control.		9000399P63	\$519.00
--	--	--------	--	--	------------	----------

HYDRAULIC KITS

SD_20196 BALE RAMP

		726809	Bale Ramp - FF Factory Fitted			No Charge
		726810	Hydraulic Bale Ramp - FF Factory Fitted		9001001P77	\$1,301.00

ROUND BALER OPTIONS

SD_16080 PICK-UP WHEEL

		726821	4.80/4.0-8 Bolt On Dual Wheels			No Charge
--	--	--------	--------------------------------	--	--	-----------

**ROLLBELT™ 560 SPEC CROP/BALE SLICE PLUS
US PRICE LIST**

(New Holland, PA)

		726822	4.80/4.0-8 No Tool Dual Wheels		9000294P14	\$382.00
		726823	15 x 6.00-6 Castering		9000378P84	\$492.00
			Bale-Slice and Specialty Crop 2.07M ActiveSweep PLUS ONLY			

SD_27035 PF PACKAGE

		722629	MOISTURE SENSOR FF		9000790P02	\$1,026.00
			Factory Fitted Bale Moisture Sensor			

SD_C5606 REEL

		726916	4 Bar Pickup Reel			No Charge
		726918	5 Bar Pickup Reel			No Charge
			Option for Hay WPU 2.07M. Standard for Bale-Slice PLUS 2.07M.			

SD_C6604 DRIVES

		726100	W/O BELT DR DECLUTCH			No Charge
			Without Apron Belt DeClutch			
		726101	BELT DR DE-CLUTCH		9000706P86	\$918.00
			With Apron Belt DeClutch			

MANUALS

OPERATORS

SD_47083 OPERATOR'S MANUAL

		725060	English for NAR			No Charge
		725831	English/Spanish For NAR			No Charge
		725832	English/French For NAR			No Charge
		727117	English For NAR ISOBUS			No Charge
		727119	English/Spanish For NAR ISOBUS			No Charge
		727115	English/French For NAR ISOBUS			No Charge

**COMBI BALE WRAPPER
US PRICE LIST**

Standard Equipment

COMPATIBLE ROUND BALER MODELS:

- Roll-Belt™ 450 CropCutter® Fast Pick
- Roll-Belt™ 460 CropCutter® Fast Pick

Unit Fully Assembled on Round Baler in New Holland, PA (Wrapper Order Must Be Linked to Round Baler Order)

Original Baler Hitch, Axle & Tires are palletized and sent with fully assembled Round Baler and Wrapper Combination.

COMBI INCLUDED FEATURES:

- Drawbar eye diameter 1 37/64 in. (40 mm)
- Clevis hitch with height-adjustable drawbar
- Load Sensing Hydraulics (Can be operated in conjunction with tractors without load sensing pump)
- Dual twine wrapper arms
- Mobile wrapping table
- 4 bale conveyor belt equipped wrapping table with belt guide and 4 bale guide rollers
- Bale deposit to the rear
- Film stretching unit for 30 inch (750 mm) film
- Automatic film cutting and holding system
- Hydraulically lowerable film storage for up to 10 rolls of film
- Fully automatic bale wrapping and bale drop program control with in-cab monitor
- Film monitoring
- Hydraulic brake system
- Single Film Mode-automatically switches to "single film mode" as soon as one roll runs out or tears. During this process, the feed rate reduces to ensure an overlap of 50%.

- Extra Bale Rotation-after the wrapping process, the bale further rotates and tacks film loose cut end to bale
- Bale Tipper, when the wrapping process is complete, the tipper positions the bale on its right flat side
- Rear Camera System
- LED Worklight
- Battery Supply Cable

TRACTOR REQUIREMENTS

- 540 rpm PTO - as designated by baler completing package
- 3 pin power outlet for electrical supply including direct battery power
- 7 pin power outlet for the work lights and road lights
- 145 (108) minimum PTO hp (kW) when equipped with Roll-Belt 450 CropCutter®

HYDRAULIC REQUIREMENTS

- (1) Double Acting Remote Valve or Power Beyond valve for Continuous Pressure with no pressure return to sump
- (1) Single Acting for pickup lift
- (1) Double Acting Remote Valve for drop floor
- (1) Double Acting Remote Valve to operate CropCutter knife system

AXLE & TIRES

Tandem Axle Chassis With 520/50-R17

WARRANTY

New Holland Standard 12-Month Warranty Applies



**COMBI BALE WRAPPER
US PRICE LIST**

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
4X5 BALE WRAPPER	16476	9066795P96	\$86,748.00
4X6 BALE WRAPPER	16476	9066795P96	\$86,748.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_01001 BASE UNIT

REQUIRES A LINKED BALER ORDER

	722000	<p>Basic Equipment</p> <p>ALL COMBI BALE WRAPPER ORDERS REQUIRE A SECONDARY LINKED ROLL-BELT™ 450 OR 460 CROPCUTTER® FAST PICK TO COMPLETE THE COMBI AND BALER PACKAGE. NO OTHER MODELS OR CONFIGURATIONS ARE AVAILABLE OR COMPATIBLE WITH THE COMBI BALE WRAPPER.</p> <p>Combi Bale Wrapper Pricing is LESS the required Roll-Belt™ 450 or 460 CropCutter® Fast Pick baler. Combi Wrapper and linked round baler will be invoiced and floor-planned separately.</p> <p>Ordering dealers will receive a completely assembled Combi Wrapper Unit with the linked Roll-Belt™ 450 or 460 Crop Cutter® FAST PICK order assembled into the Combi Wrapper chassis.</p>			No Charge
--	--------	---	--	--	-----------

SD_T9981 CONFIGURATION

	XT9981X	<p>Less Fast Pick Config</p> <p>Fast Pick configurations are complete packaged units. Selecting any option outside of a Fast Pick configuration, unless specifically allowed eliminates the Fast Pick ordering incentive.</p> <p>LESS FAST PICK CONFIG = A LA CARTE ORDERING AND PRICING</p>			No Charge
	X450CXX	<p>4X5 COMBI FAST PICK</p> <p>Combi Wrapper Fast Pick - 4X5</p> <p>FAST PICK PKG PRICE = ~5% SAVINGS OVER A LA CARTE ORDER</p>		(903180P87)	(\$4,131.00)



**COMBI BALE WRAPPER
US PRICE LIST**

		X460CXX	4X6 COMBI FAST PICK Combi Wrapper Fast Pick - 4X6 FAST PICK PKG PRICE = ~5% SAVINGS OVER A LA CARTE ORDER		(903180P87)	(\$4,131.00)
--	--	---------	---	--	-------------	--------------

**STACKCRUISER® SP BALE WAGONS
US PRICE LIST**

Standard Equipment

STACKCRUISER BALE WAGON MODELS

- Stackcruiser 102 (3 Wide)
161 Bales: 14x18, 16x18
- Stackcruiser 103 (2 Wide)
107 Bales: 16x18
82 Bales: 15x23, 16x22, 16x23
88 Bales: 15x22
- Stackcruiser 105 (MIL-STAK Ready)
15 Bales: 3' x 3'
10 Bales: 3' x 4'

ENGINE

- Engine MFG FPT/New Holland
- Emissions Level Tier 4B
- Rated Power 190 HP*
- Displacement 411 cu. in. (6.7L)
- No. Cylinders 6
- Aspiration Turbocharged
- Pre-Cleaning TopSpin™ ** air pre-cleaner
- Intercooling Air-to-Air
- Fuel System
 - High-pressure common rail
 - Electronic fuel injection

* Manufacturer's rating per ECE R120 / ISO 14396

** TopSpin™ is a registered trademark of the Donaldson Company, Inc.

EMISSIONS SYSTEM

- EcoBlue™ HI-eSCR high-efficiency selective catalytic reduction with engine exhaust muffler

FUEL/DEF CAPACITIES

- Diesel Fuel 69 gallons (261 L)
- DEF Fluid 12.4 gallons (47 L)

HYDRAULICS

- Hydraulic system is a dual open-center and closed-center system

DRIVELINE

- Allison 2500 RDS (Rugged Duty Series™) 5-speed automatic transmission
- Two-speed rear axle featuring a locking rear differential
- Four-wheel hydraulic disc brakes
- Spring applied, hydraulically released park brake engaged with transmission lever
- Power steering
- Hydraulic drive reversible engine fan
- Front Tires: 385/65R22.5
- Rear Tires: 445/50R22.5
- Heavy-Duty front axle to accommodate MIL-STAK® large square bale handling attachment

BALE HANDLING

Stackcruiser 102 & 103

- Adjustable rolling rack tine angle
- Automatic tie system
- Two stack poles (Stackcruiser 102 only)
- Frame mounted steel side channels and tine arch supports
- Small square bale loader
- Electronic protected push-off feet
- First table speed control valve (Stackcruiser 102 only)

Stackcruiser 105

- Ready for MIL-STAK large square bale clamp
- Dedicated large square bale machine
- Unit does not include small square bale loader, cross conveyor, stabilizers and other components only required for small square bales
- Electronic protected push-off feet
- Adjustable rolling rack tine angle

**STACKCRUISER® SP BALE WAGONS
US PRICE LIST**

Standard Equipment

CAB

- Curved windshield
- Iso-mounted cab
- Outside grab handle
- Air suspension seat w/ swivel feature
- Cup holders and integrated shelving
- Air conditioner with optional heater, single climate controls
- Tilt steering wheel
- One multi-function handle for all loading and unloading functions
- Bumper with integrated cab step
- Inside rearview mirror and left-hand external mirror
- Accessory power plug
- Radio speakers and antenna
- Provision for 2-way radio power plug

MFH CONTROL FOR

- Stackcruiser 102 & 103
 - Bale loader up/down
 - Auto/manual mode
 - Cross conveyor start
 - Bale loader on
 - Push-off feet in/out
 - Rolling rack forward/up and back/down
 - Load rack up/down
 - Second table up/down
 - First table flat/edge
- Stackcruiser 105
 - Large square bale loader up/down
 - Clamp squeeze/release
 - Auto/manual mode
 - Push-off feet in/out
 - Rolling rack forward/up and back/down
 - Load rack up/down
 - Second table up/down

WARRANTY

New Holland Standard Warranty Applies
Allison Transmission Warranty Applies

MONITORS AND DISPLAYS

- Instrument cluster with digital readout
- Diesel fuel and DEF fluid level
- Transmission gear/axle range
- Engine oil pressure
- Engine coolant temperature
- Battery voltage
- Ground speed
- Engine hours
- Tachometer
- Odometer with trip odometer

STACK COMMAND™ II DISPLAY

- Electronic controller with large LCD display
- 35 pre-programmed stack patterns
- 20 customizable stack patterns
- Stack count display
- Check stack feature to display the number of tiers in a stack
- Automatic/manual bale loading mode

LIGHTING

- Dual halogen headlights with high/low beams
- Five LED work lights
- Provision for second cab rear LED work light

SECOND TABLE LOAD RESTRICTIONS

- 2- 1,800lb., 3x4 bales
- 3- 1,200lb., 3x3 bales

MAXIMUM GROSS VEHICLE WEIGHT

- Stackcruiser 102 - 33,000 lbs.
- Stackcruiser 103 - 33,000 lbs.
- Stackcruiser 105 - 33,000 lbs.

MAXIMUM PAYLOAD

- Stackcruiser 102 - 14,512 lbs.
- Stackcruiser 103 - 15,012 lbs.
- Stackcruiser 105 - 15,608 lbs.



**STACKCRUISER® SP BALE WAGONS
US PRICE LIST**

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
STACKCRUISER 102	18,488 LB	9191034P69	\$248,097.00
STACKCRUISER 103	17,988 LB	9196255P29	\$254,877.00
STACKCRUISER 105	17,392 LB	9182325P99	\$236,787.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FACTORY SUPPLIED OPTIONS

SD_47083 OPERATOR'S MANUAL

	715294	French Canadian			No Charge
	715309	Spanish Manual - NA			No Charge

SD_T9981 CONFIGURATION

	XT9981X	Less Fast Pick Config Fast Pick configurations are complete packaged units. Selecting any option outside of a Fast Pick configuration, unless specifically allowed eliminates the Fast Pick ordering incentive. LESS FAST PICK CONFIG = A LA CARTE ORDERING AND PRICING			No Charge
	XH913XX	SC102 FAST PICK SC102 SPBW Fast Pick - 2-TIE (14"x18" OR 16"x18") FAST PICK PKG PRICE = ~5% SAVINGS OVER A LA CARTE ORDER		(909096P78)	(\$11,814.00)
	XH914XX	SC103 FAST PICK SC103 SPBW Fast Pick - 2-TIE (16"x18") OR 3-TIE FAST PICK PKG PRICE = ~5% SAVINGS OVER A LA CARTE ORDER		(909345P49)	(\$12,137.00)
	XH915XX	SC105 FAST PICK SC105 SPBW Fast Pick - DEDICATED LG. SQ. BALE HANDLING FAST PICK PKG PRICE = ~5% SAVINGS OVER A LA CARTE ORDER		(908681P75)	(\$11,275.00)

PN	Description	BC5050 TWINE	BC5060 TWINE	BC5060 WIRE	BC5070 TWINE	BC5070 WIRE	BC5070 HAYLINER TWINE	BC5080 TWINE
87725848	HYDRAFORMATIC BALE TENSION KIT RED		X	X	X			
87737436	NEEDLE SLOT BAFFLE KIT	X	X	X	X	X	X	X
87737437	LEFT HAND FEEDER WEDGE KIT		X	X	X	X	X	X
87737438	GRASS HAY FEEDER KIT		X	X	X	X	X	
87737512	GRASS HAY FEEDER KIT							X
87737439	TRASH GUARD KIT	X						
86626413	CHAMBER BOTTOM KIT							X
87482656	BALE CASE EXTENSION KIT 16 X 18							X
48141336	HYD SWING TONGUE	X	X	X	X	X	X	X
48141340	HYD PICKUP LIFT KIT	X	X	X	X	X	X	X

PARTS DIVISION SUPPLIED ACCESSORIES FOR CURRENT & PRIOR LARGE SQUARE BALERS									
PN	Description		BigBaler 230 PLUS STD	BigBaler 230 PLUS PACKER	BigBaler 330 PLUS STD	BigBaler 330 PLUS PACKER	BigBaler 330 PLUS ROTOR	BigBaler 340 PLUS STD	BigBaler 340 PLUS ROTOR
48043348	Flywheel hood service light LED FI	LED strips in flywheel hood, illuminating left and right front baler when hood is up	X	X	X	X	X	X	X
47968871	Twine box service light LED FI	twine box service LED light straps	X	X	X	X	X	X	X
47964850	Hand cleaning device + Storage box FI	large storage & water tank RHS rear	X	X	X	X	X	X	X
48097356	Top service deck toolbox FI	toolbox positioned top Service deck, close to knotter area	X	X	X	X	X	X	X
47964853	Beacon LED		X	X	X	X	X	X	X
84101701	Grease fill pump kit	Quick fill cartridge pump connection for Lincoln greasing reservoir	X	X	X	X	X	X	X
47902030	EUR BATTERY POWER CABLE TRACTOR DIA	use when no power plug available in or outside tractor cab	X	X	X	X	X	X	X
47951907	NA to EUR adapter for power cable tractor FI	NA to Eur type plug converter cable. NA region mainly: use when only NA type plug available in or outside tractor CAB.	X	X	X	X	X	X	X
BALER PERFORMANCE KITS									
47838298	Caster	caster pu wheel support left and right (pu wheel not included)	X	X	X	X	X	X	X
47500362	Kit, cut-out clutch pick-up	This cut out clutch PU kit replaces the pick up slip clutch (RC only)					X		X
48103569	Bottom filler plate FI	Low friction plastic plate bottom pre compression chamber (standard baler only)	X		X				
48042281	Bottom filler plate FI	Low friction plastic plate bottom pre compression chamber (standard baler only)						X	
84067141	Fill flow kit	Raised bottom liners pre compression chamber for difficult silage. For S units only	X		X				
84067373	Fill flow kit	Raised bottom liners pre compression chamber for difficult silage. For S units only						X	
47361569	Knottter blow off kit	extra blow off knotters (needs tractor with pneumatic brakes)	X	X	X	X	X	X	X
47602288	Knottter blow off kit - on board	pneumatic knottter blow off with compressor on board for tractors w/o pneumatic brake.	X	X	X	X	X		
47602289	Knottter blow off kit - on board	pneumatic knottter blow off with compressor on board for tractors w/o pneumatic brake						X	X
47981759	Top & side liners pre-chamber	Add. Kit for improved flow in pre-chamber (silage)					X		X
84600138	Bale counter FI	mechanical bale counter	X	X	X	X	X	X	X
47897957	Pick - up declutch High Perf.	Emergency Pick up stop system reacting on stuffer shear bolt breakage					X		X
84112219	Needle cleaning kit	Dual plunger tines to remove grass from needles. Silage conditions	X	X	X	X	X		
47985369	Needle cleaning kit	Dual plunger tines to remove grass from needles. Silage conditions						X	X
51430492	Poly PU guards Std yellow (5pc)	Set of 5 poly pickup guards. Retrofittable	X	X	X	X		X	
51430489	Poly PU guards Std yellow (5pc)	Set of 5 poly pickup guards. Retrofittable					X		X
CHUTE & BUMPER KITS									
48102221	Bumper FI	Rear bumper	X	X	X	X	X		
47964847	Bumper FI	Rear bumper						X	X
47688896	Hydraulic Jack FI	NEW: hydraulic jack with lines directly connected to tractor.	X	X	X	X	X	X	X
84006727	Pneumatic brake connector FI	Italy (connection differs from Germany)							
48094181	Roller bale chute kit	double piece roller bale chute	X	X	X	X	X		
48024685	Roller bale chute kit	double piece roller bale chute						X	X
48099941	Partial Bale Eject FI	Additional rear-only ejection system, allows ejecting last full bale	X	X	X	X	X		
47964855	Partial Bale Eject FI	Additional rear-only ejection system, allows ejecting last full bale						X	X

PN	Description		BigBaler 230 PLUS STD	BigBaler 230 PLUS PACKER	BigBaler 330 PLUS STD	BigBaler 330 PLUS PACKER	BigBaler 330 PLUS ROTOR	BigBaler 340 PLUS STD	BigBaler 340 PLUS ROTOR
HITCH BALL KITS									
51453263	Hitch ASSY, swivel ball Cat4 (D51) FI	New hitch swivel ball type suitable for 50mm tractor drawbar pins, includes D51 ball.	X	X	X	X	X	X	X
51462721	Swivel ball Cat4 (D41) FI		X	X	X	X	X	X	X
84229180	ISO Cat2 (D31) drawbar ball	Hitch ball 31mm hole for 30mm pin (ISO Cat 2)	X	X	X	X	X	X	X
84111659	ASAE Cat3 (D42) drawbar ball	Hitch ball 42mm hole for 40mm pin (ASAE Cat 3)	X	X	X	X	X	X	X
84229181	ISO Cat3 (D39) drawbar ball	Hitch ball 39mm hole for 38mm pin (ISO Cat 3)	X	X	X	X	X	X	X
84197176	K80 Ball hitch FI	Combination with tractor 80 mm ball (K80) hitch. Spoon-type hitch end with bolts	X	X	X	X	X	X	X
84111658	ISO Cat2 (D33) drawbar ball	Hitch ball 33mm hole for 32mm pin (ISO Cat 2)	X	X	X	X	X	X	X
47779591	ISO Cat4 (D51) drawbar ball	D51 mm insertion ball in combination with swivel ball CAT4 hitch	X	X	X	X	X	X	X
HARD FACED ROTOR CUT KNIVES									
84110679	Kit 6 ABR knives FI	Hard faced knives for rotor cutter.		X		X			
87727119	Kit 11 ABR knives FI	Hard faced knives for rotor cutter.					X		
84110678	Kit 23 ABR knives FI	Hard faced knives for rotor cutter.					X		
87727120	Kit 17 ABR knives FI	Hard faced knives for rotor cutter.							X
84110677	Kit 33 ABR knives FI	Hard faced knives for rotor cutter. Maintained as Upgrade kit.							X

PN	Description		BigBaler 230 PLUS STD	BigBaler 230 PLUS PACKER	BigBaler 330 PLUS STD	BigBaler 330 PLUS PACKER	BigBaler 330 PLUS ROTOR	BigBaler 340 PLUS STD	BigBaler 340 PLUS ROTOR
PLM - PRECISION DIA KITS									
48043464	Bale weight system FI	On the go bale Weight, works only with 2-piece bale chute	X	X	X	X	X		
47976967	Bale weight system FI	On the go bale Weight, works only with 2-piece bale chute						X	X
47449027	VT power supply cable	For ISOBUS tractors with insufficient power at ISOBUS outlet	X	X	X	X	X	X	X
47981005	Logging encoder kit FI	Allows electronic bale length reading on monitor: contains bale length encoder.	X	X	X	X	X	X	X
48000619	USB stick NH FI	compatible USB for logging, contains PLM freeview desktop software installation	X	X	X	X	X	X	X
51419683	Electric bale length kit FI	Bale length setting and knotter trip from tractor cab. Complete kit (consists of logging	X	X	X	X	X	X	X
463786 EL	ELECTRIC BALE LENGTH / TRIP KIT FF	extra knotter trip safety, lowering risk for needle collision. Includes electric bale length option 462321	X	X	X	X	X	X	X
412025083	Moisture sensor kit FI	2 star wheel sensors + wire loom. Moisture Read-out on monitor	X	X	X	X	X	X	X
439419001	RUB PAD MOISTURE SENSOR FI	dual rub pad type moisture sensor, displays on the go moisture content work screen	X	X	X	X	X	X	X
47681506	Feed rate software EST unlock FI	Feedrate isobus3 unlock code for large square baler. Note: Feed rate functionality only works with ISOBUS3 compatible tractor. Tractor needs separate isobus3 unlock	X	X	X	X	X	X	X
47441493	ISO Task Controller Unlock NAR FI	code to unlock logging feature	X	X	X	X	X	X	X
47735700	Universal Installation Kit	AM53 installation hardware (needs 47714528 AG telematics modem)	X	X	X	X	X	X	X
47714528	Ag Telematics Modem	AM53 telematics module (GSM, CDMA, File Transfer capable) (needs 47735700 universal installation kit)	X	X	X	X	X	X	X
47754176	File Transfer Harness	RS232 communication cable to allow telematics logging file transfer	X	X	X	X	X	X	X
48149847	Camera Kit FI	Ready to work with CNH color monitor.	X	X	X	X	X	X	X
48149845	Additional Monitor for camera kit FI	additional monitor kit used when having the Camera kit	X	X	X	X	X	X	X
47968133	Color monitor and tractor wiring FI(UCM)	small wide touch screen color monitor NH style	X	X	X	X	X	X	X
48158098	Large color monitor and tractor wiring FI(UCM)	Large touch screen color monitor ,has become standard for Europe	X	X	X	X	X	X	X
48087575	Monitor extension kit camera, FI	High res monitor screen and cabling to be used with camera kit	X	X	X	X	X	X	X
48128183	Kit, Isobus Break away extra long	21' (6.5 meter) long isobus tractor cable	X	X	X	X	X	X	X
84577231	GPS Receiver kit	contains Garmin GPS receiver and adapter cable	X	X	X	X	X	X	X

PN	Description	Roll-Belt 450 Utility
84134365	CONTROL BOX MOUNTING KIT	X
84133613	FIRE EXTINGUISHER, NET	X
84133612	FIRE EXTINGUISHER, TWINE	X
84354115	SPARE NET ROLL STORAGE	X
84134360	LACING CABLE KIT STANDARD	X
84134363	LACING CABLE KIT HEAVY DUTY	X
84134361	INFEED DISC KIT	X
84134336	STANDARD NET WRAP KIT	X
84134345	DELUXE NET WRAP KIT	X
84204331	HYDRAULIC PICKUP LIFT KIT	X
84227916	BALE KICKER KIT	X
84204325	SINGLE PICKUP GAUGE WHEEL, BOLT ON, 410-350 X 6 4PR, NH	X
84204326	SINGLE PICKUP GAUGE WHEEL, BOLT ON, 410-350 X 6 4PR, CIH	X
84235800	PICKUP MOUNTED GATHERING WHEELS, NH	X
84235795	PICKUP MOUNTED GATHERING WHEELS, CIH	X
86509520	POWER HARNESS	X
84134364	BALE COUNTER KIT	X

PN	Description		ROLL-BELT 450					ROLL-BELT 460			
			4X5, HAY	4X5, SILAGE	4X5, BALE SLICE	4X5, ROTOR FEED	4X5, ROTOR CUT	4X6, HAY	4X5, SILAGE	4X5, ROTOR FEED	4X5, ROTOR CUT
47409525	SUCTION CUP CONTROL BOX MOUNTING KIT		X	X	X	X	X	X	X	X	X
48138822	BELT DE-CLUTCH KIT (INCLUDES DRIVE ROLL)	For MY18 and after						X	X	X	X
84399081	LACING CABLE KIT STANDARD	for Clipper Style laces	X					X			
84399312	LACING CABLE KIT HEAVY DUTY		X					X			
47894818	LACING PIN KIT, PREMIUM MATO							X			
84399156	EXPPELLER ROLL KIT	4x6 HAY only. Not compatible with MY18 OSF Silage TG and TG chopping roll						X			
51451385	CHAIN OILER KIT		X	X	X	X	X	X	X	X	X
84401845	LOOP SERPENTINE ROLL W/SCRAPER KIT	Can be used in front or rear serpentine roll position	X	X	X	X	X	X	X	X	X
84468885	SPLITTER VALVE KIT FOR DROP FLOOR/KNIVES						X				X
87040985	HARDFACED ROTOR KNIVES KIT						X				X
47374582	HYDRAULIC PICKUP LIFT KIT		X	X	X	X	X	X	X	X	X
84385997	HYDRAULIC ROTOR REVERSER					X	X			X	X
84580272	ADDITIONAL TWINE STORAGE KIT	For Twine Only version balers	X	X				X	X		
84542883	FIRE EXTINGUISHER		X	X	X	X	X	X	X	X	X
84554477	LH TAILGATE LATCH SENSOR KIT		X	X	X	X	X	X	X	X	X
47461452	ROLLER WINDGUARD 1.8M (NH)	Standard equipment on Rotor and Silage models	X					X			
51485852	HYDRAULIC BALE RAMP KIT, 4x6	Hydraulic lines and cylinders to convert Spring ramp to Hydraulic						X	X	X	X
47398918	DUAL, NO TOOLS ADJ. 4.80/4.00-8 (NH)		X	X	X	X	X	X	X	X	X
47459845	DUAL, CASTERING, 15X6.00-6 (NH)		X	X	X	X	X	X	X	X	X
84545582	TWINE MOTION SENSOR KIT		X	X		X	X	X	X	X	X
47773743	PTO SUPPORT/HITCH PIN RETENTION KIT		X	X	X	X	X	X	X	X	X
47803709	BALE RAMP SENSOR KIT		X	X	X	X	X	X	X	X	X
84554473	CONTROL BOX MOUNTING KIT		X	X	X	X	X	X	X	X	X
47938320	DENSITY PRE-CHARGE KIT		X	X	X	X	X	X	X	X	X
47979766	ISOBUS CLASS 3 BALE RAMP PRESENCE SWITCH KIT	Required with unlock code to use ISOBUS class 3 feature	X	X	X	X	X	X	X	X	X
47984250	ISOBUS CLASS 3 UNLOCK CODE ACTIVATION ORDER	Used to order Unlock code from PLM/AFS Aftersales	X	X	X	X	X	X	X	X	X
47995527	DUAL FOLLOWER ROLL SLEDGE KIT	Standard equipment on Rotor and Silage models, For use with Endless belts only	X					X			
47842226	TAILGATE CHOPPING ROLL KIT, 4X5	Standard equipment on Rotor and Silage models, For use with Endless belts only	X								
47877606	TAILGATE CHOPPING ROLL KIT, 4X6	Standard equipment on Rotor and Silage models, For use with Endless belts only						X			
48093991	OSF PICKUP ROTOR TRANSITION PLATES KIT	Not compatible with Rotor Cutter or Rotor Feeder models	X	X	X			X	X		
48182933	AUTOMATIC GREASING KIT		X	X	X	X	X	X	X	X	X
51523432	MOISTURE SENSOR KIT	Not compatible with balers produced before February 2019	X	X	X	X	X	X	X	X	X

PN	Description	BR7050 (4' X 4')	BR 7060 (4' X 5')	BR7070 (4' X 6')	BR7080 (5' X 5')	BR7090 (5' X 6')
87347870	Hyd Pickup Lift FI Round Balers (1.2M, 1.5M, 1.8M pu only)		X	X	X	X
715030036	Crop Saver Whl Bdl (1.5M non-stuffer pu only)		X	X	X	X
87040143	Double Spring Kit				X	X
717644006	Hyd Bale Ramp Kit 5x6					X
717644016	Hyd Bale Ramp Kit 4x6			X		
87347926	Universal Control Box Mounting	X	X	X	X	X
87347920	Fire Extinguisher Kit	X	X			
86635322	6-bar Pick p Conversion Kit (1.2M and 1.5M non-stuffer only)	X				
87016426	Left-Hand Pick Up Flotation Wheel	X	X			
86642510	Bale Ramp kit (BR7060 Standard unit only)		X			
87588787	Chain Oiler Kit		X	X	X	X
84134365	Control Box Mounting Kit		X			
86900293	Dual Cam Kit for 1.5m pickup (for single cam non-silage models)		X	X		
87347749	External Expeller Roll Kit - 4' wide units		X			
87347750	External Expeller Roll Kit - 5' wide units					
87012393	Front Twine Box Kit to add 5 balls of twine (non-net models only)		X			
87012399	Front Twine Box Kit to add 6 balls of twine (non-net models only)				X	X
87012822	Green Feed Windguard Kit (1.5m non-stuffer pu only)		X		X	X
87619225	Hydraulic Rotor Reverse Kit (for 7060NC and 7070NC models only) Requires four (4) tractor remotes		X	X		
87014799	Hydraulic Diverter Valve Kit (for tractors with only 3 remotes)		X	X		
87347868	In-feed discs (standard on silage and 5x6 balers)		X	X	X	
87347783	Serpentine Roll Scaper Kit - 4' wide units		X	X		
87347782	Serpentine Roll Scaper Kit - 5' wide units				X	X
87347817	Starter Roll Rake Kit		X	X		
86642652	Trash Baffle Kit		X	X		
87024169	Monitor Kit (for BR7060 Standard unit only)		X			
84131631	PTO Support/Drawbar Pin Kit		X	X	X	X
87758500	Roller Windguard kit (Rotor Cutter models 7060NC and 7070NC only)		X	X		
87608707	4' Twine Kit (to add twine to net only baler)		X			
87757525	Bale Counter Kit (for BR7060 Standard unit only)		X			

PN	Description		Roll-Belt 550	Roll-Belt 560			
			5X5, HAY 1.5M	5X6, HAY 1.5M	5X6, HAY 2.07M	5X6, BALE SLICE PLUS	5X6, Specialty Crop Plus
47409525	SUCTION CUP CONTROL BOX MOUNTING KIT		X	X	X	X	X
84399081	LACING CABLE KIT STANDARD		X	X	X		
84554128	LACING CABLE KIT PREMIUM		X	X	X	X	X
51451385	CHAIN OILER KIT		X	X	X	X	X
84399330	SERPENTINE ROLL SCRAPER KIT		X	X	X		
47374582	HYDRAULIC PICKUP LIFT KIT		X	X	X		
84580272	ADDITIONAL TWINE STORAGE KIT		X	X	X	X	X
84542883	FIRE EXTINGUISHER KIT		X	X	X	X	X
84554477	LH TAILGATE LATCH SENSOR KIT		X	X	X	X	X
84491993	ROLLER WINDGUARD 1.5M (NH)		X	X			
47394312	ROLLER WINDGUARD 2.0M (NH)				X	X	
84399312	LACING CABLE KIT HEAVY DUTY		X	X	X		
84398928	HYDRAULIC BALE RAMP KIT (NH)			X	X	X	X
47398918	DUAL, NO TOOLS ADJ, 4.80/4.00-8 (NH)		X	X	X	X	X
47459845	DUAL, CASTERING, 15X6.00-6 (NH)				X	X	X
84545582	TWINE MOTION SENSOR KIT		X	X	X	X	X
47773743	PTO SUPPORT/HITCH PIN RETENTION KIT		X	X	X	X	X
47803709	BALE RAMP SENSOR KIT		X	X	X	X	X
84554473	CONTROL BOX MOUNTING KIT		X	X	X	X	X
47950194	TWINE STRAW KIT				X	X	X
47979766	ISOBUS CLASS 3 BALE RAMP PRESENCE SWITCH KIT	Required with unlock code to use ISOBUS class 3 feature		X	X	X	X
47984250	ISOBUS CLASS 3 UNLOCK CODE ACTIVATION ORDER	Used to order Unlock code from PLM/AFS Aftersales		X	X	X	X
48093991	OSF PICKUP ROTOR TRANSITION PLATES KIT				X	X	X
51494585	TAILGATE CHOPPING ROLL KIT, 5X6		X	X	X		
51477604	BELT DE-CLUTCH KIT 5X6			X	X	X	X
48198441	DUAL FOLLOWER ROLLS KIT, 5X6		X	X	X		

PARTS DIVISION SUPPLIED ACCESSORIES FOR CURRENT SELF-PROPELLED BALE WAGONS

Part Number	Description	SC102	SC103	SC105
87592035	Auxiliary Mirror- bolts to existing exterior mirror. (Requires mounting bracket- 87676860, clamp- 239859, and hardware.)	X	X	X
48051576	First Table Kit for 16 x 18 bales (SC103 only)	NR	X	NA
48051579	Heater Kit	X	X	X
48051578	Weight Box Kit	X	X	X
48051577	Windshield Wiper Kit	X	X	X
87026281	First Table Speed Control Valve (standard on SC102)	Std.	X	NA
87024496	Auxiliary First Table Speed Control Valve (SC103 only)	NA	X	NA
47764857	Additional Rear Worklight (for right-rear of cab. Requires mounting bracket- 47967077)	X	X	X

PARTS DIVISION SUPPLIED ACCESSORIES FOR PRIOR GENERATION SELF-PROPELLED BALE WAGONS

PN	Description	H9880	H9870
87592035	Auxiliary Mirror- bolts to existing exterior mirror. (Requires mounting bracket- 87676860, clamp- 239859, and hardware.)	X	X
716540016	Brake Pedal Kit (left hand)	X	X
715250001	First Table Kit for 16 x 18 bales (H9880 only)	X	NR
715247016	Heater Kit	X	X
715248006	Weight Box Kit	X	X
715242006	Windshield Wiper Kit	X	X
87026281	First Table Speed Control Valve (standard on H9870)	X	Std.
87024496	Auxiliary First Table Speed Control Valve (H9880 only)	X	NA
86522147	Additional Rear Worklight (for right-rear of cab)	X	X

PARTS DIVISION SUPPLIED ACCESSORIES FOR PRIOR GENERATION SELF-PROPELLED BALE WAGONS

PN	Description	BW28	BW38
87592035	Auxiliary Mirror- bolts to existing exterior mirror. (Requires mounting bracket- 87676860, clamp- 239859, and hardware.)	X	X
716540016	Brake Pedal Kit (left hand)	X	X
717121006	Engine Fan Reversing Kit (BW28 s/n 1330359 and below, BW38 s/n Y5B45003 and below)	X	X
715250001	First Table Kit for 16 x 18 bales (BW28 only)	X	NR
715247016	Heater Kit	X	X
715248006	Weight Box Kit	X	X
715242006	Windshield Wiper Kit	X	X
87026281	First Table Speed Control Valve	X	Std.
87024496	Auxiliary First Table Speed Control Valve (BW28 only)	X	
86522147	Additional Rear Worklight (for right-rear of cab)	X	X