



# **AGRICULTURAL EQUIPMENT**

**U.S. Price List  
Effective October 1, 2016**

## **FARMALL® SERIES COMPACT TRACTORS**

**PL-100 CA REVISION 26**

**SAP PRICE LIST 030 C1**

**THIS IS A COMPLETE REVISION**





## GENERAL INFORMATION

### ADVANCE FREIGHT

Advance freight will be added to the machinery invoice as a separate net charge for machinery shipped from field locations or from other than specified Ex Works locations.

### PRICES

Prices are Ex Works factory, where the goods are manufactured, except where noted. For detailed information concerning prices, please refer to your OPERATING GUIDE.

### CONTENTS OF ORGANIZATION

CNH Industrial N.V. issues price lists and revisions covering each Case IH contract. The U.S. Price List is published in U.S. funds and the Canadian Price List is published in Canadian funds. Ensure that you are using the correct price list. U.S. or Canada is referenced at the top of each page and the Canadian price lists have a Maple Leaf on the price list cover page.

Freight, duty and sales taxes are NOT included in any wholegoods or attachment prices shown in the price list. Any appropriate freight, duty, Federal, State, and Provincial taxes will be added to the machinery invoice as separate net charges.

### PROCEDURE

The price pages for each machine (or group of machines) lists both "Factory Supplied Options" and "Factory Supplied Accessories."

Each price list is comprised of the various machines sold under that contract. Each price book section has "Factory Supplied Options" and "Factory Supplied Accessories" price pages. When ordering and pricing a machine, follow the ordering instructions listed for that machine. Accessories listed following the "Factory Supplied Accessories" heading are available for installation in the field.

### DISTRIBUTION OF PRICE LISTS

Price lists and periodic price list revisions will be posted on the Dealer Portal and distributed electronically when possible.

Printed copies of current price lists, index tabs and binders can be purchased from the Document Management Center (DMC). Orders should be placed only through the DMC web site link located on the Dealer Portal. For DMC customer service inquiries, other than placing orders, call (262) 636-7540.

Internal E-mail: #NA DMC ORDER CENTER  
Complete U.S. Price List is PL-100  
Complete Canadian Price List is PLC-100

Periodic price list revisions are usually accompanied by a cover sheet which carries instructions on price page changes and where to insert replacement or new price pages. The revisions are dated and are effective as of that date.





## FARMALL® SERIES COMPACT TRACTORS TABLE OF CONTENTS

### COMPACT TRACTORS

#### COMPACT FARMALL A SERIES II TRACTORS

Standard Features .....	1
Price List .....	3

#### FARMALL 35C and 4C SERIES II TRACTORS TIER 4B

Standard Features .....	7
Price List .....	9
Factory Supplied Attachments .....	11

#### FARMALL 45C and 55C SERIES II TRACTORS TIER 4B

Standard Features .....	13
Price List .....	15
Factory Supplied Attachments .....	17

#### FARMALL 45C/55C CVT TRACTORS- T4

Standard Features .....	19
Price List .....	21

### LOADERS FOR FARMALL COMPACT TRACTORS

#### L340A LOADERS FOR COMPACT FARMALL A SERIES II T4

Standard Features .....	23
Price List .....	24
Factory Supplied Attachments .....	25

#### L350A LOADERS FOR COMPACT FARMALL 35C and 40C SERIES II TIER 4

Standard Features .....	27
Price List .....	28
Factory Supplied Attachments .....	29

#### L360A LOADERS FOR COMPACT FARMALL 45C and 55C SERIES II TIER 4

Standard Features .....	31
Price List .....	32
Factory Supplied Attachments .....	33

#### L350A LOADER FARMALL B CVT AND C CVT

Standard Features .....	35
Price List .....	36
Factory Supplied Attachments .....	37



## FARMALL® SERIES COMPACT TRACTORS TABLE OF CONTENTS

### COMPACT TRACTORS IMPLEMENTS AND ATTACHMENTS

#### MW SERIES MOWERS FOR FARMALL TRACTORS

Standard Features .....	39
Price List .....	42
Factory Supplied Attachments .....	43

#### RR SERIES REAR MOUNT FINISHING MOWERS

Standard Features .....	44
Price List .....	46

#### BR SERIES FRONT MOUNT BLADES

Standard Features .....	47
Price List .....	48
Factory Supplied Attachments .....	50

#### BS SERIES FRONT MOUNT SNOW BLOWERS

Standard Features .....	53
Price List .....	55
Factory Supplied Attachments .....	58

#### BR SERIES FRONT MOUNT ROTARY BROOMS

Standard Features .....	61
Price List .....	63
Factory Supplied Attachments .....	66

#### BHA SERIES BACKHOES

Standard Features .....	67
Price List .....	68
Factory Supplied Attachments .....	71

#### TL SERIES ROTARY TILLERS

Standard Features .....	73
Price List .....	74

#### RC ROTARY CUTTERS

Standard Features .....	75
Price List .....	78
Factory Supplied Attachments .....	81



## FARMALL® SERIES COMPACT TRACTORS TABLE OF CONTENTS

### COMPACT TRACTORS IMPLEMENTS AND ATTACHMENTS

#### WORK EZ® DISK HARROW

Standard Features .....	83
Price List .....	84

#### WORK EZ® RAKES

Standard Features .....	85
Price List .....	86

#### WORK EZ® BOX BLADES

Standard Features .....	87
Price List .....	88

#### WORK EZ® REAR BLADES

Standard Features .....	89
Price List .....	90

#### WORK EZ® EZ MATCH

Standard Features .....	91
Price List .....	92

#### WORK EZ® BALE CARRIERS

Standard Features .....	93
Price List .....	94

#### WORK EZ® HAY SPEARS

Standard Features .....	95
Price List .....	96

### CHARTS

PARTS DIVISION SUPPLIED ACCESSORIES - FARMALL B SERIES TRACTORS .....	97
PARTS DIVISION SUPPLIED ACCESSORIES - FARMALL B CVT SERIES TRACTORS .....	100
PARTS DIVISION SUPPLIED ACCESSORIES - COMPACT TRACTORS .....	102
PARTS DIVISION SUPPLIED ACCESSORIES - COMPACT LOADERS.....	106
PARTS DIVISION SUPPLIED ACCESSORIES - COMPACT TRACTOR IMPLEMENTS.....	107
REFERRAL ATTACHMENTS.....	108
CASE IH PURCHASED PROTECTION.....	109





**COMPACT FARMALL A SERIES II TRACTOR  
US PRICE LIST**

## Standard Equipment

### DIESEL ENGINE:

#### Farmall 35A Tier 4B:

35 Gross Engine hp @ 2600 rpm  
29.7 PTO hp @ 2600 rpm (Gear)  
28 PTO hp @ 2600 rpm (Hydro)  
114 cu. in. (1.9L) Displacement

#### Farmall 40A Tier 4B:

40 Gross Engine hp @ 2600 rpm  
34 PTO hp @ 2600 rpm (Gear)  
22 PTO hp @ 2600 rpm (Hydro)  
114cu. in. (1.9L) Displacement

### ALL MODELS

3 Cylinder, Turbcharged Engine  
Common Rail / Direct Fuel Injection  
Tier 4b Final Emissions Compliant  
114.7 cu. in. (1.9L) Displacement  
Under Hood Muffler / Exhaust  
Two-stage Dual Element Air Cleaner  
Full-flow, Spin-on Oil Filter  
Fuel Filter with water separator  
Quick Glow Plug Starting Aid  
Flip-up Hood w/ Gas Strut  
7.4 (28L) gallon Fuel Tank

### INSTRUMENT PANEL:

Analog Tachometer  
Fuel Gauge  
Coolant Temperature Gauge  
Hour Meter  
Engine Oil Pressure Warning Light  
Battery Charge Warning Light  
Cold Starting Aid Indicator Light  
PTO ON Indicator Light  
Constant Engine Speed control  
Parking Brake Indicator Light  
Turn Indicator Lights  
Hazard Flasher Indicator Lights  
High Beam Headlights Indicator  
Emmission Activation Indicator

### TRANSMISSION OPTIONS

12 x 12 Synchronized Shuttle Shift  
(SSS)

Left-hand, dash mounted,  
synchronized shuttle  
(4) Non-synchronized gears  
(3) Non-synchronized ranges

3-Range Hydrostatic with Cruise Control  
and Dual-Pedal direction control for  
forward and reverse

### HYDRAULIC SYSTEM:

Open Center Hydraulic System

Dual Gear-type Pumps

Implement Pump Capacity:

- Farmall 35A = 8.2 gpm (31.2 L/min)  
- Farmall 40A = 8.2 gpm (31.2 L/min)

Steering Pump Capacity:

- Gear models = 4.8 gpm (18.2 L/min)  
- HST models = 4.8 gpm (18.2 L/min)

Mid-mount Hydraulic Valve & Joystick  
(STD)

### 3-POINT LIFT SYSTEM:

Lift Capacity @ ball ends:

1808 lb. (820 kg)

Category I, 3-point Linkage

Position Control Lever

Drop Rate Control Knob

Crank-type Leveling Mechanism

Telescoping Stabilizers

Fixed Link Ends

### ROPS:

2-Post, Foldable Roll Bar

Seat Belt

### ELECTRICAL

12-volt, 80Ah, 660 CCA Battery

Safety Start Switch

Key Start/Fuel Shutoff

85 amp Alternator

Operator Presence System

**COMPACT FARMALL A SERIES II TRACTOR**  
**US PRICE LIST**

## Standard Equipment

### LIGHTING:

- (2) Incandescent Corner Work Lights
- (2) Halogen Headlights
- (2) Taillights / Brakelights
- (2) Flashing Warning Lights / Turn Signals

### PTO:

#### Rear PTO

- Independent 540 rpm
- Electro-hydraulic engagement
- Flip-up Shield
- Shaft Cap

#### Mid mount PTO

- MID PTO is STANDARD on models with HYDROSTATIC TRANSMISSION
- Mid PTO is OPTIONAL on models with gear transmission
- Independent 2000 rpm

### DRAWBAR:

- Swinging
- 3-Position Extendable

### REAR DIFFERENTIAL LOCK

- Foot actuated mechanical

### STEERING:

- Hydrostatic Power Steering
- Tilt Steering Column

### BRAKES:

- Wet Disc
- Dual Brake Pedals
- Foot-assist Parking Brake Lever

### FRONT AXLE:

- Mechanical Front Drive (MFD)
- Fixed Position Rims
- 47.1 in. (1197 mm) Tread Setting with R4 tires

### REAR AXLE:

- Flange Type Axle
- Reversible Position Rims - R1 tires only
- Fixed Position Rims - R3, R4 tires
- 52.5 in. (1333 mm) Tread Setting with R4 tires

### OPERATOR'S AREA:

- Contoured Cushion Seat
  - Fore / Aft / Height / Weight Compensating
- Foot Throttle
- Left Side Step
- Left Side Grab Handle
- Right Side Cupholder & Tray

### SLOW MOVING VEHICLE EMBLEM

**COMPACT FARMALL A SERIES II TRACTOR  
US PRICE LIST**

## Models

COMMERCIAL MODEL	ENGINE POWER	Weight	List Price
FARMALL 35A SERIES II	35 HP		\$20,989.00
FARMALL 40A SERIES II	40 HP	3067	\$22,668.00

## Factory Supplied Options

Order Code	Description	Weight	List Price
<b>TRANSMISSION</b>			
SD_T2810 TRANSMISSION			
720110	12 x 12 Synchro-shuttle		No Charge
729290	Hydrostatic Transmission <b>Includes Mid PTO for operation of Front mounted implements (mowers, snow blowers, brooms, etc.)</b>		\$1,696.00
<b>HYDRAULICS</b>			
SD_T8270 REAR REMOTES			
XT8270X	LESS REAR REMOTE VALVES <b>Less Rear Remote Valves</b>		No Charge
720366	1 Remote SDA <b>1 Rear Remote with detent</b>		\$681.00
<b>PTO</b>			
MID-MOUNT PTO			
SD_T8073 MID PTO KIT			
728025	MID PTO <b>For (720110) 12 x 12 Synchro-shuttle Transmission only</b>		\$332.00
XT8073X	LESS MID PTO <b>For (720110) 12 x 12 Synchro-shuttle Transmission only</b>		No Charge

**COMPACT FARMALL A SERIES II TRACTOR  
US PRICE LIST**

**FRONT WHEELS AND TIRES**

SD\_T4940 FRONT WHEELS AND TIRES

		8266304	25 x 8.50 - 14 6PR R4 <b>Must be ordered with 43 x 16.00-20 R4 (8364564) Rear Tires.</b>		No Charge
		8204604	7 x 14 6PR R1 Ag Bar <b>Must be ordered with 11.2 x 24 4PR R1 Ag Bar (8332604) Rear Tires.</b>		(\$115.00)
		8267104	25x8.50-14 10PR R3 T		(\$115.00)

**REAR WHEELS AND TIRES**

SD\_T4950 REAR WHEELS AND TIRES

		8364564	43 x 16.00-20 R4		No Charge
		8332604	11.2 x 24 4PR R1 Ag Bar		(\$279.00)
		8304804	41 x 14.00-20 4PR R3		\$193.00

**OPERATOR MANUALS**

SD\_T9800 OPERATORS MANUAL

		XT9800X	North American English		No Charge
		729184	French Canadian - Gear		No Charge

SD\_T9802 OPERATORS MANUAL

		XT9802X	Less Add'l Operator Manual		No Charge
		720548	SPANISH OP.MANUAL N 720548		No Charge

**COMPACT FARMALL A SERIES II TRACTOR  
US PRICE LIST**

## Factory Supplied Attachments

Order Code		Description	Weight		List Price
	820460466	7X14 6PR R1 CIH LSM Front	95 LB		\$381.00
	833260456	11.2X24 4PR R1 CIH LSM Rear	343 LB		\$973.00
	826710416	25X8.50-14 10 PLY TURF R3 Front	98 LB		\$385.00
	830480456	41X14.00-20 4PR R3 TURF CIH LS Rear	347 LB		\$1,489.00
	826630466	25X8.50-14 6PR R4 CIH LSM Front	107 LB		\$496.00
	836456426	43X16-20 4PLY TL R4 CIH Rear	418 LB		\$1,289.00



**FARMALL 35C AND 40C SERIES II TRACTORS  
US PRICE LIST**

**(Ex Works Port of Entry)  
Standard Equipment**

**Farmall 35C Tier 4B:**

35 Gross Engine hp @ 2600 rpm  
29.7 PTO hp @ 2600 rpm (Gear)  
28 PTO hp @ 2600 rpm (Hydro)  
114.7 cu. in. (1.9L) Displacement

**Farmall 40C Tier 4B:**

40 Gross Engine hp @ 2600 rpm  
34 PTO hp @ 2600 rpm (Gear)  
32 PTO hp @ 2600 rpm (Hydro)  
114.7 cu. in. (1.9L) Displacement

**ALL MODELS:**

3 Cylinders  
Tier 4b compliant  
Turbo charged  
Under Hood Muffler / Exhaust  
Two-stage Dual Element Air Cleaner  
Full-flow, Spin-on Oil Filter  
10.6 gallon (40L) Fuel Tank ROPS  
12.4 gallon (47L) Fuel Tank CAB  
Fuel Filter with water separator  
Quick Glow Plug Starting Aid  
Flip-up Hood w/ Gas Strut

**INSTRUMENT PANEL:**

Analog Tachometer  
Fuel Gauge  
Coolant Temperature Gauge  
Hour Meter  
Engine Oil Pressure Warning Light  
Battery Charge Warning Light  
Cold Starting Aid Indicator Light  
PTO ON Indicator Light  
Constant Engine Speed control  
Parking Brake Indicator Light  
Turn Indicator Lights  
Hazard Flasher Indicator Lights  
High Beam Headlights Indicator  
Emmission Activation Indicator

**TRANSMISSION OPTIONS**

12 x 12 Synchronized Shuttle Shift  
(SSS)

Left-hand, dash mounted,  
synchronized shuttle

(4) Synchronized gears  
(3) Non-synchronized ranges

3-Range Hydrostatic with Cruise Control  
and Dual-Pedal direction control for  
forward and reverse

**HYDRAULIC SYSTEM:**

Open Center Hydraulic System  
Dual Gear-type Pumps  
Single Open Center Rear Remote Valve  
Implement Pump Capacity:

- Farmall 35C = 8.2 gpm (31.2 L/min)  
- Farmall 40C = 8.2 gpm (31.2 L/min)

Steering Pump Capacity:

- Gear models = 4.1 gpm (15.6 L/min)  
- HST models = 5.5 gpm (20.8 L/min)

Mid-mount Hydraulic Valve & Joystick  
(STD)

**3-POINT LIFT SYSTEM:**

Lift Capacity @ ball ends:  
1808 lb. (820 kg)  
Category I, 3-point Linkage  
Position Control Lever  
Drop Rate Control Knob  
Crank-type Leveling Mechanism  
Telescoping Stabilizers  
Flexible Link Ends

**ROPS:**

2-Post, Foldable Roll Bar  
Seat Belt

**ELECTRICAL**

12-volt, 80Ah, 660 CCA Battery  
Safety Start Switch  
Key Start/Fuel Shutoff  
85 amp Alternator  
Operator Presence System

**FARMALL 35C AND 40C SERIES II TRACTORS  
US PRICE LIST**

**(Ex Works Port of Entry)  
Standard Equipment**

**LIGHTING:**

- (2) Halogen Corner Work Lights
- (2) Halogen Headlights
- (2) Taillights / Brakelights
- (2) Flashing Warning Lights / Turn Signals

**PTO:**
**Rear PTO**

- Independent 540 rpm
- Electro-hydraulic engagement
- Flip-up Shield
- Shaft Cap

**Mid PTO**

- Mid PTO is STANDARD on ALL models
- Independent 2,000 rpm

**DRAWBAR:**

- Swinging
- 2-Position Extendable

**REAR DIFFERENTIAL LOCK**
**STEERING:**

- Hydrostatic Power Steering
- Tilt Steering Column

**BRAKES:**

- Wet Disc
- Dual Brake Pedals
- Foot-assist Parking Brake Lever

**FRONT AXLE:**

- Four Wheel Drive (FWD)
- Fixed Position Rims
- 45.6 in. (1159 mm) Tread Setting with R4 tires

**REAR AXLE:**

- Flange Type Axle
- Reversible Position Rims - R1 tires only
- Fixed Position Rims - R3, R4 tires

**REAR AXLE: (Continue):**

- 46.5 in. (1283 mm) Tread Setting with R4 tires

**OPERATOR'S AREA:**
**ROPS FOR 35C**
**Contoured Cushion Seat**

- Fore / Aft / Height / Weight Compensating
- Spring Suspension

**Deluxe Floor Mat**
**Foot Throttle**
**Left Side Step**
**Left Side Grab Handle**
**Right Side Cupholder & Tray**
**CAB FOR 40C ONLY**
**(2) Doors**
**Rear Window Opens 63 degrees**
**Opening side windows**
**Air Conditioning**
**Heater**
**4-speed Fan Control for heat and A/C**
**2 Cab Air Filters**
**Radio-ready with (2) speakers, wiring and antenna**
**Deluxe Cloth Covered Seat**
**Floor Mat**
**Cloth Covered Headliner**
**Sun Visor**
**Interior Rearview Mirror**
**Interior lighting**
**Left and Right External Mounted Mirrors**
**Removable Plug in rear of cab to route harness**
**Front Windshield Wiper and Washer**
**Cup Holder**
**Left and Right Side Steps**
**Toolbox**
**Slow Moving Vehicle Emblem**
**Grab Rails**
**Horn**
**SLOW MOVING VEHICLE EMBLEM**



**FARMALL 35C AND 40C SERIES II TRACTORS  
US PRICE LIST**

(Ex Works Port of Entry)

**Models**

COMMERCIAL MODEL	VERSION	Weight	List Price
FARMALL 35C SERIES II	Rops		\$25,271.00
FARMALL 40C SERIES II	Cab	6,300 LB	\$31,983.00

**Factory Supplied Options**

Order Code	Description	Weight	List Price
<b>TRANSMISSION</b>			
TRANSMISSION			
SD T2810 TRANSMISSION			
720110	12 x 12 Synchro-shuttle <b>Includes Mid PTO for operation of Front mounted implements (mowers, snow blowers, brooms, etc.)</b>		No Charge
729290	Hydrostatic Transmission <b>Includes Mid PTO for operation of Front mounted implements (mowers, snow blowers, brooms, etc.)</b>		\$1,864.00
<b>HYDRAULICS</b>			
SD T8270 REAR REMOTES			
X82704X	1 VALVE STD <b>1 valve with detent standard</b>		No Charge
720347	2 Remote Valves <b>2 rear remote</b>		\$412.00
<b>FRONT WHEELS AND TIRES</b>			
SD T4940 FRONT WHEELS AND TIRES			
8266304	25 x 8.50 - 14 6PR R4 <b>Must be ordered with 43 x 16.00-20 R4 Rear Tires (8364564).</b>		No Charge
8267104	25x8.50-14 10PR R3 T		(\$115.00)
8204604	7 x 14 6PR R1 Ag Bar <b>Must be ordered with 11.2 x 24 4PR R1 Ag Bar Rear Tires (8332604).</b>		(\$115.00)

**FARMALL 35C AND 40C SERIES II TRACTORS  
US PRICE LIST**

(Ex Works Port of Entry)

**REAR WHEELS AND TIRES**

SD T4950 REAR WHEELS AND TIRES

		8364564	43 x 16.00-20 R4		No Charge
		8332604	11.2 x 24 4PR R1 Ag Bar		(\$317.00)
		8304804	41 x 14.00-20 4PR R3		
			if ENGINE POWER is 40 HP		\$198.00
			if ENGINE POWER is 35 HP		\$198.00

**OPERATOR MANUALS**

SD T9800 OPERATORS MANUAL

		XT9800X	North American English		No Charge
		729184	French Canadian - Gear		No Charge

SD T9802 OPERATORS MANUAL

		XT9802X	Less Add'l Operator Manual		No Charge
		720548	SPANISH OP.MANUAL N 720548		No Charge

**FARMALL 35C AND 40C SERIES II TRACTORS  
US PRICE LIST**

(Ex Works Port of Entry)

**Factory Supplied Attachments**

Order Code		Description	Weight		List Price
	820460466	7X14 6PR R1 CIH LSM Front	95 LB		\$381.00
	833260456	11.2X24 4PR R1 CIH LSM Rear	343 LB		\$973.00
	826710436	25X8.50-14 10 PLY TURF R3 Front	98 LB		\$381.00
	830480496	41X14.00-20 4PR R3 TURF CIH LS Rear	344 LB		\$1,489.00
	826630486	25x8.50-14 6PR CIH LSM Front	109 LB		\$496.00
	836456466	43X16-20 4PLY TL R4 CIH Rear	420 LB		\$1,289.00



**FARMALL 45C AND 55C SERIES II TRACTORS  
US PRICE LIST**

**(Ex Works Port of Entry)  
Standard Equipment**

**Farmall 45C Tier 4B:**

45 Gross Engine hp @ 2600 rpm  
38.2 PTO hp @ 2600 rpm (Gear)  
36 PTO hp @ 2600 rpm (Hydro)  
114.7 cu. in. (1.9L) Displacement

**Farmall 55C Tier 4B:**

55 Gross Engine hp @ 2600 rpm  
46.7 PTO hp @ 2600 rpm (Gear)  
44 PTO hp @ 2600 rpm (Hydro)  
114.7 cu. in. (1.9L) Displacement

**ALL MODELS:**

3 Cylinders  
Naturally Aspirated  
Under Hood Muffler / Exhaust  
Two-stage Dual Element Air Cleaner  
Full-flow, Spin-on Oil Filter  
10.5 gallon (40L) Fuel Tank  
Fuel Filter with water separator  
Quick Glow Plug Starting Aid  
Flip-up Hood w/ Gas Strut

**INSTRUMENT PANEL:**

Analog Tachometer  
Fuel Gauge  
Coolant Temperature Gauge  
Hour Meter  
Engine Oil Pressure Warning Light  
Battery Charge Warning Light  
Cold Starting Aid Indicator Light  
PTO ON Indicator Light  
Constant Engine Speed control  
Parking Brake Indicator Light  
Turn Indicator Lights  
Hazard Flasher Indicator Lights  
High Beam Headlight Indicator  
Emissions Indicator

**TRANSMISSION OPTIONS:**

16 x 16 Synchronized Shuttle Shift  
(SSS)

Left-hand, dash mounted,  
synchronized shuttle  
(4) Synchronized gears  
(4) Non-synchronized ranges

3- Range Hydrostatic with Cruise Control  
and Dual Pedal direction control for  
forward and reverse

**HYDRAULIC SYSTEM:**

Open Center Hydraulic System  
Dual Gear-type Pumps  
Single Open Center Rear Remote Valve  
Implement Pump Capacity:  
- 8.2 gpm (31.2 L/min)  
Steering Pump Capacity:  
- Gear models = 4.1 gpm (15.6 L/min)  
- HST models = 6.1 gpm (23.4 L/min)  
Mid-mount Hydraulic Valve & Joystick  
(STD)

**3-POINT LIFT SYSTEM:**

Lift Capacity @ ballk ends:  
2756 lb. (1250 kg)  
Category I, 3-point Linkage  
Position Control Lever  
Drop Rate Control Knob  
Crank-type Leveling Mechanism  
Telescoping Stabilizers  
Flexible Link Ends

**ROPS:**

2-Post, Foldable Roll Bar  
Seat Belt

**ELECTRICAL:**

12-volt, 80Ah, 660 CCA Battery  
Safety Start Switch  
Key Start/Fuel Shutoff  
85 amp Alternator  
Operator Presence System

**FARMALL 45C AND 55C SERIES II TRACTORS**  
**US PRICE LIST**

**(Ex Works Port of Entry)**  
**Standard Equipment**

**LIGHTING:**

- (2) Halogen Corner Work Lights
- (2) Halogen Headlights
- (2) Taillights / Brakelights
- (2) Flashing Warning Lights / Turn Signals

**PTO:**

**Rear PTO**

- Independent 540 rpm
- Electro-hydraulic engagement
- Flip-up Shield
- Shaft Cap

**Mid PTO**

- Mid PTO is STANDARD on ALL models
- Independent 2,000 rpm

**DRAWBAR:**

- Swinging
- 2-Position Extendable

**REAR DIFFERENTIAL LOCK**

**STEERING:**

- Hydrostatic Power Steering
- Tilt Steering Column

**BRAKES:**

- Wet Disc
- Dual Brake Pedals
- Foot-assist Parking Brake Lever

**FRONT AXLE:**

- Four Wheel Drive (FWD)
- Fixed position rims
- 51.7 in. (1314 mm) Tread Setting with R4 tires

**REAR AXLE:**

- Flange Type Axle
- Reversible Position Rims - R1 only
- Fixed Position Rims - R3, R4
- 47.7 in. (1211 mm) Tread Setting with R4 tires

**OPERATOR'S AREA:**

- Contoured Cushion Seat
- Fore / Aft / Height / Weight Compensating
- Spring Suspension
- Deluxe Floor Mat
- Foot Throttle
- Left Side Step
- Left Side Grab Handle
- Right Side Cupholder & Tray

**SLOW MOVING VEHICLE EMBLEM**

**FARMALL 45C AND 55C SERIES II TRACTORS  
US PRICE LIST**

**(Ex Works Port of Entry)  
Models**

COMMERCIAL MODEL	VERSION	Weight	List Price
FARMALL 45C SERIES II	Rops	6,300 LB	\$31,367.00
FARMALL 45C SERIES II	Cab	6,300 LB	\$36,993.00
FARMALL 55C SERIES II	Rops	6,300 LB	\$37,712.00
FARMALL 55C SERIES II	Cab	6,300 LB	\$43,338.00

**Factory Supplied Options**

Order Code	Description	Weight	List Price
<b>TRANSMISSION</b>			
TRANSMISSION			
SD T2810 TRANSMISSION			
330271	16x16 Synchro Shuttle 330271 <b>Includes Mid PTO for operation of Front mounted implements (mowers, snow blowers, brooms, etc.)</b>		No Charge
330014	HST + 3 Range <b>Includes Mid PTO for operation of Front mounted implements (mowers, snow blowers, brooms, etc.)</b>		\$1,864.00
<b>HYDRAULICS</b>			
SD T8270 REAR REMOTES			
X82704X	1 VALVE STD <b>1 valve with detent standard</b>		No Charge
720347	2 Remote Valves <b>2 rear remote</b>		\$412.00
<b>FRONT WHEELS AND TIRES</b>			
SD T4940 FRONT WHEELS AND TIRES			
8276504	12 x 16.5 6PR R4 <b>Must be ordered with 17.5Lx24 6PR R4 Rear Tires (8396704).</b>		No Charge
8267204	28x8.50-15 6PR R3 T		(\$133.00)
8253304	9.5 x 16 4PR R1 <b>Must be ordered with 13.6-24 4PR R1 Rear Tires (8338604).</b>		(\$133.00)

**FARMALL 45C AND 55C SERIES II TRACTORS  
US PRICE LIST**

(Ex Works Port of Entry)

**REAR WHEELS AND TIRES**

SD T4950 REAR WHEELS AND TIRES

		8396704	17.5Lx24 6PR R4		No Charge
		8338604	13.6-24 4PR R1		(\$811.00)
		8304804	41 x 14.00-20 4PR R3		
			if ENGINE POWER is 55 HP		(\$437.00)
			if ENGINE POWER is 45 HP		(\$437.00)

**OPERATOR MANUALS**

SD T9800 OPERATORS MANUAL

		XT9800X	North American English		No Charge
		729184	French Canadian - Gear		No Charge

SD T9802 OPERATORS MANUAL

		XT9802X	Less Add'l Operator Manual		No Charge
		720548	SPANISH OP.MANUAL N 720548		No Charge



**FARMALL 45C AND 55C SERIES II TRACTORS  
US PRICE LIST**

(Ex Works Port of Entry)

**Factory Supplied Attachments**

Order Code		Description	Weight		List Price
	825330446	9.5-16 4PR R1 CIH LSM Front	171 LB		\$758.00
	833860446	13.6X24 4PR R1 CIH LSM Rear	298 LB		\$1,113.00
	826720416	28X8.50-15 6 PLY TURF R3 Front	152 LB		\$765.00
	830480496	41X14.00-20 4PR R3 TURF CIH LS Rear	344 LB		\$1,489.00
	827650416	12 X 16.5 6PR R4 LSM CIH Front	177 LB		\$891.00
	839670416	17.5LX24 6PR R4 CIH Rear	581 LB		\$1,926.00



**FARMALL 45C/55C CVT TRACTORS - T4**  
**US PRICE LIST**

**(Ex Works - See Standard Equipment)**  
**Standard Equipment**

**MODELS:**

Farmall 45C CVT

45.1 Gross Engine hp @ 2600 rpm

46.0 Gross Engine Cv @2600 rpm

34.1 PTO hp @ 2400 rpm

Farmall 55C CVT

53.0 Gross Engine HP @ 2600 rpm

54.0 Gross Engine Cv @2600 rpm

41.2 PTO hp @ 2400 rpm ROPS

40.4 PTO hp @ 2400 rpm CAB

**ENGINE:**

FPT Engine Model R7531E4

135.9 cu. in. (2.2L) Displacement

3 Cylinders

Tier 4b Compliant

Turbo-charged

Under Hood Exhaust

Two-stage Dual Element Air Cleaner

Full-flow, Spin-on Oil Filter

13 gallon (49.2 L) Fuel Tank

Fuel Filter with water separator

Quick Glow Plug Starting Aid

Flip-Up Hood

**INSTRUMENT PANEL:**

Analog Tachometer

Fuel Gauge

Coolant Temperature Gauge

Hour Meter

Engine Oil Pressure Warning Light

Battery Charge Warning Light

Status Indicator Lights

Digital display panel

**TRANSMISSION:**

Continuously Variable

Transmission (CVT) Series II

Cruise Control

Steering Column mounted shuttle lever  
for FWD/REV directional control

**TRANSMISSION: (continued)**

Single pedal for speed control

Electronic Adjustable Speed & Response  
settings

**HYDRAULICS:**

Open Center Hydraulic System

Dual Gear-type Pumps

Implement Pump Capacity:

9.7 gpm (36.9 L/min)

Steering Pump Capacity:

5.1 gpm (21.0 L/min)

Mid-mount Hydraulic Ports

MMV Standard

**HITCH:**

Lift Capacity @ 24 in. behind link ends:  
2800 lb. (1270 kg)

Category I, 3-point Linkage

Position Control Lever

Drop Rate Control Knob

Crank-type Leveling Mechanism

Telescoping Stabilizers

Flexible Link Ends

**ELECTRICAL:**

12-volt, 850 CCA Battery

Safety Start Switch

Key Start/Fuel Shutoff

Alternator

75 amp - ROPS models

90 amp - CAB models

Operator Presence System

12-volt DC (10 amp) Auxiliary Power  
outlet

**LIGHTING:**

Cab / ROPS

(2) Halogen Corner Work Lights

(2) Halogen Headlights (high/low beam)

(2) Taillights

(2) Flashers / Turn Signals

Cab Only

(2) Front-mounted Cab Work Lights

(2) Rear-mounted Cab Work Lights

**FARMALL 45C/55C CVT TRACTORS - T4**  
**US PRICE LIST**

**(Ex Works - See Standard Equipment)**  
**Standard Equipment**

**PTO:**

Rear  
Independent 540 rpm  
Flip-up Shield  
Shaft Cap  
Mid PTO  
2,000 RPM

**DRAWBAR:**

Swinging  
2-Position Extendable

**REAR DIFFERENTIAL LOCK**
**STEERING:**

Hydrostatic Power Steering  
Tilt and Telescoping Steering Column

**BRAKES:**

Wet Disc  
Parking Brake Lock Lever  
Left Side Mounted Suspended Brake  
Pedals

**FRONT AXLE:**

Four Wheel Drive (FWD)  
Fixed Position Rims  
52.5 in. (1334 mm) Tread Setting with  
R4 tires

**FRONT TIRES:**

10-16.5 6PR R4 industrial bar tread

**REAR AXLE:**

Flange-type Axle  
Adjustable Position Rims - R1  
Fixed Rims - R3, R4, Galaxy  
55.3 in. to 67.4 in. (1404 - 1712 mm)  
Tread Setting with R4 tires

**REAR TIRES:**

17.5LX24 6PR R4 tread

**ROPS PLATFORM:**

Deluxe Vinyl Covered Seat  
Full suspension with weight  
adjustability  
Fore/Aft/ Swivel adjustment  
Floor Mat  
Cup Holder  
Left and Right Side Steps  
Toolbox  
Slow Moving Vehicle Emblem

**CAB PLATFORM:**

(2) Doors  
Rear Window Opens 35 degrees  
High Visibility Panel in Roof above  
Windshield  
Air Conditioning  
Heater  
3-speed Fan Control for heat and A/C  
Single Cab Air Filter  
Radio-ready with (2) speakers, wiring  
and antenna  
Deluxe Cloth Covered Seat  
Full suspension with weight  
adjustability  
Fore/Aft/ Swivel adjustment  
Floor Mat  
Cloth Covered Headliner  
Adjustable Sun Visor  
Interior Rearview Mirror  
Left and Right External Mounted Mirrors  
Removable Plug in rear of cab to route  
harness  
Front Windshield Wiper and Washer  
Cup Holder  
Left and Right Side Steps  
Toolbox  
Slow Moving Vehicle Emblem

**WARRANTY:**

Full Coverage - 24 months or 2000  
hours  
Powertrain - 36 months or 2000 hours

**FARMALL 45C/55C CVT TRACTORS - T4  
US PRICE LIST**

**(Ex Works - See Standard Equipment)  
Models**

COMMERCIAL MODEL	VERSION	ENGINE POWER	Weight	List Price
FARMALL 45C CVT T4 ROPS	Rops	45 HP	6,239 LB	\$35,851.00
FARMALL 45C CVT T4 CAB	Cab	45 HP	6,239 LB	\$44,832.00
FARMALL 55C CVT T4 ROPS	Rops	53HP	6,239 LB	\$39,203.00
FARMALL 55C CVT T4 CAB	Cab	53HP	6,239 LB	\$47,180.00

**Factory Supplied Options**

Order Code	Description	Weight	List Price
<b>OPERATOR STRUCTURE</b>			
SD_05109 ARMREST			
X5109X	No Armrest		No Charge
449330	Armrests		\$79.00
SD_T9162 RADIO/RADIO READY			
XT9162X	Standard Less Radio		No Charge
420804	AM/FM Stereo Radio <b>AM/FM Radio with MP3 port</b> <b>Not Available on Rops Models</b>		\$315.00
<b>ENGINE</b>			
STARTING AID			
SD_T9940 MKT PACK.FOR COLD C			
728028	L/ MKT PACK F COLD C		No Charge
728029	ADV MKT PK F/COLD CL <b>Cold weather pkg includes - engine heater, transmission heater, fuel heater, and engine CCV heater.</b> <b>Cab version will also include:</b> <b>Rear windshield wiper &amp; washer and added rear window strut.</b>		
	if VERSION is Rops		\$237.00
	if VERSION is Cab		\$389.00

**FARMALL 45C/55C CVT TRACTORS - T4  
US PRICE LIST**

**(Ex Works - See Standard Equipment)**

**HYDRAULICS**

SD\_T8270 REAR REMOTES

		XT8270X	LESS REAR REMOTE VALVES		No Charge
		720826	1 Remote DA <b>1 Rear remote: 1st position rear remote - float &amp; detent valve</b>		\$787.00
		720336	2 Aux.Hydr.:1 S/D 1 <b>2 Rear remotes: 1st position rear remote - float &amp; detent 2nd position rear remote - 3 position detent valve (no float)</b>		\$1,574.00

**FRONT WHEELS AND TIRES**

SD\_T4940 FRONT WHEELS AND TIRES

		8275704	10-16.5 6PR R4 Ind. Bar <b>Must be ordered with 17.5Lx24 6PR R4 (8396704) Rear Tires</b>		No Charge
		8278604	27 x 10.50-15 4PR R3 Turf <b>Must be ordered with 44 x 18-20 4PR R3 Turf (8303604) Rear Tires</b>		(\$153.00)
		8229704	8-16 6PR R1(Ag Bar) 8229704 <b>Must be ordered with 14.9-24 4PR R1 Ag Bar (8342604) Rear Tires</b>		(\$153.00)
		8224704	27/12LL x 15 6PR Galaxy® Tires <b>Must be ordered with 22.5LL x 16.1 6PR R3 Galaxy (8310704) Rear Tires Galaxy tires are NOT compatible with Front-End Loader, Front Attachments or Mid Mount Mowers</b>		\$89.00

**REAR WHEELS AND TIRES**

SD\_T4950 REAR WHEELS AND TIRES

		8396704	17.5Lx24 6PR R4		No Charge
		8303604	44 x 18-20 4PR R3 Turf		(\$413.00)
		8342604	14.9-24 4PR R1 Ag Bar		(\$392.00)
		8310704	22.5LL x 16.1 6PR R3 Galaxy® <b>Galaxy tires are NOT compatible with front-end loader, front attachments or mid mount mowers.</b>		\$776.00

**OPERATOR'S MANUAL**

SD\_T9800 OPERATORS MANUAL

		XT9800X	North American English		No Charge
		729187	French Canadian		No Charge

**L340A LOADER FOR 35A AND 40A SERIES II  
US PRICE LIST**

**(Ex Works Port of Entry)  
Standard Equipment**

**L340A SPECIFICATIONS**

(PER ASAE S301.5):

L340A Loader includes the following:

Basic Loader for Farmall 35A & 40A  
Series II tractors  
with Improved Visibility mounting  
system (like L350A)  
Mounting Kit  
Quick Coupler - Skid Steer Style  
68" HD Material Bucket (Quick Attach)  
(Mid-mount valve & Joystick are  
included with tractor)

Loader specifications are subject to  
change and may vary based on tractor  
model and tire size.

**L340A SPECIFICATIONS**

(PER ASAE S301.5):

L340A (For Farmall 35A & 40A Series  
II)

Distances in (in/mm) unless  
otherwise noted. Forces in (lbs/kg)  
unless otherwise noted.

Curved Boom, Mid-Mount, Quick  
Attach Design

Maximum Lift Height:

98.4 / 2500

Dump Clearance:

75.3 / 1913

Digging Depth:

8 / 203

Lift Capacity @ bucket pivot point:

1250 / 567

Lift Capacity @ 19.7 in. (500mm)

from bucket pivot point:

890 / 404

Breakout Force @ bucket pivot point:

2700 / 1225

Breakout Force @ 19.7 in. (500mm)

from bucket pivot point:

1900 / 862

Reach @ Maximum Lift:

31 / 787

Bucket Rollback:

32°

Bucket Dump Angle:

39°

Bucket Level Indicator

Parking Stand

**NOTE: COMPATIBILITY INFORMATION**

To assure proper performance, see  
Operator's manual for recommended  
counterweighting.



**L340A LOADER FOR 35A AND 40A SERIES II  
US PRICE LIST**

(Ex Works Port of Entry)

**Models**

COMMERCIAL MODEL	SPECIALTY	Weight	List Price
L340A 35A/40A SERIES II	68 in. Bucket		\$5,414.00



**L340A LOADER FOR 35A AND 40A SERIES II  
US PRICE LIST**

(Ex Works Port of Entry)

**Factory Supplied Attachments**

Order Code		Description	Weight		List Price
Other Equipment					
	717747006	Ballast box 1000 Lb Max (Category I) with 1000 lbs. maximum capacity (For Class II or Class III tractors). This item must be placed on a separate order. Items ordered under Other Equipment Section cannot also be ordered as a factory supplied accessory on the same order. A separate order is necessary if additional quantities are required.	169 LB		\$425.00
	717748006	Ballast box 1500 Lb Max (Category II) with 1500 lbs. maximum capacity (For Class III tractors ONLY). This item must be placed on a separate order. Items ordered under Other Equipment Section cannot also be ordered as a factory supplied accessory on the same order. A separate order is necessary if additional quantities are required.	243 LB		\$546.00



**L350A LOADER FOR 35C AND 40C SERIES II  
US PRICE LIST**

**(Ex Works Port of Entry)  
Standard Equipment**

**L350A SPECIFICATIONS**

(PER ASAE S301.5):

L350A Loader includes the following:

Basic Loader for Farmall 35C and  
Farmall 40C Series II with Improved  
Visibility mounting system.  
Mounting Kit  
Quick Coupler - Skid Steer Style  
68" HD Material Bucket (Quick Attach)  
(Mid-mount valve & Joystick are  
included with tractor)

Loader specifications are subject to  
change and may vary based on tractor  
model and tire size.

**L350A SPECIFICATIONS**

(PER ASAE S301.5):

L350A (For Farmall 35C and 40C Series  
II )

Distances in (in/mm) unless  
otherwise noted. Forces in (lbs/kg)  
unless otherwise noted  
Curved Boom, Mid-Mount, Quick  
Attach Design  
Maximum Lift Height:  
105 / 2667  
Dump Clearance:  
81.5 / 2070  
Digging Depth:  
6.5 / 165  
Lift Capacity  
@ bucket pivot point:  
2000 / 907  
@ 19.7 in. (500mm) from bucket  
pivot point:  
1540 / 699  
Breakout Force  
@ bucket pivot point:  
3540 / 1606  
@ 19.7 in. (500mm) from bucket  
pivot point:  
2640 / 1197  
Reach @ Maximum Lift:  
33 / 838  
Bucket Rollback:  
30°  
Bucket Dump Angle:  
58°  
4-Bar Bucket Linkage  
Bucket Level Indicator, Parking Stand

**NOTE: COMPATIBILITY INFORMATION**

To assure proper performance,  
see Operator's manual for

**L350A LOADER FOR 35C AND 40C SERIES II**  
**US PRICE LIST**

(Ex Works Port of Entry)

**Models**

COMMERCIAL MODEL	SPECIALTY	Weight	List Price
L350A 35C/40C SERIES II	68 in. Bucket		\$6,426.00

**L350A LOADER FOR 35C AND 40C SERIES II  
US PRICE LIST**

(Ex Works Port of Entry)

**Factory Supplied Attachments**

Order Code		Description	Weight	List Price
	717747006	Ballast box 1000 Lb Max (Category I) with 1000 lbs. maximum capacity (For Class II or Class III tractors). This item must be placed on a separate order. Items ordered under Other Equipment Section cannot also be ordered as a factory supplied accessory on the same order. A separate order is necessary if additional quantities are required.	169 LB	\$425.00
	717748006	Ballast box 1500 Lb Max (Category II) with 1500 lbs. maximum capacity (For Class III tractors ONLY). This item must be placed on a separate order. Items ordered under Other Equipment Section cannot also be ordered as a factory supplied accessory on the same order. A separate order is necessary if additional quantities are required.	243 LB	\$546.00



**L360A LOADER FOR 45C AND 55C SERIES II  
US PRICE LIST**

**(Ex Works Port of Entry)  
Standard Equipment**

**L360A SPECIFICATIONS**

(PER ASAE S301.5):

L360A for Farmall 45C and 55C Series II

Basic Loader for Farmall 45C and  
Farmall 55C Series II with Improved  
Visibility mounting system

Mounting Kit

Quick Coupler - Skid Steer Style

72" HD Material Bucket (Quick Attach)

(Mid-mount valve & Joystick are  
included with tractor)

Loader specifications are subject to  
change and may vary based on tractor  
model and tire size.

**L360A SPECIFICATIONS**

(PER ASAE S301.5):

L360A (For Farmall 45C and 55C Series II)

Distances in (in/mm) unless  
otherwise noted. Forces in (lbs/kg)  
unless otherwise noted

Curved Boom, Mid-Mount, Quick  
Attach Design

Maximum Lift Height:

112.3 / 2852

Dump Clearance:

85.2 / 2164

Digging Depth:

4.9 / 125

Lift Capacity

@ bucket pivot point:

2500 / 1134

@ 19.7 in. (500mm) from bucket  
pivot point:

1830 / 830

Breakout Force

@ bucket pivot point:

5000 / 2268

@ 19.7 in. (500mm) from bucket  
pivot point:

3114 / 1412

Reach @ Maximum Lift:

32 / 813

Bucket Rollback:

39°

Bucket Dump Angle:

49°

4-Bar Bucket Linkage

Bucket Level Indicator

Parking Stand

NOTE: COMPATIBILITY INFORMATION

To assure proper performance,  
see Operator's manual for

**L360A LOADER FOR 45C AND 55C SERIES II**  
**US PRICE LIST**

(Ex Works Port of Entry)

**Models**

COMMERCIAL MODEL	SPECIALTY	Weight		List Price
L360A 45C/55C SERIES II	72 in. Bucket	650 LB		\$6,656.00



**L360A LOADER FOR 45C AND 55C SERIES II  
US PRICE LIST**

(Ex Works Port of Entry)

**Factory Supplied Attachments**

Order Code		Description	Weight	List Price
	717747006	Ballast box 1000 Lb Max (Category I) with 1000 lbs. maximum capacity (For Class II or Class III tractors). This item must be placed on a separate order. Items ordered under Other Equipment Section cannot also be ordered as a factory supplied accessory on the same order. A separate order is necessary if additional quantities are required.	169 LB	\$425.00
	717748006	Ballast box 1500 Lb Max (Category II) with 1500 lbs. maximum capacity (For Class III tractors ONLY). This item must be placed on a separate order. Items ordered under Other Equipment Section cannot also be ordered as a factory supplied accessory on the same order. A separate order is necessary if additional quantities are required.	243 LB	\$546.00



**L350A LOADER FOR B/C CVT  
US PRICE LIST**

**(Ex Works Port of Entry)  
Standard Equipment**

**L350A SPECIFICATIONS**

(PER ASAE S301.5):

L350A Loader includes the following:

Basic Loader for

Farmall 45C CVT, 55C CVT, 40B  
CVT, and 50B CVT

with Improved Visibility mounting  
system.

Tractors S/N ZDME21931 and after.

Quick Coupler - Skid Steer Style

72" HD Material Bucket (Quick Attach)

FARMALL C CVT TRACTORS ARE

STANDARD LOADER READY

Loader specifications are subject to  
change and may vary based on tractor  
model and tire size.

**L350A SPECIFICATIONS**

(PER ASAE S301.5):

L350A (For Farmall 45C CVT, 55C  
CVT, 40B CVT, 50 B CVT)

Distances in (in/mm) unless  
otherwise noted. Forces in (lbs/kg)  
unless otherwise noted

Curved Boom, Mid-Mount, Quick  
Attach Design

Maximum Lift Height:

105 / 2667

Dump Clearance:

81.5 / 2070

Digging Depth:

6.5 / 165

Lift Capacity

@ bucket pivot point:

2000 / 907

@ 19.7 in. (500mm) from bucket  
pivot point:

1540 / 699

Breakout Force

@ bucket pivot point:

3540 / 1606

@ 19.7 in. (500mm) from bucket  
pivot point:

2640 / 1197

Reach @ Maximum Lift:

33 / 838

Bucket Rollback:

30°

Bucket Dump Angle:

58°

4-Bar Bucket Linkage

Bucket Level Indicator, Parking Stand

**COMPATIBILITY INFORMATION:**

To assure proper performance,  
see Operator's manual for  
recommended counterweighting

**L350A LOADER FOR B/C CVT  
US PRICE LIST**

(Ex Works Port of Entry)

**Models**

COMMERCIAL MODEL	SPECIALTY	Weight		List Price
L350A FARMALL B/C CVT	72 in. Bucket	650 LB		\$5,754.00

**L350A LOADER FOR B/C CVT  
US PRICE LIST**

(Ex Works Port of Entry)

**Factory Supplied Attachments**

Order Code		Description	Weight		List Price
	717747006	Ballast box 1000 Lb Max (Category I) with 1000 lbs. maximum capacity (For Class II or Class III tractors). This item must be placed on a separate order. Items ordered under Other Equipment Section cannot also be ordered as a factory supplied accessory on the same order. A separate order is necessary if additional quantities are required.	169 LB		\$425.00
	717748006	Ballast box 1500 Lb Max (Category II) with 1500 lbs. maximum capacity (For Class III tractors ONLY). This item must be placed on a separate order. Items ordered under Other Equipment Section cannot also be ordered as a factory supplied accessory on the same order. A separate order is necessary if additional quantities are required.	243 LB		\$546.00



**MW SERIES MOWERS FOR COMPACT FARMALL  
US PRICE LIST**

**(Ex Works Wholegoods Depot)  
Standard Equipment**

MW166S Side Discharge Mid-Mount Rotary Mower  
For use with  
- Farmall 30B & 35B Tractors

**SPECIFICATIONS:**

Cutting Width (in.) - 66  
Cutting Height (in.) - 1-4  
Overall width (in.) - discharge chute down 69  
Number of Blades - 3  
Blade Type - Standard  
Blade Length/Width (in.) - 23 L x 2.5W  
Blade Tip Speed (in feet per minute) - Less than 18,000 (ANSI)  
Drive - Mid PTO  
Gauge Wheels (in.) - 2 x 6 (4)  
Deck Spring suspension - Yes  
Deck Shell Weldment - 10 gauge sides, 10 gauge top, 1/4" spindle reinforcement pads

**Tire Compatibility:**

Agricultural (R1) - Yes, limited turn angle:  
Right Hand - 24 degrees, Left Hand - 27 degrees  
Industrial (R4) - Yes, limited turn angle:  
Right Hand - 33 degrees, Left Hand - 37 degrees  
Turf (R3) - Yes, limited turn angle:  
Right Hand - 33 degrees, Left Hand - 37 degrees  
Galaxy Turf - NO

Mulch Kit - AMENHM628 (Service Parts)

**NOTE:**

**REQUIREMENTS FOR OPERATION**

A mid PTO kit is required to operate this implement. SEE PTO OFFERING ON  
LAST PAGE OF THE STANDARD  
EQUIPMENT

MW266S Side Discharge Mid-Mount Rotary Mower  
For use with  
- Farmall 35A & 40A Series II

- Farmall 35C Series II NON CAB  
(not compatible with 40C Series II Cab)

**SPECIFICATIONS:**

Cutting Width (in.) - 66  
Cutting Height (in.) - 1-4  
Overall width (in.) - discharge chute down 69  
Number of Blades - 3  
Blade Type - Standard  
Blade Length/Width (in.) - 23 L x 2.5W  
Blade Tip Speed (in feet per minute) - Less than 18,000 (ANSI)  
Drive - Mid PTO  
Gauge Wheels (in.) - 2 x 6 (4)  
Deck Spring suspension - Yes  
Deck Shell Weldment - 10 gauge sides, 10 gauge top, 1/4" spindle reinforcement pads

**Tire Compatibility:**

For Farmall 35A and 40A  
Agricultural (R1) - Yes, limited turn angle:  
Right Hand - 33 degrees, Left Hand - 37 degrees  
Industrial (R4) - Yes, limited turn angle:  
Right Hand - 33 degrees, Left Hand - 37 degrees  
Turf (R3) - Yes, limited turn angle:  
Right Hand - 33 degrees, Left Hand - 37 degrees  
Galaxy Turf - NO

**MW SERIES MOWERS FOR COMPACT FARMALL  
US PRICE LIST**

**(Ex Works Wholegoods Depot)  
Standard Equipment**

MW266S Side Discharge Mid-Mount  
Rotary Mower

Tire Compatibility: (continued)

For Farmall 35C Series II NON CAB

Agricultural (R1) - NO

Industrial (R4) - Yes, limited turn angle:

Right Hand - 33 degrees, Left Hand -  
37 degrees

Turf (R3) - Yes, limited turn angle:

Right Hand - 33 degrees, Left Hand -  
37 degrees

Galaxy Turf - NO

Mulch Kit - AMENHM628 (Service Parts)

NOTE:

REQUIREMENTS FOR OPERATION

A mid PTO kit is required to operate this  
implement. SEE PTO OFFERING ON

LAST PAGE OF THE STANDARD

EQUIPMENT

MW172S Side Discharge Mid-  
Mount Rotary Mower

For use with

- Farmall 45C CVT & 55C CVT
- Farmall 40B CVT, 45B CVT,  
and 50B CVT

SPECIFICATIONS:

Cutting Width (in.) - 72

Cutting Height (in.) - 1-4

Overall width (in.) - discharge chute  
down 85

Number of Blades - 3

Blade Type - Standard

Blade Length/Width (in.) - 25L x 2.5W

Blade Tip Speed (in feet per minute) -  
Less than 18,000 (ANSI)

Drive - Mid PTO

Gauge Wheels (in.) - 2 x 6 (4)

Deck Spring suspension - Yes

SPECIFICATIONS (continue):

Deck Shell Weldment - 10 gauge sides,  
10 gauge top, 1/4" spindle  
reinforcement pads

MW172S Side Discharge Mid-  
Mount Rotary Mower (Continued):

Tire Compatibility:

Agricultural (R1) - NO

Large Industrial (R4) - YES

Turf (R3) - Yes, limited turn angle:

Right Hand - 34 degrees, Left Hand -  
35 degrees

Galaxy Turf - NO

Mulch Kit - AMENHM728 (Service Parts)

NOTE:

REQUIREMENTS FOR OPERATION

A mid PTO kit is required to operate this  
implement.

MW272S Side Discharge Mid-  
Mount Rotary Mower

For use with

- Farmall 45C & 55C Series II Rops only  
(not compatible with Cab)

SPECIFICATIONS:

Cutting Width (in.) - 72

Cutting Height (in.) - 1-4

Overall width (in.) - discharge chute  
down 85

Number of Blades - 3

Blade Type - Standard

Blade Length/Width (in.) - 25L x 2.5W

Blade Tip Speed (in feet per minute) -  
Less than 18,000 (ANSI)

Drive - Mid PTO

Gauge Wheels (in.) - 2 x 6 (4)

Deck Spring suspension - Yes

Deck Shell Weldment - 10 gauge sides,  
10 gauge top, 1/4" spindle  
reinforcement pads



**MW SERIES MOWERS FOR COMPACT FARMALL  
US PRICE LIST**

**(Ex Works Wholegoods Depot)  
Standard Equipment**

MW272S Side Discharge Mid-Mount Rotary Mower (Continued):

**Tire Compatibility:**

Agricultural (R1) - NO

Large Industrial (R4) - NO

Turf (R3) - Yes, limited turn angle:

Right Hand - 34 degrees, Left Hand - 35 degrees

Galaxy Turf - NO

Mulch Kit - AMENHM728 (Service Parts)

**NOTE:**

**REQUIREMENTS FOR OPERATION**

A mid PTO kit is required to operate this implement. SEE PTO OFFERING ON

LAST PAGE OF THE STANDARD EQUIPMENT

**NOTES ABOUT MID PTO OFFERING**

**Compact Farmall A Series II**

hyrdostatic tranmission version tractors, Mid Mount PTO is included as standard equipment.

transmission version tractors, Mid PTO is optional.  
order tractor with factory installed Mid PTO or order MT20129402 through parts

Compact Farmall 30A and 35A (Prior Models) the PTO kit can only be ordered through CNHi Parts MT20129402

**Farmall C series II**

Mid Mount PTO is included as standard equipment on all models.

Farmall C (Prior Models)  
the PTO kit can only be ordered through CNHi Parts  
30C, 35C non-cab-MT201131516  
40C, 50C non-cab - MT20131515

**Farmall B series**

the PTO kit can only be ordered through CNHi Parts  
30B, 35B - MT20022006  
40B, 50B - MT20022005

CVT version tractors,  
Mid Mount PTO is included as standard equipment.

**MW SERIES MOWERS FOR COMPACT FARMALL  
US PRICE LIST**

(Ex Works Wholegoods Depot)

**Models**

COMMERCIAL MODEL	Weight	List Price
MW266S FARMALL 30A/35A	443 LB	\$3,790.00
MW266S FARMALL 30C/35C	443 LB	\$3,790.00
MW272S FARMALL 40C/50C	443 LB	\$3,903.00
MW172S FARMALL B/C CVT	620 LB	\$3,903.00
MW166S FARMALL 30B/35B	443 LB	\$3,790.00
MW166S FARMALL 40B/50B	443 LB	\$3,790.00
MW172S FARMALL40B/50B	443 LB	\$3,903.00

**Factory Supplied Options**

Order Code	Description	Weight	List Price
<b>OTHER EQUIPMENT</b>			
SD_15012 BALE RAMP AND AXLE			
X15012X	No Ramp		No Charge
439047	Ramp Kit		\$109.00



**MW SERIES MOWERS FOR COMPACT FARMALL  
US PRICE LIST**

(Ex Works Wholegoods Depot)

**Factory Supplied Attachments**

Order Code		Description	Weight		List Price
	439047006	CLS 3 RAMP KIT	40 LB		\$110.00
	439047016	Ramp Kit CLS 2	40 LB		\$110.00



**RR SERIES REAR MOUNT FINISHING MOWERS  
US PRICE LIST**

**(Ex Works Wholegoods Depot)  
Standard Equipment**

**RR60 - RIGID FRAME:**

Category I 3-point mounted  
finishing mower  
Cutting Width: 60 inches (1524mm)  
Discharge: Rear  
Discharge Safety Chain  
PTO HP Rating: Up to 30  
Drive Method: Rear 540 RPM PTO  
Number of Blades: 3  
Blade Drive: V-Belt  
Blade speed (RPM): 2,630  
Cutting Height: 1 to 4 in. (25 to 101mm)  
(4) Solid Rubber Gauge Wheels  
(fully rotating)

**RR72 - RIGID FRAME:**

Category I 3-point mounted  
finishing Mower  
Cutting Width: 72 inches (1829mm)  
Discharge: Rear  
Discharge Safety Chain  
PTO HP Rating: Up to 40  
Drive Method: Rear 540 RPM PTO  
Number of Blades: 3  
Blade Drive: V-Belt  
Blade speed (RPM): 2,230  
Cutting Height: 1 to 4 in. (25 to 101mm)  
(4) Solid Rubber Gauge Wheels  
(fully rotating)

**RR90 - RIGID FRAME:**

Category I 3-point mounted  
finishing mower  
Cutting Width: 90 inches (2286mm)  
Discharge: Rear  
Discharge Safety Chain  
PTO HP Rating: Up to 60  
Drive Method: Rear 540 RPM PTO  
Number of Blades: 5  
Blade Drive: V-Belt  
Blade speed (RPM): 2,630  
Cutting Height: 1 to 4 in. (25 to 101mm)  
(4) Solid Rubber Gauge Wheels  
(fully rotating)

**RR144 - FLEX WING:**

Overall Cutting Width - 12 ft. (3.66m) Flex  
Center Deck Cutting Width - 5 ft. (1.52m)  
Wing Deck Cutting Width - 4 ft. (1.22m)  
Deck Overlap - 6 in. (152 mm)  
Overall Width - 146 in. (3.71m)  
Transport Width - 100 in. (2.54m)  
Maximum Overall Length - 182 in.  
(4.62m)  
Transport Length - 177 in. (4.5m)  
Transport Height - 90 in. (2.29m)  
Minimum HP - 30  
Cutting Height Range - 1 to 5 in.  
(25 to 127 mm)  
Blade Tip Speed (FPM) - 16,000  
Caster Wheels (12) - 15x6.00-6  
Transport Tires (2) - 26x12.00-12

**RR180 - FLEX WING:**

Overall Cutting Width - 15 ft. (4.57m) Flex  
Center Deck Cutting Width - 6 ft. (1.83m)  
Wing Deck Cutting Width - 5 ft. (1.52m)  
Deck Overlap - 6 in. (152 mm)  
Overall Width - 182 in. (4.62m)  
Transport Width - 101 in. (2.57m)  
Maximum Overall Length - 185 in. (4.7m)  
Transport Length - 180 in. (4.57m)  
Transport Height - 100 in. (2.54m)  
Minimum HP - 35  
Cutting Height Range - 1 to 5 in.  
(25 to 127 mm)  
Blade Tip Speed (FPM) - 16,000  
Caster Wheels (12) - 15x6.00-6  
Transport Tires (2) - 26x12.00-12

**RR SERIES REAR MOUNT FINISHING MOWERS  
US PRICE LIST**

**(Ex Works Wholegoods Depot)  
Standard Equipment**

**RR204 - FLEX WING:**

Overall Cutting Width - 17 ft. (5.18m) Flex  
Center Deck Cutting Width - 7.5 ft.  
(2.29m)  
Wing Deck Cutting Width - 6 ft. (1.83m)  
Deck Overlap - 12 in. (305 mm)  
Overall Width - 207 in. (5.26m)  
Transport Width - 102 in. (2.59m)  
Maximum Overall Length - 196 in.  
(4.98m)

**RR204 - FLEX WING: (continued)**

Transport Length - 188 in. (4.78m)  
Transport Height - 110 in. (2.79m)  
Minimum HP - 40  
Cutting Height Range - 1 to 5 in.  
(25 to 127 mm)  
Blade Tip Speed (FPM) - 16,000  
Caster Wheels (12) - 15x6.00-6  
Transport Tires (2) - 26x12.00-12

**RR SERIES REAR MOUNT FINISHING MOWERS  
US PRICE LIST**

(Ex Works Wholegoods Depot)

**Models**

COMMERCIAL MODEL	Weight		List Price
RR60 60 INCH MOWER	2,000 LB		\$2,585.00
RR72 72 INCH MOWER	2,000 LB		\$2,808.00
RR90 90 INCH MOWER	2,000 LB		\$4,390.00
RR144 12 FT MOWER	3,000 LB		\$16,545.00
RR180 15 FT MOWER	3,520 LB		\$17,846.00
RR204 17 FT MOWER	3,520 LB		\$19,431.00





**BM SERIES FRONT MOUNTED BLADES -BM1**  
**US PRICE LIST**

**(Ex Works - See Standard Equipment)**  
**Standard Equipment**

**BM172H HEAVY DUTY:**

For use with

- Series II 35A & 40A
- Series II 35C & 40C
- Series II 45C & 55C
- Farmall 30A & 40A
- Farmall 30C & 35C
- Farmall 40C & 50C
- Farmall 45C CVT & 55C CVT
- Farmall 40B CVT, 45B CVT,  
and 50B CVT

Quick attach design

Moldboard width: 72 inches (1830mm)

Moldboard height: 22 inches (560mm)

Reversible cutting edge

Cutting edge thickness: 0.5 inch  
(12.7mm)

Hydraulic angling

Angling range: 0 to 30 degrees

Adjustable skid shoes

**REQUIREMENTS FOR OPERATION:**

TRACTOR MUST BE EQUIPPED WITH  
MID MOUNT VALVE AND JOYSTICK in  
order to operate loaders, front mount  
brooms, front mount blades or front  
mount snow blowers.

**NOTE:**

Compact FARMALL A, B, & C Series  
tractors come equipped with  
Mid-mount valve and Joystick as  
standard equipment

**BM SERIES FRONT MOUNTED BLADES -BM1  
US PRICE LIST**

**(Ex Works - See Standard Equipment)  
Models**

COMMERCIAL MODEL	MODEL	Weight	List Price
BM172H FR BLADE CL3	BM172H 72IN HD FRNT	300 LB	\$2,942.00

**Factory Supplied Options**

Order Code	Description	Weight	List Price
<b>SUBFRAME AND HITCH</b>			
SD_N5701 HITCH AND SUBFRAME			
XN5701X	No Front Mounting Brackets		No Charge
439205	S-FRM CLS2 LS439205 <b>Implement Mounting Subframe For Series II 35A and 40A For Series II 35C, and 40C ROPS and cab versions</b>		\$2,002.00
439206	S-FRM CLS3 LS ENG T4 <b>Implement Mounting Subframe For Series II 45C and 55C</b>		\$2,002.00
439150	SUBFRAME ECONOMY T4 <b>Implement Mounting Subframe For discontinued 30A, 35A</b>		\$2,002.00
439115	Subframe 33/37/41/46 <b>Implement Mounting Subframe For discontinued 30C, 35C, 40C, 50C Non-cab/ROPS only</b>		\$2,002.00
439145	S-FRM CLS2,3 T4 R/C <b>Implement Mounting Subframe For discontinued 35C, 40C, 50C Cab only</b>		\$2,002.00
439068	S-Frame CLS3AT MY14 <b>Implement Mounting Subframe for 45C CVT, 55C CVT and discontinued 40B CVT, 45B CVT, and 50B CVT - S/N ZxME21xxx and Above</b>		\$2,138.00
717989	Front Quick Hitch 30/35/40/50 <b>Implement Mounting Subframe For discontinued 30B, 35B, 40B and 50B</b>		\$2,002.00

**BM SERIES FRONT MOUNTED BLADES -BM1  
US PRICE LIST**

**(Ex Works - See Standard Equipment)**

		717751	Front Quick Hitch - Class 3 <b>Implement Mounting Subframe for discontinued 40B CVT, 45B CVT, and 50B CVT - Prior to S/N ZxME21xxx; and discontinued Farmall 40 HST, 45 HST, 40 CVT, 45 CVT, 50 CVT, 55 CVT</b>			\$2,138.00
--	--	--------	--	--	--	------------

**ADDITIONAL OPERATOR'S MANUAL**

SD\_47083 OPERATOR'S MANUAL

		X47083X	No Additional Operators Manual			No Charge
--	--	---------	--------------------------------	--	--	-----------

**OTHER EQUIPMENT**

SD\_40002 BALLAST BOX

		X40002X	No Ballasting Box			No Charge
		717746	Ballasting Box - 500 Lbs. <b>For 3-pt hitch</b>	100 LB		\$257.00

SD\_50091 RUBBER BLADE EDGE

		X50091X	No Rubber Cutting Edge			No Charge
		715679	Rubber Cutting Edge	61 LB		\$277.00

**BM SERIES FRONT MOUNTED BLADES -BM1  
US PRICE LIST**

**(Ex Works - See Standard Equipment)  
Factory Supplied Attachments**

Order Code		Description	Weight	List Price
<b>Quick Hitch and Subframe</b>				
	439115006	MALE HITCH/SUBFRAME 33/37/41/46 HP T4 For Farmall 30C/35C/40C/50C	363 LB	\$2,002.00
	717989006	SUBFRAME 30/35/40/50 HP Quick hitch and subframe for Farmall 30B, 35B, 40B and 50B	325 KG	\$2,002.00
	717751006	SUBFRAME CLS 3 Implement Mounting Subframe for Farmall 40B CVT, 45B CVT, and 50B CVT - Prior to S/N ZDME22207; and Discontinued Farmall 40 HST, 45 HST, 40 CVT, 45 CVT, 50 CVT, 55 CVT	510 LB	\$2,138.00
	439068006	Hitch and Sub Frame Implement Mounting Subframe for Farmall 45C CVT, 55C CVT and Farmall 40B CVT, 45B CVT, and 50B CVT - S/N ZDME22207 and Above	510 KG	\$2,138.00
	439205006	SUBFRAME CLS2 LS ENG T4 ECON PREM ROPS/C Subframe for Series II 35A/40A and Series II 35C/40C ROPS and cab versions	360 LB	\$2,002.00
<b>Additional Attachments</b>				
	715679026	Rubber Cutting Edge For BM172 and BM172H	60 LB	\$274.00
	439206006	SUBFRAME CLS3 LS ENG T4 PREM ROPS/CAB Subframe for Series II 45C/50C ROPS and cab versions	360 LB	\$2,002.00

**BS SERIES FRONT MOUNT SNOW BLOWERS  
US PRICE LIST**

**(Ex Works Wholegoods Depot)  
Standard Equipment**

**BS163H HEAVY DUTY:**

For use with

- Farmall 30B & 35B

Quick attach design, mid-PTO driven

Overall width: 63 inches (1600mm)

Cutting width: 63 inches (1600mm)

Cutting height: 22 inches (560mm)

Number of blades: 4

Fan diameter: 18 inches (457mm)

Auger diameter: 14 inches (356mm)

Impeller drive: Gear box reduction

Auger Drive: Two-part chute with  
hydraulic chute rotation

Shearbolt protection

Adjustable skid shoes

Front mount and drive completion  
package. Includes chute with  
hydraulic rotation, female  
portion of quick hitch and  
front half of driveline.

**BS163H HEAVY DUTY:**

For use with

- Farmall 30A & 35A (Series I)
- Farmall 35C & 40A Series II
- Farmall 30C & 35C (Series I)
- Farmall 35C & 45C Series II

Quick attach design, mid-PTO driven

Overall width: 63 inches (1600mm)

Cutting width: 63 inches (1600mm)

Cutting height: 22 inches (560mm)

Number of blades: 4

Fan diameter: 18 inches (457mm)

Auger diameter: 14 inches (356mm)

Impeller drive: Gear box reduction

Auger Drive: Two-part chute with  
hydraulic chute rotation

Shearbolt protection

Adjustable skid shoes

**BS163H HEAVY DUTY (Continued):**

Front mount and drive completion  
package. Includes chute with  
hydraulic rotation, female  
portion of quick hitch and  
front half of driveline.

**BS174H HEAVY DUTY:**

For use with

- Farmall 40B & 50B
- Farmall 40C & 50C (Series I)
- Farmall 45C & 55C Series II

Quick attach design, mid-PTO driven

Overall width: 72 inches (1830mm)

Cutting width: 72 inches (1830mm)

Cutting height: 26 inches (660mm)

Number of blades: 4

Fan diameter: 24 inches (610mm)

Auger diameter: 15 inches (381mm)

Impeller drive: Gear box reduction/  
#60 HD chain

Auger Drive: Two-part chute with  
hydraulic chute rotation

Shearbolt protection

Adjustable skid shoes

Front mount and drive completion  
package. Includes chute with  
hydraulic rotation, female  
portion of quick hitch and  
front half of driveline.

**BS SERIES FRONT MOUNT SNOW BLOWERS  
US PRICE LIST**

**(Ex Works Wholegoods Depot)  
Standard Equipment**

**BS174H HEAVY DUTY:**

For use with

- Farmall 40B CVT & 45B CVT
- Farmall 50B CVT
- Farmall 45C CVT & 55C CVT

Quick attach design, mid-PTO driven

Overall width: 72 inches (1830mm)

Cutting width: 72 inches (1830mm)

Cutting height: 26 inches (660mm)

Number of blades: 4

Fan diameter: 24 inches (610mm)

Auger diameter: 15 inches (381mm)

Impeller drive: Gear box reduction/  
#60 HD chain

Auger Drive: Two-part chute with  
hydraulic chute rotation

Shearbolt protection

Adjustable skid shoes

Front mount and drive completion  
package. Includes chute with  
hydraulic rotation, female  
portion of quick hitch and  
front half of driveline.

**NOTE:**
**REQUIREMENTS FOR OPERATION**

A mid PTO kit is required to operate this  
implement.

**NOTES ABOUT MID PTO OFFERING**

Compact Farmall A Series II

Farmall A series II hydostatic  
tranmission version tractors,  
Mid Mount PTO is included as  
standard equipment.

Farmall A series II with gear  
transmission version tractors, Mid  
PTO is optional.  
order tractor with factory installed  
Mid PTO or order MT20129402  
through parts

**NOTES ABOUT MID PTO OFFERING**

(Continued):

Compact Farmall 30A and 35A (Series  
I) (2016) the PTO kit can only be  
ordered through Parts order  
MT20129402

Farmall C series II

Mid Mount PTO is included as standard  
equipment on all models.

Farmall C series I (2015-2016)

the PTO kit can only be  
ordered through Parts  
30C, 35C non-cab-MT201131516  
35C with cab - MT20123903  
40C, 50C non-cab - MT20131515  
40C, 50C with cab - MT20123902

Farmall B series (2012-2014)

the PTO kit can only be  
ordered through Parts  
30B, 35B - MT20022006  
40B, 50B - MT20022005

CVT version tractors,

Mid Mount PTO is included as  
standard equipment.

TRACTOR MUST BE EQUIPPED WITH  
MID MOUNT VALVE AND JOYSTICK in  
order to operate loaders, front mount  
brooms, front mount blades or  
front mount snow blowers.

**NOTE:**

Compact FARMALL A, B, & C Series I and  
II tractors come equipped with  
Mid-mount valve and Joystick as  
standard equipment

**BS SERIES FRONT MOUNT SNOW BLOWERS  
US PRICE LIST**

(Ex Works Wholegoods Depot)  
**Models**

COMMERCIAL MODEL	MODEL	Weight	List Price
BS163H	BS163H 63IN	1,005 LB	\$5,270.00
BS174H	BS174H 74IN	1,005 LB	\$6,947.00
BS174H 45C CVT 55C CVT	BS174J HD FR	450 LB	\$7,031.00

**Factory Supplied Options**

Order Code	Description	Weight	List Price
<b>SUBFRAME AND HITCH</b>			
SD N5701 HITCH AND SUBFRAME			
XN5701X	No Front Mounting Brackets		No Charge
439205	S-FRM CLS2 LS439205 <b>Subframe for Series II 35A/40A and Series II 35C/40C ROPS and cab versions</b>		\$2,002.00
439206	S-FRM CLS3 LS ENG T4 <b>Subframe for Series II 45C/50C ROPS and cab versions</b>		\$2,002.00
439115	Subframe 33/37/41/46 <b>Implement Mounting Subframe For discontinued 30C, 35C, 40C, 50C Non-cab/ROPS only</b>		\$2,002.00
439145	S-FRM CLS2,3 T4 R/C <b>Implement Mounting Subframe For discontinued 35C, 40C, 50C with Cab only</b>		\$2,002.00
439150	SUBFRAME ECONOMY T4 <b>Implement Mounting Subframe For discontinued 30A, 35A</b>		\$2,002.00
717989	Front Quick Hitch 30/35/40/50 <b>Implement Mounting Subframe For discontinued 30B, 35B, 40B and 50B</b>		\$2,002.00
717751	Front Quick Hitch - Class 3 <b>Implement Mounting Subframe for discontinued Farmall 40B CVT, 45B CVT, and 50B CVT - Prior to S/N ZxME21xxx; and Discontinued Farmall 40 HST, 45 HST, 40 CVT, 45 CVT, 50 CVT, 55 CVT</b>		\$2,138.00

**BS SERIES FRONT MOUNT SNOW BLOWERS  
US PRICE LIST**

(Ex Works Wholegoods Depot)

		439068	S-Frame CLS3AT MY14 <b>Implement Mounting Subframe for Farmall 45C CVT, 55C CVT for discontinued Farmall 40B CVT, 45B CVT, and 50B CVT -S/N ZxME21xxx and Above</b>			\$2,138.00
--	--	--------	--	--	--	------------

**FRONT MOUNTED DRIVE COMPLETING PACKAGE**

SD\_03007 MID PTO DRIVE KIT

		X03007X	No Mid PTO Drive Kit			No Charge
		439124	Mid PTO 32/36 HP T3 <b>Mid PTO Drive Shaft Kit Includes mid-drive shaft, support, and tractor half of front driveline. For Series II 35A and 40A For Series II 35C and 40C For discontinued 30A and 35A For discontinued 30C and 35C</b>			\$1,054.00
		439116	Mid PTO Tier 4 41/47 <b>Mid PTO Drive Shaft Kit Includes mid-drive shaft, support, and tractor half of front driveline. For Series II 45C and 55C Discontinued 40 and 50C</b>			\$1,054.00
		717761	Mid PTO Drive Kit-III AT <b>Mid PTO Drive Shaft Kit For Farmall 45C CVT, 55C CVT For Discontinued 40B CVT, 45B CVT, and 50B CVT</b>			\$863.00
		717990	Mid PTO 30/35/40/50 <b>Mid PTO Drive Shaft Kit For discontinued Farmall 30B, 35B, 40B and 50B</b>			\$1,054.00

**3 PART CHUTE**

SD\_29036 3 PART CHUTE

		X29036X	No 3 Part Chute			No Charge
		715345	3 Part Chute <b>For BH163H or BH172H. Not available with BH163H FARMALL B or BH174H FARMALL B.</b>	49 LB		\$456.00

**DRIFT CUTTER KIT**

SD\_50028 DRIFT CUTTER KIT

		X50028X	No Drift Cutter			No Charge
		716248	Drift Cutter	28 LB		\$157.00



**BS SERIES FRONT MOUNT SNOW BLOWERS  
US PRICE LIST**

(Ex Works Wholegoods Depot)

**ELECTRIC CHUTE DEFLECTOR**

SD\_29038 ELEC CHUTE DEFLECT

		X29038X	No Electric Chute Deflector		No Charge
		715344	Electric Chute Deflector	8 LB	\$1,041.00

**HYDRAULIC CHUTE DEFLECTOR**

SD\_20101 HYDRAULIC CHUTE DEF

		X20101X	No Hydraulic Chute Deflector		No Charge
		716864	Hydraulic Chute Deflector	16 LB	\$474.00

**HYDRAULIC CHUTE ROTATION**

SD\_20088 HYDRAULIC CHUTE ROT

		X20088X	No Hydraulic Chute Rotation		No Charge
		717172	Hydraulic Chute Rotation	11 LB	\$1,056.00

**ADDITIONAL OPERATOR'S MANUAL**

SD\_47083 OPERATOR'S MANUAL

		X47083X	No Additional Operators Manual		No Charge
		715294	French Canadian	1 LB	No Charge

**OTHER EQUIPMENT**

SD\_40002 BALLAST BOX

		X40002X	No Ballasting Box		No Charge
		717746	Ballasting Box - 500 Lbs. for 3-pt hitch	100 LB	\$257.00

**BS SERIES FRONT MOUNT SNOW BLOWERS  
US PRICE LIST**

**(Ex Works Wholegoods Depot)  
Factory Supplied Attachments**

Order Code	Description	Weight	List Price
<b>Quick Hitch and Subframe</b>			
439115006	MALE HITCH/SUBFRAME 33/37/41/46 HP T4 For Farmall 30C/35C/40C/50C	363 LB	\$2,002.00
717989006	SUBFRAME 30/35/40/50 HP Quick hitch and subframe for Farmall 30B, 35B, 40B and 50B	325 KG	\$2,002.00
717751006	SUBFRAME CLS 3 Implement Mounting Subframe for Farmall 40B CVT, 45B CVT, and 50B CVT - Prior to S/N ZDME22207; and Discontinued Farmall 40 HST, 45 HST, 40 CVT, 45 CVT, 50 CVT, 55 CVT	510 LB	\$2,138.00
439068006	Hitch and Sub Frame Implement Mounting Subframe for Farmall 45C CVT, 55C CVT and Farmall 40B CVT, 45B CVT, and 50B CVT - S/N ZDME22207 and Above	510 KG	\$2,138.00
439205006	SUBFRAME CLS2 LS ENG T4 ECON PREM ROPS/C Subframe for Series II 35A/40A and Series II 35C/40C ROPS and cab versions	360 LB	\$2,002.00
439206006	SUBFRAME CLS3 LS ENG T4 PREM ROPS/CAB Subframe for Series II 45C/50C ROPS and cab versions	360 LB	\$2,002.00
<b>Mid PTO Drive Completion Kits</b>			
717761006	MID PTO Drive Kit Cls 3 AT For Farmall 40, 45, 40B CVT, 45B CVT, and 50B CVT	30 KG	\$863.00
439116006	Mid PTO drive kit for 41/47 hp -T4 Mid PTO Drive Shaft Kit Includes mid-drive shaft, support, and tractor half of front driveline. For 40C and 50C For Series II 45C and 55C	25 LB	\$1,054.00
717990006	MID PTO 30/35/40/50 HP For Farmall 30B, 35B, 40B and 50B	25 KG	\$1,054.00
439124006	MID PTO 32/36 HP T4 Mid PTO Drive Shaft Kit Includes mid-drive shaft, support, and tractor half of front driveline. For 30C and 35C For Series II 35C and 40C For 30A and 35A For Series II 35A and 40A	25 LB	\$1,054.00
<b>Additional Attachments</b>			
716248006	Drift Cutter For BS172H or BH174H	28 LB	\$154.00
717746006	Ballast Box 500 Lb Max 0.5,0.7	100 LB	\$257.00
715345006	3 Part Chute For BH163H or BH172H. Not available with BH163H FARMALL B or BH174H FARMALL B.	45 LB	\$456.00

**BS SERIES FRONT MOUNT SNOW BLOWERS  
US PRICE LIST**

**(Ex Works Wholegoods Depot)**

	716864026	Hyd chute deflector For 2 or 3 part chute for BH163H, BH163B, BH172H or BH174H	15 LB		\$474.00
	715344006	Electric chute deflector For BH163H, BH163B, BH172H or BH174H	15 LB		\$1,016.00
	717172016	HYDRAULIC CUTE ROTATION KIT For 2 or 3 part chute for BH163H, BH163B, BH172H or BH174H	10 LB		\$1,061.00
	715346006	ATTACHMENT, FRT MTG COMP. Front mount completion kit (63") for Farmall 31 and 35 and also for Farmall 30B, 35B, 40B and 50B	205 LB		\$1,347.00
	715339006	FRONT PACKAGE Front mount completion kit (72") for Farmall 40, 45, 50, 40B CVT, 45B CVT, and 50B CVT also (74") for Farmall 30B, 35B, 40B, 50B	128 LB		\$1,448.00



**BR SERIES FRONT MOUNT ROTARY BROOMS  
US PRICE LIST**

**(Ex Works Wholegoods Depot)  
Standard Equipment**

**Model BR160:**

For use with

- Farmall 35A & 40A Series II
- Farmall 35C & 40C Series II
- Farmall 30A & 35A
- Farmall 30C & 35C
- Farmall 30B & 35B

Quick attach design, mid-PTO driven

Sweeping width: 55 inches (1397mm)

Sweeping width @ 25°: 49 inches  
(1245mm)

Broom diameter: 22 inches (560mm)

Brush type: Wafer

Bristle material: Polypropylene

Manual angling: Standard

Angling range: 0 to 25°

Drive system: PTO to Gearbox to  
#50 HD chain

Storage stand: Standard

**Model BR172:**

For use with

- Farmall 45C & 55C Series II
- Farmall 40C & 50C
- Farmall 40B & 50B
- Farmall 40C CVT & 45C CVT
- Farmall 50C CVT & 55C CVT

Quick attach design, Mid-PTO driven

Sweeping width: 67 inches (1702mm)

Sweeping width @ 25°: 60 inches  
(1525mm)

Broom diameter: 22 inches (560mm)

Bristle material: Polypropylene

Brush type: Wafer

Manual angling: Standard

Angling range: 0 to 25°

Drive system: PTO to Gearbox to  
#50 HD chain

Storage stand: Standard

**NOTE:**
**REQUIREMENTS FOR OPERATION**

A mid PTO kit is required to operate this implement. The PTO kit can only be ordered through Parts for these series of Farmall tractors

**NOTES ABOUT MID PTO OFFERING**
**Compact Farmall A Series II**

Hydrostatic transmission version tractors, Mid Mount PTO is included as standard equipment.

Gear transmission version tractors, Mid PTO is optional.  
order tractor with factory installed Mid PTO or order MT20129402 through CNHi parts

Compact Farmall 30A and 35A (Prior Models) the PTO kit can only be ordered through CNHi Parts MT20129402

**Farmall C series II**

Mid Mount PTO is included as standard equipment on all models.

**Farmall C (Prior Models)**

the PTO kit can only be ordered through CNHi Parts  
30C, 35C non-cab-MT201131516  
35C with cab - MT20123903  
40C, 50C non-cab - MT20131515  
40C, 50C with cab - MT20123902

**BR SERIES FRONT MOUNT ROTARY BROOMS  
US PRICE LIST**

**(Ex Works Wholegoods Depot)  
Standard Equipment**

NOTES ABOUT MID PTO OFFERING  
(continued):

Farmall B series

the PTO kit can only be  
ordered through CNHi Parts  
30B, 35B - MT20022006  
40B, 50B - MT20022005

CVT version tractors,  
Mid Mount PTO is included as  
standard equipment.

TRACTOR MUST BE EQUIPPED WITH  
MID MOUNT VALVE AND JOYSTICK in  
order to operate loaders, front mount  
brooms, front mount blades or  
front mount snow blowers.

NOTE:

Compact FARMALL A, B, & C Series I and  
II tractors come equipped with  
Mid-mount valve and Joystick as  
standard equipment

**BR SERIES FRONT MOUNT ROTARY BROOMS  
US PRICE LIST**

(Ex Works Wholegoods Depot)  
**Models**

COMMERCIAL MODEL	TECHNICAL TYPE	Weight	List Price
BR160	BRX160 60IN ROT BROOM 1,2,3	500 LB	\$4,779.00
BR172	551000418-BRB172 72IN ROT BROO	600 LB	\$5,396.00
BR172 40C-55C CVT	551143412-BRX172 72IN ROT BROO	500 LB	\$5,396.00

**Factory Supplied Options**

Order Code	Description	Weight	List Price
<b>SUBFRAME AND HITCH</b>			
SD_N5701 HITCH AND SUBFRAME			
XN5701X	No Front Mounting Brackets		No Charge
439205	S-FRM CLS2 LS439205 <b>Implement Mounting Subframe For Series II 35A and 40A For Series II 35C and 40C</b>		\$2,002.00
439206	S-FRM CLS3 LS ENG T4 <b>Implement Mounting Subframe For Series II 45C and 55C</b>		\$2,002.00
439150	SUBFRAME ECONOMY T4 <b>Implement Mounting Subframe For discontinued 30A, 35A</b>		\$2,002.00
439115	Subframe 33/37/41/46 <b>Implement Mounting Subframe For Farmall 30C, 35C, 40C, 50C Non-cab/ROPS only</b>		\$2,002.00
439145	S-FRM CLS2,3 T4 R/C <b>Implement Mounting Subframe For discontinued 35C, 40C, 50C with Cab only</b>		\$2,002.00
439068	S-Frm CLS3AT MY14 <b>Implement Mounting Subframe for 45C CVT, 55C CVT and discontinued 40B CVT, 45B CVT, and 50B CVT - S/N ZxME21xxx and above</b>		\$2,138.00

**BR SERIES FRONT MOUNT ROTARY BROOMS  
US PRICE LIST**

**(Ex Works Wholegoods Depot)**

		717989	Front Quick Hitch 30/35/40/50 <b>Implement Mounting Subframe For discontinued 30B, 35B, 40B and 50B</b>		\$2,002.00
		717751	Front Quick Hitch - Class 3 <b>Implement Mounting Subframe for discontinued 40B CVT, 45B CVT, and 50B CVT - Prior to S/N ZxME21xxx; and discontinued Farmall 40 HST, 45 HST, 40 CVT, 45 CVT, 50 CVT, 55 CVT</b>		\$2,138.00

**DRIVE COMPLETION KITS**

**SD\_03007 MID PTO DRIVE KIT**

		X03007X	No Mid PTO Drive Kit		No Charge
		439124	Mid PTO 32/36 HP T3 <b>Includes mid-drive shaft, support, and tractor half of front driveline. For Series II 35A, 40A, 35C, 40C For discontinued 30C and 35C</b>		\$1,054.00
		439116	Mid PTO Tier 4 41/47 <b>For Series II 45C and 55C For discontinued 40C and 50C</b>		\$1,054.00
		717761	Mid PTO Drive Kit-III AT <b>For Farmall 45C CVT, 55C CVT discontinued 40B CVT, 45B CVT, and 50B CVT</b>		\$863.00
		717990	Mid PTO 30/35/40/50 <b>For discontinued 30B, 35B, 40B and 50B</b>		\$1,054.00

**HYDRAULIC ANGLING KIT**

**SD\_20087 HYDRAULIC FRAME ANGLING KIT**

		X20087X	No Hydraulic Angling Kit		No Charge
		715677	Hydraulic Angling Kit	26 LB	\$695.00

**SIDE CASTERWHEELS KIT**

**SD\_29035 SIDE CASTER WHEEL KIT**

		X29035X	No Side Casterwheels Kit		No Charge
		717231	Side Casterwheels Kit <b>2 x 6</b>	47 LB	\$591.00



**BR SERIES FRONT MOUNT ROTARY BROOMS  
US PRICE LIST**

(Ex Works Wholegoods Depot)

**ADDITIONAL OPERATOR'S MANUAL**

SD 47083 OPERATOR'S MANUAL

		X47083X	No Additional Operators Manual			No Charge
--	--	---------	--------------------------------	--	--	-----------

**BR SERIES FRONT MOUNT ROTARY BROOMS  
US PRICE LIST**

**(Ex Works Wholegoods Depot)  
Factory Supplied Attachments**

Order Code	Description	Weight	List Price
<b>Quick Hitch and Subframe</b>			
439115006	MALE HITCH/SUBFRAME 33/37/41/46 HP T4 For Farmall 30C/35C/40C/50C	363 LB	\$2,002.00
717989006	SUBFRAME 30/35/40/50 HP Quick hitch and subframe for Farmall 30B, 35B, 40B and 50B	325 KG	\$2,002.00
717751006	SUBFRAME CLS 3 Implement Mounting Subframe for Farmall 40B CVT, 45B CVT, and 50B CVT - Prior to S/N ZDME22207; and Discontinued Farmall 40 HST, 45 HST, 40 CVT, 45 CVT, 50 CVT, 55 CVT	510 LB	\$2,138.00
439068006	Hitch and Sub Frame Implement Mounting Subframe for Farmall 45C CVT, 55C CVT and Farmall 40B CVT, 45B CVT, and 50B CVT - S/N ZDME22207 and Above	510 KG	\$2,138.00
<b>Mid PTO Drive Completion Kits</b>			
717761006	MID PTO Drive Kit Cls 3 AT For Farmall 40 CVT, 45 CVT, 50 CVT, 40B CVT, 45B CVT, and 50B CVT	30 KG	\$863.00
439124006	MID PTO 32/36 HP T4 For 30C and 35C Includes mid-drive shaft, support, and tractor half of front driveline.	25 LB	\$1,054.00
439116006	Mid PTO drive kit for 41/47 hp -T4 For Farmall 40C/ 50C	25 LB	\$1,054.00
717990006	MID PTO 30/35/40/50 HP Mid PTO drive kit for Farmall 30B, 35B, 40B and 50B	25 KG	\$1,054.00
<b>Additional Attachments</b>			
717231016	2 X 6 side caster w/Wheel kit For BR160 and BR172	47 LB	\$591.00
715677016	HYD ANGLING 60&72"(2.0,3.0) For Farmall 30, 35, 40, 45, 50, 30B, 35B, 40B, 50B, 40B CVT, 45B CVT, and 50B CVT	10 KG	\$695.00
439205006	SUBFRAME CLS2 LS ENG T4 ECON PREM ROPS/C	360 LB	\$2,002.00
439206006	SUBFRAME CLS3 LS ENG T4 PREM ROPS/CAB	360 LB	\$2,002.00

**BHA SERIES BACKHOES  
US PRICE LIST****(Ex Works Telford, TN)  
Standard Equipment**

BACKHOE MODEL: BHA90

## TRACTOR APPLICATION:

Series II 35A, 40A  
Series II 35C, 40C, 45C, 55C  
Farmall 30A, 35A  
Farmall 30C, 35C, 40C, 50C  
Farmall 45C and 55C CVT  
Farmall 40B, 45B, and 50B CVT  
Farmall 30B, 35B, 40B, 50B

## \*SPECIFICATIONS:

Digging Depth - 92 in.  
Reach from Swing Pivot - 120 in.  
Transport Height - 77 in.  
Bucket Rotation - 174°  
Stabilizer Spread:  
    Transport - 49 in.  
    Operating - 100 in.  
Loading Height 70 in.  
Swing Arc - 175°  
Bucket Digging Forces - 3151 lb.  
Dipper Stick Digging Forces - 2059 lb.  
Shipping Weight - 722 lb.  
Operating Pressure - 2175 psi

\*Specifications may vary with tractor model, hydraulic system, tire size, etc.

## IMPORTANT INFORMATION

The tractor must be equipped with a front end loader or front mount blade when installing a BHA Series backhoe.

Note: Mid-mount mower is not compatible with backhoe installed.

The following items are required to make up a complete backhoe:

- Basic Packaged Backhoe
- Subframe (one required)
- Hydraulic Kit (one required)
- Bucket (one required)
- Optional Equipment

BACKHOE MODEL: BHA102

## TRACTOR APPLICATION:

Series II 35A, 40A  
Series II 35C, 40C, 45C, 55C  
Farmall 30C, 35C, 40C, 50C  
Farmall 45C and 55C CVT  
Farmall 40B, 45B, and 50B CVT  
Farmall 30B, 35B, 40B, 50B

## \*SPECIFICATIONS:

Digging Depth - 100 in.  
Reach from Swing Pivot - 130 in.  
Transport Height - 88 in.  
Bucket Rotation - 180°  
Stabilizer Spread:  
    Transport - 56 in.  
    Operating - 119 in.  
Loading Height 76.0 in.  
Swing Arc - 175°  
Bucket Digging Forces - 4480 lb.  
Dipper Stick Digging Forces - 2533 lb.  
Shipping Weight - 854 lb.  
Operating Pressure - 2500 psi

\*Specifications vary with tractor model, hydraulic system, tire size, etc.

## IMPORTANT INFORMATION

The tractor must be equipped with a front end loader or front mount blade when installing a BHA Series backhoe.

Note: Mid-mount mower is not compatible with backhoe installed.

The following items are required to make up a complete backhoe:

- Basic Packaged Backhoe
- Subframe (one required)
- Hydraulic Kit (one required)
- Bucket (one required)
- Optional Equipment

**BHA SERIES BACKHOES  
US PRICE LIST**

(Ex Works Telford, TN)  
**Models**

COMMERCIAL MODEL	MODEL	Weight	List Price
BHA90 BACKHOE	BHA90A	1,065 LB	\$8,090.00
BHA102 BACKHOE	BHA102	1,065 LB	\$8,953.00

**Factory Supplied Options**

Order Code	Description	Weight	List Price
<b>SUBFRAMES</b>			
SD_N5701 HITCH AND SUBFRAME			
439203	S-FRM CLS2 LS ENG T4 <b>Subframe for Series II 35C and 40C</b>		No Charge
439204	S-FRM CLS2 LS439204 <b>Subframe for Series II 35A and 40A</b>		No Charge
439141	S-FRM CL2 T4 ROP/CAB <b>Backhoe Mounting Subframe for Farmall 35C Cab</b>		No Charge
717972	Subframe CL2 <b>Backhoe Mounting Subframe For Compact Farmall 30A/35A, Farmall 30C, 35C and discontinued 30B and 35B If ordering for a 30B or 35B (439118) FR HANGER BRKT CLS 2 MUST BE ordered in addition</b>		No Charge
439142	S-FRM CL3 T4 ROP/CAB <b>Backhoe Mounting Subframe for 40C, and 50C Cab and ROPS for Series II 45C and 55C Cab and ROPS</b>		No Charge
717973	Subframe CL3 <b>Backhoe Mounting Subframe For Farmall 40C, 50C and Farmall 40B, 50B If ordering for a 40B or 50B (439119) FR HANGER BRKT CLS 3 MUST BE ordered in addition</b>		No Charge
717751	Front Quick Hitch - Class 3 <b>Backhoe Mounting Subframe for Farmall 45C CVT, 55C CVT</b>		No Charge

**BHA SERIES BACKHOES  
US PRICE LIST**

(Ex Works Telford, TN)

		439111	SUBFRAME 45/55 HP <b>Backhoe Mounting Subframe for Farmall 50A, 60A, 70A and discontinued Farmall 45A, 55A For BHA102 only</b>		No Charge
--	--	--------	---	--	-----------

SD\_N5702 FRONT BRACKETS

		XN5702X	No Front Brackets		No Charge
		439118	Fr Hanger Brkt Cls 2 <b>Front Hanger Kit for Farmall 30B/35B - Must be used with 717972 (Farmall 30C/35C subframe) to allow Tier 4 subframe to fit Tier 3 units.</b>		\$53.00
		439119	Fr Hanger Brkt Cls 3 <b>Front Hanger Kit for Farmall 40B/50B - Must be used with 717973 (Farmall 40C/50C subframe) to allow Tier 4 subframe to fit Tier 3 units.</b>		\$53.00

**HYDRAULIC KITS**

SD\_20102 HYDRAULIC KIT

		439138	HYD KIT CL2 33/37 <b>Hydraulic Kit For Compact Farmall 30A, 35A For Series II 35A and 40A</b>		No Charge
		439112	Hyd Kit Cls 2 ROPS <b>Hydraulic Kit Farmall 30C, 35C non-cab and discontinued Farmall 30B, 35B</b>		No Charge
		439143	HYD CLS2 T4 ROPS/CAB <b>Hydraulic Kit Farmall 35C Cab only For Series II 35C and 40C</b>		No Charge
		439113	Hyd Kit Cls 3 ROPS <b>Hydraulic Kit Farmall 40C, 50C non-cab and discontinued Farmall 40B, 50B</b>		No Charge
		439144	HYD CLS3 T4 ROPS/CAB <b>Hydraulic Kit Farmall 40C, 50C For Series II 45C, 55C</b>		No Charge
		439069	Hyd Kit Cls 3 CVT <b>Hydraulic Kit For Farmall CVT</b>		No Charge

**BHA SERIES BACKHOES  
US PRICE LIST**

(Ex Works Telford, TN)

		717914	Hyd Kit WM/FA <b>Hydraulic Kit for Farmall 50A, 60A, 70A and discontinued Farmall 45A, 55A For BHA102 only</b>		No Charge
--	--	--------	---	--	-----------

**BUCKET**

SD\_N5403 12 IN STD BUCKET

		XN5403X	No 12 In. Standard Bucket		No Charge
		716399	12 In./305mm Standard Bucket		\$442.00

SD\_N5405 16 IN STD BUCKET

		XN5405X	No 16 In. Standard Bucket		No Charge
		716400	16 In. Standard Bucket		\$497.00

SD\_N5407 18 IN STD BUCKET

		XN5407X	No 18 In. Standard Bucket		No Charge
		716434	18 In./457mm Standard Bucket		\$520.00

SD\_N5409 24 IN STD BUCKET

		XN5409X	No 24 In. Standard Bucket		No Charge
		716401	24 In. Standard Bucket		\$551.00

**FACTORY SUPPLIED ACCESSORIES - IMPLEMENTS FOR  
COMPACT/MIDRANGE TRACTORS**

QUICK HITCH AND SUBFRAME

SD\_50005 BIG FOOT DIRT PADS

		X50005X	No Big Foot Dirt Pads		No Charge
		716525	Big Foot Dirt Pads		\$261.00

SD\_50092 RUBBER STREET PADS

		X50092X	No Rubber Street Pads		No Charge
		716410	Rubber Street Pads		\$178.00

SD\_N6413 MECH THUMB

		XN6413X	No Mechanical Thumb		No Charge
		717916	Mechanical Thumb <b>BHA90 only</b>		\$524.00
		439122	Mechanical Thumb Class 3 <b>BHA102 only</b>		\$524.00

**BHA SERIES BACKHOES  
US PRICE LIST**

(Ex Works Telford, TN)

**Factory Supplied Attachments**

Order Code		Description	Weight	List Price
	439118006	Front Hanger Bracket Class 2 Front Hanger Kit for Farmall 30B/35B - Must be used with 717972 (Farmall 30C/35C subframe) to allow Tier 4 subframe to fit Tier 3 units.	40 LB	\$53.00
	439119006	Front Hanger Bracket Class 3 Front Hanger Kit for Farmall 40B/50B - Must be used with 717973 (Farmall 40C/50C subframe) to allow Tier 4 subframe to fit Tier 3 units.	40 LB	\$53.00
	716399056	12In 3 Teeth 1.02 Cu. Ft Heaped Std/1.16	86 LB	\$442.00
	716400046	16In 4 Teeth 1.38 Cu. Ft Heaped Std/1.59	97 LB	\$497.00
	716434046	18In 4 Teeth 1.57 Cu. Ft Heaped Std/1.79	107 LB	\$520.00
	716401016	24In 4 Teeth 2.13 Cu. Ft Heaped Std/2.42	126 LB	\$551.00
	716525046	Big Foot Dirt Pads	52 LB	\$261.00
	717916036	Mechanical Thumb Class 2 7.5 Ft BHA90 only	90 LB	\$524.00
	439122006	Mechanical Thumb Class 3 8.5 Ft BHA102 only	90 LB	\$524.00
	716410036	Rubber Street Pads	4 LB	\$178.00





**TL SERIES ROTARY TILLERS  
US PRICE LIST**

**(Ex Works Wholegoods Depot)  
Standard Equipment**

**TL160:**

For use with

- Farmall 30A & 35A
- Farmall 30C & 35C
- Farmall 30B & 35B

Approximate working width: 60 inches  
(1524mm)

Tilling depth adjustment with guide  
shoes: 0 to 4.5 inches (0 to 114mm)

Maximum tilling depth without guide  
shoes: 7.25 inches (184mm)

Hitch: Category I

Offset Adjustment to Right: 11 inches  
(280mm)

PTO hp Rating: 45

Rotor Drive Type: Chain

Drive Protection: Slip Clutch

Rotor Speed @ 540 RPM PTO: 236 RPM

Number of Blades: 28

Blade Tip Speed @ 540 RPM:  
1063 (FPM)

**TL172H:**

For use with

- Farmall 40C & 50C
- Farmall 45C CVT & 55C CVT
- Farmall 40B CVT, 45B CVT,  
and 50B CVT

Approximate working width: 72 inches  
(1830mm)

Tilling depth adjustment with guide  
shoes: 0 to 5 inches (0 to 127mm)

Maximum tillage depth without guide  
shoes: 7 inches (178mm)

Hitch: Category I or II

Offset Adjustment to Right: 11 inches  
(280mm)

PTO hp Rating: 60

Rotor Drive Type: Gear

Drive Protection: Slip Clutch

Rotor Speed @ 540 RPM PTO: 211 RPM

Number of Blades: 36

Blade Tip Speed @ 540 RPM:  
944 (FPM)

**TL SERIES ROTARY TILLERS  
US PRICE LIST**

(Ex Works Wholegoods Depot)

**Models**

COMMERCIAL MODEL	MODEL	Weight	List Price
TL160 60IN ROT TILL	TLX160 60IN CHAIN D	1,000 LB	\$3,030.00
TL172 72IN ROT TILL	TLX172 72IN CHAIN D	1,000 LB	\$3,420.00
TL172H 72IN ROT TILL	TL172H 72IN HD GEAR	1,000 LB	\$3,880.00
TL180H 80IN ROT TILL	TL180H 80IN HD GEAR	1,200 LB	\$4,157.00

**Factory Supplied Options**

Order Code	Description	Weight	List Price
<b>ADDITIONAL OPERATOR'S MANUAL</b>			
SD 47083 OPERATOR'S MANUAL			
X47083X	No Additional Operators Manual		No Charge

**RC ROTARY CUTTERS  
US PRICE LIST****(Ex Works Beaumont, TX)  
Standard Equipment****ROTARY CUTTER - ECONOMY  
(3-POINT) :****RC480:**

Cutting Width: 48 in.  
Cutting Height: 1 in. (min.)  
Cutting Capacity: 2 in. (max.)  
Blade Carrier: Pan  
Deck Thickness: 10 gauge  
Safety Deflectors: Rear Rubber Belting  
Driveline Size: Cat. 4 - 540 rpm  
Slip Protection: Shear Pin  
Tire and Wheel: Laminated  
1 spindle

**RC600:**

Cutting Width: 60 in.  
Cutting Height: 2 in. (min.)  
Cutting Capacity: 2 in. (max.)  
Blade Carrier: Pan  
Deck Thickness: 7 gauge  
Safety Deflectors: Rear Rubber Belting  
Driveline Size: Cat. 4 - 540 rpm  
Slip Protection: Shear Pin  
Tire and Wheel: Laminated  
1 spindle

**RC720:**

Cutting Width: 72 in.  
Cutting Height: 2 in. (min.)  
Cutting Capacity: 2 in. (max.)  
Blade Carrier: Pan  
Deck Thickness: 7 gauge  
Safety Deflectors: Rear Rubber Belting  
Driveline Size: Cat. 4 - 540 rpm  
Slip Protection: Shear Pin  
Tire and Wheel: Laminated  
1 spindle

**ROTARY CUTTER - STANDARD DUTY  
(3-POINT) :****RC605:**

Cutting Width: 60 in.  
Cutting Height: 2 1/2 in. (min.)  
Cutting Capacity: 2 1/2 in. (max.)  
Blade Carrier: Pan  
Deck Thickness: 7 gauge  
Safety Deflectors: Rear Rubber Belting  
Driveline Size: Cat. 4 - 540 rpm  
Slip Protection: Splined Slip Clutch  
Tire and Wheel: Laminated  
1 spindle  
Single tail wheel

**RC725:**

Cutting Width: 83 in.  
Cutting Height: 2 in. (min.)  
Cutting Capacity: 2 1/2 in. (max.)  
Blade Carrier: Pan  
Deck Thickness: 7 gauge  
Safety Deflectors: Rear Rubber Belting  
Driveline Size: Cat. 4 - 540 rpm  
Slip Protection: Slip Clutch  
Tire and Wheel: Laminated  
1 spindle  
Single tail wheel

**RC840:**

Cutting Width: 83 in.  
Cutting Height: 2 in. (min.)  
Cutting Capacity: 2 1/2 in. (max.)  
Blade Carrier: Pan  
Deck Thickness: 7 gauge  
Safety Deflectors: Rear Rubber Belting  
Driveline Size: Cat. 4 - 540 rpm  
Slip Protection: Slip Clutch  
Tire and Wheel: Laminated  
1 spindle  
Single tail wheel

**RC ROTARY CUTTERS  
US PRICE LIST****(Ex Works Beaumont, TX)  
Standard Equipment****ROTARY CUTTER - HEAVY DUTY  
(3-POINT):****RC727:**

Cutting Width: 72 in.  
Cutting Height: 2 in. (min.)  
Cutting Capacity: 3 in. (max.)  
Blade Carrier: Pan  
Deck Thickness: 7 gauge  
Safety Deflectors: Front and Rear  
Chains  
Driveline Size: Cat. 5 - 540 rpm  
Slip Protection: Splined Slip Clutch  
Tire and Wheel: Laminated  
1 spindle  
Single tail wheel

**RC845:**

Cutting Width: 84 in.  
Cutting Height: 2 in. (min.)  
Cutting Capacity: 3 in. (max.)  
Blade Carrier: Pan  
Deck Thickness: 7 gauge  
Safety Deflectors: Front and Rear  
Chains  
Driveline Size: Cat. 5 - 540 rpm  
Slip Protection: Splined Slip Clutch  
Tire and Wheel: Laminated  
1 spindle  
Single tail wheel

**RC84HD:**

Cutting Width: 84 in.  
Cutting Height: 2 in. (min.)  
Cutting Capacity: 4 in. (max.)  
Blade Carrier: Pan  
Deck Thickness: 3/16 x 7 gauge  
Safety Deflectors: Front and Rear  
Chains  
Driveline Size: Cat. 5 - 540 rpm  
Slip Protection: Slip Clutch  
Tire and Wheel: Laminated  
1 spindle  
Dual tail wheel

**ROTARY CUTTER - HEAVY DUTY  
(3-POINT): (continued)****RC960:**

Cutting Width: 96 in.  
Cutting Height: 2 in. (min.)  
Cutting Capacity: 3 in. (max.)  
Blade Carrier: Pan  
Deck Thickness: 3/16 x 7 gauge  
Safety Deflectors: Front and Rear  
Chains  
Driveline Size: Cat. 5 - 540 rpm  
Slip Protection: Slip Clutch  
Tire and Wheel: Laminated  
2 spindle  
Dual tail wheel

**ROTARY CUTTER - HEAVY DUTY  
(PULL-TYPE):****RC1200:**

Cutting Width: 120 in.  
Cutting Height: 2 in. (min.)  
Cutting Capacity: 3 in. (max.)  
Blade Carrier: Pan  
Deck Thickness: 7 gauge  
Safety Deflectors: Front and Rear  
Chains  
Main Driveline: Cat. 5 CV w/  
Slip Clutch - 540 rpm  
Tire and Wheel: Laminated  
2 spindle

**RC ROTARY CUTTERS  
US PRICE LIST**

**(Ex Works Beaumont, TX)  
Standard Equipment**

ROTARY CUTTER - HEAVY DUTY  
(PULL-TYPE): (continued)

RC1800 - 540 rpm driveline:  
(Standard and  
Smooth Top/Double Deck)  
Cutting Width: 180 in.  
Cutting Height: 2 in. (min.)  
Cutting Capacity: 3 in. (max.)  
Blade Carrier: Pan  
Deck Thickness: 7 gauge  
Safety Deflectors: Front and Rear  
Chains  
Main Driveline: Cat. 5 CV w/  
Slip Clutch 540 rpm  
Outboard Drivelines to wings:  
Cat. 4 w/Slip Clutch  
Tire and Wheel: Laminated  
3 spindle

RC1800 - 1000 rpm driveline:  
(Standard and  
Smooth Top/Double Deck)  
Cutting Width: 180 in.  
Cutting Height: 2 in. (min.)  
Cutting Capacity: 3 in. (max.)  
Blade Carrier: Pan  
Deck Thickness: 7 gauge  
Safety Deflectors: Front and Rear  
Chains  
Main Driveline: Cat. 5 CV w/ Slip Clutch  
1000 rpm - 1 3/8 in. shaft  
1000 rpm - 1 3/4 in. shaft  
Outboard Drivelines to wings:  
Cat. 4 w/Slip Clutch  
Tire and Wheel: Aircraft (used)  
3 spindle  
Hydraulic level lift

REQUIREMENTS FOR OPERATION:

Tractor Horsepower (Max.):

RC480 - up to 48  
RC600 - up to 48  
RC720 - up to 48  
RC605 - up to 65  
RC725 - up to 65  
RC840 - up to 65  
RC727 - up to 95  
RC845 - up to 95  
RC84HD - up to 140  
RC960 - up to 140  
RC1200 - up to 150  
RC1800 - up to 210

**RC ROTARY CUTTERS  
US PRICE LIST**

(Ex Works Beaumont, TX)

**Models**

COMMERCIAL MODEL	MODEL	Weight	List Price
RC480 ROTARY CUTTR	48 in. standard-duty	538	\$1,638.00
RC600 ROTARY CUTTR	60 in. standard-duty	728	\$1,896.00
RC720 ROTARY CUTTR	72 in. standard-duty	882	\$2,316.00
RC605 ROTARY CUTTR	60 in. medium-duty	731	\$2,729.00
RC725 ROTARY CUTTR	72 in. medium-duty	907	\$3,076.00
RC840 ROTARY CUTTR	84 in. medium-duty	1189	\$3,547.00
RC727 ROTARY CUTTR	72 in. HD single tail	1284	\$3,862.00
RC845 ROTARY CUTTR	84 in. HD single tail	1599	\$5,288.00
RC84HD ROTARY CUTTR	84 in. HD dual tail	1750	\$7,805.00
RC960 ROTARY CUTTR	96 in. HD dual tail	1975	\$8,641.00
RC1200 ROTARY CUTTR	540 rpm, 120 in.	2670	\$11,866.00
RC1800 540RPM	540 rpm, 180 in.	5720	\$20,632.00
RC1800 1000RPM 1-3/8	1000 rpm 180 in.1-3/8 in. shft	6000	\$23,635.00
RC1800 1000RPM 1-3/4	1000 rpm 180 in.1-3/4 in. shft	6000	\$23,635.00
RC1800 540RPM DD	540rpm, 180 in. Dbl Deck	6500	\$23,841.00
RC1800 1000 1-3/8 DD	1000rpm,180in.1-3/8 Dbl Deck	6830	\$26,472.00
RC1800 1000 1-3/4 DD	1000rpm,180in.1-3/4 Dbl Deck	2670	\$26,472.00

**Factory Supplied Options**

Order Code	Description	Weight	List Price
<b>OTHER EQUIPMENT</b>			
SD 16049 EXTRA WHEELS, TIRES AND RIMS			
X16049X	No Extra Wheels and Tires		No Charge
717984	Aircraft Tires (2) <b>Available on RC1800 with 1000RPM driveline</b>		\$479.00
717985	Aircraft Tires (6) <b>Available on RC1800 with 540RPM driveline</b>		\$1,435.00
717986	Aircraft Tires (8) <b>Available on RC1800 with 540RPM driveline</b>		\$1,921.00
717987	Foam Filled P Tire 6 <b>Available on all RC1800 Models</b>		\$1,921.00
717988	Foam Filled P Tire 8 <b>Available on all RC1800 Models</b>		\$2,425.00

**RC ROTARY CUTTERS  
US PRICE LIST**

(Ex Works Beaumont, TX)

**SD N6428 FRONT SAFETY CHAINS**

		XN6428X	No Front Safety Chains		No Charge
		717979	Front Safety Chains <b>Available on RC480, RC600 and RC720</b>		\$202.00

**SD N6429 REAR SAFETY CHAINS**

		XN6429X	No Rear Safety Chain		No Charge
		717980	Rear Safety Chains <b>Available on RC480, RC600 and RC720</b>		\$202.00

**SD N6430 SLIP CLUTCH**

		XN6430X	No Slip Clutch		No Charge
		717981	Slip Clutch <b>Available on RC480, RC600 and RC720</b>		\$243.00

**SD N6431 DUAL TAIL WHEEL**

		XN6431X	No Dual Tail Wheel		No Charge
		717982	Dual Tail Wheel <b>Available on RC605, RC725, RC727, RC840, RC845, and RC1800</b>		\$581.00

**SD N6432 HYD LIFT**

		XN6432X	No Hyd Lift		No Charge
		717983	Hyd Lift <b>Available on RC1800 with 540RPM driveline</b>		\$1,406.00

**SD N6433 COATING**

		XN6433X	No Coating		No Charge
		717991	Galvanized		
			if MODEL is 72 in. standard-duty		\$116.00
			if MODEL is 60 in. medium-duty		\$116.00
			if MODEL is 48 in. standard-duty		\$116.00
			if MODEL is 72 in. medium-duty		\$116.00
			if MODEL is 60 in. standard-duty		\$116.00
			if MODEL is 84 in. medium-duty		\$116.00
			if MODEL is 540 rpm, 120 in.		\$289.00
			if MODEL is 96 in. HD dual tail		\$289.00
			if MODEL is 84 in. HD dual tail		\$289.00
			if MODEL is 84 in. HD single tail		\$289.00
			if MODEL is 72 in. HD single tail		\$289.00
			if MODEL is 540 rpm, 180 in.		\$870.00
			if MODEL is 540rpm, 180 in. Dbl Deck		\$870.00
			if MODEL is 1000 rpm 180 in.1-3/4 in. shft		\$870.00
			if MODEL is 1000 rpm 180 in.1-3/8 in. shft		\$870.00
			if MODEL is 1000rpm,180in.1-3/4 Dbl Deck		\$870.00
			if MODEL is 1000rpm,180in.1-3/8 Dbl Deck		\$870.00

**RC ROTARY CUTTERS  
US PRICE LIST**

(Ex Works Beaumont, TX)

SD N6436 QUICK ATTACH HITCH

		XN6436X	No Quick Attach Hitch			No Charge
		439026	Quick Attach Hitch <b>Available on RC480, RC600, RC605, RC720, RC725, RC727, RC840, RC845, RC84HD, RC960</b>			\$86.00



**RC ROTARY CUTTERS  
US PRICE LIST**

(Ex Works Beaumont, TX)

**Factory Supplied Attachments**

Order Code		Description	Weight	List Price
<b>Front Safety Chains</b>				
	717979006	48" Front Safety Chains Available on RC480	27 LB	\$202.00
	717979016	60" Front Safety Chains Available on RC600	29 LB	\$202.00
	717979026	72" Front Safety Chains Available on RC720	33 LB	\$202.00
<b>Rear Safety Chains</b>				
	717980006	48" Rear Safety Chains Available on RC480	42 LB	\$202.00
	717980016	60" Rear Safety Chains Available on RC600	44 LB	\$202.00
	717980026	72" Rear Safety Chains Available on RC720	48 LB	\$202.00



**WORK EZ® DISK HARROW  
US PRICE LIST**

**(Ex Works Beaumont, TX)  
Standard Equipment**

**78 IN. DISK HARROW:**

Number of Disk Blades: 20 notched  
(front and rear)  
Disk Blade Size: 18 in. diameter  
Disk Blade Spacing: 5 1/2 in. F, 6 1/2 in.,  
7 1/2 in. R  
Maximum Cutting Depth: 6 in.  
Cutting Width: 70 in.  
Overall Length: 60 in.  
Overall Width: 79 in.  
Bearing Lubrication: sealed bearings  
Adjustable gang angle

**REQUIREMENTS FOR OPERATION:**

Tractor Horsepower (Min./Max.): 20 - 60  
Hitch: Cat. I EZ Match™ compatible



**WORK EZ® DISK HARROW  
US PRICE LIST**

(Ex Works Beaumont, TX)

**Models**

COMMERCIAL MODEL	MODEL	Weight	List Price
WORK EZ DISK HARROW	EZ78DC 78in Disk Harrow	678 LB	\$2,454.00

**WORK EZ® RAKES  
US PRICE LIST**

**(Ex Works Beaumont, TX)  
Standard Equipment**

**LANDSCAPE RAKE:**

Rake Width:

60LR - 60 in.

72LR - 72 in.

84LR - 84 in.

Tine Spacing: 1 in.

Tine Size: 5/16 x 1 in.

Tine Material: high carbon spring steel

Angle: 5 forward / 3 reverse

Rake Pivot: 360°

Pivot King Pin: 1 1/4 in.

**REQUIREMENTS FOR OPERATION:**

Maximum Tractor Horsepower: 50

Hitch: Cat. I EZ Match™ compatible

**WORK EZ® RAKES  
US PRICE LIST**

(Ex Works Beaumont, TX)

**Models**

COMMERCIAL MODEL	MODEL	Weight	List Price
WORK EZ 60LR RAKE	EZ60L 60in Landsc Rake	245 LB	\$945.00
WORK EZ 72LR RAKE	EZ72LR 72in Landsc Rake	269 LB	\$1,078.00
WORK EZ 84LR RAKE	EZ84LR 84in Rock Rake	326 LB	\$1,473.00

**WORK EZ® BOX BLADES  
US PRICE LIST**

**(Ex Works Beaumont, TX)  
Standard Equipment**

**BOX BLADES:**
**STANDARD DUTY (For Estate and Homeowners):**

Number of Scarifiers (Shanks): 4 to 5  
Overall Height: 35 1/2 in.  
Box Depth: 17 in.  
Cutting Edge: 1/2 x 6 in., Reversible  
Number of Cutting Edges: 2  
Shank Adjustment: manual  
Side Plate (Endplate) Thickness:  
3/16 in.  
Hinges Rear Flat with Cutting Edge:  
n/a

**MEDIUM DUTY (For Landscapers):**

OPTIONAL hydraulic raise/lower shank  
bar (infinite adjustment)  
Number of Scarifiers (Shanks): 6  
Overall Height: 36 in.  
Box Depth: 17 in.  
Cutting Edge: 1/2 x 6 in., Reversible  
Number of Cutting Edges: 2  
Shank Adjustment: manual  
Side Plate (Endplate) Thickness:  
3/8 in.  
Hinges Rear Flat with Cutting Edge:  
n/a

**HEAVY DUTY (For Contractors):**

OPTIONAL hydraulic raise/lower shank  
bar (infinite adjustment)  
Number of Scarifiers (Shanks): 6  
Overall Height: 36 in.  
Box Depth: 19 in.  
Cutting Edge: 1/2 x 6 in., Reversible  
Number of Cutting Edges: 2  
Shank Adjustment: manual  
Side Plate (Endplate) Thickness:  
1/2 in.  
Hinges Rear Flat with Cutting Edge:  
Standard

**INDUSTRIAL (For Contractors):**

OPTIONAL hydraulic raise/lower shank  
bar (infinite adjustment)  
Number of Scarifiers (Shanks): 8  
Overall Height: 36 in.  
Box Depth: 19 in.  
Cutting Edge: 1/2 x 6 in., Reversible  
Number of Cutting Edges: 2  
Shank Adjustment: manual  
Side Plate (Endplate) Thickness:  
3/4 in.  
Hinges Rear Flat with Cutting Edge:  
Standard

**REQUIREMENTS FOR OPERATION:**
**Tractor Horsepower (Max.):**

48BL - up to 28 2wd / 20 4wd  
60BL - up to 28 2wd / 20 4wd  
60BM - up to 50 2wd / 40 4wd  
72BM - up to 50 2wd / 40 4wd  
84BM - up to 50 2wd / 40 4wd  
72BH - up to 75 2wd / 55 4wd  
84BH - up to 75 2wd / 55 4wd  
96BI - up to 100 2wd / 80 4wd

**3 Pt. Hitch:**

48BL - Cat. I EZ Match™ compatible  
60BL - Cat. I EZ Match™ compatible  
60BM - Cat. I  
72BM - Cat. I  
84BM - Cat. I  
72BH - Cat. I  
84BH - Cat. I  
96BI - Cat. II

**WORK EZ® BOX BLADES  
US PRICE LIST**

(Ex Works Beaumont, TX)

**Models**

COMMERCIAL MODEL	MODEL	Weight	List Price
WORK EZ 48BL BLADE	48in 3pt Box Std Duty	363 LB	\$973.00
WORK EZ 60BL BLADE	60in 3pt Box Std Duty	437 LB	\$1,087.00
WORK EZ 60BM BLADE	60in 3pt Box Med Duty	534 LB	\$1,323.00
WORK EZ 60BM BLADE	60in 3pt Box Med Duty - Hydr	701 LB	\$2,005.00
WORK EZ 72BM BLADE	72in 3pt Box Med Duty	643 LB	\$1,418.00
WORK EZ 72BM BLADE	72in 3pt Box Med Duty - Hydr	701 LB	\$2,102.00
WORK EZ 84BM BLADE	84in 3pt Box Med Duty	703 LB	\$1,619.00
WORK EZ 84BM BLADE	84in 3pt Box Med Duty - Hydr	701 LB	\$2,301.00
WORK EZ 72BH BLADE	72in 3pt Box Hvy Duty	704 LB	\$2,128.00
WORK EZ 72BH BLADE	72in 3pt Box Hvy Duty - Hydr	701 LB	\$3,032.00
WORK EZ 84BH BLADE	84in 3pt Box Hvy Duty	803 LB	\$2,417.00
WORK EZ 84BH BLADE	84in 3pt Box Hvy Duty - Hydr	803 LB	\$3,322.00
WORK EZ 96BI BLADE	96in 3pt Box Ind Duty	1,153 LB	\$2,966.00
WORK EZ 96BI BLADE	96in 3pt Box Ind Duty - Hydr	701 LB	\$4,172.00

**Factory Supplied Options**

Order Code	Description	Weight	List Price
<b>OTHER OPTIONS</b>			
SD N6433 COATING			
XN6433X	No Coating		No Charge
717991	Galvanized		\$102.00



**WORK EZ® REAR BLADES  
US PRICE LIST**

**(Ex Works Beaumont, TX)  
Standard Equipment**

**REAR BLADES:**
**REQUIREMENTS FOR OPERATION:**
**STANDARD UTILITY (For Estate and Homeowners):**

Moldboard Width: 60 in. / 72 in.  
Cutting Edge: 1/2 in. x 6 in.  
Offset Adjustment: 12 in.  
Tilt Adjustment: n/a  
Angle Adjustment: 5 Forward / 3  
Reverse positions

**MEDIUM DUTY (For Landscapers, Farm, or Ranch):**

Moldboard Width: 60 in. / 72 in. / 84 in.  
Cutting Edge: 1/2 in. x 6 in.  
Offset Adjustment: 12 in.  
Tilt Adjustment: 45° / E side  
Angle Adjustment: 5 Forward / 3  
Reverse positions

**HEAVY DUTY (For Contractors):**

Moldboard Width: 84 in. / 96 in.  
Cutting Edge: 1/2 in. x 6 in.  
Offset Adjustment: 12 in.  
Tilt Adjustment: 30°  
Angle Adjustment: 5 Forward / 3  
Reverse positions

**INDUSTRIAL (For Contractors):**

Moldboard Width: 96 in. / 108 in.  
Cutting Edge: 1/2 in. x 6 in.  
Offset Adjustment: 12 in.  
Tilt Adjustment: 15°  
Angle Adjustment: 30°

**HEAVY INDUSTRIAL (For Contractors):**

Moldboard Width: 96 in./120 in./144 in.  
Cutting Edge: 1/2 in. x 6 in.  
Offset Adjustment: 24 in.  
Tilt Adjustment: 15°  
Angle Adjustment: 30°

**Tractor Horsepower (max.):**

60SL - 30  
72SL - 30  
60SM - 40  
72SM - 40  
84SM - 40  
72SH - 65  
84SH - 65  
96SI - 100  
108SI - 100  
96SHI - 225  
120SHI - 225  
144SHI - 225

**3 Pt. Hitch:**

60SL - Cat. I EZ Match™ compatible  
72SL - Cat. I EZ Match™ compatible  
60SM - Cat. I EZ Match™ compatible  
72SM - Cat. I EZ Match™ compatible  
84SM - Cat. I EZ Match™ compatible  
72SH - Cat. I/II  
84SH - Cat. I/II  
96SI - Cat. II  
108SI - Cat. II  
96SHI - Cat. II/III  
120SHI - Cat. II/III  
144SHI - Cat. II/III

**WORK EZ® REAR BLADES  
US PRICE LIST**

(Ex Works Beaumont, TX)

**Models**

COMMERCIAL MODEL	MODEL	Weight	List Price
WORK EZ 60SM BLADE	60in 3pt Rear Med Duty	256 LB	\$986.00
WORK EZ 72SM BLADE	72in 3pt Rear Med Duty	328 LB	\$1,127.00
WORK EZ 84SM BLADE	84in 3pt Rear Med Duty	297 LB	\$1,262.00
WORK EZ 84SH BLADE	84in 3pt Rear Hvy Duty	684 LB	\$1,420.00
WORK EZ 96SH BLADE	96in 3pt Rear Hvy Duty	679 LB	\$1,549.00
WORK EZ 96SI BLADE	96in 3pt Rear Ind Duty	1,074 LB	\$4,515.00
WORK EZ 108SI BLADE	108in 3pt Rear Ind Duty	1,113 LB	\$5,155.00
WORK EZ 96SHI BLADE	96in 3pt Rear Hvy Industrial	2,120	\$10,791.00
WORK EZ 120SHI BLADE	108in 3pt Rear Hvy Industrial	2,260 LB	\$11,257.00
WORK EZ 144SHI BLADE	144in 3pt Rear Hvy Industrial	2,400 LB	\$11,715.00

**WORK EZ® EZ MATCH™**  
**US PRICE LIST**

**(Distribution Center)**  
**Standard Equipment**

The WORK EZ® EZ Match™ Quick Hitch is designed to make changing from one 3-point hitch attachment to another quick and EZ! The upper hook easily slips into position and simply lock the lower hooks with quick flip of two handles - many times from the comfort and convenience of the tractor seat.

Designed for use on Category 1, 3-point hitch tractors and implements

Heavy-duty steel construction  
Lower arms lock automatically  
Fast, easy attachment and release  
Designed to ASAE S278.7 Quick Hitch standards

MODEL: WORK EZ® EZ Match™  
Width (inches) - 28 center to center  
(Hooks are 1-1/2 " wide)  
Height (inches) - 24  
Weight (pounds) - 80  
Maximum Horsepower - 60

The following Case-IH products are quick hitch compatible:

EZ78DC - 78 in. Disk Harrow  
EZ60LR - 60 in. Landscape Rake  
EZ72LR - 72 in. Landscape Rake  
EZ84LR - 84 in. Rock Rake  
EZ48BL - 48 in. Standard Duty Box Blade  
EZ60BL - 60 in. Standard Duty Box Blade  
EZ60SL - 60 in. Standard Utility  
Rear Blade  
EZ72SL - 72 in. Standard Utility  
Rear Blade  
EZ60SM - 60 in. Medium Duty  
Rear Blade  
EZ72SM - 72 in. Medium Duty  
Rear Blade  
EZ84SM - 84 in. Medium Duty  
Rear Blade

**WORK EZ® EZ MATCH™**  
**US PRICE LIST**

(Distribution Center)

**Models**

COMMERCIAL MODEL	Weight		List Price
WORK EZ EZ MATCH	400 LB		\$342.00

**WORK EZ® BALE CARRIERS  
US PRICE LIST**

## Standard Equipment

WORK EZ® Bale Carriers and Spears are designed to compliment compact and utility tractors equipped with 3-point hitch for handling round and square hay bales. The WORK EZ® Bale Carriers and Spears are also Work EZ® - EZ Match™ compatible.

MODEL: Work EZ® Bale Carrier

Application - Standard duty

Weight - 155 lbs

Weight rating - 2000 lbs

Tractor horsepower (max) - 60

Hitch - Cat. I

Hot dipped galvanized frame

NOTE: Fork tines go under bale

MODEL: Work EZ® Bale Spear

Application - Standard duty

Weight - 98 lbs

Weight rating - 2000 lbs

Tractor Horsepower (max) - 60

Hitch - Cat. I

Hot dipped galvanized frame

Replaceable high carbon steel spear

Two welded bottom stabilizing spears

**WORK EZ® BALE CARRIERS  
US PRICE LIST**

## Models

COMMERCIAL MODEL	Weight	List Price
WORK EZ BALE CARRIER	88 LB	\$456.00
WORK EZ BALE SPEAR	155 LB	\$504.00

**WORK EZ® HAY SPEARS  
US PRICE LIST**

## Standard Equipment

WORK EZ® Hay Spears are designed to compliment most tractors and skid steers that are Universal Quick Hitch Compatible for handling round and square hay bales.

MODEL: Work EZ® Single Bale Quick Attach

Application - Standard duty

Weight - 153 lbs

Weight rating - 2000 lbs

Tractor Horsepower (max) - 80

Hitch - Universal Q/A

Hot dipped galvanized frame

Replaceable high carbon steel spear

Two welded bottom stabilizing spears

MODEL: Work EZ® Double Bale Quick Attach

Application - Standard duty

Weight - 168 lbs

Weight rating - 2000 lbs

Tractor Horsepower (max) - 80

Hitch - Universal Q/A

Hot dipped galvanized frame

Two replaceable high carbon steel spears

One welded top stabilizing spear

**WORK EZ® HAY SPEARS  
US PRICE LIST**

## Models

COMMERCIAL MODEL	Weight	List Price
WORKEZ SNGL BALE QA	168 LB	\$821.00
WORKEZ DBL BALE QA	153 LB	\$945.00





## PARTS DIVISION SUPPLIED ACCESSORIES - FARMALL B SERIES TRACTORS

Part #	Description	Farmall 30B/35B	Farmall 40B/50B
--------	-------------	-----------------	-----------------

### ROPS/FOPS GROUP

718857166	FOPS canopy for roll bar - white	X	X
FFB1A32W	Sunshade canopy - white	X	X

### HYDRAULICS GROUP

*Single rear remote; 3 position, self centering, lever knob and coupler dust boot (mono-block valve design). Remote valve not stackable; cannot add a second single rear remote.*

MT20124614	Rear remote #1; Farmall 30B/35B (Gear or HST)	X	
MT20124611	Rear remote #1; Farmall 40B/50B HST only		X
MT20124606	Rear remote #1; Farmall 40B/50B Gear only		X

*Dual rear remotes; 3 position, self centering, lever knob and coupler dust boot (mono-block valve design). Contains two valves (#1 & #2)*

MT20124614	Rear remote #1 & #2; Farmall 30B/35B (Gear or HST)	X	
MT20124612	Rear remote #1 & #2; Farmall 40B/50B HST only		X
MT20124607	Rear remote #1 & #2; Farmall 40B/50B Gear only		X

### *Other Hydraulics*

MT20117607	Draft control for gear units	X	X
------------	------------------------------	---	---

### PTO GROUP

MT20022006	Mid PTO; 2,000 RPM	X	
MT20022005	Mid PTO; 2,000 RPM		X



## PARTS DIVISION SUPPLIED ACCESSORIES - FARMALL B SERIES TRACTORS

Part #	Description	Farmall 30B/35B	Farmall 40B/50B
<b>WEIGHT GROUP</b> <i>(Note: attaching hardware is available from Service Parts)</i>			
710215016	Front end weight - 60 lbs. Compatible with grille guard but not compatible with loader. Maximum 5 weights per tractor. Requires front weight carrier #718233006 if using more than 2 weights	X	X
718215036	Front end weight - 100 lbs. Compatible with grille guard but not compatible with loader. Maximum 3 weights per tractor. Requires front weight carrier #718233006	X	X
718740016	Rear counter weight bracket	X	X
718233006	Front weight carrier (max five 60 lb. weights) (not compatible with loader)	X	X
710470026	Wheel Weight (105lb's each) for 420/70-24 IND tires & wheels - 2 max per wheel / 4 max per tractor		X
<b>Miscellaneous Group</b>			
719849216	Grille Guard	X	
719849226	Grille Guard		X
MT20119015	Right hand side step	X	X
MT20119014	Right hand grip/grab handle (replaces std. tray & cupholder	X	X
MT20119006	7 pin connector	X	
MT20119007	7 pin connector		X
710990076	Tool box bracket (requires toolbox 5135060)	X	
710990086	Tool box bracket (requires toolbox 5135060)		X
5135060	Toolbox (Black)	X	X
84317040	Engine coolant heater - Mitsubishi engine	X	
84316967	Engine coolant heater - LS engine		X
251006F	Linkage drawbar (FONNC830AA stay kit required)	X	X
FONNC830AA	Linkage drawbar stay kit	X	X
87702589	ROPS mounted work light kit	X	X
8427548	French operators manual / decal kit (DMC 262-636-7540)	X	
8427560	French operators manual / decal kit (DMC 262-636-7540)		X



**PARTS DIVISION SUPPLIED ACCESSORIES - FARMALL B SERIES TRACTORS**

**Aftermarket Cab:**

Work Direct                      Custom Products of Litchfield, Inc.  
with Custom Products      PO Box 70  
   Litchfield, MN 55355  
   TOLL FREE 800-CAB-LINE; (800) 222-5463  
   FAX (320) 693-7252  
   [www.800cabline.com](http://www.800cabline.com)  
   [www.cozycab.com](http://www.cozycab.com)

## FARMALL B CVT DIA'S

DESCRIPTION	PART NUMBER	APPROX. INSTALLATION TIME	40B CVT	45B CVT	50B CVT	COMMENTS
<b>Cab Group</b>						
Windshield wiper/washer, rear	710642016	1.0	X	X	X	
Cab roof visibility guard	718002006	0.5	X	X	X	
Operator presence switch conversion seat kit for light operators	87550442	2.0	X	X	X	
Arm rest kit	718852026	0.5	X	X	X	
Radio bezel	87328627	1.0	X	X	X	Included in CNH Audiovox radio
Radios			X	X	X	Order from CNH Parts
<b>Electrical Group</b>						
Beacon light and mounting kit	710762026	1.0	X	X	X	
75 amp alternator CVT	84158956	2.0	X	X	X	
<b>Hydraulic Group</b>						
3 position (extend, retract, neutral); self-centering rear remote valve. Can be mounted in 1 <sup>st</sup> , 2 <sup>nd</sup> , or 3 <sup>rd</sup> position. Kit contains rear remote valve only.	710366216	2.0	X	X	X	Completing package required
4 position (float, extend, retract, neutral) detent rear remote. Can be mounted in 1 <sup>st</sup> or 2 <sup>nd</sup> position. Kit contains rear remote valve only.	719940056	2.0	X	X	X	Completing package required
1 <sup>st</sup> rear remote valve completing package. Includes lever, knob, coupler, coupler dust cap and hydraulic tubings and fittings.	719933046	2.0	X	X	X	Use with valve 710366216 or 719940056
2 <sup>nd</sup> rear remote valve completing package. Includes lever, knob, coupler, coupler dust cap and hydraulic tubings and fittings.	719935046	2.0	X	X	X	Use with valve 710366216 or 719940056
3 <sup>rd</sup> rear remote valve completing package. Includes lever, knob, coupler, coupler dust cap and hydraulic tubings and fittings.	719937036	2.0	X	X	X	Use with valve 710366216
<b>Engine Group</b>						
Engine coolant heater	86403117	2.0	X	X	X	
Cold performance - transmission heater kit - NAR	87537603	1.0	X	X	X	
<b>Drawbar/Hitch Group</b>						
Drawbar clevis	86402709	0.5	X	X	X	
Stabilizer bracket (required to support hydraulic tubes when 2 spool remote valve fitted, less front loader)	86404991	1.0	X	X	X	
Linkage drawbar	251006F	1.0	X	X	X	FONNC830AA stay kit required
Linkage drawbar stay kit	FONNC830AA	1.0	X	X	X	

## FARMALL B CVT DIA'S

DESCRIPTION	PART NUMBER	APPROX. INSTALLATION TIME	40B CVT	45B CVT	50B CVT	COMMENTS
<b>Weight Group</b>						
Front end weight 60 LB (27 Kg). Maximum of 2 with all axle/tire combinations.	710215046	0.5	X	X	X	Weight(s) attach to front of tractor frame
Front end weight 100 LB (45 Kg). Maximum of 2 with all axle/tire combinations.	718215056	0.5	X	X	X	Weight(s) attach to front of tractor frame
Front weight carrier (required for additional front weight installation). Holds a maximum of 5 weights. Attaching hardware is available through the Parts Division.	718233006	1.0	X	X	X	Not compatible with front-end loader
Rear wheel weight 105 LB (47 Kg). Maximum of 2 per wheel. Attaching hardware is available through the Parts Division.	710470026	1.0	X	X	X	Compatible with R1 Ag bar tires only
Rear counter weight bracket. Recommended for use with loader or front mount snow blower if using a ballasting box. Mounts on a 3-point hitch and will accept up to quantity of 7 of 710215046 or quantity of 5 of 718215056 front-end weights.	718740016	1.0	X	X	X	
<b>Miscellaneous</b>						
Front bumper/grille guard - CNH black	719849056	0.5	X	X	X	



## PARTS DIVISION SUPPLIED ACCESSORIES FOR FARMALL COMPACT TRACTORS

PART NUMBER	DESCRIPTION (All items ordered from Parts Division unless otherwise specified)	Farmall 31 & 35	Farmall 40, 45, 50	Farmall 55 & 60
-------------	---	--------------------	-----------------------	--------------------

### CANOPY / FOPS for ROPS

FFB1A22W	Sunshade Canopy (White)	X		
FFB1A22R	Sunshade Canopy (Red)	X		
FFB3A32W	Sunshade Canopy (White)		X	X
FFB3A32R	Sunshade Canopy (Red)		X	X
718857016	FOPS/Canopy for rollbar	X		
718857016	FOPS/Canopy for rollbar		X	
718857056	FOPS/Canopy for rollbar			X

**HYDRAULICS NOTE:** Mid-mounted hydraulic valve w/single lever joystick required for use with loaders, front mount snowblowers, and front blades.

### Mid Mounted Remote Valves

710440076	Mid-mounted hydraulic valve with joystick control. Two spool valve with simultaneous lift and curl function. (Kit includes 4 quick couplers, plumbing and attaching hardware)	X		
710440106	Mid-mounted hydraulic valve with joystick control for use with Farmall 40, 45, and 50 (Gear Transmission Tractors). Two spool valve with simultaneous lift and curl function. (Kit includes 4 quick couplers, plumbing and attaching hardware)		X	
710330046	Mid-mounted hydraulic valve with joystick control for use with Farmall 40 and 45 ROPS (HST Tractors). Two spool valve with simultaneous lift and curl function. (Kit includes control handle switch for hi/lo shift, 4 quick couplers, plumbing & hardware)		X	
719918046	Mid-mounted hydraulic valve with joystick control for Farmall 40 and 45 CAB (HST Tractors). Two spool valve with simultaneous lift and curl function. (Kit includes control handle switch for hi/lo shift, 4 quick couplers, plumbing & hardware)		X	
710440046	Mid-mounted hydraulic valve with joystick control for use with Farmall 55 and 60 ROPS Tractors. Two spool valve with simultaneous lift and curl function. (Kit includes 4 quick couplers, plumbing and attaching hardware)			X
719918026	Mid-mounted hydraulic valve with joystick control for use with Farmall 55 and 60 Cab Tractors. Two spool valve with simultaneous lift and curl function. (Kit includes 4 quick couplers, plumbing and attaching hardware)			X
86403115	Tube Stabilizer Bracket (required to install mid-mount valve and joystick when tractor does not have loader installed) -- For ROPS models		X	
86404991	Tube Stabilizer Bracket (required to install mid-mount valve and joystick when tractor does not have loader installed) -- For CAB models		X	

### Rear Remote Valves - Farmall 31 & 35

718348066	First rear remote valve (self-centering) with ½ in. couplers	X		
718347026	Second rear remote valve (self-centering) with ½ in. couplers (second valve used in combination with 718348066)	X		

PART NUMBER	DESCRIPTION (All items ordered from Parts Division unless otherwise specified)	Farmall 31 & 35	Farmall 40, 45, 50	Farmall 55 & 60
<b>Rear Remote Valves - Farmall 40, 45 &amp; 50 (with Gear Transmission)</b>				
710366206	Rear remote valve (self-centering) - requires a hydraulic completing kit (see below) (Can be used as First or Second rear remote valve)		X	
719940046	Rear remote valve with float and detent - Requires first or second rear remote valve hydraulic completing kit (see below) (Can be used as First or Second rear remote valve)		X	
<b><u>Hydraulic completing kits</u> - include knobs, couplers, levers &amp; coupler dust boots. (MUST ORDER ONE KIT FOR EACH REAR REMOTE VALVE SELECTED)</b>				
719934036	First rear remote valve completing kit - compatible with self centering valve & float & detent valve <b>(valve not included)</b>		X	
719936036	Second rear remote valve completing kit - compatible with self centering valve & float & detent valve <b>(valve not included)</b>		X	

**Rear Remote Valves - Farmall 40, 45 & 50 (with Hydrostatic Transmission)**

710366046	First rear remote valve (self-centering) with ½ in. couplers (includes hydraulic completing package)		X	
718334036	Second rear remote valve (self-centering) with ½ in. couplers - second valve used in combination with 710366046. (includes hydraulic completing package)		X	
719339036	Third rear remote valve (self-centering) with ½ in. couplers - third valve used in combination with 710366046 and 718335036. For use with Deluxe models only (includes hydraulic completing package)		X	
716662016	3rd function hose kit - Contains hoses and couplers to run from the tractor rear remote valve (one required) to the loader cross member (torque tube).		X	

**Rear Remote Valves - Farmall 40, 45 & 50 (with CVT Transmission)**

710366206	3 position (Extend, Retract, Neutral); Self Centering Rear Remote Valve. Can be mounted in First, Second or Third position. Kit contains Rear Remote Valve only Completing package required (see below)		X	
719940046	4 position (Float, Extend, Retract, Neutral) Detent Rear Remote Valve. Can be mounted in First or Second position Kit contains Rear Remote Valve only Completing package required (see below)		X	
719933046	First Rear Remote Valve Completing Package Includes lever, knob, coupler, coupler dust cap, hydraulic tubing and fittings Use with valve 710366216 or 719940056		X	
719935046	Second Rear Remote Valve Completing Package Includes lever, knob, coupler, coupler dust cap, hydraulic tubing and fittings Use with valve 710366216 or 719940056		X	
719937036	Third Rear Remote Valve Completing Package Includes lever, knob, coupler, coupler dust cap, hydraulic tubing and fittings Use with valve 710366216		X	

**Rear Remote Valves - Farmall 55 & 60**

710366056	Rear remote valve (self-centering) - requires a hydraulic completing kit (see below) (Can be used as a First, Second or Third rear remote valve)			X
-----------	---	--	--	---

PART NUMBER	DESCRIPTION (All items ordered from Parts Division unless otherwise specified)	Farmall 31 & 35	Farmall 40, 45, 50	Farmall 55 & 60
719940006	Rear remote valve with float and detent - Requires the first or second rear remote valve hydraulic completing kit (see below) (Can be used as a First or Second rear remote valve)			X
<b>Hydraulic completing kits - include knobs, couplers, levers &amp; coupler dust boots. (MUST ORDER ONE KIT FOR EACH REAR REMOTE VALVE SELECTED)</b>				
719933016	First rear remote valve completing kit - compatible with self centering valve & float & detent valve <b>(valve not included)</b>			X
719935016	Second rear remote valve completing kit - compatible with self centering valve & float & detent valve <b>(valve not included)</b>			X
719937016	Third rear remote valve completing kit - compatible with self centering valve only <b>(valve not included)</b>			X
716662046	3rd function hose kit - contains hoses and couplers to run from the tractor rear remote valve (one required) to the loader cross member (torque tube).			X

### **WEIGHTS**

**NOTE:** All weights listed below are for 1 weight only. For rear wheels, you must order two (2) to receive one weight for each side.

710215046	60 lb./27.2kg Front End Weight Maximum of 2 with all axle/tire combinations. Weight(s) attach to front of tractor frame.	X	X	X
718215056	100 lb./45.3kg Front End Weight Maximum of 2 with all axle/tire combinations. Weight(s) attach to front of tractor frame.	X	X	X
718233006	Front weight carrier (required for additional front weight installation) - Holds a maximum of 5 weights. Attaching hardware is available through Parts Division. Not compatible with front-end loader	X	X	
718233016	Front weight carrier (required for additional front weight installation) - Holds a maximum of 5 weights. Attaching hardware is available through Parts Division. Not compatible with front-end loader			X
718470036	75 lb./34kg Rear Wheel Weight, maximum of 2 per wheel. Compatible with R4 Industrial tires only. Attaching hardware is available through Parts Division.	X		
710470026	105 lb./47.6kg Rear Wheel Weight, maximum of 2 per wheel. Attaching hardware is available through Parts Division. (Compatible with R1 Ag Bar tires only)	X	X	X
718740016	Rear counter weight bracket. Recommended for use with loader or front mount snowblower if not using a ballasting box. Mounts on a 3-point hitch and will accept up to qty. 7 of 710215046 or qty. 5 of 718215056 front end weights.	X	X	X
	<b>NOTE:</b> Attaching hardware for securing weights is not included. Please order from Parts Division.			

### **SOFT CABS**

710660086	Soft Cab for Farmall 31 and 35 - includes base enclosure, top rear panels, glass windshield, and hand operated windshield wiper. (not compatible with a canopy)	X		
710660126	Soft Cab for Farmall 40, 45 and 50 ROPS - includes base enclosure top rear panels, glass windshield, and hand operated windshield wiper. (not compatible with a canopy)		X	
710660066	Soft Cab for Farmall 55 and 60 ROPS - includes base enclosure top rear panels, glass windshield, and hand operated windshield wiper. (not compatible with a canopy)			X



PART NUMBER	DESCRIPTION (All items ordered from Parts Division unless otherwise specified)	Farmall 31 & 35	Farmall 40, 45, 50	Farmall 55 & 60
<b>MISCELLANEOUS</b>				
86590117	Engine Coolant Heater	X	X	X
251006F	Linkage Drawbar (F0NNC830AA stay kit required)	X	X	X
F0NNC830AA	Linkage Drawbar Stay Kit	X	X	X
86535719	Drawbar Clevis (used with Swinging/Extendible Drawbar)	X	X	
SBA370070300	Drawbar Clevis			X
SP1229985DS	Rear Worklight (50 watt halogen with switch. Bracket required to install worklight, see below.	X	X	X
86531714	Rear Worklight Mounting Bracket	X		
86401040	Rear Worklight Mounting Bracket		X	
87300991	Rear Worklight Mounting Bracket			X
9673703DS	AM/FM Radio Kit for ROPS models	X	X	X
ZAEJHD3000	AM/FM/WB/CD Radio Kit for CAB models		X	X
718852026	Fold-up Armrest Kit	X	X	X
87379951	Transmission Heater Kit	X		
87537603	Transmission Heater Kit		X	X
SBA385071310	Back-up Alarm Kit for SSS Transmission			X
SBA385071320	Back-up Alarm Kit for EHSS Transmission			X
87395939	Spark Arrestor Muffler Kit	X		
719849056	Grill Guard	X	X	
719849086	Grill guard			X
710709046	Step kit, left side (not compatible with MW Series mower decks)	X		
718709066	Step kit, right side (not compatible with MW Series mower decks)	X		
86571922	Right-Hand Platform Step - for Economy version (attaching hardware is available from Parts Division)		X	
718709076	Step kit, right side (ROPS only)			X
710801046	Mid PTO - 2000 RPM (for Farmall 31 gear transmission only)	X		
719801056	Mid PTO - 2000 RPM for Farmall 40 and 45 with Hydrostatic Transmission only		X	
718877016	Hood mounted LH rear view mirror	X		
718877006	Hood mounted LH rear view mirror for ROPS tractors		X	
710990046	Economy toolbox kit for Farmall 40, 45 and 50 Gear Transmission Compact Tractors (includes plastic toolbox that mounts to the top of left-hand fender and metal cup holder that mounts to top of right-hand fender)		X	
86402046	Toolbox with cup holder - for Economy version		X	
710642016	Rear window wiper and washer kit - for Farmall 40, 45, 50, 55 and 60 Cab versions		X	X
710762006	Beacon light and mounting kit - for Farmall 40, 45, 50, 55 and 60 Cab versions		X	X
718002006	High visibility panel guard for cab roof - for Farmall 40, 45, 50, 55 and 60 Cab versions		X	X
<i>The items below are supplied by the Document Management Center (DMC). To order please contact the DMC at (262) 636-7540 or order online through the Dealer Portal (go to tools, select DMC link)</i>				
87668370	French Canadian Operator's Manual (Farmall 31 & 35)	X		
87396594	French Canadian Operator's Manual (Economy models)		X	
87721388	French Canadian Operator's Manual (Deluxe models)		X	
87721390	French Canadian Operator's Manual (CAB models)		X	
87396598	French Canadian Operator's Manual (ROPS models)			X
87721397	French Canadian Operator's Manual (CAB models)			X
86402037	French Canadian Decal Kit	X	X	X



## PARTS DIVISION SUPPLIED ACCESSORIES FOR COMPACT TRACTOR IMPLEMENTS

PART NUMBER	DESCRIPTION	MW60S	MW72S	MW72R	MW84R
<b>Available through Parts Division unless otherwise noted:</b>					
AUB164147	Caster wheel spring device - Required when installing an MW60S, MW72S or MW72R on a Farmall 31 or 35 equipped with Galaxy turf tires	X	X	X	
AUB182262	Mower / Loader Compatibility kit - Required when installing an MW60S, MW72S or MW72R in combination with an LX114 loader on a Farmall 31 or 35	X	X	X	
AUB163560	Caster wheel spring device - Required when installing an MW84R on a Farmall 40, 45 or 50 equipped with Galaxy turf tires				X

PART NUMBER	DESCRIPTION	RR60	RR72	RR90	RR144	RR180	RR204
<b>Available through Parts Division unless otherwise noted:</b>							
SIT 110283	Mulching kit - 60 in. Rear Discharge Only	X					
SIT 110284	Mulching kit - 72 in. Rear Discharge Only		X				
SIT 110285	Mulching kit - 90 in. Rear Discharge Only			X			
SIT 110286	Mulching kit - 12 ft. Folding Flex wing				X		
SIT 110287	Mulching kit - 15 ft. Folding Flex wing					X	
SIT 110288	Mulching kit - 17 ft. Folding Flex wing						X
SIT 100364	Anti-Scalp Kit - 60 in. and 72 in. (front adjustable roller)	X	X				
SIT 100503	Anti-Scalp Kit - 90 in. (front adjustable roller)			X			
SIT 100933	Pneumatic Tire kit - 60 in. (Set of 4). Includes wheels and forks.	X					
SIT 100934	Pneumatic Tire kit - 72 in. (Set of 4). Includes wheels and forks.		X				
SIT 100935	Pneumatic Tire kit - 90 in. (Set of 4). Includes wheels and forks.			X			



## PARTS DIVISION SUPPLIED ACCESSORIES FOR COMPACT TRACTOR IMPLEMENTS

PART NUMBER	DESCRIPTION	RC480	RC600	RC720	RC605	RC725	RC840	RC845	RC1800
<b>Available through Parts Division unless otherwise noted:</b>									
MAG010D3590	4 ft. Front Chain Guards - Standard Duty	X							
MAG010D3591	4 ft. Rear Chain Guards - Standard Duty	X							
MAG010D6798	5 ft. Front Chain Guards - Standard and Medium Duty		X		X				
MAG010D6799	5 ft. Rear Chain Guards - Standard and Medium Duty		X		X				
MAG010D1598	6 ft. Front Chain Guards - Standard and Medium Duty			X		X			
MAG010D1599	6 ft. Rear Chain Guards - Standard and Medium Duty			X		X			
MAG010D3990	7 ft. Front Chain Guards - Medium Duty						X		
MAG010D3991	7 ft. Rear Chain Guards - Medium Duty						X		
CSE010D3992R	7 ft. Dual tail wheel - Heavy Duty							X	
MAG415D0060	15 ft. hydraulic level lift. - Pull Type								X
MAG125D801D01	Slip Clutch	X	X	X					



## REFERRAL ATTACHMENTS

Case IH does not represent these products or company or offer terms or warranty. When installed and operated according to the manufacturer's instructions, these attachments will not void the Case IH warranty of the Case IH products. The availability, performance, service parts availability, pricing, after sale service and warranty of these products is the sole responsibility of the manufacturer and not of Case IH.

**Electra-Tach -- Electronic actuator for skid-steer style quick-attach device  
(quick and easy connect/disconnect)**

Supplier: Ultra-Tach  
Address: 100 E. Shenango St.  
Sharpsville, PA 16150

Phone: (724) 962-7644  
Fax: (724) 962-1719  
E-Mail: [www.ultrach.com](http://www.ultrach.com)



---

## **PURCHASED PROTECTION**

---

Pricing and program details can be found on the Dealer Portal or by contacting the CPP hotline @ 1-866-606-1802. Not all models are eligible for CPP.