



# **AGRICULTURAL EQUIPMENT**

**U.S. Price List  
Effective October 3, 2016**

**Optum™ Tractors  
PL-100 OP Revision 3  
SAP Price List 029 C3**

**THIS IS A COMPLETE REVISION**





## GENERAL INFORMATION

### ADVANCE FREIGHT

Advance freight will be added to the machinery invoice as a separate net charge for machinery shipped from field locations or from other than specified Ex Works locations.

### PRICES

Prices are Ex Works factory, where the goods are manufactured, except where noted. For detailed information concerning prices, please refer to your OPERATING GUIDE.

### CONTENTS OF ORGANIZATION

CNH Industrial N.V. issues price lists and revisions covering each Case IH contract. The U.S. Price List is published in U.S. funds and the Canadian Price List is published in Canadian funds. Ensure that you are using the correct price list. U.S. or Canada is referenced at the top of each page and the Canadian price lists have a Maple Leaf on the price list cover page.

Freight, duty and sales taxes are NOT included in any wholegoods or attachment prices shown in the price list. Any appropriate freight, duty, Federal, State, and Provincial taxes will be added to the machinery invoice as separate net charges.

### PROCEDURE

The price pages for each machine (or group of machines) lists both "Factory Supplied Options" and "Factory Supplied Accessories."

Each price list is comprised of the various machines sold under that contract. Each price book section has "Factory Supplied Options" and "Factory Supplied Accessories" price pages. When ordering and pricing a machine, follow the ordering instructions listed for that machine. Accessories listed following the "Factory Supplied Accessories" heading are available for installation in the field.

### DISTRIBUTION OF PRICE LISTS

Price lists and periodic price list revisions will be posted on the Dealer Portal and distributed electronically when possible.

Printed copies of current price lists, index tabs and binders can be purchased from the Document Management Center (DMC). Orders should be placed only through the DMC web site link located on the Dealer Portal. For DMC customer service inquiries, other than placing orders, call (262) 636-7540.

Internal E-mail: #NA DMC ORDER CENTER  
Complete U.S. Price List is PL-100  
Complete Canadian Price List is PLC-100

Periodic price list revisions are usually accompanied by a cover sheet which carries instructions on price page changes and where to insert replacement or new price pages. The revisions are dated and are effective as of that date.





## OPTUM SERIES TRACTORS TABLE OF CONTENTS

### OPTUM SERIES TRACTORS

#### OPTUM 270 CVT AND 300 CVT

Standard Features .....	1
Price List .....	4

### CHARTS

Optum Tire Chart .....	17
Shipping Wheel Program .....	18

Purchased Protection .....	19
----------------------------	----



**OPTUM™ 270-300 CVT  
US PRICE LIST**

## Standard Equipment

Optum™ 270 CVT  
Rated PTO HP - 240  
Rated Engine HP - 270  
Maximum Engine HP - 290

Optum™ 300 CVT  
Rated PTO HP - 270  
Rated Engine HP - 300  
Maximum Engine HP - 313

**ENGINE FEATURES BOTH MODELS:**

CIH 6 Cylinder Diesel  
Tier 4 B/Final Emissions Compliant  
Electronically Controlled Variable-Geometry Turbocharged, aftercooled with Selective Catalytic Reduction (SCR)  
6.7L (409 cu.in) 24 valve  
Electronic Controlled Common Rail Fuel System  
Dual Element Air Filter with Spin Tube Exhaust Aspiration  
Dual Element Fuel Filter  
A-Pillar Exhaust with Integral Muffler  
Viscous Fan Drive  
Grid Heater  
Hand and Foot Throttle  
Antifreeze Solution to -34F (-37C)  
166 U.S. Gallon (636L) Fuel Tank  
25 U.S. Gallon (96L) DEF Tank

**TRANSMISSION:**

Continuously Variable Transmission  
Steering Column Mounted Left-Hand Power Shuttle  
Muti-Function Controller  
Active Start/ Stop Control Feature  
Radar - electronic slip control

**STEERING & BRAKES:**

Hydrostatic Power Steering  
With Reactive Steering Auto  
Self-Straightening Feature  
Hydraulic Wet Disc Brakes  
(self-equalizing/self-adjusting)

(STEERING & BRAKES CONT.)  
Spring Applied Hydraulically Released  
Parking Brake Shuttle Operated  
Hydraulic Trailer Brake

**ROAD SPEEDS:**

25 mph (40 kph) Road Speed (varies by tire size)

**FRONT AXLE:**

Front FWD  
Class 4.75 Heavy Duty Front Axle with Saddle Suspension  
55 Degree Turning Angle  
Dual Steering Cylinders  
Adjustable Tread Width 61.1 in to 89.3 in. (varies by tire size)  
Electrohydraulic FWD Engagement  
Auto FWD/Differential Lock  
Drive Shaft Shield

**REAR AXLE:**

119" Bar Axle  
Electrohydraulic Engaged Rear Diff Lock  
Wet Plate Rear Differential

**TIRES AND WHEELS:**

MFD Front singles:  
(2) 420/85R34 (R1W)  
Rear Duals:  
(4) 480/80R50 (R1W)

**PTO:**

540/540E/1000/1000E RPM  
Electronically Shiftable PTO  
Interchangeable Shafts  
1-3/8" 21 and 6 Spline  
Rear fender mounted PTO on/off switch  
Electrohydraulic Engagement with soft start/auto feathering  
Auto PTO Functionality with Rear 3-Point System  
Hydraulic Piston PTO Brake with manual override  
Flip-up PTO Shaft Guard

**OPTUM™ 270-300 CVT  
US PRICE LIST**

## Standard Equipment

### HYDRAULIC SYSTEM:

CCLS: Closed-Center Load-Sensing System  
Variable Displacement Piston Pump  
Maximum Flow at Rated Engine Speed  
43.5 gpm (165 l/m) Implement Pump  
4 Closed-center Electronic Remote Valves with Quick Couplers (Fully programmable)

### 3-POINT LIFT SYSTEM:

Electronic Draft Control (EDC)  
Lower Link Sensing  
Fast Raise/Lower Control (in cab)  
Rear Fender Mounted 3-point Raise/Lower Switch  
Category III Flex Link Ends  
Sway Block Stabilizers  
120mm Category 3 Cylinders

### DRAWBAR:

Category III Independent Offset  
Swinging Drawbar

### END OF ROW:

Allows programming of the following functions:

- Transmission Upshift and Downshift
- Fast Raise/Lower of the 3-point Hitch
- Engine rpm Increase and Decrease via throttle
- Engine rpm Increase and Decrease via constant RPM
- Electro-Hydraulic Rear Remotes

Adjust sequence trigger points to be based on time, distance or physical action.  
Manually create or edit sequences while stationary

### INSTRUMENTATION:

Analog/Digital Instrument Cluster and Pro 700 10.4" color touchscreen display mounted in MultiControl armrest

### ELECTRICAL:

(1) 12-volt 1300 cca Battery  
200 amp Alternator  
Geared Starter Motor (4.2 kW)  
7-pin Outlet for Trailer/Implement Lighting  
3-pin, 40 amp Implement Socket  
ISO/JD (30 amp) Socket  
ISOBUS Class II 11783 Socket  
15 amp Screw-type Positive/Negative Terminals  
Single Pin (8 amp) Accessory Outlet  
Cigar Lighter  
(2) Roof Mounted Single Pin Outlets for Beacon  
Battery Boost Terminals  
Battery isolator switch

### LIGHTS:

(2) Front headlights  
(8) LED Worklights  
4 worklights on front cab roof  
4 worklights on rear cab roof  
(2) Taillights  
Self cancelling audible warning turn signals  
Front and Rear Flashing Safety Lights

### OPERATING STRUCTURE:

High Profile Roof - no visibility panel  
Flat Deck Platform  
Cab Suspension  
Auto Climate Control



**OPTUM™ 270-300 CVT  
US PRICE LIST**

## Standard Equipment

### Mirrors

#### OPERATING STRUCTURE: (continued)

Electronically Adjustable MultiControl  
Armrest with Pro 700 color  
touchscreen display & Intuitive  
Command Console (ICC)  
Two-speed Intermittent Front  
Wiper/Washer  
Rear Intermittent Wiper with washer  
Hinged Rear Window  
Tinted Glass  
Tilt and Telescoping Steering Wheel  
Comfort Seat with Low Frequency  
Suspension  
Passenger Seat  
Operator Presence Switch, and Lap Belt  
Standard Radio  
Integral ROPS  
Interior Dome Light  
External Courtesy Light  
Horn  
(2) External Electronic Telescopic

#### PRECISION FARMING:

AFS AccuGuide™ Ready  
Factory Auto Guidance Ready  
Includes steering sensor, electronic  
steering valve, steering manifold, hoses,  
wiring harness, receiver mounting  
bracket, cabling, & hardware.

#### MISCELLANEOUS:

Front Weight Carrier with Tow Hook  
Pivoting Engine Hood  
SMV Emblem and Toolbox

#### WARRANTY:

Case IH Standard Warranty Applies

**OPTUM™ 270-300 CVT  
US PRICE LIST**

## Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
OPTUM 270 CVT	24,000 LB		\$272,382.00
OPTUM 300 CVT	27,006 LB		\$286,047.00

## Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

### OPERATOR STRUCTURE

SD\_T9202 OPERATOR STRUCTURE #2

	X0124XX	Deluxe Cab w/Heat & A/C			No Charge
--	---------	-------------------------	--	--	-----------

SD\_T9252 CAB SUSPENSION

	391184	Mechanical Cab Suspension			No Charge
--	--------	---------------------------	--	--	-----------

### CAB

SD\_T9240 WINDSCREEN

	391225	Std Glaz. RR Tinted Glass			No Charge
	758679	Htd Screen W/RR Tint			\$457.00

SD\_T9300 CAB-PACKS

	758787	CIH Dlx Fabric Comfort Pack <b>Includes:</b> Cloth covered cushions and armrest with Low Frequency suspension Cloth passenger seat Leather steering wheel Heated Electrical Telescopic Mirrors			No Charge
	758788	CIH Dlx Leather Comfort Pack Leather and cloth covered cushions and armrest with Low frequency suspension Leather passenger seat Leather steering wheel carpet Heated Electrical Telescopic Mirrors Rear sunshade			\$2,303.00

**OPTUM™ 270-300 CVT  
US PRICE LIST**

		758789	CIH Active Leather Comfort Pk <b>Leather covered cushions and armrest with Semi-active suspension</b> <b>Active climate control seat that extracts humidity &amp; moisture</b> <b>Leather passenger seat</b> <b>Leather steering wheel</b> <b>carpet</b> <b>Heated Electrical Telescopic Mirrors</b> <b>Rear sunshade</b>			\$3,217.00
--	--	--------	--	--	--	------------

## SD\_T9410 ROOF

		391226	Standard Roof Panel <b>Less High Visibility Window</b>			No Charge
		758680	High Visibility Window <b>High Visibility Window</b>			\$541.00

## RADIO

## SD\_T9160 RADIO READY

		758659	Standard Radio			No Charge
		758660	Bluetooth Radio			\$367.00

## MIRRORS

## SD\_T9364 EXTERNAL MIRROR F/

		X93641X	No Mirror for Trailer Hitch			No Charge
		758114	Rear Mounted Mirror <b>Rear mounted mirror to improve hitch visibility</b>			\$102.00

## WORK LIGHTING

## SD\_T9130 WORK LAMPS

		391346	8 LED Cab Worklights <b>4 front roof-mounted LED</b> <b>4 rear roof-mounted LED</b> <b>3 hood-mounted halogen</b> <b>2 halogen road hood-lights at base of grill</b>			No Charge
		759046	12 LED High Intensity <b>4 front roof-mounted hi-power LED</b> <b>4 rear roof-mounted hi-power LED</b> <b>2 beltline hi-power LED</b> <b>2 rear post-mounted hi-power LED</b> <b>3 hood-mounted halogen</b> <b>2 halogen road hood-lights at base of grill</b>			\$1,414.00

**OPTUM™ 270-300 CVT  
US PRICE LIST**

		759047	14 LED High Intensity <b>4 front roof-mounted hi-power LED</b> <b>6 rear roof-mounted hi-power LED</b> <b>2 beltline hi-power LED</b> <b>2 rear post-mounted hi-power LED</b> <b>3 hood-mounted LED</b> <b>2 halogen road hood-lights at base of grill</b>			\$2,121.00
--	--	--------	--	--	--	------------

**BEACON LIGHTING**

**SD\_T9146 ROTARY BEACON**

		XT9146X	Less LH Rotary Beacon			No Charge
		758167	LH Drive Beacon Only			\$378.00
		758169	LH and RH Rotary Beacons			\$756.00

**TRANSPORT LIGHTS**

**SD\_T9140 ROAD LIGHTS**

		391352	No High Level Road L			No Charge
		758998	High Mount Roadlight			\$181.00

**DISPLAY MOUNTING**

**SD\_T9223 RH WINDOW BAR MOUNT**

		391182	No Window Bar/Display			No Charge
		758153	Monitor Mounting Bracket. <b>Bracket only</b>			\$137.00
		758154	RH Window Bar Display Ready. <b>Window bar pre-wired display ready</b> <b>Display not included</b>			\$222.00
		758156	RH Window Bar w/Large Display. <b>Window bar with Pro 700 display mounted.</b>			\$5,305.00

**SD\_T9228 RH ARMREST MOUNT**

		758150	AFS 700 Touchscreen			No Charge
--	--	--------	---------------------	--	--	-----------

**PRECISION FARMING**

**AUTOGUIDANCE**

**SD\_T7630 AUTOGUIDANCE**

		758802	Auto-Guidance Ready <b>Includes steering sensor, electronic steering valve, steering manifold, hoses, wiring harness, receiver mounting bracket, cabling, &amp; hardware.</b>			No Charge
--	--	--------	--	--	--	-----------

**OPTUM™ 270-300 CVT  
US PRICE LIST**

		758803	Full AG Nav GPS L1 <b>Complete Autoguidance (WAAS) Nav II controller + 372 WAAS reciever</b>			\$8,653.00
		758804	Full AG Nav GPS L2 <b>Complete Autoguidance (OmniSTAR/RTX) Nav II controller + 372 OmniSTAR/CenterPoint RTX reciever</b>			\$11,153.00
		758871	AG Lvl 3 RTK Modem <b>Complete Autoguidance (RTK) Nav II controller + 372 RTK reciever + 900 MHz RTK radio</b>			\$13,653.00

## SD\_T7642 ISO BUS

		758161	ISO BUS Class II			No Charge
		758965	ISOBUS Class III			\$354.00

## SD\_T8650 ENHANCED HEADLAND T

		391349	Basic HMC			No Charge
		758813	ADV HMC-Rec EHR			No Charge

**ENGINE**

## SD\_T1000 ENGINE

		391130	6.7L engine w/ Visctronic fan			No Charge
		758000	6.7L engine w/ Reversible fan			\$3,325.00

## SD\_T1013 ALTERNATOR

		758003	200-Amp Alternator.			No Charge
--	--	--------	---------------------	--	--	-----------

## STARTING AID

## SD\_T1932 ENG.BLOCK/TRANSM.HE

		XT1932X	Std engine block/transmission			No Charge
		758007	120V engine block/transmission			\$424.00

## COMPRESSION BRAKE

## SD\_T1514 EXHAUST BRAKE

		XT1514X	Less Engine Exhaust Brake			No Charge
		758005	Engine Exhaust Brake			\$1,745.00

## FUEL TANK

## SD\_T1400 FUEL TANK

		391131	Main and Aux Less Guards			No Charge
		758001	Main and Aux with Guards <b>Fuel tank guards</b>			\$301.00

**OPTUM™ 270-300 CVT  
US PRICE LIST**

**TRANSMISSION**

SD\_T2810 TRANSMISSION

		391138	40kph ECO CVT <b>25 mph CVT transmission</b>			No Charge
		758022	50 kph ECO CVT <b>31 mph CVT transmission</b> <b>Requires front axle suspension with brakes</b>			\$1,799.00

RADAR

SD\_T7580 RADAR

		758176	Electronic Radar			No Charge
--	--	--------	------------------	--	--	-----------

**TRAILER BRAKES**

TRAILER BRAKES

SD\_T7130 TRLR BRK VLV

		758037	Hydraulic Trailer Brake			No Charge
		758039	Hydraulic+Pneumatic Trl Brake			\$7,619.00

**HITCH**

HITCH AND DRAWBAR

SD\_T8200 HITCH

Telescoping Link Ends

		758763	2X120MM 8700KG C3 TE <b>2 x 120mm cylinders</b> <b>Lift Capacity 19,180lbs (8,700kg) whole range</b> <b>Cat 3 telescoping ends</b>			No Charge
		758767	2X120MM 8700KG C4N T <b>2 x 120mm cylinders</b> <b>Lift Capacity 19,180lbs. (8,700kg) whole range</b> <b>Cat 4N telescoping ends</b>			\$278.00

Quick Attach - Open Claw End

		758760	2X120MM 8700KG C3 QK <b>2 x 120mm cylinders</b> <b>Lift Capacity 19,180lbs. (8,700 KG) whole range</b> <b>Cat 3 quick attach ends</b>			No Charge
		758764	2X120MM 8700KG C4N Q <b>2 x 120 mm cylinders</b> <b>Lift Capacity 19,180lbs. (8,700kg) whole range</b> <b>Cat 4N quick attach ends</b>			\$278.00

**OPTUM™ 270-300 CVT  
US PRICE LIST**

## SD\_T8900 REAR HITCHES/DRAWBAR

		758100	Independent Swinging Drawbar <b>with clevis</b>			No Charge
		758101	Independent Swing HD Drawbar <b>with clevis</b>			\$1,125.00

## SD\_T8962 STABILIZER

		758086	Sway Block Stabilizers			No Charge
--	--	--------	------------------------	--	--	-----------

**HYDRAULICS**

## HYDRAULIC PUMP

## SD\_T8230 HYD PUMP

		391227	165 L/Min Charge Pump <b>165 L/MIN (43.5 gpm) hydraulic pump</b>			No Charge
		758797	220 L/Min Charge Pump <b>High capacity 220 L/MIN (58 gpm) hydraulic pump</b>			\$1,979.00

## JOYSTICK

## SD\_T7780 JOYSTICK

		391169	No Joystick			No Charge
		758070	Joystick with Rocker Switch <b>Electronic Joystick with Rocker Switch</b>			\$1,489.00
		758068	Joystick with 3 Buttons <b>Electronic Joystick with 3 buttons</b>			\$1,212.00

## REAR REMOTE VALVES

## SD\_T8270 REAR REMOTES

		758060	Four Electronic Rear Remotes <b>Racine Built Rear Remote Valves</b>			No Charge
		758061	Five Electronic Rear Remotes <b>Racine Built Rear Remote Valves</b>			\$1,115.00

## MID-MOUNT VALVES

## SD\_T8280 MID-MOUNT VALVES

		391168	Less Mid-Mount EHR Valves			No Charge
		758064	1 Mid-Mount EHR <b>1 mid-mount valve EHR Requires joystick</b>			\$1,136.00
		758066	3 Mid-Mount EHR <b>3 mid-mount valve EHR Requires joystick</b>			\$3,475.00

**OPTUM™ 270-300 CVT  
US PRICE LIST**

**POWER BEYOND**

SD\_T8275 POWER BEYOND COUPLE

		X0243XX	Less Rear Power Beyond and			No Charge
		758864	ISO Power Beyond			\$977.00

**PTO**

SD\_T8010 PTO

		758794	540/540E/1000/1000E 758794			No Charge
--	--	--------	----------------------------	--	--	-----------

SD\_T8711 FENDER MOUNT PTO CO

		758033	Fender Mounted EDC/PTO/ERRV#3			No Charge
--	--	--------	-------------------------------	--	--	-----------

**FRONT AXLE**

SD\_T3330 FRONT AXLE/DRIVE ENGAGE

		758795	CL 4.75 Suspended Axle <b>Racine built axle</b> <b>Same as Mid-Range Magnum</b> <b>Front dual spacers not included</b> <b>to achieve 30" row spacing order 16" spacers</b> <b>(719685016) from the Mid-Range Mangnum price list</b>			No Charge
		758796	CL 4.75 Susp. Axle w/Brakes <b>Racine built axle</b> <b>Same as Mid-Range Magnum</b> <b>Front dual spacers not included</b> <b>to achieve 30" row spacing order 16" spacers</b> <b>(719685016) from the Mid-Range Mangnum price list</b>			\$2,267.00

**FRONT WHEELS AND TIRES**

SD\_T4940 FRONT WHEELS AND TIRES

		8200000	Less Front Wheels/Tires MFD <b>Alliance</b>			(\$6,419.00)
Single - Adjustable Wheels						
		8801804	420/85 (16.9) R34 - MI-AL <b>Michelin, Continental, or Trelleborg</b>			No Charge
		8882501	600/70 R30 152 R1W <b>Michelin, Firestone, Continental, or Trelleborg</b>			\$1,409.00
		8830801	600/70R30 159D R1W MI <b>Michelin, Firestone, Continental, or Trelleborg</b>			\$3,631.00



**OPTUM™ 270-300 CVT  
US PRICE LIST**

		8840302	IF620/75R30 <b>Michelin</b>			\$1,712.00
		8840303	650/60R 34 <b>Trelleborg</b> <b>Requires 758646 - 680mm dynamic front fenders</b>			\$6,105.00
		8840304	IF650/60R34 <b>Michelin or Trelleborg</b> <b>Requires 758646 - 680mm dynamic front fenders</b>			\$9,661.00
Dual - Adjustable Wheels						
		8872405	380/80R 38 DUAL <b>Michelin, Continental, or Trelleborg</b>			\$5,934.00
		8264505	480/70R 34 DUAL <b>Michelin or Trelleborg</b>			\$6,191.00
		8840305	420/85R 34 DUAL <b>Michelin, Continental, or Trelleborg</b>			\$5,737.00
		8840306	IF420/85R38 DUAL <b>Michelin</b>			\$11,701.00

**REAR AXLE**

SD\_T4810 REAR AXLE

		391158	Flange Type Rear Axle <b>For Rear Singles only</b>			(\$1,646.00)
		758052	Bar Axle 98 in. <b>For Rear Singles only</b>			(\$301.00)
		758053	Bar Axle 112 in. <b>Dual wheel configurations require either 112" or 119" bar axle</b> <b>Not compatible with 520/85R46 and 620/70R46 rear dual tire configurations</b>			(\$120.00)
		758054	Bar Axle 119 in. <b>Dual wheel configurations require either 112" or 119" bar axle</b> <b>520/85R46 and 620/70R46 rear dual tire configurations require 119" bar axle</b>			No Charge

**REAR WHEELS AND TIRES**

SD\_T4950 REAR WHEELS AND TIRES

		8300000	Less Rear Rims & Tires			(\$17,963.00)
Single Fixed Rear Wheels						
		8977501	650/85R 38 R1W <b>Michelin, Firestone, Continental, or Trelleborg</b>			(\$8,333.00)
		8986801	IF650/85R38 R1W W/2 <b>Michelin or Firestone</b>			(\$6,090.00)
		8994501	710/70R42 R1W <b>Michelin, Firestone, Continental, or Trelleborg</b>			(\$6,777.00)

**OPTUM™ 270-300 CVT  
US PRICE LIST**

		8950102	IF710/70R 42 R1W <b>Michelin</b>			(\$5,262.00)
		8950801	710/75R 42 R1W <b>Trelleborg</b>			(\$3,419.00)
		8950901	IF710/75R 42 R1W <b>Michelin or Trelleborg</b>			(\$1,197.00)
		8950301	800/70R 38 R1W <b>Michelin, Continental, or Trelleborg</b>			(\$6,595.00)
		8950701	IF800/70R 38 R1W <b>Michelin or Firestone</b>			(\$5,308.00)
		8951801	900/60R 42 R1W <b>Trelleborg</b>			\$4,070.00
		8951901	IF900/60R 42 R1W <b>Michelin or Trelleborg</b>			\$7,439.00
Dual Rear Wheels						
		8416401	480/80R 50 R1W DUAL <b>Michelin, Continental, or Trelleborg</b>			No Charge
		8452501	480/95R 50 R1W DUAL <b>Michelin</b>			\$5,510.00
		8401504	520/85 (20.8) R46Dual-MI/TR/CO <b>Michelin, Continental, or Trelleborg</b>			(\$1,495.00)
		8452401	620/70R 46 R1W DUAL <b>Michelin</b>			\$1,424.00

SD\_T4990 TIRE PRESSURE MONITO

		XT4990X	No Tire Pressure Monitor			No Charge
		758647	Tire Pressure Monitor <b>Tire pressure monitoring system</b>			\$960.00

**FENDERS**

FRONT FENDERS

SD\_T8740 FRONT FENDERS

		XT8740X	Standard Less Front Fenders			No Charge
		758178	Dynamic Fenders 18.9 in. wide <b>Front fenders 480 mm wide (18.9 inch)</b>			\$840.00
		758180	Dynamic Fender 24.4 in. wide <b>Front fenders 620 mm wide (24.4 inches)</b>			\$1,208.00
		758646	Dynamic Fenders 26.8 in. wide <b>Front fenders 680 mm wide (26.8 inches)</b>			\$1,326.00

**OPTUM™ 270-300 CVT  
US PRICE LIST**

**REAR FENDERS**

**SD\_T8700 FENDERS**

Fenders						
		391364	Rear Fenders 391364 <b>Standard for Singles only; for 98" bar axle (758052) and flange type rear axle (391158)</b>			No Charge
Fenders with Extremity Lights						
		758688	Rear Fenders w/Ext. Lights <b>Standard fenders plus extremity lights for 119" (758054) and 112" (758053) bar axles</b>			No Charge
Fenders with Extensions						
		758686	Rear Fenders w/Small Extension <b>Fenders plus 70 mm (2.75 inch) extensions Only available on 98" bar axle (758052) and Flange type rear axle (391158)</b>			\$637.00
		758687	Rear Fenders w/Large Extension <b>Fenders plus 180 mm (7 inch) extensions Only available on 98" bar axle (758052) and Flange type rear axle (391158)</b>			\$908.00

**OTHER EQUIPMENT**

**SD\_T3700 ABS**

		391149	NO ABS			No Charge
		758650	ABS Trailer Socket			\$261.00
		758035	ABS Basic Antilock braking <b>Anti-Lock Braking System (ABS) and ABS trailer socket</b>			\$6,832.00
		758036	ABS Advanced Antilock braking <b>Anti-Lock Braking System (ABS) ABS trailer socket Advanced features include: - STEER BY BRAKE: the foot brake pedal operated steering brake allows for narrow headland turns. - AUTOMATIC STEER BY BRAKE: same function as above, but operated by steering wheel (steering angle sensor).</b>			\$7,422.00

**SD\_T4933 TIRE BRAND**

		729070	No tire brand preference			No Charge
		729078	Continental			\$506.00
		729075	Firestone			\$506.00
		729072	Trelleborg			\$506.00
		729073	Michelin			\$506.00

**OPTUM™ 270-300 CVT  
US PRICE LIST**

## SD\_T7629 EXTERNAL AIR LINE

		XT7629X	No External Air Line			No Charge
		758808	External Air Line			\$255.00

## SD\_T8080 ADD REAR PTO SHAFT

		XT8080X	No Additional Rear PTO Shaft			No Charge
		759045	20 Spline 1-3/4in. Shaft			\$221.00

## SD\_T8180 ADD FRONT PTO SHAFT

		XT8180X	No Additional Front PTO Shaft			No Charge
		759102	Frt PTO 21Spline 1 3/8 in Shft			\$221.00

## SD\_T9351 RR VIEW CAMERA MTG+V

		XT9351X	L/RR View Camera			No Charge
--	--	---------	------------------	--	--	-----------

## SD\_T9850 SPECIAL COLORS/PANELS

		391216	Red Sheet Metal, <b>Case IH Red</b>			No Charge
		758208	Special Color-Customer Choice1 <b>Roof, Hood, Fenders painted per requested RAL code located at <a href="http://www.ralcolor.com">www.ralcolor.com</a>. Please contact Sales Support Team in Racine for further details.</b>			\$3,323.00
		758207	Special Color-Customer Choice2 <b>Chassis, Roof, Hood, Fenders painted per requested RAL code located at <a href="http://www.ralcolor.com">www.ralcolor.com</a>. Please contact Sales Support Team in Racine for further details</b>			\$6,645.00

**FRONT BALLAST**

## SD\_T8150 FRONT END

Front Ballast						
		758774	Front Weight Carrier w/TowHook <b>Front weight carrier with tow hook</b>			No Charge
		758775	Frt Wgt Car w/1Ton and Hook <b>Front weight carrier with 1 ton ballast and tow hook</b>			\$1,602.00
		758776	Frt Wgt Car w/2Ton and Hook <b>Front weight carrier with 2 ton ballast and tow hook</b>			\$3,204.00
		759123	Carrier Pack C & Tow Hook <b>Integral front weight carrier 370 lbs. (168 kg) 3 piece weight set – 2200 lbs. (1000 kg) total 1 - 1100 lbs. (500 kg) weight with tow hook 2 – 550 lbs. (250 kg) weights Total weight 2570 lbs. (1168 kg)</b>			\$3,620.00
Front 3 Pt Hitch & PTO						
		758768	Front Hitch <b>Front 3 point hitch</b>			\$7,241.00

**OPTUM™ 270-300 CVT  
US PRICE LIST**

		759304	FR HPL w/ 2 Front Couplers <b>Front 3 point hitch with 2 sets of front couplers, free return port, electrical sockets and front hitch management</b> <b>Requires joystick and 3 MMV</b>			\$7,422.00
		759305	FRT 3PT Hitch w/PTO 2SPD CW <b>Clockwise Rotation of the Front PTO Shaft when Viewing the shaft rotation from the front of the tractor.</b> <b>Front 3 point hitch with 2 speed clockwise front PTO, electrical sockets and front hitch management.</b> <b>Shifttable 2 speed front PTO: 1000/1000E</b> <b>Requires 1 MMV</b>			\$15,164.00
		759306	FRT 3PT & PTO 2SPD CW & 2 CPLR <b>Clockwise Rotation of the Front PTO Shaft when Viewing the shaft rotation from the front of the tractor.</b> <b>Front 3 point hitch with 2 speed clockwise front PTO, 2 sets of front couplers, free return port, electrical sockets, and front hitch management.</b> <b>Shifttable 2 speed front PTO: 1000/1000E</b> <b>Requires joystick and 3 MMV</b>			\$15,345.00
		759307	FR HPL w/ PTO 2SPD CCW <b>Counter-Clockwise Rotation of the Front PTO Shaft when Viewing the shaft rotation from the front of the tractor.</b> <b>Front 3 point hitch with 2 speed counter-clockwise front PTO, electrical sockets and front hitch management.</b> <b>Shifttable 2 speed front PTO: 1000/1000E</b> <b>Requires 1 MMV</b>			\$15,164.00
		759308	FR HPL & PTO 2SPD CCW & 2CPLR <b>Counter-Clockwise Rotation of the Front PTO Shaft when Viewing the shaft rotation from the front of the tractor.</b> <b>Front 3 point hitch with 2 speed counter-clockwise front PTO, 2 sets of front couplers, free return port, electrical sockets and front hitch management.</b> <b>Shifttable 2 speed front PTO: 1000/1000E</b> <b>Requires joystick and 3 MMV</b>			\$15,345.00

## SD\_T8151 FRONT BALLAST FOR FR

		XT8151X	Less Front Ballast For Fr			No Charge
			Front 3 Pt. Hitch Ballast			
		758777	Mod 1,000 KG Ballast <b>Modular 1,000 kg (2,205 lbs) ballast for front 3 point hitch</b>			\$1,742.00
		758778	Mod 2,000 KG Ballast <b>Modular 2,000 kg (4,409 lbs.) ballast for front 3 point hitch</b>			\$3,486.00

**OPTUM™ 270-300 CVT  
US PRICE LIST**

**REAR BALLAST**

**SD\_T4961 REAR BALLAST**

		X0050XX	No Ballast for rear wheels			No Charge
		758189	180kg (2 x 90kg) Rear Wheel Wt <b>2 x 198 lb. (90 kg.) adaption rings</b> <b>Mounted on outside of rear wheels</b> <b>Total added weight is 396 lbs. (180 kg)</b>			\$475.00
		758190	360kg (4 x 90kg) Rear Wheel Wt <b>4 x 198 lbs. (90 kg) rear ballast adaption rings</b> <b>2 each mounted on the outside of rear wheels</b> <b>Total added weight is 792 lbs. (360 kg.)</b>			\$945.00
		758191	2 Rings Total - 1,100 lb/500kg <b>2 x 550 lb. (250 kg) rear wheel ballast rings</b> <b>Total weight of 1100 lbs. (500 kg.)</b> <b>Mounted on outside of rear wheels</b>			\$1,303.00
		758192	680kg (2 x 90kg + 2 X 250kg) <b>2 x 198 lb. (90 kg) rear weights + 2 x 550 lb. (250 kg.) rear weights</b> <b>Mounted to outside of rear wheels</b> <b>Total added weight of 1496 lbs (680 kg.)</b>			\$1,775.00
		758193	4 Rings Total 2,200 lb/1,000kg <b>4 x 550 lb. (250 kg.) rear wheel weights</b> <b>Mounted on outside of wheels</b> <b>Total weight of 2200 lbs. (1000 kg.)</b>			\$2,601.00
		758194	1180KG (4 x 250KG)+ <b>4 x 550 lbs. (250 kg.) rear wheel weights + 2 x 198 lbs. (90 kg.) rear wheel weights.</b> <b>Mounted on outside of rear wheels.</b> <b>Total weight is 2596 lbs. (1180 kg.)</b>			\$3,058.00

**OPERATOR'S MANUAL**

**SD\_T9807 OPERATOR MANUAL**

		X0234XX	Less Add'l Operator Manual			No Charge
		758126	Operator Manual_French			No Charge
		758127	Operator Manual_Spanish			No Charge



Rear Tires

SINGLE TIRES FOR FLANGE AND BAR AXLE - FIXED WHEELS

8977501	650/85R 38 R1W		C1, F2, M2, T2					
8986801	IF650/85R38 R1W W/2 IF 650/85R38 W/23X38 MI EUR			F3, M4				
8994501	710/70R42 R1W		C1, F2, M2, T2					
8950102	IF710/70R 42 R1W			F2, M4, T3				
8950301	800/70R 38 R1W		C1, M2, T2					
8950701	IF800/70R 38 R1W			F3, M4				
8950801	710/75R 42 R1W					T2		
8950901	IF710/75R 42 R1W				M4		M4, T3	
8951801	900/60R 42 R1W					T2		
8951901	IF900/60R 42 R1W				M4		M4, T3	
8300000	Less Rear Rims & Tires							A1

DUAL TIRES BAR AXLE - ALL STEEL WHEELS

8416401	480/80R 50 R1W Dual	C2, M1, T1						
8401504	520/85 (20.8) R46 R1W	C2, M1, T1						
8452401	620/70R 46 R1W Dual	M3						
8452501	480/95R 50 R1W Dual							

Tire Chart for Optum											
Front Tires											
SINGLE TIRES - ADJUSTABLE WHEELS								DUAL TIRES - ADJUSTABLE WHEELS			
8801804	8882501	8830801	8840302	8840303	8840304	8200000		8872405	8840305	8264505	8840306
420/85 (16.9) R34	600/70 R30 152 R1W	600/70R30 159D R1W MI	620/75R IF 30	650/60R 34	650/60R IF 34	Less front whells/tires MFD		380/80R 38 Dual	420/85R 34 Dual	480/70R 34 Dual	420/85R IF 38 Dual


C2, M1, T1	C2, M1, T1	M1, T1	
	C2, M1, T1	M1, T1	
		M3	
			M1

No brand choice		Michelin		Firestone		Trelleborg		Continental			Alliance	
729070		729073		729075		729072		729078			(no brand choice)	
Any tractor order must include a tire brand choice variante or the "No brand choice" 729070		Model	Code	Model	Code	Model	Code	Model	Code		Model	Code
		AGRIBIB	M1	RDT 22	F1	TM 600	T1	SVT	C1		550	A1
		MACHXBIB	M2	Maxitraction	F2	TM 900	T2	AC86	C2			
		XM28	M3	Maxitraction IF	F3	TM 1000	T3					
		AXIOBIB	M4									

## U.S. Shipping Wheel Program for Optum Series Tractors

Case IH dealers are able to order an Optum Series tractor with returnable shipping wheels. The intention of this program is to help dealers sell Case IH tractors to their retail customers with the desired tires and wheels when Case IH cannot offer a unique option from the factory.

### Program Details:

1. While placing an order for the tractor the dealer chooses front and rear shipping wheel order codes where applicable.
2. Case IH will deliver the tractor to the dealer with the shipping wheels.
3. The dealer is invoiced per set for the following amounts:

<b>Rears - order code 8300000</b>	<b>\$(4,232)</b>
<b>Fronts - order code 8200000</b>	<b>\$(17,785)</b>

4. Upon receipt of the tractor the dealer will dismount the shipping wheels, place them on a wooden skid and band them to the skid for return to a consolidation point. Wheels must be returned to the collection center clean, free of debris and shrink-wrapped.
5. Case IH has consolidation points set up in North America where the shipping wheels must be returned. The address of the U.S. consolidation point is:

<b>CNH America</b>
2700 Broening Hwy
Dundalk Marine Terminal- Lot 100/Building 100
Baltimore, MD 21222

6. Contact your Case IH Sales Support Specialist advising him/her of the location where you will be returning your shipping tires.
7. Your Case IH Sales Support Specialist will issue an RGA number.
8. Securely attach the RGA to your shipment so that it is identifiable to the receiving party.
9. Contact the freight line of your choice to make arrangements to return the shipping wheels to the consolidation point. Freight to return the shipping wheels from the Case IH dealer to the consolidation point must be pre-paid by the dealer. **The freight cost will NOT be reimbursed.**
10. Upon receipt of the shipping wheels at the consolidation point your Case IH dealer account will be credited the following amounts:

<b>Rears - code 8300000 credit</b>	<b>\$882</b>
<b>Fronts - code 8200000 credit</b>	<b>\$560</b>

If you have any questions regarding this program please contact your Sales Support Specialist.





---

## **PURCHASED PROTECTION**

---

Pricing and program details can be found on the Dealer Portal or by contacting the CPP hotline @ 1-866-606-1802. Not all models are eligible for CPP.

