



AGRICULTURAL EQUIPMENT

**U.S. Price List
Effective October 3, 2016**

FARMALL® A SERIES TRACTORS

**PL-100 FA REVISION 9
SAP PRICE LIST 044 C2**

THIS IS A COMPLETE REVISION



GENERAL INFORMATION

ADVANCE FREIGHT

Advance freight will be added to the machinery invoice as a separate net charge for machinery shipped from field locations or from other than specified Ex Works locations.

PRICES

Prices are Ex Works factory, where the goods are manufactured, except where noted. For detailed information concerning prices, please refer to your OPERATING GUIDE.

CONTENTS OF ORGANIZATION

CNH Industrial N.V. issues price lists and revisions covering each Case IH contract. The U.S. Price List is published in U.S. funds and the Canadian Price List is published in Canadian funds. Ensure that you are using the correct price list. U.S. or Canada is referenced at the top of each page and the Canadian price lists have a Maple Leaf on the price list cover page.

Freight, duty and sales taxes are NOT included in any wholegoods or attachment prices shown in the price list. Any appropriate freight, duty, Federal, State, and Provincial taxes will be added to the machinery invoice as separate net charges.

PROCEDURE

The price pages for each machine (or group of machines) lists both "Factory Supplied Options" and "Factory Supplied Accessories."

Each price list is comprised of the various machines sold under that contract. Each price book section has "Factory Supplied Options" and "Factory Supplied Accessories" price pages. When ordering and pricing a machine, follow the ordering instructions listed for that machine. Accessories listed following the "Factory Supplied Accessories" heading are available for installation in the field.

DISTRIBUTION OF PRICE LISTS

Price lists and periodic price list revisions will be posted on the Dealer Portal and distributed electronically when possible.

Printed copies of current price lists, index tabs and binders can be purchased from the Document Management Center (DMC). Orders should be placed only through the DMC web site link located on the Dealer Portal. For DMC customer service inquiries, other than placing orders, call (262) 636-7540.

Internal E-mail: #NA DMC ORDER CENTER
Complete U.S. Price List is PL-100
Complete Canadian Price List is PLC-100

Periodic price list revisions are usually accompanied by a cover sheet which carries instructions on price page changes and where to insert replacement or new price pages. The revisions are dated and are effective as of that date.

FARMALL A SERIES TRACTORS TABLE OF CONTENTS

FARMALL[®] A SERIES TRACTORS

FARMALL 50A TRACTOR

Standard Features	1
Price List	3

FARMALL 60A TRACTOR

Standard Features	5
Price List	7

FARMALL 70A TRACTOR

Standard Features	9
Price List	11

CASE IH PURCHASED PROTECTION PLAN.....	13
--	----

**FARMALL 50A
US PRICE LIST****Standard Equipment****DIESEL ENGINE:**

Farmall 50A
53 Engine HP @ 2700
46 PTO HP @ 2700
3 Cylinder Turbo Charged
(Tier 4 B/Final) Engine
136 cu in (2.2 L) Displacement
13 Gallon Fuel Tank
High pressure common rail fuel system
Electric Engine Shutoff
Hand and Foot Throttle Controls
Thermostart Starting Aid
Air Cleaner with safety element
Under Hood Muffler
Downdraft Exhaust
Fuel Sediment Filter
Pivoting Engine Hood (full raise)
SMV Emblem

TRANSMISSION:

11 inch Traction Clutch
8 x 8 Transmission with Left Hand
Shuttle (Gears Synchronized,
Ranges are non-Synchronized)

FRONT AXLE:

Two-wheel Drive (2WD):
Adjustable Front Axle
Adjustable Rear Rims

Four-wheel Drive (4WD):
Mechanical FWD Engagement
Front Drive Shaft Shield
Adjustable Front & Rear Rims

TIRES:

Tires - 2wd - R1
Front: 7.5 X 16 6PR (F2)
Rear: 13.6 X 28 6PR (R1)
Tires - 4wd -R1
Front: 8.3 X 24 6PR (R1)
Rear: 13.6 X 28 6PR (R1)
Tires - 4wd -R4
Front: 12.5 X 18 6PR (R4)
Rear: 18.4 X 24 6PR (R4)

HYDRAULIC SYSTEM:

Hydrostatic Power Steering
Open Center System
1 Lever Controlled Rear Remote Valve
(Self Centering)
Dual Gear Pumps
Total Hydraulic Flow:
17.4 gpm (66 L/M)
Implement Pump:
11.9 gpm (45 L/M)
Steering Pump:
5.5 gpm (21 L/M)

DIFFERENTIAL LOCKS/ BRAKES:

Rear Axle provides In-board Planetary
Rear Lock - Mechanical Engage
Mechanical Wet Brakes
Park Brake - hand engagement

PTO:

11 inch PTO Clutch
Independent, 540 rpm PTO
Single Lever, Mechanical Engagement
Flip-up PTO Shaft Guard

3-POINT LIFT SYSTEM:

Single Lever Position Control
Lift Capacity @ 24" behind ball ends:
2710 lbs. (1225 kg)
Category II (convertible to
Category I with bushings)
Telescoping Stabilizers
Flexible Link Ends
Flat Swinging Drawbar
Draft Control

INSTRUMENTATION:

Digital/Analog Instrument Panel with
warning lights plus engine
temperature, fuel level gauges,
tachometer and digital hour meter

**FARMALL 50A
US PRICE LIST**

Standard Equipment

ELECTRICAL:

(1) 12-volt, 720 CCA Battery
Alternator = 75 amp
7-pin Outlet for trailer/
implement lighting

LIGHTING:

(2) Halogen front headlights
(2) Halogen corner work lights
Tail lights / brake lights
Turn signals, Flashing warning lights

WARRANTY:

Case IH Standard Warranty Applies

OPERATOR'S STATION:

Straddle Deck Configuration
2-post Foldable ROPS
Vinyl Seat with Operator's
Presence Sensor
Retractable Seat Belt
Cup Holder
Toolbox

**FARMALL 50A
US PRICE LIST**
Models

COMMERCIAL MODEL	ENGINE POWER	TRACTION	Weight		List Price
FARMALL 50A TRACTOR	50 HP	2WD	3,200 LB		\$24,580.00
FARMALL 50A TRACTOR	50 HP	MFD	3,200 LB		\$29,826.00

Factory Supplied Options

Order Code	Description	Weight		List Price
ENGINE				
EXHAUST SYSTEMS				
SD_T1940 EXHAUST				
	337889 Silencer Downswept Required for Complete Loader Ready			No Charge
	337891 Vertical Exhaust			\$20.00
HYDRAULICS				
SD_T8270 REAR REMOTES				
	337984 1 Remote - Float + Detent			No Charge
	337985 2 Remote 1 + Kickout			\$524.00
PTO				
SD_T8010 PTO				
	337896 540 RPM -Single PTO			No Charge
	337898 540 and 540E RPM PTO			\$524.00
FRONT WHEELS AND TIRES				
SD_T4940 FRONT WHEELS AND TIRES				
	8270600 Front Wheel - 7.5 x 16 - 2WD			No Charge
	8270605 Front Wheel - 8.3 X 24 - 4WD			No Charge

**FARMALL 50A
US PRICE LIST**

		8840701	Front - R4 - Tire 12.5x18			\$378.00
--	--	---------	---------------------------	--	--	----------

REAR WHEELS AND TIRES

SD_T4950 REAR WHEELS AND TIRES

		8980270	Rear Wheel - 13.6x28			No Charge
		8940301	Rear - R4 - 18.4 x 24 MFD Only			\$535.00

LOADER

LOADER EQUIPMENT

SD_T8110 LOADER BRACKETS

		392285	Less Mid-Mount Remote			No Charge
		337444	Loader Mount Ready Complete Loader Ready includes Mount Bracket Set (with Grill Guard) and Mid Mounted Valve - 2 function mechanical (Includes valve, joystick, cables, & hose kit)			\$3,162.00

OTHER EQUIPMENT

REAR BALLAST

SD_T4960 WHEEL WEIGHTS

		337926	Less Rear Ballast			No Charge
		337925	Rear Weight - 40kg Each Rear Wheel Weight - 88 lbs./40kg each side			\$303.00
		338163	Rear Weight 55kg Each Rear Wheel Weight - 121 lbs./55kg each side For R4 Tires Only			\$328.00

OPERATOR'S MANUAL

SD_T9800 OPERATORS MANUAL

		337951	English Manual			No Charge
		337952	French Manual			No Charge

**FARMALL 60A
US PRICE LIST**

Standard Equipment

DIESEL ENGINE:

Farmall 60A
60 Engine HP @ 2700
51 PTO HP @ 2700
3 Cylinder Turbo Charged
(Tier 4 B/Final) Engine
136 cu in (2.2 L) Displacement
13 Gallon Fuel Tank
High pressure common rail fuel system
Electric Engine Shutoff
Hand and Foot Throttle Controls
Thermostart Starting Aid
Air Cleaner with safety element
Under Hood Muffler
Downdraft Exhaust
Fuel Sediment Filter
Pivoting Engine Hood (full raise)
SMV Emblem

TRANSMISSION:

11 inch Traction Clutch
8 x 8 Transmission with Left Hand
Shuttle (Gears Synchronized,
Ranges are non-Synchronized)

FRONT AXLE:

Two-wheel Drive (2WD):
Adjustable Front Axle
Adjustable Rear Rims

Four-wheel Drive (4WD):
Mechanical FWD Engagement
Front Drive Shaft Shield
Adjustable Front & Rear Rims

TIRES:

Tires - 2wd - R1
Front: 7.5 X 16 6PR (F2)
Rear: 13.6 X 28 6PR (R1)
Tires - 4wd -R1
Front: 8.3 X 24 6PR (R1)
Rear: 13.6 X 28 6PR (R1)
Tires - 4wd -R4
Front: 12.5 X 18 6PR (R4)
Rear: 18.4 X 24 6PR (R4)

HYDRAULIC SYSTEM:

Hydrostatic Power Steering
Open Center System
1 Lever Controlled Rear Remote Valve
(Self Centering)
Dual Gear Pumps
Total Hydraulic Flow:
17.4 gpm (66 L/M)
Implement Pump:
11.9 gpm (45 L/M)
Steering Pump:
5.5 gpm (21 L/M)

DIFFERENTIAL LOCKS/ BRAKES:

Rear Axle provides In-board Planetary
Rear Lock - Mechanical Engage
Mechanical Wet Brakes
Park Brake - hand engagement

PTO:

11 inch PTO Clutch
Independent, 540 rpm PTO
Single Lever, Mechanical Engagement
Flip-up PTO Shaft Guard

3-POINT LIFT SYSTEM:

Single Lever Position Control
Lift Capacity @ 24" behind ball ends:
2710 lbs. (1225 kg)
Category II (convertible to
Category I with bushings)
Telescoping Stabilizers
Flexible Link Ends
Flat Swinging Drawbar
Draft Control

INSTRUMENTATION:

Digital/Analog Instrument Panel with
warning lights plus engine
temperature, fuel level gauges,
tachometer and digital hour meter

**FARMALL 60A
US PRICE LIST**

Standard Equipment

ELECTRICAL:

(1) 12-volt, 720 CCA Battery
Alternator = 75 amp
7-pin Outlet for trailer/
implement lighting

LIGHTING:

(2) Halogen front headlights
(2) Halogen corner work lights
Tail lights / brake lights
Turn signals, Flashing warning lights

WARRANTY:

Case IH Standard Warranty Applies

OPERATOR'S STATION:

Straddle Deck Configuration
2-post Foldable ROPS
Vinyl Seat with Operator's
Presence Sensor
Retractable Seat Belt
Cup Holder
Toolbox

Models

COMMERCIAL MODEL	ENGINE POWER	TRACTION	Weight	List Price
FARMALL 60A TRACTOR	60 HP	2WD	3,200 LB	\$25,938.00
FARMALL 60A TRACTOR	60 HP	MFD	3,200 LB	\$30,497.00

Factory Supplied Options

Order Code	Description	Weight	List Price
ENGINE			
EXHAUST SYSTEMS			
SD_T1940 EXHAUST			
337889	Silencer Downswept Required for Complete Loader Ready		No Charge
337891	Vertical Exhaust		\$20.00
HYDRAULICS			
SD_T8270 REAR REMOTES			
337984	1 Remote - Float + Detent		No Charge
337985	2 Remote 1 + Kickout		\$524.00
PTO			
SD_T8010 PTO			
337896	540 RPM -Single PTO		No Charge
337898	540 and 540E RPM PTO		\$524.00
FRONT WHEELS AND TIRES			
SD_T4940 FRONT WHEELS AND TIRES			
8270600	Front Wheel - 7.5 x 16 - 2WD		No Charge
8270601	Front Wheel - 9.5 X 24 - 4WD		No Charge

**FARMALL 60A
US PRICE LIST**

		8840701	Front - R4 - Tire 12.5x18		\$378.00
--	--	---------	---------------------------	--	----------

REAR WHEELS AND TIRES

SD_T4950 REAR WHEELS AND TIRES

		8980280	Rear Wheel - 14.9x28		No Charge
		8940301	Rear - R4 - 18.4 x 24 MFD Only		\$535.00

LOADER

LOADER EQUIPMENT

SD_T8110 LOADER BRACKETS

		392285	Less Mid-Mount Remote		No Charge
		337444	Loader Mount Ready Complete Loader Ready includes Mount Bracket Set (with Grill Guard) and Mid Mounted Valve - 2 function mechanical (Includes valve, joystick, cables, & hose kit)		\$3,162.00

OTHER EQUIPMENT

REAR BALLAST

SD_T4960 WHEEL WEIGHTS

		337926	Less Rear Ballast		No Charge
		337925	Rear Weight - 40kg Each Rear Wheel Weight - 88 lbs./40kg each side		\$303.00
		338163	Rear Weight 55kg Each Rear Wheel Weight - 121 lbs./55kg each side For R4 Tires Only		\$328.00

OPERATOR'S MANUAL

SD_T9800 OPERATORS MANUAL

		337951	English Manual		No Charge
		337952	French Manual		No Charge

**FARMALL 70A
US PRICE LIST**

Standard Equipment

DIESEL ENGINE:

Farmall 70A
70 Engine HP @ 2700
62 PTO HP @ 2700
3 Cylinder Turbo Charged
(Tier 4 B/Final) Engine
136 cu in (2.2 L) Displacement
13 Gallon Fuel Tank
High pressure common rail fuel system
Electric Engine Shutoff
Hand and Foot Throttle Controls
Thermostart Starting Aid
Air Cleaner with safety element
Under Hood Muffler
Downdraft Exhaust
Fuel Sediment Filter
Pivoting Engine Hood (full raise)
SMV Emblem

TRANSMISSION:

11 inch Traction Clutch
8 x 8 Transmission with Left Hand
Shuttle (Gears Synchronized,
Ranges are non-Synchronized)

FRONT AXLE:

Two-wheel Drive (2WD):
Adjustable Front Axle
Adjustable Rear Rims

Four-wheel Drive (4WD):
Mechanical FWD Engagement
Front Drive Shaft Shield
Adjustable Front & Rear Rims

TIRES:

Tires - 2wd - R1
Front: 7.5 X 16 6PR (F2)
Rear: 13.6 X 28 6PR (R1)
Tires - 4wd -R1
Front: 8.3 X 24 6PR (R1)
Rear: 13.6 X 28 6PR (R1)
Tires - 4wd -R4
Front: 12.5 X 18 6PR (R4)
Rear: 18.4 X 24 6PR (R4)

HYDRAULIC SYSTEM:

Hydrostatic Power Steering
Open Center System
1 Lever Controlled Rear Remote Valve
(Self Centering)
Dual Gear Pumps
Total Hydraulic Flow:
17.4 gpm (66 L/M)
Implement Pump:
11.9 gpm (45 L/M)
Steering Pump:
5.5 gpm (21 L/M)

DIFFERENTIAL LOCKS/ BRAKES:

Rear Axle provides In-board Planetary
Rear Lock - Mechanical Engage
Mechanical Wet Brakes
Park Brake - hand engagement

PTO:

11 inch PTO Clutch
Independent, 540 rpm PTO
Single Lever, Mechanical Engagement
Flip-up PTO Shaft Guard

3-POINT LIFT SYSTEM:

Single Lever Position Control
Lift Capacity @ 24" behind ball ends:
2710 lbs. (1225 kg)
Category II (convertible to
Category I with bushings)
Telescoping Stabilizers
Flexible Link Ends
Flat Swinging Drawbar
Draft Control

INSTRUMENTATION:

Digital/Analog Instrument Panel with
warning lights plus engine
temperature, fuel level gauges,
tachometer and digital hour meter

**FARMALL 70A
US PRICE LIST**

Standard Equipment

ELECTRICAL:

(1) 12-volt, 720 CCA Battery
Alternator = 75 amp
7-pin Outlet for trailer/
implement lighting

LIGHTING:

(2) Halogen front headlights
(2) Halogen corner work lights
Tail lights / brake lights
Turn signals, Flashing warning lights

WARRANTY:

Case IH Standard Warranty Applies

OPERATOR'S STATION:

Straddle Deck Configuration
2-post Foldable ROPS
Vinyl Seat with Operator's
Presence Sensor
Retractable Seat Belt
Cup Holder
Toolbox

**FARMALL 70A
US PRICE LIST**

Models

COMMERCIAL MODEL	ENGINE POWER	TRACTION	Weight		List Price
FARMALL 70A TRACTOR	70 HP	2WD	3,200 LB		\$28,277.00
FARMALL 70A TRACTOR	70 HP	MFD	3,200 LB		\$33,523.00

Factory Supplied Options

Order Code	Description	Weight		List Price
ENGINE				
EXHAUST SYSTEMS				
SD_T1940 EXHAUST				
	337889 Silencer Downswept Required for Complete Loader Ready			No Charge
	337891 Vertical Exhaust			\$20.00
HYDRAULICS				
SD_T8270 REAR REMOTES				
	337984 1 Remote - Float + Detent			No Charge
	337985 2 Remote 1 + Kickout			\$524.00
PTO				
SD_T8010 PTO				
	337896 540 RPM -Single PTO			No Charge
	337898 540 and 540E RPM PTO			\$524.00
FRONT WHEELS AND TIRES				
SD_T4940 FRONT WHEELS AND TIRES				
	8270600 Front Wheel - 7.5 x 16 - 2WD			No Charge
	8270601 Front Wheel - 9.5 X 24 - 4WD			No Charge

**FARMALL 70A
US PRICE LIST**

		8840701	Front - R4 - Tire 12.5x18		\$378.00
--	--	---------	---------------------------	--	----------

REAR WHEELS AND TIRES

SD_T4950 REAR WHEELS AND TIRES

		8980280	Rear Wheel - 14.9x28		No Charge
		8940301	Rear - R4 - 18.4 x 24 MFD Only		\$535.00

LOADER

LOADER EQUIPMENT

SD_T8110 LOADER BRACKETS

		392285	Less Mid-Mount Remote		No Charge
		337444	Loader Mount Ready Complete Loader Ready includes Mount Bracket Set (with Grill Guard) and Mid Mounted Valve - 2 function mechanical (Includes valve, joystick, cables, & hose kit)		\$3,162.00

OTHER EQUIPMENT

REAR BALLAST

SD_T4960 WHEEL WEIGHTS

		337926	Less Rear Ballast		No Charge
		337925	Rear Weight - 40kg Each Rear Wheel Weight - 88 lbs./40kg each side		\$303.00
		338163	Rear Weight 55kg Each Rear Wheel Weight - 121 lbs./55kg each side For R4 Tires Only		\$328.00

OPERATOR'S MANUAL

SD_T9800 OPERATORS MANUAL

		337951	English Manual		No Charge
		337952	French Manual		No Charge



PURCHASED PROTECTION

Pricing and program details can be found on the Dealer Portal or by contacting the CPP hotline @ 1-866-606-1802. Not all models are eligible for CPP.

