

**T6 ELECTRO COMMAND-STANDARD 100 FASTPICK  
US PRICE LIST**

## Standard Equipment

### KEY SELLING POINTS:

- Fuel efficient high torque 4.5L, 4-cylinder with power boost
- FPT engines with 4 valves per cylinder and common rail fuel injection systems
- Tier 4B EPA emissions compliant with SCR only ECOBlue™ HI-eSCR Tier4B emissions system
- Electro Command™ Semi-powershift with AutoShift feature
- Standard LED work lighting
- Easy attach remote outlets
- Long Stable 104" wheel base

### ENGINE

#### T6.145

Rated PTO HP - 95  
Rated Engine HP - 116  
Engine Power Management (EPM)  
Maximum Engine HP w/ EPM - 145  
Rated Speed - 2200 RPM  
274 cu. in. (4.5L) - 4 Cylinder  
Fuel Tank: 52.2 Gallon (197.5L)  
DEF Tank: 10.4 Gallon (39.5L)

#### T6.155

Rated PTO HP - 105  
Rated Engine HP - 125  
Engine Power Management (EPM)  
Maximum Engine HP w/ EPM - 155  
Rated Speed - 2200 RPM  
274 cu. in. (4.5L) - 4 Cylinder  
Fuel Tank: 52.2 Gallon (197.5L)  
DEF Tank: 10.4 Gallon (39.5L)

#### T6.165

Rated PTO HP - 110  
Rated Engine HP - 135  
Engine Power Management (EPM)  
Maximum Engine HP w/ EPM - 169  
Rated Speed - 2200 RPM  
274 cu. in. (4.5L) - 4 Cylinder  
Fuel Tank: 52.2 Gallon (197.5L)  
DEF Tank: 10.4 Gallon (39.5L)

#### T6.175

Rated PTO HP - 120  
Rated Engine HP - 145  
Engine Power Management (EPM)  
Maximum Engine HP w/ EPM - 175  
Rated Speed - 2200 RPM  
274 cu. in. (4.5L) - 4 Cylinder  
Fuel Tank: 52.2 Gallon (197.5L)  
DEF Tank: 10.4 Gallon (39.5L)

#### T6.180

Rated PTO HP - 125  
Rated Engine HP - 145  
Engine Power Management (EPM)  
Maximum Engine HP w/ EPM - 175  
Rated Speed - 2200 RPM  
411 cu. in. (6.7L) - 6 Cylinder  
Fuel Tank: 52.2 Gallon (197.5L)  
DEF Tank: 10.4 Gallon (39.5L)

### COMMON ENGINE FEATURES

- Tier 4B Emissions Compliant ECOBlue™ HI-eSCR Tier4B system
- Engine with Turbocharger and Air-to-Air Intercooler
- 4 Valves Per Cylinder
- Bosch Common Rail Fuel Injection Pump (electronic)
- Power Management and Constant RPM
- Power Boost in PTO & Transport Modes
- Grid Heater Starting Aid
- Engine Block Heater
- Dual Element Air Filter with Pre-Cleaner (spin tube intakes)
- A-Pillar Exhaust with Integral Muffler
- Viscous Fan (5 blade)
- Foot and Hand Throttle

**T6 ELECTRO COMMAND-STANDARD 100 FASTPICK  
US PRICE LIST**

## Standard Equipment

### TRANSMISSION

-----  
16x16 Electro Command™ Semi-  
powershift with AutoShift feature  
Clutchless Range Change Between  
Ranges A/B and C/D  
Steering Column Mounted Left-hand  
Power Shuttle  
Multi-plate Wet Clutch Design  
Transmission Heater

### ROAD SPEEDS

-----  
Std 4WD - 25 mph/40 kph

### STEERING & BRAKES

-----  
Hydrostatic Power Steering  
Hydraulic Wet Disc Brakes  
(self-equalizing/self-adjusting)  
Parking Brake (automotive style)

### REAR AXLE

-----  
Heavy Duty Flange  
Wet Plate Differential Lock  
Electrohydraulic Engaged Rear Diff Lock

### FRONT AXLE

-----  
STD Front FWD (limited slip)  
Class 3 Heavy Duty FWD Axle  
55 Degree Turning Angle -4WD  
Dual Steering Cylinders  
8 Degree Axle Oscillation(adjustable)  
Adjustable Tread Width from  
61.4 in. to 88.8 in. (varies by tire size)  
Electrohydraulic FWD Engagement  
Limited Slip Differential  
Drive Shaft Shield

### PTO

-----  
Independent 540/1000 rpm PTO  
with Reversible Shaft  
Multi-Plate Wet Clutch Design  
Electrohydraulic Engagement  
with Soft Start/Auto Feathering  
Hydraulic Piston PTO Brake with Manual  
Override (coast-down feature)  
Flip-up PTO Shaft Guard  
Rear Fender Mounted PTO Controls

### HYDRAULIC SYSTEM

-----  
CCLS: Closed-Center-Load-Sensing  
/pressure and flow compensated System  
Variable Displacement Piston Pump  
Maximum Flow at Rated Engine Speed  
29.9 gpm (113 l/m) Implement Pump  
12.4 gpm (47 l/m) Steering Pump  
(2) Lever Controlled, Configurable,  
Mechanical Remote Valves with Quick  
Couplers, Flow Control & Anti-leak-down  
Oil Collection Bottles  
Hydraulic Tapping Port (power beyond)  
Low Pressure Return Quick Coupler

### 3-POINT LIFT SYSTEM

-----  
Electronic Draft Control (EDC)  
Lower Link Sensing  
Fast Raise/Lower Control in Cab  
Rear Fender Mounted 3-PT Raise/Lower  
Switches  
Dynamic Ride Control™  
Category II Flex Link Ends  
Telescoping Stabilizers  
9,214 lb. Lift Capacity (OECD)  
with Dual 80mm External Rams

### DRAWBAR

-----  
Independent Swinging Drawbar



**T6 ELECTRO COMMAND-STANDARD 100 FASTPICK  
US PRICE LIST**

**Standard Equipment**

ELECTRICAL

-----  
(1) 12-volt 1300 cca Battery  
120 amp Alternator  
Geared Starter Motor (4.2 kW)  
7-pin Outlet for Trailer/Implement  
Lighting  
3-pin, 40 amp Implement Socket  
ISO/JD (30 amp) Socket  
15 amp Screw-type Positive/Negative  
Terminals  
Single Pin (8 amp) Accessory Outlet  
Cigar Lighter  
(2) Roof Mounted Single Pin Outlets  
Battery Boost Terminals

LIGHTS

-----  
(4) Halogen front hood headlights  
(2) LED front hood signature lights  
(8) LED cab mounted work lights  
(4) LED high front & rear cab  
(4) LED mid-mount front & rear  
(2) taillights  
Front & Rear Flashing Cab Safety Lights

INSTRUMENTATION

-----  
Analog/Digital Instrument Cluster with  
LCD Display

CAB

-----  
Low Roof w/Fixed Visibility Panel  
and Sunshade  
Flat Deck Platform  
Air Conditioner and Heater with  
4-speed Pressurizer  
Two Doors with Locks  
Two-speed Intermittent Front  
Wiper/Washer  
Rear Intermittent Wiper/Washer  
Monitor Mounting Bracket  
Hinged Rear Window  
Tinted Glass with Sunshade  
Tilt and Telescoping Steering Wheel  
Air Suspension Seat with Operator  
Presence Switch and Lap Belt  
Instructor Seat  
Deluxe Radio with Bluetooth  
Digital Clock  
Integral ROPS  
Interior Dome Light  
(2) External Courtesy Lights  
(2) Telescopic External Mirrors  
Horn

MISCELLANEOUS

-----  
Pivoting Engine Hood  
SMV Emblem  
Toolbox

WARRANTY

-----  
New Holland Standard Warranty Applies

**T6 ELECTRO COMMAND-STANDARD 100 FASTPICK  
 US PRICE LIST**
**Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price
T6.145 ELEC COM T4B	15,245 LB		\$116,739.00
Includes the following Equipment			
380/85(14.9)R28 A8 (8241401) \$2,686.00			
460/85(18.4)R38 R1W-MIFITR (8328401) \$5,592.00			
T6.155 ELEC COM T4B	15,245 LB		\$124,583.00
Includes the following Equipment			
380/85(14.9)R28 A8 (8241401) \$2,686.00			
460/85(18.4)R38 R1W-MIFITR (8328401) \$5,592.00			
T6.165 ELEC COM T4B	15,245 LB		\$127,995.00
Includes the following Equipment			
380/85(14.9)R28 A8 (8241401) \$2,686.00			
460/85(18.4)R38 R1W-MIFITR (8328401) \$5,592.00			
T6.175 ELEC COM T4B	15,245 LB		\$134,701.00
Includes the following Equipment			
380/85(14.9)R28 A8 (8241401) \$2,686.00			
460/85(18.4)R38 R1W-MIFITR (8328401) \$5,592.00			
T6.180 ELEC COM T4B	15,245 LB		\$140,271.00
Includes the following Equipment			
380/85(14.9)R28 A8 (8241401) \$2,686.00			
460/85(18.4)R38 R1W-MIFITR (8328401) \$5,592.00			

**T6 ELECTRO COMMAND-STANDARD 100 FASTPICK  
US PRICE LIST****Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**FAST PICK CONFIGURATION**

## SD\_T9980 PACKAGING

		X0474XX	NAR NH PCK C STD <b>Standard Fastpick Package Includes:</b> <b>758402: Grid Heater + 110V Pack</b> <b>758413: 40KPH_16X16_w/Autoshift</b> <b>758441: 113L/Min. CCLS Pump</b> <b>759153: 2 Telescopic Mirrors 759153</b> <b>758497: Bracket for Equipment Monitor</b>			\$3,291.00
--	--	---------	--	--	--	------------

**CAB CONFIGURATION**

## FIXED OR SUSPENDED

## SD\_T9200 OPERATOR STRUCTURE #1

		758479	Suspended_Cab <b>Cab suspension reduces shock loads to the tractor by up to 25% utilizing two adjustable shocks to increase confort to the operator.</b>			\$1,767.00
--	--	--------	---	--	--	------------

**TIRES**

## FRONT WHEELS &amp; TIRES

## SD\_T4940 FRONT WHEELS AND TIRES

Class 3 FWD Axle						
		8240402	380/85(14.9)R24 A8 <b>Requires 460/85(18.4)R34 R1W</b>			\$2,369.00
		8241401	380/85(14.9)R28 A8 <b>Requires 460/85(18.4R38) R1W</b>			\$2,686.00
		8258404	380/85(14.9)R30R1W MI,F,T,C,A <b>Requires 18.4R42 R1W</b>			\$3,251.00

**T6 ELECTRO COMMAND-STANDARD 100 FASTPICK  
US PRICE LIST**

**REAR WHEELS & TIRES**

**SD\_T4950 REAR WHEELS AND TIRES**

Flange and Bar - Steel						
		8365401	460/85(18.4)R34 A8 FI,MI,CO,TR <b>Matching Front Tire - 14.9R24 R1W - 8240402 (Class 3 Axle)</b>			\$4,170.00
		8328401	460/85(18.4)R38 R1W-MIFITR <b>Matching Front Tire - 14.9R28 R1W - 8241401 (Class 3 Axle) - 8241901 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims</b>			\$5,592.00
		8388404	460/85(18.4)R42R1W MI,F,T,C,A <b>Matching Front Tire - 14.9R30 R1W - 8258404 (Class 3 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims</b>			\$6,068.00

**HYDRAULICS**

**REAR REMOTE VALVES**

**SD\_T8270 REAR REMOTES**

Mechanical Rear Remotes						
		743741	3 Mech Rear Remote Valves (2C) <b>2 Configurable, 1 Non-Configurable Rear Remotes</b>			\$895.00
		743685	4 Mech Rear Remotes (2NC+2C) <b>2 Configurable, 2 Non-Configurable Rear Remotes</b>			\$2,125.00

**COMPLETE LOADER READY**

**SD\_T8110 LOADER BRACKETS**

Mechanical Mid Mount						
		758344	Loader Ready + 2Mech MMV +Joy <b>Complete Loader Ready: Includes 2 slice mechanical mid-mount valve (MMM), horizontal and vertical two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the mulit-coupler and joystick. Incompatible with electro-hydraulic rear remotes &amp; electronic joystick.</b>  <b>Includes predisposition for Complete Loader Ready (758622)</b>  <b>Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price &amp; Data Pages.</b>			\$7,510.00

**T6 ELECTRO COMMAND-STANDARD 100 FASTPICK  
US PRICE LIST**

		758351	<p>Loader Ready + 3Mech MMV+Joy</p> <p><b>Complete Loader Ready: Includes 3 slice mechanical mid-mount valve (MMM), horizontal and vertical two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the multi-coupler and joystick. Incompatible with electro-hydraulic rear remotes &amp; electronic joystick.</b></p> <p><b>Includes predisposition for Complete Loader Ready (758622)</b></p> <p><b>Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price &amp; Data Pages.</b></p>			\$9,288.00
--	--	--------	---	--	--	------------

**WEIGHTS**

FRONT WEIGHTS

SD\_T2150 FRONT BALLAST

		758562	<p>Weight Carrier w/Hook</p> <p><b>Weight carrier with tow hook - 199 lbs (90.4 kg)</b></p>			\$261.00
		758518	<p>Weight Pack A w/Hook</p> <p><b>Pack "A" includes weight rack - 199.3 lbs., (6) 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 703 lbs. (319 kg)</b></p>			\$1,129.00
		758519	<p>Weight Pack B w/Hook</p> <p><b>Pack "B" includes: weight rack - (1) 199 lbs., (10) 99 lbs. weights, plus the tow hook - 15 lbs., total weight is 1,207 lbs. (547 kg)</b></p>			\$1,758.00
		758520	<p>Weight Pack C w/Hook</p> <p><b>Pack "C" includes: (1) weight rack - 199 lbs., (18) 99 lbs. weights, plus the tow hook - 15 lbs., total weight is 2000 lbs. (907 kg)</b></p> <p><b>Not compatible with two wheel drive (2WD) option</b></p> <p><b>Not compatible with loader ready packages: 758344, 758351, 758353, 758354, 758351</b></p>			\$2,865.00

REAR WHEEL WEIGHTS

SD\_T4960 WHEEL WEIGHTS

		758564	<p>6X65KG Wheel Weight</p> <p><b>Includes (6) 143 lbs. weights totalling 860 lbs.</b></p>			\$1,198.00
--	--	--------	---	--	--	------------

**T6 ELECTRO COMMAND-STANDARD 100 FASTPICK  
US PRICE LIST**

		759137	2X150KG + 2X250KG Wheel Weight <b>Rear Wheel WeightsRear Wheel Weights</b> <b>Includes 2 X 150 plus 2 X 250 KG Weights</b> <b>Four weights totaling 800 KG or 1,764 lbs.</b>  <b>Incompatible with shipping wheels</b> <b>Requires Bar Axle &amp; Fixed Rims</b>			\$1,563.00
		759821	2X150KG + 4X250KG Wheel Weight <b>Rear Wheel Weights 2 X 150 KG and 4 X 250 KG.</b> <b>Total of 6 rear weights for 1,300 KG or 2,866 lbs.</b>  <b>3 weights (650 KG) on each side</b>  <b>Incompatible with shipping wheels</b> <b>Requires Bar Axle &amp; Fixed Rims</b>			\$2,683.00

**CAB OPTION**

LIGHTS

SD\_T9146 ROTARY BEACON

		758489	Rotary Beacon Lefthand Side <b>Single rotary beacon mounted on rear left side</b> <b>of tractor for increased safety and visibility</b>			\$418.00
		758491	Twin Beacon <b>Rotary beacons mounted on rear of the cab</b> <b>on both left and right side of tractor for</b> <b>maximum safety and visibility</b>			\$836.00

**OPERATOR'S MANUALS**

SD\_T9802 OPERATORS MANUAL

		758535	Spanish NAR			No Charge
		759101	French NAR			No Charge





**T6 ELECTRO COMMAND-STANDARD 200 FASTPICK  
US PRICE LIST**

**Standard Equipment**

**KEY SELLING POINTS:**

- Fuel efficient high torque 4.5L, 4-cylinder with power boost  
FPT engines with 4 valves per cylinder and common rail fuel injection systems
- Tier 4B EPA emissions compliant with SCR only ECOBlue™ HI-eSCR Tier4B emissions system
- Electro Command™ Semi-powershift with AutoShift feature
- Standard LED work lighting
- Easy attach remote outlets
- Long Stable 104" wheel base

**ENGINE**

**T6.145**

Rated PTO HP - 95  
Rated Engine HP - 116  
Engine Power Management (EPM)  
Maximum Engine HP w/ EPM - 145  
Rated Speed - 2200 RPM  
274 cu. in. (4.5L) - 4 Cylinder  
Fuel Tank: 52.2 Gallon (197.5L)  
DEF Tank: 10.4 Gallon (39.5L)

**T6.155**

Rated PTO HP - 105  
Rated Engine HP - 125  
Engine Power Management (EPM)  
Maximum Engine HP w/ EPM - 155  
Rated Speed - 2200 RPM  
274 cu. in. (4.5L) - 4 Cylinder  
Fuel Tank: 52.2 Gallon (197.5L)  
DEF Tank: 10.4 Gallon (39.5L)

**T6.165**

Rated PTO HP - 110  
Rated Engine HP - 135  
Engine Power Management (EPM)  
Maximum Engine HP w/ EPM - 169  
Rated Speed - 2200 RPM  
274 cu. in. (4.5L) - 4 Cylinder  
Fuel Tank: 52.2 Gallon (197.5L)  
DEF Tank: 10.4 Gallon (39.5L)

**T6.175**

Rated PTO HP - 120  
Rated Engine HP - 145  
Engine Power Management (EPM)  
Maximum Engine HP w/ EPM - 175  
Rated Speed - 2200 RPM  
274 cu. in. (4.5L) - 4 Cylinder  
Fuel Tank: 52.2 Gallon (197.5L)  
DEF Tank: 10.4 Gallon (39.5L)

**T6.180**

Rated PTO HP - 125  
Rated Engine HP - 145  
Engine Power Management (EPM)  
Maximum Engine HP w/ EPM - 175  
Rated Speed - 2200 RPM  
411 cu. in. (6.7L) - 6 Cylinder  
Fuel Tank: 52.2 Gallon (197.5L)  
DEF Tank: 10.4 Gallon (39.5L)

**COMMON ENGINE FEATURES**

- Tier 4B Emissions Compliant ECOBlue™ HI-eSCR Tier4B system
- Engine with Turbocharger and Air-to-Air Intercooler
- 4 Valves Per Cylinder
- Bosch Common Rail Fuel Injection Pump (electronic)
- Power Management and Constant RPM
- Power Boost in PTO & Transport Modes
- Grid Heater Starting Aid
- Engine Block Heater
- Dual Element Air Filter with Pre-Cleaner (spin tube intakes)
- A-Pillar Exhaust with Integral Muffler
- Viscous Fan (5 blade)
- Foot and Hand Throttle

**T6 ELECTRO COMMAND-STANDARD 200 FASTPICK  
US PRICE LIST**

## Standard Equipment

### TRANSMISSION

-----  
16x16 Electro Command™ Semi-  
powershift with AutoShift feature  
Clutchless Range Change Between  
Ranges A/B and C/D  
Steering Column Mounted Left-hand  
Power Shuttle  
Multi-plate Wet Clutch Design  
Transmission Heater

### ROAD SPEEDS

-----  
Std 4WD - 25 mph/40 kph

### STEERING & BRAKES

-----  
Hydrostatic Power Steering  
Hydraulic Wet Disc Brakes  
(self-equalizing/self-adjusting)  
Parking Brake (automotive style)

### REAR AXLE

-----  
Heavy Duty Flange  
Wet Plate Differential Lock  
Electrohydraulic Engaged Rear Diff Lock

### FRONT AXLE

-----  
STD Front FWD (limited slip)  
Class 3 Heavy Duty FWD Axle  
55 Degree Turning Angle -4WD  
Dual Steering Cylinders  
8 Degree Axle Oscillation(adjustable)  
Adjustable Tread Width from  
61.4 in. to 88.8 in. (varies by tire size)  
Electrohydraulic FWD Engagement  
Limited Slip Differential  
Drive Shaft Shield

### PTO

-----  
Independent 540/1000 rpm PTO  
with Reversible Shaft  
Multi-Plate Wet Clutch Design  
Electrohydraulic Engagement  
with Soft Start/Auto Feathering  
Hydraulic Piston PTO Brake with Manual  
Override (coast-down feature)  
Flip-up PTO Shaft Guard  
Rear Fender Mounted PTO Controls

### HYDRAULIC SYSTEM

-----  
CCLS: Closed-Center-Load-Sensing  
/pressure and flow compensated System  
Variable Displacement Piston Pump  
Maximum Flow at Rated Engine Speed  
29.9 gpm (113 l/m) Implement Pump  
12.4 gpm (47 l/m) Steering Pump  
(2) Lever Controlled, Configurable,  
Mechanical Remote Valves with Quick  
Couplers, Flow Control & Anti-leak-down  
Oil Collection Bottles  
Hydraulic Tapping Port (power beyond)  
Low Pressure Return Quick Coupler

### 3-POINT LIFT SYSTEM

-----  
Electronic Draft Control (EDC)  
Lower Link Sensing  
Fast Raise/Lower Control in Cab  
Rear Fender Mounted 3-PT Raise/Lower  
Switches  
Dynamic Ride Control™  
Category II Flex Link Ends  
Telescoping Stabilizers  
9,214 lb. Lift Capacity (OECD)  
with Dual 80mm External Rams

### DRAWBAR

-----  
Independent Swinging Drawbar

**T6 ELECTRO COMMAND-STANDARD 200 FASTPICK  
US PRICE LIST**

## Standard Equipment

### ELECTRICAL

-----  
 (1) 12-volt 1300 cca Battery  
 120 amp Alternator  
 Geared Starter Motor (4.2 kW)  
 7-pin Outlet for Trailer/Implement  
   Lighting  
 3-pin, 40 amp Implement Socket  
 ISO/JD (30 amp) Socket  
 15 amp Screw-type Positive/Negative  
   Terminals  
 Single Pin (8 amp) Accessory Outlet  
 Cigar Lighter  
 (2) Roof Mounted Single Pin Outlets  
 Battery Boost Terminals

### LIGHTS

-----  
 (4) Halogen front hood headlights  
 (2) LED front hood signature lights  
 (8) LED cab mounted work lights  
   (4) LED high front & rear cab  
   (4) LED mid-mount front & rear  
 (2) taillights  
 Front & Rear Flashing Cab Safety Lights

### INSTRUMENTATION

-----  
 Analog/Digital Instrument Cluster with  
 LCD Display

### CAB

-----  
 Low Roof w/Fixed Visibility Panel  
   and Sunshade  
 Flat Deck Platform  
 Air Conditioner and Heater with  
   4-speed Pressurizer  
 Two Doors with Locks  
 Two-speed Intermittent Front  
   Wiper/Washer  
 Rear Intermittent Wiper/Washer  
 Monitor Mounting Bracket  
 Hinged Rear Window  
 Tinted Glass with Sunshade  
 Tilt and Telescoping Steering Wheel  
 Air Suspension Seat with Operator  
   Presence Switch and Lap Belt  
 Instructor Seat  
 Deluxe Radio with Bluetooth  
 Digital Clock  
 Integral ROPS  
 Interior Dome Light  
 (2) External Courtesy Lights  
 (2) Telescopic External Mirrors  
 Horn

### MISCELLANEOUS

-----  
 Pivoting Engine Hood  
 SMV Emblem  
 Toolbox

### WARRANTY

-----  
 New Holland Standard Warranty Applies

**T6 ELECTRO COMMAND-STANDARD 200 FASTPICK  
 US PRICE LIST**
**Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price
T6.145 ELEC COM T4B	15,245 LB		\$116,739.00
Includes the following Equipment			
380/85(14.9)R28 A8 (8241401) \$2,686.00			
460/85(18.4)R38 R1W-MIFITR (8328401) \$5,592.00			
T6.155 ELEC COM T4B	15,245 LB		\$124,583.00
Includes the following Equipment			
380/85(14.9)R28 A8 (8241401) \$2,686.00			
460/85(18.4)R38 R1W-MIFITR (8328401) \$5,592.00			
T6.165 ELEC COM T4B	15,245 LB		\$127,995.00
Includes the following Equipment			
380/85(14.9)R28 A8 (8241401) \$2,686.00			
460/85(18.4)R38 R1W-MIFITR (8328401) \$5,592.00			
T6.175 ELEC COM T4B	15,245 LB		\$134,701.00
Includes the following Equipment			
380/85(14.9)R28 A8 (8241401) \$2,686.00			
460/85(18.4)R38 R1W-MIFITR (8328401) \$5,592.00			
T6.180 ELEC COM T4B	15,245 LB		\$140,271.00
Includes the following Equipment			
380/85(14.9)R28 A8 (8241401) \$2,686.00			
460/85(18.4)R38 R1W-MIFITR (8328401) \$5,592.00			

**T6 ELECTRO COMMAND-STANDARD 200 FASTPICK  
US PRICE LIST****Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**FAST PICK CONFIGURATION**

## SD\_T9980 PACKAGING

	X0474XX	NAR NH PCK C STD <b>Standard Fastpick Package Includes:</b> 758402: Grid_Heater + 110V Pack 758413: 40KPH_16X16_w/Autoshift 758441: 113L/Min. CCLS Pump 759153: 2 Telescopic Mirrors 759153 758497: Bracket for Equipment Monitor			\$3,291.00
	X0582XX	NAR NH PCK C STD 200 <b>Standard 200 Fast Pick Includes:</b> 758479: Suspended_Cab 758402: Grid_Heater + 110V Pack 758413: 40KPH_16X16_w/Autoshift 758420: Class 3 Hydraulic Lock 758432: HD Bar Steel Multi-Diff 758441: 113L/Min. CCLS Pump 759153: 2 Telescopic Mirrors 759153 758497: Bracket for Equipment Monitor 758432: HD Bar Steel Multi-Diff 758354: Loader Ready + 3 EH MMV + Joy 390444: Tow Hook-Only 758564: 6X65KG Wheel Weight 758594: 12 LED High Power Hi-Roof 758489: Rotary Beacon Lefthand Side 758409: HD Battery W/Isolator 176AH			\$23,243.00

**CAB CONFIGURATION**

## FIXED OR SUSPENDED

## SD\_T9200 OPERATOR STRUCTURE #1

	758479	Suspended_Cab <b>Cab suspension reduces shock loads to the tractor by up to 25% utilizing two adjustable shocks to increase confort to the operator.</b>			No Charge
--	--------	---	--	--	-----------

**T6 ELECTRO COMMAND-STANDARD 200 FASTPICK  
US PRICE LIST**

**TIRES**

FRONT WHEELS & TIRES

SD\_T4940 FRONT WHEELS AND TIRES

Class 3 FWD Axle						
		8240402	380/85(14.9)R24 A8 <b>Requires 460/85(18.4)R34 R1W</b>			\$2,369.00
		8241401	380/85(14.9)R28 A8 <b>Requires 460/85(18.4R38) R1W</b>			\$2,686.00
		8258404	380/85(14.9)R30R1W MI,F,T,C,A <b>Requires 18.4R42 R1W</b>			\$3,251.00

REAR WHEELS & TIRES

SD\_T4950 REAR WHEELS AND TIRES

Flange and Bar - Steel						
		8365401	460/85(18.4)R34 A8 FI,MI,CO,TR <b>Matching Front Tire - 14.9R24 R1W - 8240402 (Class 3 Axle)</b>			\$4,170.00
		8328401	460/85(18.4)R38 R1W-MIFITR <b>Matching Front Tire - 14.9R28 R1W - 8241401 (Class 3 Axle) - 8241901 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims</b>			\$5,592.00
		8388404	460/85(18.4)R42R1W MI,F,T,C,A <b>Matching Front Tire - 14.9R30 R1W - 8258404 (Class 3 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims</b>			\$6,068.00

**HYDRAULICS**

REAR REMOTE VALVES

SD\_T8270 REAR REMOTES

Mechanical Rear Remotes						
		743741	3 Mech Rear Remote Valves (2C) <b>2 Configurable, 1 Non-Configurable Rear Remotes</b>			\$895.00
		743685	4 Mech Rear Remotes (2NC+2C) <b>2 Configurable, 2 Non-Configurable Rear Remotes</b>			No Charge



**T6 ELECTRO COMMAND-STANDARD 200 FASTPICK  
US PRICE LIST**

**COMPLETE LOADER READY**

**SD\_T8110 LOADER BRACKETS**

**Mechanical Mid Mount**

		758344	<p>Loader Ready + 2Mech MMV +Joy</p> <p><b>Complete Loader Ready: Includes 2 slice mechanical mid-mount valve (MMM), horizontal and vertical two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the multi-coupler and joystick. Incompatible with electro-hydraulic rear remotes &amp; electronic joystick.</b></p> <p><b>Includes predisposition for Complete Loader Ready (758622)</b></p> <p><b>Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price &amp; Data Pages.</b></p>			\$7,510.00
		758351	<p>Loader Ready + 3Mech MMV+Joy</p> <p><b>Complete Loader Ready: Includes 3 slice mechanical mid-mount valve (MMM), horizontal and vertical two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the multi-coupler and joystick. Incompatible with electro-hydraulic rear remotes &amp; electronic joystick.</b></p> <p><b>Includes predisposition for Complete Loader Ready (758622)</b></p> <p><b>Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price &amp; Data Pages.</b></p>			\$9,288.00

**WEIGHTS**

**FRONT WEIGHTS**

**SD\_T2150 FRONT BALLAST**

		758562	<p>Weight Carrier w/Hook</p> <p><b>Weight carrier with tow hook - 199 lbs (90.4 kg)</b></p>			\$261.00
		758518	<p>Weight Pack A w/Hook</p> <p><b>Pack "A" includes weight rack - 199.3 lbs., (6) 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 703 lbs. (319 kg)</b></p>			\$1,129.00
		758519	<p>Weight Pack B w/Hook</p> <p><b>Pack "B" includes: weight rack - (1) 199 lbs., (10) 99 lbs. weights, plus the tow hook - 15 lbs., total weight is 1,207 lbs. (547 kg)</b></p>			\$1,758.00

**T6 ELECTRO COMMAND-STANDARD 200 FASTPICK  
US PRICE LIST**

		758520	Weight Pack C w/Hook <b>Pack "C" includes: (1) weight rack - 199 lbs., (18) 99 lbs. weights, plus the tow hook - 15 lbs., total weight is 2000 lbs. (907 kg)</b>  <b>Not compatible with two wheel drive (2WD) option</b>  <b>Not compatible with loader ready packages: 758344, 758351, 758353, 758354, 758351</b>			\$2,865.00
--	--	--------	--	--	--	------------

**REAR WHEEL WEIGHTS**

**SD\_T4960 WHEEL WEIGHTS**

		758564	6X65KG Wheel Weight <b>Includes (6) 143 lbs. weights totalling 860 lbs.</b>			No Charge
		759137	2X150KG + 2X250KG Wheel Weight <b>Rear Wheel WeightsRear Wheel Weights Includes 2 X 150 plus 2 X 250 KG Weights Four weights totaling 800 KG or 1,764 lbs.</b>  <b>Incompatible with shipping wheels Requires Bar Axle &amp; Fixed Rims</b>			\$1,563.00
		759821	2X150KG + 4X250KG Wheel Weight <b>Rear Wheel Weights 2 X 150 KG and 4 X 250 KG. Total of 6 rear weights for 1,300 KG or 2,866 lbs.</b>  <b>3 weights (650 KG) on each side</b>  <b>Incompatible with shipping wheels Requires Bar Axle &amp; Fixed Rims</b>			\$2,683.00

**CAB OPTION**

**LIGHTS**

**SD\_T9146 ROTARY BEACON**

		758489	Rotary Beacon Lefthand Side <b>Single rotary beacon mounted on rear left side of tractor for increased safety and visibility</b>			\$418.00
		758491	Twin Beacon <b>Rotary beacons mounted on rear of the cab on both left and right side of tractor for maximum safety and visibility</b>			\$836.00





**T6 ELECTRO COMMAND-STANDARD 200 FASTPICK  
US PRICE LIST**

**OPERATOR'S MANUALS**

SD\_T9802 OPERATORS MANUAL

		758535	Spanish NAR			No Charge
		759101	French NAR			No Charge

## T6 ELECTRO COMMAND-LESS FASTPICK US PRICE LIST

### Standard Equipment

#### KEY SELLING POINTS:

- Fuel efficient high torque 4.5L, 4-cylinder with power boost
- FPT engines with 4 valves per cylinder and common rail fuel injection systems
- Tier 4B EPA emissions compliant with SCR only ECOBlue™ HI-eSCR Tier4B emissions system
- Electro Command™ Semi-powershift
- Standard LED work lighting
- Easy attach remote outlets
- Long Stable 104" wheel base

#### ENGINE

##### T6.145

Rated PTO HP - 95  
 Rated Engine HP - 116  
 Engine Power Management (EPM)  
 Maximum Engine HP w/ EPM - 145  
 Rated Speed - 2200 RPM  
 274 cu. in. (4.5L) - 4 Cylinder  
 Fuel Tank: 52.2 Gallon (197.5L)  
 DEF Tank: 10.4 Gallon (39.5L)

##### T6.155

Rated PTO HP - 105  
 Rated Engine HP - 125  
 Engine Power Management (EPM)  
 Maximum Engine HP w/ EPM - 155  
 Rated Speed - 2200 RPM  
 274 cu. in. (4.5L) - 4 Cylinder  
 Fuel Tank: 52.2 Gallon (197.5L)  
 DEF Tank: 10.4 Gallon (39.5L)

##### T6.165

Rated PTO HP - 110  
 Rated Engine HP - 135  
 Engine Power Management (EPM)  
 Maximum Engine HP w/ EPM - 169  
 Rated Speed - 2200 RPM  
 274 cu. in. (4.5L) - 4 Cylinder  
 Fuel Tank: 52.2 Gallon (197.5L)  
 DEF Tank: 10.4 Gallon (39.5L)

##### T6.175

Rated PTO HP - 120  
 Rated Engine HP - 145  
 Engine Power Management (EPM)  
 Maximum Engine HP w/ EPM - 175  
 Rated Speed - 2200 RPM  
 274 cu. in. (4.5L) - 4 Cylinder  
 Fuel Tank: 52.2 Gallon (197.5L)  
 DEF Tank: 10.4 Gallon (39.5L)

##### T6.180

Rated PTO HP - 125  
 Rated Engine HP - 145  
 Engine Power Management (EPM)  
 Maximum Engine HP w/ EPM - 175  
 Rated Speed - 2200 RPM  
 411 cu. in. (6.7L) - 6 Cylinder  
 Fuel Tank: 52.2 Gallon (197.5L)  
 DEF Tank: 10.4 Gallon (39.5L)

#### COMMON ENGINE FEATURES

Tier 4B Emissions Compliant  
 ECOBlue™ HI-eSCR Tier4B system  
 Engine with Turbocharger and  
 Air-to-Air Intercooler  
 4 Valves Per Cylinder  
 Bosch Common Rail Fuel Injection  
 Pump (electronic)  
 Power Management and Constant RPM  
 Power Boost in PTO & Transport Modes  
 Grid Heater Starting Aid  
 Dual Element Air Filter with Pre-Cleaner  
 (spin tube intakes)  
 A-Pillar Exhaust with Integral Muffler  
 Viscous Fan (5 blade)  
 Foot and Hand Throttle

# T6 ELECTRO COMMAND-LESS FASTPICK US PRICE LIST

## Standard Equipment

### TRANSMISSION

16x16 Electro Command™ Semi-  
powershift w/opt. AutoShift feature  
Clutchless Range Change Between  
Ranges A/B and C/D  
Steering Column Mounted Left-hand  
Power Shuttle  
Multi-plate Wet Clutch Design

### ROAD SPEEDS

Std 4WD - 25 mph/40 kph

### STEERING & BRAKES

Hydrostatic Power Steering  
Hydraulic Wet Disc Brakes  
(self-equalizing/self-adjusting)  
Parking Brake (automotive style)

### REAR AXLE

Heavy Duty Flange  
Wet Plate Differential Lock  
Electrohydraulic Engaged Rear Diff Lock

### FRONT AXLE

STD Front FWD (limited slip)  
Class 3 Heavy Duty FWD Axle  
55 Degree Turning Angle -4WD  
Dual Steering Cylinders  
8 Degree Axle Oscillation(adjustable)  
Adjustable Tread Width from  
61.4 in. to 88.8 in. (varies by tire size)  
Electrohydraulic FWD Engagement  
Limited Slip Differential  
Drive Shaft Shield

### PTO

Independent 540/1000 rpm PTO  
with Reversible Shaft  
Multi-Plate Wet Clutch Design  
Electrohydraulic Engagement  
with Soft Start/Auto Feathering  
Hydraulic Piston PTO Brake with Manual  
Override (coast-down feature)  
Flip-up PTO Shaft Guard  
Rear Fender Mounted PTO Controls

### HYDRAULIC SYSTEM

Fixed Displacement Gear Pumps  
with closed center remote valves  
Maximum Flow at Rated Engine Speed  
21.1 gpm (80 l/m) Implement Pump  
12.4 gpm (47 l/m) Steering Pump  
(2) Lever Controlled, Configurable,  
Mechanical Remote Valves with Quick  
Couplers, Flow Control & Anti-leak-down  
Oil Collection Bottles  
Hydraulic Tapping Port (power beyond)  
Low Pressure Return Quick Coupler

### 3-POINT LIFT SYSTEM

Electronic Draft Control (EDC)  
Lower Link Sensing  
Fast Raise/Lower Control in Cab  
Rear Fender Mounted 3-PT Raise/Lower  
Switches  
Dynamic Ride Control™  
Category II Flex Link Ends  
Telescoping Stabilizers  
9,214 lb. Lift Capacity (OECD)  
with Dual 80mm External Rams

### DRAWBAR

Independent Swinging Drawbar

**T6 ELECTRO COMMAND-LESS FASTPICK  
US PRICE LIST**

## Standard Equipment

### ELECTRICAL

-----  
 (1) 12-volt 1300 cca Battery  
 120 amp Alternator  
 Geared Starter Motor (4.2 kW)  
 7-pin Outlet for Trailer/Implement  
 Lighting  
 3-pin, 40 amp Implement Socket  
 ISO/JD (30 amp) Socket  
 15 amp Screw-type Positive/Negative  
 Terminals  
 Single Pin (8 amp) Accessory Outlet  
 Cigar Lighter  
 (2) Roof Mounted Single Pin Outlets  
 Battery Boost Terminals

### LIGHTS

-----  
 (4) Halogen front hood headlights  
 (2) LED front hood signature lights  
 (8) LED cab mounted work lights  
     (4) LED high front & rear cab  
     (4) LED mid-mount front & rear  
 (2) taillights

Front & Rear Flashing Cab Safety Lights

### INSTRUMENTATION

-----  
 Analog/Digital Instrument Cluster with  
 LCD Display

### CAB

-----  
 Low Roof w/Fixed Visibility Panel  
     and Sunshade  
 Flat Deck Platform  
 Air Conditioner and Heater with  
     4-speed Pressurizer  
 Two Doors with Locks  
 Two-speed Intermittent Front  
     Wiper/Washer  
 Rear Intermittent Wiper/Washer  
 Hinged Rear Window  
 Tinted Glass with Sunshade  
 Tilt and Telescoping Steering Wheel  
 Air Suspension Seat with Operator  
     Presence Switch and Lap Belt  
 Instructor Seat  
 Deluxe Radio with Bluetooth  
 Digital Clock  
 Integral ROPS  
 Interior Dome Light  
 (2) External Courtesy Lights  
 (2) Fixed External Mirrors  
 Horn

### MISCELLANEOUS

-----  
 Pivoting Engine Hood  
 SMV Emblem  
 Toolbox

### WARRANTY

-----  
 New Holland Standard Warranty Applies

**T6 ELECTRO COMMAND-LESS FASTPICK  
 US PRICE LIST**
**Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price
T6.145 ELEC COM T4B	15,245 LB		\$116,739.00
Includes the following Equipment			
380/85(14.9)R28 A8 (8241401) \$2,686.00			
460/85(18.4)R38 R1W-MIFITR (8328401) \$5,592.00			
T6.155 ELEC COM T4B	15,245 LB		\$124,583.00
Includes the following Equipment			
380/85(14.9)R28 A8 (8241401) \$2,686.00			
460/85(18.4)R38 R1W-MIFITR (8328401) \$5,592.00			
T6.165 ELEC COM T4B	15,245 LB		\$127,995.00
Includes the following Equipment			
380/85(14.9)R28 A8 (8241401) \$2,686.00			
460/85(18.4)R38 R1W-MIFITR (8328401) \$5,592.00			
T6.175 ELEC COM T4B	15,245 LB		\$134,701.00
Includes the following Equipment			
380/85(14.9)R28 A8 (8241401) \$2,686.00			
460/85(18.4)R38 R1W-MIFITR (8328401) \$5,592.00			
T6.180 ELEC COM T4B	15,245 LB		\$140,271.00
Includes the following Equipment			
380/85(14.9)R28 A8 (8241401) \$2,686.00			
460/85(18.4)R38 R1W-MIFITR (8328401) \$5,592.00			

**T6 ELECTRO COMMAND-LESS FASTPICK  
US PRICE LIST****Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**FAST PICK CONFIGURATION**

## SD\_T9980 PACKAGING

		X0475XX	LESS PACKAGING			No Charge
--	--	---------	----------------	--	--	-----------

**CAB CONFIGURATION**

## CAB ROOF/COLOR

## SD\_T9850 SPECIAL COLORS/PANELS

		392209	Base Color ISO High Roof with High Visibility Panel			\$1,524.00
--	--	--------	--	--	--	------------

## FIXED OR SUSPENDED

## SD\_T9200 OPERATOR STRUCTURE #1

		758479	Suspended_Cab Cab suspension reduces shock loads to the tractor by up to 25% utilitizing two adjustable shocks to increase confort to the operator.			\$1,767.00
--	--	--------	--	--	--	------------

**ENGINE**

## ALTERNATOR SELECTION

## SD\_T1040 CHARGING SYSTEMS

		758557	150 AMP_Alternator			\$155.00
		758558	200 AMP_Alternator			\$240.00

## COLD WEATHER AIDS

## SD\_T1938 WEATHER PACK

		758402	Grid_Heater + 110V Pack Grid heater and cold weather pack Includes engine block heater and transmission heater			\$405.00
--	--	--------	--	--	--	----------



**T6 ELECTRO COMMAND-LESS FASTPICK  
US PRICE LIST**

**FUEL TANK GUARD**

**SD\_T1400 FUEL TANK**

		759130	Large Fuel Tank+Guard <b>Standard fuel tank plus auxiliary tank - 58.6 gal (222 L)</b> <b>Incompatible with 34" rear wheels</b>			\$235.00
--	--	--------	---	--	--	----------

**TRANSMISSION**

**SD\_T2800 SPEED**

2WD Units						
		759375	30KPH 16X16 L/Autoshift <b>16x16 Electro Command semi-powershift for 2WD axle</b>			(\$1,474.00)
		759377	30KPH 16X16 W/Autoshift <b>16x16 Electro Command semi-powershift with AutoShift feature for 2WD axle</b>			(\$681.00)
		759379	30KPH 16X16 Autoshift+Creeper <b>16x16 Electro Command semi-powershift with AutoShift and creeper for 2WD axle</b>			\$1,821.00
FWD Units						
		758413	40KPH_16X16_w/Autoshift <b>16x16 Electro Command semi-powershift with AutoShift feature</b>			\$794.00
		758414	40KPH_32X32_Autoshift+Creeper <b>32x32 Electro Command semi-powershift with AutoShift and creeper</b>			\$3,295.00
		743764	40 KPH (17x16) ECO <b>17x16 Electro Command "Economy" Semipowershift with AutoShift</b>			\$2,200.00

**FRONT AXLE**

**SD\_T4010 FRONT AXLE**

2WD Heavy Duty Axle						
		759381	2WD Heavy Duty Axle			(\$9,185.00)
Class 3 Standard FWD Axle						
		758420	Class 3 Hydraulic Lock <b>With TerraLock traction management system with multi-plate differential</b>			\$333.00

**T6 ELECTRO COMMAND-LESS FASTPICK  
US PRICE LIST**

Class 4 Standard FWD Axle					
		758425	Class 4 Hydraulic Lock <b>-With TerraLock traction management system with multi-plate differential</b> <b>-Incompatible with 34" rear wheels</b>		\$1,260.00
Class 4 SuperSteer FWD Axle					
		758429	Class 4 SuperSteer L/Water <b>SuperSteer front axle with TerraLock traction management system.</b> <b>Includes mulit-plate differential lock.</b> <b>Incompatible with Autoguidance</b>		\$4,705.00

**REAR AXLE**

SD\_T3200 REAR AXLE

		758432	HD Bar Steel Multi-Diff <b>Heavy duty 98" bar axle for steel wheels</b>		\$1,489.00
--	--	--------	--	--	------------

**TIRES**

BRAND CHOICE

SD\_T4900 TIRE CATEGORY CHOICE

		330438	No tire brand preference		No Charge
		330446	Firestone		\$560.00
		330439	Continental		\$560.00
		330442	Michelin		\$560.00

FRONT WHEELS & TIRES

SD\_T4940 FRONT WHEELS AND TIRES

Class 3 FWD Axle					
		8299905	Front Shipping Wheels-4WD <b>Requires rear shipping wheels</b>		\$1,469.00
		8240402	380/85(14.9)R24 A8 <b>Requires 460/85(18.4)R34 R1W</b>		\$2,369.00
		8241401	380/85(14.9)R28 A8 <b>Requires 460/85(18.4R38) R1W</b>		\$2,686.00
		8258404	380/85(14.9)R30R1W MI,F,T,C,A <b>Requires 18.4R42 R1W</b>		\$3,251.00
2WD Heavy Duty Axle					
		8138401	11.00-16 10PR F2 GY		\$914.00
Class 4 FWD Axle					
		8241901	380/85(14.9)R28R1W HD-MIFITRCO		\$2,686.00
		8299906	Front Shipping Wheels <b>Scrap, no return refund</b>		\$1,469.00



**T6 ELECTRO COMMAND-LESS FASTPICK  
US PRICE LIST**

**REAR WHEELS & TIRES**

**SD\_T4950 REAR WHEELS AND TIRES**

Flange and Bar - Steel						
		8365401	460/85(18.4)R34 A8 FI,MI,CO,TR <b>Matching Front Tire - 14.9R24 R1W - 8240402 (Class 3 Axle)</b>			\$4,170.00
		8328401	460/85(18.4)R38 R1W-MIFITR <b>Matching Front Tire - 14.9R28 R1W - 8241401 (Class 3 Axle) - 8241901 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims</b>			\$5,592.00
		8388404	460/85(18.4)R42R1W MI,F,T,C,A <b>Matching Front Tire - 14.9R30 R1W - 8258404 (Class 3 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims</b>			\$6,068.00
Shipping Wheels						
		8399906	Rear Shipping Wheels <b>Matching Front Shipping Wheels - 8299905 (Class 3 Axle) - 8299906 (Class 4 Axle)</b>			\$1,990.00

**HYDRAULICS**

**HYDRAULIC PUMP**

**SD\_T8230 HYD PUMP**

		758441	113L/Min. CCLS Pump			\$1,656.00
--	--	--------	---------------------	--	--	------------

**REAR REMOTE VALVES**

**SD\_T8270 REAR REMOTES**

Mechanical Rear Remotes						
		743741	3 Mech Rear Remote Valves (2C) <b>2 Configurable, 1 Non-Configurable Rear Remotes</b>			\$895.00
		743685	4 Mech Rear Remotes (2NC+2C) <b>2 Configurable, 2 Non-Configurable Rear Remotes</b>			\$2,125.00

**T6 ELECTRO COMMAND-LESS FASTPICK  
US PRICE LIST**

**COMPLETE LOADER READY**

**SD\_T8110 LOADER BRACKETS**

Mechanical Mid Mount					
		758344	<p>Loader Ready + 2Mech MMV +Joy</p> <p><b>Complete Loader Ready: Includes 2 slice mechanical mid-mount valve (MMM), horizontal and vertical two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the multi-coupler and joystick. Incompatible with electro-hydraulic rear remotes &amp; electronic joystick.</b></p> <p><b>Includes predisposition for Complete Loader Ready (758622)</b></p> <p><b>Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price &amp; Data Pages.</b></p>		\$7,510.00
		758351	<p>Loader Ready + 3Mech MMV+Joy</p> <p><b>Complete Loader Ready: Includes 3 slice mechanical mid-mount valve (MMM), horizontal and vertical two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the multi-coupler and joystick. Incompatible with electro-hydraulic rear remotes &amp; electronic joystick.</b></p> <p><b>Includes predisposition for Complete Loader Ready (758622)</b></p> <p><b>Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price &amp; Data Pages.</b></p>		\$9,288.00
Electro-Hydraulic Mid Mount					
		758354	<p>Loader Ready + 3 EH MMV + Joy</p> <p><b>Complete Loader Ready: Includes 3 slice electronic mid-mount valve (EMM), horizontal and vertical two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the hydraulic multi-coupler and joystick.</b></p> <p><b>Includes predisposition for Complete Loader Ready (758622)</b></p> <p><b>Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price &amp; Data Pages.</b></p>		\$10,862.00

**T6 ELECTRO COMMAND-LESS FASTPICK  
US PRICE LIST**

**WEIGHTS**

FRONT WEIGHTS

SD\_T2150 FRONT BALLAST

		758562	Weight Carrier w/Hook <b>Weight carrier with tow hook - 199 lbs (90.4 kg)</b>			\$261.00
		758518	Weight Pack A w/Hook <b>Pack "A" includes weight rack - 199.3 lbs., (6) 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 703 lbs. (319 kg)</b>			\$1,129.00
		758519	Weight Pack B w/Hook <b>Pack "B" includes: weight rack - (1) 199 lbs., (10) 99 lbs. weights, plus the tow hook - 15 lbs., total weight is 1,207 lbs. (547 kg)</b>			\$1,758.00
		758520	Weight Pack C w/Hook <b>Pack "C" includes: (1) weight rack - 199 lbs., (18) 99 lbs. weights, plus the tow hook - 15 lbs., total weight is 2000 lbs. (907 kg)</b>  <b>Not compatible with two wheel drive (2WD) option</b>  <b>Not compatible with loader ready packages: 758344, 758351, 758353, 758354, 758351</b>			\$2,865.00

REAR WHEEL WEIGHTS

SD\_T4960 WHEEL WEIGHTS

		758564	6X65KG Wheel Weight <b>Includes (6) 143 lbs. weights totalling 860 lbs.</b>			\$1,198.00
		759137	2X150KG + 2X250KG Wheel Weight <b>Rear Wheel WeightsRear Wheel Weights Includes 2 X 150 plus 2 X 250 KG Weights Four weights totaling 800 KG or 1,764 lbs.</b>  <b>Incompatible with shipping wheels Requires Bar Axle &amp; Fixed Rims</b>			\$1,563.00
		759821	2X150KG + 4X250KG Wheel Weight <b>Rear Wheel Weights 2 X 150 KG and 4 X 250 KG. Total of 6 rear weights for 1,300 KG or 2,866 lbs.</b>  <b>3 weights (650 KG) on each side</b>  <b>Incompatible with shipping wheels Requires Bar Axle &amp; Fixed Rims</b>			\$2,683.00

**T6 ELECTRO COMMAND-LESS FASTPICK  
US PRICE LIST**

**CAB OPTION**

SD\_T9360 RR MIRRORS

		759153	2 Telescopic Mirrors 759153			\$277.00
		759154	2 Tele/Heat/Rem Adj Mirror <b>(2) External Mirrors (Electric-adjust, Telescopic and Heated)</b> <b>Requires:</b> <b>- 743729, 713816, or 743730 (High Roof Cab)</b>			\$344.00

CLIMATE CONTROL

SD\_T9291 REAR WINDOW SUNSHADE

		758580	Sunshade, Rear Window			\$206.00
--	--	--------	-----------------------	--	--	----------

SEATS

SD\_T8500 SEAT

		758485	Deluxe Seat Air Susp Heated <b>Super Deluxe Seat with Low Frequency Suspension (+DDS) Belt and Swivel Headrest Heated Leather/Alcantara</b>			\$1,955.00
--	--	--------	--	--	--	------------

STORAGE

SD\_T9010 REAR CAB STORAGE BO

		758570	Lefthand Rear Cab Storage Box <b>Incompatible with Autoguidance</b>			\$224.00
--	--	--------	--	--	--	----------

LIGHTS

SD\_T9130 WORK LAMPS

		758594	12 LED High Power Hi-Roof <b>12 total LED cab mounted work lights:</b> <b>8 high roof mounted; 4 front, 4 rear</b> <b>4 mid-cab mounted; 2 front, 2 rear</b> <b>Total work light package emits 23,400 lumens</b>			\$1,568.00
		758596	16 LED High Power Hi-Roof <b>A total of 16 Cab mounted LED work lights:</b> <b>12 high cab-mounted; 6 front, 6 rear</b> <b>4 mid-cab mounted; 2 front, 2 rear</b> <b>16 LED work lights emitting 31,200 lumens</b>			\$3,136.00

**T6 ELECTRO COMMAND-LESS FASTPICK  
US PRICE LIST**

## SD\_T9146 ROTARY BEACON

		758489	Rotary Beacon Lefthand Side <b>Single rotary beacon mounted on rear left side of tractor for increased safety and visibility</b>			\$418.00
		758491	Twin Beacon <b>Rotary beacons mounted on rear of the cab on both left and right side of tractor for maximum safety and visibility</b>			\$836.00

## RADIO

## SD\_T7612 BRACKET MONITOR

		758497	Bracket for Equipment Monitor <b>Monitor mounting bracket</b>			\$159.00
--	--	--------	--	--	--	----------

**MISCELLANEOUS**

## FENDERS FRONT

## SD\_T8740 FRONT FENDERS

		758505	Front Fender 420mm Dynamic <b>Dynamic front fenders 16.5 inches wide (420 mm)</b>			\$786.00
--	--	--------	--	--	--	----------

## OTHER

## SD\_T7420 BATTERY

		758409	HD Battery W/Isolator 176AH <b>Heavy duty battery with isolator</b>			\$438.00
		759140	Hvy Dty Bty Mech ISO			\$438.00

**OPERATOR'S MANUALS**

## SD\_T9802 OPERATORS MANUAL

		758535	Spanish NAR			No Charge
		759101	French NAR			No Charge

# **T6 DYNAMIC COMMAND - DELUXE FASTPICK US PRICE LIST**

## **Standard Equipment**

### KEY SELLING POINTS:

- Fuel efficient high torque 4.5L, 4-cylinder with power boost  
FPT engines with 4 valves per cylinder and common rail fuel injection systems
- Tier 4B EPA emissions compliant with SCR only ECOBlue™ HI-eSCR Tier4B emissions system
- 23X23 Dynamic Command™ Powershift with AutoShift feature
- Standard LED work lighting
- Easy attach remote outlets
- New bold styling (hood, cab roof, lighting)
- Long Stable 104" wheel base for all 4WD models
- 15' 1" (181") turning radius (Std FWD disengaged, no brake, no fenders)

### ENGINE

#### T6.145

Rated PTO HP - 95  
Rated Engine HP - 116  
Engine Power Management (EPM)  
Maximum Engine HP w/ EPM - 145  
Rated Speed - 2200 RPM  
274 cu. in. (4.5L) - 4 Cylinder  
Fuel Tank: 52.2 Gallon (197.5L)  
DEF Tank: 10.4 Gallon (39.5L)

#### T6.155

Rated PTO HP - 105  
Rated Engine HP - 125  
Engine Power Management (EPM)  
Maximum Engine HP w/ EPM - 155  
Rated Speed - 2200 RPM  
274 cu. in. (4.5L) - 4 Cylinder  
Fuel Tank: 52.2 Gallon (197.5L)  
DEF Tank: 10.4 Gallon (39.5L)

#### T6.165

Rated PTO HP - 110  
Rated Engine HP - 135

Engine Power Management (EPM)  
Maximum Engine HP w/ EPM - 169  
Rated Speed - 2200 RPM  
274 cu. in. (4.5L) - 4 Cylinder  
Fuel Tank: 52.2 Gallon (197.5L)  
DEF Tank: 10.4 Gallon (39.5L)

#### T6.175

Rated PTO HP - 120  
Rated Engine HP - 145  
Engine Power Management (EPM)  
Maximum Engine HP w/ EPM - 175  
Rated Speed - 2200 RPM  
274 cu. in. (4.5L) - 4 Cylinder  
Fuel Tank: 52.2 Gallon (197.5L)  
DEF Tank: 10.4 Gallon (39.5L)

#### T6.180

Rated PTO HP - 125  
Rated Engine HP - 145  
Engine Power Management (EPM)  
Maximum Engine HP w/ EPM - 175  
Rated Speed - 2200 RPM  
411 cu. in. (6.7L) - 6 Cylinder  
Fuel Tank: 52.2 Gallon (197.5L)  
DEF Tank: 10.4 Gallon (39.5L)

### COMMON ENGINE FEATURES

Tier 4B Emissions Compliant  
ECOBBlue™ HI-eSCR Tier4B system  
Engine with Turbocharger and  
Air-to-Air Intercooler  
4 Valves Per Cylinder  
Bosch Common Rail Fuel Injection  
Pump (electronic)  
Power Management and Constant RPM  
Power Boost in PTO & Transport Modes  
Grid Heater Starting Aid  
Dual Element Air Filter with Pre-Cleaner (spin tube intakes)  
A-Pillar Exhaust with Integral Muffler  
Viscous Fan (5 blade)  
Foot and Hand Throttle

# T6 DYNAMIC COMMAND - DELUXE FASTPICK US PRICE LIST

## Standard Equipment

### TRANSMISSION

-----  
23 X 23 Dynamic Command <sup>TM</sup>  
Powershift  
Clutchless Range Change between  
Ranges A/B, B/C  
Steering Column Mounted Left-hand  
Power Shuttle  
Multi-plate Wet Clutch Design  
Basic Auto Features include: Smart  
Range Shift, Memory Shuttle,  
Smooth Shift, Pedal Kick Down, Auto  
Functions and Brake-To-Clutch

### ROAD SPEEDS

-----  
Std 4WD - 25 mph/40 kph  
Optional 4WD - 31 mph/50KPH  
(speeds varies by tire size)

### STEERING & BRAKES

-----  
Hydrostatic Power Steering  
Hydraulic Wet Disc Brakes  
(self-equalizing/self-adjusting)  
Parking Brake (automotive style)

### REAR AXLE

-----  
Heavy Duty Flange  
Wet Plate Differential Lock  
Electrohydraulic Engaged Rear Diff Lock

### FRONT AXLE

-----  
Front FWD (TerraLock<sup>TM</sup> )  
Class 4 FWD Axle  
55 Degree Turning Angle  
Dual Steering Cylinders  
8 Degree Axle Oscillation  
Adjustable Tread Width from  
61.4 in. to 88.8 in. (varies by tire size)  
Electrohydraulic FWD Engagement  
TerraLock<sup>TM</sup> Auto FWD/Diff-Lock  
Drive Shaft Shield

### PTO

-----  
Independent 540/1000 rpm PTO  
with Reversible Shaft  
Multi-Plate Wet Clutch Design  
Electrohydraulic Engagement with  
Soft Start/Auto Feathering  
Hydraulic Piston PTO Brake with Manual  
Override (coast-down feature)  
Flip-up PTO Shaft Guard  
Auto PTO Management System  
Rear Fender Mounted PTO Controls

### HYDRAULIC SYSTEM

-----  
CCLS: Closed-Center-Load-Sensing  
System  
Variable Displacement Piston Pump  
Maximum Flow at Rated Engine Speed  
29.9 gpm (113 l/m) Implement Pump  
12.4 gpm (47 l/m) Steering Pump  
(2) Lever Controlled, Configurable,  
Mechanical Remote Valves with Quick  
Couplers, Flow Control & Anti-leak-down  
Oil Collection Bottles  
Hydraulic Tapping Port (power beyond)  
Low Pressure Return Quick Coupler

### 3-POINT LIFT SYSTEM

-----  
Electronic Draft Control (EDC)  
Lower Link Sensing  
Fast Raise/Lower Control in Cab  
Rear Fender Mounted 3-PT Raise/Lower  
Switches  
Dynamic Ride Control<sup>TM</sup>  
Category II Flex Link Ends  
Telescoping Stabilizers  
11,650 lb. Lift Capacity (OECD)  
with Dual 90mm External Rams

### DRAWBAR

-----  
Independent Swinging Drawbar

**T6 DYNAMIC COMMAND - DELUXE FASTPICK  
US PRICE LIST**

## Standard Equipment

### ELECTRICAL

-----  
(1) 12-volt 1300 cca Battery  
120 amp Alternator  
Geared Starter Motor (4.2 kW)  
7-pin Outlet for Trailer/Implement  
Lighting  
3-pin, 40 amp Implement Socket  
ISO/JD (30 amp) Socket  
15 amp Screw-type Positive/Negative  
Terminals  
Single Pin (8 amp) Accessory Outlet  
Cigar Lighter  
(2) Roof Mounted Single Pin Outlets for  
beacon

### LIGHTS

-----  
(4) Halogen front hood headlights  
(2) LED front hood signature lights  
(12) LED cab mounted work lights  
(8) LED high front & rear  
(4) LED mid-mount front & rear  
(2) taillights

Front & Rear Flashing Cab Safety Lights  
Time Delayed, Self-Cancelling Turn  
Indicators with Audiable Warning

### INSTRUMENTATION

-----  
Analog/Digital Instrument Cluster with  
LCD Display, Enhanced Key Pad and  
Performance Monitor

### CAB

-----  
High Roof w/ Opening Visibility Panel  
and Sunshade  
Flat Deck Platform with Integrated ROPS  
Automatic Temperature Control with  
Air Conditioner and Heater with  
4-Speed Pressurizer  
Two doors with Locks  
Two-speed Intermittent Front  
Wiper/Washer  
Rear Intermittent Wiper/Washer  
Hinged Rear Window  
Tinted Glass with Sunshade  
Tilt and Telescoping Steering Wheel

Deluxe Air Suspension Seat with  
Automatic Adjustment, Operator  
Presence Switch and Lap Belt  
Instructor Seat  
Deluxe Radio with BlueTooth, High  
Performance Speakers & Antenna  
Digital Clock  
Interior Dome Light  
(2) External Courtesy Lights  
(2) Electronically Adjustment  
Telescoping, Heated External Mirrors  
Horn

### MISCELLANEOUS

-----  
Pivoting Engine Hood  
SMV Emblem  
Toolbox

### WARRANTY

-----  
New Holland Standard Warranty Applies



**T6 DYNAMIC COMMAND - DELUXE FASTPICK  
 US PRICE LIST**
**Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price
T6.145 DCT	15,245 LB	9099855P91	\$129,683.00
Includes the following Equipment			
380/85(14.9)R28R1W HD-MIFI (8241901)	\$2,686.00		
460/85(18.4)R38 R1W-MIFITR (8328401)	\$5,592.00		
T6.155 DCT	15,245 LB	9105895P79	\$137,527.00
Includes the following Equipment			
380/85(14.9)R28R1W HD-MIFI (8241901)	\$2,686.00		
460/85(18.4)R38 R1W-MIFITR (8328401)	\$5,592.00		
T6.165 DCT	15,245 LB	9108522P26	\$140,938.00
Includes the following Equipment			
380/85(14.9)R28R1W HD-MIFI (8241901)	\$2,686.00		
460/85(18.4)R38 R1W-MIFITR (8328401)	\$5,592.00		
T6.175 DCT	19,268 LB	9113685P88	\$147,644.00
Includes the following Equipment			
380/85(14.9)R28R1W HD-MIFI (8241901)	\$2,686.00		
460/85(18.4)R38 R1W-MIFITR (8328401)	\$5,592.00		
T6.180 DCT	15,245 LB	9117974P78	\$153,214.00
Includes the following Equipment			
380/85(14.9)R28R1W HD-MIFI (8241901)	\$2,686.00		
460/85(18.4)R38 R1W-MIFITR (8328401)	\$5,592.00		



**T6 DYNAMIC COMMAND - DELUXE FASTPICK  
US PRICE LIST**

**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**FAST PICK CONFIGURATION**

SD\_T9980 PACKAGING

		X0473XX	NAR NH PCK B DELUXE <b>Deluxe Fastpick Package Includes:</b> <b>759109 Class 4 HD Std Axle</b> <b>758153 Monitor Mounting Bracket</b> <b>758632 ISO CL2+9PIN IN CAB</b>		9000311P08	\$404.00
--	--	---------	---	--	------------	----------

**ENGINE**

COLD WEATHER AIDS

SD\_T1938 WEATHER PACK

		758402	Grid_Heater + 110V Pack <b>Improves starting in cold weather conditions. Option includes grid heater and 110V electrical plug in of engine block heater and transmission heater</b>		9000311P85	\$405.00
--	--	--------	--	--	------------	----------

**TIRES**

FRONT WHEELS & TIRES

SD\_T4940 FRONT WHEELS AND TIRES

Class 4 FWD Axle						
		8241901	380/85(14.9)R28R1W HD-MIFITRICO <b>Requires: 460(18.4)R38 R1W</b>		9002068P22	\$2,686.00
		8258704	380/85(14.9)R30 R1W MI-FI-CM <b>Requires 18.4R42 R1W or 14.9R46 R1W</b>		9002483P25	\$3,225.00
		8801604	320/85R34 R1W Brands - MI <b>Requires 320/90R50 R1W</b>		9002633P40	\$3,420.00

**T6 DYNAMIC COMMAND - DELUXE FASTPICK  
US PRICE LIST**

**REAR WHEELS & TIRES**

**SD\_T4950 REAR WHEELS AND TIRES**

Flange Axle					
		8328401	460/85(18.4)R38 R1W-MIFITR <b>Matching Front Tire - 14.9R28 R1W</b> <b>- 8241901 (Class 4 Axle)</b> <b>Compatible with 31 MPH (50 KPH)</b> <b>Adjustable Rims</b>	9004305P84	\$5,592.00
		8384406	460/85(18.4)R42 R1W - MI <b>Matching Front Tire - 14.9R30 (380/85R30)</b> <b>- 8258704 (Class 4 Axle)</b> <b>Compatible with 31 MPH (50 KPH)</b> <b>Adjustable Rims</b>	9005839P68	\$7,584.00
Flange and Bar - Steel					
		8963504	320/90R50 R1W MI <b>Matching Front Tire - 320/85R34 R1W</b> <b>- 8801604 (Class 4 Axle)</b> <b>Adjustable Rims</b>	9004784P78	\$6,214.00

**HYDRAULICS**

**REAR REMOTES**

**SD\_T8270 REAR REMOTES**

Mechanical Rear Remotes					
		743685	4 Mech Rear Remotes (2NC+2C) <b>4 mechanical rear remotes, 2 configurable detents and flow control</b>	9000945P56	\$1,228.00

**COMPLETE LOADER READY**

**SD\_T8110 LOADER BRACKETS**

Electro-Hydraulic Mid Mount					
		759470	NA LDR RDY+2MMV+ADV <b>Complete Loader Ready: Includes 2 slice electronic mid-mount valve (EMMV), horizontal and vertical two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the mulit-coupler and joystick.</b>  <b>Includes predisposition for Complete Loader Ready (758622)</b>  <b>Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price &amp; Data Pages</b>	9007544P46	\$9,798.00

**T6 DYNAMIC COMMAND - DELUXE FASTPICK  
US PRICE LIST**

		759471	NA LDR RDY+3MMV+ADV <b>Complete Loader Ready: Includes 3 slice electronic mid-mount valve (EMMV), horizontal and vertical two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the multi-coupler and joystick.</b>  <b>Includes predisposition for Complete Loader Ready (758622)</b>  <b>Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price &amp; Data Pages.</b>		9008705P62	\$11,306.00
--	--	--------	--	--	------------	-------------

**WEIGHTS**

FRONT WEIGHTS

SD\_T2150 FRONT BALLAST

		758562	Weight Carrier w/Hook <b>Weight carrier with tow hook - 199.3 lbs (90.4 kg)</b>		9000200P97	\$261.00
		758518	Weight Pack A w/Hook <b>Pack "A" includes weight rack - 199.3 lbs., (6) 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 703 lbs. (319 kg)</b> <b>Not compatible with front 3-PT hitch: 743699 and 743700</b>		9000869P33	\$1,129.00
		758519	Weight Pack B w/Hook <b>Pack "B" includes: weight rack - 199.3 lbs., 10 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 1207 lbs. (547 kg)</b> <b>Not compatible with front 3-PT hitch: 743699 and 743700</b>		9001353P66	\$1,758.00
		758520	Weight Pack C w/Hook <b>Pack "C" includes: weight rack - 199.3 lbs., 18 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 2000 lbs. (907 kg)</b>  <b>Not compatible with front 3-PT hitch: 743699 and 743700</b> <b>Not compatible with loader ready packages:</b> <b>758344, 758351, 758353, 758354, 758351</b>		9002206P05	\$2,865.00

REAR WHEEL WEIGHTS

SD\_T4960 WHEEL WEIGHTS

		758564	6X65KG Wheel Weight <b>Includes (6) 143 lbs. weights totalling 860 lbs.</b>		9000922P46	\$1,198.00
--	--	--------	--	--	------------	------------

**T6 DYNAMIC COMMAND - DELUXE FASTPICK  
US PRICE LIST**

**CAB OPTION**

LIGHTS

SD\_T9146 ROTARY BEACON

		758489	Rotary Beacon Lefthand Side <b>Single rotary beacon mounted on rear left side of tractor for increased safety and visibility</b>		9000321P86	\$418.00
		758491	Twin Beacon <b>Rotary beacons mounted on rear of the cab on both left and right side of tractor for maximum safety and visibility</b>		9000643P72	\$836.00

**MISCELLANEOUS**

OTHER

SD\_T7420 BATTERY

		758409	HD Battery W/Isolator 176AH <b>Heavy duty battery with electronic isolator switch on right hand rear c-pillar in cab.</b>  <b>In-cab switch disconnects battery to prevent battery drainage.</b>		9000337P26	\$438.00
--	--	--------	---	--	------------	----------

**OPERATOR'S MANUALS**

SD\_T9802 OPERATORS MANUAL

		758534	English USA			No Charge
		758535	Spanish NAR			No Charge
		759101	French NAR			No Charge

**T6 DYNAMIC COMMAND - DELUXE 200 FASTPICK  
US PRICE LIST**

## Standard Equipment

### KEY SELLING POINTS:

- Fuel efficient high torque 4.5L, 4-cylinder with power boost  
FPT engines with 4 valves per cylinder and common rail fuel injection systems
- Tier 4B EPA emissions compliant with SCR only ECOBlue™ HI-eSCR Tier4B emissions system
- 23X23 Dynamic Command™ Powershift with AutoShift feature
- Standard LED work lighting
- Easy attach remote outlets
- New bold styling (hood, cab roof, lighting)
- Long Stable 104" wheel base for all 4WD models
- 15' 1" (181") turning radius (Std FWD disengaged, no brake, no fenders)

### ENGINE

#### T6.145

Rated PTO HP - 95  
Rated Engine HP - 116  
Engine Power Management (EPM)  
Maximum Engine HP w/ EPM - 145  
Rated Speed - 2200 RPM  
274 cu. in. (4.5L) - 4 Cylinder  
Fuel Tank: 52.2 Gallon (197.5L)  
DEF Tank: 10.4 Gallon (39.5L)

#### T6.155

Rated PTO HP - 105  
Rated Engine HP - 125  
Engine Power Management (EPM)  
Maximum Engine HP w/ EPM - 155  
Rated Speed - 2200 RPM  
274 cu. in. (4.5L) - 4 Cylinder  
Fuel Tank: 52.2 Gallon (197.5L)  
DEF Tank: 10.4 Gallon (39.5L)

#### T6.165

Rated PTO HP - 110  
Rated Engine HP - 135

Engine Power Management (EPM)  
Maximum Engine HP w/ EPM - 169  
Rated Speed - 2200 RPM  
274 cu. in. (4.5L) - 4 Cylinder  
Fuel Tank: 52.2 Gallon (197.5L)  
DEF Tank: 10.4 Gallon (39.5L)

#### T6.175

Rated PTO HP - 120  
Rated Engine HP - 145  
Engine Power Management (EPM)  
Maximum Engine HP w/ EPM - 175  
Rated Speed - 2200 RPM  
274 cu. in. (4.5L) - 4 Cylinder  
Fuel Tank: 52.2 Gallon (197.5L)  
DEF Tank: 10.4 Gallon (39.5L)

#### T6.180

Rated PTO HP - 125  
Rated Engine HP - 145  
Engine Power Management (EPM)  
Maximum Engine HP w/ EPM - 175  
Rated Speed - 2200 RPM  
411 cu. in. (6.7L) - 6 Cylinder  
Fuel Tank: 52.2 Gallon (197.5L)  
DEF Tank: 10.4 Gallon (39.5L)

### COMMON ENGINE FEATURES

Tier 4B Emissions Compliant  
ECOBBlue™ HI-eSCR Tier4B system  
Engine with Turbocharger and  
Air-to-Air Intercooler  
4 Valves Per Cylinder  
Bosch Common Rail Fuel Injection  
Pump (electronic)  
Power Management and Constant RPM  
Power Boost in PTO & Transport Modes  
Grid Heater Starting Aid  
Dual Element Air Filter with Pre-Cleaner (spin tube intakes)  
A-Pillar Exhaust with Integral Muffler  
Viscous Fan (5 blade)  
Foot and Hand Throttle

**T6 DYNAMIC COMMAND - DELUXE 200 FASTPICK  
US PRICE LIST**

## Standard Equipment

### TRANSMISSION

-----  
23 X 23 Dynamic Command <sup>TM</sup>  
Powershift  
Clutchless Range Change between  
Ranges A/B, B/C  
Steering Column Mounted Left-hand  
Power Shuttle  
Multi-plate Wet Clutch Design  
Basic Auto Features include: Smart  
Range Shift, Memory Shuttle,  
Smooth Shift, Pedal Kick Down, Auto  
Functions and Brake-To-Clutch

### ROAD SPEEDS

-----  
Std 4WD - 25 mph/40 kph  
Optional 4WD - 31 mph/50KPH  
(speeds varies by tire size)

### STEERING & BRAKES

-----  
Hydrostatic Power Steering  
Hydraulic Wet Disc Brakes  
(self-equalizing/self-adjusting)  
Parking Brake (automotive style)

### REAR AXLE

-----  
Heavy Duty Flange  
Wet Plate Differential Lock  
Electrohydraulic Engaged Rear Diff Lock

### FRONT AXLE

-----  
Front FWD (TerraLock<sup>TM</sup> )  
Class 4 FWD Axle  
55 Degree Turning Angle  
Dual Steering Cylinders  
8 Degree Axle Oscillation  
Adjustable Tread Width from  
61.4 in. to 88.8 in. (varies by tire size)  
Electrohydraulic FWD Engagement  
TerraLock<sup>TM</sup> Auto FWD/Diff-Lock  
Drive Shaft Shield

### PTO

-----  
Independent 540/1000 rpm PTO  
with Reversible Shaft  
Multi-Plate Wet Clutch Design  
Electrohydraulic Engagement with  
Soft Start/Auto Feathering  
Hydraulic Piston PTO Brake with Manual  
Override (coast-down feature)  
Flip-up PTO Shaft Guard  
Auto PTO Management System  
Rear Fender Mounted PTO Controls

### HYDRAULIC SYSTEM

-----  
CCLS: Closed-Center-Load-Sensing  
System  
Variable Displacement Piston Pump  
Maximum Flow at Rated Engine Speed  
29.9 gpm (113 l/m) Implement Pump  
12.4 gpm (47 l/m) Steering Pump  
(2) Lever Controlled, Configurable,  
Mechanical Remote Valves with Quick  
Couplers, Flow Control & Anti-leak-down  
Oil Collection Bottles  
Hydraulic Tapping Port (power beyond)  
Low Pressure Return Quick Coupler

### 3-POINT LIFT SYSTEM

-----  
Electronic Draft Control (EDC)  
Lower Link Sensing  
Fast Raise/Lower Control in Cab  
Rear Fender Mounted 3-PT Raise/Lower  
Switches  
Dynamic Ride Control<sup>TM</sup>  
Category II Flex Link Ends  
Telescoping Stabilizers  
11,650 lb. Lift Capacity (OECD)  
with Dual 90mm External Rams

### DRAWBAR

-----  
Independent Swinging Drawbar

**T6 DYNAMIC COMMAND - DELUXE 200 FASTPICK  
US PRICE LIST**

## Standard Equipment

### ELECTRICAL

-----  
 (1) 12-volt 1300 cca Battery  
 120 amp Alternator  
 Geared Starter Motor (4.2 kW)  
 7-pin Outlet for Trailer/Implement  
 Lighting  
 3-pin, 40 amp Implement Socket  
 ISO/JD (30 amp) Socket  
 15 amp Screw-type Positive/Negative  
 Terminals  
 Single Pin (8 amp) Accessory Outlet  
 Cigar Lighter  
 (2) Roof Mounted Single Pin Outlets for  
 beacon

### LIGHTS

-----  
 (4) Halogen front hood headlights  
 (2) LED front hood signature lights  
 (12) LED cab mounted work lights  
 (8) LED high front & rear  
 (4) LED mid-mount front & rear  
 (2) taillights

Front & Rear Flashing Cab Safety Lights  
 Time Delayed, Self-Cancelling Turn  
 Indicators with Audiable Warning

### INSTRUMENTATION

-----  
 Analog/Digital Instrument Cluster with  
 LCD Display, Enhanced Key Pad and  
 Performance Monitor

### CAB

-----  
 High Roof w/ Opening Visibility Panel  
 and Sunshade  
 Flat Deck Platform with Integrated ROPS  
 Automatic Temperature Control with  
 Air Conditioner and Heater with  
 4-Speed Pressurizer  
 Two doors with Locks  
 Two-speed Intermittent Front  
 Wiper/Washer  
 Rear Intermittent Wiper/Washer  
 Hinged Rear Window  
 Tinted Glass with Sunshade  
 Tilt and Telescoping Steering Wheel

Deluxe Air Suspension Seat with  
 Automatic Adjustment, Operator  
 Presence Switch and Lap Belt  
 Instructor Seat  
 Deluxe Radio with BlueTooth, High  
 Performance Speakers & Antenna  
 Digital Clock  
 Interior Dome Light  
 (2) External Courtesy Lights  
 (2) Electronically Adjustment  
 Telescoping, Heated External Mirrors  
 Horn

### MISCELLANEOUS

-----  
 Pivoting Engine Hood  
 SMV Emblem  
 Toolbox

### WARRANTY

-----  
 New Holland Standard Warranty Applies



**T6 DYNAMIC COMMAND - DELUXE 200 FASTPICK  
 US PRICE LIST**
**Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price
T6.145 DCT	15,245 LB	9099855P91	\$129,683.00
Includes the following Equipment			
380/85(14.9)R28R1W HD-MIFI (8241901)	\$2,686.00		
460/85(18.4)R38 R1W-MIFITR (8328401)	\$5,592.00		
T6.155 DCT	15,245 LB	9105895P79	\$137,527.00
Includes the following Equipment			
380/85(14.9)R28R1W HD-MIFI (8241901)	\$2,686.00		
460/85(18.4)R38 R1W-MIFITR (8328401)	\$5,592.00		
T6.165 DCT	15,245 LB	9108522P26	\$140,938.00
Includes the following Equipment			
380/85(14.9)R28R1W HD-MIFI (8241901)	\$2,686.00		
460/85(18.4)R38 R1W-MIFITR (8328401)	\$5,592.00		
T6.175 DCT	19,268 LB	9113685P88	\$147,644.00
Includes the following Equipment			
380/85(14.9)R28R1W HD-MIFI (8241901)	\$2,686.00		
460/85(18.4)R38 R1W-MIFITR (8328401)	\$5,592.00		
T6.180 DCT	15,245 LB	9117974P78	\$153,214.00
Includes the following Equipment			
380/85(14.9)R28R1W HD-MIFI (8241901)	\$2,686.00		
460/85(18.4)R38 R1W-MIFITR (8328401)	\$5,592.00		



T6 DYNAMIC COMMAND - DELUXE 200 FASTPICK  
US PRICE LIST

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD\_T9980 PACKAGING

		X0581XX	NAR NH PCK B DLX 200 <b>Delxue 200 Package Includes:</b> 758479: Suspended_Cab 758557: 150 AMP_Alternator 759110: 40 KPH DCT 759109: Class 4 HD Std Axle 759471: NA LDR RDY+3MMV+ADV 759137: 2X150KG + 2X250KG Wheel Weight 758432: HD Bar Steel Multi-Diff		9012730P41	\$16,533.00
--	--	---------	---	--	------------	-------------

ENGINE

COLD WEATHER AIDS

SD\_T1938 WEATHER PACK

		758402	Grid_Heater + 110V Pack Improves starting in cold weather conditions. Option includes grid heater and 110V electrical plug in of engine block heater and transmission heater		9000311P85	\$405.00
--	--	--------	---	--	------------	----------

TIRES

BRAND CHOICE

SD\_T4900 TIRE CATEGORY CHOICE

		330447	Alliance		9000431P20	\$560.00
		330439	Continental		9000431P20	\$560.00
		330446	Firestone		9000431P20	\$560.00
		330442	Michelin		9000431P20	\$560.00
		330418	Trelleborg		9000431P20	\$560.00

**T6 DYNAMIC COMMAND - DELUXE 200 FASTPICK  
US PRICE LIST**

**FRONT WHEELS & TIRES**

**SD\_T4940 FRONT WHEELS AND TIRES**

Class 4 FWD Axle					
		8241901	380/85(14.9)R28R1W HD-MIFITR <b>Requires: 460(18.4)R38 R1W</b>	9002068P22	\$2,686.00
		8255904	420/85(16.9)R28 R1W MI-FI <b>Requires 20.8R38 R1W or 18.4R42 R1W</b>	9002640P33	\$3,429.00
		8258704	380/85(14.9)R30 R1W MI-FI-CM <b>Requires 18.4R42 R1W or 14.9R46 R1W</b>	9002483P25	\$3,225.00
		8801604	320/85R34 R1W Brands - MI <b>Requires 320/90R50 R1W</b>	9002633P40	\$3,420.00
		8825501	480/65R28 R1W MI-CM <b>Requires 600/65 R38</b>	9002346P96	\$3,048.00

**REAR WHEELS & TIRES**

**SD\_T4950 REAR WHEELS AND TIRES**

Flange Axle					
		8328401	460/85(18.4)R38 R1W-MIFITR <b>Matching Front Tire - 14.9R28 R1W - 8241901 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims</b>	9004305P84	\$5,592.00
		8380404	520/85 (20.8) R38 R1W MI, TR <b>Matching front tire is 8255404 420/85(16.9) R28 R1W MI-FI-TR</b>	9005957P49	\$7,737.00
Flange and Bar - Steel					
		8370404	380/90(14.9)R46R1WAdj Rim-C,MI <b>Matching Front Tire - 14.9R30 R1W - 8258404 (Class 3 Axle) - 8258704 (Class 4 Axle) Adjustable Rims</b>	9004600P75	\$5,975.00
		8388404	460/85(18.4)R42R1W MI,F,T,C,A <b>Matching Front Tire - 14.9R30 R1W - 8258704 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims</b>	9004672P36	\$6,068.00
		8963504	320/90R50 R1W MI <b>Matching Front Tire - 320/85R34 R1W - 8801604 (Class 4 Axle) Adjustable Rims</b>	9004784P78	\$6,214.00

**T6 DYNAMIC COMMAND - DELUXE 200 FASTPICK  
US PRICE LIST**

		8949401	600/65R38 R1W Fixd-FI,MI,CO,TR <b>Matching Front Tire - 480/65R28 R1W</b> <b>- 8825501 (Class 4 Axle)</b> <b>Compatible with 31 MPH (50 KPH)</b> <b>Requires:</b> <b>- 743707 (Full Cover Rear Fenders)</b> <b>Fixed Rims</b>		9006063P75	\$7,875.00
--	--	---------	---	--	------------	------------

**HYDRAULICS**

REAR REMOTES

SD\_T8270 REAR REMOTES

Mechanical Rear Remotes						
		743685	4 Mech Rear Remotes (2NC+2C) <b>4 mechanical rear remotes, 2 configurable detents and flow control</b>		9000945P56	\$1,228.00
Electro-Hydraulic Rear Remotes						
		743686	3 Elect Hyd. Rear Remote Valve <b>3 electronic rear remotes</b>		9001874P18	\$2,434.00
		743733	4 Elect Hyd. Rear Remote Valve <b>4 electronic rear remotes</b>		9002822P05	\$3,665.00

**REAR PTO**

SD\_T8710 FENDERS PTO CONTROL

		743680	Fender EDC/PTO/Rem Valv Contrl <b>Rear Fender Mounted (Right/Left) 3-PT, PTO &amp; 3rd Rear Remote Control Switches.</b> <b>Requires:</b> <b>- 743686 or 743733 (3 or 4 EH Rear Remotes)</b> <b>- 330345 (Advanced Processor)</b>		9000223P30	\$290.00
--	--	--------	---	--	------------	----------

**WEIGHTS**

FRONT WEIGHTS

SD\_T2150 FRONT BALLAST

		758562	Weight Carrier w/Hook <b>Weight carrier with tow hook - 199.3 lbs (90.4 kg)</b>		9000200P97	\$261.00
		758518	Weight Pack A w/Hook <b>Pack "A" includes weight rack - 199.3 lbs., (6) 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 703 lbs. (319 kg)</b> <b>Not compatible with front 3-PT hitch: 743699 and 743700</b>		9000869P33	\$1,129.00

**T6 DYNAMIC COMMAND - DELUXE 200 FASTPICK  
US PRICE LIST**

		758519	Weight Pack B w/Hook <b>Pack "B" includes: weight rack - 199.3 lbs., 10 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 1207 lbs. (547 kg)</b> <b>Not compatible with front 3-PT hitch: 743699 and 743700</b>		9001353P66	\$1,758.00
		758520	Weight Pack C w/Hook <b>Pack "C" includes: weight rack - 199.3 lbs., 18 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 2000 lbs. (907 kg)</b>  <b>Not compatible with front 3-PT hitch: 743699 and 743700</b> <b>Not compatible with loader ready packages:</b> <b>758344, 758351, 758353, 758354, 758351</b>		9002206P05	\$2,865.00

**CAB OPTION**

SD\_T9360 RR MIRRORS

		759154	2 Tele/Heat/Rem Adj Mirror <b>(2) External Mirrors (Electric-adjust, Telescopic and Heated)</b> <b>Requires:</b> <b>- 743729, 713816, or 743730 (High Roof Cab)</b>		9000050P82	\$66.00
--	--	--------	--	--	------------	---------

CLIMATE CONTROL

SD\_T9291 REAR WINDOW SUNSHADE

		758580	Sunshade, Rear Window <b>Perforated sun screen used to reduce sun shine on operator</b>		9000158P62	\$206.00
--	--	--------	--	--	------------	----------

SEATS

SD\_T8500 SEAT

		758485	Deluxe Seat Air Susp Heated <b>Super Deluxe Seat with Low Frequency Suspension (+DDS) Belt and Swivel</b> <b>Headrest Heated Leather/Alacantara</b>		9001505P35	\$1,955.00
		758486	MAXIMO EVO <b>Semi Active Suspension, Heated, Vented, Belt, Alacantara/Leather, Up/Down Headrest</b> <b>(Maximo Evo)</b>		9002950P64	\$3,832.00

**T6 DYNAMIC COMMAND - DELUXE 200 FASTPICK  
US PRICE LIST**

**STORAGE**

**SD\_T9010 REAR CAB STORAGE BO**

		758570	Lefthand Rear Cab Storage Box <b>Large LH storage box</b> <b>Located in the back left hand corner, behind instructor seat area</b>  <b>Incompatible with Autoguidance</b>		9000172P48	\$224.00
--	--	--------	---	--	------------	----------

**LIGHTS**

**SD\_T9146 ROTARY BEACON**

		758489	Rotary Beacon Lefthand Side <b>Single rotary beacon mounted on rear left side of tractor for increased safety and visibility</b>		9000321P86	\$418.00
		758491	Twin Beacon <b>Rotary beacons mounted on rear of the cab on both left and right side of tractor for maximum safety and visibility</b>		9000643P72	\$836.00

**MONITOR BRACKETS**

**SD\_T9223 RH WINDOW BAR MOUNT**

		758153	Monitor Mounting Bracket. <b>Includes Bar mounted in righthand side of cab without Monitor</b>		9000115P50	\$150.00
		758154	RH Window Bar Display Ready. <b>Includes Bar mounted in right hand side of cab with Intelliview ready harness and window mount without Monitor</b>		9000187P88	\$244.00
		758621	10" Color Touch Screen Display <b>Monitor mounting bracket with IntelliView IV</b>		9004485P25	\$5,825.00

**SD\_T9228 RH ARMREST MOUNT**

		758548	10" Color Touch Screen Display <b>10.4 inch, wide screen Intelliview touchscreen monitor attached to SideWinder II armrest</b>		9004499P88	\$5,844.00
--	--	--------	---	--	------------	------------

**ISO BUS CONNECTOR**

**SD\_T7642 ISO BUS**

		758710	ISO CL3+9PIN+SPEED		9000301P84	\$392.00
--	--	--------	--------------------	--	------------	----------

**T6 DYNAMIC COMMAND - DELUXE 200 FASTPICK  
US PRICE LIST**

**AUTO GUIDANCE**

AUTO GUIDANCE READY

SD\_T6300 STEERING OR AUTOGUIDANCE READY

		759186	Variable Ratio Steer <b>CUSTOMSTEER™ OPTION</b> feature allows operators to turn fully from lock to lock with as little as one rotation of the steering wheel with precision control.  You can choose a steering ratio preference from 1:1 to 1:4 for quicker maneuvering at the headland, reversing with trailers, or during repetitive loader work.		9002223P76	\$2,888.00
		759185	Autoguidance Ready Autoguidance Ready with steering sensor, electronic steering valve, steering manifold, hoses, wiring harness, receiver mounting bracket, cabling, & hardware  Incompatible with SuperSteer front axle		9004095P63	\$5,319.00

**MISCELLANEOUS**

FENDERS FRONT

SD\_T8740 FRONT FENDERS

		758505	Front Fender 420mm Dynamic		9000605P22	\$786.00
--	--	--------	----------------------------	--	------------	----------

FENDERS REAR

SD\_T8700 FENDERS

		743707	Full Cover <b>Full Cover Rear Fender (92.1 in. / 2,340 mm)</b>		9000558P25	\$725.00
--	--	--------	---	--	------------	----------

RADAR

SD\_T7580 RADAR

		758501	Radar NAR		9000629P86	\$818.00
--	--	--------	-----------	--	------------	----------



**T6 DYNAMIC COMMAND - DELUXE 200 FASTPICK  
US PRICE LIST**

OTHER

SD\_T7420 BATTERY

		758409	HD Battery W/Isolator 176AH <b>Heavy duty battery with electronic isolator switch on right hand rear c-pillar in cab.</b>  <b>In-cab switch disconnects battery to prevent battery drainage.</b>		9000337P26	\$438.00
--	--	--------	---	--	------------	----------

**OPERATOR'S MANUALS**

SD\_T9802 OPERATORS MANUAL

		758534	English USA			No Charge
		758535	Spanish NAR			No Charge
		759101	French NAR			No Charge



**T6 DYNAMIC COMMAND - PREMIUM FASTPICK  
US PRICE LIST**

## Standard Equipment

### KEY SELLING POINTS:

- Fuel efficient high torque 4.5L, 4-cylinder with power boost
- FPT engines with 4 valves per cylinder and common rail fuel injection systems
- Tier 4B EPA emissions compliant with SCR only ECOBlue™ HI-eSCR Tier4B emissions system
- 23X23 Dynamic Command™ Powershift with AutoShift feature
- Standard LED work lighting
- Easy attach remote outlets
- New bold styling (hood, cab roof, lighting)
- Long Stable 104" wheel base for all 4WD models
- 15' 1" (181") turning radius (Std FWD disengaged, no brake, no fenders)

### ENGINE

#### T6.145

Rated PTO HP - 95  
 Rated Engine HP - 116  
 Engine Power Management (EPM)  
 Maximum Engine HP w/ EPM - 145  
 Rated Speed - 2200 RPM  
 274 cu. in. (4.5L) - 4 Cylinder  
 Fuel Tank: 52.2 Gallon (197.5L)  
 DEF Tank: 10.4 Gallon (39.5L)

#### T6.155

Rated PTO HP - 105  
 Rated Engine HP - 125  
 Engine Power Management (EPM)  
 Maximum Engine HP w/ EPM - 155  
 Rated Speed - 2200 RPM  
 274 cu. in. (4.5L) - 4 Cylinder  
 Fuel Tank: 52.2 Gallon (197.5L)  
 DEF Tank: 10.4 Gallon (39.5L)

#### T6.165

Rated PTO HP - 110  
 Rated Engine HP - 135

Engine Power Management (EPM)  
 Maximum Engine HP w/ EPM - 169  
 Rated Speed - 2200 RPM  
 274 cu. in. (4.5L) - 4 Cylinder  
 Fuel Tank: 52.2 Gallon (197.5L)  
 DEF Tank: 10.4 Gallon (39.5L)

#### T6.175

Rated PTO HP - 120  
 Rated Engine HP - 145  
 Engine Power Management (EPM)  
 Maximum Engine HP w/ EPM - 175  
 Rated Speed - 2200 RPM  
 274 cu. in. (4.5L) - 4 Cylinder  
 Fuel Tank: 52.2 Gallon (197.5L)  
 DEF Tank: 10.4 Gallon (39.5L)

#### T6.180

Rated PTO HP - 125  
 Rated Engine HP - 145  
 Engine Power Management (EPM)  
 Maximum Engine HP w/ EPM - 175  
 Rated Speed - 2200 RPM  
 411 cu. in. (6.7L) - 6 Cylinder  
 Fuel Tank: 52.2 Gallon (197.5L)  
 DEF Tank: 10.4 Gallon (39.5L)

### COMMON ENGINE FEATURES

Tier 4B Emissions Compliant  
 ECOBlue™ HI-eSCR Tier4B system  
 Engine with Turbocharger and  
 Air-to-Air Intercooler  
 4 Valves Per Cylinder  
 Bosch Common Rail Fuel Injection  
 Pump (electronic)  
 Power Management and Constant RPM  
 Power Boost in PTO & Transport Modes  
 Grid Heater Starting Aid  
 Dual Element Air Filter with Pre-Cleaner  
 (spin tube intakes)  
 A-Pillar Exhaust with Integral Muffler  
 Viscous Fan (5 blade)  
 Foot and Hand Throttle

**T6 DYNAMIC COMMAND - PREMIUM FASTPICK  
US PRICE LIST**

## Standard Equipment

### TRANSMISSION

-----  
23 X 23 Dynamic Command™  
Powershift  
Clutchless Range Change between  
Ranges A/B, B/C  
Steering Column Mounted Left-hand  
Power Shuttle  
Multi-plate Wet Clutch Design  
Advanced Transmission features  
including Ground Speed Management II

### ROAD SPEEDS

-----  
Std 4WD - 25 mph/40 kph  
Optional 4WD - 31 mph/50KPH  
(speeds varies by tire size)

### STEERING & BRAKES

-----  
Hydrostatic Power Steering  
Hydraulic Wet Disc Brakes  
(self-equalizing/self-adjusting)  
Parking Brake (automotive style)

### REAR AXLE

-----  
Heavy Duty Flange  
Wet Plate Differential Lock  
Electrohydraulic Engaged Rear Diff Lock

### FRONT AXLE

-----  
Front FWD (TerraLock™)  
Class 4 FWD Axle  
55 Degree Turning Angle  
Dual Steering Cylinders  
8 Degree Axle Oscillation  
Adjustable Tread Width from  
61.4 in. to 88.8 in. (varies by tire size)  
Electrohydraulic FWD Engagement  
TerraLock™ Auto FWD/Diff-Lock  
Drive Shaft Shield

### PTO

-----  
Independent 540/1000 rpm PTO  
with Reversible Shaft  
Multi-Plate Wet Clutch Design  
Electrohydraulic Engagement with  
Soft Start/Auto Feathering  
Hydraulic Piston PTO Brake with Manual  
Override (coast-down feature)  
Flip-up PTO Shaft Guard  
Auto PTO Management System  
Rear Fender Mounted PTO Controls

### HYDRAULIC SYSTEM

-----  
CCLS: Closed-Center-Load-Sensing  
System  
Variable Displacement Piston Pump  
Maximum Flow at Rated Engine Speed  
29.9 gpm (113 l/m) Implement Pump  
12.4 gpm (47 l/m) Steering Pump  
(2) Lever Controlled, Configurable,  
Mechanical Remote Valves with Quick  
Couplers, Flow Control & Anti-leak-down  
Oil Collection Bottles  
Hydraulic Tapping Port (power beyond)  
Low Pressure Return Quick Coupler

### 3-POINT LIFT SYSTEM

-----  
Electronic Draft Control (EDC)  
Lower Link Sensing  
Fast Raise/Lower Control in Cab  
Rear Fender Mounted 3-PT Raise/Lower  
Switches  
Dynamic Ride Control™  
Category II Flex Link Ends  
Telescoping Stabilizers  
11,650 lb. Lift Capacity (OECD)  
with Dual 90mm External Rams

### DRAWBAR

-----  
Independent Swinging Drawbar

**T6 DYNAMIC COMMAND - PREMIUM FASTPICK  
US PRICE LIST**

## Standard Equipment

### ELECTRICAL

-----  
 (1) 12-volt 1300 cca Battery  
 120 amp Alternator  
 Geared Starter Motor (4.2 kW)  
 7-pin Outlet for Trailer/Implement  
   Lighting  
 3-pin, 40 amp Implement Socket  
 ISO/JD (30 amp) Socket  
 15 amp Screw-type Positive/Negative  
   Terminals  
 ISO BUS Class 3 Basic  
 Single Pin (8 amp) Accessory Outlet  
 Cigar Lighter  
 (2) Roof Mounted Single Pin Outlets for  
   beacon

### LIGHTS

-----  
 (4) Halogen front hood headlights  
 (2) LED front hood signature lights  
 (12) LED cab mounted work lights  
   (8) LED high front & rear  
   (4) LED mid-mount front & rear  
 (2) taillights

Front & Rear Flashing Cab Safety Lights  
 Time Delayed, Self-Cancelling Turn  
   Indicators with Audiable Warning

### INSTRUMENTATION

-----  
 Analog/Digital Instrument Cluster with  
 LCD Display, Enhanced Key Pad and  
 Performance Monitor

### CAB

-----  
 High Roof w/ Opening Visibility Panel  
   and Sunshade  
 Flat Deck Platform with Integrated ROPS  
 Automatic Temperature Control with  
   Air Conditioner and Heater with  
   4-Speed Pressurizer  
 Two doors with Locks  
 Two-speed Intermittent Front  
   Wiper/Washer  
 Rear Intermittent Wiper/Washer  
 Hinged Rear Window  
 Tinted Glass with Sunshade  
 Tilt and Telescoping Steering Wheel

Deluxe Air Suspension Seat with  
 Automatic Adjustment, Operator  
 Presence Switch and Lap Belt  
 Instructor Seat  
 Deluxe Radio with BlueTooth, High  
 Performance Speakers & Antenna  
 Digital Clock  
 Interior Dome Light  
 (2) External Courtesy Lights  
 (2) Electronically Adjustment  
   Telescoping, Heated External Mirrors  
 Horn

### MISCELLANEOUS

-----  
 Pivoting Engine Hood  
 SMV Emblem  
 Toolbox

### WARRANTY

-----  
 New Holland Standard Warranty Applies

**T6 DYNAMIC COMMAND - PREMIUM FASTPICK  
 US PRICE LIST**
**Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price
T6.145 DCT	15,245 LB	9099855P91	\$129,683.00
Includes the following Equipment			
380/85(14.9)R28R1W HD-MIFI (8241901)	\$2,686.00		
460/85(18.4)R38 R1W-MIFITR (8328401)	\$5,592.00		
T6.155 DCT	15,245 LB	9105895P79	\$137,527.00
Includes the following Equipment			
380/85(14.9)R28R1W HD-MIFI (8241901)	\$2,686.00		
460/85(18.4)R38 R1W-MIFITR (8328401)	\$5,592.00		
T6.165 DCT	15,245 LB	9108522P26	\$140,938.00
Includes the following Equipment			
380/85(14.9)R28R1W HD-MIFI (8241901)	\$2,686.00		
460/85(18.4)R38 R1W-MIFITR (8328401)	\$5,592.00		
T6.175 DCT	19,268 LB	9113685P88	\$147,644.00
Includes the following Equipment			
380/85(14.9)R28R1W HD-MIFI (8241901)	\$2,686.00		
460/85(18.4)R38 R1W-MIFITR (8328401)	\$5,592.00		
T6.180 DCT	15,245 LB	9117974P78	\$153,214.00
Includes the following Equipment			
380/85(14.9)R28R1W HD-MIFI (8241901)	\$2,686.00		
460/85(18.4)R38 R1W-MIFITR (8328401)	\$5,592.00		

**T6 DYNAMIC COMMAND - PREMIUM FASTPICK  
US PRICE LIST****Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**FAST PICK CONFIGURATION****SD\_T9980 PACKAGING**

	X0472XX	NAR NH PCK A PREMIUM <b>Premium Fastpick Package Includes:</b> 758557: 150 AMP Alternator 758479: Suspended Cab 759128: Std Fuel Tank+Guard 743680: Fender EDC/PTO/Rem Valv Contrl 758631: ADV TRANS AUTO FEAT 758432: HD Bar Steel Multi-Diff 758548: 10" Color Touch Screen Display 758485: Deluxe Seat Air Susp Heated 758409: HD Battery W/Isolator 176AH 759154: 2 Remote Adjustable Telescopic & Heated Mirrors 758154: Display Ready Monitor Mounting Bracket		9012402P39	\$16,107.00
--	---------	--	--	------------	-------------

**ENGINE****COLD WEATHER AIDS****SD\_T1938 WEATHER PACK**

	758402	Grid_Heater + 110V Pack Improves starting in cold weather conditions. Option includes grid heater and 110V electrical plug in of engine block heater and transmission heater		9000311P85	\$405.00
--	--------	---	--	------------	----------

**TRANSMISSION****SD\_T2800 SPEED**

	759110	40 KPH DCT Dynamic Command Transmission: 23 Speed Transmission with up to 8 powershifts per range for three ranges that does not require mechanical range lever or a need to clutch between ranges.  23 gear limited @ 2000 engine rpm both forward and reverse			No Charge
--	--------	--	--	--	-----------

**T6 DYNAMIC COMMAND - PREMIUM FASTPICK  
US PRICE LIST**

		759111	40 KPH ECO - DCT <b>Dynamic Command Transmission: 24 Speed Transmission with Economy 24th gear</b>  <b>24 gear limited @ 1650 engine rpm , 23 gear limited @ 2000 engine rpm both forward and reverse</b>		9001410P64	\$1,832.00
		759113	50 KPH - DCT <b>Dynamic Command Transmission: 24 Speed Transmission with 50 KPH 24th gear providing top transport speed of 31 MPH</b>		9001410P64	\$1,832.00

**FRONT AXLE**

SD\_T4010 FRONT AXLE

Class 4 FWD Axle						
		759109	Class 4 HD Std Axle		9000194P81	\$253.00
Class 4 SuperSteer FWD Axle						
		758429	Class 4 SuperSteer L/Water <b>SuperSteer front axle with TerraLock traction management system. Includes mulit-plate differential lock.</b>  <b>Incompatible with Autoguidance</b>		9002652P65	\$3,445.00
Class 4 Suspended FWD Axle						
		758428	Class 4 Susp + Brake Hyd Lock <b>With TerraGlide suspended axle with TerraLock traction management system. Includes multi-plate differential and front brakes.</b>  <b>Incompatible with 34" rear wheels</b>		9004884P11	\$6,343.00

**TIRES**

BRAND CHOICE

SD\_T4900 TIRE CATEGORY CHOICE

		330438	No tire brand preference			No Charge
		330447	Alliance		9000431P20	\$560.00
		330439	Continental		9000431P20	\$560.00
		330446	Firestone		9000431P20	\$560.00
		330442	Michelin		9000431P20	\$560.00
		330418	Trelleborg		9000431P20	\$560.00

**T6 DYNAMIC COMMAND - PREMIUM FASTPICK  
US PRICE LIST**

**FRONT WHEELS & TIRES**

**SD\_T4940 FRONT WHEELS AND TIRES**

Class 4 FWD Axle					
		8241901	380/85(14.9)R28R1W HD-MIFITR <b>Requires: 460(18.4)R38 R1W</b>	9002068P22	\$2,686.00
		8258704	380/85(14.9)R30 R1W MI-FI-CM <b>Requires 18.4R42 R1W or 14.9R46 R1W</b>	9002483P25	\$3,225.00
		8801604	320/85R34 R1W Brands - MI <b>Requires 320/90R50 R1W</b>	9002633P40	\$3,420.00

**REAR WHEELS & TIRES**

**SD\_T4950 REAR WHEELS AND TIRES**

Flange Axle					
		8328401	460/85(18.4)R38 R1W-MIFITR <b>Matching Front Tire - 14.9R28 R1W - 8241901 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims</b>	9004305P84	\$5,592.00
		8380404	520/85 (20.8) R38 R1W MI, TR <b>Matching front tire is 8255404 420/85(16.9) R28 R1W MI-FI-TR</b>	9005957P49	\$7,737.00
Flange and Bar - Steel					
		8388404	460/85(18.4)R42R1W MI,F,T,C,A <b>Matching Front Tire - 14.9R30 R1W - 8258704 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims</b>	9004672P36	\$6,068.00
		8963504	320/90R50 R1W MI <b>Matching Front Tire - 320/85R34 R1W - 8801604 (Class 4 Axle) Adjustable Rims</b>	9004784P78	\$6,214.00
		8949401	600/65R38 R1W Fixd-FI,MI,CO,TR <b>Matching Front Tire - 480/65R28 R1W - 8825501 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Requires: - 743707 (Full Cover Rear Fenders) Fixed Rims</b>	9006063P75	\$7,875.00

**T6 DYNAMIC COMMAND - PREMIUM FASTPICK  
US PRICE LIST**

**HYDRAULICS**

REAR REMOTES

SD\_T8270 REAR REMOTES

Electro-Hydraulic Rear Remotes

		743733	4 Elect Hyd. Rear Remote Valve <b>4 electronic rear remotes</b>		9000947P87	\$1,231.00
--	--	--------	--	--	------------	------------

COMPLETE LOADER READY

SD\_T8110 LOADER BRACKETS

Electro-Hydraulic Mid Mount

		759470	NA LDR RDY+2MMV+ADV <b>Complete Loader Ready: Includes 2 slice electronic mid-mount valve (EMMV), horizontal and vertical two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the mulit-coupler and joystick.</b>  <b>Includes predisposition for Complete Loader Ready (758622)</b>  <b>Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price &amp; Data Pages</b>		9007544P46	\$9,798.00
		759471	NA LDR RDY+3MMV+ADV <b>Complete Loader Ready: Includes 3 slice electronic mid-mount valve (EMMV), horizontal and vertical two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the multi-coupler and joystick.</b>  <b>Includes predisposition for Complete Loader Ready (758622)</b>  <b>Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price &amp; Data Pages.</b>		9008705P62	\$11,306.00

**WEIGHTS**

FRONT WEIGHTS

SD\_T2150 FRONT BALLAST

		758562	Weight Carrier w/Hook <b>Weight carrier with tow hook - 199.3 lbs (90.4 kg)</b>		9000200P97	\$261.00
--	--	--------	--	--	------------	----------



**T6 DYNAMIC COMMAND - PREMIUM FASTPICK  
US PRICE LIST**

		758518	Weight Pack A w/Hook <b>Pack "A" includes weight rack - 199.3 lbs., (6) 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 703 lbs. (319 kg)</b> <b>Not compatible with front 3-PT hitch: 743699 and 743700</b>		9000869P33	\$1,129.00
		758519	Weight Pack B w/Hook <b>Pack "B" includes: weight rack - 199.3 lbs., 10 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 1207 lbs. (547 kg)</b> <b>Not compatible with front 3-PT hitch: 743699 and 743700</b>		9001353P66	\$1,758.00
		758520	Weight Pack C w/Hook <b>Pack "C" includes: weight rack - 199.3 lbs., 18 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 2000 lbs. (907 kg)</b>  <b>Not compatible with front 3-PT hitch: 743699 and 743700</b> <b>Not compatible with loader ready packages:</b> <b>758344, 758351, 758353, 758354, 758351</b>		9002206P05	\$2,865.00

**REAR WHEEL WEIGHTS**

**SD\_T4960 WHEEL WEIGHTS**

		758564	6X65KG Wheel Weight <b>Includes (6) 143 lbs. weights totalling 860 lbs.</b>		9000922P46	\$1,198.00
		759137	2X150KG + 2X250KG Wheel Weight <b>Rear Wheel Weights</b> <b>Includes 2 X 150 plus 2 X 250 KG Weights</b> <b>Four weights totaling 800 KG or 1,764 lbs.</b>  <b>Incompatible with shipping wheels</b> <b>Requires Bar Axle &amp; Fixed Rims</b>		9001203P51	\$1,563.00
		759821	2X150KG + 4X250KG Wheel Weight <b>Rear Wheel Weights 2 X 150 KG and 4 X 250 KG.</b> <b>Total of 6 rear weights for 1,300 KG or 2,866 lbs.</b>  <b>3 weights (650 KG) on each side</b>  <b>Incompatible with shipping wheels</b> <b>Requires Bar Axle &amp; Fixed Rims</b>		9002065P91	\$2,683.00

**CAB OPTION**

**CLIMATE CONTROL**

**SD\_T9291 REAR WINDOW SUNSHADE**

		758580	Sunshade, Rear Window <b>Perforated sun screen used to reduce sun shine on operator</b>		9000158P62	\$206.00
--	--	--------	--	--	------------	----------

**T6 DYNAMIC COMMAND - PREMIUM FASTPICK  
US PRICE LIST**

**STORAGE**

**SD\_T9010 REAR CAB STORAGE BO**

		758570	Lefthand Rear Cab Storage Box <b>Large LH storage box</b> <b>Located in the back left hand corner, behind instructor seat area</b>  <b>Incompatible with Autoguidance</b>		9000172P48	\$224.00
--	--	--------	---	--	------------	----------

**LIGHTS**

**SD\_T9130 WORK LAMPS**

		758596	16 LED High Power Hi-Roof <b>Work Lamp Package includes: 16 Cab mounted LED work lights</b> <b>12 high cab-mounted; 6 front, 6 rear</b> <b>4 mid-cab mounted; 2 front, 2 rear</b> <b>16 LED work lights emitting 31,200 lumens</b>		9001207P36	\$1,568.00
--	--	--------	--	--	------------	------------

**SD\_T9146 ROTARY BEACON**

		758489	Rotary Beacon Lefthand Side <b>Single rotary beacon mounted on rear left side of tractor for increased safety and visibility</b>		9000321P86	\$418.00
		758491	Twin Beacon <b>Rotary beacons mounted on rear of the cab on both left and right side of tractor for maximum safety and visibility</b>		9000643P72	\$836.00

**MONITOR BRACKETS**

**SD\_T9223 RH WINDOW BAR MOUNT**

		758153	Monitor Mounting Bracket. <b>Includes Bar mounted in righthand side of cab without Monitor</b>		9000115P50	\$150.00
		758154	RH Window Bar Display Ready. <b>Includes Bar mounted in right hand side of cab with Intelliview ready harness and window mount without Monitor</b>		9000187P88	\$244.00

**OPERATOR'S MANUALS**

**SD\_T9802 OPERATORS MANUAL**

		758534	English USA			No Charge
		758535	Spanish NAR			No Charge
		759101	French NAR			No Charge

**T6 DYNAMIC COMMAND - LESS FASTPICK  
US PRICE LIST**

## Standard Equipment

### KEY SELLING POINTS:

- Fuel efficient high torque 4.5L, 4-cylinder with power boost
- FPT engines with 4 valves per cylinder and common rail fuel injection systems
- Tier 4B EPA emissions compliant with SCR only ECOBlue™ HI-eSCR Tier4B emissions system
- 23X23 Dynamic Command™ Powershift with AutoShift feature
- Standard LED work lighting
- Easy attach remote outlets
- New bold styling (hood, cab roof, lighting)
- Long Stable 104" wheel base for all 4WD models
- 15' 1" (181") turning radius (Std FWD disengaged, no brake, no fenders)

### ENGINE

#### T6.145

Rated PTO HP - 95  
 Rated Engine HP - 116  
 Engine Power Management (EPM)  
 Maximum Engine HP w/ EPM - 145  
 Rated Speed - 2200 RPM  
 274 cu. in. (4.5L) - 4 Cylinder  
 Fuel Tank: 52.2 Gallon (197.5L)  
 DEF Tank: 10.4 Gallon (39.5L)

#### T6.155

Rated PTO HP - 105  
 Rated Engine HP - 125  
 Engine Power Management (EPM)  
 Maximum Engine HP w/ EPM - 155  
 Rated Speed - 2200 RPM  
 274 cu. in. (4.5L) - 4 Cylinder  
 Fuel Tank: 52.2 Gallon (197.5L)  
 DEF Tank: 10.4 Gallon (39.5L)

#### T6.165

Rated PTO HP - 110  
 Rated Engine HP - 135

Engine Power Management (EPM)  
 Maximum Engine HP w/ EPM - 169  
 Rated Speed - 2200 RPM  
 274 cu. in. (4.5L) - 4 Cylinder  
 Fuel Tank: 52.2 Gallon (197.5L)  
 DEF Tank: 10.4 Gallon (39.5L)

#### T6.175

Rated PTO HP - 120  
 Rated Engine HP - 145  
 Engine Power Management (EPM)  
 Maximum Engine HP w/ EPM - 175  
 Rated Speed - 2200 RPM  
 274 cu. in. (4.5L) - 4 Cylinder  
 Fuel Tank: 52.2 Gallon (197.5L)  
 DEF Tank: 10.4 Gallon (39.5L)

#### T6.180

Rated PTO HP - 125  
 Rated Engine HP - 145  
 Engine Power Management (EPM)  
 Maximum Engine HP w/ EPM - 175  
 Rated Speed - 2200 RPM  
 411 cu. in. (6.7L) - 6 Cylinder  
 Fuel Tank: 52.2 Gallon (197.5L)  
 DEF Tank: 10.4 Gallon (39.5L)

### COMMON ENGINE FEATURES

Tier 4B Emissions Compliant  
 ECOBlue™ HI-eSCR Tier4B system  
 Engine with Turbocharger and  
 Air-to-Air Intercooler  
 4 Valves Per Cylinder  
 Bosch Common Rail Fuel Injection  
 Pump (electronic)  
 Power Management and Constant RPM  
 Power Boost in PTO & Transport Modes  
 Grid Heater Starting Aid  
 Dual Element Air Filter with Pre-Cleaner  
 (spin tube intakes)  
 A-Pillar Exhaust with Integral Muffler  
 Viscous Fan (5 blade)  
 Foot and Hand Throttle

**T6 DYNAMIC COMMAND - LESS FASTPICK  
US PRICE LIST**

## Standard Equipment

### TRANSMISSION

-----  
23 X 23 Dynamic Command™  
Powershift  
Clutchless Range Change between  
Ranges A/B, B/C  
Steering Column Mounted Left-hand  
Power Shuttle  
Multi-plate Wet Clutch Design

### ROAD SPEEDS

-----  
Std 4WD - 25 mph/40 kph  
Optional 4WD - 31 mph/50KPH  
(speeds varies by tire size)

### STEERING & BRAKES

-----  
Hydrostatic Power Steering  
Hydraulic Wet Disc Brakes  
(self-equalizing/self-adjusting)  
Parking Brake (automotive style)

### REAR AXLE

-----  
Heavy Duty Flange  
Wet Plate Differential Lock  
Electrohydraulic Engaged Rear Diff Lock

### FRONT AXLE

-----  
SELECTION MUST BE MADE WHEN  
ORDERING. ENTRY LEVEL OPTION IS:  
Front FWD (TerraLock™)  
Class 4 Heavy Duty FWD Axle  
55 Degree Turning Angle  
Dual Steering Cylinders  
8 Degree Axle Oscillation  
Adjustable Tread Width from  
61.4 in. to 88.8 in. (varies by tire size)  
Electrohydraulic FWD Engagement  
TerraLock™ Auto FWD/Diff-Lock  
Drive Shaft Shield

### PTO

-----  
Independent 540/1000 rpm PTO  
with Reversible Shaft  
Multi-Plate Wet Clutch Design  
Electrohydraulic Engagement with  
Soft Start/Auto Feathering  
Hydraulic Piston PTO Brake with Manual  
Override (coast-down feature)  
Flip-up PTO Shaft Guard  
Auto PTO Management System  
Rear Fender Mounted PTO Controls

### HYDRAULIC SYSTEM

-----  
CCLS: Closed-Center-Load-Sensing  
System  
Variable Displacement Piston Pump  
Maximum Flow at Rated Engine Speed  
29.9 gpm (113 l/m) Implement Pump  
12.4 gpm (47 l/m) Steering Pump  
(2) Lever Controlled, Configurable,  
Mechanical Remote Valves with Quick  
Couplers, Flow Control & Anti-leak-down  
Oil Collection Bottles  
Hydraulic Tapping Port (power beyond)  
Low Pressure Return Quick Coupler

### 3-POINT LIFT SYSTEM

-----  
Electronic Draft Control (EDC)  
Lower Link Sensing  
Fast Raise/Lower Control in Cab  
Rear Fender Mounted 3-PT Raise/Lower  
Switches  
Dynamic Ride Control™  
Category II Flex Link Ends  
Telescoping Stabilizers  
11,650 lb. Lift Capacity (OECD)  
with Dual 90mm External Rams

### DRAWBAR

-----  
Independent Swinging Drawbar

**T6 DYNAMIC COMMAND - LESS FASTPICK  
US PRICE LIST**

## Standard Equipment

### CUSTOM HEADLAND

#### MANAGEMENT SYSTEM

- 
- Allows Programming of the Following
- Transmission Upshift/Downshift
  - Fast Raise/Lower of the 3-PT Hitch
  - Engine rpm Increase/Decrease via Throttle
  - Engine rpm Increase/Decrease via Constant RPM
  - Optional Electro-Hydraulic Remotes

#### ELECTRICAL

- 
- (1) 12-volt 1300 cca Battery
- ALTERNATOR SELECTION MUST BE MADE. ENTRY LEVEL OPTION IS:
- 120 amp Alternator
- Geared Starter Motor (4.2 kW)
- 7-pin Outlet for Trailer/Implement Lighting
- 3-pin, 40 amp Implement Socket
- ISO/JD (30 amp) Socket
- 15 amp Screw-type Positive/Negative Terminals
- ISO BUS Class 3 Basic
- Single Pin (8 amp) Accessory Outlet
- Cigar Lighter
- (2) Roof Mounted Single Pin Outlets for beacon
- Battery Boost Terminals

#### LIGHTS

- 
- WORK LIGHT SELECTION MUST BE MADE. STANDARD EQUIPMENT IS:
- (4) Halogen front hood headlights
- (2) LED front hood signature lights
- (12) LED cab mounted work lights
- (8) LED high front & rear
- (4) LED mid-mount front & rear
- (2) taillights
- Front & Rear Flashing Cab Safety Lights
- Time Delayed, Self-Cancelling Turn Indicators with Audiable Warning

#### INSTRUMENTATION

- 
- Analog/Digital Instrument Cluster with LCD Display, Enhanced Key Pad and Performance Monitor
- CAB
- 
- High Roof w/ Opening Visibility Panel and Sunshade
- Flat Deck Platform with Integrated ROPS
- Automatic Temperature Control with Air Conditioner and Heater with 4-Speed Pressurizer
- Two doors with Locks
- Two-speed Intermittent Front Wiper/Washer
- Rear Intermittent Wiper/Washer
- Hinged Rear Window
- Tinted Glass with Sunshade
- Tilt and Telescoping Steering Wheel
- Deluxe Air Suspension Seat with Automatic Adjustment, Operator Presence Switch and Lap Belt
- Instructor Seat
- Deluxe Radio with BlueTooth, High Performance Speakers & Antenna
- Digital Clock
- Interior Dome Light
- (2) External Courtesy Lights
- (2) Electronically Adjustment Telescoping, Heated External Mirrors
- Horn

#### MISCELLANEOUS

- 
- Pivoting Engine Hood
- SMV Emblem
- Toolbox

#### WARRANTY

- 
- New Holland Standard Warranty Applies

**T6 DYNAMIC COMMAND - LESS FASTPICK  
 US PRICE LIST**
**Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price
T6.145 DCT	15,245 LB	9099855P91	\$129,683.00
Includes the following Equipment			
380/85(14.9)R28R1W HD-MIFI (8241901)	\$2,686.00		
460/85(18.4)R38 R1W-MIFITR (8328401)	\$5,592.00		
T6.155 DCT	15,245 LB	9105895P79	\$137,527.00
Includes the following Equipment			
380/85(14.9)R28R1W HD-MIFI (8241901)	\$2,686.00		
460/85(18.4)R38 R1W-MIFITR (8328401)	\$5,592.00		
T6.165 DCT	15,245 LB	9108522P26	\$140,938.00
Includes the following Equipment			
380/85(14.9)R28R1W HD-MIFI (8241901)	\$2,686.00		
460/85(18.4)R38 R1W-MIFITR (8328401)	\$5,592.00		
T6.175 DCT	19,268 LB	9113685P88	\$147,644.00
Includes the following Equipment			
380/85(14.9)R28R1W HD-MIFI (8241901)	\$2,686.00		
460/85(18.4)R38 R1W-MIFITR (8328401)	\$5,592.00		
T6.180 DCT	15,245 LB	9117974P78	\$153,214.00
Includes the following Equipment			
380/85(14.9)R28R1W HD-MIFI (8241901)	\$2,686.00		
460/85(18.4)R38 R1W-MIFITR (8328401)	\$5,592.00		

**T6 DYNAMIC COMMAND - LESS FASTPICK  
US PRICE LIST****Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**CAB CONFIGURATION**

## FIXED OR SUSPENDED

## SD\_T9200 OPERATOR STRUCTURE #1

		391610	Cab w/Fixed Front Screen <b>Standard Cab - Does not include cab suspension.</b>			No Charge
		758479	Suspended_Cab <b>Suspended Cab includes two adjustable rear shocks Cab suspension reduces shock loads to the tractor by up to 25% utilitizing two adjustable shocks to increase confort to the operator.</b>		9001360P59	\$1,767.00
		758480	Suspended Cab w/Heated Screens <b>Includes 758479 Cab Suspension plus defrost elements on front and rear windows  Requires 200 Amp alternator</b>		9001750P98	\$2,274.00

**ENGINE**

## ALTERNATOR SELECTION

## SD\_T1040 CHARGING SYSTEMS

		391192	120 AMP_Alternator			No Charge
		758557	150 AMP_Alternator		9000119P35	\$155.00
		758558	200 AMP_Alternator <b>Required for units equipped wtih 758480 Suspended Cab w/Heated Screens</b>		9000184P80	\$240.00

## COLD WEATHER AIDS

## SD\_T1938 WEATHER PACK

		758402	Grid_Heater + 110V Pack <b>Improves starting in cold weather conditions. Option includes grid heater and 110V electrical plug in of engine block heater and transmission heater</b>		9000311P85	\$405.00
--	--	--------	--	--	------------	----------

**T6 DYNAMIC COMMAND - LESS FASTPICK  
US PRICE LIST**

**FUEL TANK GUARD**

**SD\_T1400 FUEL TANK**

		759128	Std Fuel Tank+Guard <b>Standard fuel tank with guards</b> <b>Compatible with 34" Rear Wheels</b> <b>55 Gallon / 210 Liter Capacity</b>			No Charge
		759130	Large Fuel Tank+Guard <b>Large fuel tank with guards</b> <b>Not compatible with 34" Rear Wheels</b> <b>59 Gallon / 222 Liters Capacity</b>		9000180P95	\$235.00

**TRANSMISSION**

**SD\_T2800 SPEED**

		759110	40 KPH DCT <b>Dynamic Command Transmission: 23 Speed Transmission</b> <b>with up to 8 powershifts per range for three ranges that</b> <b>does not require mechanical range lever or a need to</b> <b>clutch between ranges.</b>  <b>23 gear limited @ 2000 engine rpm both forward and reverse</b>			No Charge
		759111	40 KPH ECO - DCT <b>Dynamic Command Transmission: 24 Speed</b> <b>Transmission with Economy 24th gear</b>  <b>24 gear limited @ 1650 engine rpm , 23 gear limited</b> <b>@ 2000 engine rpm both forward and reverse</b>		9001410P64	\$1,832.00
		759113	50 KPH - DCT <b>Dynamic Command Transmission: 24 Speed</b> <b>Transmission with 50 KPH 24th gear providing</b> <b>top transport speed of 31 MPH</b>		9001410P64	\$1,832.00
<b>Creeper Transmissions</b>						
		759131	40KPH DCT + CREEPER <b>Creeper Transmisison - provides 722 Feet per Hour (220 meters per</b> <b>hour)</b>		9001925P77	\$2,501.00
		759112	40K ECO - DCT+CREEPE <b>Creeper Transmisison - provides 722 Feet per Hour (220 meters per</b> <b>hour)</b>		9003336P41	\$4,333.00



**T6 DYNAMIC COMMAND - LESS FASTPICK  
US PRICE LIST**

		759134	50KPH DCT + CREEPER <b>Creeper Transmisison - provides 722 Feet per Hour (220 meters per hour)</b>  <b>Requires 113l Hyd Pump (758441) which is base equipment</b>		9003336P41	\$4,333.00
--	--	--------	---	--	------------	------------

## SD\_T2816 AUTO FEATURES

		759166	BASIC AUTO FEATURE <b>Basic Auto Features include: Smart Range Shift, Memory Shuttle, Smooth Shift, Pedal Kick Down, Auto Functions and Brake-To-Clutch</b>			No Charge
		758631	ADV TRANS AUTO FEAT <b>Ground Speed Management: Allows an operator to select a target ground speed.</b>		9001285P13	\$1,669.00

**FRONT AXLE**

## SD\_T4010 FRONT AXLE

Class 4 FWD Axle						
		758425	Class 4 Hydraulic Lock <b>With TerraLock traction management system with multi-plate differential</b>  <b>Incompatible with 34" rear wheels</b>			No Charge
		759109	Class 4 HD Std Axle		9000194P81	\$253.00
Class 4 SuperSteer FWD Axle						
		758429	Class 4 SuperSteer L/Water <b>SuperSteer front axle with TerraLock traction management system. Includes mulit-plate differential lock.</b>  <b>Incompatible with Autoguidance</b>		9002652P65	\$3,445.00
Class 4 Suspended FWD Axle						
		758428	Class 4 Susp + Brake Hyd Lock <b>With TerraGlide suspended axle with TerraLock traction management system. Includes multi-plate differential and front brakes.</b>  <b>Incompatible with 34" rear wheels</b>		9004884P11	\$6,343.00

**T6 DYNAMIC COMMAND - LESS FASTPICK  
US PRICE LIST**

**REAR AXLE**

SD\_T3200 REAR AXLE

		758430	HD Flange Multi-Diff <b>Heavy duty flange axle - 10.8" (275 mm)</b>			No Charge
		758432	HD Bar Steel Multi-Diff <b>Heavy duty 98" bar axle for steel wheels</b>		9001146P53	\$1,489.00
		758434	HD Bar Cast Multi-Differential <b>Heavy duty 98" bar axle for cast wheels</b>		9001146P53	\$1,489.00

**TIRES**

BRAND CHOICE

SD\_T4900 TIRE CATEGORY CHOICE

		330438	No tire brand preference			No Charge
		330447	Alliance		9000431P20	\$560.00
		330439	Continental		9000431P20	\$560.00
		330446	Firestone		9000431P20	\$560.00
		330442	Michelin		9000431P20	\$560.00
		330418	Trelleborg		9000431P20	\$560.00

FRONT WHEELS & TIRES

SD\_T4940 FRONT WHEELS AND TIRES

Shipping Wheels						
		8299906	Front Shipping Wheels <b>Requires rear shipping wheels</b>		9001131P13	\$1,469.00
Class 4 FWD Axle						
		8241901	380/85(14.9)R28R1W HD-MIFITRCO <b>Requires: 460(18.4)R38 R1W</b>		9002068P22	\$2,686.00
		8255904	420/85(16.9)R28 R1W MI-FI <b>Requires 20.8R38 R1W or 18.4R42 R1W</b>		9002640P33	\$3,429.00
		8258704	380/85(14.9)R30 R1W MI-FI-CM <b>Requires 18.4R42 R1W or 14.9R46 R1W</b>		9002483P25	\$3,225.00
		8801604	320/85R34 R1W Brands - MI <b>Requires 320/90R50 R1W</b>		9002633P40	\$3,420.00
		8825501	480/65R28 R1W MI-CM <b>Requires 600/65 R38</b>		9002346P96	\$3,048.00

**T6 DYNAMIC COMMAND - LESS FASTPICK  
US PRICE LIST**

**REAR WHEELS & TIRES**

**SD\_T4950 REAR WHEELS AND TIRES**

Shipping Wheels					
		8399906	Rear Shipping Wheels <b>Matching Front Shipping Wheels - 8299906 (Class 4 Axle)</b>	9001532P30	\$1,990.00
Flange Axle					
		8328401	460/85(18.4)R38 R1W-MIFITR <b>Matching Front Tire - 14.9R28 R1W - 8241901 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims</b>	9004305P84	\$5,592.00
		8384406	460/85(18.4)R42 R1W - MI <b>Matching Front Tire - 14.9R30 (380/85R30) - 8258704 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims</b>	9005839P68	\$7,584.00
		8380404	520/85 (20.8) R38 R1W MI, TR <b>Matching front tire is 8255404 420/85(16.9) R28 R1W MI-FI-TR</b>	9005957P49	\$7,737.00
Flange and Bar - Steel					
		8388404	460/85(18.4)R42R1W MI,F,T,C,A <b>Matching Front Tire - 14.9R30 R1W - 8258704 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims</b>	9004672P36	\$6,068.00
		8963504	320/90R50 R1W MI <b>Matching Front Tire - 320/85R34 R1W - 8801604 (Class 4 Axle) Adjustable Rims</b>	9004784P78	\$6,214.00
		8949401	600/65R38 R1W Fixd-FI,MI,CO,TR <b>Matching Front Tire - 480/65R28 R1W - 8825501 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Requires: - 743707 (Full Cover Rear Fenders) Fixed Rims</b>	9006063P75	\$7,875.00

**T6 DYNAMIC COMMAND - LESS FASTPICK  
US PRICE LIST**

**HYDRAULICS**

REAR REMOTES

SD\_T8270 REAR REMOTES

Mechanical Rear Remotes					
		743741	3 Mech Rear Remote Valves (2C) <b>3 mechanical rear remotes, 2 configurable detents and flow control</b>		No Charge
		743685	4 Mech Rear Remotes (2NC+2C) <b>4 mechanical rear remotes, 2 configurable detents and flow control</b>	9000945P56	\$1,228.00
Electro-Hydraulic Rear Remotes					
		743686	3 Elect Hyd. Rear Remote Valve <b>3 electronic rear remotes</b>	9001874P18	\$2,434.00
		743733	4 Elect Hyd. Rear Remote Valve <b>4 electronic rear remotes</b>	9002822P05	\$3,665.00

COMPLETE LOADER READY

SD\_T8110 LOADER BRACKETS

		758478	Engine Side Rails	9000749P21	\$973.00
Electro-Hydraulic Mid Mount					
		759470	NA LDR RDY+2MMV+ADV <b>Complete Loader Ready: Includes 2 slice electronic mid-mount valve (EMMV), horizontal and vertical two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the multi-coupler and joystick.</b>  <b>Includes predisposition for Complete Loader Ready (758622)</b>  <b>Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price &amp; Data Pages</b>	9007544P46	\$9,798.00
		759471	NA LDR RDY+3MMV+ADV <b>Complete Loader Ready: Includes 3 slice electronic mid-mount valve (EMMV), horizontal and vertical two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the multi-coupler and joystick.</b>  <b>Includes predisposition for Complete Loader Ready (758622)</b>  <b>Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price &amp; Data Pages.</b>	9008705P62	\$11,306.00

**T6 DYNAMIC COMMAND - LESS FASTPICK  
US PRICE LIST**

**REAR PTO**

SD\_T8710 FENDERS PTO CONTROL

		743680	Fender EDC/PTO/Rem Valv Contrl <b>Rear Fender Mounted (Right/Left) 3-PT, PTO &amp; 3rd Rear Remote Control Switches.</b> <b>Requires:</b> - 743686 or 743733 (3 or 4 EH Rear Remotes) - 330345 (Advanced Processor)		9000223P30	\$290.00
--	--	--------	---	--	------------	----------

**3-POINT HITCH**

FRONT 3 POINT HITCH

SD\_T8100 FRONT THREE POINT HITCH

		390811	Less Front Linkage			No Charge
		759144	Integrated FHPL 759144 <b>Front Hitch for units with Standard or Suspended Front Axles</b> <b>Requires hoses (758473, 758474, 758475, 758544 or 758582)</b> <b>Incompatible with front weights</b> <b>Includes integrated tow hook</b>		9005988P29	\$7,777.00
		759147	Int FHPL+FPTO <b>Front Hitch and PTO for units with standard or suspended Front Axle (ratio matches rear PTO)</b> <b>Requires Advanced Processor (758498), hoses (758473, 758474, 758475, 758544 or 758582)</b> <b>Incompatible with front weights</b> <b>Includes integrated tow hook</b> <b>1,000 RPM 6 spline counter clockwise rotation (looking at the PTO)</b> <b>Engine RPM's at 1895</b> <b>Maximum power transmission:</b> <b>87 HP @ 86 deg. F ambient/ 107 HP @ 32 deg F Ambient</b>		9012759P67	\$16,571.00

SD\_T8300 HOSES FOR FHPL

		390926	Less Tubes for FHPL			No Charge
		Hoses less Front Couplers				
		758473	Tubes FHPL Connect Mech RR <b>Front hitch hoses to connect front hitch to mechanical rear remotes</b>			No Charge
		758474	Hose pkg for frt hitch w/ ERV <b>Front hitch hoses to connect front hitch to electro-hydraulic rear remotes</b>			No Charge
		758475	Hose pkg for frt hitch w/ MMV <b>Front hitch hoses to connect front hitch to mid mount valve</b> <b>Incompatible with loader ready</b>			No Charge

**T6 DYNAMIC COMMAND - LESS FASTPICK  
US PRICE LIST**

Hoses with Front Couplers						
		758582	Tubes + Coupler Mech Rear Rem. <b>Front couplers and hoses for front hitch to connect to mechanical rear remotes.</b>  <b>Requires 4 rear remotes</b>  <b>Incompatible with mid mount valve</b>		9000148P61	\$193.00
		758544	Hse pkg frt hit w/MMV/frt coup <b>Front couplers and hoses for front hitch to connect to mid mount valve</b> <b>Incompatible with loader ready</b>		9000148P61	\$193.00

**WEIGHTS**

FRONT WEIGHTS

SD\_T2150 FRONT BALLAST

		758562	Weight Carrier w/Hook <b>Weight carrier with tow hook - 199.3 lbs (90.4 kg)</b>		9000200P97	\$261.00
		758518	Weight Pack A w/Hook <b>Pack "A" includes weight rack - 199.3 lbs., (6) 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 703 lbs. (319 kg)</b> <b>Not compatible with front 3-PT hitch: 743699 and 743700</b>		9000869P33	\$1,129.00
		758519	Weight Pack B w/Hook <b>Pack "B" includes: weight rack - 199.3 lbs., 10 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 1207 lbs. (547 kg)</b> <b>Not compatible with front 3-PT hitch: 743699 and 743700</b>		9001353P66	\$1,758.00
		758520	Weight Pack C w/Hook <b>Pack "C" includes: weight rack - 199.3 lbs., 18 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 2000 lbs. (907 kg)</b>  <b>Not compatible with front 3-PT hitch: 743699 and 743700</b> <b>Not compatible with loader ready packages:</b> <b>758344, 758351, 758353, 758354, 758351</b>		9002206P05	\$2,865.00

REAR WHEEL WEIGHTS

SD\_T4960 WHEEL WEIGHTS

		758564	6X65KG Wheel Weight <b>Includes (6) 143 lbs. weights totalling 860 lbs.</b>		9000922P46	\$1,198.00
--	--	--------	--	--	------------	------------

**T6 DYNAMIC COMMAND - LESS FASTPICK  
US PRICE LIST**

		759137	2X150KG + 2X250KG Wheel Weight <b>Rear Wheel Weights</b> <b>Includes 2 X 150 plus 2 X 250 KG Weights</b> <b>Four weights totaling 800 KG or 1,764 lbs.</b>  <b>Incompatible with shipping wheels</b> <b>Requires Bar Axle &amp; Fixed Rims</b>		9001203P51	\$1,563.00
		759821	2X150KG + 4X250KG Wheel Weight <b>Rear Wheel Weights 2 X 150 KG and 4 X 250 KG.</b> <b>Total of 6 rear weights for 1,300 KG or 2,866 lbs.</b>  <b>3 weights (650 KG) on each side</b>  <b>Incompatible with shipping wheels</b> <b>Requires Bar Axle &amp; Fixed Rims</b>		9002065P91	\$2,683.00

**CAB OPTION**

SD\_T9360 RR MIRRORS

		759154	2 Tele/Heat/Rem Adj Mirror <b>(2) External Mirrors (Electric-adjust, Telescopic and Heated)</b> <b>Requires:</b> <b>- 743729, 713816, or 743730 (High Roof Cab)</b>		9000050P82	\$66.00
--	--	--------	--	--	------------	---------

CLIMATE CONTROL

SD\_T9291 REAR WINDOW SUNSHADE

		758580	Sunshade, Rear Window <b>Perforated sun screen used to reduce sun shine on operator</b>		9000158P62	\$206.00
--	--	--------	--	--	------------	----------

SEATS

SD\_T8500 SEAT

		758485	Deluxe Seat Air Susp Heated <b>Super Deluxe Seat with Low Frequency Suspension (+DDS) Belt and Swivel</b> <b>Headrest Heated Leather/Alacantara</b>		9001505P35	\$1,955.00
		758486	MAXIMO EVO <b>Semi Active Suspension, Heated, Vented, Belt, Alacantara/Leather, Up/Down Headrest (Maximo Evo)</b>		9002950P64	\$3,832.00

**T6 DYNAMIC COMMAND - LESS FASTPICK  
US PRICE LIST**

**STORAGE**

**SD\_T9010 REAR CAB STORAGE BO**

		758570	Lefthand Rear Cab Storage Box <b>Large LH storage box</b> <b>Located in the back left hand corner, behind instructor seat area</b>  <b>Incompatible with Autoguidance</b>		9000172P48	\$224.00
--	--	--------	---	--	------------	----------

**LIGHTS**

**SD\_T9130 WORK LAMPS**

		758596	16 LED High Power Hi-Roof <b>Work Lamp Package includes: 16 Cab mounted LED work lights</b> <b>12 high cab-mounted; 6 front, 6 rear</b> <b>4 mid-cab mounted; 2 front, 2 rear</b> <b>16 LED work lights emitting 31,200 lumens</b>		9001207P36	\$1,568.00
--	--	--------	--	--	------------	------------

**SD\_T9146 ROTARY BEACON**

		758489	Rotary Beacon Lefthand Side <b>Single rotary beacon mounted on rear left side of tractor for increased safety and visibility</b>		9000321P86	\$418.00
		758491	Twin Beacon <b>Rotary beacons mounted on rear of the cab on both left and right side of tractor for maximum safety and visibility</b>		9000643P72	\$836.00

**MONITOR BRACKETS**

**SD\_T9223 RH WINDOW BAR MOUNT**

		390665	Fixings for Mounted Monitor <b>No Bar or Monitor</b>			No Charge
		758153	Monitor Mounting Bracket. <b>Includes Bar mounted in righthand side of cab without Monitor</b>		9000115P50	\$150.00
		758154	RH Window Bar Display Ready. <b>Includes Bar mounted in right hand side of cab with Intelliview ready harness and window mount without Monitor</b>		9000187P88	\$244.00
		758621	10" Color Touch Screen Display <b>Monitor mounting bracket with IntelliView IV</b>		9004485P25	\$5,825.00

**SD\_T9228 RH ARMREST MOUNT**

		759155	BASIC ARMREST MTD DOG <b>Basic display of gears mounted on the armrest</b>			No Charge
--	--	--------	---	--	--	-----------



**T6 DYNAMIC COMMAND - LESS FASTPICK  
US PRICE LIST**

		758548	10" Color Touch Screen Display <b>10.4 inch, wide screen Intelliview touchscreen monitor attached to SideWinder II armrest</b>		9004499P88	\$5,844.00
--	--	--------	---	--	------------	------------

ISO BUS CONNECTOR

SD\_T7642 ISO BUS

		758710	ISO CL3+9PIN+SPEED		9000301P84	\$392.00
--	--	--------	--------------------	--	------------	----------

**AUTO GUIDANCE**

AUTO GUIDANCE READY

SD\_T6300 STEERING OR AUTOGUIDANCE READY

		759186	Variable Ratio Steer <b>CUSTOMSTEER™ OPTION feature allows operators to turn fully from lock to lock with as little as one rotation of the steering wheel with precision control.</b>  <b>You can choose a steering ratio preference from 1:1 to 1:4 for quicker maneuvering at the headland, reversing with trailers, or during repetitive loader work.</b>		9002223P76	\$2,888.00
		759185	Autoguidance Ready <b>Autoguidance Ready with steering sensor, electronic steering valve, steering manifold, hoses, wiring harness, receiver mounting bracket, cabling, &amp; hardware</b>  <b>Incompatible with SuperSteer front axle</b>		9004095P63	\$5,319.00

SD\_T7630 AUTOGUIDANCE

		758803	Full AG Nav GPS L1 <b>Autoguidance Complete</b> <b>Includes Nav II controller and NH 372 receiver</b> <b>Requires Autoguidance ready, monitor mounting bracket with IntelliView IV monitor 758590</b> <b>Activated to WAAS level accuracy (Level 1)</b>		9011362P12	\$14,756.00
		758804	Full AG Nav GPS L2 <b>Autoguidance - Complete Pack</b> <b>Autoguidance Complete</b> <b>Includes Nav II controller and NH 372 receiver</b> <b>Requires Autoguidance ready, monitor mounting bracket with IntelliView IV monitor 758590</b> <b>Activated to OmniSTAR HP/G2/XP &amp; CenterPoint RTX level accuracy (Level 2)</b>		9013476P54	\$17,502.00

**T6 DYNAMIC COMMAND - LESS FASTPICK  
US PRICE LIST**

		758871	Autoguidance Lvl 3 RTK Modem <b>Autoguidance Complete</b> <b>Includes Nav II controller, NH 372 receiver</b> <b>Requires Autoguidance ready, monitor mounting bracket with IntelliView IV monitor 758590</b> <b>Activated to RTK level accuracy (Level 3)</b> <b>Requires either a RTK radio or modem not included</b>		9015590P19	\$20,247.00
--	--	--------	---	--	------------	-------------

**MISCELLANEOUS**

FENDERS FRONT

SD\_T8740 FRONT FENDERS

		758505	Front Fender 420mm Dynamic		9000605P22	\$786.00
--	--	--------	----------------------------	--	------------	----------

FENDERS REAR

SD\_T8700 FENDERS

		743707	Full Cover <b>Full Cover Rear Fender (92.1 in. / 2,340 mm)</b>		9000558P25	\$725.00
--	--	--------	---	--	------------	----------

RADAR

SD\_T7580 RADAR

		758501	Radar NAR		9000629P86	\$818.00
--	--	--------	-----------	--	------------	----------

OTHER

SD\_T7420 BATTERY

		758409	HD Battery W/Isolator 176AH <b>Heavy duty battery with electronic isolator switch on right hand rear c-pillar in cab.</b>  <b>In-cab switch disconnects battery to prevent battery drainage.</b>		9000337P26	\$438.00
--	--	--------	---	--	------------	----------

**OPERATOR'S MANUALS**

SD\_T9802 OPERATORS MANUAL

		758534	English USA			No Charge
		758535	Spanish NAR			No Charge
		759101	French NAR			No Charge

**T6 DYNAMIC COMMAND - BLUE POWER EDITION  
US PRICE LIST**

## Standard Equipment

### KEY SELLING POINTS:

- Fuel efficient high torque 4.5L, 4-cylinder with power boost  
FPT engines with 4 valves per cylinder and common rail fuel injection systems
- Tier 4B EPA emissions compliant with SCR only ECOBlue™ HI-eSCR Tier4B emissions system
- 23X23 Dynamic Command™ Powershift with AutoShift feature
- Standard LED work lighting
- Easy attach remote outlets
- New bold styling (hood, cab roof, lighting)
- Long Stable 104" wheel base for all 4WD models
- 15' 1" (181") turning radius (Std FWD disengaged, no brake, no fenders)

### ENGINE

#### ----- T6.175

Rated PTO HP - 120  
Rated Engine HP - 145  
Engine Power Management (EPM)  
Maximum Engine HP w/ EPM - 175  
Rated Speed - 2200 RPM  
274 cu. in. (4.5L) - 4 Cylinder  
Fuel Tank: 52.2 Gallon (197.5L)  
DEF Tank: 10.4 Gallon (39.5L)

#### T6.180

Rated PTO HP - 125  
Rated Engine HP - 145  
Engine Power Management (EPM)  
Maximum Engine HP w/ EPM - 175  
Rated Speed - 2200 RPM  
411 cu. in. (6.7L) - 6 Cylinder  
Fuel Tank: 52.2 Gallon (197.5L)  
DEF Tank: 10.4 Gallon (39.5L)

### COMMON ENGINE FEATURES

-----  
Tier 4B Emissions Compliant  
ECOBlue™ HI-eSCR Tier4B system  
Engine with Turbocharger and Air-to-Air Intercooler  
4 Valves Per Cylinder  
Bosch Common Rail Fuel Injection Pump (electronic)  
Power Management and Constant RPM  
Power Boost in PTO & Transport Modes  
Grid Heater Starting Aid  
Dual Element Air Filter with Pre-Cleaner (spin tube intakes)  
A-Pillar Exhaust with Integral Muffler  
Viscous Fan (5 blade)  
Foot and Hand Throttle

### TRANSMISSION

-----  
23 X 23 Dynamic Command™ Powershift  
Clutchless Range Change between Ranges A/B, B/C  
Steering Column Mounted Left-hand Power Shuttle  
Multi-plate Wet Clutch Design

### ROAD SPEEDS

-----  
Std 4WD - 25 mph/40 kph  
Optional 4WD - 31 mph/50KPH  
(speeds varies by tire size)

### STEERING & BRAKES

-----  
Hydrostatic Power Steering  
Hydraulic Wet Disc Brakes  
(self-equalizing/self-adjusting)  
Parking Brake (automotive style)

**T6 DYNAMIC COMMAND - BLUE POWER EDITION  
US PRICE LIST**

## Standard Equipment

### REAR AXLE

-----  
Heavy Duty Flange  
Wet Plate Differential Lock  
Electrohydraulic Engaged Rear Diff Lock

### FRONT AXLE

-----  
SELECTION MUST BE MADE WHEN  
ORDERING. ENTRY LEVEL OPTION IS:  
Front FWD (TerraLock™ )  
Class 4 Heavy Duty FWD Axle  
55 Degree Turning Angle  
Dual Steering Cylinders  
8 Degree Axle Oscillation  
Adjustable Tread Width from  
61.4 in. to 88.8 in. (varies by tire size)  
Electrohydraulic FWD Engagement  
TerraLock™ Auto FWD/Diff-Lock  
Drive Shaft Shield

### PTO

-----  
Independent 540/1000 rpm PTO  
with Reversible Shaft  
Multi-Plate Wet Clutch Design  
Electrohydraulic Engagement with  
Soft Start/Auto Feathering  
Hydraulic Piston PTO Brake with Manual  
Override (coast-down feature)  
Flip-up PTO Shaft Guard  
Auto PTO Management System  
Rear Fender Mounted PTO Controls

### HYDRAULIC SYSTEM

-----  
CCLS: Closed-Center-Load-Sensing  
System  
Variable Displacement Piston Pump  
Maximum Flow at Rated Engine Speed  
29.9 gpm (113 l/m) Implement Pump  
12.4 gpm (47 l/m) Steering Pump  
(2) Lever Controlled, Configurable,  
Mechanical Remote Valves with Quick  
Couplers, Flow Control & Anti-leak-down

Oil Collection Bottles  
Hydraulic Tapping Port (power beyond)  
Low Pressure Return Quick Coupler

### 3-POINT LIFT SYSTEM

-----  
Electronic Draft Control (EDC)  
Lower Link Sensing  
Fast Raise/Lower Control in Cab  
Rear Fender Mounted 3-PT Raise/Lower  
Switches  
Dynamic Ride Control™  
Category II Flex Link Ends  
Telescoping Stabilizers  
11,650 lb. Lift Capacity (OECD)  
with Dual 90mm External Rams

### DRAWBAR

-----  
Independent Swinging Drawbar

### CUSTOM HEADLAND MANAGEMENT SYSTEM

-----  
Allows Programming of the Following  
-Transmission Upshift/Downshift  
- Fast Raise/Lower of the 3-PT Hitch  
- Engine rpm Increase/Decrease  
via Throttle  
- Engine rpm Increase/Decrease  
via Constant RPM  
- Optional Electro-Hydraulic Remotes

### ELECTRICAL

-----  
(1) 12-volt 1300 cca Battery  
ALTERNATOR SELECTION MUST BE  
MADE. ENTRY LEVEL OPTION IS:  
200 amp Alternator  
Geared Starter Motor (4.2 kW)  
7-pin Outlet for Trailer/Implement  
Lighting  
3-pin, 40 amp Implement Socket  
ISO/JD (30 amp) Socket  
15 amp Screw-type Positive/Negative



**T6 DYNAMIC COMMAND - BLUE POWER EDITION  
US PRICE LIST**

**Standard Equipment**

Terminals  
ISO BUS Class 3 Basic  
Single Pin (8 amp) Accessory Outlet  
Cigar Lighter  
(2) Roof Mounted Single Pin Outlets for  
beacon  
Battery Boost Terminals

**LIGHTS**  
-----

WORK LIGHT SELECTION MUST BE  
MADE. STANDARD EQUIPMENT IS:  
(4) Halogen front hood headlights  
(2) LED front hood signature lights  
(16) LED cab mounted work lights  
(12) LED high front & rear  
(4) LED mid-mount front & rear  
(2) taillights

Front & Rear Flashing Cab Safety Lights  
Time Delayed, Self-Cancelling Turn  
Indicators with Audiable Warning

**INSTRUMENTATION**  
-----

Analog/Digital Instrument Cluster with  
LCD Display, Enhanced Key Pad and  
Performance Monitor

**CAB**  
-----

High Roof w/ Opening Visibility Panel  
and Sunshade  
Flat Deck Platform with Integrated ROPS

Automatic Temperature Control with  
Air Conditioner and Heater with  
4-Speed Pressurizer  
Two doors with Locks  
Two-speed Intermittent Front  
Wiper/Washer  
Rear Intermittent Wiper/Washer  
Hinged Rear Window  
Tinted Glass with Sunshade  
Leather Tilt and Telescoping Steering  
Wheel  
Alcant Blue PowerAir Suspension Seat  
with Automatic Adjustment, Operator  
Presence Switch and Lap Belt  
Instructor Seat  
Deluxe Radio with Bluetooth, High  
Performance Speakers & Antenna  
Digital Clock  
Interior Dome Light  
(2) External Courtesy Lights  
(2) Electronically Adjustment  
Telescoping, Heated External Mirrors  
Horn

**MISCELLANEOUS**  
-----

Pivoting Engine Hood  
SMV Emblem  
Toolbox

**WARRANTY**  
-----

New Holland Standard Warranty Applies



**T6 DYNAMIC COMMAND - BLUE POWER EDITION  
US PRICE LIST**

**Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price
T6.175 DCT	19,268 LB	9113685P88	\$147,644.00
Includes the following Equipment			
380/85(14.9)R28R1W HD-MIFI (8241901) \$2,686.00			
460/85(18.4)R38 R1W-MIFITR (8328401) \$5,592.00			
T6.180 DCT	15,245 LB	9117974P78	\$153,214.00
Includes the following Equipment			
380/85(14.9)R28R1W HD-MIFI (8241901) \$2,686.00			
460/85(18.4)R38 R1W-MIFITR (8328401) \$5,592.00			



**T6 DYNAMIC COMMAND - BLUE POWER EDITION  
US PRICE LIST**

**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**FAST PICK CONFIGURATION**

SD\_T9980 PACKAGING

	X0475XX	LESS PACKAGING		No Charge
--	---------	----------------	--	-----------

**CAB CONFIGURATION**

CAB ROOF/COLOR

SD\_T9850 SPECIAL COLORS/PANELS

	758320	<b>BLUE POW. SPEC. ED.</b> <b>Blue Power Special Edition</b> <b>Available on T6.175 or T6.180 ONLY</b> <b>Includes:</b> <b>Distinct Midnight Blue Color with Silver Accents</b> <b>759154 2 Tele/Heat/Rem/Adj Mirrors</b> <b>759384 SDLX HTD Alcant Blue Power Seat</b> <b>758596 16 LED High Power Lights</b> <b>758482 Air Conditioning w/ATC</b> <b>758483 Leather Steering Wheel &amp; Carpet</b>  <b>Choice of 330442 Michelin or 330418 Treleborg brand tires</b>		9009332P40	\$12,120.00
--	--------	--	--	------------	-------------

FIXED OR SUSPENDED

SD\_T9200 OPERATOR STRUCTURE #1

	391610	Cab w/Fixed Front Screen <b>Standard Cab - Does not include cab suspension.</b>			No Charge
	758479	Suspended_Cab <b>Suspended Cab includes two adjustable rear shocks</b> <b>Cab suspension reduces shock loads to the tractor by up to 25% utilizing two adjustable shocks to increase confort to the operator.</b>		9001360P59	\$1,767.00
	758480	Suspended Cab w/Heated Screens <b>Includes 758479 Cab Suspension plus defrost elements on front and rear windows</b>  <b>Requires 200 Amp alternator</b>		9001750P98	\$2,274.00

**T6 DYNAMIC COMMAND - BLUE POWER EDITION  
US PRICE LIST**

**ENGINE**

**COLD WEATHER AIDS**

**SD\_T1938 WEATHER PACK**

		758402	Grid_Heater + 110V Pack <b>Improves starting in cold weather conditions. Option includes grid heater and 110V electrical plug in of engine block heater and transmission heater</b>		9000311P85	\$405.00
--	--	--------	--	--	------------	----------

**FUEL TANK GUARD**

**SD\_T1400 FUEL TANK**

		759128	Std Fuel Tank+Guard <b>Standard fuel tank with guards Compatible with 34" Rear Wheels 55 Gallon / 210 Liter Capacity</b>			No Charge
		759130	Large Fuel Tank+Guard <b>Large fuel tank with guards Not compatible with 34" Rear Wheels 59 Gallon / 222 Liters Capacity</b>		9000180P95	\$235.00

**TRANSMISSION**

**SD\_T2800 SPEED**

		759110	40 KPH DCT <b>Dynamic Command Transmission: 23 Speed Transmission with up to 8 powershifts per range for three ranges that does not require mechanical range lever or a need to clutch between ranges.  23 gear limited @ 2000 engine rpm both forward and reverse</b>			No Charge
		759111	40 KPH ECO - DCT <b>Dynamic Command Transmission: 24 Speed Transmission with Economy 24th gear  24 gear limited @ 1650 engine rpm , 23 gear limited @ 2000 engine rpm both forward and reverse</b>		9001410P64	\$1,832.00



**T6 DYNAMIC COMMAND - BLUE POWER EDITION  
US PRICE LIST**

		759113	50 KPH - DCT <b>Dynamic Command Transmission: 24 Speed Transmission with 50 KPH 24th gear providing top transport speed of 31 MPH</b>		9001410P64	\$1,832.00
Creeper Transmissions						
		759131	40KPH DCT + CREEPER <b>Creeper Transmisison - provides 722 Feet per Hour (220 meters per hour)</b>		9001925P77	\$2,501.00
		759112	40K ECO - DCT+CREEPE <b>Creeper Transmisison - provides 722 Feet per Hour (220 meters per hour)</b>		9003336P41	\$4,333.00
		759134	50KPH DCT + CREEPER <b>Creeper Transmisison - provides 722 Feet per Hour (220 meters per hour)</b>  <b>Requires 113l Hyd Pump (758441) which is base equipment</b>		9003336P41	\$4,333.00

## SD\_T2816 AUTO FEATURES

		759166	BASIC AUTO FEATURE <b>Basic Auto Features include: Smart Range Shift, Memory Shuttle, Smooth Shift, Pedal Kick Down, Auto Functions and Brake-To-Clutch</b>			No Charge
		758631	ADV TRANS AUTO FEAT <b>Ground Speed Management: Allows an operator to select a target ground speed.</b>		9001285P13	\$1,669.00

**FRONT AXLE**

## SD\_T4010 FRONT AXLE

Class 4 FWD Axle						
		758425	Class 4 Hydraulic Lock <b>With TerraLock traction management system with multi-plate differential</b>  <b>Incompatible with 34" rear wheels</b>			No Charge
		759109	Class 4 HD Std Axle		9000194P81	\$253.00
Class 4 SuperSteer FWD Axle						
		758429	Class 4 SuperSteer L/Water <b>SuperSteer front axle with TerraLock traction management system. Includes mulit-plate differential lock.</b>  <b>Incompatible with Autoguidance</b>		9002652P65	\$3,445.00

**T6 DYNAMIC COMMAND - BLUE POWER EDITION  
US PRICE LIST**

Class 4 Suspended FWD Axle						
		758428	Class 4 Susp + Brake Hyd Lock <b>With TerraGlide suspended axle with TerraLock traction management system. Includes multi-plate differential and front brakes.</b>  <b>Incompatible with 34" rear wheels</b>		9004884P11	\$6,343.00

**REAR AXLE**

SD\_T3200 REAR AXLE

		758430	HD Flange Multi-Diff <b>Heavy duty flange axle - 10.8" (275 mm)</b>			No Charge
		758432	HD Bar Steel Multi-Diff <b>Heavy duty 98" bar axle for steel wheels</b>		9001146P53	\$1,489.00
		758434	HD Bar Cast Multi-Differential <b>Heavy duty 98" bar axle for cast wheels</b>		9001146P53	\$1,489.00

**TIRES**

BRAND CHOICE

SD\_T4900 TIRE CATEGORY CHOICE

		330442	Michelin			No Charge
		330418	Trelleborg			No Charge

FRONT WHEELS & TIRES

SD\_T4940 FRONT WHEELS AND TIRES

Class 4 FWD Axle						
		8241901	380/85(14.9)R28R1W HD-MIFITRICO <b>Requires: 460(18.4)R38 R1W</b>		9002068P22	\$2,686.00
		8255904	420/85(16.9)R28 R1W MI-FI <b>Requires 20.8R38 R1W or 18.4R42 R1W</b>		9002640P33	\$3,429.00
		8258704	380/85(14.9)R30 R1W MI-FI-CM <b>Requires 18.4R42 R1W or 14.9R46 R1W</b>		9002483P25	\$3,225.00
		8801604	320/85R34 R1W Brands - MI <b>Requires 320/90R50 R1W</b>		9002633P40	\$3,420.00
		8825501	480/65R28 R1W MI-CM <b>Requires 600/65 R38</b>		9002346P96	\$3,048.00

**T6 DYNAMIC COMMAND - BLUE POWER EDITION  
US PRICE LIST**

**REAR WHEELS & TIRES**

**SD\_T4950 REAR WHEELS AND TIRES**

Flange Axle					
		8328401	460/85(18.4)R38 R1W-MIFITR <b>Matching Front Tire - 14.9R28 R1W</b> <b>- 8241901 (Class 4 Axle)</b> <b>Compatible with 31 MPH (50 KPH)</b> <b>Adjustable Rims</b>	9004305P84	\$5,592.00
		8384406	460/85(18.4)R42 R1W - MI <b>Matching Front Tire - 14.9R30 (380/85R30)</b> <b>- 8258704 (Class 4 Axle)</b> <b>Compatible with 31 MPH (50 KPH)</b> <b>Adjustable Rims</b>	9005839P68	\$7,584.00
		8380404	520/85 (20.8) R38 R1W MI, TR <b>Matching front tire is 8255404</b> <b>420/85(16.9) R28 R1W MI-FI-TR</b>	9005957P49	\$7,737.00
Flange and Bar - Steel					
		8388404	460/85(18.4)R42R1W MI,F,T,C,A <b>Matching Front Tire - 14.9R30 R1W</b> <b>- 8258704 (Class 4 Axle)</b> <b>Compatible with 31 MPH (50 KPH)</b> <b>Adjustable Rims</b>	9004672P36	\$6,068.00
		8963504	320/90R50 R1W MI <b>Matching Front Tire - 320/85R34 R1W</b> <b>- 8801604 (Class 4 Axle)</b> <b>Adjustable Rims</b>	9004784P78	\$6,214.00
		8949401	600/65R38 R1W Fixd-FI,MI,CO,TR <b>Matching Front Tire - 480/65R28 R1W</b> <b>- 8825501 (Class 4 Axle)</b> <b>Compatible with 31 MPH (50 KPH)</b> <b>Requires:</b> <b>- 743707 (Full Cover Rear Fenders)</b> <b>Fixed Rims</b>	9006063P75	\$7,875.00

**HYDRAULICS**

**REAR REMOTES**

**SD\_T8270 REAR REMOTES**

Electro-Hydraulic Rear Remotes					
		743686	3 Elect Hyd. Rear Remote Valve <b>3 electronic rear remotes</b>	9001874P18	\$2,434.00
		743733	4 Elect Hyd. Rear Remote Valve <b>4 electronic rear remotes</b>	9000947P87	\$1,231.00

**T6 DYNAMIC COMMAND - BLUE POWER EDITION  
US PRICE LIST**

**COMPLETE LOADER READY**

**SD\_T8110 LOADER BRACKETS**

		758478	Engine Side Rails		9000749P21	\$973.00
			Electro-Hydraulic Mid Mount			
		759470	NA LDR RDY+2MMV+ADV <b>Complete Loader Ready: Includes 2 slice electronic mid-mount valve (EMMV), horizontal and vertical two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the mulit-coupler and joystick.</b>  <b>Includes predisposition for Complete Loader Ready (758622)</b>  <b>Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price &amp; Data Pages</b>		9007544P46	\$9,798.00
		759471	NA LDR RDY+3MMV+ADV <b>Complete Loader Ready: Includes 3 slice electronic mid-mount valve (EMMV), horizontal and vertical two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the multi-coupler and joystick.</b>  <b>Includes predisposition for Complete Loader Ready (758622)</b>  <b>Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price &amp; Data Pages.</b>		9008705P62	\$11,306.00

**REAR PTO**

**SD\_T8710 FENDERS PTO CONTROL**

		743680	Fender EDC/PTO/Rem Valv Contrl <b>Rear Fender Mounted (Right/Left) 3-PT, PTO &amp; 3rd Rear Remote Control Switches.</b> <b>Requires:</b> - 743686 or 743733 (3 or 4 EH Rear Remotes) - 330345 (Advanced Processor)		9000223P30	\$290.00
--	--	--------	---	--	------------	----------

**T6 DYNAMIC COMMAND - BLUE POWER EDITION  
US PRICE LIST**

**3-POINT HITCH**

FRONT 3 POINT HITCH

SD\_T8100 FRONT THREE POINT HITCH

		390811	Less Front Linkage			No Charge
		759144	Integrated FHPL 759144 <b>Front Hitch for units with Standard or Suspended Front Axles</b> <b>Requires hoses (758473, 758474, 758475, 758544 or 758582)</b> <b>Incompatible with front weights</b> <b>Includes integrated tow hook</b>		9005988P29	\$7,777.00
		759147	Int FHPL+FPTO <b>Front Hitch and PTO for units with standard or suspended Front Axle (ratio matches rear PTO)</b> <b>Requires Advanced Processor (758498), hoses (758473, 758474, 758475, 758544 or 758582)</b> <b>Incompatible with front weights</b> <b>Includes integrated tow hook</b> <b>1,000 RPM 6 spline counter clockwise rotation (looking at the PTO)</b> <b>Engine RPM's at 1895</b> <b>Maximum power transmission:</b> <b>87 HP @ 86 deg. F ambient/ 107 HP @ 32 deg F Ambient</b>		9012759P67	\$16,571.00

SD\_T8300 HOSES FOR FHPL

		390926	Less Tubes for FHPL			No Charge
		Hoses less Front Couplers				
		758474	Hose pkg for frt hitch w/ ERV <b>Front hitch hoses to connect front hitch to electro-hydraulic rear remotes</b>			No Charge
		758475	Hose pkg for frt hitch w/ MMV <b>Front hitch hoses to connect front hitch to mid mount valve</b> <b>Incompatible with loader ready</b>			No Charge
		Hoses with Front Couplers				
		758544	Hse pkg frt hit w/MMV/frt coup <b>Front couplers and hoses for front hitch to connect to mid mount valve</b> <b>Incompatible with loader ready</b>		9000148P61	\$193.00

**WEIGHTS**

FRONT WEIGHTS

SD\_T2150 FRONT BALLAST

		758562	Weight Carrier w/Hook <b>Weight carrier with tow hook - 199.3 lbs (90.4 kg)</b>		9000200P97	\$261.00
--	--	--------	--	--	------------	----------

**T6 DYNAMIC COMMAND - BLUE POWER EDITION  
US PRICE LIST**

		758518	Weight Pack A w/Hook <b>Pack "A" includes weight rack - 199.3 lbs., (6) 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 703 lbs. (319 kg)</b> <b>Not compatible with front 3-PT hitch: 743699 and 743700</b>		9000869P33	\$1,129.00
		758519	Weight Pack B w/Hook <b>Pack "B" includes: weight rack - 199.3 lbs., 10 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 1207 lbs. (547 kg)</b> <b>Not compatible with front 3-PT hitch: 743699 and 743700</b>		9001353P66	\$1,758.00
		758520	Weight Pack C w/Hook <b>Pack "C" includes: weight rack - 199.3 lbs., 18 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 2000 lbs. (907 kg)</b>  <b>Not compatible with front 3-PT hitch: 743699 and 743700</b> <b>Not compatible with loader ready packages:</b> <b>758344, 758351, 758353, 758354, 758351</b>		9002206P05	\$2,865.00

**REAR WHEEL WEIGHTS**

**SD\_T4960 WHEEL WEIGHTS**

		758564	6X65KG Wheel Weight <b>Includes (6) 143 lbs. weights totalling 860 lbs.</b>		9000922P46	\$1,198.00
		759137	2X150KG + 2X250KG Wheel Weight <b>Rear Wheel Weights</b> <b>Includes 2 X 150 plus 2 X 250 KG Weights</b> <b>Four weights totaling 800 KG or 1,764 lbs.</b>  <b>Incompatible with shipping wheels</b> <b>Requires Bar Axle &amp; Fixed Rims</b>		9001203P51	\$1,563.00
		759821	2X150KG + 4X250KG Wheel Weight <b>Rear Wheel Weights 2 X 150 KG and 4 X 250 KG.</b> <b>Total of 6 rear weights for 1,300 KG or 2,866 lbs.</b>  <b>3 weights (650 KG) on each side</b>  <b>Incompatible with shipping wheels</b> <b>Requires Bar Axle &amp; Fixed Rims</b>		9002065P91	\$2,683.00

**CAB OPTION**

**CLIMATE CONTROL**

**SD\_T9291 REAR WINDOW SUNSHADE**

		758580	Sunshade, Rear Window <b>Perforated sun screen used to reduce sun shine on operator</b>		9000158P62	\$206.00
--	--	--------	--	--	------------	----------

**T6 DYNAMIC COMMAND - BLUE POWER EDITION  
US PRICE LIST**

**STORAGE**

**SD\_T9010 REAR CAB STORAGE BO**

		758570	Lefthand Rear Cab Storage Box <b>Large LH storage box</b> <b>Located in the back left hand corner, behind instructor seat area</b>  <b>Incompatible with Autoguidance</b>		9000172P48	\$224.00
--	--	--------	---	--	------------	----------

**LIGHTS**

**SD\_T9146 ROTARY BEACON**

		758489	Rotary Beacon Lefthand Side <b>Single rotary beacon mounted on rear left side of tractor for increased safety and visibility</b>		9000321P86	\$418.00
		758491	Twin Beacon <b>Rotary beacons mounted on rear of the cab on both left and right side of tractor for maximum safety and visibility</b>		9000643P72	\$836.00

**MONITOR BRACKETS**

**SD\_T9223 RH WINDOW BAR MOUNT**

		390665	Fixings for Mounted Monitor <b>No Bar or Monitor</b>			No Charge
		758153	Monitor Mounting Bracket. <b>Includes Bar mounted in righthand side of cab without Monitor</b>		9000115P50	\$150.00
		758154	RH Window Bar Display Ready. <b>Includes Bar mounted in right hand side of cab with Intelliview ready harness and window mount without Monitor</b>		9000187P88	\$244.00
		758621	10" Color Touch Screen Display <b>Monitor mounting bracket with IntelliView IV</b>		9004485P25	\$5,825.00

**SD\_T9228 RH ARMREST MOUNT**

		759155	BASIC ARMREST MTD DOG <b>Basic display of gears mounted on the armrest</b>			No Charge
		758548	10" Color Touch Screen Display <b>10.4 inch, wide screen Intelliview touchscreen monitor attached to SideWinder II armrest</b>		9004499P88	\$5,844.00

**T6 DYNAMIC COMMAND - BLUE POWER EDITION  
US PRICE LIST**

**ISO BUS CONNECTOR**

**SD\_T7642 ISO BUS**

		758710	ISO CL3+9PIN+SPEED		9000301P84	\$392.00
--	--	--------	--------------------	--	------------	----------

**AUTO GUIDANCE**

**AUTO GUIDANCE READY**

**SD\_T6300 STEERING OR AUTOGUIDANCE READY**

		759186	Variable Ratio Steer <b>CUSTOMSTEER™ OPTION</b> feature allows operators to turn fully from lock to lock with as little as one rotation of the steering wheel with precision control.  You can choose a steering ratio preference from 1:1 to 1:4 for quicker maneuvering at the headland, reversing with trailers, or during repetitive loader work.		9002223P76	\$2,888.00
		759185	Autoguidance Ready <b>Autoguidance Ready with steering sensor, electronic steering valve, steering manifold, hoses, wiring harness, receiver mounting bracket, cabling, &amp; hardware</b>  <b>Incompatible with SuperSteer front axle</b>		9004095P63	\$5,319.00

**SD\_T7630 AUTOGUIDANCE**

		758803	Full AG Nav GPS L1 <b>Autoguidance Complete</b> <b>Includes Nav II controller and NH 372 receiver</b> <b>Requires Autoguidance ready, monitor mounting bracket with IntelliView IV monitor 758590</b> <b>Activated to WAAS level accuracy (Level 1)</b>		9011362P12	\$14,756.00
		758804	Full AG Nav GPS L2 <b>Autoguidance - Complete Pack</b> <b>Autoguidance Complete</b> <b>Includes Nav II controller and NH 372 receiver</b> <b>Requires Autoguidance ready, monitor mounting bracket with IntelliView IV monitor 758590</b> <b>Activated to OmniSTAR HP/G2/XP &amp; CenterPoint RTX level accuracy (Level 2)</b>		9013476P54	\$17,502.00





**T6 DYNAMIC COMMAND - BLUE POWER EDITION  
US PRICE LIST**

		758871	Autoguidance Lvl 3 RTK Modem <b>Autoguidance Complete</b> <b>Includes Nav II controller, NH 372 receiver</b> <b>Requires Autoguidance ready, monitor mounting bracket with IntelliView IV monitor 758590</b> <b>Activated to RTK level accuracy (Level 3)</b> <b>Requires either a RTK radio or modem not included</b>		9015590P19	\$20,247.00
--	--	--------	---	--	------------	-------------

**MISCELLANEOUS**

FENDERS FRONT

SD\_T8740 FRONT FENDERS

		758505	Front Fender 420mm Dynamic		9000605P22	\$786.00
--	--	--------	----------------------------	--	------------	----------

FENDERS REAR

SD\_T8700 FENDERS

		743707	Full Cover <b>Full Cover Rear Fender (92.1 in. / 2,340 mm)</b>		9000558P25	\$725.00
--	--	--------	---	--	------------	----------

RADAR

SD\_T7580 RADAR

		758501	Radar NAR		9000629P86	\$818.00
--	--	--------	-----------	--	------------	----------

OTHER

SD\_T7420 BATTERY

		758409	HD Battery W/Isolator 176AH <b>Heavy duty battery with electronic isolator switch on right hand rear c-pillar in cab.</b>  <b>In-cab switch disconnects battery to prevent battery drainage.</b>		9000337P26	\$438.00
--	--	--------	---	--	------------	----------

**OPERATOR'S MANUALS**

SD\_T9802 OPERATORS MANUAL

		758534	English USA			No Charge
		758535	Spanish NAR			No Charge
		759101	French NAR			No Charge

# **T6 AUTO COMMAND - DELUXE FAST PICK US PRICE LIST**

## **Standard Equipment**

### **KEY SELLING POINTS:**

- Fuel efficient high torque 4.5L, 4-cylinder with power boost  
FPT engines with 4 valves per cylinder and common rail fuel injection systems
- Tier 4B EPA emissions compliant with SCR only ECOBlue™ HI-eSCR Tier4B emissions system
- Auto Command™ CVT high efficiency transmission
- Standard LED work lighting
- Easy attach remote outlets
- Long Stable 104" wheel base

### **MODELS**

#### **T6.145**

Rated PTO HP - 95  
Rated Engine HP - 116  
Engine Power Management (EPM)  
Maximum Engine HP w/ EPM - 145  
Rated Speed - 2200 RPM  
274 cu. in. (4.5L) - 4 Cylinder  
Fuel Tank: 59.0 Gallon (223.0L)  
DEF Tank: 10.4 Gallon (39.5L)

#### **T6.165**

Rated PTO HP - 110  
Rated Engine HP - 135  
Engine Power Management (EPM)  
Maximum Engine HP w/ EPM - 169  
Rated Speed - 2200 RPM  
274 cu. in. (4.5L) - 4 Cylinder  
Fuel Tank: 59.0 Gallon (223.0L)  
DEF Tank: 10.4 Gallon (39.5L)

#### **T6.175**

Rated PTO HP - 120  
Rated Engine HP - 145  
Engine Power Management (EPM)  
Maximum Engine HP w/ EPM - 175  
Rated Speed - 2200 RPM  
274 cu. in. (4.5L) - 4 Cylinder  
Fuel Tank: 59.0 Gallon (223.0L)  
DEF Tank: 10.4 Gallon (39.5L)

#### **T6.180**

Rated PTO HP - 125  
ENGINE Rated Engine HP - 145  
Engine Power Management (EPM)  
Maximum Engine HP w/ EPM - 175  
Rated Speed - 2200 RPM  
411 cu. in. (6.7L) - 6 Cylinder  
Fuel Tank: 59.0 Gallon (223.0L)  
DEF Tank: 10.4 Gallon (39.5L)

### **ENGINE**

-----  
Tier 4B Emissions Compliant  
ECOBleu™ HI-eSCR Tier4B system  
Engine with Turbocharger and  
Air-to-Air Intercooler  
4 Valves Per Cylinder  
Bosch Common Rail Fuel Injection  
Pump (electronic)  
Power Management and Constant RPM  
Power Boost in PTO & Transport Modes  
Grid Heater Starting Aid  
Engine Block Heater  
Dual Element Air Filter with Pre-Cleaner  
(spin tube intakes)  
A-Pillar Exhaust with Integral Muffler  
Viscous Fan (5 blade)  
Hand Throttle

### **TRANSMISSION**

-----  
Auto Command™ CVT with  
column-mounted power shuttle  
Command Grip™ multi-function controller  
Infinite speed from 0 to 31 MPH  
3 target speed selections  
Infinite target speed thumb wheel  
Three choice forward/reverse shuttle controls  
Right foot "go pedal"  
31-MPH (50-KPH) (varies by tire size)  
Transmission Heater

**T6 AUTO COMMAND - DELUXE FAST PICK  
US PRICE LIST**

## Standard Equipment

### CAB

-----  
 High Roof w/ Opening Visibility Panel  
     and Sunshade  
 Flat Deck Platform with Integrated ROPS  
 Standard Air Conditioner and Heater  
 with 4-Speed Pressurizer and  
 dual zone air conditioning  
 Two doors with Locks  
 Two-speed Intermittent Front  
     Wiper/Washer  
 Rear Intermittent Wiper/Washer  
 Hinged Rear Window  
 Tinted Glass with Sunshade  
 Tilt and Telescoping Steering Wheel  
 IntelliView™ IV disp. mtd. on arm rest  
 Deluxe Leather Heated Low Frequency  
     Air Suspension Seat with Operator  
     Presence Switch, Lap Belt and Swivel  
     Headrest  
 Instructor Seat  
 Deluxe radio  
 Digital clock  
 Integral ROPS  
 Interior dome light  
 (2) External courtesy lights  
 (2) External telescopic remote  
 adjustable, heated mirrors  
 Horn  
 Std steering wheel & floor mat  
 ISOBUS connector

### STEERING & BRAKES

-----  
 Hydrostatic power steering  
 Hydraulic wet disc brakes  
     (self-equalizing/self-adjusting)  
 Parking brake (automotive style)

### FRONT AXLE

-----  
 Front FWD (TerraLock™ )  
 Class 4 Suspended FWD axle  
 55-degree turning angle  
 Dual steering cylinders  
 8-degree axle oscillation  
 Adjustable tread width from 62.2 in. to  
     92 in. (varies by tire size)  
 Electrohydraulic FWD engagement  
 TerraLock™ Auto FWD/Diff-Lock  
 Driveshaft shield

### REAR AXLE

-----  
 Heavy-duty flange axle  
 Wet plate differential lock  
 Electrohydraulic-engaged dif. lock

### ELECTRICAL

-----  
 (1) 12-volt 1300 CCA battery  
 150-amp alternator  
 Geared starter motor (4.2 kW)  
 7-pin outlet for implement lighting  
 3-pin 40-amp implement socket  
 ISO/JD (30 amp) socket  
 15 amp screw-type +/- terminals  
 Single pin (8 amp) accessory outlet  
 Cigarette lighter  
 (2) single-pin outlets for beacon on roof  
 Battery boost terminals  
 Battery Isolator  
 ISOBUS Class 3 Basic Speed Control

**T6 AUTO COMMAND - DELUXE FAST PICK  
US PRICE LIST**

## Standard Equipment

### LIGHTS

-----

WORK LIGHT SELECTION MUST BE  
MADE. ENTRY LEVEL OPTION IS:

- (4) Halogen front hood headlights
- (2) LED front hood signature lights
- (12) LED cab mounted work lights
  - (8) LED high front & rear
  - (4) LED mid-mount front & rear
- (2) taillights

Front & Rear Flashing Cab Safety Lights  
Time Delayed, Self-Cancelling Turn  
Indicators with Audiable Warning

### PTO

-----

Independent 540/1000 RPM PTO with  
reversible shaft and flip-up shield  
Multi-plate wet clutch design  
Electrohydraulic-engagement with  
soft start/auto feathering  
Hydraulic piston PTO brake w/override

### HYDRAULIC SYSTEM

-----

Closed-center load-sensing pump  
Flow at 1,900 RPM: 33.5 gpm (127 l/m)  
(4) electro-hydraulic rear remote valves  
controlled in SideWinder II™ console  
(fully programmable)  
Oil collection bottles  
Hydraulic tapping port (Power Beyond)  
Independent pump for CVT and  
operating circuits

### 3-POINT LIFT SYSTEM

-----

Electronic Draft Control (EDC)  
Lower link sensing  
Fast raise/lower control  
Dynamic Ride Control™  
Category II flex link ends  
Telescopic stabilizers  
9,214 lb. Lift Capacity (OECD)  
with Dual 80mm External Rams

### MISCELLANEOUS

-----

Flip-up engine hood  
Swinging drawbar  
SMV emblem  
Toolbox  
Monitor Mounting Bracket  
Dynamic Front Fenders

### WARRANTY

-----

New Holland standard warranty applies

**T6 AUTO COMMAND - DELUXE FAST PICK  
 US PRICE LIST**
**Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price
T6.145 AC CVT T4B	15,245 LB	9112250P60	\$145,780.00
Includes the following Equipment			
380/85(14.9)R28R1W HD-MIFI (8241901)	\$2,686.00		
460/85(18.4)R38 R1W-MIFITR (8328401)	\$5,592.00		
T6.165 AC CVT T4B	15,245 LB	9128321P27	\$166,651.00
Includes the following Equipment			
380/85(14.9)R28R1W HD-MIFI (8241901)	\$2,686.00		
460/85(18.4)R38 R1W-MIFITR (8328401)	\$5,592.00		
T6.175 AC CVT T4B	15,245 LB	9133678P93	\$173,609.00
Includes the following Equipment			
380/85(14.9)R28R1W HD-MIFI (8241901)	\$2,686.00		
460/85(18.4)R38 R1W-MIFITR (8328401)	\$5,592.00		
T6.180 AC CVT T4B	15,245 LB	9138127P99	\$179,387.00
Includes the following Equipment			
380/85(14.9)R28R1W HD-MIFI (8241901)	\$2,686.00		
460/85(18.4)R38 R1W-MIFITR (8328401)	\$5,592.00		



**T6 AUTO COMMAND - DELUXE FAST PICK  
US PRICE LIST**

**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**ENGINE**

COLD WEATHER AIDS

SD\_T1938 WEATHER PACK

		758402	Grid_Heater + 110V Pack <b>Grid heater and cold weather pack</b> <b>Includes engine block heater and transmission heater</b>		9000311P85	\$405.00
--	--	--------	--	--	------------	----------

**TIRES**

BRAND CHOICE

SD\_T4900 TIRE CATEGORY CHOICE

		330438	No tire brand preference			No Charge
		330446	Firestone		9000431P20	\$560.00
		330439	Continental		9000431P20	\$560.00
		330442	Michelin		9000431P20	\$560.00

FRONT WHEELS & TIRES

SD\_T4940 FRONT WHEELS AND TIRES

Class 4 FWD Axle

		8241901	380/85(14.9)R28R1W HD-MIFITR <b>Requires 18.4 R38</b>		9002068P22	\$2,686.00
		8825501	480/65R28 R1W MI-CM <b>Requires 600/65 R38</b>		9002346P96	\$3,048.00
		8258704	380/85(14.9)R30 R1W MI-FI-CM <b>Requires 18.4R42 R1W or 14.9R46 R1W</b>		9002483P25	\$3,225.00
		8801604	320/85R34 R1W Brands - MI <b>Requires 320/90R50 R1W</b>		9002633P40	\$3,420.00
		8255904	420/85(16.9)R28 R1W MI-FI <b>Requires 20.8R38 R1W or 18.4R42 R1W</b>		9002640P33	\$3,429.00
		8866501	400/80R28 Fixed CIs 4 Alliance <b>Requires 480/80 R38 Municipality</b>		9002869P02	\$3,726.00

**T6 AUTO COMMAND - DELUXE FAST PICK  
US PRICE LIST**

**REAR WHEELS & TIRES**

**SD\_T4950 REAR WHEELS AND TIRES**

Flange and Bar - Steel						
		8328401	460/85(18.4)R38 R1W-MIFITR <b>Matching Front Tire - 14.9R28 R1W</b> - 8241401 (Class 3 Axle) - 8241901 (Class 4 Axle) <b>Compatible with 31 MPH (50 KPH)</b> <b>Adjustable Rims</b>		9004305P84	\$5,592.00
		8380404	520/85 (20.8) R38 R1W MI, TR <b>Matching front tire is 8255904 - 16,9 R28</b> <b>Compatible with 31 MPH (50 KPH)</b> <b>Adjustable Rims</b>		9005957P49	\$7,737.00
		8949401	600/65R38 R1W Fixd-FI,MI,CO,TR <b>Matching Front Tire - 480/65R28 R1W</b> - 8825501 (Class 4 Axle) <b>Compatible with 31 MPH (50 KPH)</b> <b>Requires:</b> - 743707 (Full Cover Rear Fenders) <b>Fixed Rims</b>		9006063P75	\$7,875.00
		8388404	460/85(18.4)R42R1W MI,F,T,C,A <b>Matching Front Tire - 14.9R30 R1W</b> - 8258704 (Class 4 Axle) <b>Compatible with 31 MPH (50 KPH)</b> <b>Adjustable Rims</b>		9004672P36	\$6,068.00
		8370404	380/90(14.9)R46R1WAdj Rim-C,MI <b>Matching Front Tire - 14.9R30 R1</b> - 8258704 (Class 4 Axle) <b>Adjustable Rims</b>		9004600P75	\$5,975.00
		8963504	320/90R50 R1W MI <b>Matching Front Tire - 320/85R34 R1W</b> - 8801604 (Class 4 Axle) <b>Adjustable Rims</b>		9004784P78	\$6,214.00
		8919401	480/80R38 Alliance <b>Matching Front Tire - 400/80 R28 Municipality</b> - 8866501 (Class 4 Axle) <b>Fixed steel rims</b>		9005394P62	\$7,006.00

**HYDRAULICS**

**REAR REMOTE VALVES**

**SD\_T8270 REAR REMOTES**

		743733	4 Elect Hyd. Rear Remote Valve <b>4 electro-hydraulic rear remote valves</b>		9000947P87	\$1,231.00
--	--	--------	---	--	------------	------------

**T6 AUTO COMMAND - DELUXE FAST PICK  
US PRICE LIST****WEIGHTS**

## FRONT WEIGHTS

## SD\_T2150 FRONT BALLAST

		758562	Weight Carrier w/Hook <b>Weight carrier with tow hook - 199.3 lbs (90.4 kg)</b>		9000200P97	\$261.00
--	--	--------	--	--	------------	----------

**CAB OPTION**

## CLIMATE CONTROL

## SD\_T9230 CLIMATE CONTROL

		758482	Air Conditioning W/ATC		9000561P33	\$729.00
--	--	--------	------------------------	--	------------	----------

## LIGHTS

## SD\_T9130 WORK LAMPS

		758596	16 LED High Power Hi-Roof <b>A total of 16 Cab mounted LED work lights:</b> <b>12 high cab-mounted; 6 front, 6 rear</b> <b>4 mid-cab mounted; 2 front, 2 rear</b> <b>16 LED work lights emitting 31,200 lumens</b>		9001207P36	\$1,568.00
--	--	--------	--	--	------------	------------

## SD\_T9146 ROTARY BEACON

		758489	Rotary Beacon Lefthand Side <b>Single rotary beacon mounted on rear left side of tractor for increased safety and visibility</b>		9000321P86	\$418.00
--	--	--------	---	--	------------	----------

**MISCELLANEOUS**

## FENDERS FRONT

## SD\_T8740 FRONT FENDERS

		758505	Front Fender 420mm Dynamic <b>Dynamic front fenders 16.5 inches wide (420 mm)</b>		9000605P22	\$786.00
--	--	--------	--	--	------------	----------

**OPERATOR'S MANUALS**

## SD\_T9802 OPERATORS MANUAL

		758535	Spanish NAR			No Charge
		759101	French NAR			No Charge



**T6 AUTO COMMAND - PREMIUM FAST PICK  
US PRICE LIST**

## Standard Equipment

### KEY SELLING POINTS:

- Fuel efficient high torque 4.5L, 4-cylinder with power boost
- FPT engines with 4 valves per cylinder and common rail fuel injection systems
- Tier 4B EPA emissions compliant with SCR only ECOBlue™ HI-eSCR Tier4B emissions system
- Auto Command™ CVT high efficiency transmission
- Standard LED work lighting
- Easy attach remote outlets
- Long Stable 104" wheel base

### MODELS

#### T6.145

Rated PTO HP - 95  
 Rated Engine HP - 116  
 Engine Power Management (EPM)  
 Maximum Engine HP w/ EPM - 145  
 Rated Speed - 2200 RPM  
 274 cu. in. (4.5L) - 4 Cylinder  
 Fuel Tank: 59.0 Gallon (223.0L)  
 DEF Tank: 10.4 Gallon (39.5L)

#### T6.165

Rated PTO HP - 110  
 Rated Engine HP - 135  
 Engine Power Management (EPM)  
 Maximum Engine HP w/ EPM - 169  
 Rated Speed - 2200 RPM  
 274 cu. in. (4.5L) - 4 Cylinder  
 Fuel Tank: 59.0 Gallon (223.0L)  
 DEF Tank: 10.4 Gallon (39.5L)

#### T6.175

Rated PTO HP - 120  
 Rated Engine HP - 145  
 Engine Power Management (EPM)  
 Maximum Engine HP w/ EPM - 175  
 Rated Speed - 2200 RPM  
 274 cu. in. (4.5L) - 4 Cylinder  
 Fuel Tank: 59.0 Gallon (223.0L)  
 DEF Tank: 10.4 Gallon (39.5L)

#### T6.180

Rated PTO HP - 125  
 ENGINE Rated Engine HP - 145  
 Engine Power Management (EPM)  
 Maximum Engine HP w/ EPM - 175  
 Rated Speed - 2200 RPM  
 411 cu. in. (6.7L) - 6 Cylinder  
 Fuel Tank: 59.0 Gallon (223.0L)  
 DEF Tank: 10.4 Gallon (39.5L)

### ENGINE

-----  
 Tier 4B Emissions Compliant  
 ECOBlue™ HI-eSCR Tier4B system  
 Engine with Turbocharger and  
 Air-to-Air Intercooler  
 4 Valves Per Cylinder  
 Bosch Common Rail Fuel Injection  
 Pump (electronic)  
 Power Management and Constant RPM  
 Power Boost in PTO & Transport Modes  
 Grid Heater Starting Aid  
 Engine Block Heater  
 Dual Element Air Filter with Pre-Cleaner  
 (spin tube intakes)  
 A-Pillar Exhaust with Integral Muffler  
 Viscous Fan (5 blade)  
 Hand Throttle

### TRANSMISSION

-----  
 Auto Command™ CVT with  
 column-mounted power shuttle  
 Command Grip™ multi-function controller  
 Infinite speed from 0 to 31 MPH  
 3 target speed selections  
 Infinite target speed thumb wheel  
 Three choice forward/reverse shuttle  
 controls  
 Right foot "go pedal"  
 31-MPH (50-KPH) (varies by tire size)  
 Transmission Heater

**T6 AUTO COMMAND - PREMIUM FAST PICK  
US PRICE LIST**

## Standard Equipment

### CAB

-----  
 High Roof w/ Opening Visibility Panel  
     and Sunshade  
 Flat Deck Platform with Integrated ROPS  
 Standard Air Conditioner and Heater  
 with 4-Speed Pressurizer and  
 dual zone air conditioning  
 Two doors with Locks  
 Two-speed Intermittent Front  
     Wiper/Washer  
 Rear Intermittent Wiper/Washer  
 Hinged Rear Window  
 Tinted Glass with Sunshade  
 Tilt and Telescoping Steering Wheel  
 IntelliView™ IV disp. mtd. on arm rest  
 Deluxe Leather Heated Low Frequency  
     Air Suspension Seat with Operator  
     Presence Switch, Lap Belt and Swivel  
     Headrest  
 Instructor Seat  
 Deluxe radio  
 Digital clock  
 Integral ROPS  
 Interior dome light  
 (2) External courtesy lights  
 (2) External telescopic remote  
 adjustable, heated mirrors  
 Horn  
 Std steering wheel & floor mat  
 ISOBUS connector

### STEERING & BRAKES

-----  
 Hydrostatic power steering  
 Hydraulic wet disc brakes  
     (self-equalizing/self-adjusting)  
 Parking brake (automotive style)

### FRONT AXLE

-----  
 Front FWD (TerraLock™ )  
 Class 4 Suspended FWD axle  
 55-degree turning angle  
 Dual steering cylinders  
 8-degree axle oscillation  
 Adjustable tread width from 62.2 in. to  
     92 in. (varies by tire size)  
 Electrohydraulic FWD engagement  
 TerraLock™ Auto FWD/Diff-Lock  
 Driveshaft shield

### REAR AXLE

-----  
 Heavy-duty flange axle  
 Wet plate differential lock  
 Electrohydraulic-engaged dif. lock

### ELECTRICAL

-----  
 (1) 12-volt 1300 CCA battery  
 150-amp alternator  
 Geared starter motor (4.2 kW)  
 7-pin outlet for implement lighting  
 3-pin 40-amp implement socket  
 ISO/JD (30 amp) socket  
 15 amp screw-type +/- terminals  
 Single pin (8 amp) accessory outlet  
 Cigarette lighter  
 (2) single-pin outlets for beacon on roof  
 Battery boost terminals  
 Battery Isolator  
 ISOBUS Class 3 Basic Speed Control

**T6 AUTO COMMAND - PREMIUM FAST PICK  
US PRICE LIST**

## Standard Equipment

### LIGHTS

-----

WORK LIGHT SELECTION MUST BE  
MADE. ENTRY LEVEL OPTION IS:

- (4) Halogen front hood headlights
- (2) LED front hood signature lights
- (12) LED cab mounted work lights
  - (8) LED high front & rear
  - (4) LED mid-mount front & rear
- (2) taillights

Front & Rear Flashing Cab Safety Lights  
Time Delayed, Self-Cancelling Turn  
Indicators with Audiable Warning

### PTO

-----

Independent 540/1000 RPM PTO with  
reversible shaft and flip-up shield  
Multi-plate wet clutch design  
Electrohydraulic-engagement with  
soft start/auto feathering  
Hydraulic piston PTO brake w/override

### HYDRAULIC SYSTEM

-----

Closed-center load-sensing pump  
Flow at 1,900 RPM: 33.5 gpm (127 l/m)  
(4) electro-hydraulic rear remote valves  
controlled in SideWinder II™ console  
(fully programmable)  
Oil collection bottles  
Hydraulic tapping port (Power Beyond)  
Independent pump for CVT and  
operating circuits

### 3-POINT LIFT SYSTEM

-----

Electronic Draft Control (EDC)  
Lower link sensing  
Fast raise/lower control  
Dynamic Ride Control™  
Category II flex link ends  
Telescopic stabilizers  
9,214 lb. Lift Capacity (OECD)  
with Dual 80mm External Rams

### MISCELLANEOUS

-----

Flip-up engine hood  
Swinging drawbar  
SMV emblem  
Toolbox  
Monitor Mounting Bracket  
Dynamic Front Fenders

### WARRANTY

-----

New Holland standard warranty applies

**T6 AUTO COMMAND - PREMIUM FAST PICK  
 US PRICE LIST**
**Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price
T6.145 AC CVT T4B	15,245 LB	9112250P60	\$145,780.00
Includes the following Equipment			
380/85(14.9)R28R1W HD-MIFI (8241901)	\$2,686.00		
460/85(18.4)R38 R1W-MIFITR (8328401)	\$5,592.00		
T6.165 AC CVT T4B	15,245 LB	9128321P27	\$166,651.00
Includes the following Equipment			
380/85(14.9)R28R1W HD-MIFI (8241901)	\$2,686.00		
460/85(18.4)R38 R1W-MIFITR (8328401)	\$5,592.00		
T6.175 AC CVT T4B	15,245 LB	9133678P93	\$173,609.00
Includes the following Equipment			
380/85(14.9)R28R1W HD-MIFI (8241901)	\$2,686.00		
460/85(18.4)R38 R1W-MIFITR (8328401)	\$5,592.00		
T6.180 AC CVT T4B	15,245 LB	9138127P99	\$179,387.00
Includes the following Equipment			
380/85(14.9)R28R1W HD-MIFI (8241901)	\$2,686.00		
460/85(18.4)R38 R1W-MIFITR (8328401)	\$5,592.00		

**T6 AUTO COMMAND - PREMIUM FAST PICK  
US PRICE LIST****Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**FAST PICK CONFIGURATION**

## SD\_T9980 PACKAGING

	X0472XX	NAR NH PCK A PREMIUM <b>Premium Fastpick Package Includes:</b> 758557: 150 AMP Alternator 758402: Grid Heater + 110V Pack 759130: Large Fuel Tank+Guard 758549: 50KPH ECO CVT 758428: Class 4 Susp + Brake Hyd Lock 743733: 4 Elect Hyd. Rear Remote Valve 758485: Deluxe Seat Air Susp Heated 758153: Monitor Mounting Bracket 758505 Front Fender 420mm Dynamic 758409 HD Battery w/Isolator		9011620P84	\$15,092.00
--	---------	---	--	------------	-------------

**REAR AXLE**

## SD\_T3200 REAR AXLE

	758538	HD 98" Bar Axles - Steel Wheel		9001146P53	\$1,489.00
--	--------	--------------------------------	--	------------	------------

**TIRES**

## BRAND CHOICE

## SD\_T4900 TIRE CATEGORY CHOICE

	330446	Firestone		9000431P20	\$560.00
	330439	Continental		9000431P20	\$560.00
	330442	Michelin		9000431P20	\$560.00

**FRONT WHEELS & TIRES**

## SD\_T4940 FRONT WHEELS AND TIRES

Class 4 FWD Axle					
	8241901	380/85(14.9)R28R1W HD-MIFITRCO <b>Requires 18.4 R38</b>		9002068P22	\$2,686.00
	8825501	480/65R28 R1W MI-CM <b>Requires 600/65 R38</b>		9002346P96	\$3,048.00

**T6 AUTO COMMAND - PREMIUM FAST PICK  
US PRICE LIST**

	8258704	380/85(14.9)R30 R1W MI-FI-CM <b>Requires 18.4R42 R1W or 14.9R46 R1W</b>		9002483P25	\$3,225.00
	8801604	320/85R34 R1W Brands - MI <b>Requires 320/90R50 R1W</b>		9002633P40	\$3,420.00
	8255904	420/85(16.9)R28 R1W MI-FI <b>Requires 20.8R38 R1W or 18.4R42 R1W</b>		9002640P33	\$3,429.00
	8866501	400/80R28 Fixed CIs 4 Alliance <b>Requires 480/80 R38 Municipality</b>		9002869P02	\$3,726.00

**REAR WHEELS & TIRES**

SD\_T4950 REAR WHEELS AND TIRES

Flange and Bar - Steel					
	8328401	460/85(18.4)R38 R1W-MIFITRICO <b>Matching Front Tire - 14.9R28 R1W</b> <b>- 8241401 (Class 3 Axle)</b> <b>- 8241901 (Class 4 Axle)</b> <b>Compatible with 31 MPH (50 KPH)</b> <b>Adjustable Rims</b>		9004305P84	\$5,592.00
	8380404	520/85 (20.8) R38 R1W MI, TR <b>Matching front tire is 8255904 - 16,9 R28</b> <b>Compatible with 31 MPH (50 KPH)</b> <b>Adjustable Rims</b>		9005957P49	\$7,737.00
	8949401	600/65R38 R1W Fixd-FI,MI,CO,TR <b>Matching Front Tire - 480/65R28 R1W</b> <b>- 8825501 (Class 4 Axle)</b> <b>Compatible with 31 MPH (50 KPH)</b> <b>Requires:</b> <b>- 743707 (Full Cover Rear Fenders)</b> <b>Fixed Rims</b>		9006063P75	\$7,875.00
	8388404	460/85(18.4)R42R1W MI,F,T,C,A <b>Matching Front Tire - 14.9R30 R1W</b> <b>- 8258704 (Class 4 Axle)</b> <b>Compatible with 31 MPH (50 KPH)</b> <b>Adjustable Rims</b>		9004672P36	\$6,068.00
	8963504	320/90R50 R1W MI <b>Matching Front Tire - 320/85R34 R1W</b> <b>- 8801604 (Class 4 Axle)</b> <b>Adjustable Rims</b>		9004784P78	\$6,214.00
	8919401	480/80R38 Alliance <b>Matching Front Tire - 400/80 R28 Municipality</b> <b>- 8866501 (Class 4 Axle)Fixed steel rims</b>		9005394P62	\$7,006.00

**T6 AUTO COMMAND - PREMIUM FAST PICK  
US PRICE LIST**

**HYDRAULICS**

COMPLETE LOADER READY

SD\_T8110 LOADER BRACKETS

Electro-Hydraulic Mid Mount

		758354	<p>Loader Ready + 3 EH MMV + Joy</p> <p><b>Complete Loader Ready Includes 3 slice electronic mid-mount valve (EMMV), horizontal and vertical two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the hydraulic multi-coupler and joystick.</b></p> <p><b>Includes predisposition for Complete Loader Ready (758622)</b></p> <p><b>Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price &amp; Data Pages.</b></p>		9008363P74	\$10,862.00
--	--	--------	--	--	------------	-------------

**AUTO GUIDANCE**

AUTO GUIDANCE READY

SD\_T6300 STEERING OR AUTOGUIDANCE READY

		759186	<p>Variable Ratio Steer</p> <p><b>CUSTOMSTEER™ OPTION feature allows operators to turn fully from lock to lock with as little as one rotation of the steering wheel with precision control.</b></p> <p><b>You can choose a steering ratio preference from 1:1 to 1:4 for quicker maneuvering at the headland, reversing with trailers, or during repetitive loader work.</b></p>		9002223P76	\$2,888.00
		759185	<p>Autoguidance Ready</p> <p><b>Autoguidance Ready which includes: steering sensor, electronic steering valve, steering manifold, hoses, wiring harness, receiver mounting bracket, cabling, &amp; hardware</b></p> <p><b>Note:</b></p> <ul style="list-style-type: none"> <li>-Requires CCLS hydraulics</li> <li>-Incompatible with SuperSteer front axle</li> </ul>		9004095P63	\$5,319.00

**T6 AUTO COMMAND - PREMIUM FAST PICK  
US PRICE LIST**

## SD\_T7630 AUTOGUIDANCE

		758803	Full AG Nav GPS L1 <b>Autoguidance Complete</b> <b>Includes Nav II controller and NH 372 receiver</b> <b>Requires Autoguidance ready, monitor mounting bracket with IntelliView IV monitor 758590</b> <b>Activated to WAAS level accuracy (Level 1)</b>		9011362P12	\$14,756.00
		758804	Full AG Nav GPS L2 <b>Autoguidance - Complete Pack</b> <b>Autoguidance Complete</b> <b>Includes Nav II controller and NH 372 receiver</b> <b>Requires Autoguidance ready, monitor mounting bracket with IntelliView IV monitor 758590</b> <b>Activated to OmniSTAR HP/G2/XP &amp; CenterPoint RTX level accuracy (Level 2)</b>		9013476P54	\$17,502.00
		758871	Autoguidance Lvl 3 RTK Modem <b>Autoguidance Complete</b> <b>Includes Nav II controller, NH 372 receiver</b> <b>Requires Autoguidance ready, monitor mounting bracket with IntelliView IV monitor 758590</b> <b>Activated to RTK level accuracy (Level 3)</b> <b>Requires either a RTK radio or modem not included</b>		9015590P19	\$20,247.00

**WEIGHTS**

FRONT WEIGHTS

## SD\_T2150 FRONT BALLAST

		758562	Weight Carrier w/Hook <b>Weight carrier with tow hook - 199.3 lbs (90.4 kg)</b>		9000200P97	\$261.00
		758519	Weight Pack B w/Hook <b>Pack "B" includes weight rack - 199.3 lbs., 10 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 1207 lbs. (547 kg)</b>  <b>Not compatible with front 3-PT hitch - 743699 and 743700</b>		9001353P66	\$1,758.00
		758520	Weight Pack C w/Hook <b>Pack "C" includes weight rack - 199.3 lbs., 18 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 2000 lbs. (907 kg)</b>  <b>Not compatible with front 3-PT hitch - 743699 and 743700</b> <b>Not compatible with loader ready packages</b> <b>758344,758351,758353,758354,758478</b>		9002206P05	\$2,865.00



**T6 AUTO COMMAND - PREMIUM FAST PICK  
US PRICE LIST****REAR WHEEL WEIGHTS****SD\_T4960 WHEEL WEIGHTS**

		758564	6X65KG Wheel Weight <b>Includes (6) 143 lbs. weights totalling 860 lbs.</b>		9000922P46	\$1,198.00
--	--	--------	--	--	------------	------------

**CAB OPTION****CLIMATE CONTROL****SD\_T9230 CLIMATE CONTROL**

		758482	Air Conditioning W/ATC		9000561P33	\$729.00
--	--	--------	------------------------	--	------------	----------

**LIGHTS****SD\_T9146 ROTARY BEACON**

		758489	Rotary Beacon Lefthand Side <b>Single rotary beacon mounted on rear left side of tractor for increased safety and visibility</b>		9000321P86	\$418.00
		758491	Twin Beacon <b>Rotary beacons mounted on rear of the cab on both left and right side of tractor for maximum safety and visibility</b>		9000643P72	\$836.00

**MISCELLANEOUS****FENDERS REAR****SD\_T8700 FENDERS**

		743707	Full Cover			No Charge
--	--	--------	------------	--	--	-----------

**OPERATOR'S MANUALS****SD\_T9802 OPERATORS MANUAL**

		758535	Spanish NAR			No Charge
		759101	French NAR			No Charge

# T6 AUTO COMMAND - LESS FAST PICK US PRICE LIST

## Standard Equipment

### KEY SELLING POINTS:

- Fuel efficient high torque 4.5L, 4-cylinder with power boost  
FPT engines with 4 valves per cylinder and common rail fuel injection systems
- Tier 4B EPA emissions compliant with SCR only ECOBlue™ HI-eSCR Tier4B emissions system
- Auto Command™ CVT high efficiency transmission
- Standard LED work lighting
- Easy attach remote outlets
- Long Stable 104" wheel base

### MODELS

#### T6.145

Rated PTO HP - 95  
Rated Engine HP - 116  
Engine Power Management (EPM)  
Maximum Engine HP w/ EPM - 145  
Rated Speed - 2200 RPM  
274 cu. in. (4.5L) - 4 Cylinder  
Fuel Tank: 52.2 Gallon (197.5L)  
DEF Tank: 10.4 Gallon (39.5L)

#### T6.165

Rated PTO HP - 110  
Rated Engine HP - 135  
Engine Power Management (EPM)  
Maximum Engine HP w/ EPM - 169  
Rated Speed - 2200 RPM  
274 cu. in. (4.5L) - 4 Cylinder  
Fuel Tank: 52.2 Gallon (197.5L)  
DEF Tank: 10.4 Gallon (39.5L)

#### T6.175

Rated PTO HP - 120  
Rated Engine HP - 145  
Engine Power Management (EPM)  
Maximum Engine HP w/ EPM - 175  
Rated Speed - 2200 RPM  
274 cu. in. (4.5L) - 4 Cylinder  
Fuel Tank: 52.2 Gallon (197.5L)  
DEF Tank: 10.4 Gallon (39.5L)

#### T6.180

Rated PTO HP - 125  
ENGINE Rated Engine HP - 145  
Engine Power Management (EPM)  
Maximum Engine HP w/ EPM - 175  
Rated Speed - 2200 RPM  
411 cu. in. (6.7L) - 6 Cylinder  
Fuel Tank: 52.2 Gallon (197.5L)  
DEF Tank: 10.4 Gallon (39.5L)

### ENGINE

Tier 4B Emissions Compliant  
ECOBBlue™ HI-eSCR Tier4B system  
Engine with Turbocharger and  
Air-to-Air Intercooler  
4 Valves Per Cylinder  
Bosch Common Rail Fuel Injection  
Pump (electronic)  
Power Management and Constant RPM  
Power Boost in PTO & Transport Modes  
Grid Heater Starting Aid  
Dual Element Air Filter with Pre-Cleaner (spin tube intakes)  
A-Pillar Exhaust with Integral Muffler  
Viscous Fan (5 blade)  
Hand Throttle

### TRANSMISSION

Auto Command™ CVT with  
column-mounted power shuttle  
Command Grip™ multi-function controller  
Infinite speed from 0 to 25 MPH  
(Opt.31 MPH / 50 KPH)  
3 target speed selections  
Infinite target speed thumb wheel  
Three choice forward/reverse shuttle controls  
Right foot "go pedal"  
25-MPH (40-KPH) (varies by tire size)

**T6 AUTO COMMAND - LESS FAST PICK  
US PRICE LIST**

## Standard Equipment

### CAB

-----  
High Roof w/ Opening Visibility Panel  
and Sunshade  
Flat Deck Platform with Integrated ROPS  
Standard Air Conditioner and Heater  
with 4-Speed Pressurizer and  
dual zone air conditioning  
Two doors with Locks  
Two-speed Intermittent Front  
Wiper/Washer  
Rear Intermittent Wiper/Washer  
Hinged Rear Window  
Tinted Glass with Sunshade  
Tilt and Telescoping Steering Wheel  
IntelliView™ IV disp. mtd. on arm rest  
Deluxe Low Frequency Air Suspension  
Seat with Operator Presence Switch,  
Lap Belt and Swivel Headrest  
Instructor Seat  
Deluxe radio  
Digital clock  
Integral ROPS  
Interior dome light  
(2) External courtesy lights  
(2) External telescopic remote  
adjustable, heated mirrors  
Horn  
Std steering wheel & floor mat  
ISOBUS connector

### STEERING & BRAKES

-----  
Hydrostatic power steering  
Hydraulic wet disc brakes  
(self-equalizing/self-adjusting)  
Parking brake (automotive style)

### FRONT AXLE

-----  
Front FWD (TerraLock™ )  
Class 4 heavy-duty FWD axle  
55-degree turning angle  
Dual steering cylinders  
8-degree axle oscillation  
Adjustable tread width from 62.2 in. to  
92 in. (varies by tire size)  
Electrohydraulic FWD engagement  
TerraLock™ Auto FWD/Diff-Lock  
Driveshaft shield

### REAR AXLE

-----  
Heavy-duty flange axle  
Wet plate differential lock  
Electrohydraulic-engaged dif. lock

### ELECTRICAL

-----  
(1) 12-volt 1300 CCA battery  
120-amp alternator  
Geared starter motor (4.2 kW)  
7-pin outlet for implement lighting  
3-pin 40-amp implement socket  
ISO/JD (30 amp) socket  
15 amp screw-type +/- terminals  
Single pin (8 amp) accessory outlet  
Cigarette lighter  
(2) single-pin outlets for beacon on roof  
Battery boost terminals  
ISOBUS Class 3 Basic Speed Control

**T6 AUTO COMMAND - LESS FAST PICK  
US PRICE LIST**

## Standard Equipment

### LIGHTS

-----  
 WORK LIGHT SELECTION MUST BE  
 MADE. ENTRY LEVEL OPTION IS:  
 (4) Halogen front hood headlights  
 (2) LED front hood signature lights  
 (12) LED cab mounted work lights  
     (8) LED high front & rear  
     (4) LED mid-mount front & rear  
 (2) taillights

Front & Rear Flashing Cab Safety Lights  
 Time Delayed, Self-Cancelling Turn  
     Indicators with Audiable Warning

### PTO

-----  
 Independent 540/1000 RPM PTO with  
     reversible shaft and flip-up shield  
 Multi-plate wet clutch design  
 Electrohydraulic-engagement with  
     soft start/auto feathering  
 Hydraulic piston PTO brake w/override

### HYDRAULIC SYSTEM

-----  
 Closed-center load-sensing pump  
 Flow at 1,900 RPM: 33.5 gpm (127 l/m)  
 (3) electro-hydraulic rear remote valves  
 controlled in SideWinder II™ console  
 (fully programmable)  
 Oil collection bottles  
 Hydraulic tapping port (Power Beyond)  
 Independent pump for CVT and  
     operating circuits

### 3-POINT LIFT SYSTEM

-----  
 Electronic Draft Control (EDC)  
 Lower link sensing  
 Fast raise/lower control  
 Dynamic Ride Control™  
 Category II flex link ends  
 Telescopic stabilizers  
 9,214 lb. Lift Capacity (OECD)  
     with Dual 80mm External Rams

### MISCELLANEOUS

-----  
 Flip-up engine hood  
 Swinging drawbar  
 SMV emblem  
 Toolbox

### WARRANTY

-----  
 New Holland standard warranty applies

**T6 AUTO COMMAND - LESS FAST PICK  
US PRICE LIST**

## Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
T6.145 AC CVT T4B	15,245 LB	9112250P60	\$145,780.00
Includes the following Equipment			
380/85(14.9)R28R1W HD-MIFI (8241901)	\$2,686.00		
460/85(18.4)R38 R1W-MIFITR (8328401)	\$5,592.00		
T6.165 AC CVT T4B	15,245 LB	9128321P27	\$166,651.00
Includes the following Equipment			
380/85(14.9)R28R1W HD-MIFI (8241901)	\$2,686.00		
460/85(18.4)R38 R1W-MIFITR (8328401)	\$5,592.00		
T6.175 AC CVT T4B	15,245 LB	9133678P93	\$173,609.00
Includes the following Equipment			
380/85(14.9)R28R1W HD-MIFI (8241901)	\$2,686.00		
460/85(18.4)R38 R1W-MIFITR (8328401)	\$5,592.00		
T6.180 AC CVT T4B	15,245 LB	9138127P99	\$179,387.00
Includes the following Equipment			
380/85(14.9)R28R1W HD-MIFI (8241901)	\$2,686.00		
460/85(18.4)R38 R1W-MIFITR (8328401)	\$5,592.00		

**T6 AUTO COMMAND - LESS FAST PICK  
US PRICE LIST****Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**FAST PICK CONFIGURATION**

## SD\_T9980 PACKAGING

		X0475XX	LESS PACKAGING			No Charge
--	--	---------	----------------	--	--	-----------

**CAB CONFIGURATION**

## SUSPENDED CAB

## SD\_T9200 OPERATOR STRUCTURE #1

		758480	Suspended Cab w/Heated Screens <b>Cab Suspension with defrost elements on front and rear windows</b> <b>Requires 200 Amp alternator</b>		9000390P39	\$507.00
--	--	--------	---	--	------------	----------

**ENGINE**

## ALTERNATOR SELECTION

## SD\_T1040 CHARGING SYSTEMS

		758557	150 AMP_Alternator		9000119P35	\$155.00
		758558	200 AMP_Alternator <b>Required when ordering 758480 Suspended Cab w/Heated Screens</b>		9000184P80	\$240.00

## COLD WEATHER AIDS

## SD\_T1938 WEATHER PACK

		758402	Grid_Heater + 110V Pack <b>Grid heater and cold weather pack</b> <b>Includes engine block heater and transmission heater</b>		9000311P85	\$405.00
--	--	--------	--	--	------------	----------

## FUEL TANK GUARD

## SD\_T1400 FUEL TANK

		759130	Large Fuel Tank+Guard <b>Large fuel tank with guards</b> <b>Not compatible with 34" Rear Wheels</b> <b>59 Gallon / 222 Liter compacity</b>		9000180P95	\$235.00
--	--	--------	---	--	------------	----------

**T6 AUTO COMMAND - LESS FAST PICK  
US PRICE LIST****TRANSMISSION**

## SD\_T2800 SPEED

		758549	50KPH ECO CVT Requires suspended front axle 758427 or 758428		9001085P70	\$1,410.00
--	--	--------	---	--	------------	------------

**FRONT AXLE**

## SD\_T4010 FRONT AXLE

Class 4 SuperSteer FWD Axle						
		758429	Class 4 SuperSteer L/Water -SuperSteer front axle with TerraLock traction management system. -Includes multi-plate differential lock. -Incompatible with Autoguidance		9003622P85	\$4,705.00
Class 4 Suspended FWD Axle						
		758428	Class 4 Susp + Brake Hyd Lock With TerraGlide suspended axle with TerraLock traction management system. Includes multi-plate differential and brakes. Incompatible with 34" rear wheels		9005853P54	\$7,602.00

**REAR AXLE**

## SD\_T3200 REAR AXLE

		758538	HD 98" Bar Axles - Steel Wheel		9001146P53	\$1,489.00
--	--	--------	--------------------------------	--	------------	------------

**TIRES**

## BRAND CHOICE

## SD\_T4900 TIRE CATEGORY CHOICE

		330446	Firestone		9000431P20	\$560.00
		330439	Continental		9000431P20	\$560.00
		330442	Michelin		9000431P20	\$560.00

**FRONT WHEELS & TIRES**

## SD\_T4940 FRONT WHEELS AND TIRES

Class 4						
		8299906	Front Shipping Wheels		9001131P13	\$1,469.00
Class 4 FWD Axle						
		8241901	380/85(14.9)R28R1W HD-MIFITRCO Requires 18.4 R38		9002068P22	\$2,686.00

**T6 AUTO COMMAND - LESS FAST PICK  
US PRICE LIST**

	8825501	480/65R28 R1W MI-CM <b>Requires 600/65 R38</b>		9002346P96	\$3,048.00
	8258704	380/85(14.9)R30 R1W MI-FI-CM <b>Requires 18.4R42 R1W or 14.9R46 R1W</b>		9002483P25	\$3,225.00
	8801604	320/85R34 R1W Brands - MI <b>Requires 320/90R50 R1W</b>		9002633P40	\$3,420.00
	8255904	420/85(16.9)R28 R1W MI-FI <b>Requires 20.8R38 R1W or 18.4R42 R1W</b>		9002640P33	\$3,429.00
	8866501	400/80R28 Fixed CIs 4 Alliance <b>Requires 480/80 R38 Municipality</b>		9002869P02	\$3,726.00

**REAR WHEELS & TIRES**

SD\_T4950 REAR WHEELS AND TIRES

Flange and Bar - Steel					
	8328401	460/85(18.4)R38 R1W-MIFITRICO <b>Matching Front Tire - 14.9R28 R1W</b> <b>- 8241401 (Class 3 Axle)</b> <b>- 8241901 (Class 4 Axle)</b> <b>Compatible with 31 MPH (50 KPH)</b> <b>Adjustable Rims</b>		9004305P84	\$5,592.00
	8380404	520/85 (20.8) R38 R1W MI, TR <b>Matching front tire is 8255904 - 16,9 R28</b> <b>Compatible with 31 MPH (50 KPH)</b> <b>Adjustable Rims</b>		9005957P49	\$7,737.00
	8949401	600/65R38 R1W Fixd-FI,MI,CO,TR <b>Matching Front Tire - 480/65R28 R1W</b> <b>- 8825501 (Class 4 Axle)</b> <b>Compatible with 31 MPH (50 KPH)</b> <b>Requires:</b> <b>- 743707 (Full Cover Rear Fenders)</b> <b>Fixed Rims</b>		9006063P75	\$7,875.00
	8388404	460/85(18.4)R42R1W MI,F,T,C,A <b>Matching Front Tire - 14.9R30 R1W</b> <b>- 8258704 (Class 4 Axle)</b> <b>Compatible with 31 MPH (50 KPH)</b> <b>Adjustable Rims</b>		9004672P36	\$6,068.00
	8963504	320/90R50 R1W MI <b>Matching Front Tire - 320/85R34 R1W</b> <b>- 8801604 (Class 4 Axle)</b> <b>Adjustable Rims</b>		9004784P78	\$6,214.00
	8919401	480/80R38 Alliance <b>Matching Front Tire - 400/80 R28 Municipality</b> <b>- 8866501 (Class 4 Axle)Fixed steel rims</b>		9005394P62	\$7,006.00



**T6 AUTO COMMAND - LESS FAST PICK  
US PRICE LIST**

**HYDRAULICS**

REAR REMOTE VALVES

SD\_T8270 REAR REMOTES

		743686	3 Elect Hyd. Rear Remote Valve <b>3 electro-hydraulic rear remotes</b>			No Charge
		743733	4 Elect Hyd. Rear Remote Valve <b>4 electro-hydraulic rear remote valves</b>		9000947P87	\$1,231.00
		758359	4-Elec Rear Remotes F/ Pwr Byd <b>4 electro-hydraulic rear remotes for power beyond</b> <b>Requires 758542 power beyond plus low pressure return</b>		9001543P85	\$2,005.00

AUXILLARY FUNCTIONS

SD\_T8275 POWER BEYOND COUPLE

		758542	Power Beyond + Low-Pressure <b>Power beyond coupler and low pressure return</b> <b>Incompatible with 743733 4 electro-hydraulic rear remote option</b>		9000592P13	\$769.00
--	--	--------	--	--	------------	----------

COMPLETE LOADER READY

SD\_T8110 LOADER BRACKETS

Electro-Hydraulic Mid Mount

		758353	Loader Ready + 2 EH MMV + Joy <b>Complete Loader Ready Includes 2 slice electronic mid-mount valve (EMMV), horizontal and verticle two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the multi-coupler and joystick.</b>  <b>Includes predisposition for Complete Loader Ready (758622)</b>  <b>Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price &amp; Data Pages.</b>		9007201P81	\$9,353.00
		758354	Loader Ready + 3 EH MMV + Joy <b>Complete Loader Ready Includes 3 slice electronic mid-mount valve (EMMV), horizontal and vertical two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the hydraulic multi-coupler and joystick.</b>  <b>Includes predisposition for Complete Loader Ready (758622)</b>  <b>Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price &amp; Data Pages.</b>		9008363P74	\$10,862.00

**T6 AUTO COMMAND - LESS FAST PICK  
US PRICE LIST**

Engine Side Rails					
		758478	Engine Side Rails <b>Not for loader mounting.</b>	9000749P21	\$973.00

**3-POINT HITCH**

FRONT 3 POINT HITCH					
---------------------	--	--	--	--	--

SD\_T8100 FRONT THREE POINT HITCH

		759144	Integrated FHPL 759144 <b>Front Hitch for units with Standard or Suspended Front Axles Requires hoses (758473, 758474, 758475, 758544 or 758582) Incompatible with front weights Includes integrated tow hook</b>	9005988P29	\$7,777.00
		759147	Int FHPL+FPTO <b>Front Hitch and PTO for units with standard or suspended Front Axle (ratio matches rear PTO) Requires Advanced Processor (758498), hoses (758473, 758474, 758475, 758544 or 758582) Incompatible with front weights Includes integrated tow hook 1,000 RPM 6 spline counter clockwise rotation (looking at the PTO) Engine RPM's at 1895 Maximum power transmission: 87 HP @ 86 deg. F ambient/ 107 HP @ 32 deg F Ambient</b>	9012759P67	\$16,571.00

SD\_T8300 HOSES FOR FHPL

Hoses less Front Couplers					
		758474	Hose pkg for frt hitch w/ ERV <b>Front hitch hoses to connect front hitch to electro-hydraulic rear remotes</b>		No Charge
		758475	Hose pkg for frt hitch w/ MMV <b>Front hitch hoses to connect front hitch to mid mount valve Incompatible with loader ready</b>		No Charge
Hoses with Front Couplers					
		758544	Hse pkg frt hit w/MMV/frt coup <b>Front couplers and hoses for front hitch to connect to mid mount valve Incompatible with loader ready</b>	9000148P61	\$193.00

**T6 AUTO COMMAND - LESS FAST PICK  
US PRICE LIST**

**AUTO GUIDANCE**

AUTO GUIDANCE READY

SD\_T6300 STEERING OR AUTOGUIDANCE READY

		759186	Variable Ratio Steer <b>CUSTOMSTEER™ OPTION</b> feature allows operators to turn fully from lock to lock with as little as one rotation of the steering wheel with precision control.  You can choose a steering ratio preference from 1:1 to 1:4 for quicker maneuvering at the headland, reversing with trailers, or during repetitive loader work.		9002223P76	\$2,888.00
		759185	Autoguidance Ready Autoguidance Ready which includes: steering sensor, electronic steering valve, steering manifold, hoses, wiring harness, receiver mounting bracket, cabling, & hardware  Note: -Requires CCLS hydraulics -Incompatible with SuperSteer front axle		9004095P63	\$5,319.00

SD\_T7630 AUTOGUIDANCE

		758803	Full AG Nav GPS L1 Autoguidance Complete Includes Nav II controller and NH 372 receiver Requires Autoguidance ready, monitor mounting bracket with IntelliView IV monitor 758590 Activated to WAAS level accuracy (Level 1)		9011362P12	\$14,756.00
		758804	Full AG Nav GPS L2 Autoguidance - Complete Pack Autoguidance Complete Includes Nav II controller and NH 372 receiver Requires Autoguidance ready, monitor mounting bracket with IntelliView IV monitor 758590 Activated to OmniSTAR HP/G2/XP & CenterPoint RTX level accuracy (Level 2)		9013476P54	\$17,502.00
		758871	Autoguidance Lvl 3 RTK Modem Autoguidance Complete Includes Nav II controller, NH 372 receiver Requires Autoguidance ready, monitor mounting bracket with IntelliView IV monitor 758590 Activated to RTK level accuracy (Level 3) Requires either a RTK radio or modem not included		9015590P19	\$20,247.00

**T6 AUTO COMMAND - LESS FAST PICK  
US PRICE LIST**

**WEIGHTS**

FRONT WEIGHTS

SD\_T2150 FRONT BALLAST

		758562	Weight Carrier w/Hook <b>Weight carrier with tow hook - 199.3 lbs (90.4 kg)</b>		9000200P97	\$261.00
		758519	Weight Pack B w/Hook <b>Pack "B" includes weight rack - 199.3 lbs., 10 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 1207 lbs. (547 kg)</b>  <b>Not compatible with front 3-PT hitch - 743699 and 743700</b>		9001353P66	\$1,758.00
		758520	Weight Pack C w/Hook <b>Pack "C" includes weight rack - 199.3 lbs., 18 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 2000 lbs. (907 kg)</b>  <b>Not compatible with front 3-PT hitch - 743699 and 743700</b> <b>Not compatible with loader ready packages</b> <b>758344,758351,758353,758354,758478</b>		9002206P05	\$2,865.00

REAR WHEEL WEIGHTS

SD\_T4960 WHEEL WEIGHTS

		758564	6X65KG Wheel Weight <b>Includes (6) 143 lbs. weights totalling 860 lbs.</b>		9000922P46	\$1,198.00
--	--	--------	--	--	------------	------------

**CAB OPTION**

CLIMATE CONTROL

SD\_T9230 CLIMATE CONTROL

		758482	Air Conditioning W/ATC		9000561P33	\$729.00
--	--	--------	------------------------	--	------------	----------

SD\_T9291 REAR WINDOW SUNSHADE

		758580	Sunshade, Rear Window		9000158P62	\$206.00
--	--	--------	-----------------------	--	------------	----------

SEATS

SD\_T8500 SEAT

		758485	Deluxe Seat Air Susp Heated <b>Super Deluxe Seat with Low Frequency Suspension (+DDS) Belt and Swivel Headrest Heated</b> <b>Leather/Alcantara</b> <b>Seat swivel:</b> <b>10 degrees left and 20 degrees right.</b>		9001505P35	\$1,955.00
--	--	--------	---	--	------------	------------

**T6 AUTO COMMAND - LESS FAST PICK  
US PRICE LIST**

**LIGHTS**

**SD\_T9130 WORK LAMPS**

		758596	16 LED High Power Hi-Roof <b>A total of 16 Cab mounted LED work lights:</b> <b>12 high cab-mounted; 6 front, 6 rear</b> <b>4 mid-cab mounted; 2 front, 2 rear</b> <b>16 LED work lights emitting 31,200 lumens</b>		9001207P36	\$1,568.00
--	--	--------	--	--	------------	------------

**SD\_T9146 ROTARY BEACON**

		758489	Rotary Beacon Lefthand Side <b>Single rotary beacon mounted on rear left side of tractor for increased safety and visibility</b>		9000321P86	\$418.00
		758491	Twin Beacon <b>Rotary beacons mounted on rear of the cab on both left and right side of tractor for maximum safety and visibility</b>		9000643P72	\$836.00

**MONITOR BRACKETS**

**SD\_T9223 RH WINDOW BAR MOUNT**

		758153	Monitor Mounting Bracket. <b>Monitor mounting bracket</b>		9000115P50	\$150.00
		758621	10" Color Touch Screen Display <b>Monitor mounting bracket with IntelliView IV</b> <b>Requires ISOBUS socket 743795, 758561 or 758624</b>		9004485P25	\$5,825.00

**MISCELLANEOUS**

**FENDERS FRONT**

**SD\_T8740 FRONT FENDERS**

		758505	Front Fender 420mm Dynamic <b>Dynamic front fenders 16.5 inches wide (420 mm)</b>		9000605P22	\$786.00
--	--	--------	--	--	------------	----------

**FENDERS REAR**

**SD\_T8700 FENDERS**

		743707	Full Cover		9000558P25	\$725.00
--	--	--------	------------	--	------------	----------

**RADAR**

**SD\_T7580 RADAR**

		758501	Radar NAR		9000629P86	\$818.00
--	--	--------	-----------	--	------------	----------



**T6 AUTO COMMAND - LESS FAST PICK  
US PRICE LIST**

OTHER

SD\_T7420 BATTERY

		758409	HD Battery W/Isolator 176AH <b>Heavy duty battery with isolator</b>		9000337P26	\$438.00
--	--	--------	--	--	------------	----------

**OPERATOR'S MANUALS**

SD\_T9802 OPERATORS MANUAL

		758535	Spanish NAR			No Charge
		759101	French NAR			No Charge

**T6 AUTO COMMAND - BLUE POWER EDITION  
US PRICE LIST**

## Standard Equipment

### KEY SELLING POINTS:

- Fuel efficient high torque 4.5L, 4-cylinder with power boost  
FPT engines with 4 valves per cylinder and common rail fuel injection systems
- Tier 4B EPA emissions compliant with SCR only ECOBlue™ HI-eSCR Tier4B emissions system
- Auto Command™ CVT high efficiency transmission
- Standard LED work lighting
- Easy attach remote outlets
- Long Stable 104" wheel base

### MODELS

-----  
T6.175  
Rated PTO HP - 120  
Rated Engine HP - 145  
Engine Power Management (EPM)  
Maximum Engine HP w/ EPM - 175  
Rated Speed - 2200 RPM  
274 cu. in. (4.5L) - 4 Cylinder  
Fuel Tank: 52.2 Gallon (197.5L)  
DEF Tank: 10.4 Gallon (39.5L)

T6.180  
Rated PTO HP - 125  
ENGINE Rated Engine HP - 145  
Engine Power Management (EPM)  
Maximum Engine HP w/ EPM - 175  
Rated Speed - 2200 RPM  
411 cu. in. (6.7L) - 6 Cylinder  
Fuel Tank: 52.2 Gallon (197.5L)  
DEF Tank: 10.4 Gallon (39.5L)

### ENGINE

-----  
Tier 4B Emissions Compliant  
ECOBBlue™ HI-eSCR Tier4B system  
Engine with Turbocharger and  
Air-to-Air Intercooler  
4 Valves Per Cylinder  
Bosch Common Rail Fuel Injection  
Pump (electronic)  
Power Management and Constant RPM  
Power Boost in PTO & Transport Modes  
Grid Heater Starting Aid  
Dual Element Air Filter with Pre-Cleaner  
(spin tube intakes)  
A-Pillar Exhaust with Integral Muffler  
Viscous Fan (5 blade)  
Hand Throttle

### TRANSMISSION

-----  
Auto Command™ CVT with  
column-mounted power shuttle  
Command Grip™ multi-function controller  
Infinite speed from 0 to 25 MPH  
(Opt.31 MPH / 50 KPH)  
3 target speed selections  
Infinite target speed thumb wheel  
Three choice forward/reverse shuttle  
controls  
Right foot "go pedal"  
25-MPH (40-KPH) (varies by tire size)

**T6 AUTO COMMAND - BLUE POWER EDITION  
US PRICE LIST**

## Standard Equipment

### CAB

-----  
High Roof w/ Opening Visibility Panel  
and Sunshade  
Flat Deck Platform with Integrated ROPS  
Automatic Temperature Control  
with 4-Speed Pressurizer and  
dual zone air conditioning  
Two doors with Locks  
Two-speed Intermittent Front  
Wiper/Washer  
Rear Intermittent Wiper/Washer  
Hinged Rear Window  
Tinted Glass with Sunshade  
Leather Tilt and Telescoping Steering  
Wheel  
IntelliView™ IV disp. mtd. on arm rest  
Alcant Blue PowerAir Suspension Seat  
with Automatic Adjustment, Operator  
Presence Switch and Lap Belt  
Instructor Seat  
Deluxe radio  
Digital clock  
Integral ROPS  
Interior dome light  
(2) External courtesy lights  
(2) External telescopic remote  
adjustable, heated mirrors  
Horn  
Std steering wheel & floor mat  
ISOBUS connector

### STEERING & BRAKES

-----  
Hydrostatic power steering  
Hydraulic wet disc brakes  
(self-equalizing/self-adjusting)  
Parking brake (automotive style)

### FRONT AXLE

-----  
Front FWD (TerraLock™ )  
Class 4 heavy-duty FWD axle  
55-degree turning angle  
Dual steering cylinders  
8-degree axle oscillation  
Adjustable tread width from 62.2 in. to  
92 in. (varies by tire size)  
Electrohydraulic FWD engagement  
TerraLock™ Auto FWD/Diff-Lock  
Driveshaft shield

### REAR AXLE

-----  
Heavy-duty flange axle  
Wet plate differential lock  
Electrohydraulic-engaged dif. lock

### ELECTRICAL

-----  
(1) 12-volt 1300 CCA battery  
200-amp alternator  
Geared starter motor (4.2 kW)  
7-pin outlet for implement lighting  
3-pin 40-amp implement socket  
ISO/JD (30 amp) socket  
15 amp screw-type +/- terminals  
Single pin (8 amp) accessory outlet  
Cigarette lighter  
(2) single-pin outlets for beacon on roof  
Battery boost terminals  
ISOBUS Class 3 Basic Speed Control



**T6 AUTO COMMAND - BLUE POWER EDITION  
US PRICE LIST**

## Standard Equipment

### LIGHTS

-----  
WORK LIGHT SELECTION MUST BE  
MADE. ENTRY LEVEL OPTION IS:  
(4) Halogen front hood headlights  
(2) LED front hood signature lights  
(16) LED cab mounted work lights  
    (12) LED high front & rear  
    (4) LED mid-mount front & rear  
(2) taillights

Front & Rear Flashing Cab Safety Lights  
Time Delayed, Self-Cancelling Turn  
Indicators with Audiable Warning

### PTO

-----  
Independent 540/1000 RPM PTO with  
    reversible shaft and flip-up shield  
Multi-plate wet clutch design  
Electrohydraulic-engagement with  
    soft start/auto feathering  
Hydraulic piston PTO brake w/override

### HYDRAULIC SYSTEM

-----  
Closed-center load-sensing pump  
Flow at 1,900 RPM: 33.5 gpm (127 l/m)  
(3) electro-hydraulic rear remote valves  
controlled in SideWinder II™ console  
(fully programmable)  
Oil collection bottles  
Hydraulic tapping port (Power Beyond)  
Independent pump for CVT and  
    operating circuits

### 3-POINT LIFT SYSTEM

-----  
Electronic Draft Control (EDC)  
Lower link sensing  
Fast raise/lower control  
Dynamic Ride Control™  
Category II flex link ends  
Telescopic stabilizers  
9,214 lb. Lift Capacity (OECD)  
    with Dual 80mm External Rams  
MISCELLANEOUS

-----  
Flip-up engine hood  
Swinging drawbar  
SMV emblem  
Toolbox

### WARRANTY

-----  
New Holland standard warranty applies



**T6 AUTO COMMAND - BLUE POWER EDITION  
US PRICE LIST**

**Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price
T6.175 AC CVT T4B	15,245 LB	9133678P93	\$173,609.00
Includes the following Equipment			
380/85(14.9)R28R1W HD-MIFI (8241901) \$2,686.00			
460/85(18.4)R38 R1W-MIFITR (8328401) \$5,592.00			
T6.180 AC CVT T4B	15,245 LB	9138127P99	\$179,387.00
Includes the following Equipment			
380/85(14.9)R28R1W HD-MIFI (8241901) \$2,686.00			
460/85(18.4)R38 R1W-MIFITR (8328401) \$5,592.00			

**T6 AUTO COMMAND - BLUE POWER EDITION  
US PRICE LIST****Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**FAST PICK CONFIGURATION**

## SD\_T9980 PACKAGING

	X0475XX	LESS PACKAGING			No Charge
--	---------	----------------	--	--	-----------

**CAB CONFIGURATION**

## CAB ROOF/COLOR

## SD\_T9850 SPECIAL COLORS/PANELS

	758320	BLUE POW. SPEC. ED. <b>Blue Power Special Edition</b> Available on T6.175 or T6.180 ONLY Includes: Distinct Midnight Blue Color with Silver Accents 759154 2 Tele/Heat/Rem/Adj Mirrors 759384 SDLX HTD Alcant Blue Power Seat 758596 16 LED High Power Lights 758482 Air Conditioning w/ATC 758483 Leather Steering Wheel & Carpet 758558 200 AMP Alternator		9007458P22	\$9,686.00
--	--------	--	--	------------	------------

## SUSPENDED CAB

## SD\_T9200 OPERATOR STRUCTURE #1

	758480	Suspended Cab w/Heated Screens <b>Cab Suspension with defrost elements on front and rear windows</b> Requires 200 Amp alternator		9000390P39	\$507.00
--	--------	--	--	------------	----------

**ENGINE**

## COLD WEATHER AIDS

## SD\_T1938 WEATHER PACK

	758402	Grid_Heater + 110V Pack <b>Grid heater and cold weather pack</b> Includes engine block heater and transmission heater		9000311P85	\$405.00
--	--------	---	--	------------	----------

**T6 AUTO COMMAND - BLUE POWER EDITION  
US PRICE LIST****FUEL TANK GUARD**

## SD\_T1400 FUEL TANK

		759130	Large Fuel Tank+Guard <b>Large fuel tank with guards</b> <b>Not compatible with 34" Rear Wheels</b> <b>59 Gallon / 222 Liter compacity</b>		9000180P95	\$235.00
--	--	--------	---	--	------------	----------

**TRANSMISSION**

## SD\_T2800 SPEED

		758549	50KPH ECO CVT <b>Requires suspended front axle 758427 or 758428</b>		9001085P70	\$1,410.00
--	--	--------	--	--	------------	------------

**FRONT AXLE**

## SD\_T4010 FRONT AXLE

Class 4 SuperSteer FWD Axle						
		758429	Class 4 SuperSteer L/Water <b>-SuperSteer front axle with TerraLock traction management system.</b> <b>-Includes mulit-plate differential lock.</b> <b>-Incompatible with Autoguidance</b>		9003622P85	\$4,705.00
Class 4 Suspended FWD Axle						
		758428	Class 4 Susp + Brake Hyd Lock <b>With TerraGlide suspended axle with TerraLock traction management system. Includes multi-plate differential and brakes.</b> <b>Incompatible with 34" rear wheels</b>		9005853P54	\$7,602.00

**REAR AXLE**

## SD\_T3200 REAR AXLE

		758538	HD 98" Bar Axles - Steel Wheel		9001146P53	\$1,489.00
--	--	--------	--------------------------------	--	------------	------------

**TIRES**

## BRAND CHOICE

## SD\_T4900 TIRE CATEGORY CHOICE

		330442	Michelin			No Charge
--	--	--------	----------	--	--	-----------

**T6 AUTO COMMAND - BLUE POWER EDITION  
US PRICE LIST**

**FRONT WHEELS & TIRES**

**SD\_T4940 FRONT WHEELS AND TIRES**

Class 4 FWD Axle						
		8241901	380/85(14.9)R28R1W HD-MIFITR <b>Requires 18.4 R38</b>		9002068P22	\$2,686.00
		8825501	480/65R28 R1W MI-CM <b>Requires 600/65 R38</b>		9002346P96	\$3,048.00
		8258704	380/85(14.9)R30 R1W MI-FI-CM <b>Requires 18.4R42 R1W or 14.9R46 R1W</b>		9002483P25	\$3,225.00
		8801604	320/85R34 R1W Brands - MI <b>Requires 320/90R50 R1W</b>		9002633P40	\$3,420.00
		8255904	420/85(16.9)R28 R1W MI-FI <b>Requires 20.8R38 R1W or 18.4R42 R1W</b>		9002640P33	\$3,429.00

**REAR WHEELS & TIRES**

**SD\_T4950 REAR WHEELS AND TIRES**

Flange and Bar - Steel						
		8328401	460/85(18.4)R38 R1W-MIFITR <b>Matching Front Tire - 14.9R28 R1W</b> <b>- 8241401 (Class 3 Axle)</b> <b>- 8241901 (Class 4 Axle)</b> <b>Compatible with 31 MPH (50 KPH)</b> <b>Adjustable Rims</b>		9004305P84	\$5,592.00
		8380404	520/85 (20.8) R38 R1W MI, TR <b>Matching front tire is 8255904 - 16,9 R28</b> <b>Compatible with 31 MPH (50 KPH)</b> <b>Adjustable Rims</b>		9005957P49	\$7,737.00
		8949401	600/65R38 R1W Fixd-FI,MI,CO,TR <b>Matching Front Tire - 480/65R28 R1W</b> <b>- 8825501 (Class 4 Axle)</b> <b>Compatible with 31 MPH (50 KPH)</b> <b>Requires:</b> <b>- 743707 (Full Cover Rear Fenders)</b> <b>Fixed Rims</b>		9006063P75	\$7,875.00
		8388404	460/85(18.4)R42R1W MI,F,T,C,A <b>Matching Front Tire - 14.9R30 R1W</b> <b>- 8258704 (Class 4 Axle)</b> <b>Compatible with 31 MPH (50 KPH)</b> <b>Adjustable Rims</b>		9004672P36	\$6,068.00
		8963504	320/90R50 R1W MI <b>Matching Front Tire - 320/85R34 R1W</b> <b>- 8801604 (Class 4 Axle)</b> <b>Adjustable Rims</b>		9004784P78	\$6,214.00

**T6 AUTO COMMAND - BLUE POWER EDITION  
US PRICE LIST**

**HYDRAULICS**

REAR REMOTE VALVES

SD\_T8270 REAR REMOTES

		743686	3 Elect Hyd. Rear Remote Valve <b>3 electro-hydraulic rear remotes</b>			No Charge
		743733	4 Elect Hyd. Rear Remote Valve <b>4 electro-hydraulic rear remote valves</b>		9000947P87	\$1,231.00
		758359	4-Elec Rear Remotes F/ Pwr Byd <b>4 electro-hydraulic rear remotes for power beyond</b> <b>Requires 758542 power beyond plus low pressure return</b>		9001543P85	\$2,005.00

AUXILLARY FUNCTIONS

SD\_T8275 POWER BEYOND COUPLE

		758542	Power Beyond + Low-Pressure <b>Power beyond coupler and low pressure return</b> <b>Incompatible with 743733 4 electro-hydraulic rear remote option</b>		9000592P13	\$769.00
--	--	--------	--	--	------------	----------

COMPLETE LOADER READY

SD\_T8110 LOADER BRACKETS

Electro-Hydraulic Mid Mount

		758353	Loader Ready + 2 EH MMV + Joy <b>Complete Loader Ready Includes 2 slice electronic mid-mount valve (EMMV), horizontal and verticle two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the multi-coupler and joystick.</b>  <b>Includes predisposition for Complete Loader Ready (758622)</b>  <b>Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price &amp; Data Pages.</b>		9007201P81	\$9,353.00
		758354	Loader Ready + 3 EH MMV + Joy <b>Complete Loader Ready Includes 3 slice electronic mid-mount valve (EMMV), horizontal and vertical two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the hydraulic multi-coupler and joystick.</b>  <b>Includes predisposition for Complete Loader Ready (758622)</b>  <b>Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price &amp; Data Pages.</b>		9008363P74	\$10,862.00

**T6 AUTO COMMAND - BLUE POWER EDITION  
US PRICE LIST**

Engine Side Rails					
		758478	Engine Side Rails <b>Not for loader mounting.</b>	9000749P21	\$973.00

**3-POINT HITCH**

FRONT 3 POINT HITCH					
---------------------	--	--	--	--	--

SD\_T8100 FRONT THREE POINT HITCH

		759144	Integrated FHPL 759144 <b>Front Hitch for units with Standard or Suspended Front Axles Requires hoses (758473, 758474, 758475, 758544 or 758582) Incompatible with front weights Includes integrated tow hook</b>	9005988P29	\$7,777.00
		759147	Int FHPL+FPTO <b>Front Hitch and PTO for units with standard or suspended Front Axle (ratio matches rear PTO) Requires Advanced Processor (758498), hoses (758473, 758474, 758475, 758544 or 758582) Incompatible with front weights Includes integrated tow hook 1,000 RPM 6 spline counter clockwise rotation (looking at the PTO) Engine RPM's at 1895 Maximum power transmission: 87 HP @ 86 deg. F ambient/ 107 HP @ 32 deg F Ambient</b>	9012759P67	\$16,571.00

SD\_T8300 HOSES FOR FHPL

Hoses less Front Couplers					
		758474	Hose pkg for frt hitch w/ ERV <b>Front hitch hoses to connect front hitch to electro-hydraulic rear remotes</b>		No Charge
		758475	Hose pkg for frt hitch w/ MMV <b>Front hitch hoses to connect front hitch to mid mount valve Incompatible with loader ready</b>		No Charge
Hoses with Front Couplers					
		758544	Hse pkg frt hit w/MMV/frt coup <b>Front couplers and hoses for front hitch to connect to mid mount valve Incompatible with loader ready</b>	9000148P61	\$193.00

**T6 AUTO COMMAND - BLUE POWER EDITION  
US PRICE LIST**

**AUTO GUIDANCE**

AUTO GUIDANCE READY

SD\_T6300 STEERING OR AUTOGUIDANCE READY

		759186	Variable Ratio Steer <b>CUSTOMSTEER™ OPTION</b> feature allows operators to turn fully from lock to lock with as little as one rotation of the steering wheel with precision control.  You can choose a steering ratio preference from 1:1 to 1:4 for quicker maneuvering at the headland, reversing with trailers, or during repetitive loader work.		9002223P76	\$2,888.00
		759185	Autoguidance Ready Autoguidance Ready which includes: steering sensor, electronic steering valve, steering manifold, hoses, wiring harness, receiver mounting bracket, cabling, & hardware  Note: -Requires CCLS hydraulics -Incompatible with SuperSteer front axle		9004095P63	\$5,319.00

SD\_T7630 AUTOGUIDANCE

		758803	Full AG Nav GPS L1 Autoguidance Complete Includes Nav II controller and NH 372 receiver Requires Autoguidance ready, monitor mounting bracket with IntelliView IV monitor 758590 Activated to WAAS level accuracy (Level 1)		9011362P12	\$14,756.00
		758804	Full AG Nav GPS L2 Autoguidance - Complete Pack Autoguidance Complete Includes Nav II controller and NH 372 receiver Requires Autoguidance ready, monitor mounting bracket with IntelliView IV monitor 758590 Activated to OmniSTAR HP/G2/XP & CenterPoint RTX level accuracy (Level 2)		9013476P54	\$17,502.00
		758871	Autoguidance Lvl 3 RTK Modem Autoguidance Complete Includes Nav II controller, NH 372 receiver Requires Autoguidance ready, monitor mounting bracket with IntelliView IV monitor 758590 Activated to RTK level accuracy (Level 3) Requires either a RTK radio or modem not included		9015590P19	\$20,247.00



**T6 AUTO COMMAND - BLUE POWER EDITION  
US PRICE LIST**

**WEIGHTS**

FRONT WEIGHTS

SD\_T2150 FRONT BALLAST

		758562	Weight Carrier w/Hook <b>Weight carrier with tow hook - 199.3 lbs (90.4 kg)</b>		9000200P97	\$261.00
		758519	Weight Pack B w/Hook <b>Pack "B" includes weight rack - 199.3 lbs., 10 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 1207 lbs. (547 kg)</b>  <b>Not compatible with front 3-PT hitch - 743699 and 743700</b>		9001353P66	\$1,758.00
		758520	Weight Pack C w/Hook <b>Pack "C" includes weight rack - 199.3 lbs., 18 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 2000 lbs. (907 kg)</b>  <b>Not compatible with front 3-PT hitch - 743699 and 743700</b> <b>Not compatible with loader ready packages</b> <b>758344,758351,758353,758354,758478</b>		9002206P05	\$2,865.00

REAR WHEEL WEIGHTS

SD\_T4960 WHEEL WEIGHTS

		758564	6X65KG Wheel Weight <b>Includes (6) 143 lbs. weights totalling 860 lbs.</b>		9000922P46	\$1,198.00
--	--	--------	--	--	------------	------------

**CAB OPTION**

CLIMATE CONTROL

SD\_T9291 REAR WINDOW SUNSHADE

		758580	Sunshade, Rear Window		9000158P62	\$206.00
--	--	--------	-----------------------	--	------------	----------

LIGHTS

SD\_T9146 ROTARY BEACON

		758489	Rotary Beacon Lefthand Side <b>Single rotary beacon mounted on rear left side of tractor for increased safety and visibility</b>		9000321P86	\$418.00
		758491	Twin Beacon <b>Rotary beacons mounted on rear of the cab on both left and right side of tractor for maximum safety and visibility</b>		9000643P72	\$836.00

**T6 AUTO COMMAND - BLUE POWER EDITION  
US PRICE LIST**

**MONITOR BRACKETS**

SD\_T9223 RH WINDOW BAR MOUNT

		758153	Monitor Mounting Bracket. <b>Monitor mounting bracket</b>		9000115P50	\$150.00
		758621	10" Color Touch Screen Display <b>Monitor mounting bracket with IntelliView IV</b> <b>Requires ISOBUS socket 743795, 758561 or 758624</b>		9004485P25	\$5,825.00

**MISCELLANEOUS**

**FENDERS FRONT**

SD\_T8740 FRONT FENDERS

		758505	Front Fender 420mm Dynamic <b>Dynamic front fenders 16.5 inches wide (420 mm)</b>		9000605P22	\$786.00
--	--	--------	--	--	------------	----------

**FENDERS REAR**

SD\_T8700 FENDERS

		743707	Full Cover		9000558P25	\$725.00
--	--	--------	------------	--	------------	----------

**RADAR**

SD\_T7580 RADAR

		758501	Radar NAR		9000629P86	\$818.00
--	--	--------	-----------	--	------------	----------

**OTHER**

SD\_T7420 BATTERY

		758409	HD Battery W/Isolator 176AH <b>Heavy duty battery with isolator</b>		9000337P26	\$438.00
--	--	--------	--	--	------------	----------

**OPERATOR'S MANUALS**

SD\_T9802 OPERATORS MANUAL

		758535	Spanish NAR			No Charge
		759101	French NAR			No Charge