

Addendum #02 for RFP #922600-02

Date: 2/14/2024

Project Name: DCA MON Main House Site Work and Outbuilding Repairs

DAS RFP #: 922600-02

DAS Project #: 9226.00

Proposals Due: 02/20/2024

The original Project Manual and Drawings for the project noted above are amended as noted in this Addendum. Included in this Addendum are Specification, Architectural, & Engineering items.

Please review all sheets and incorporate them into your set of Contract Documents.


The receipt of this Addendum shall be acknowledged by inserting its number and date in the space provided on the Bid Form.

This Addendum consists of:

General Items:

1. Phase I Intensive Archaeological Survey for Proposed Improvements at the Montauk Historic Site and Preserve, Fayette County, Iowa. October 2022 (**80 Pages**) Any further questions please contact John Doershuk 319-384-0751 john-doershuk@uiowa.edu or Sara Andre 515-242-6158 sara.andre@iowa.gov.
2. 1.3.3.4 Designer is responsible for private and public utility locating during the design phase.

Confidential



**Phase I Intensive Archaeological Survey for
Proposed Improvements at the
Montauk Historic Site and Preserve,
Fayette County, Iowa**

*Wapsi Valley Archaeology
Report No. 1266*

**Prepared for:
Iowa Department of Administrative Services**

By Danny M. Finn and Michael R. Finn

Michael R. Finn, Principal Investigator

Wapsi Valley Archaeology, Inc.
126 East Main Street
Anamosa, Iowa 52205
(319) 462-4760

October 2022

**Phase I Archaeological Survey for
Proposed Improvements at the
Montauk Historic Site and Preserve,
Fayette County, Iowa**

*Wapsi Valley Archaeology
Report No. 1266*

**Prepared for:
Iowa Department of Administrative Services**

By Danny M. Finn and Michael R. Finn

Michael R. Finn, Principal Investigator

Wapsi Valley Archaeology, Inc.
126 East Main Street
Anamosa, Iowa 52205
(319) 462-4760

October 2022

Table of Contents

Table of Contents	1
List of Tables	2
List of Figures	2
Abstract.....	4
Introduction	5
Project Area Description	6
PROJECT LOCATION AND DESCRIPTION	6
REGIONAL PHYSIOGRAPHIC CONTEXT	7
OVERVIEW OF GEOMORPHOLOGY	7
SOILS	9
LOCAL CONTEXT.....	10
Approach to Research	12
PROJECT BACKGROUND.....	12
DISPOSITION OF RECORDS	14
Archaeological and Historical Background	15
PREVIOUS ARCHAEOLOGICAL RESEARCH	15
PREVIOUS HISTORIC RESEARCH	18
Fieldwork Results	22
SITE 13FT152	22
Conclusions	35
Recommendations.....	36
References	38
Table	42
Figures.....	45
Appendix 1: NADB Form	61
Appendix 2: Inventory Of Artifacts Recovered From Site 13FT152.....	64
Appendix 3: Supplemental Site Form	77

List of Tables

Table 1. Summary Information of Mapped Soils in the Project Areas	9
Table 2. Typical Pedon and Geomorphic Context of Soils Mapped in the Project Areas.....	10
Table 3. Archaeological Surveys of the Montauk Historic Site and Preserve	15
Table 4. Previously Recorded Archaeological Surveys within One Mile of the Project Areas	18
Table 5. Previously Recorded Archaeological Sites within One Mile of the Project Areas	18
Table 6. Depth Distribution of Masonry Objects Recovered in the North Outbuilding Yard.....	27
Table 7. Summary of Artifacts Recovered from the North Outbuilding Yard	28
Table 8. Depth Distribution of Masonry Objects Recovered in the East Yard	29
Table 9 Summary of Artifacts Recovered from the East Yard	30
Table 10. Soil Profiles of Representative Subsurface Tests.....	43

List of Figures

Figure 1. Map of Fayette County, Iowa, showing the general location of the project area	46
Figure 2. Topographic map of the project location.....	47
Figure 3. 2021 Aerial orthophotograph showing project areas, extant buildings, structures, and locations of subsurface tests	48
Figure 4. Iowa landform map showing the Paleozoic Plateau and the general location of the project area.....	49
Figure 5. Idealized cross section of a stream valley showing DeForest Formation members and nearby upland geomorphological packages	50
Figure 6. Chart showing DeForest Formation members and associated cultural periods	50
Figure 7. LiDAR-derived hillshade image showing soils mapped in the project areas	51
Figure 8. View of the East Yard and Auger Test T-17, view to the south	52
Figure 9. View of the Front Yard and East Yard, facing west.	52

Figure 10. Overview of the North Outbuilding Yard, view to the west.....	53
Figure 11. Utility Corridor, view to the east	53
Figure 12. 1875 Andreas plat map of Clermont Township showing the project area location	54
Figure 13. 2021 orthophotograph showing the current project area and locations of subsurface tests.....	55
Figure 14. Examples of subsurface tests from across the project area	56
Figure 15. Metal artifacts recovered from the North Outbuilding Yard.....	57
Figure 16. A piece of sterling silver jewelry recovered from Auger Test T-11 of the North Outbuilding Yard	57
Figure 17. Glass artifacts recovered from the North Outbuilding Yard	58
Figure 18. Faunal elements recovered from the North Outbuilding Yard	58
Figure 19. Ceramic sherds recovered from the North Outbuilding Yard.....	59
Figure 20. Masonry objects recovered from the North Outbuilding Yard.....	59
Figure 21. Representative artifacts from the East Yard.....	60
Figure 22. Field photograph of large limestone pieces recovered from Auger Test T-23 from depths ranging between 20 and 30 centimeters	60

Abstract

This report presents the results of a Phase I intensive archaeological survey completed for proposed improvements to the Montauk Historic Site in Clermont, Fayette County, Iowa. Wapsi Valley Archaeology, Inc. of Anamosa, Iowa, conducted this study for the Iowa Department of Administrative Services. The project area is located in Section 27, T95N, R7W, Fayette County, Iowa.

The current project area was divided into three segments, which were labeled for clarity as the North Outbuilding Yard, the East Yard, and the Utility Corridor. Previous archaeological work at the site, notably the Phase II and Phase III investigations completed by Wapsi Valley in the West Yard, Back Yard, Service Zone, and Service Zone Perimeter around the extant Montauk buildings, had identified intact stratigraphic components indicative of various occupational periods at the estate.

The primary goals of the Phase I investigation were to determine whether archaeological remains associated with previously recorded Site 13FT152 extend into the project area, and, if so, whether they potentially contribute to the National Register status of the site. Phase I intensive survey fieldwork occurred between August 16 and August 18, 2022. A pedestrian survey across each area revealed that the modern lawns have reduced ground surface visibility to 0 percent. Auger tests were completed through each of the three project segments. Testing revealed possible intact stratigraphic components in both the North Outbuilding Yard and the East Yard, the former containing a high density of cultural materials adjacent to the extant outbuildings. A possible intact stratigraphic sequence was also encountered in the East Yard, though artifacts were primarily masonry objects likely associated with the initial construction of the Montauk estate. No artifacts were found in the Utility Corridor.

Wapsi Valley Archaeology, Inc. recommends avoidance or Phase II archaeological testing and evaluation of the archaeological deposits found in the North Outbuilding Yard due to the possible presence of intact stratigraphy and a varied artifact assemblage associated with the creation and subsequent use of the outbuildings north of the residence.

Wapsi Valley Archaeology, Inc. also recommends avoidance or limited Phase II archaeological testing of the archaeological deposits found in the East Yard due to the possible presence of intact stratigraphy but a more redundant artifact assemblage associated with deposits this area.

Wapsi Valley Archaeology, Inc. recommends no further work for the Utility Corridor.

Introduction

This report presents the results of a Phase I intensive archaeological survey for the Montauk Historic Site and State Preserve and associated archaeological site, Site 13FT152, located in Section 27, T95N, R7W, Fayette County, Iowa (Figure 1). The Iowa Department of Administrative Services is planning future improvements to the Montauk residence, caretaker's house, and other outbuildings on the site. Three areas required a Phase I intensive archaeological survey: the yard north of the outbuildings (North Outbuilding Yard), the yard east of the Main House (East Yard), and a utility corridor for a pipe (Utility Corridor). Wapsi Valley Archaeology, Inc. completed the Phase I archaeological field investigation of the project area in August of 2022.

Wapsi Valley Archaeology, Inc. of Anamosa, Iowa, conducted this study for the Iowa Department of Administrative Services. This study is intended to assist with project planning and compliance with state and federal requirements, including Section 106 of the National Historic Preservation Act. The purpose of this survey was to identify archaeological sites in the project area and to provide federal and state reviewing agencies with documentation of the project's effects on historic properties. Historic properties include archaeological sites as well as other types of cultural resources determined eligible for or listed on the National Register of Historic Places.

The Phase I fieldwork at Site 13FT152 was conducted from August 16 through August 18, 2022. The field crew consisted of Danny M. Finn, Patrick Hashman, Nurit G. Finn, and Michael Finn. Michael R. Finn is the Principal Investigator of this project. Danny M. Finn authored this report in consultation with Michael Finn. Nurit G. Finn served as Project Manager. Eleisha Barnett assisted with report formatting and production.

Information contained in this report relating to the nature and location of archaeological sites is considered private and confidential and not for public disclosure in accordance with Section 304 of the National Historic Preservation Act (54 U.S.C. § 307103); 36 CFR Part 800.6 (a)(5) of the Advisory Council on Historic Preservation's rules implementing Sections 106 and 110 of the Act; Section 9(a) of the Archaeological Resource Protection Act (54 U.S.C. § 100707); and Chapter 22.7, subsection 20, of the Iowa Code.

Project Area Description

PROJECT LOCATION AND DESCRIPTION

The Montauk Historic Site and State Preserve and associated archaeological site, Site 13FT152, is located in Section 27, T95N, R7W, Fayette County, Iowa (Figures 1 and 2). The historic campus consists of the Larrabee mansion, associated outbuildings, and the larger estate, which as a whole is situated on a 46-acre (18.6-hectare) property north of the city of Clermont (Figure 2). The Montauk Historic Site and State Preserve was the home and estate of Iowa's twelfth governor, William Larrabee, and his family. The centerpiece of the site is the Larrabee mansion, which is known as Montauk. Built in 1874, the mansion remained in the Larrabee family well into the twentieth century. The mansion was placed on the National Register of Historic Places (NRHP) in 1973. The estate was given to the State of Iowa in 1976, and the property became a public museum and state preserve in 1984.

The property was listed on the National Register due to its significance in the areas of art, education, politics, and its association with a person significant to Iowa's history. Although the original documentation is brief, under current National Register eligibility criteria, the Montauk estate is significant due to its importance to Iowa's history (Criterion A), for its association with a person of significance (Criterion B), and for the distinctive architectural features of the building (Criterion C). Site 13FT152 represents the archaeological component of the historic Larrabee mansion, outbuildings, and grounds that make up the Montauk property, and was previously found contributing under Criterion D, for its potential to address important research questions about history.

The current project area was divided into three segments, designated by Wapsi Valley Archaeology as the North Outbuilding Yard, the East Yard, and the Utility Corridor (Figure 3). The North Outbuilding Yard is shaped like an irregular rectangle and measures approximately 48 meters (157 feet) long and 19 meters wide (62 feet), totaling approximately 814 square meters (0.20 acres). The East Yard project area is a crescent-shaped area located to the east of the residence, measuring 48 meters (157 feet) long and 51 meters (167 feet) wide for a total of 937 square meters (0.23 acres). The Utility Corridor is a rectangle slightly angled northwest-southeast, measuring approximately 32 meters (105 feet) long and 10 meters (33 feet) wide for an approximate total of 325 square meters (0.08 acres). The total area covered by this project is approximately 0.51 acres (0.21 hectares).

REGIONAL PHYSIOGRAPHIC CONTEXT

The project area is in northeastern Iowa in a physiographic region known as the Paleozoic Plateau (Figure 4). This region of scenic, high-relief landscapes includes such features as resistant, bluff-forming bedrock outcrops, deep V-shaped valleys, caves, springs, and sinkholes (Prior 1991). Glacial deposits and loess are thin or absent over most of the region. The topography of the area is highly dissected by Mississippi River tributaries that became deeply entrenched during the Wisconsinan glaciation. Summits and stream terraces are generally level or rolling, and hillsides are often steep and rocky. In the western portion of the region, approaching what Prior terms the Silurian Escarpment (Prior 1991: 87), the topography becomes less angular as the influence of bedrock decreases and the thickness of loess and drift deposits increases.

OVERVIEW OF GEOMORPHOLOGY

Geomorphological processes in Iowa have been largely shaped by three major episodes of glacial advances of the Pleistocene Epoch—the Pre-Illinoian, Illinoian, and Wisconsinan—as well as the most recent interglacial period, called the Holocene, during which we live today. These periods carved the landscape across Iowa, giving rise to the characteristic topography across the state. Since people interacted with different topographic and environmental conditions during both the prehistoric and historic eras, thereby influencing the distributions of archaeological sites across the landscape, these different periods of time are important to consider.

The Wisconsinan glacial stage had a significant influence on the geomorphology of the project area, particularly in its upland settings. The erosional and depositional processes tied to the development of the Laurentide Ice Sheet supplied most of the soil parent material in this part of Iowa. These soil parent materials include the glacial till of the Dows Formation across the Des Moines Lobe, the Noah Creek glaciofluvial and fluvial deposits in stream valleys and outwash plains that drained the Des Moines Lobe, and the mobilization and subsequent deposition of Peoria and Pisgah Formation windblown loess in upland settings across much of the state (Bettis et al. 1992; Quade et al. 2002). The project area occurs in the physiographic region untouched by Wisconsinan glaciers; this region is known as the Southern Iowa Drift Plain (Prior 1991). Uplands in this region are characterized by rolling hills comprised of Peoria loess mantling Pre-Illinoian till.

The earliest people to live in Iowa inhabited the state at the end of the last glacial period; however, it is during the current interglacial stage known as the Holocene that human population levels have increased, thus increasing the occurrence of archaeological sites. For this reason, the Holocene Interglacial is the time period having the most profound effects on archaeological site formation processes. Some of these processes, mainly associated with alluvial deposition in stream valleys, have resulted in the burial and preservation of archaeological sites. Other erosional processes have contributed to the destruction of archaeological sites over time.

Holocene-aged alluvial deposits in Iowa are classified as belonging to the DeForest Formation. Bettis and Littke (1987) suggested that these deposits are not spatially isolated but instead occur in a patterned manner across different river valley systems over the state. These deposits include four members, or subunits, each of which corresponds to a geomorphic event believed to represent a specific timeframe. These subunits include the Camp Creek Member (valley alluvium, 400 years BP to present), the Roberts Creek Member (valley alluvium, 3,000 to 500 years BP), the Gunder Member (valley alluvium, 10,500 to 3,500 years BP), and the Corrington Member (alluvial fans, 9,000 to 2,500 years BP).

This classification system is a useful framework for interpreting the development of parts of the archaeological record in Iowa. Camp Creek deposits have potential for containing buried historic and late prehistoric land surfaces. Roberts Creek deposits have potential for containing buried surfaces with Late Archaic through early historic affiliations. Both the Gunder and Corrington Members have potential for containing buried surfaces with Paleoindian through Woodland associations. This work leads to the conclusion that different deposits are associated with distinct timeframes and have different potentials regarding the recovery of archaeological materials (Bettis and Thompson 1982; Bettis and Benn 1984; Quade et al. 2002). Figure 5 depicts how each of these members may be represented in the Iowa landscape.

Generally speaking, as drainage capabilities of soils increase (the soils become drier) and slopes decrease, suitability for archaeological sites also increases. Other factors, such as proximity to water, food resources, and raw material resources for tool production, would also have contributed to whether humans would have decided to use a location for habitation or other activities. It should be noted that the presence of Holocene alluvial soils does *not* predict that an area was suitable for human use or habitation. In addition, it does *not* predict whether an archaeological site will be present at that location. The presence of Holocene alluvial deposits simply implies that sediments of a certain age will be

present at a particular location (Figure 6), indicating that there is some potential for intact or buried archaeological sites *if* that area had been used by people in the past.

The current project areas lies in uplands overlooking the Turkey River valley. Based on its setting and location, the project area is considered to have a moderate to high potential for prehistoric archaeological sites, which, if present, might be found at or near the ground surface within the project area.

SOILS

Three soil types have been mapped across the project areas: Downs silt loam (162B), Rock outcrop-Nordness complex (478G), and Exette silt loam (763D2) (NRCS 2022). These soil types are shown in Figure 7 and in Table 1. The Downes and Exette soils are typically well-drained and formed in loess. The Nordness soil type typically directly overlies bedrock. The soils in the project area are found on linear upland rises, side slopes and head slopes. They formed under native vegetation of deciduous forests and, in the case of Downs silt loam, some native prairie vegetation.

Table 1. Summary Information of Mapped Soils in the Project Areas (NRCS 2022; Artz 2005).

Map Unit Name	Map Unit Symbol	Landscape Position	Drainage/ Permeability	Native Vegetation	Slope (%)
Downs silt loam	162B	Interfluves and side slopes on uplands and on trends and risers on stream terraces	Well-drained	Tall prairie grass and widely spaced oak and hickory deciduous forest	2-6
Rock outcrop-Nordness complex	478G	High structural benches, crests, and convex side slopes on uplands	Well-drained	Oak and hickory deciduous forest	25-60
Exette silt loam	763D2	Short, convex to linear side slopes and head slopes on uplands	Well-drained	Oak and hickory deciduous forest	9-14

Table 2 (next page) summarizes the typical pedon and geomorphological context of soils found in the project area segments. Downs silt loam has a pedon consisting of an Ap-E-BE-Bt1-Bt2-Bt3-BC1-BC2 horizon sequence. The project area consists of 29 percent Downs silt loam. Exette silt loam has a typical pedon consisting of an Ap-BA-Bw1-Bw2-BC-C1-C2 horizon sequence. Exette soils typically developed in loess in the uplands. Approximately 45 percent of the

project area is mapped in Exette silt loam. The typical pedon for Nordness-Rock outcrop soils are an A-BE-Bt1-2Bt2-3R horizon sequence. The project area segments contain 26 percent Nordness-Rock outcrop soils, which are shallow soils that directly overlie bedrock. These mapped soil types suggest that the project area segments have the potential for surficial or shallowly buried archaeological deposits in the uplands. Historic construction of the estate and associated buildings may have impacted precontact archaeological deposits.

Table 2. Typical Pedon and Geomorphic Context of Soils Mapped in the Project Areas (NRCS 2022; Artz 2005).

Map Unit Name	Map Unit Symbol	Portion of Project Area (%)	Formation/Parent Material	Typical Pedon
Downs silt loam	162B	29	Loess	Ap-E-BE-Bt1-Bt2-Bt3-BC1-BC2
Rock outcrop-Nordness complex	478G	26	Loamy or silty material and a paleosol over limestone bedrock	A-BE-Bt1-2Bt2-3R
Exette silt loam	763D2	45	Loess	Ap-BA-Bw1-Bw2-BC-C1-C2

LOCAL CONTEXT

The Montauk Historic Site is located on an upland ridge overlooking the Turkey River valley and the small town of Clermont, Iowa. The deep Exette loess-derived soils overlie Ordovician bedrock. These rocks are exhibited in the road cut on the highway as it traverses the side slopes of the Turkey River valley.

The estate is centered around the Montauk residence. The grounds surrounding the residence are covered by grass lawn (Figure 8). A gravel driveway encircles the mansion (Figure 9). Today, the main driveway approaches the mansion from the north with a small garden to the west (Figure 10); however, at one time the main entrance traversed the steep bluff southeast of the house. A row of outbuildings is located north of the gravel loop; these are named according to their historic functions, which were an icehouse, old well house, laundry/summer kitchen, woodshed, and shop. Several concrete sidewalks crisscross the backyard leading from the back porch of the residence to the outbuildings. The area surrounding the buildings is a well-maintained, mowed lawn that limits ground surface visibility. Currently surrounding the residence is landscaped grass (Figures 11). The slopes bordering the estate are covered with mature trees,

which today mostly block the view of the valley to the south and west. There is a also a steep drop-off towards the highway to the east.

Approach to Research

PROJECT BACKGROUND

The Montauk Historic Site and State Preserve, designated Site 13FT152, consists of the Larrabee mansion, associated buildings, and the larger estate situated on a 46-acre (18.6- hectare) property north of the city of Clermont. Montauk, as it is known, was the residence of Iowa's twelfth governor, William Larrabee, and was listed on the National Register of Historic Places (NRHP) in February of 1973. The building was nominated for the National Register due to its significance in the areas of art, education, politics, and its association with a person of significance to Iowa's history (Allen 1972). Under current eligibility criteria, the property is likely significant for its importance to Iowa's history (Criterion A), for its association with a person of significance (Criterion B), and for its distinctive architectural features (Criterion C). In addition, Site 13FT152 represents the archaeological component of the historic Larrabee mansion, outbuildings, and grounds that make up the Montauk property, and contributes to the property's research significance (Criterion D).

Wapsi Valley Archaeology, Inc. completed Phase II archaeological testing and evaluation of portions of the site in fall of 2018. We found that the site is individually eligible for the National Register of Historic Places under Criterion D for its research potential to inform about the history of Iowa. In 2020, Wapsi Valley Archaeology completed data recovery excavations to gain information about portions of Site 13FT152 that would be adversely affected by a septic system project.

The portions of the site previously investigated indicate that Site 13FT152 retains integrity and can inform about the activities of the Larrabee household during the late 1800s. In addition, Site 13FT152 is also significant as a National Register-contributing element to a larger district designation for the Montauk Historic Site and State Preserve under Criteria A, B, and C.

The site has been documented to lie in the yard area immediately north and west of the Montauk mansion, but the content and extent of archaeological materials in other areas has remained unknown. For this reason, a Phase I archaeological survey was needed to determine whether the site extends into the current project area and, if so, to assess the extent and nature of the archaeological deposits.

BACKGROUND RESEARCH METHODS

Background research included a review of the Iowa Archaeological Site Files via the I-Sites website maintained by the Office of the State Archaeologist (OSA) and the University of Iowa (OSA-UI 2022). Available information included location information and site forms for previously identified archaeological sites and surveys near the project area. Additionally, pertinent archaeological, environmental, and historical reference materials, including soil surveys, and historic plat maps and aerial photographs, were consulted to assess land use history and the potential for historic resources within the project area. Specific maps consulted during our research at Montauk include the General Land Office survey plat map (GLO 1849), Andreas (1875), Warner and Foote (1879); Union Publishing (1896); and Hixson (1930). Aerial photographs from the late 1930s to the 1990s; various USDA orthophotographs (ISU GIS Facility 2022a); and a Light Detection and Ranging (LiDAR) hill shade image were also consulted for this project (ISU GIS Facility 2022b). In addition, the current investigation drew on historic documentation about the Montauk estate and previous archaeological work completed on the property (e.g. Bennett 2014, Finn et al. 2022). Spatial data were imported into ArcGIS for analysis.

FIELD METHODS

The survey entailed visually inspecting the ground surface of the entire project area for artifacts and other signatures of archaeological sites, followed by auger testing in areas with poor ground surface visibility and/or potential for subsurface archaeological deposits. Shovels were used for the initial removal of sod; tests were approximately 35-centimeters in diameter. The tests were extended by auger using a 20-centimeter-diameter Seymour auger per *Guidelines for Archaeological Investigations in Iowa* (AIA 2022). Auger tests were excavated in 10-cm (4-inch) arbitrary levels using a 20-cm- (8-inch-) diameter Seymour auger. Subsurface tests were excavated down to sterile subsoil. All excavated soil was passed through a 1/4-inch hardware cloth to identify and recover artifacts.

Since color is a valuable tool in recognizing soil horizons, all soil colors were quantified using the Munsell color scheme on moist soils. Soil texture was also recorded. Field personnel recorded the location of each auger test using an Eos Arrow GPS unit equipped with sub-meter accuracy. All tests were backfilled upon completion.

DISPOSITION OF RECORDS

After fieldwork, all pertinent data collected during the survey were returned to Wapsi Valley Archaeology, Inc. facilities in Anamosa, Iowa, where all records associated with the project are on file. Artifacts will be returned to the State Historical Society Repository in Des Moines for curation upon completion of the project.

Archaeological and Historical Background

PREVIOUS ARCHAEOLOGICAL RESEARCH

Beginning in 1973, the Montauk Historic Site and State Preserve was listed on the National Register for Historic Places under Criterion B due to its association with Governor of Iowa, William Larrabee, and Criterion C as a Victorian Italianate residence designed by E. Townsend Mix. In 1976, the Montauk estate was deeded to the State of Iowa. An extensive Resource Management Plan was prepared by the Iowa State Historical Department in 1978 to outline steps for development, interpretation, and preservation for the State Historical Board (McKay 1978). A subsequent Historic Resource Inventory Report and Management Recommendation prepared for the State Historical Society of Iowa in 2003 further strengthened research and documentation of the Montauk property (Price 2003).

Beginning in 2005, archaeological research at the Montauk Historic Site and State Preserve identified the presence of an archaeological site, Site 13FT152, which was mapped to encompass a 4.5-acre area on the estate property. A summary of past archaeological research at Site 13FT152 is available below in Table 3.

Table 3. Previous Archaeological Surveys of the Montauk Historic Site and Preserve (OSA-UI 2022).

R and C Number	Surveyors	Year	Affiliation
Surveys Within Study Area			
20050833600	Leah Rogers	2005	Tall Grass Archaeology
20121233600	Jerome Thompson	2012	Iowa Department of Cultural Affairs
TR 583	Alan J. Hawkins	2017	Office of the State Archaeologist

The site was originally recorded by Leah Rogers, who identified the potential importance of its archaeological deposits during a survey for improvements to the back porch and the construction of a sidewalk next to the mansion (Rogers 2005). Rogers noted that the site boundaries at that time were considered temporary but were drawn to include the existing buildings and to also encompass an artifact scatter observed in a garden plot in the yard northwest of the mansion. She recommended additional comprehensive Phase I survey to delineate the full extent of the site and assess its significance. Until the entire

property is subjected to Phase I survey—as recommended by Rogers—the full spatial extent of the archaeological deposits at Site 13FT152 remains unknown.

In 2012, a Phase I archaeological survey was conducted on the grounds prior to installation of a water supply system, well, and septic tank (Thompson 2012). No historic artifacts or features were recorded during the survey, and it was recommended that project improvements would have no adverse effect on any potential archaeological components.

A Phase I intensive archaeological survey was later conducted by personnel from the Office of the State Archaeologist in 2017 for the proposed Montauk septic system improvement project (Hawkins 2017). The proposed project area covered 1.4 acres. During the Phase I survey, 18 auger tests were excavated within a two-pronged corridor that extended over a length of 220 meters by 5 meters. Fourteen of the 18 auger tests excavated by OSA contained historic artifacts or historic debris at varying depths. Also noteworthy was a piece of worked pipestone, possibly catlinite, from one auger test placed next to the house—this was the only prehistoric artifact found during the survey. The Phase I investigation was unable to address how these archaeological deposits relate to the residence, the occupation by the Larrabee family, or whether they represent the remains of discrete features or more widespread deposits of mixed fill. After consultation with the Iowa SHPO, the report recommended either avoidance of the north yard area or Phase II archaeological evaluation.

Three tests of particular interest from that survey are A3, A6, and A7, which were placed directly north of the outbuildings. These tests directly overlapped with a portion of Wapsi Valley Archaeology’s current project area in the North Outbuilding Yard segment. Of the three tests, two were positive for cultural materials, the negative test being completed directly behind the woodshed. Wapsi Valley Archaeology staff chose to reevaluate the 2017 surveyed area due to new knowledge gained from Phase II and Phase III excavations.

In the summer of 2018, Wapsi Valley Archaeology, Inc. conducted Phase II testing and evaluation of Site 13FT152 to determine whether the site is eligible for the National Register of Historic Places (Giller et al. 2018). The Phase II investigation was limited to the north backyard of the mansion in the general location of proposed improvements. The excavation of eight units totaling 16 square meters revealed the presence of sealed archaeological deposits associated with the 1874 construction of the Montauk mansion. The site was found to retain integrity and good preservation, including preservation of faunal materials as well as charred botanical remains. Sometime around 1900, a layer

of topsoil was deposited in the yard area, most likely to support plantings and a formal lawn. This topsoil covered and preserved the deposits associated with the earlier occupation of the mansion. The Phase II archaeological evaluation found that Site 13FT152 is individually eligible for the National Register of Historic Places under Criterion D because it retains research potential and could inform about the activities of the Larrabee household during the late 1800s. In addition, Site 13FT152 is also National Register-eligible as a contributing element to a larger district designation for the Montauk Historic Site and State Preserve under Criteria A, B, and C.

Phase III archaeological excavations at the Montauk Historic Site and State Preserve by Wapsi Valley in 2019 identified a stratigraphic sequence present in the West Yard, Back Yard, Service Perimeter, and Service Zone project area segments (Moe et al. 2020). The sequence of fills was composed of three strata: Pre-Montauk, an early debris layer deposited during the initial occupation of the residence between 1855 and 1874 CE; Montauk-1, a series of fills identified with the initial construction of the Montauk residence and associated outbuildings and subsequent occupational activities dated between 1874 and 1900 CE; and Montauk-2, the uppermost fill post-dating later construction activities around 1900 CE (see Finn et al. 2022:58-60 for discussion of stratigraphy and landscape zones). It was unknown if the stratigraphy extended to other areas of the property such as the North Outbuilding Yard or East Yard. Using the identified stratigraphic components, Phase III research explored research topics such as the spatial patterns of artifacts, landscape and the built environment of the property, leisure and labor, socioeconomic structure, development of farm economics, and diet and nutrition of the Larrabee family. The Phase III work by Wapsi Valley recommended that the State of Iowa consider listing the entire property as a historic district that includes the residence, caretaker's house, associated outbuildings, surrounding grounds, and Site 13FT152 as contributing elements.

Further review of the I-Sites database indicates that 11 archaeological surveys have been completed within one mile of the project area (Table 4, next page). Many of these were completed within the 1970s and 1980s. Recent surveys include three surveys by Lowell R. Blikre of Bear Creek Archeology in 2001 for a proposed bridge replacement, bike trail, and road improvements, respectively. Two sites were recorded during the proposed bike trail survey Site 13FT138 and Site 13FT139. Joe B. Thompson of Bear Creek Archeology completed a proposed bridge replacement survey in 2008. No sites were recorded.

Table 4. Previously Recorded Archaeological Surveys within One Mile of the Study Area (OSA-UI 2022).

R and C Number	Surveyors	Year	Affiliation
Surveys Within One Mile of the Study Area			
19770957001	Anton Till	1977	Office of the State Archaeologist
19780157023	Larry Abbot	1978	Office of the State Archaeologist
19780257665	Richard Slattery	1978	Office of the State Archaeologist
19840157291	LuAnn Hudson	1984	Office of the State Archaeologist
19840457004	Ruth Vondracek	1984	Office of the State Archaeologist
19850557027	LuAnn Hudson	1985	Office of the State Archaeologist
19900257004	Joe Artz	1990	Office of the State Archaeologist
20010933111	Lowell R. Blikre	2001	Bear Creek Archeology
20020233016	Lowell R. Blikre	2001	Bear Creek Archeology
20020233010	Lowell R. Blikre	2001	Bear Creek Archeology
20080633012	Joe B. Thompson	2008	Bear Creek Archeology

Three previously recorded archaeological sites (see Table 5) are located within one mile of the study area. Sites 13FT138 and 13FT139 were recorded during the survey for the proposed bicycle trail (Blikre 2001). Site 13FT138 is a precontact occupation. A Phase II investigation recommended no further work on the site. Site 13FT139 is a historic railroad-related site and was recommended not eligible for the National Register of Historic Places. Site 13FT164 is a historic farm seen on historic documents. It has not been field-verified.

Table 5. Previously Recorded Archaeological Sites within a One Mile of the Project Areas (OSA-UI 2022).

Site No.	Recorder	Year	Cultural Affiliation	Site Type	Recommendation
13FT138	Lowell R. Blikre	2001	Prehistoric	Open Habitation	Not eligible
13FT139	Lowell R. Blikre	2001	Historic	Railroad	Not eligible
13FT164	Kayla Resnick	2009	Historic	Farmstead (Archival Documentation)	Not evaluated

PREVIOUS HISTORIC RESEARCH

Prior research by Wapsi Valley Archaeology at the Montauk Historic Site and State Preserve resulted in a comprehensive historic review of the development of the Montauk estate and the Larrabee family (Finn et al. 2022). The Larrabee estate lies in northern Fayette County, an area that was initially settled by Euro-Americans in the late 1840s. The Ho-Chunk (Winnebago) Nation occupied a portion of Fayette County in the early 1840s that extended into the neutral zone,

a 40-mile tract of land that ran approximately 200 miles between the Mississippi and Des Moines Rivers. Fort Atkinson was established in 1840 in nearby Winneshiek County to monitor the Ho-Chunk people and maintain peace between the Sac and Fox and Sioux people. The Ho-Chunk were forced by treaty to leave Wisconsin and settle in this narrow corridor in northeastern Iowa. A mission and school were also established around this time to convert and assimilate the Ho-Chunk people (Western Historical Society 1878).

In 1846, when the State of Iowa was established, the Ho-Chunk were forced to relocate to southwestern Minnesota, and Fort Atkinson was disbanded in 1849 (Iowa Publishing Corp 2020; Haury-Artz and Collins 2020). In the meantime, Euro-American pioneers began to settle in the area. Early settlers in the area included Franklin Wilcox and his family and his brother Nathan Wilcox, followed by James Beatty and William Orrear around 1841. The county was organized and the first Sheriff was appointed in 1847, and the county's first election was held in 1850 (Western Historical Society 1878).

The earliest settler in the area around Clermont was named Delaplaine, a man who constructed a cabin at the location of the town in 1848. The property was bought by the firm Carlton and Thompson in 1849, which hired C. D. Carlton and Charles Sawyer to build two log cabins, workshops, and other buildings for the construction of a sawmill. The mill was completed in 1850 or 1851, and a shop was opened in 1849 by Carlton, attracting other settlers to the area. By 1852, the community boasted a schoolhouse and a hotel (Western Historical Society 1878).

Carlton and Thompson laid out the town of Clermont in the early 1850s, but the town was not officially platted until 1855 when John Thompson bought his partner out. Thompson named the town Norway, but its residents were already using the name of Clermont; it was officially recorded as Clermont in 1859 after its residents insisted that the name be kept. The town was incorporated on August 16, 1875 (Western Historical Society 1878). John Thompson had constructed a brick flour mill in 1854. The building was built by Thompson's crew, "who walked out with their wheel-barrows from McGregor, and manufactured the brick of which the mill is built" (Western Historical Society 1878:528).

The 1878 Fayette County history lists among the residents of Clermont Township Captain Gustavus A. Appelman, a sea captain who came to Clermont in 1854. Appelman and his wife, Prudence Williams Appelman, came from Connecticut, and had seven children, including daughter Anna. Appelman served as County Supervisor, School Director, School Board President. It was said that he "sailed

on every ocean on the globe; he has 370 acres of land, valued at \$2,000” (Western Historical Society 1878:732).

In 1857, William Larrabee, at the age of 25, invested in John Thompson's flour milling operation in Clermont and, through hard work and industry, he eventually bought out his two partners. The mill, known as Brick City Mill, proved a worthy investment. Larrabee operated the business until 1874, the year Montauk was constructed and at a time when wheat crops had largely been replaced by corn in Iowa. Larrabee purchased new millstones from France, known as French burrs. These are exceptional stones cut from dense quartz originating in the Marne Valley of northern France and are known to produce a whiter flour (Howell 2020). Larrabee also patented a method for grain separation (Montauk Historical Site 2019). The mill became a central location for the region.

Four years later, in 1861 and at the age of 29, he married Anna Matilda Appleman, daughter of Clermont pioneer Captain A. G. Appelman. William and Anna had seven children together: Charles J. Larrabee (1862-1943), Augusta Larrabee (1864-1897), Julia Larrabee (1867-1937), Anna Larrabee (1869-1965), William Larrabee II (1871-1933), Frederic “Fritz” Larrabee (1873-1959), and Hellen Larrabee (1876-1919).

During the earliest years of their marriage, Anna and William Larrabee lived on the second floor of the store adjacent to the mill. After the birth of Charles and Augusta, the Larrabees constructed a new brick home two blocks from the mill. Four more children were born at that house: Julia, Anna, William Jr., and Frederic (Bennett 2014). However, Anna desired a house on a hill that would be out of the swampy valley and more healthful for their young family. Larrabee purchased acreage to construct a new house from his father-in-law, who resided on land immediately across the road (Andreas 1875; Figure 12). Larrabee later reduced the size of his land holdings around Montauk to the 47.25 acres that held the mansion, associated grounds, and working farm.

Montauk was named by Anna Matilda after a lighthouse in Long Island that signaled home to her father the sea captain (Bennett 2014). The house was designed by Edward Townsend Mix, a renowned Milwaukee architect who had designed many buildings in that city (Wisconsin Historical Society 2020). Mix was originally from New Haven, Connecticut, his father a captain like Larrabee's and Anna's were (Szczeny-Adams 2007). Mix had designed the Villa Louis mansion in Prairie du Chien, an Italianate mansion constructed in 1871 of local brick, also for a wealthy family.

Although William Larrabee only completed eighth grade, never graduating from high school, he was self-taught and a lover of the arts and of learning. Larrabee was known as a prolific reader. He travelled to Europe, where he encountered and developed an appreciation for the arts, including music, literature, painting, sculpture, and architecture. Although the Montauk mansion was spacious and elegant, Larrabee had simple tastes and admonished the architect to lean towards restraint (Bennett 2014).

Montauk was designed in the Italianate style to stand at the top of a hill overlooking the town of Clermont. The stone for the house came from the William's quarry, and the brick was locally made in Clermont. The residence was constructed in 1874.

The landscape around the mansion was carefully planned to incorporate a fully functional 48-acre farm. The Montauk residence was flanked by agricultural fields and included an orchard, grape arbor, vegetable garden, and flower gardens, and had cattle, chickens, turkeys, and even a peacock. Over 100,000 trees were planted on the grounds. Other buildings also stood on the property; some of them, such as the barn, carriage house, and caretaker's house, predated the construction of the mansion, and a few, like the workshop and woodshop, which also date to 1874, were likely built to stage the construction of the mansion.

A review of relevant historic nineteenth and early twentieth century plat maps was completed for this survey. No structures appear on the General Land Office survey map (GLO 1849). The Andreas atlas depicts a single structure west of the road, interpreted to be the residence of William Larrabee, which had been constructed the previous year in 1874 (Andreas 1875; see Figure 12). In 1879, the residence of "W Larrabee" is shown (Warner and Foote 1879), and again in 1896 (Union Publishing 1896). As of 1930, the property shows a plot designated for "W.m. Larrabee, Jr." and "Anna M Larrabee" (Hixson 1930). Historic photographs corroborate the presence of the Larrabees.

Fieldwork Results

Phase I intensive survey fieldwork occurred between August 16 and August 18, 2022 (Figure 13). Completed fieldwork involved both pedestrian survey and subsurface testing in the defined project areas, which lie within the mapped boundaries of Site 123FT152. A pedestrian survey was undertaken across the entire project area. Ground surface visibility was zero percent. A minor topographic dip in the North Outbuilding Yard suggests disturbances a meter or two north of the outbuildings, perhaps relating to the cistern or other subterranean systems. No artifacts, features, or topographic anomalies indicative of precontact activities were observed during the pedestrian survey of the area. Subsurface tests were placed at 10-meter intervals in the North Outbuilding Yard, East Yard, and Utility Corridor. In total, 26 auger tests were excavated through all project area segments (for soil profiles, see Table 10 at the end of this report and Figure 14).

SITE 13FT152

Site Type/Function

Historic farm/residence

Cultural Affiliation

Historic Euro-American

Figures

Figures 13 through 22

Dimensions and Area

151 meter by 121 meters (18,271 square meters)

Legal Location

Castalia, IA (1981) quadrangle; SE 1/4, SE 1/4 of Section 27, T95N, R07W, Clermont Township, Fayette County, Iowa

Directions

From the town of Clermont, travel northeast along US Highway 18 for about half a mile. Turn left into the driveway at the sign for the Montauk Historic Site. The address is 26223 Harding Road.

Water Source

The Turkey River lies approximately 1,000 feet (304 meters) west of the site area.

Landform

Ridge top, summit

Mapped NRCS Soil Types

Downs silt loam (162B), 2 to 5 percent slopes

Rock outcrop-Nordness complex (478G), 25 to 60 percent slopes

Exette silt loam (763D2), 9 to 14 percent slopes

Ground Cover

Grass lawn with 0 to 25 percent ground surface visibility

Testing Methods

Testing methods included systematic pedestrian survey and excavation of a total of 26 auger tests at 10-meter (32.8-foot) intervals. Ten tests were positive in the North Outbuilding Yard, and 10 were positive in the East Yard area.

Stratigraphy**North Outbuilding Yard**

The North Outbuilding Yard project area segment is a grassy field north of the outhouses and west of the modern driveway running to the mansion. Phase I testing consisted of two transects of subsurface tests placed across the area from east to west. Wapsi Valley Archaeology completed a total of 13 subsurface tests. Of the 13 tests, 10 were positive for historic period artifacts. A variety of artifacts were recovered including various metal objects, glass shards, faunal elements, ceramic sherds, masonry objects, and miscellaneous pieces.

Representative Soil Profile: T-11.

Soil Horizon	Depth (cm)	Description
Fill 1	0-38	Very dark brown (10YR 2/2) silt loam with subangular structure and gradual boundary.
Fill 2	38-55	Very dark grayish brown (10YR 3/2) silt loam with subangular blocky structure with gradual boundary.
AB	55-75	Very dark grayish brown (10YR 3/2) silt loam mottled with light yellowish brown (10YR 6/4) silty clay loam with subangular blocky structure and gradual boundary.
B	75-80	Light yellowish brown (10YR 6/4) silty clay loam.

The soil profile of T-11 shows that two fill layers were uncovered overlying an AB horizon and B horizon, respectively. Fill 1 consisted of a very dark brown silt loam from depths of 0 to 38 centimeters. Fill 2 was a very dark grayish brown silt loam stretching from 38 to 55 centimeters. The AB horizon consisted of a very dark grayish brown silt loam mottled with a light yellowish brown silty clay loam present from 55 to 75 centimeters. The B horizon was a light yellowish brown silt clay loam from 75 to 80 centimeters.

The stratigraphic sequence of two fill layers overlying somewhat intact soils correlates with the three stratigraphic units—Pre-Montauk (1855 to 1874), Montauk 1 (1874 to ca. 1900), and Montauk 2 (ca. 1900 to Modern)—identified in other areas of the site excavated during Phase II and Phase III work (Finn et al. 2022; Moe et al. 2020).

East Yard

The East Yard project area segment is a grassy field immediately straddling the eastern face of the Montauk house and the curved, gravel driveway, which surrounds the house. Wapsi Valley Archaeology excavated a total of 10 subsurface tests in this area, all of which were positive for historic period cultural materials. Though all tests were positive, 75 of the 108 recorded artifacts were fragments of limestone and brick, most of which were embedded in a layer of fill overlying the Ab horizon (see soil profile of Auger Test T-14 below). It is likely that the original A horizon was destroyed during construction of the mansion. A shallow A horizon, grading into an AB horizon and B horizon, is indicative of the mapped soil sequence of the area, which consists of Downs silt loam (162B, see Figure 3).

Representative Soil Profile: T-14.

Soil Horizon	Depth (cm)	Description
Fill 1	0-27	Very dark grayish brown (10YR 3/2) silty clay loam.
Fill 2	27-33	Very dark grayish brown (10YR 3/2) silt clay loam. Abrupt boundary. Brick, mortar, and limestone fragments
AB	33-45	Dark brown (10YR 3/3) silty clay loam mottled with dark yellowish brown (10YR 4/4) silty clay loam with gradual boundary.
B1	45-60	Dark yellowish brown (10YR 4/4) silty clay loam.
B2	60-73	Dark yellowish brown (10YR 4/6) silty clay loam.

Auger Test T-22, excavated slightly northwest of T-14, exhibited a soil profile consisting of two fill layers made up of a very dark grayish brown silt loam over a dark brown silt loam, overlying a shallow clay loam B horizon (see below). Minor pieces of brick were recovered at depths of 0 to 10 centimeters.

Representative Soil Profile: T-22.

Soil Horizon	Depth (cm)	Description
Fill 1	0-12	Very dark grayish brown (10YR 3/2) silt loam.
Fill 2	12-27	Dark grayish brown (10YR 4/2) with mottled (10YR3/2) silt loam.
B	27-56	Brown (10YR 4/3) clay loam.

Another soil profile, taken from Auger Test T-18 further north near the intersection of the sidewalk and the driveway, revealed that the fill layers extend to the north portion of the East Yard. An AB and B horizon composed of silt loam were identified under two sandy loam and silt loam fill layers (see below). It appears that the original A horizon was fully removed during construction or landscaping work associated with the historic use of the mansion.

Representative Soil Profile: T-18.

Soil Horizon	Depth (cm)	Description
Fill 1	0-10	Very dark grayish brown (10YR 3/2) sandy loam with abrupt boundary.
Fill 2	10-22	Very dark grayish brown (10YR 3/2) silt loam with abrupt boundary. Small brick fragments.
AB	22-37	Very dark grayish brown (10YR 3/2) mottled with dark yellowish brown (10YR 4/4) silt loam and subangular blocky structure.
B	37-53	Brown (10YR 4/3) silt clay loam.

Utility Corridor

Three auger tests were completed in the Utility Corridor, none of which were positive for cultural materials. The soil profile of Auger Test T-25 is representative of Downs silt loam (162B), depicting a shallow A horizon consisting of dark grayish brown silty clay loam overlying a dark yellowish brown silty clay loam B horizon (see below).

Representative Soil Profile: T-25.

Soil Horizon	Depth (cm)	Description
A	0-25	Dark grayish brown (10YR 4/2) silty clay loam.
B	25-38	Dark yellowish brown (10YR 4/6) silty clay loam.

Artifacts and Distributions

North Outbuilding Yard

A total of 127 artifacts were collected from 13 subsurface tests. Artifacts were recovered from 10 out of 13 Auger Tests in the North Outbuilding Yard (Table 6). Artifacts were mainly found in levels corresponding with the first or upper fill layer, with limited numbers that appear to be associated with Fill 2, assuming the fill depths extend homogeneously across the area. No artifacts were recovered beyond 50 centimeters in depth, suggesting that all materials were associated with fill deposits related to the construction and/or occupation of the Montauk estate and not the pre-Montauk occupation of the site.

Table 6. Depth Distribution of Recovered Artifacts from the North Outbuilding Yard.

Depth(cm)	T-1	T-2	T-3	T-5	T-8	T-9	T-10	T-11	T-12	T-13	Total
0-10	2	3	1				4	4			14
10-20	8	1			5	1	2	1	10	2	30
20-30	3			2		9	4	9	14	2	43
30-40	3					1	10	12	1	5	32
40-50							5		1	2	8
Total	16	4	1	2	5	11	25	26	26	11	127

Artifact types were distributed throughout the North Outbuilding Yard (see Table 7 on the next page). Out of the 127 artifacts recovered, metal was the most common material type in the North Outbuilding Yard, totaling 66 objects (52 percent of total), 45 of which are wire and machine-cut B nails (Figure 15). The three machine-cut B nails were recovered in Auger Test T-5 between 20 to 30 cm, Auger Test T-10 between 30 to 40 centimeters, and Auger Test T-11 between 0 to 10 centimeters in depth. Machine-cut B nails were created sometime between 1810 and 1900, while wire nails date to 1900 to the present (Visser 2020). Wire nails were recovered in Auger Tests T-1, T-2, T-9, T-8, T-10, T-11, and T-12 in depths ranging from 10 to 50 centimeters in depth. Other metal objects are primarily construction or farm-related objects, including a screw, strap, fencing staple, and other unidentifiable, corroded pieces.

Notably, a sterling silver jewelry piece, possibly a scarf ring or hairpin, was recovered from Auger Test T-11 at a depth of 20 to 30 centimeters (Figure 16). The piece reads “sterling,” indicating its composition of sterling silver. Sterling silver is a silver alloy usually composed of 92.5 percent silver by weight alongside other metals such as copper or zinc. Sterling silver goods became abundant in the mid-1800s after an increase in domestic demand and foreign tariffs (Nova 2010).

A total of 19 glass artifacts (15 percent of total) were found in the North Outbuilding Yard, including six shards of window glass, seven clear shards of a container, one aqua container shard, one shard of root beer-colored glass, and three green bottle shards (Figure 17). A small shard of lantern glass was recovered. Lantern glass dates between 1784 and 1930 was recovered from Auger Test T-9 between 20 to 30 centimeters in depth. No other diagnostic glass pieces were identified in the assemblage.

Table 7. Summary of Artifacts Recovered from the North Outbuilding Yard.

Auger Test	Botanical	Ceramic	Faunal	Glass	Masonry	Metal	Misc.	Plastic	Total	% of Total
T-1		2	1	4		8	1		16	12.6%
T-2				1		2		1	4	3.1%
T-3				1					1	0.8%
T-5					1	1			2	1.6%
T-8			1	2		2			5	3.9%
T-9		1	1	2		4	3		11	8.7%
T-10		1		2	3	13	4	2	25	19.7%
T-11	1	2	4	5		12	2		26	20.5%
T-12		1	3	1		21			26	20.5%
T-13	1	2	1	1	3	3			11	8.7%
Total	2	9	11	19	7	66	10	3	127	100.0%
% of Total	1.6%	7.1%	8.7%	15.0%	5.5%	52.0%	7.9%	2.4%	100.0%	

The Montauk artifact assemblage also includes 11 faunal elements, nine of which belong to large mammals, one to a bird, and one that is unidentifiable (Figure 18). Out of the nine mammal bones, three refit to complete a portion of a large *Bos taurus* (domestic cow) tibia. Markings from chopping and sawing are present on three elements, while one element is burned.

Nine ceramic sherds were recovered, five of which are earthenware, likely from a flowerpot (Figure 19). Two sherds are whiteware, one plain and one with a molded edge. The whiteware sherds could date anytime from 1810 to the present. Two pieces of redware, known locally as Galenaware, are included in the assemblage. They were recovered from Auger Test T-13 at a depth between 10 to 20 centimeters. Galenaware was produced in Galena, Illinois, from 1800 through the 1850s (Stelle 2001).

One red Bakelite button was recovered. Bakelite was invented during the early twentieth century and has been extensively used in manufacturing for the past 100 years. Seven mason objects were recovered including brick, limestone, and mortar fragments (Figure 20). Other recovered objects include two pieces of charcoal, 13 cinders or slag, and two pieces of unidentifiable plastic.

East Yard

A total of 107 artifacts were collected from 10 subsurface tests placed in the East Yard (Figure 21). Seventy-five of these, or 70 percent of the total, are masonry objects consisting of limestone, brick, or mortar fragments. Masonry artifacts were collected at depths ranging between 10 to 60 centimeters, primarily in Auger Tests T-14, T-15, T-16, T-17, T-20, and T-20 (see Table 8 below). Two fill layers were identified in soil profiles, represented by Auger Tests T-14, T-18, and T-22. Fill 1 varied in depth, ranging from 0 to 27 centimeters in Auger Test T-14 but 0 to 12 and 0 to 10 centimeters in Auger Tests T-18 and T-22, respectively. An upper fill layer seen in the Phase II and Phase III excavations had been identified as an artificial topsoil placed across areas of the Montauk estate sometime around 1900. These dates are based on three coins recovered during excavations, manufactured in 1903, 1918, and 1919 (Finn et al. 2022:59).

Fill 2 underlies Fill 1 in all three tests, ranging from 27 to 33 centimeters in Auger Test T-14, 10 to 22 centimeters in Auger Test T-18, and 12 to 27 centimeters in Auger Test T-22. Masonry objects were recovered from all three tests where Fill 2 was recorded. These artifacts were found at depths ranging from 20 to 40 centimeters in Auger Tests T-15, T-16, T17, T-21, and T-23. A layer of masonry debris was visible in these tests, containing various sizes of building deposits (e.g., Figure 22). In Auger Test T-17, artifact depths are skewed due to a 20-centimeter top layer of sand encountered at 0 to 20 centimeters.

Table 8. Depth Distribution of Masonry Objects Recovered in the East Yard.

Depths (cm)	T-14	T-15	T-16	T-17	T-18	T-19	T-20	T-21	T-22	T-23	Total	Total (%)
10-20		2	5		3		7	6	2		25	33.3%
20-30		5	8			1		8		5	27	36.0%
30-40	6	4		3				6			19	25.3%
40-50				3							3	4.0%
50-60				1							1	1.3%
Total	6	11	13	7	3	1	7	20	2	5	75	
Total (%)	8.0%	14.7%	17.3%	9.3%	4.0%	1.3%	9.3%	26.7%	2.7%	6.7%	100.0%	

Artifacts were found to be distributed across the East Yard (see Table 9 below). Other artifacts recovered in the East Yard include two pieces of aqua glass, 25 metal objects, and five pieces of cinders/slag (see below). The aqua glass is from a non-diagnostic bottle. Out of 25 nails, eight are machine-cut B nails, 15 are wire, and two are miscellaneous. Machine-cut B nails were recovered from Auger Tests T-15, T-17, and T-19 from depths between 10 to 30, 40 to 50, and 20 to 30 centimeters in depth. Machine-cut B nails have a manufacture date of between 1820 and 1900, while wire nails were manufactured from 1890 to present (Visser 2020). Wire nails were recovered from Auger Tests T-15 and T-15, from depths ranging between 0 to 40 and 0 to 20 centimeters in depth.

Table 9. Summary of Artifacts Recovered from the East Yard.

East Yard	Glass	Masonry	Metal	Misc.	Total	Total (%)
T-14		6			6	5.6%
T-15		11	17		28	26.2%
T-16		13	4	2	19	17.8%
T-17		7	1	1	9	8.4%
T-18	2	3	1		6	5.6%
T-19		1	2		3	2.8%
T-20		7			7	6.5%
T-21		20		2	22	20.6%
T-22		2			2	1.9%
T-23		5			5	4.7%
Total	2	75	25	5	107	100.0%
Total (%)	1.9%	70.1%	23.4%	4.7%	100.0%	

Utility Corridor

No artifacts were recovered from the Utility Corridor.

Discussion

Site 13FT152 represents archaeological deposits associated with the Montauk estate. The Montauk Historic Site is located on an upland ridge overlooking the Turkey River valley and the small town of Clermont, Iowa. The project area was composed of three areas: the yard north of the

outbuildings (North Outbuilding Yard), the yard east of the main house (East Yard), and a narrow corridor for a new pipe (Utility Corridor). Some of the North Outbuilding Yard segment of the project area had been previously surveyed; artifacts were recovered from two shovel tests excavated at that time (Hawkins 2017). Wapsi Valley Archaeology re-examined this area due to an updated understanding of the site based on recent Phase II and Phase III investigations.

In the North Outbuilding Yard, 10 positive subsurface tests attest to the spatial extent with which cultural materials were deposited around the frequently used outbuilding space. More specifically, the densities of artifacts surrounding the outbuildings were the highest out of all three areas tested during the Phase I survey. This is congruent with prior testing that revealed a high concentration of artifacts immediately surrounding the outbuildings to the south in areas called the Service Zone and Service Zone Perimeter. It is known from historical documentation that the Larrabee family employed various workers to manage the domestic, farming, and livestock operations of the estate. Servants spent time around the outbuildings. Their tasks of fixing objects in the workshop, chopping lumber, smoking meat, etc., left well-established archaeological traces in the area. Children appear to have occupied the space as well, leaving behind toys or other trinkets. It now seems that the North Outbuilding Yard may be an extension of use of space around the outbuildings, though likely used for different purposes given that the area was out of the sightline of the Back Yard and Service Zone areas, and from the mansion itself.

In the East Yard, all ten subsurface tests were positive for cultural materials, consisting of primarily masonry objects. Seen throughout every test was a small layer of brick and limestone fragments ranging between 10 and 30 centimeters below the modern lawn. The consistency of deposition suggests that the materials may be ascribed to a single event, subsequently covered by an additional fill layer. The brick and limestone deposited here most likely relates to the initial construction of the Montauk estate. This fill almost certainly originated from the excavation of the mansion's basement during construction. The deep cellar would have generated large amounts of backdirt and decomposing limestone bedrock that would have had to be removed and deposited somewhere. The solution appears to have been dumping the backdirt into a depression in the north backyard. The fill was then spread and leveled across the entire yard area, including the side yard.

The smaller Utility Corridor did not present any archaeological potential. All three subsurface tests excavated in the area were negative for artifacts. It seems the gravel driveway may represent the spatial limit of activities in this portion of the Montauk estate.

Integrity and Research Potential

North Outbuilding Yard

Phase I survey in the North Outbuilding Yard yielded the largest numbers of artifacts collected out of all three project area segments examined. Stratified deposits were encountered adjacent to the extant outbuildings, consisting of two fill layers overlying naturally formed soils. The stratigraphic sequence of two layers of fill overlying an intact A horizon appears to correlate with the three stratigraphic units—Pre-Montauk (1855 to 1874), Montauk 1 (1874 to ca. 1900), and Montauk 2 (ca. 1900 to modern)—identified in other areas of the site excavated during Phase II and Phase III work (Finn et al. 2022).

Excluding masonry materials such as limestone and brick, Auger Tests T-11, T-12, and T-13 contain the highest numbers of recovered artifacts from tests completed in the current project area. The number of recovered objects in the North Outbuilding Yard increases significantly relative to the proximity of the Montauk outbuildings, suggesting a positive correlation between outbuilding proximity and the density of cultural materials in the areas examined. Previous Phase II and Phase III work identified a similar pattern south of the outbuildings.

East Yard

A preliminary assessment of stratigraphy as seen in Auger Tests T-14, T-22, and T-18 indicates that homogenous cultural layers still exist within the East Yard. All tests in the East Yard encountered a thin layer of masonry debris composed of limestone and brick fragments situated above in-situ soils. The composition of the lowest fill layer appears congruent with the Fill 3 deposit identified in the West Yard and Back Yard segments. During construction, workers likely disposed of waste limestone and brick materials, the tailings being left adjacent to the residence. The consistent A horizon-Fill1-Fill2 sequence directly parallels stratigraphic units previously delineated in Phase II and Phase III work at the site. The stratigraphic units, named Pre-Montauk, Montauk 1, and Montauk 2, were seen throughout the West Yard, Back Yard, Service Zone, and Service Zone Perimeter segments. It is possible that the fill deposit in the East Yard contains preserved materials associated with the time of and after the mansion's initial construction. Various glass and metal artifacts were recovered alongside masonry objects during Phase I testing,

though in low numbers. The recovered artifacts may be attributed to the Montauk estate's years of occupation after construction of the mansion in 1874.

Historic photographs indicate that the Larrabee family regularly conducted events and entertained guests in the yard (see Finn et al. 2022 for examples), indicating that the East Yard may have served as an important space for the Larrabee family. As seen in other areas of the estate, valuable items such as a silver spoon, exotic ceramics, and silver jewelry were deposited in various areas of the grounds.

Utility Corridor:

No artifacts were encountered in the Utility Corridor segment in three subsurface tests excavated in this area during the Phase I survey. The area contains no research potential given the lack of archaeological deposits.

Conclusion for Listing on the National Register of Historic Places

Based on previous research, Site 13FT152 is individually eligible under Criterion D and contributes to the National Register-status of the Montauk historic site property. The portions examined by this study remain unevaluated regarding whether they contribute to the site's significance.

Recommendations

Due to the possible presence of intact stratigraphy and archaeological deposits, the North Outbuilding Yard segment may contain significant archaeological deposits. Avoidance of adverse effects to this portion of the site is recommended. If avoidance is not feasible, then additional testing and evaluation is recommended to determine whether the North Outbuilding Yard area contributes to an understanding of Site 13FT152 at the Montauk Historic Site and its eligibility for listing on the National Register of Historic Places.

Preliminary analysis suggests that the East Yard also contains intact stratigraphy congruent with other areas excavated at the site. The associated fills may relate to the initial construction of the Montauk residence and subsequent occupation of the Montauk mansion. However, artifacts recovered from this area were relatively nondescript and somewhat redundant, with 70 percent of the artifacts classified as brick, limestone, and mortar masonry. On the other hand, historic documentation suggests that the East Yard may have been used for activities as an extension of the yard area. For this reason, we recommend avoidance of adverse effects to this area or

limited Phase II testing to confirm that little information would be gained from the East Yard to contribute to the overall understanding of the site.

Finally, no artifacts were encountered during testing of the Utility Corridor. Wapsi Valley Archaeology recommends that no further archaeological investigation is necessary for the Utility Corridor portion of the project area.

Conclusions

Wapsi Valley Archaeology, Inc. completed this Phase I intensive archaeological survey for the Iowa Department of Administrative Services to assist with improvements to the Montauk residence, the caretaker's house, and other outbuildings on the Montauk Historic Site and State Preserve. This study consists of a Phase I intensive survey to assess whether the proposed project area contains potentially significant archaeological deposits associated with Site 13FT152, as seen in adjacent areas of the yard.

Investigation of the project area focused on three segments: the North Outbuilding Yard, East Yard, and Utility Corridor. A pedestrian survey was initially completed in all three segments followed by excavation of 26 auger tests.

In the North Outbuilding Yard, ten of 13 subsurface tests contained artifacts. Those tests placed nearest to the outbuildings contained the highest densities of cultural materials. The tests encountered fill deposits that appear to be stratigraphically congruent with layers seen south of the outbuildings during prior Phase II and Phase III testing. These layers may be associated with different periods of use during the estate's history.

In the East Yard, all ten auger tests were positive for cultural materials, though most contained nondescript masonry artifacts. Two fill layers appear to be present, similar to sequences encountered in the Back and West Yards during previous archaeological investigations. The presence of stratified deposits relating to periods of use of the Montauk estate could further an understanding of the lives of the Larrabee family and others who visited or worked at Montauk. Further limited controlled testing would help determine whether the area contributes to the larger significance of Site 13FT152.

Finally, three tests were completed along the Utility Corridor that extends to the east of the mansion and East Yard. No artifacts were encountered in these tests.

Recommendations

Recommendations of the Phase I archaeological resource assessment vary for the areas tested. The North Outbuilding Yard appears to contain intact archaeological deposits associated with the historic occupation of the Montauk estate. We recommend avoidance of adverse effects to this portion of the site. If avoidance is not feasible, then additional testing and evaluation is recommended in the North Outbuilding Yard area to provide more controlled archaeological data and determine whether this portion of the site contributes to the significance of Site 13FT152. We would suggest excavation of four 1-meter-by-1-meter test units in this area to further evaluate its significance.

The Phase I survey results suggest that the East Yard contains intact stratigraphy congruent with other, previously excavated, portions of the site. Fill deposits may relate to the initial construction of the Montauk residence and subsequent occupation of the Montauk mansion. Artifact categories appear to be somewhat redundant, and the assemblage of materials recovered during testing is nondescript, with no temporally diagnostic materials present other than nails. Historic documents suggest, however, that this area was used for activities associated with the Larrabee family and the mansion. For this reason, we recommend limited testing in this area, one 1-meter-by-1-meter test unit, to further document stratigraphy and evaluate whether this area is characterized by redundancy of artifacts and has only limited potential for providing useful information to further an understanding Site 13FT152.

In the Utility Corridor, no artifacts were encountered during subsurface testing. Wapsi Valley, Inc. recommends that no further archaeological investigations are necessary for the Utility Corridor portion of the project area.

It should be noted that according to the “Protection of Historic Properties” portion of the National Historic Preservation Act [36CFR Part 800.13(b)], if a federal agency is involved in the project and any prehistoric or historic artifacts or features are unexpectedly uncovered during the course of construction activities, the responsible agency must be contacted without delay. In addition, Iowa law [Code of Iowa, Chapters 263B and 716.5; IAC 685, Ch. 11.1] protects all burials, both ancient and recent. If any human remains are encountered, it is required by law that all work in the area of the remains be temporarily stopped. Additionally, security should be provided for the remains, and local law enforcement officials should also be notified to help protect the remains. Furthermore, the Bioarchaeology Program Director, located in the Office of the State

Archaeologist, should be contacted immediately at (319) 384- 0740. Archaeologists with Wapsi Valley Archaeology, Inc. at (319) 462-4760 and the State Historical Society of Iowa at (515) 281-4358 can also be called upon to provide advice if unexpected cultural resources are encountered.

Information contained in this report relating to the nature and location of archaeological sites is considered private and confidential and not for public disclosure, in accordance with Section 304 of the National Historic Preservation Act (54 U.S.C. § 307103); 36 CFR Part 800.6 (a)(5) of the Advisory Council on Historic Preservation's rules implementing Sections 106 and 110 of the Act; Section 9(a) of the Archaeological Resource Protection Act (54 U.S.C. § 100707); and Chapter 22.7, subsection 20, of the Iowa Code.

References

- Association of Iowa Archaeologists (AIA)
2022 *Association of Iowa Archaeologists Guidelines*. Electronic document, <http://aiarchaeologist.org/data/documents/2020-AIA-Guidelines-Revised-8192020.pdf>, accessed August 2022.
- Allen, A. W.
1972 *Montauk*. National Register of Historic Places Inventory – Nomination Form. U.S. Department of the Interior, National Park Service.
- Andreas, Alfred T.
1875 (1970) *Illustrated Historical Atlas of the State of Iowa*. Reprinted. State Historical Society of Iowa, Iowa City. Originally published 1875, *Andreas' Historical Atlas of the State of Iowa*. A. T. Andreas, Chicago, Illinois.
- Artz, Joe Alan
2005 *Ackmore to Zwingle: Soil Series of Iowa*. Electronic document, <http://www.iowasites.com>, accessed June 2022.
- Bennett, Mary
2014 The Larrabees of Montauk. *Iowa Heritage Illustrated*. Vol. 85, No. 1. State Historical Society of Iowa, Iowa City, Iowa.
- Bettis, E. Arthur, III, Richard G. Baker, William R. Green, Mary K. Whelan, and David W. Benn
1992 *Late Wisconsinan and Holocene Alluvial Stratigraphy, Paleoecology, and Archaeological Geology of East-Central Iowa*. Guidebook Series No. 12, Iowa Quaternary Studies Group Contribution Number 51. Prepared for the North-Central Section, Geological Society of America 26th Annual Meeting, Iowa City, Iowa.
- Bettis, E. Arthur, III, and David W. Benn
1984 An Archaeological and Geomorphological Survey in the Central Des Moines River Valley, Iowa. *Plains Anthropologist* 29:211–227.
- Bettis, E. Arthur, III, and John P. Littke
1987 *Holocene Alluvial Stratigraphy and Landscape Development in Soap Creek Watershed, Appanoose, Davis, Monroe, and Wapello Counties, Iowa*. Open File Report 87-2. Iowa Department of Natural Resources, Geological Survey Bureau, Iowa City, Iowa.
- Bettis, E. Arthur, III, and D. M. Thompson
1982 Holocene Landscape Evolution in Western Iowa: Concepts, Methods, and Implications for Archaeology. In *Current Directions in Midwestern Archeology: Selected Papers from the Mankato Conference*, edited by S. Anfinson, pp. 1–14. Occasional Publications in Minnesota Anthropology No. 9. Minnesota Archaeological Society, St. Paul, Minnesota.
- Blikre, Lowell R.
2001 *A Phase I Cultural Resources Survey for the proposed Clermont North Enhancement Bicycle Trail, Clermont Township, Fayette County, Iowa*. BCA #974. Bear Creek Archeology, Inc., Cresco, Iowa.

- Finn, Nurit G., Justin R. Moe, Daniel M. Finn, Keith O. Young, Sara L. Anderson, Eleisha M. Barnett, Maria L. Schmid, and Michael R. Finn.
2022 "Archaeological Excavations at the Montauk Estate: Home of William Larrabee, Iowa's Twelfth Governor." *Journal of the Iowa Archaeological Society* 68: 53–70.
- Giller, Michael, Keith O. Young, Michael R. Finn, and Nurit G. Finn
2018 *Phase II Archaeological Testing and Evaluation of Site 13FT152, Montauk Historic Site and Preserve, Fayette County, Iowa*. Wapsi Valley Archaeology, Inc. Report No. 1034. Anamosa, Iowa.
- GLO (General Land Office)
1849 *General Land Office Survey Maps, Linn County, Iowa*. [Map]. Office of the Secretary of the State. National Archives, Washington, D.C.
- Haury-Artz, Cherie, and Angela Collins
2020 *The Fort Atkinson Story*. Brochure. Office of the State Archaeologist, University of Iowa, Iowa.
https://archaeology.uiowa.edu/sites/archaeology.uiowa.edu/files/OSA_FtAtkinsonTourGuide%20for%20web.pdf.
- Hawkins, Alan J.
2017 *Revised Phase I Intensive Archaeological Investigation of the Proposed Montauk State Preserve (13FT152) Septic System Improvement Project, Section 27, T-95N-R7W, Fayette County, Iowa*. Office of the State Archaeologist, Iowa City, Iowa.
- Hixson, W. W.
1930 *Plat Book of Fayette County, Iowa*. [Map]. W. W. Hixson and Company, Rockford, Illinois.
- Howell, Charles
2020 *Millstones, An Introduction*. Electronic document,
<http://www.angelfire.com/journal/pondlilymill/paper.html>, accessed September 2022
- Iowa Publishing Corp
1992 *Intermountain Antiquities Computer System Guide*. University of Utah, Department of Anthropology, Salt Lake City, Utah.
- ISU GIS Facility (Iowa State University Geographic InfoServer)
2022a *USDA 1930s, 1950s, 1960s, 1970s, and 1990s aerial photographs*. [Raster Digital Data]. Iowa Geographic Map Server. ISU GIS, USDA National Resources Conservation Service (NRCS), and Massachusetts Institute of Technology (MIT). Electronic document, accessed September 2022.
2022b *LIDAR (Light Detection and Ranging) hillshade map*. [Raster Digital Data]. Iowa Geographic Map Server. ISU GIS, USDA National Resources Conservation Service (NRCS), and Massachusetts Institute of Technology (MIT). Electronic document, accessed September 2022.

McKay, Tom

1978 *Montauk Planning Series, Montauk Historic Resources Management Plan*. Division of Historic Preservation, Iowa State Historical Department, Iowa City. Electronic Document, www.iowaisites.com, accessed August 18, 2022.

Moe, Justin R., Nurit G. Finn, Michael R. Finn, Sara L. Anderson, Keith O. Young, and Daniel M. Finn

2020 *Phase III Archaeological Data Recovery Excavations at Site 13FT152, Montauk Historic Site and Preserve, Fayette County, Iowa*. Wapsi Valley Archaeology, Inc. Report No. 1082. Anamosa, Iowa.

Montauk Historical Site

2019 *Montauk Historical Site – William Larrabee Family Genealogy*. Website maintained by Larrabee family members at <http://www.montaukiowa.com>.

National Geographic

2009 *USGS 500k series, TOPO! Maps*. [Digital Map Software]. National Geographic, San Francisco, California.

NRCS (National Resources Conservation Service)

2022 Soil Map of Dubuque County, Iowa. [Map and shapefiles]. Web Soil Survey. Natural Resources Conservation Service, USDA. Natural Resources Geographic Information Services Library. Electronic file, <http://www.igsb.uiowa.edu/webapps/nrgislib/>, accessed June 2022.

Nova, Abigail Barnes

2010 Whiting Manufacturing Company: A History of the Firm and its Japanese-Inspired Silver (1860-1890). Unpublished M.A. Thesis. National Design Museum, Smithsonian Institute and Parsons, the New School of Design, New York.

OSA-UI (Office of the State Archaeologist, University of Iowa)

2022 *I-Sites: An Online GIS and Database for Iowa Archaeology*. Office of the State Archaeologist, Iowa City, Iowa. Electronic document, <https://www.iowaisites.com/>, accessed August 2022.

Price, David L.

2003 *Montauk Historic Resource Inventory: Final Report and Management Recommendations*. Middle Tennessee State University. Electronic Document, www.iowaisites.com, accessed August 18, 2022.

Prior, Jean C.

1991 *Landforms of Iowa*. University of Iowa Press, Iowa City, Iowa.

Quade, Deborah J., James D. Giglierano, E. Arthur Bettis III, and Robin J. Wisner

2002 *Surficial Geologic Map of the Des Moines Lobe of Iowa*. Open File Map 2002-2. Iowa Department of Natural Resources, Iowa Geological Survey. Iowa City, Iowa.

Rogers, Leah D.

2005 *Phase I Archaeological Investigation for the Rear Porch Restoration and Ramp/Sidewalk Construction Project, Montauk Historic Site, Clermont Township, Fayette County, Iowa*.

Tallgrass Historians, Iowa City. Electronic document, <https://www.iowaisites.com/>, accessed September 2022.

Stelle, Lenville J.

2001 *An Archaeological Guide to Historic Artifacts of the Upper Sangamon Basin*. Center for Social Research, Parkland College, Champaign, Illinois. Electronic Document,

<http://virtual.park.edu/lstelle1/len/archguide/documents/arcguide.htm>, accessed September 2022.

Szczesny-Adams, Chris

2007 Edward Townsend Mix, Books and the Professional Architect in Nineteenth-Century Milwaukee. In *American Architectures and Their Books, 1840-1915*. Edited by Kenneth Hafertepe and James F. O'Gorman. University of Massachusetts Press, Amherst, Massachusetts.

Thompson, Jerome

2012 *Phase 1 Testing for Route of the New Well and Septic Fields at the Montauk Historic Site in Clermont, Fayette County, Iowa*. December 18, 2012. Jerome Thompson, State Curator and Historic Sites Administrator.

Union Publishing Company

1896 *Plat Book of Fayette County, Iowa*. Union Publishing Company, Philadelphia, Pennsylvania.

USDA (United States Department of Agriculture)

2019 *2019 National Agriculture Imagery Program (NAIP) Orthophotograph*. [Raster Digital Data]. United States Department of Agriculture Geospatial Data Gateway. Electronic document, datagateway.nrcs.usda.gov, accessed September 2022.

USGS (United States Geological Survey)

1981 *Castalia, Iowa 7.5' Series 24K quadrangle map*. [Map]. United States Geological Survey, Washington, D.C.

Visser, Thomas, D.

2022, *Nails: Clues to a Buildings History*. Historic Preservation Program, University of Vermont, Burlington, Vermont.

Warner and Foote

1879 *Plat Book of Fayette County, Iowa*. [Map]. George E. Warner and C. M. Foote, Minneapolis, Minnesota.

Western Historical Society

1878 *History of Fayette County, Iowa*. William Smith & Co. A-Z of Stoke-on-Trent Potters. Electronic document, <http://thepotteries.org/allpotters/937a.htm>, accessed 2018.

Table

Table 10. Soil Profiles of Representative Subsurface Tests.

Test No.	Soil Horizon	Depth (cm)	Description	Artifacts?
1	A	0-25	Very dark brown (10YR 2/2) silt loam.	N
1	B1	25-40	Very dark brown (10YR 2/2) silt loam with subangular structure.	N
1	B2	40-50	Very dark grayish brown (10YR 3/2) silt clay loam.	N
1	B3	50-69	Dark brown (10YR 3/3) silt clay loam with subangular blocky structure.	N
1	B4	69-80	Light brownish gray (10YR 6/2) silt clay loam.	N
9	Fill 1	0-37	Very dark grayish brown (10YR 3/2) silt loam with subangular blocky structure.	Y
9	Fill 2	37-56	Very dark grayish brown (10YR 3/2) mottled with brownish yellow (10YR 6/8) silt clay loam with subangular blocky structure.	N
9	Fill 3	56-70	Brownish yellow (10YR 6/8) mottled with very dark grayish brown (10YR 3/2) silt clay with subangular blocky structure.	N
11	Fill 1	0-38	Very dark brown (10YR 2/2) silt loam with subangular structure and gradual boundary.	Y
11	Fill 2	38-55	Very dark grayish brown (10YR 3/2) silt loam with subangular blocky structure with gradual boundary.	Y
11	Fill 3	55-75	Very dark grayish brown (10YR 3/2) mottled with light yellowish brown (10YR 6/4) silt clay loam with subangular blocky structure and gradual boundary.	Y
11	B	75-80	Light yellowish brown (10YR 6/4) silt clay loam.	N
14		0-27	Very dark grayish brown (10YR 3/2) silt clay loam.	N
14		27-33	Abrupt boundary.	N
14		33-45	Dark brown (10YR 3/3) mottled with dark yellowish brown (10YR 4/4) silt clay loam with gradual boundary.	Y
14		45-60	Dark yellowish brown (10YR 4/4) silt clay loam.	N
14		60-73	Dark yellowish brown (10YR 4/6) silt clay loam.	N
18	Fill 1	0-10	Very dark grayish brown (10YR 3/2) sand loam with abrupt boundary.	Y
18	Fill 2	10-22	Very dark grayish brown (10YR 3/2) silt loam with abrupt boundary.	Y
18	AB	22-37	Very dark grayish brown (10YR 3/2) mottled with dark yellowish brown (10YR 4/4) silt loam and subangular blocky structure.	N
18	B	37-53	Brown (10YR 4/3) silt clay loam.	N
22	Fill 1	0-12	Very dark grayish brown (10YR 3/2) silt loam.	N
22	Fill 2	12-27	Dark grayish brown (10YR 4/2) with mottled (10YR3/2) silt loam.	N
22	B	27-56	Brown (10YR 4/3) clay loam.	N
23	Fill 1	0-13	Very dark grayish brown (10YR 3/2) silt loam.	N

Test No.	Soil Horizon	Depth (cm)	Description	Artifacts?
23	Fill 2	13-31	Dark grayish brown (10YR 4/2) with dark yellowish brown (10YR 4/4) silt loam. Large limestone rocks and brick fragments at 22 cm.	Y
23	B	31-54	Dark yellowish brown (10YR 4/4) silt clay loam.	N
25		0-25	Dark grayish brown (10YR 4/2) silt clay loam.	N
25		25-38	Dark yellowish brown (10YR 4/6) silt clay loam.	N

Figures




Figure 1. Map of Fayette County, Iowa, showing the general location of the project area. Source: National Geographic (2009).




Figure 2. Topographic map of the project location. Source: USGS Castalia, Iowa (1981), 7.5' Series Quadrangle Map.




Figure 3. 2021 Aerial orthophotograph showing project areas, extant buildings, structures, and locations of subsurface tests . *Source: ISU GIS Facility (2022b).*




Figure 4. Iowa landform map showing the Paleozoic Plateau and the general location of the project area. *Source: Prior (1991).*




Figure 5. Idealized cross section of a stream valley showing DeForest Formation members and nearby upland geomorphological packages. Sources: Adapted from Bettis and Benn (1984); Bettis and Littke (1987); and Bettis and Thompson (1982).




Figure 6. Chart showing DeForest Formation members and associated cultural periods. Source: Adapted from Bettis and Littke (1987).




Figure 7. LiDAR-derived hillshade image showing soils mapped in the project areas. Soils include Rock Outcrop-Nordness Complex (478G), Exette silt loam (763D2), and Downs silt loam (162B). Sources: Artz (2005); NRCS (2022); ISU GIS Facility (2022b).



Figure 8. View of the East Yard and Auger Test T-17, view to the south.



Figure 9. View of the Front Yard and East Yard, facing west.



Figure 10. Overview of the North Outbuilding Yard, view to the west.



Figure 11. Utility Corridor, view to the east.




Figure 12. 1875 Andreas plat map of Clermont Township showing the project area location. Source: A. T. Andreas (1875).




Figure 13. 2021 orthophotograph showing the current project area and locations of subsurface tests. *Source: ISU GIS Facility (2022b).*




Figure 14. Examples of subsurface tests from across the project area.



Figure 15. Metal artifacts recovered from the North Outbuilding Yard, including (A) a fencing staple; (B) a machine-cut B nail; (C) a wire nail; and (D) a screw.



Figure 16. A piece of sterling silver jewelry recovered from Auger Test T-11 of the North Outbuilding Yard. The word "sterling" can be faintly seen on the lower band.



Figure 17. Glass artifacts recovered from the North Outbuilding Yard, including (A) aqua bottle shards; (B) green container shards; (C) clear glass shard; and (D) scorched brown container shard.



Figure 18. Faunal elements recovered from the North Outbuilding Yard.




Figure 19. Ceramic sherds recovered from the North Outbuilding Yard, including (A) earthenware; (B) whiteware with molded edge; and (C) Galenaware.



Figure 20. Masonry objects recovered from the North Outbuilding Yard, including (A) an orange brick; (B) limestone; and (C) mortar.



Figure 21. Representative artifacts from the East Yard, including (A) limestone; (B) orange brick; (C) two shards of aqua glass; (D) mortar; (E) machine-cut B nails; and (F) metal strap.



Figure 22. Field photograph of large limestone pieces recovered from Auger Test T-23 from depths ranging between 20 to 30 centimeters.

Appendix 1: NADB Form

Database Doc Number: _____

NATIONAL ARCHAEOLOGICAL DATABASE – REPORTS: DATA ENTRY FORM

1. R and C No.:

2. Authors: Danny M. Finn and Michael R. Finn

Publication Date: October 2022

3. Title: Phase I Intensive Archaeological Survey for Proposed Improvements at the Montauk Historic Site and Preserve, Fayette County, Iowa

4. Report Title:
Volume No.: Report No.: 1266 NTIS:
Publisher: Wapsi Valley Archaeology, Inc.
Place: Anamosa, IA

5. Unpublished
Sent From:
Sent To:
Contract No.:

6. Federal Agency:

7. State: Iowa
County: Fayette
Town: Clermont

8. Work Type: 31 (Phase I)

9. Keyword: 0 - Types of Resources / Features 1 - Generic Terms / Research Questions 2 - Taxonomic Names 3 - Artifact Types / Material Classes 4 - Geographic Names / Locations 5 - Time Periods 6 - Project Names / Study Unit 7 - Other Key Words

Paleozoic Plateau [4]
Turkey River [4]
0.51-acres (0.21-hectares) [7]

10. UTM Zone: 15 Easting: Northing:

15 Easting:
15 Easting:
15 Easting:

Northing:
Northing:
Northing:

11. Township: N95
 Range: W07

Other Publication Types:

1. Monograph:

 Name:
 Place:

2. Chapter: In: First: Last:

3. Journal: Volume: Issue: First: Last:

4. Dissertation:

 Degree: Ph.D. LL.D. M.A. M.S. B.A. B.S. Institute:

5. Paper: Meeting:
 Place: Date:

6. Other:

 Reference Line:

7. Site #: 13FT152

8. Quad Map:

 Name and Dates:

Castalia, Iowa

1981

Appendix 2: Inventory of Artifacts Recovered from Site 13FT152

Appendix 2. Inventory of Artifacts from Site 13FT152

Zone	Test Unit	Top Depth (cm)	Bottom Depth (cm)	Level	Affiliation	Category	Function	Type	Subtype 1	Subtype 2	Subtype 3	Processing	Material	Portion	Date Range	Notes
East Yard	T-18	10	20	1	Historic	Glass	Unidentifiable		Bottle	Molded			Aqua glass	Neck + shoulder shard		
East Yard	T-18	10	20	2	Historic	Glass	Unidentifiable						Aqua glass	Body		
East Yard	T-14	30	40	2	Historic	Masonry	Misc.						Limestone			
East Yard	T-14	30	40	2	Historic	Masonry	Misc.						Limestone			
East Yard	T-14	30	40	2	Historic	Masonry	Misc.						Limestone			
East Yard	T-14	30	40	2	Historic	Masonry	Misc.						Brick			
East Yard	T-14	30	40	2	Historic	Masonry	Misc.						Brick			
East Yard	T-14	30	40	1	Historic	Masonry	Misc.						Brick			
East Yard	T-15	10	20	2	Historic	Masonry	Misc.						Brick	Fragment		
East Yard	T-15	10	20	2	Historic	Masonry	Misc.						Brick	Fragment		
East Yard	T-15	20	30	3	Historic	Masonry	Misc.						Brick	Fragment		Half of a brick
East Yard	T-15	20	30	3	Historic	Masonry	Misc.						Brick	Fragment		Third of a brick
East Yard	T-15	20	30	3	Historic	Masonry	Misc.						Limestone	Fragment		
East Yard	T-15	20	30	4	Historic	Masonry	Misc.						Limestone	Fragment		
East Yard	T-15	20	30	4	Historic	Masonry	Misc.						Mortar	Fragment		
East Yard	T-15	30	40	1	Historic	Masonry	Misc.						Brick	Fragment		
East Yard	T-15	30	40	1	Historic	Masonry	Misc.						Brick	Fragment		
East Yard	T-15	30	40	1	Historic	Masonry	Misc.						Brick	Fragment		
East Yard	T-15	30	40	2	Historic	Masonry	Misc.						Limestone	Fragment		
East Yard	T-16	10	20	1	Historic	Masonry	Misc.						Brick	Fragment		
East Yard	T-16	10	20	3	Historic	Masonry	Misc.						Brick	Fragment		
East Yard	T-16	10	20	3	Historic	Masonry	Misc.						Mortar	Fragment		
East Yard	T-16	10	20	3	Historic	Masonry	Misc.						Mortar	Fragment		
East Yard	T-16	10	20	3	Historic	Masonry	Misc.						Limestone	Fragment		
East Yard	T-16	20	30	3	Historic	Masonry	Misc.						Brick	Fragment		
East Yard	T-16	20	30	3	Historic	Masonry	Misc.						Brick	Fragment		
East Yard	T-16	20	30	3	Historic	Masonry	Misc.						Brick	Fragment		
East Yard	T-16	20	30	3	Historic	Masonry	Misc.						Brick	Fragment		
East Yard	T-16	20	30	3	Historic	Masonry	Misc.						Brick	Fragment		
East Yard	T-16	20	30	2	Historic	Masonry	Misc.						Brick	Fragment		
East Yard	T-16	20	30	3	Historic	Masonry	Misc.						Limestone	Fragment		
East Yard	T-16	20	30	3	Historic	Masonry	Misc.						Limestone	Fragment		
East Yard	T-16	20	30	3	Historic	Masonry	Misc.						Limestone	Fragment		
East Yard	T-17	30	40	4	Historic	Masonry	Misc.						Brick	Fragment		
East Yard	T-17	30	40	1	Historic	Masonry	Misc.						Limestone	Fragment		
East Yard	T-17	30	40	1	Historic	Masonry	Misc.						Limestone	Fragment		
East Yard	T-17	40	50	2	Historic	Masonry	Misc.						Brick	Fragment		

Appendix 2. Inventory of Artifacts from Site 13FT152

Zone	Test Unit	Top Depth (cm)	Bottom Depth (cm)	Level	Affiliation	Category	Function	Type	Subtype 1	Subtype 2	Subtype 3	Processing	Material	Portion	Date Range	Notes
East Yard	T-17	40	50	1	Historic	Masonry	Misc.						Brick	Fragment		
East Yard	T-17	40	50	3	Historic	Masonry	Misc.						Brick	Fragment		
East Yard	T-17	50	60	3	Historic	Masonry	Misc.						Brick	Fragment		
East Yard	T-18	10	20	3	Historic	Masonry	Misc.						Brick	Fragment		
East Yard	T-18	10	20	4	Historic	Masonry	Misc.						Brick	Fragment		
East Yard	T-18	10	20	4	Historic	Masonry	Misc.						Brick	Fragment		
East Yard	T-19	20	30	4	Historic	Masonry	Misc.		Glazed				Mortar	Fragment		
East Yard	T-20	10	20	4	Historic	Masonry	Misc.						Brick	Fragment		
East Yard	T-20	10	20	4	Historic	Masonry	Misc.						Brick	Fragment		
East Yard	T-20	10	20	4	Historic	Masonry	Misc.						Brick	Fragment		
East Yard	T-20	10	20	1	Historic	Masonry	Misc.		Glazed				Brick	Fragment		
East Yard	T-20	10	20	2	Historic	Masonry	Misc.		Glazed				Brick	Fragment		
East Yard	T-20	10	20	4	Historic	Masonry	Misc.		Glazed				Brick	Fragment		
East Yard	T-20	10	20	4	Historic	Masonry	Misc.		Glazed				Brick	Fragment		
East Yard	T-21	10	20	5	Historic	Masonry	Misc.						Brick	Fragment		
East Yard	T-21	10	20	5	Historic	Masonry	Misc.						Brick	Fragment		
East Yard	T-21	10	20	5	Historic	Masonry	Misc.						Brick	Fragment		
East Yard	T-21	10	20	5	Historic	Masonry	Misc.						Brick	Fragment		
East Yard	T-21	10	20	3	Historic	Masonry	Misc.						Brick	Fragment		
East Yard	T-21	20	30	4	Historic	Masonry	Misc.						Brick	Fragment		
East Yard	T-21	20	30	4	Historic	Masonry	Misc.						Brick	Fragment		
East Yard	T-21	20	30	4	Historic	Masonry	Misc.						Brick	Fragment		
East Yard	T-21	20	30	1	Historic	Masonry	Misc.						Brick	Fragment		
East Yard	T-21	20	30	1	Historic	Masonry	Misc.						Brick	Fragment		
East Yard	T-21	20	30	1	Historic	Masonry	Misc.						Brick	Fragment		
East Yard	T-21	20	30	3	Historic	Masonry	Misc.		Glazed				Brick	Fragment		Refit
East Yard	T-21	20	30	3	Historic	Masonry	Misc.		Glazed				Brick	Fragment		Refit
East Yard	T-21	30	40	3	Historic	Masonry	Misc.		Glazed				Brick	Fragment		
East Yard	T-21	30	40	3	Historic	Masonry	Misc.						Brick	Fragment		
East Yard	T-21	30	40	1	Historic	Masonry	Misc.						Brick	Fragment		
East Yard	T-21	30	40	2	Historic	Masonry	Misc.						Brick	Fragment		
East Yard	T-21	30	40	3	Historic	Masonry	Misc.						Brick	Fragment		
East Yard	T-21	30	40	3	Historic	Masonry	Misc.						Brick	Fragment		
East Yard	T-22	10	20	3	Historic	Masonry	Misc.						Brick	Fragment		
East Yard	T-22	10	20	3	Historic	Masonry	Misc.						Brick	Fragment		
East Yard	T-23	20	30	3	Historic	Masonry	Misc.						Brick	Fragment		
East Yard	T-23	20	30	4	Historic	Masonry	Misc.						Brick	Fragment		
East Yard	T-23	20	30	4	Historic	Masonry	Misc.						Brick	Fragment		

Appendix 2. Inventory of Artifacts from Site 13FT152

Zone	Test Unit	Top Depth (cm)	Bottom Depth (cm)	Level	Affiliation	Category	Function	Type	Subtype 1	Subtype 2	Subtype 3	Processing	Material	Portion	Date Range	Notes
East Yard	T-23	20	30	4	Historic	Masonry	Misc.						Brick	Fragment		
East Yard	T-23	20	30	4	Historic	Masonry	Misc.						Limestone	Fragment		
North Outbuilding Yard	T-11	20	30	4	Historic	Botanical							Charcoal			
North Outbuilding Yard	T-13	30	40	4	Historic	Botanical							Wood charcoal			
East Yard	T-15	10	20	4	Historic	Metal			Nail	Cut Nail B			Iron	Fragment		
East Yard	T-15	20	30	4	Historic	Metal			Nail	Cut Nail B			Iron	Complete		
East Yard	T-15	20	30	4	Historic	Metal			Nail	Cut Nail B			Iron	Fragment		
East Yard	T-15	20	30	4	Historic	Metal			Nail	Cut Nail B			Iron	Fragment		
East Yard	T-15	30	40	2	Historic	Metal			Nail	Cut Nail B			Iron	Complete		
East Yard	T-15	30	40	2	Historic	Metal			Nail	Cut Nail B			Iron	Fragment		
East Yard	T-17	40	50	2	Historic	Metal			Nail	Cut Nail B			Metal	Complete		
East Yard	T-19	20	30	2	Historic	Metal	Hardware		Nail	Cut Nail B			Iron	Fragment		
East Yard	T-15	0	10	2	Historic	Metal			Nail	Wire			Iron	Complete		
East Yard	T-15	0	10	2	Historic	Metal			Nail	Wire			Iron	Complete		
East Yard	T-15	10	20	2	Historic	Metal			Nail	Wire			Iron	Complete		
East Yard	T-15	10	20	2	Historic	Metal			Nail	Wire			Iron	Complete		
East Yard	T-15	10	20	2	Historic	Metal			Nail	Wire			Iron	Complete		
East Yard	T-15	10	20	2	Historic	Metal			Nail	Wire			Iron	Complete		
East Yard	T-15	10	20	3	Historic	Metal			Nail	Wire			Iron	Fragment		
East Yard	T-15	20	30	3	Historic	Metal			Nail	Wire			Iron	Complete		
East Yard	T-15	20	30	3	Historic	Metal			Nail	Wire			Iron	Fragment		
East Yard	T-15	30	40	3	Historic	Metal			Nail	Wire			Iron	Complete		
East Yard	T-15	30	40	3	Historic	Metal			Nail	Wire			Iron	Complete		
East Yard	T-16	0	10	3	Historic	Metal	Hardware		Nail	Wire			Iron	Fragment		
East Yard	T-16	0	10	3	Historic	Metal	Hardware		Nail	Wire			Iron	Complete		
East Yard	T-16	0	10	3	Historic	Metal	Hardware		Nail	Wire			Iron	Complete		
East Yard	T-16	10	20	3	Historic	Metal			Nail	Wire			Metal	Complete		
North Outbuilding Yard	T-13	10	20	3	Historic	Ceramic	Domestic		Crockery	Redware	Salt-glazed			Body sherd		
North Outbuilding Yard	T-13	10	20	3	Historic	Ceramic	Domestic		Crockery	Redware	Salt-glazed			Body sherd		
East Yard	T-16	0	10	3	Historic	Misc.							Cinder	Fragment		
East Yard	T-16	10	20	3	Historic	Misc.							Cinder	Fragment		
East Yard	T-17	40	50	3	Historic	Misc.							Cinder	Fragment		

Appendix 2. Inventory of Artifacts from Site 13FT152

Zone	Test Unit	Top Depth (cm)	Bottom Depth (cm)	Level	Affiliation	Category	Function	Type	Subtype 1	Subtype 2	Subtype 3	Processing	Material	Portion	Date Range	Notes
East Yard	T-18	10	20	4	Historic	Metal	Hardware		Nail				Brick	Fragment		
North Outbuilding Yard	T-10	0	10	5	Historic	Ceramic		Domestic	Flower Pot?				Earthenware	Fragment		
East Yard	T-21	10	20	2	Historic	Misc.							Cinder			
East Yard	T-21	10	20	3	Historic	Misc.							Cinder			
North Outbuilding Yard	T-11	30	40	3	Historic	Ceramic		Domestic	Flower Pot?				Earthenware	Fragment		
North Outbuilding Yard	T-1	30	40	4	Historic	Ceramic		Domestic	Flower Pot?				Earthenware	Body sherd		Refit
North Outbuilding Yard	T-1	30	40	4	Historic	Ceramic		Domestic	Flower Pot?				Earthenware	Body sherd		Refit
North Outbuilding Yard	T-11	20	30	4	Historic	Ceramic			Flower Pot?				Earthenware	Fragment		
North Outbuilding Yard	T-12	20	30	4	Historic	Ceramic		Tableware	Saucer/Plate		Plain		Whiteware	Body sherd		Edge motif
North Outbuilding Yard	T-9	20	30	4	Historic	Ceramic			Tableware	Unidentifiable	Plain		Whiteware	Body sherd		
North Outbuilding Yard	T-8	10	20	5	Historic	Faunal		Subsistence	Avis	Gallus domesticus	Long bone			Mid-Shaft		
North Outbuilding Yard	T-12	30	40	5	Historic	Faunal	Subsistence	Mammal	Bos taurus	Tibia		Chop mark	Bone			Refits to
North Outbuilding Yard	T-12	40	50	4	Historic	Faunal	Subsistence	Mammal	Bos taurus	Tibia			Bone			Refits to
North Outbuilding Yard	T-13	40	50	4	Historic	Faunal	Subsistence	Mammal	Bos taurus				Bone			
North Outbuilding Yard	T-1	20	30	4	Historic	Faunal		Mammal	Unidentifiable	Longbone?						Burnt
North Outbuilding Yard	T-11	30	40	4	Historic	Faunal		Mammal	Large mammal	Long bone		Saw marks on both ends; cut		Fragment		

Appendix 2. Inventory of Artifacts from Site 13FT152

Zone	Test Unit	Top Depth (cm)	Bottom Depth (cm)	Level	Affiliation	Category	Function	Type	Subtype 1	Subtype 2	Subtype 3	Processing	Material	Portion	Date Range	Notes
North Outbuilding Yard	T-11	30	40	4	Historic	Faunal		Mammal	Unidentifiable							Refits to
North Outbuilding Yard	T-11	30	40	4	Historic	Faunal		Mammal	Unidentifiable							Refits to
North Outbuilding Yard	T-12	10	20	1	Historic	Faunal	Subsistence	Mammal	Unidentifiable			Saw mark				
North Outbuilding Yard	T-9	30	40	1	Historic	Faunal		Mammal	Large mammal	Unidentifiable						
North Outbuilding Yard	T-11	0	10	2	Historic	Faunal	Subsistence		Unidentifiable					Fragment		
North Outbuilding Yard	T-8	10	20	2	Historic	Glass		Container	Bottle				Aqua glass	Body shard		Burnt
North Outbuilding Yard	T-1	0	10	2	Historic	Glass		Container	Bottle				Clear glass	Body shard		
North Outbuilding Yard	T-10	0	10	2	Historic	Glass		Container	Bottle				Clear glass	Body shard		
North Outbuilding Yard	T-2	10	20	2	Historic	Glass		Container	Bottle				Clear glass	Body shard		
North Outbuilding Yard	T-3	0	10	2	Historic	Glass		Container	Bottle				Clear glass	Body shard		
North Outbuilding Yard	T-8	10	20	2	Historic	Glass		Container	Bottle				Clear glass	Body shard		
North Outbuilding Yard	T-11	30	40	2	Historic	Glass	Domestic	Container	Bottle				Green glass	Body shard		
North Outbuilding Yard	T-11	30	40	3	Historic	Glass	Domestic	Container	Bottle				Green glass	Body shard		
North Outbuilding Yard	T-11	30	40	3	Historic	Glass	Domestic	Container	Bottle				Green glass	Body shard		

Appendix 2. Inventory of Artifacts from Site 13FT152

Zone	Test Unit	Top Depth (cm)	Bottom Depth (cm)	Level	Affiliation	Category	Function	Type	Subtype 1	Subtype 2	Subtype 3	Processing	Material	Portion	Date Range	Notes
North Outbuilding Yard	T-1	20	30	3	Historic	Glass		Container	Bottle				Rootbeer glass	Body shard		Burnt
North Outbuilding Yard	T-9	20	30	3	Historic	Glass			Lantern	Chimney			Clear glass	Body shard	1784-present	
North Outbuilding Yard	T-1	10	20	3	Historic	Glass			Window				Clear glass	Body shard		
North Outbuilding Yard	T-1	10	20	3	Historic	Glass			Window				Clear glass	Body shard		
North Outbuilding Yard	T-10	20	30	3	Historic	Glass			Window				Clear glass	Body shard		
North Outbuilding Yard	T-11	20	30	3	Historic	Glass			Window				Clear glass	Fragment		
North Outbuilding Yard	T-11	30	40	3	Historic	Glass	Domestic		Window				Clear glass	Body shard		
North Outbuilding Yard	T-9	20	30	3	Historic	Glass			Window				Clear glass	Body shard		
North Outbuilding Yard	T-12	20	30	4	Historic	Glass	Domestic	Container					Clear glass	Body shard		
North Outbuilding Yard	T-13	30	40	4	Historic	Glass	Domestic	Container					Clear glass	Body shard		
North Outbuilding Yard	T-10	30	40	4	Historic	Masonry			Brick				Limestone	Fragment		
North Outbuilding Yard	T-10	30	40	4	Historic	Masonry							Limestone	Fragment		
North Outbuilding Yard	T-10	40	50	4	Historic	Masonry							Limestone			
North Outbuilding Yard	T-13	30	40	4	Historic	Masonry	Misc.						Limestone			

Appendix 2. Inventory of Artifacts from Site 13FT152

Zone	Test Unit	Top Depth (cm)	Bottom Depth (cm)	Level	Affiliation	Category	Function	Type	Subtype 1	Subtype 2	Subtype 3	Processing	Material	Portion	Date Range	Notes
North Outbuilding Yard	T-13	30	40	4	Historic	Masonry	Misc.						Limestone			
North Outbuilding Yard	T-13	40	50	4	Historic	Masonry	Misc.						Mortar	Fragment		
North Outbuilding Yard	T-5	20	30	1	Historic	Masonry							Mortar	Fragment		
North Outbuilding Yard	T-5	20	30	1	Historic	Metal			Nail	Common	Machine-cut B		Iron	Complete		
North Outbuilding Yard	T-10	30	40	1	Historic	Metal			Nail	Common	Machine-cut B		Iron	Fragment		
North Outbuilding Yard	T-11	0	10	1	Historic	Metal			Nail		Machine-cut B		Iron	Complete		
North Outbuilding Yard	T-11	0	10	2	Historic	Metal			Nail		Screw		Iron	Complete		
North Outbuilding Yard	T-1	10	20	2	Historic	Metal			Nail	Common	Unknown		Iron	Fragment		
North Outbuilding Yard	T-1	10	20	2	Historic	Metal			Nail	Common	Unknown		Iron	Fragment		
North Outbuilding Yard	T-1	10	20	2	Historic	Metal			Nail	Common	Unknown		Iron	Fragment		
North Outbuilding Yard	T-1	10	20	2	Historic	Metal			Nail	Common	Unknown		Iron	Fragment		
North Outbuilding Yard	T-10	40	50	2	Historic	Metal			Nail		Unknown		Iron	Complete		
North Outbuilding Yard	T-10	40	50	2	Historic	Metal			Nail		Unknown		Iron	Fragment		
North Outbuilding Yard	T-11	0	10	3	Historic	Metal			Nail		Unknown		Iron	Fragment		

Appendix 2. Inventory of Artifacts from Site 13FT152

Zone	Test Unit	Top Depth (cm)	Bottom Depth (cm)	Level	Affiliation	Category	Function	Type	Subtype 1	Subtype 2	Subtype 3	Processing	Material	Portion	Date Range	Notes
North Outbuilding Yard	T-11	20	30	3	Historic	Metal			Nail		Unknown		Iron	Complete		
North Outbuilding Yard	T-11	20	30	3	Historic	Metal			Nail		Unknown		Iron	Fragment		
North Outbuilding Yard	T-11	20	30	3	Historic	Metal			Nail		Unknown		Iron	Fragment		
North Outbuilding Yard	T-12	10	20	3	Historic	Metal			Nail		Unknown		Iron	Complete		
North Outbuilding Yard	T-12	10	20	3	Historic	Metal			Nail		Unknown		Iron	Complete		
North Outbuilding Yard	T-12	10	20	3	Historic	Metal			Nail		Unknown		Iron	Complete		
North Outbuilding Yard	T-12	20	30	3	Historic	Metal			Nail		Unknown		Iron	Fragment		
North Outbuilding Yard	T-12	20	30	4	Historic	Metal			Nail		Unknown		Iron	Fragment		
North Outbuilding Yard	T-13	20	30	4	Historic	Metal			Nail		Unkonwn		Metal	Complete		
North Outbuilding Yard	T-13	30	40	4	Historic	Metal			Nail		Unkonwn		Metal	Complete		Corroded mass around
North Outbuilding Yard	T-1	10	20	5	Historic	Metal			Nail	Roofing	Wire		Iron	Complete		
North Outbuilding Yard	T-1	10	20	5	Historic	Metal			Nail	Common	Wire		Iron	Fragment		
North Outbuilding Yard	T-10	20	30	5	Historic	Metal			Nail	Common	Wire		Iron	Complete		
North Outbuilding Yard	T-10	20	30	5	Historic	Metal			Nail	Common	Wire		Iron	Complete		

Appendix 2. Inventory of Artifacts from Site 13FT152

Zone	Test Unit	Top Depth (cm)	Bottom Depth (cm)	Level	Affiliation	Category	Function	Type	Subtype 1	Subtype 2	Subtype 3	Processing	Material	Portion	Date Range	Notes
North Outbuilding Yard	T-10	20	30	5	Historic	Metal			Nail	Roofing	Wire		Iron	Complete		
North Outbuilding Yard	T-10	30	40	6	Historic	Metal			Nail	Common	Wire		Iron	Complete		
North Outbuilding Yard	T-10	30	40	2	Historic	Metal			Nail	Common	Wire		Iron	Complete		
North Outbuilding Yard	T-10	30	40	2	Historic	Metal			Nail	Common	Wire		Iron	Complete		
North Outbuilding Yard	T-10	30	40	2	Historic	Metal			Nail	Common	Wire		Iron	Fragment		
North Outbuilding Yard	T-10	40	50	2	Historic	Metal			Nail	Common	Wire		Iron	Complete		Very large. 107 mm
North Outbuilding Yard	T-11	20	30	2	Historic	Metal			Nail		Wire		Iron	Complete		
North Outbuilding Yard	T-11	30	40	2	Historic	Metal		Hardware	Nail	Common	Wire		Iron			
North Outbuilding Yard	T-11	30	40	3	Historic	Metal		Hardware	Nail	Common	Wire		Iron			
North Outbuilding Yard	T-12	10	20	3	Historic	Metal			Nail		Wire		Iron	Complete		Large nail
North Outbuilding Yard	T-12	10	20	3	Historic	Metal			Nail		Wire		Iron	Complete		Large nail
East Yard	T-19	20	30	2	Historic	Metal	Hardware		Strap				Iron	Fragment		
North Outbuilding Yard	T-12	10	20	2	Historic	Metal			Nail		Wire		Iron	Complete		Large nail
North Outbuilding Yard	T-12	10	20	2	Historic	Metal			Nail		Wire		Iron	Fragment		
North Outbuilding Yard	T-12	10	20	2	Historic	Metal			Nail		Wire		Iron	Fragment		

Appendix 2. Inventory of Artifacts from Site 13FT152

Zone	Test Unit	Top Depth (cm)	Bottom Depth (cm)	Level	Affiliation	Category	Function	Type	Subtype 1	Subtype 2	Subtype 3	Processing	Material	Portion	Date Range	Notes
North Outbuilding Yard	T-2	0	10	2	Historic	Metal			Nail	Common	Wire		Iron	Fragment		
North Outbuilding Yard	T-9	20	30	2	Historic	Metal			Nail	Common	Wire		Iron	Complete		Very large.
North Outbuilding Yard	T-9	20	30	2	Historic	Metal			Nail	Common	Wire		Iron	Fragment		
North Outbuilding Yard	T-9	20	30	2	Historic	Metal			Nail	Common	Wire		Iron	Fragment		
North Outbuilding Yard	T-8	10	20	2	Historic	Metal			Nail	Common	Wire		Iron	Fragment		
North Outbuilding Yard	T-8	10	20	2	Historic	Metal			Nail	Common	Wire		Iron	Fragment		
North Outbuilding Yard	T-11	30	40	2	Historic	Metal		Structural	Barbed Wire				Iron	Fragment	1810-1900	
North Outbuilding Yard	T-10	10	20	2	Historic	Metal		Structural	Fencing Staple				Iron	Complete		
North Outbuilding Yard	T-11	20	30	3	Historic	Metal			Jewelry	Ring/Pin			Sterling silver	Complete		Severly bent.
North Outbuilding Yard	T-1	20	30	3	Historic	Metal			Screw				Iron	Complete		
North Outbuilding Yard	T-2	0	10	3	Historic	Metal			Unidentifiable				Aluminum	Fragment		
North Outbuilding Yard	T-1	30	40	3	Historic	Metal			Unidentifiable				Iron	Fragment		
North Outbuilding Yard	T-10	30	40	3	Historic	Metal			Unidentifiable				Iron	Fragment		
North Outbuilding Yard	T-12	20	30	2	Historic	Metal			Unidentifiable				Iron			

Appendix 2. Inventory of Artifacts from Site 13FT152

Zone	Test Unit	Top Depth (cm)	Bottom Depth (cm)	Level	Affiliation	Category	Function	Type	Subtype 1	Subtype 2	Subtype 3	Processing	Material	Portion	Date Range	Notes
North Outbuilding Yard	T-12	20	30	3	Historic	Metal			Unidentifiable				Iron			
North Outbuilding Yard	T-12	20	30	3	Historic	Metal			Unidentifiable				Iron			
North Outbuilding Yard	T-12	20	30	4	Historic	Metal			Unidentifiable				Iron			
North Outbuilding Yard	T-12	20	30	4	Historic	Metal			Unidentifiable				Iron			
North Outbuilding Yard	T-12	20	30	4	Historic	Metal			Unidentifiable				Iron			
North Outbuilding Yard	T-12	20	30	4	Historic	Metal			Unidentifiable				Iron			
North Outbuilding Yard	T-12	20	30	4	Historic	Metal			Unidentifiable				Iron			
North Outbuilding Yard	T-12	20	30	4	Historic	Metal			Unidentifiable				Iron			
North Outbuilding Yard	T-12	20	30	2	Historic	Metal			Unknown				Iron			
North Outbuilding Yard	T-13	20	30	2	Historic	Metal			Unknown				Metal	Fragment		
North Outbuilding Yard	T-12	10	20	3	Historic	Metal			Unknown				Iron	Fragment		
North Outbuilding Yard	T-11	10	20	3	Historic	Metal			Wire/Nail				Iron	Fragment		
North Outbuilding Yard	T-9	10	20	3	Historic	Metal			Wire/Nail?				Iron	Fragment		
North Outbuilding Yard	T-1	0	10	3	Historic	Misc.							Coal cinder			

Appendix 2. Inventory of Artifacts from Site 13FT152

Zone	Test Unit	Top Depth (cm)	Bottom Depth (cm)	Level	Affiliation	Category	Function	Type	Subtype 1	Subtype 2	Subtype 3	Processing	Material	Portion	Date Range	Notes
North Outbuilding Yard	T-10	0	10	3	Historic	Misc.		Building Debris	siding				Asbestos	Fragment		
North Outbuilding Yard	T-9	20	30	2	Historic	Misc.		Building Debris	siding				Asbestos			
North Outbuilding Yard	T-11	30	40	2	Historic	Misc.							Cinder			
North Outbuilding Yard	T-10	30	40	2	Historic	Misc.							Coal cinder			
North Outbuilding Yard	T-10	40	50	2	Historic	Misc.							Coal cinder			
North Outbuilding Yard	T-9	20	30	2	Historic	Misc.							Coal cinder			
North Outbuilding Yard	T-10	0	10		Historic	Misc.							Slag			
North Outbuilding Yard	T-11	20	30		Historic	Misc.							Slag			
North Outbuilding Yard	T-9	20	30		Historic	Misc.							Slag			
North Outbuilding Yard	T-10	30	40		Historic	Plastic		Fastener	Button				Bakelite	Complete		One hole, reddish-brown, twelve teeth surrounding the center.
North Outbuilding Yard	T-10	10	20		Historic	Plastic	Unidentifiable	Unidentifiable					Off-white	Fragment		
North Outbuilding Yard	T-2	0	10		Historic	Plastic	Unidentifiable	Unidentifiable					White	Fragment		

Appendix 3: Supplemental Site Form

IOWA ARCHAEOLOGICAL SITE FORM

Office of the State Archaeologist
700 Clinton Street Building
University of Iowa
Iowa City, Iowa 52242-1030

Site Number: 13FT152
County: FAYETTE
Name/Field No.: Montauk Historic Site
New Form: Supplemental:

I. SITE TYPE INFORMATION

II. CULTURAL MATERIALS: 13FT152

III. GEOGRAPHIC INFORMATION 13FT152

Integrity: excellent good poor completely destroyed unknown

IV. INVESTIGATION INFORMATION 13FT152

Recorder(s)

<u>Name</u>	<u>Address</u>
Finn, Nurit G.	Wapsi Valley Archaeology, Inc.
Finn, Daniel M.	Wapsi Valley Archaeology, Inc.
Finn, Michael R.	Wapsi Valley Archaeology, Inc.

Start Date of Investigation: 8/16/2022

Level of Investigation: Phase I

Recommendations: Avoidance

National Register Eligibility Recommendation: Eligible for NR under criteria A, B, C, D

V. VERBAL DESCRIPTION 13FT152

Location: Provide a verbal description of how to locate the site, including distances and direction.

This information must be sufficiently detailed to permit accurate site relocation. If possible, include permanent landmarks, roadways, and distances.

The site lies west of Highway 18 immediately north of Clermont, Iowa, at the Montauk Historic Site and Museum at 26223 Harding Road, Clermont, IA 52135.

Site Description: Describe the site and include dimensions, features, nature and content of artifacts and concentrations, extent and location of disturbances, etc.

Phase I archaeological survey was completed at Site 13FT152 at the Montauk Historic Site. The survey focused on an area north of the outbuildings (North Outbuilding Yard), in the east yard of the mansion (East Yard), and along a utility corridor (Utility Corridor). Auger testing results suggest that intact archaeological deposits may be present in both the North Outbuilding Yard and the East Yard, the former containing a high density of artifacts adjacent to extant outbuildings. An intact stratigraphic sequence also appears to be present in the East Yard, though artifacts consisted mainly of brick, limestone, and mortar likely associated with the initial construction of the Montauk estate. No artifacts were found in the Utility Corridor. Avoidance of the North Outbuilding Yard and East Yard areas is recommended, or Phase II testing to evaluate the significance of these portions of Site 13FT152. No additional archaeological investigations are recommended for the Utility Corridor area.

END OF ADDENDUM #2