

REQUEST FOR BID SUBMISSION DOCUMENT

RFB COVER SHEET

Administrative Information:

TITLE OF RFB:	4 DIFFERENT FORK TRUCKS	RFB #:	836
	IOWA STATE (PRISON) INDUSTRIES 406 North High Street, PO Box 430 Anamosa, IA 52205		
ISI seeks to purchase:	4 DIFFERENT FORK TRUCKS - total of 7 fork trucks to be purchased		
Purchasing Agent: RUTHIE MOSSER			
Name:	Iowa State (Prison) Industries		
Mailing Address:	Office of Purchasing 406 North High Street Anamosa, IA 52205		
Phone:	319-462-3706		
Email:	ruthanne.mosser@iastind.state.ia.us		
FAX:	319-462-2158		

PROCUREMENT TIMETABLE—Event or Action:	Date/Time (Central Time):
ISI Posts Notice of RFB on TSB website	04/22/2019
ISI Posts RFB at www.iaprisonind.com	04/24/2019
ISI Posts Terms & Conditions, addendas and other relevant documents at www.iaprisonind.com	04/24/2019
Bids Due	05/10/2019 4:00 pm
Questions due in writing to Ruthanne.mosser@iowa.gov NO PHONE CALLS ACCEPTED	05/03/2019
Anticipated Date to execute contract	05/31/2019
Number of Copies of Bids Required to be Submitted: BOTH TO THE ADDRESS ABOVE	2
Bid Security, if any:	\$0
Firm Bid Terms	minimum # of days:
Minimum Number of Days following the deadline for submitting bids that the Contractor guarantees all bid terms, including price, will remain firm:	365
Anticipated Date to issue Letter of Intent to Award	05/31/2019

Section 1 Introduction & Administrative Information

1.1 Purpose

The purpose of this Request for Bid is to solicit bids from qualified providers to provide the goods and/or services identified on the RFB cover sheet and in the attached specification and delivery instructions. Any contract(s) resulting from the RFB shall not be an exclusive contract.

1.2 Instructions to Bidder

All submission requirements for this Request for Bid will be identified within this **Request for Bid Submission Document**.

1.3 Procurement Timetable

The dates provided in the procurement timetable on the RFB cover sheet are provided for informational and planning purposes; however, Iowa State (Prison) Industries reserves the right to change the dates. If Iowa State (Prison) Industries changes any of the deadlines for Vendor submissions, Iowa State (Prison) Industries will issue Addenda to the RFB. Bidders are advised to check the IPI website for such addenda postings.

1.4 Submission of Bids

Iowa State (Prison) Industries must receive the Bid at the Purchasing Agent's address identified on the RFB Cover Sheet before or on the bid due date listed on the RFB cover sheet. **This is a mandatory requirement and will not be waived by Iowa State (Prison) Industries. Electronic mail and faxed Bids will not be accepted.**

Contractors must furnish all information necessary to evaluate the Bid. Bid that fail to meet the mandatory requirements of the RFB may be disqualified. Verbal information provided by the Contractor shall not be considered part of the Contractor's Bid unless it is reduced to writing.

If a Contractor proposes more than one method of meeting these requirements, each shall be labeled and submitted separately. Each will be evaluated separately.

The costs of preparation and delivery of the Bid are solely the responsibility of the contractor.

All bids shall become the property of ISI and shall not be returned.

1.5 Bid Opening

Iowa State (Prison) Industries will open Bids after the deadline for submission of Bids has passed. The Bids will remain confidential until the Evaluation Committee has reviewed all of the Bids submitted in response to this RFB and Iowa State (Prison) Industries has announced a notice of intent to award a contract. See Iowa Code Section 72.3. The names of Contractors who submitted timely Bids will be publicly available after the Bid opening. The announcement of Contractors who timely submitted Bids does not mean that an individual Bid has been deemed technically compliant or accepted for evaluation.

1.6 Rejection of Bids

Iowa State (Prison) Industries reserves the right to reject any or all Bids, in whole and in part, received in response to this RFB at any time prior to the execution of a written contract. Issuance of this RFB in no way constitutes a commitment by Iowa State (Prison) Industries to award a contract.

1.7 Acceptance of Terms and Conditions

The Contractor shall specifically agree that the Bid is predicated upon the acceptance of all terms and conditions stated in the RFB. If the Contractor objects to any term or condition, the Contractor must specifically refer to the RFB page, and section. Objections or responses that materially alter the RFB may be deemed non-responsive and disqualify the Contractor.

1.8 Certification Letter

The Contractor shall sign and submit with the Bid the document included as **Attachment #1 (Certification Letter)** in which the Contractor shall make the certifications included in Attachment #1.

1.9 Authorization to Release Information

The Contractor shall sign and submit with the Bid the document included as **Attachment #2 (Authorization to Release Information Letter)** in which the Contractor authorizes the release of information to Iowa State (Prison) Industries.

1.10 Firm Bid Terms

By submitting a response to this RFB the Contractor guarantees the availability of the goods and/or services offered and that all Bid terms, including price, will remain firm a minimum of 120 days following the deadline for submitting Bids.

SECTION 2 SPECIFICATIONS AND TECHNICAL REQUIREMENTS

2.1 Specifications

SEE SPECIFICATIONS LISTED ON THE PRICE SHEET AND POSTED ON IPI WEBSITE

2.2 Overview

The successful Contractor shall provide the goods and/or services to Iowa State (Prison) Industries and to Buyers issuing Purchase Instruments against the Resulting Contract in accordance with the technical specifications defined on the specification/technical data sheet or on the RFB Price Sheet included in this bid package. Bids must identify any deviations from the requirements of this RFB or requirements the Contractor cannot satisfy. Any deviations from the requirements of Section 2 or any requirement of other Sections that the Contractor cannot satisfy may disqualify the Contractor.

There are two types of requirements addressed in these specifications:

- **Mandatory Requirements:** A successful Contractor must be able to satisfy all these requirements to be deemed a Responsible Contractor.
- **Scored Technical Requirements:** Bids which pass the Mandatory Requirements review will be reviewed by the evaluation committee and scored in accordance with the evaluation criteria. Compliance with the Scored Technical Requirements is also mandatory.

The successful Contractor shall be obligated to provide all goods and/or services specified in this Section.

2.3 Mandatory Requirements:

1. RFB must be sealed and received on or before the due date stated.
2. Price Sheet(s) must be fully completed and signed.
3. Certification Letter (Attachment #1) must be completed and signed.
4. Authorization to Release Information Letter (Attachment #2) must be completed and signed.
3. Compliance with Scored Technical Requirements.

2.4 Scored Technical Requirements

All items listed below are mandatory Scored Technical Requirements. They will be evaluated and scored by the evaluation committee. All requirements must be met and there will be a minimum score required for Contractors to be deemed responsive and responsible.

1. Quality
2. Price
3. Delivery
4. Payment Terms

Attachment # 1
Certification Letter

[Date]

Ruthie Mosser, Purchasing Agent
Iowa State (Prison) Industries
406 North High Street
PO Box 430
Anamosa, IA 52205

Re: Request for Bid Number **836**
BID CERTIFICATIONS

Dear Ms. Mosser:

I certify that the contents of the Bid submitted on behalf of _____ in response to Iowa State (Prison) Industries for Bid Number 836 for FORK TRUCKS are true and accurate. I also certify that _____ has not made any knowingly false statements in its Bid.

Certification of Independence

By submitting a Bid in response to Iowa State (Prison) Industries Request for Bid Number 836 for ALUMINUM (RFB), I certify the following:

1. The Bid has been developed independently, without consultation, communication or agreement with any employee or consultant to Iowa State (Prison) Industries who has worked on the development of this RFB, or with any person serving as a member of the evaluation committee.
2. The Bid has been developed independently, without consultation, communication or agreement with any other Contractor or parties for the purpose of restricting competition.
3. Unless otherwise required by law, the information found in the Bid has not been knowingly disclosed and will not be knowingly disclosed prior to the award of the contract, directly or indirectly, to any other Contractor.
4. No attempt has been made or will be made by _____ to induce any other Contractor to submit or not to submit a Bid for the purpose restricting competition.
5. No relationship exists or will exist during the contract period between _____ and Iowa State (Prison) Industries that interferes with fair competition or as a conflict of interest.

Certification Regarding Debarment

6. I certify that, to the best of my knowledge, _____ and all of its principals: (a) are not presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from covered transactions by a Federal Agency or State Agency; (b) have not within a three year period preceding this Bid been convicted of, or had a civil judgment rendered against them from commission of fraud, or a criminal offense in connection with obtaining, attempting to obtain, or performing a public (federal, state, or local) transaction or contract under a public transaction, violation of antitrust statutes or commission of embezzlement, theft, forgery, falsification or destruction of records, making false statements, or receiving stolen property; (c) are not presently indicted for or other criminally or civilly charged by a government entity (federal, state, or local) with the commission of any of the offenses

enumerated in (b) of this certification; and (d) have not within a three year period preceding this Bid had one or more public transactions (federal, state, or local) terminated for cause.

This certification is a material representation of fact upon which Iowa State (Prison) Industries has relied upon when this transaction was entered into. If it is later determined that the undersigned knowingly rendered an erroneous certification, in addition to other remedies available, Iowa State (Prison) Industries may pursue available remedies including suspension, debarment, or termination of the contract.

Certification Regarding Registration, Collection, and Remission of Sales and Use Tax

7. Pursuant to Iowa Code sections 423.2(10) & 423.5(8) (2005 Code Supp.) a retailer in Iowa or a retailer maintaining a business in Iowa that enters into a contract with a state agency must register, collect, and remit Iowa sales tax and Iowa use tax levied under Iowa Code chapter 423 on all sales of tangible personal property and enumerated services. The Act also requires Contractors to certify their compliance with sales tax registration, collection, and remission requirements and provides potential consequences if the certification is false or fraudulent.

By submitting a Bid in response to Iowa State (Prison) Industries Request for Bid Number 836 for raw materials for the manufacturing of plastic bags (RFB), the undersigned certifies the following: (check the applicable box)

- _____ is registered with the Iowa Department of Revenue, collects, and remits Iowa sales and use taxes as required by Iowa Code chapter 432; or
- _____ is not a "retailer" or a "retailer maintaining a place of business in this state" as those terms are defined in Iowa Code subsections 423.1(42) & (43).

_____ also acknowledges that Iowa State (Prison) Industries may declare the _____ bid or resulting contract void if the above certification is false. The _____ also understands that fraudulent certification may result in Iowa State (Prison) Industries or its representative filing for damages for breach of contract.

Sincerely,

[Name and Title]

Attachment #2
Authorization to Release Information Letter

[Date]

Ruthie Mosser
Iowa State (Prison) Industries
406 North High Street
PO Box 430
Anamosa, IA 52205

Re: Request for Bid Number 836
AUTHORIZATION TO RELEASE INFORMATION

Dear Ms. Mosser:

_____ hereby authorizes the **Iowa State (Prison) Industries** or a member of the Evaluation Committee to obtain information regarding its performance on other contracts, agreements or other business arrangements, its business reputation, and any other matter pertinent to evaluation and the selection of a successful Contractor in response to Request for Bid Number 836.

The Contractor acknowledges that it may not agree with the information and opinions given by such person or entity in response to a reference request. The Contractor acknowledges that the information and opinions given by such person or entity may hurt its chances to receive contract awards from Iowa State (Prison) Industries or may otherwise hurt its reputation or operations. The Contractor is willing to take that risk.

The Contractor hereby releases, acquits and forever discharges the State of Iowa, Iowa State (Prison) Industries, their officers, directors, employees and agents from any and all liability whatsoever, including all claims, demands and causes of action of every nature and kind affecting the undersigned that it may have or ever claim to have relating to information, data, opinions, and references obtained by Iowa State (Prison) Industries or the Evaluation Committee in the evaluation and selection of a successful Contractor in response to Request for Bid Number 836.

The Contractor authorizes representatives of Iowa State (Prison) Industries or the Evaluation Committee to contact in any and all of the persons, entities, and references which are, directly or indirectly, listed, submitted, or referenced in the undersigned's Bid submitted in response to Request for Bid Number 836.

The Contractor further authorizes any and all persons, entities to provide information, data, and opinions with regard to the undersigned's performance under any contract, agreement, or other business arrangement, the undersigned's ability to perform, the undersigned's business reputation, and any other matter pertinent to the evaluation of the undersigned. The undersigned hereby releases, acquits and forever discharges any such person or entity and their officers, directors, employees and agents from any and all liability whatsoever, including all claims, demands and causes of action of every nature and kind affecting the undersigned that it may have or ever claim to have relating to information, data, opinions, and references supplied to Iowa State (Prison) Industries or the Evaluation Committee in the evaluation and selection of a successful Contractor in response to Request for Bid Number 836.

A photocopy or facsimile of this signed Authorization is as valid as an original.

Sincerely,

[Printed Name of Contractor Organization]

[Name and Title of Authorized Representative]

Date

REQUEST FOR BID

State of Iowa
IOWA STATE INDUSTRIES

P.O. Box 430 – 406 North High Street
 Anamosa, Iowa 52205-0430

All inquiries should be directed to

RUTHIE MOSSER, PURCHASING AGENT

Phone 319-462-3706
 Fax No. 319-462-2158
ruthanne.mosser@iowa.gov

Complete this form per enclosed instructions. Must be received in a sealed envelope. No Email or Faxed Bids will be allowed. Bids must be received by 4:00 PM on 05/10/2019

BID MUST BE SUBMITTED ON THIS FORM. FORM MUST BE SIGNED AND RETURNED WITH ANY SUPPORTING DOCUMENTATION.

THIS IS NOT AN ORDER

Qty.	Units	Description of Item	Item Price	Amount
<p>THIS IS A BID FOR FOUR DIFFERENT FORK TRUCKS – MUST BE EQUAL TO OR THE SAME AS THE FOLLOWING. EACH MODEL HAS TWO PAGES OF SPECIFICATIONS/TECHNICAL DATA.</p> <p>We would like a straight purchase price and a lease proposal with a maintenance program included.</p> <p>1/1A – DOOSAN GC25S-9 – 1 each – This one must be propane. DELIVERY TO ROCKWELL CITY, IOWA</p> <p>THE FOLLOWING ARE ALL TO BE DELIVERED TO ANAMOSA, IA</p> <p>2/2A – DOOSAN B20X-7 - 4 each 3/3A – CLARK MODEL ECX20 – 1 each 4/4A - DOOSAN D33S-7 – 1 each</p> <p>IF BIDDING OTHER THAN THE ABOVE MENTIONED MODELS, SPECIFICICATIONS/TECHNICAL DATA SHEETS WITH PICTURES MUST BE INCLUDED WITH THE BID</p>				
<p>IOWA STATE INDUSTRIES RESERVES THE RIGHT TO REJECT ANY AND ALL BIDS</p>				

It is not the intent of the office of purchasing to rule out competition in the specifications so listed.

Bids from other manufacturer's standard unit of production will be accepted; However, any deviations must be noted. Preference: By virtue of statutory authority, a preference given to products and provisions grown and coal produced within the state of Iowa. Preference application: Tied responses to solicitations, regardless of the type of solicitation, decided in favor of Iowa products and Iowa-based businesses per 11 IAC 105.5(1)-(2), 105.12(4).

We agree to make shipment in _____ Days.

Terms _____

F.O.B. ROCKWELL
CITY/ANAMOSA

 Authorized Signature

 EMAIL ADDRESS

 Firm Name

 Address

 City/State/Zip Code

 Phone No.

 Fax No.


SPECIAL INSTRUCTIONS TO BIDDERS

- THIS IS NOT AN ORDER.**
- Each item must be priced separately.
- All prices should be on a delivered basis – if not, bidder must show F.O.B. point.
- Show unit of measure i.e. – 'Doz' or 'each'.
- All items in this form must be filled in.
- Bidder agrees that if awarded a contract to supply any part of the above listed material, bidder will not engage in any discriminatory employment practices based upon race, color, creed, religion or national origin and that they will in all contracts comply with all statutes of the State of Iowa against discrimination. Failure to do so could be deemed a breach of contract.

Delivery to Rockwell City, VA

①

**New Doosan GC255-9
Cushion Tire Rider Truck - 5,000 Lbs. Base Capacity @ 24" Load Center
FEATURES AND BENEFITS**



- * 5,000 lb capacity
- * 2.5L GCT engine
- * Ergonomically placed hydraulic controls
- * Hydrostatic Steer axle
- * Fewer recommended service intervals
- * Oil cooled disc brakes
- * Operator sensing system
- * Agile in confined spaces
- * Rear grab bar with horn
- * Full suspension safety seat
- * Heavy duty cooling system
- * High visibility mast
- * Hydraulic sideshifter
- * Ergonomic steering column

Productivity

- 5-Year Oil Cooled Disc Brake Life
- Optimized Cooling System
- Heavy duty hydrostatic steer axle
- Superior components

Excellent Serviceability

- Easy to access service areas
- Well-positioned components make service a breeze
- Quick access to battery, air filter, oil filters, dipsticks & level indicators
- Well-placed LED display keeps operators informed

Advanced Safety Features

- Operator Sensing System - (OSS)
- Electronic parking brake
- Improved visibility
- Operator optimized display location
- Rear grab handle w/horn
- Back-up alarm, large mirrors & 2 front/1 rear flood

Tires

- 21 X 7 X 15 Narrow Drive Tires
- 16 X 5 X 10.5 Smooth Steer Tires

1A

SPECIFICATIONS

189" Maximum Fork Height	41" Fork Length
84" Overall Height Lowered	38" Wide ITA Class II Carriage <u>with Sideshifter</u>
5 Degree max back tilt	

New Doosan GC25S-9
2 yr Standard Warranty (up to 3,000 hrs)
3 yr Powertrain Warranty (up to 6,000 hrs)
5 yr Brake Warranty (up to 10,000 hrs)

QTY	DESCRIPTION	SALE PRICE	EXTENDED PRICE
1	Doosan GC25S-9 Freight FOB: Buford, GA		
<i>If this purchase is tax exempt, please include proof of exemption with purchase order or at time of signing our quotation designating an order for the equipment.</i>			

Recommended Options

DESCRIPTION	PRICE
Amber Strobe Light	Included
Back-Up Alarm	Included

Lease Information - True Lease

Finance Amount :		
Term:		Subject to Credit Approval
Running Hours 500 per Year		Rate does NOT include applicable
Monthly Payment:		sales tax or freight
Full Maintenance:	Monthly	
Overtime Hours:		

LTR With Full Manetnance

Terms & Conditions

- * This quotation is good for 30 days
- * Terms: ,
- * Freight: -
- * Delivery is **approx.**

Accepted By: (Company Name) _____

By: _____ Title: _____
(signature of Authorized Officer or Representative Required)

Quotation Submitted By: _____
(Sales Representative)



Re: Quay to Anamosa, IA

**New Doosan B20X-7
Electric 4-Wheel Truck - 4,000 Lbs. Base Capacity @ 24" Load Center**

FEATURES AND BENEFITS

- * 4,000 lb capacity
- * 48 Volt
- * Extended maintenance intervals
- * AC drive and hydraulics
- * Oil cooled disc brakes
- * Curtis controller
- * Optimized steer angle
- * Convenience tray
- * Rounded counterweight design
- * Enclosed drive & pump motor



Maximum Safety & Stability in Operation

- Unlimited Ramp Hold
- Automatic Speed Control
- Battery discharge Indicator
- Mast Lowering Inter-Lock
- Mast Tilt Lock
- Quiet & Smooth Operation
- Neutral Safety Switch
- Seat Belt Indicator
- Brake Oil Level Indicator
- OSS (Operator Sensing System)
- Turtle Mode

Operator Compartment

- Ergonomic Interior Design
- Easy to Control
- Easy of Access Ensures Maximum Safety
- Easy and Instinctive Instrument Panel

Optimum Visibility & Safety

- Panoramic Mirror
- Rear Grab Handle
- Neatly Arranged Hydraulic Hoses
- Head Lights

Tires

- 200x50-10 Drive (Solid)
- 16x6-8 Steer (Solid)

2A

SPECIFICATIONS

130" Maximum Fork Height	41" Fork Length
85" Overall Height Lowered	38" Wide Class II Carriage with Sideshifter
65" Free Lift	

New Doosan B20X-7
2 yr Standard Warranty (up to 3,000 hrs)
3 yr Power train Warranty (up to 6,000 hrs)
5 yr Brake Warranty (up to 10,000 hrs)

QTY	DESCRIPTION	SALE PRICE	EXTENDED PRICE
1	Doosan B20X-7		
1	Industrial Battery		
1	Industrial Charger		

Freight FOB: Buford, GA

If this purchase is tax exempt, please include proof of exemption with purchase order or at time of signing our quotation designating an order for the equipment.

Less Trade of uyour Nissan Model: CWPO2L25S / SN CWPO2-9C206

Recommended Options

DESCRIPTION	PRICE
Backup Alarm	Included
Amber Strobe Light	Included

Lease Information - True Lease

Finance Amount :		
Term:	60 Months	Subject to Credit Approval
Running Hours 500 per Year		Rate does NOT include applicable
Monthly Payment:		sales tax or freight
Full Maintenance		Over-Time Usage \$2.50

Rental LTR Full Maintenance

Terms & Conditions

- * This quotation is good for 30 days
- * Terms: :
- * Freight: -
- * This quote does **not** include state sales tax if applicable.
- * Delivery

Accepted By: (Company Name) _____

By: _____
(signature of Authorized Officer or Representative Required)

Title: _____

Quotation Submitted By: _____
(Sales Representative)



3

Delivery to Anamosa, IA

**New Clark Model ECX20
Cushion Tire Rider Truck - 4,000 Lbs. Base Capacity @ 24" Load Center
FEATURES AND BENEFITS**

- * 4,000 lb capacity
- * 100% AC Technology
- * Fully adjustable / programmable
- * Low step height provides excellent head room, easier on and off the truck
- * Overhead guard w/(2) rear posts
- * Low overhead guard height-easier trailer access
- * Maximum Visibility + Minimum Fatigue = Ultimate Safety & Product Integrity
- * Highly Maneuverable, Easily Serviceable, Broadly Flexible, Extremely Dependable



Proven Drive Axles

Clark ED30
Utilizes Durable Helical Gears

Rugged Cast Steer Axle

Maximum Protection

Rugged Upright and Carriage

Hydraulic Cushioning Valves
Shimmable, Sealed & Canted Load Rollers

Rugged Upright and Carriage

Hydraulic Cushioning Valves
Shimmable, Sealed & Canted Load Rollers

100% AC Motors

Fewer Parts & Minimum Wear = Less Downtime and Cost = Higher ROI
No Brushes to Change or Commutator to Turn... Ever
Heavy-Duty, High Torque Drive Motor
Stall Protection

Traction Control

Fully Programmable
Speed Limiting
Controlled Descent
Ramp Start

Operator Compartment

Low Step Height
Clark Safety Seat
Visibility

Dash Display

Parking Brake Reminder
Back-Lit
Battery Discharge Indicator

Tires

21 x 8 x 15 Smooth cushion rubber-Drive
16 x 6 x 10.5

3A

SPECIFICATIONS

240" Maximum Fork Height	42" Fork Length
89" Lowered Mast Height	37" Wide ITA Class II Carriage <u>with Sideshifter</u>
89" Overall OHG Height	
64" Free Lift	

New Clark ECX20 - Warranty Two Year / 4,000 Hour Protection

QTY	DESCRIPTION	SALE PRICE	EXTENDED PRICE
1	ECX20		
1	Industrial Battery (1000 amp)		
1	Industrial Charger		

Freight FOB: Lexington, KY

If this purchase is tax exempt, please include proof of exemption with purchase order or at time of signing our quotation designating an order for the equipment.

Recommended Options

DESCRIPTION	PRICE
Blue Light	Included
Back-Up Alarm / Amber Strobe Light	Included

Lease Information - True Lease

Finance Amount :		Subject to Credit Approval
Term:	60 Months	Rate does NOT include applicable sales tax or freight
Running Hours 500 per Year		
Monthly Payment:		
Overtime Hours		
Full Maintenance		
LTR with Full Maintenance		

Terms & Conditions

- * This quotation is good for 30 days
- * Terms:
- * Freight:
- * This quote does **not** include state sales tax if applicable.
- * Delivery

Accepted By: (Company Name) _____

By: _____
(signature of Authorized Officer or Representative Required)

Title: _____

Quotation Submitted By: _____
(Sales Rep)



Delivered to Anamosa, IA

4

**New Doosan D33S-7
Pneumatic Tire Rider Truck - 8,000 Lbs. Base Capacity @ 24" Load Center
FEATURES AND BENEFITS**

- * 6,000 lb Capacity
- * DOOSAN 2.4L D24A Diesel Engine
- * Operator Sensing System (OSS)
- * New Counterweight Design Allows Better Airflow To Maximize Cooling Capacity
- * Powerful Engine
- * Hydrostatic Steeraxle
- * Ergonomic Steering Column
- * New Instrument Panel
- * Rigid Drive-Axle With ODB (Oil-Cooled Disc Brakes)
- * Maintenance-Friendly Design
- * Head Lights, Rear Work Light & Combo Lights (LED)



Outstanding Productivity & Durability

High Power, Fuel Efficient Engine
Oil-cooled Disc Brakes (ODB)
Powershift Transmission
Dual Element Cyclone Air Cleaner
Enhanced Cooling System
ECO Mode
Limp Home Mode (LHM)
Undershield & Engine Guard
Visibility Through Mast

Superb Ergonomics

Excellent Visibility
Intuitive Instrument Panel
Fully Adjustable Operator Space
Ergonomic Design
Rear Grab Bar With Horn
Entry Assist Bar
Anti-Slip Stepping Plate

Serviceability

Easy To Access:

Engine Hood Opens With Ease
Hood Opens Wide With Plenty Of Space
Locking Gas Spring
Removable Floor Mat & Plate

Easy To Service:

Optimized Location For Maintenance: Battery, Air Cleaner
Filters, Dipstick Gauges
CANbus Communication
Junction Box: Integration Of Fuses & Relays

Tires

8.15-15, Solid Drive Tire (NO FLATS)
6.50-10, Solid Steer Tires (NO FLATS)



(Sales Representative)

Quotation Submitted By: _____

(signature of Authorized Officer or Representative Required)

By: _____

Title: _____

Accepted By: (Company Name) _____

- * This quotation is good for 30 days
- * Terms:
- * Freight
- * This quote does not include state sales tax if applicable.
- * Delivery

Terms & Conditions

Finance Amount : _____
 Term: 60 Months
 Running Hours 500 per Year
 Monthly Payment: _____
 Over-Time Usage
 Full Maintenance
 Rentan LTR Full Maintenance

Subject to Credit Approval
 Rate does NOT include applicable sales tax or freight

Lease Information - True Lease

DESCRIPTION
 Back-Up Alarm
 Amber Strone Light
 Included
 Included
 PRICE

Recommended Options

Less Trade in of your Daewoo Model: G355 / SN 21-01205
 signing our quotation designating an order for the equipment.
 If this purchase is tax exempt, please include proof of exemption with purchase order or at time of

Freight FOB: Buford, GA

QTY	DESCRIPTION	SALE PRICE	EXTENDED PRICE
1	Doosan D355-7	\$	

New Doosan D355-7
 2 yr Standard Warranty (up to 3,000 hrs)
 3 yr Powertrain Warranty (up to 6,000 hrs)
 5 yr Brake Warranty (up to 10,000 hrs)

167" Maximum Fork Height
 53" Fork Length
 44" Wide ITA Class III Carriage with Sideshifter
 118" Overall Height Lowered
 3 Degree max back tilt
 6" Free Lift

SPECIFICATIONS

48