

CONSTRUCTION EQUIPMENT

U.S. PRICE LIST

COMPACTION

PL-200 CM SAP REVISION 21

EFFECTIVE JANUARY 1, 2017

Below is a list of Family(s) and Model(s) that are included in this price list.

Compaction

DV23
DV26
DV36
DV45
DV209D
DV210D

Copyright 2017 By

CNH Industrial America LLC

DV23 DOUBLE DRUM VIBRATORY ROLLER
US PRICE LIST

Standard Equipment

ENGINE:

Yanmar 3TNV88
Tier 4 Interim certified
Horsepower
-31Hp (23 kW) @ 2400 RPM
Fuel tank capacity: 10.5 gallons (40 L)

OPERATOR STRUCTURE:

Foldable ROPS
Iso-mounted operator's platform
Instrument panel with vandal guard
Lateral shifting suspension seat with
-Vinyl
-2" retractable seatbelt
-Handrails
Single lever control with
-Ground speed and direction
-Vibration on/off control

DRUM AND CHASSIS:

Articulated chassis
Hydrostatic drive (both drums)
39" wide x 27.5" diameter with
-Chamfered drum edges
Drum drive motors
-Poclain drum drive motors with
fixed displacement
Hydraulic oil cooler
Dual frequency vibration (hi/lo)
Dual drum vibration selections
-Front drum only
-Both drums
-Auto vibration stop in neutral
Adjustable Vulcollon scrapers
-2 x scrapers per drum
Recessed drum drive motors
Isolated rubber drum mounts

TRANSMISSION:

Variable displacement axial piston
drive pump

ELECTRICAL:

Batteries - 1 x 12V @ 760 CCA
Master disconnect switch
Fuse protection cover

WATER SYSTEM:

Polyethylene water tank
Single water tank
- 53 gallon (200 L)
Pressurized sprinkler system
Adjustable sprinkler volume control
Two-stage water filtration
Water tank drain
Sprinkler system on/off switch

OTHER:

SAHR service brake
Multi disc parking/emergency brake
Back-up alarm
Lift and tie downs
Horn
Hour meter
Emergency stop button
Spin on fuel, engine oil and hydraulic
filters
Toolbox
Tilt open engine enclosure hood with
gas strut assist (lockable)
Indicator lights:
-Battery
-Engine Oil Pressure
-Intake pre-heater
-Engine temperature
-Parking brake on/off
-Hydraulic oil temperature
-Low fuel indicator
-Worklight indicator
-Turn signal indicator
-Fuel gauge
-Operator hours



**DV23 DOUBLE DRUM VIBRATORY ROLLER
US PRICE LIST**

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
DV23	5,400 LB		\$52,758.00
DV23CC	5,400 LB		\$56,028.00

**DV23 DOUBLE DRUM VIBRATORY ROLLER
US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

LANGUAGE

SD_47083 OPERATOR'S MANUAL

	786819	English literature		No Charge
	786829	French Canadian literature		No Charge
	786830	Spanish literature		No Charge

ADDITIONAL EQUIPMENT CPC

SD_30048 ROTATING BEACON

	X30048X	No Rotating Beacon		(\$400.00)
	786059	Rotating Beacon		No Charge

SD_R5400 CAB WITH HEAT & VENTILATION

	423337	No Canopy - Enclosure		No Charge
	423338	Weather Canopy Not FOPS Certified		\$1,100.00
	423476	Rops / Fops Steel Canopy		\$2,411.00

SD_R5405 SEAT BELT

	XR5405X	Standard Seatbelt 2" wide retractable seatbelt		(\$242.00)
	423460	3" wide retractable seatbelt		No Charge

SD_R5406 DRUM SCRAPERS

	423472	Fixed Drum Scraper		No Charge
	423473	Tilttable Drum Scrapers		\$1,085.00
	449507	Tilttable Drum Scraper - Combi Drum scraper on front roller only		\$543.00

SD_R5408 INFARED THERMOMETER

	XR5408X	No Infrared Thermometer		No Charge
	423483	Infrared Thermometer		\$1,200.00

SD_R5409 EDGE CUTTER

	XR5409X	No Edge Cutter		No Charge
	423477	Edge Cutter		\$7,624.00

**DV23 DOUBLE DRUM VIBRATORY ROLLER
US PRICE LIST**

SD_R5417 ADDITIONAL WORKLIGHTS

		XR5417X	No Additional Worklights			(\$275.00)
		423488	Road Lights (2 Front, 2 Rear)			No Charge
		423436	Road Lights/Signals/Flashers 2 Front and 1 Rear Road Light, Turn Signals and Flashers			\$300.00

SD_R5423 TRACTION ASSIST

		423405	No Traction Assist			No Charge
		423341	Traction Assist			\$1,708.00

SD_R5424 ADDITIONAL WORK LIGHT

		XR5424X	No Additional Work Lights			No Charge
		423342	Additional Work Lights (ROPS) 2 lights on ROPS Cannot be taken with Weather Canopy (423338)			\$475.00

SD_R5427 ARM REST

		XR5427X	No Arm Rests on Seat			No Charge
		423343	Arm Rests on Seat			\$185.00

SD_R5428 DRIVE LEVER

		423344	Right Side Drive Lever			No Charge
		423345	Right & Left Side Drive Lever			\$800.00

SD_R5430 DRUM ALIGNMENT

		423349	Inline Drum			No Charge
		423348	Offset Drum			No Charge

SD_R5431 HEATED OPERATOR SEAT

		XR5431X	Standard Operator Seat			No Charge
		423435	Heated Operator Seat			\$500.00

SD_R5435 INTELLIGENT COMP

		XR5435X	No Ace Force			No Charge
		449490	Ace Force Measurement system			\$1,996.00

SD_R5438 LOCKABLE CAP

		XR5438X	No Lockable Water Tank Cap			No Charge
		449501	Lockable Water Tank Cap			\$51.00

DV26 DOUBLE DRUM VIBRATORY ROLLER
US PRICE LIST

Standard Equipment

ENGINE:

Yanmar 3TNV88
Tier 4 Interim certified
Horsepower
-31Hp (23 kW) @ 2400 RPM
Fuel tank capacity: 10.5 gallons (40 L)

OPERATOR STRUCTURE:

Foldable ROPS
Iso-mounted operator's platform
Instrument panel with vandal guard
Lateral shifting suspension seat with
-Vinyl
-2" retractable seatbelt
-Handrails
Single lever control with
-Ground speed and direction
-Vibration on/off control

DRUM AND CHASSIS:

Articulated chassis
Hydrostatic drive (both drums)
47.2" wide x 27.5" diameter with
-Chamfered drum edges
Drum drive motors
-Poclain drum drive motors with
fixed displacement
Hydraulic oil cooler
Dual frequency vibration (hi/lo)
Dual drum vibration selections
-Front drum only
-Both drums
-Auto vibration stop in neutral
Adjustable Vulcollon scrapers
-2 x scrapers per drum
Recessed drum drive motors
Isolated rubber drum mounts

TRANSMISSION:

Variable displacement axial piston
drive pump

ELECTRICAL:

Batteries - 1 x 12V @ 760 CCA
Master disconnect switch
Fuse protection cover

WATER SYSTEM:

Polyethylene water tank
Single water tank
-53 gallon (200 L)
Pressurized sprinkler system
Adjustable sprinkler volume control
Two-stage water filtration
Water tank drain
Sprinkler system on/off switch

OTHER:

SAHR service brake
Multi disc parking/emergency brake
Back-up alarm
Lift and tie downs
Horn
Hour meter
Emergency stop button
Spin on fuel, engine oil and hydraulic
filters
Toolbox
Tilt open engine enclosure with
gas strut assist (lockable)
Indicator lights:
-Battery
-Engine Oil Pressure
-Intake pre-heater
-Engine temperature
-Parking brake on/off
-Hydraulic oil temperature
-Low fuel indicator
-Worklight indicator
-Turn signal indicator
-Fuel gauge
-Operator hours



**DV26 DOUBLE DRUM VIBRATORY ROLLER
US PRICE LIST**

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
DV26	5,842 LB		\$55,527.00
DV26CC	10,296 LB		\$59,487.00

**DV26 DOUBLE DRUM VIBRATORY ROLLER
US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

LANGUAGE

SD_47083 OPERATOR'S MANUAL

	786819	English literature		No Charge
	786829	French Canadian literature		No Charge
	786830	Spanish literature		No Charge

ADDITIONAL EQUIPMENT CPC

SD_30048 ROTATING BEACON

	X30048X	No Rotating Beacon		(\$400.00)
	786059	Rotating Beacon		No Charge

SD_R5400 CAB WITH HEAT & VENTILATION

	423337	No Canopy - Enclosure		No Charge
	423338	Weather Canopy Not FOPS Certified		\$1,100.00
	423476	Rops / Fops Steel Canopy		\$2,411.00

SD_R5405 SEAT BELT

	XR5405X	Standard Seatbelt 2" wide retractable seatbelt		(\$242.00)
	423460	3" wide retractable seatbelt		No Charge

SD_R5406 DRUM SCRAPERS

	423472	Fixed Drum Scraper		No Charge
	423473	Tilttable Drum Scrapers		\$1,085.00
	449507	Tilttable Drum Scraper - Combi Drum scraper on front roller only		\$543.00

SD_R5408 INFARED THERMOMETER

	XR5408X	No Infrared Thermometer		No Charge
	423483	Infrared Thermometer		\$1,200.00

SD_R5409 EDGE CUTTER

	XR5409X	No Edge Cutter		No Charge
	423477	Edge Cutter		\$7,624.00

**DV26 DOUBLE DRUM VIBRATORY ROLLER
US PRICE LIST**

SD_R5417 ADDITIONAL WORKLIGHTS

		XR5417X	No Additional Worklights			(\$275.00)
		423488	Road Lights (2 Front, 2 Rear)			No Charge
		423436	Road Lights/Signals/Flashers 2 Front and 1 Rear Road Light, Turn Signals and Flashers			\$300.00

SD_R5423 TRACTION ASSIST

		423405	No Traction Assist			No Charge
		423341	Traction Assist			\$1,708.00

SD_R5424 ADDITIONAL WORK LIGHT

		XR5424X	No Additional Work Lights			No Charge
		423342	Additional Work Lights (ROPS) 2 lights on ROPS Cannot be taken with Weather Canopy (423338)			\$475.00

SD_R5427 ARM REST

		XR5427X	No Arm Rests on Seat			No Charge
		423343	Arm Rests on Seat			\$185.00

SD_R5428 DRIVE LEVER

		423344	Right Side Drive Lever			No Charge
		423345	Right & Left Side Drive Lever			\$800.00

SD_R5430 DRUM ALIGNMENT

		423349	Inline Drum			No Charge
		423348	Offset Drum			No Charge

SD_R5431 HEATED OPERATOR SEAT

		XR5431X	Standard Operator Seat			No Charge
		423435	Heated Operator Seat			\$500.00

SD_R5435 INTELLIGENT COMP

		XR5435X	No Ace Force			No Charge
		449490	Ace Force Measurement system			\$1,996.00

SD_R5438 LOCKABLE CAP

		XR5438X	No Lockable Water Tank Cap			No Charge
		449501	Lockable Water Tank Cap			\$51.00

DV36 DOUBLE DRUM VIBRATORY ROLLER
US PRICE LIST

Standard Equipment

ENGINE:

Yanmar 4TNV88
Tier 4 Interim certified
Horsepower
- 41 Hp (30 kW) @ 2400 RPM
Fuel tank capacity: 15.6 gallons (59 L)

OPERATOR STRUCTURE:

Foldable ROPS
Iso-mounted operator's platform
Instrument panel with vandal guard
Lateral shifting suspension seat with
-Vinyl
-2" retractable seatbelt
-Handrails
Single lever control with
-Ground speed and direction
-Vibration on/off control

DRUM AND CHASSIS:

Articulated chassis
Hydrostatic drive (both drums)
51.2" wide x 33.5" diameter with
-Chamfered drum edges
Drum drive motors
-Poclain drum drive motors with
fixed displacement
Hydraulic oil cooler
Dual frequency vibration (hi/lo)
Dual drum vibration selections
-Front drum only
-Both drums
-Auto vibration stop in neutral
Adjustable Vulcollon scrapers
-2 x scrapers per drum
Recessed drum drive motors
Isolated rubber drum mounts

TRANSMISSION:

Variable displacement axial piston
drive pump

ELECTRICAL:

Batteries - 1 x 12V @ 760 CCA
Master disconnect switch
Fuse protection cover

WATER SYSTEM:

Polyethylene water tank
Single water tank
- 92.5 gallon (350 L)
Pressurized sprinkler system
Adjustable sprinkler volume control
Two-stage water filtration
Water tank drain
Sprinkler system on/off switch

OTHER:

SAHR service brake
Multi disc parking/emergency brake
Back-up alarm
Lift and tie downs
Horn
Hour meter
Emergency stop button
Spin on fuel, engine oil and hydraulic
filters
Toolbox
Tilt open engine enclosure hood with
gas strut assist (lockable)
Indicator lights:
-Battery
-Engine Oil Pressure
-Intake pre-heater
-Engine temperature
-Parking brake on/off
-Hydraulic oil temperature
-Low fuel indicator
-Worklight indicator
-Turn signal indicator
-Fuel gauge
-Operator hours



**DV36 DOUBLE DRUM VIBRATORY ROLLER
US PRICE LIST**

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
DV36	9,840 LB		\$70,674.00

**DV36 DOUBLE DRUM VIBRATORY ROLLER
US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

LANGUAGE

SD_47083 OPERATOR'S MANUAL

	786819	English literature		No Charge
	786829	French Canadian literature		No Charge
	786830	Spanish literature		No Charge

ADDITIONAL EQUIPMENT CPC

SD_30048 ROTATING BEACON

	X30048X	No Rotating Beacon		(\$400.00)
	786059	Rotating Beacon		No Charge

SD_R5400 CAB WITH HEAT & VENTILATION

	423337	No Canopy - Enclosure		No Charge
	423338	Weather Canopy Not FOPS Certified		\$1,100.00
	423476	Rops / Fops Steel Canopy		\$2,411.00

SD_R5405 SEAT BELT

	XR5405X	Standard Seatbelt 2" wide retractable seatbelt		(\$242.00)
	423460	3" wide retractable seatbelt		No Charge

SD_R5406 DRUM SCRAPERS

	423472	Fixed Drum Scraper		(\$510.00)
	423473	Tilttable Drum Scrapers		No Charge

SD_R5408 INFARED THERMOMETER

	XR5408X	No Infrared Thermometer		No Charge
	423483	Infrared Thermometer		\$1,200.00

SD_R5409 EDGE CUTTER

	XR5409X	No Edge Cutter		No Charge
	423477	Edge Cutter		\$7,624.00

SD_R5417 ADDITIONAL WORKLIGHTS

	XR5417X	No Additional Worklights		(\$275.00)
	423488	Road Lights (2 Front, 2 Rear)		No Charge

**DV36 DOUBLE DRUM VIBRATORY ROLLER
US PRICE LIST**

		423436	Road Lights/Signals/Flashers 2 Front and 1 Rear Road Light, Turn Signals and Flashers			\$300.00
--	--	--------	---	--	--	----------

SD_R5423 TRACTION ASSIST

		423405	No Traction Assist			No Charge
		423341	Traction Assist			\$1,708.00

SD_R5424 ADDITIONAL WORK LIGHT

		XR5424X	No Additional Work Lights			No Charge
		423342	Additional Work Lights (ROPS) 2 lights on ROPS Cannot be taken with Weather Canopy (423338)			\$475.00

SD_R5427 ARM REST

		XR5427X	No Arm Rests on Seat			(\$185.00)
		423343	Arm Rests on Seat			No Charge

SD_R5428 DRIVE LEVER

		423344	Right Side Drive Lever			No Charge
		423345	Right & Left Side Drive Lever			\$800.00

SD_R5431 HEATED OPERATOR SEAT

		XR5431X	Standard Operator Seat			No Charge
		423435	Heated Operator Seat			\$500.00

SD_R5435 INTELLIGENT COMP

		XR5435X	No Ace Force			No Charge
		449490	Ace Force Measurement system			\$1,996.00

SD_R5438 LOCKABLE CAP

		XR5438X	No Lockable Water Tank Cap			No Charge
		449501	Lockable Water Tank Cap			\$51.00

DV45 DOUBLE DRUM VIBRATORY ROLLER
US PRICE LIST

Standard Equipment

ENGINE:

Yanmar 4TNV88
Tier 4 Interim certified
Horsepower
-41 Hp (30 kW) @ 2400 RPM
Fuel tank capacity: 15.6 gallons (59 L)

OPERATOR STRUCTURE:

Foldable ROPS
Iso-mounted operator's platform
Instrument panel with vandal guard
Lateral shifting suspension seat with
-Vinyl
-2" retractable seatbelt
-Handrails
Single lever control with
-Ground speed and direction
-Vibration on/off control

DRUM AND CHASSIS:

Articulated chassis
Hydrostatic drive (both drums)
54.3" wide x 33.5" diameter with
-Chamfered drum edges
Drum drive motors
-Poclain drum drive motors with
fixed displacement
Hydraulic oil cooler
Dual frequency vibration (hi/lo)
Dual drum vibration selections
-Front drum only
-Both drums
-Auto vibration stop in neutral
Adjustable Vulcollon scrapers
-2 x scrapers per drum
Recessed drum drive motors
Isolated rubber drum mounts

TRANSMISSION:

Variable displacement axial piston
drive pump

ELECTRICAL:

Batteries - 1 x 12V @ 760 CCA
Master disconnect switch
Fuse protection cover

WATER SYSTEM:

Polyethylene water tank
Single water tank
- 92.5 gallons (350 L)
Pressurized sprinkler system
Adjustable sprinkler volume control
Two-stage water filtration
Water tank drains
Sprinkler system on/off switch

OTHER:

SAHR service brake
Multi disc parking/emergency brake
Back-up alarm
Lift and tie downs
Horn
Hour meter
Emergency stop button
Spin on fuel, engine oil and hydraulic
filters
Toolbox
Tilt open engine enclosure hood with
gas strut assist (lockable)
Indicator lights:
-Battery
-Engine Oil Pressure
-Intake pre-heater
-Engine temperature
-Parking brake on/off
-Hydraulic oil temperature
-Low fuel indicator
-Worklight indicator
-Turn signal indicator
-Fuel gauge
-Operator hours



**DV45 DOUBLE DRUM VIBRATORY ROLLER
US PRICE LIST**

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
DV45	10,296 LB		\$78,117.00
DV45CC	10,296 LB		\$82,352.00

**DV45 DOUBLE DRUM VIBRATORY ROLLER
US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

LANGUAGE

SD_47083 OPERATOR'S MANUAL

	786819	English literature		No Charge
	786829	French Canadian literature		No Charge
	786830	Spanish literature		No Charge

ADDITIONAL EQUIPMENT CPC

SD_30048 ROTATING BEACON

	X30048X	No Rotating Beacon		(\$400.00)
	786059	Rotating Beacon		No Charge

SD_R5400 CAB WITH HEAT & VENTILATION

	423337	No Canopy - Enclosure		No Charge
	423338	Weather Canopy Not FOPS Certified		\$1,100.00
	423476	Rops / Fops Steel Canopy		\$2,411.00

SD_R5405 SEAT BELT

	XR5405X	Standard Seatbelt 2" wide retractable seatbelt		(\$242.00)
	423460	3" wide retractable seatbelt		No Charge

SD_R5406 DRUM SCRAPERS

	423472	Fixed Drum Scraper		(\$1,085.00)
	423473	Tilttable Drum Scrapers		No Charge
	449507	Tilttable Drum Scraper - Combi Drum scraper on front roller only		(\$543.00)

SD_R5408 INFARED THERMOMETER

	XR5408X	No Infrared Thermometer		No Charge
	423483	Infrared Thermometer		\$1,200.00

SD_R5409 EDGE CUTTER

	XR5409X	No Edge Cutter		No Charge
	423477	Edge Cutter		\$7,624.00

**DV45 DOUBLE DRUM VIBRATORY ROLLER
US PRICE LIST**

SD_R5417 ADDITIONAL WORKLIGHTS

		XR5417X	No Additional Worklights			(\$275.00)
		423488	Road Lights (2 Front, 2 Rear)			No Charge
		423436	Road Lights/Signals/Flashers 2 Front and 1 Rear Road Light, Turn Signals and Flashers			\$300.00

SD_R5423 TRACTION ASSIST

		423405	No Traction Assist			No Charge
		423341	Traction Assist			\$1,708.00

SD_R5424 ADDITIONAL WORK LIGHT

		XR5424X	No Additional Work Lights			No Charge
		423342	Additional Work Lights (ROPS) 2 lights on ROPS Cannot be taken with Weather Canopy (423338)			\$475.00

SD_R5427 ARM REST

		XR5427X	No Arm Rests on Seat			(\$185.00)
		423343	Arm Rests on Seat			No Charge

SD_R5428 DRIVE LEVER

		423344	Right Side Drive Lever			No Charge
		423345	Right & Left Side Drive Lever			\$800.00

SD_R5431 HEATED OPERATOR SEAT

		XR5431X	Standard Operator Seat			No Charge
		423435	Heated Operator Seat			\$500.00

SD_R5435 INTELLIGENT COMP

		XR5435X	No Ace Force			No Charge
		449490	Ace Force Measurement system			\$1,996.00

SD_R5438 LOCKABLE CAP

		XR5438X	No Lockable Water Tank Cap			No Charge
		449501	Lockable Water Tank Cap			\$51.00

**DV209D T4 FINAL DOUBLE DRUM COMPACTOR
US PRICE LIST**

Standard Equipment

ENGINE:

Deutz TCD 3.6 L4
Tier 4 Final certified
Horsepower
-100 Hp (74 kW)
Fuel tank capacity: 55 gallons (210 L)
SCR tank capacity: 5.8 gallons (22 L)

OPERATOR STRUCTURE:

Fixed ROPS/FOPS canopy
Iso-mounted operator's platform
In-steering wheel instrument panel
Adjustable steering column
Multi position suspension seat
-Foldable armrests
-Vinyl
-Handrails
Single lever control
-Ground speed and direction
-Vibration on/off control
-Water system on/off
Tool Box

DRUMS AND CHASSIS:

Articulated chassis
Hydrostatic drive (both drums)
Drum width: 66 in (1680 MM)
Drum diameter: 48 in (1220 MM)
-Machined tapered drum edges
Drum offset 7 in
(170 MM)
Drum drive motor
-Variable displacement axial
piston type drum drive pump
Hydraulic oil cooler
Dual frequency vibration (hi/lo)
Dual drum vibration modes
-Front drum only/both drums
-Auto vibration stop in neutral
-Tapered vibration start and stop
Adjustable Fixed Vulcollon scrapers
-2 x scrapers per drum
Recessed drum drive motors
Isolated rubber drum mounts
-Each drum x 6 per side

TRANSMISSION:

Variable displacement axial piston
drive pump

WEIGHT:

Operating Weight 21,080 lbs
(9,560 kg)
Front Drum Weight 10,520 lbs
(4,770 kg)
Rear Drum Weight 10,560 lbs
(4,790 kg)

VIBRATION:

Hydraulic circuit type - closed
Gear type pump
Fixed displacement
Two hydraulic motors
Vibration Eccentric
Frequency - Std
-Low 2520 vpm (42 Hz)
-High 3300 vpm (55 Hz)
Rated amplitude
-Low .013 in (0.33 MM)
-High .028 in (0.7 MM)
Centrifugal force
-Low 15,737 lbs (70 kN)
-High 18,884 lbs (84 kN)
Frequency - High
-Low 2760 vpm (46 Hz)
-High 4020 vpm (67 Hz)
Rated amplitude
-Low .009 in (0.23 MM)
-High .024 in (0.62 MM)
Centrifugal force
-Low 15,737 lbs (70 kN)
-High 21,806 lbs (97 kN)

ELECTRICAL:

Batteries - 1 x 12V @ 420 CCA
Master disconnect switch
Fuse protection cover
Turn signals and four-way flashers

DV209D T4 FINAL DOUBLE DRUM COMPACTOR US PRICE LIST
--

Standard Equipment

WATER SYSTEM:

- Polyethylene water tank
- Water tank
 - 222 gallons (840 L) - front
- Pressurized sprinkler system
- Two water pumps
- Adjustable sprinkler volume control
- Three-stage water filtration
- Water tank drain
- Sprinkler system on/off switch
- Corrosion proof tank
- Dual fill port tank

STEERING:

- Pump type: gear
- Steering cylinders: 2
- Angle maximum (left and right)
 - 31 degrees
- Oscillation angle + or - 6 degrees
- Inner turning radius 17.9 ft (5470 mm)

OTHER:

- 3" Seat Belt
- SAHR service brake
- Multi disc parking/emergency brake
- Halogen worklights x 4
 - (55 watt/front and rear)
- Turn signal and four way flashers
- Backup alarm
- Lift and tie downs
- Horn
- Hour meter
- Emergency stop button
- Spin on fuel, engine oil and hydraulic filters
- Toolbox
- Indicator lights:
 - Battery
 - Engine Oil Pressure
 - Intake pre-heater
 - Engine temperature
 - Parking brake on/off
 - Sprinkler system on/off
 - Water tank level
 - Fuel level
 - Turn signal



**DV209D T4 FINAL DOUBLE DRUM COMPACTOR
US PRICE LIST**

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
DV209D T4 FINAL	21,080 LBS		\$177,643.00
DV209D T4 FINAL HF	21,080 LBS		\$183,433.00
Includes the following Equipment High Frequency Drum Vibrat (423434) \$5,790.00			
DV209CD T4 FINAL HF			\$185,163.00
Includes the following Equipment High Freq Drum Vibration C (449511) \$7,520.00			

**DV209D T4 FINAL DOUBLE DRUM COMPACTOR
US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

LANGUAGE

SD_47083 OPERATOR'S MANUAL

		786819	English literature			No Charge
		786829	French Canadian literature			No Charge
		786830	Spanish literature			No Charge

OPERATOR'S PROTECTIVE STRUCTURE

SD_R5400 CAB WITH HEAT & VENTILATION

		423476	Rops / Fops			No Charge
		449491	Cab with Heat			\$6,067.00

SD_05126 AIR CONDITIONING

		X05126X	No Cab Air Conditioning			No Charge
		423461	Cab Air Conditioning			\$4,108.00
			Requires 449491 Cab with Heat			

SD_R5419 RADIO MOUNTING

		XR5419X	No Radio Mounting			No Charge
		423437	Radio Mounting			\$537.00
			Preinstalled radio mounting group (includes: two speakers, antenna, no radio)			
			Requires 449491 Cab with Heat			

INTELLIGENT COMPACTION

SD_R5416 PRINTER

		XR5416X	No Printer			No Charge
		423486	Printer for Ace Force			\$1,127.00

SD_R5435 INTELLIGENT COMP

		XR5435X	No Ace Force			No Charge
		449500	Ace Force Intell. Comp. Meter			\$6,674.00

**DV209D T4 FINAL DOUBLE DRUM COMPACTOR
US PRICE LIST**

ADDITIONAL EQUIPMENT CPC

SD_30048 ROTATING BEACON

		X30048X	No Rotating Beacon			(\$243.00)
		786059	Rotating Beacon			No Charge

SD_R5408 INFARED THERMOMETER

		XR5408X	No Infrared Thermometer			No Charge
		423483	Infrared Thermometer			\$1,421.00

SD_R5409 EDGE CUTTER

		XR5409X	No Edge Cutter			No Charge
		449492	Edge Cutter Righthand Side 45°			\$5,027.00
		449493	Edge Cutter Righthand Side 60°			\$5,027.00
		449494	Edge Cutter RH & LH Side 45°			\$7,454.00
		449495	Edge Cutter RH & LH Side 60°			\$7,454.00

SD_R5412 MIRROR

		XR5412X	No Mirror			No Charge
		449496	Rear View Mirror			\$364.00

SD_R5417 ADDITIONAL WORKLIGHTS

		XR5417X	No Additional Worklights			No Charge
		449497	360 Degree Night Illumination			\$2,127.00
		449512	360 Degree Night Illum. Combi			\$1,260.00

SD_R5424 ADDITIONAL WORK LIGHT

		XR5424X	No Additional Work Lights			No Charge
		449498	LED Work Lights			\$2,548.00

SD_R5436 SUN PROTECTIVE FOIL

		XR5436X	No Sun Protective Cab Glass			No Charge
		449499	Sun Protective Cab Glass			\$1,300.00

TELEMATICS

SD_R5433 TELEMATICS ON BOARD

		XR5433X	No Telematics			No Charge
		449354	CASE SiteWatch Telematics			\$942.00
			To order Service Subscription contact Service Parts			

**DV210D T4 FINAL DOUBLE DRUM COMPACTOR
US PRICE LIST****Standard Equipment****ENGINE:**

Deutz TCD 3.6 L4
Tier 4 Final certified
Horsepower
-100 Hp (74 kW)
Fuel tank capacity: 55 gallons (210 L)
SCR tank capacity: 5.8 gallons (22 L)

OPERATOR STRUCTURE:

Fixed ROPS/FOPS canopy
Iso-mounted operator's platform
In-steering wheel instrument panel
Adjustable steering column
Multi position suspension seat
-Foldable armrests
-Vinyl
-Handrails
Single lever control
-Ground speed and direction
-Vibration on/off control
-Water system on/off
Tool Box

DRUMS AND CHASSIS:

Articulated chassis
Hydrostatic drive (both drums)
Drum width: 66 in (1680 MM)
Drum diameter: 48" in (1220 MM)
-Machined tapered drum edges
Drum offset 7 in
(170 MM)
Drum drive motor
-Variable displacement axial
piston type drum drive pump
Hydraulic oil cooler
Dual frequency vibration (hi/lo)
Dual drum vibration modes
-Front drum only/both drums
-Auto vibration stop in neutral
-Tapered vibration start and stop
Adjustable Fixed Vulcollon scrapers
-2 x scrapers per drum
Recessed drum drive motors
Isolated rubber drum mounts
-Each drum x 6 per side

TRANSMISSION:

Variable displacement axial piston
drive pump

WEIGHT:

Operating Weight 22,930 lbs
(10,400 kg)
Front Drum Weight 11,490 lbs
(5,210 kg)
Rear Drum Weight 11,440 lbs
(5,190 kg)

VIBRATION:

Hydraulic circuit type - closed
Gear type pump
Fixed displacement
Two hydraulic motors
Vibration Eccentric
Frequency - Std
-Low 2520 vpm (42 Hz)
-High 3120 vpm (52 Hz)
Rated amplitude
-Low .014 in (0.35 mm)
-High .032 in (0.82 mm)
Centrifugal force
-Low 17,535 lbs (78 kN)
-High 26,977 lbs (120 kN)
Frequency - High
-Low 2760 vpm (46 Hz)
-High 4020 vpm (67 Hz)
Rated amplitude
-Low .009 in (0.22 mm)
-High .024 in (0.60 mm)
Centrifugal force
-Low 18,434 lbs (82 kN)
-High 23,605 lbs (105 kN)

ELECTRICAL:

Batteries - 1 x 12V @ 420 CCA
Master disconnect switch
Fuse protection cover
Turn signals and four-way flashers

DV210D T4 FINAL DOUBLE DRUM COMPACTOR US PRICE LIST
--

Standard Equipment

WATER SYSTEM:

- Polyethylene water tank
- Water tank
 - 222 gallons (840 L) - front
- Pressurized sprinkler system
- Two water pumps
- Adjustable sprinkler volume control
- Three-stage water filtration
- Water tank drain
- Sprinkler system on/off switch
- Corrosion proof tank
- Dual fill port tank

STEERING:

- Pump type: gear
- Steering cylinders: 2
- Angle maximum (left and right)
 - 31 degrees
- Oscillation angle + or - 6 degrees
- Inner turning radius 17.9 ft (5470 mm)

OTHER:

- 3" Seat Belt
- SAHR service brake
- Multi disc parking/emergency brake
- Halogen worklights x 4
 - (55 watt/front and rear)
- Turn signal and four way flashers
- Backup alarm
- Lift and tie downs
- Horn
- Hour meter
- Emergency stop button
- Spin on fuel, engine oil and hydraulic filters
- Toolbox
- Indicator lights:
 - Battery
 - Engine Oil Pressure
 - Intake pre-heater
 - Engine temperature
 - Parking brake on/off
 - Sprinkler system on/off
 - Water tank level
 - Fuel level



**DV210D T4 FINAL DOUBLE DRUM COMPACTOR
US PRICE LIST**

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
DV210D T4 FINAL	22,930 LBS		\$183,707.00
DV210D T4 FINAL HF	22,930 LBS		\$189,670.00
Includes the following Equipment High Frequency Drum Vibrat (423434) \$5,963.00			
DV210CD T4 FINAL HF	21,080 LBS		\$191,227.00
Includes the following Equipment High Freq Drum Vibration C (449511) \$7,520.00			

**DV210D T4 FINAL DOUBLE DRUM COMPACTOR
US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

LANGUAGE

SD_47083 OPERATOR'S MANUAL

		786819	English literature			No Charge
		786829	French Canadian literature			No Charge
		786830	Spanish literature			No Charge

OPERATOR'S PROTECTIVE STRUCTURE

SD_R5400 CAB WITH HEAT & VENTILATION

		423476	Rops / Fops			No Charge
		449491	Cab with Heat			\$6,067.00

SD_05126 AIR CONDITIONING

		X05126X	No Cab Air Conditioning			No Charge
		423461	Cab Air Conditioning			\$4,108.00
			Requires 449491 Cab with Heat			

SD_R5419 RADIO MOUNTING

		XR5419X	No Radio Mounting			No Charge
		423437	Radio Mounting			\$537.00
			Preinstalled radio mounting group (includes: two speakers, antenna, no radio)			
			Requires 449491 Cab with Heat			

INTELLIGENT COMPACTION

SD_R5416 PRINTER

		XR5416X	No Printer			No Charge
		423486	Printer for Ace Force			\$1,127.00

SD_R5435 INTELLIGENT COMP

		XR5435X	No Ace Force			No Charge
		449500	Ace Force Intell. Comp. Meter			\$6,674.00

**DV210D T4 FINAL DOUBLE DRUM COMPACTOR
US PRICE LIST**

ADDITIONAL EQUIPMENT CPC

SD_30048 ROTATING BEACON

		X30048X	No Rotating Beacon			(\$243.00)
		786059	Rotating Beacon			No Charge

SD_R5408 INFARED THERMOMETER

		XR5408X	No Infrared Thermometer			No Charge
		423483	Infrared Thermometer			\$1,421.00

SD_R5409 EDGE CUTTER

		XR5409X	No Edge Cutter			No Charge
		449492	Edge Cutter Righthand Side 45°			\$5,027.00
		449493	Edge Cutter Righthand Side 60°			\$5,027.00
		449494	Edge Cutter RH & LH Side 45°			\$7,454.00
		449495	Edge Cutter RH & LH Side 60°			\$7,454.00

SD_R5412 MIRROR

		XR5412X	No Mirror			No Charge
		449496	Rear View Mirror			\$364.00

SD_R5417 ADDITIONAL WORKLIGHTS

		XR5417X	No Additional Worklights			No Charge
		449497	360 Degree Night Illumination			\$2,127.00
		449512	360 Degree Night Illum. Combi			\$1,260.00

SD_R5424 ADDITIONAL WORK LIGHT

		XR5424X	No Additional Work Lights			No Charge
		449498	LED Work Lights			\$2,548.00

SD_R5436 SUN PROTECTIVE FOIL

		XR5436X	No Sun Protective Cab Glass			No Charge
		449499	Sun Protective Cab Glass			\$1,300.00

TELEMATICS

SD_R5433 TELEMATICS ON BOARD

		XR5433X	No Telematics			No Charge
		449354	CASE SiteWatch Telematics			\$942.00
			To order Service Subscription contact Service Parts			