	*** ABM Price List ***		MD / NAPSO lus Optional
Level 2 Hardware			
ABM AC30P	ABM - 7.6 kW AC charging station Ethernet/Wi-Fi, RFID reader, 16.4 ft. cable, 2-year parts-only warranty	\$	1,299.00
		ć	1 200 00
ABM Gateway	ABM - Industrial grade 4G router, auto-diagnostics, auto-recovery, support for up to 10 Wi-Fi connected chargers within a 60 ft. range, 1-year free internet service included	\$ \$	1,299.00
ABM AC7L	ABM - 7.6 kW AC charging station CALeVIP eligible, Wi-Fi, OLED display, 25 ft. cable, 2-year parts-only warranty ABM - 7.6 kW AC charging station CALeVIP eligible, Wi-Fi/4G, OLED display, RFID reader, 25 ft. cable, 2-year parts-only warranty, 1-year free cellular service	Ş	1,579.00
ABM AC7LC	holded	Ś	1,800.00
ABM AC19L	ABM - 19 kW AC charging station Ethernet/Wi-Fi, OLED display, 25 ft. cable, 2-year parts-only warranty	Ś	2,850.00
ABM AC19L Exceed	ABM - 19 kW AC charging station Ethernet/WirFi/dG, 1-year free cellular service included, OLED display, RFID reader, 25 ft. cable, 2-year parts-only warranty	ś	3,550.00
Level 2 Accessories		Ŧ	-,
Pedestal P210	ABM - ADA compliant charger pedestal, single or double mount, stainless steel construction, designed for models W1000, AC7L, and AC7L Exceed, H1100	Ś	425.00
Pedestal P220	ABM - Heavy-duty charge predesta, single or double mount, stainless steel construction, ADA compliant, designed for models AC19L, and AC19L Exceed, and AC11P	Ś	630.00
Side by Side Bracket	ABM - Pedal Bracket For Side by side dual mounting	ś	140.00
Cable Retractor C100	ABM - Cable retractor, designed for pedestals P200 and P210	Ś	400.00
Cable Retractor C120	ABM - Cable retractor, designed for pedestal P200	Ś	400.00
Advertisement Board B100	ABM - Compact advertisement or information board ABM - Compact advertisement or information board	Ś	150.00
Advertisement Board B100 Advertisement Board B200	Abir - Compact advertisement or information board Abir - Compact advertisement or information board Abir - Legislize advertisement or information board	ŝ	130.00
Wall Mounted Cable Management 7.6 KW	Abir - Legin size aver usement or imormation loan	ŝ	400.00
Wall Mounted Cable Management 7.6 KW	ABM - Wall Mounted Cable Management 19 KW cable	ڊ خ	400.00
Level 3 Hardware and Accessories			
DC Wall Box			
6AGC081364 - DCWB22 C 3P	A 22.5 - 24 kW offering with 480V three phase input and rated up to 920 VDC output. Features include 23 foot charging cable(s), RFID Reader, LED Display, 4G cellular modem, basic cable management holster(s), support for OCPP 1.6 integrations, a 2 year parts only standard warranty, remote activation support, and five		
6AGC081364 - DCWB22 C 3P 6AGC107315 - DCWB22 CJ 3P		Ş	13,500.00
	cellular modem, basic cable management holster(s), support for OCPP 1.6 integrations, a 2 year parts only standard warranty, remote activation support, and five years of charger connect. EMC Class B rated. Features a single outlet CCS1 charging cable and basic cable management holster for CCS1 A 22.5 - 24 kW offering with 480V three phase input and rated up to 920 VDC output. Features include 23 foot charging cable(s), RFID Reader, LED Display, 4G cellular modem, basic cable management holster(s), support for OCPP 1.6 integrations, a 2 year parts only standard warranty, remote activation support, and five years of charger connect. EMC Class B rated. Features dual outlet CCS1 and CHAdeMO charging cables and basic cable management holsters for CCS1 and	\$	
	cellular modem, basic cable management holster(s), support for OCPP 1.6 integrations, a 2 year parts only standard warranty, remote activation support, and five years of charger connect. EMC Class B rated. Features a single outlet CCS1 charging cable and basic cable management holster for CCS1 A 22.5 - 24 kW offering with 480V three phase input and rated up to 920 VDC output. Features include 23 foot charging cable(s), RFID Reader, LED Display, 4G cellular modem, basic cable management holster(s), support for OCPP 1.6 integrations, a 2 year parts only standard warranty, remote activation support, and five years of charger connect. EMC Class B rated. Features dual outlet CCS1 and CHAdeMO charging cables and basic cable management holsters for CCS1 and CHAdeMO A 19.5 - 22.5 kW offering with 208/240 V single phase input and rated up to 920 VDC output. Features include 23 foot charging cable(s), RFID Reader, LED Display, 4G cellular modem, basic cable management holster(s), support for OCPP 1.6 integrations, a 2 year parts only standard warranty, remote activation A 19.5 - 22.5 kW offering with 208/240 V single phase input and rated up to 920 VDC output. Features include 23 foot charging cable(s), RFID Reader, LED Display, 4G cellular modem, basic cable management holster(s), support for OCPP 1.6 integrations, a 2 year parts only standard warranty, remote activation	\$	16,000.00
6AGC107315 - DCWB22 CJ 3P	cellular modem, basic cable management holster(s), support for OCPP 1.6 integrations, a 2 year parts only standard warranty, remote activation support, and five years of charger connect. EMC Class B rated. Features a single outlet CCS1 charging cable and basic cable management holster for CCS1 A 22.5 - 24 kW offering with 480V three phase input and rated up to 920 VDC output. Features include 23 foot charging cable(s), RFID Reader, LED Display, 4G cellular modem, basic cable management holsters for CCS1 and CHAdeMO charging cable and basic cable management holsters for CCS1 and CHAdeMO A 19.5 - 22.5 kW offering with 208/240 V single phase input and rated up to 920 VDC output. Features include 23 foot charging cable(s), RFID Reader, LED Display, 4G cellular modem, basic cable management holsters for CCS1 and CHAdeMO A 19.5 - 22.5 kW offering with 208/240 V single phase input and rated up to 920 VDC output. Features include 23 foot charging cable(s), RFID Reader, LED Display, 4G cellular modem, basic cable management holster(s), support for OCPP 1.6 integrations, a 2 year parts only standard warranty, remote activation support, and five years of charger connect. EMC Class B rated. Features a single outlet CCS1 charging cables and basic cable management holster for CCS1 A 19.5 - 22.5 kW offering with 208/240 V single phase input and rated up to 920 VDC output. Features include 23 foot charging cable(s), RFID Reader, LED Display, 4G cellular modem, basic cable management holster for CCS1 A 19.5 - 22.5 kW offering with 208/240 V single phase input and rated up to 920 VDC output. Features include 23 foot charging cable(s), RFID Reader, LED Display, 4G cellular modem, basic cable management holster for CCS1 A 19.5 - 22.5 kW offering with 208/240 V single phase input and rated up to 920 VDC output. Features include 23 foot charging cable(s), RFID Reader, LED Display, 4G cellular modem, basic cable management holster for CCS1 A 19.5 - 22.5 kW offering with 208/240 V single phase input and rated up to 920 VDC output. Fea	\$ \$	16,000.00 13,500.00
6AGC107315 - DCWB22 CJ 3P 6AGC079381- DCWB22 C SP 6AGC107314 - DCWB22 CJ SP	cellular modem, basic cable management holster(s), support for OCPP 1.6 integrations, a 2 year parts only standard warranty, remote activation support, and five years of charger connect. EMC Class B rated. Features a single outlet CCS1 charging cable and basic cable management holster for CCS1 A 22.5 - 24 kW offering with 480V three phase input and rated up to 920 VDC output. Features include 23 foot charging cable(s), RFID Reader, LED Display, 4G cellular modem, basic cable management holster(s), support for OCPP 1.6 integrations, a 2 year parts only standard warranty, remote activation support, and five years of charger connect. EMC Class B rated. Features dual outlet CCS1 and CHAdeMO charging cables and basic cable management holsters for CCS1 and CHAdeMO A 19.5 - 22.5 kW offering with 208/240 V single phase input and rated up to 920 VDC output. Features include 23 foot charging cable(s), RFID Reader, LED Display, 4G cellular modem, basic cable management holster(s), support for OCPP 1.6 integrations, a 2 year parts only standard warranty, remote activation support, and five years of charger connect. EMC Class B rated. Features a single outlet CCS1 charging cable and basic cable management holster for CCS1 A 19.5 - 22.5 kW offering with 208/240 V single phase input and rated up to 920 VDC output. Features include 23 foot charging cable(s), RFID Reader, LED Display, 4G cellular modem, basic cable management holster(s), support for OCPP 1.6 integrations, a 2 year parts only standard warranty, remote activation support, and five years of charger connect. EMC Class B rated. Features a single outlet CCS1 charging cable and basic cable management holster for CCS1 A 19.5 - 22.5 kW offering with 208/240 V single phase input and rated up to 920 VDC output. Features include 23 foot charging cable(s), RFID Reader, LED Display, 4G cellular modem, basic cable management holster(s), support for OCPP 1.6 integrations, a 2 year parts only standard warranty, remote activation	\$	16,000.00
6AGC107315 - DCWB22 CJ 3P 6AGC079381- DCWB22 C SP 6AGC107314 - DCWB22 CJ SP DC Wall Box - Accessories	cellular modem, basic cable management holster(s), support for OCPP 1.6 integrations, a 2 year parts only standard warranty, remote activation support, and five years of charger connect. EMC Class B rated. Features a single outlet CCS1 charging cable and basic cable management holster for CCS1 A 22.5 - 24 kW offering with 480V three phase input and rated up to 920 VDC output. Features include 23 foot charging cable(s), RFID Reader, LED Display, 4G cellular modem, basic cable management holster(s), support for OCPP 1.6 integrations, a 2 year parts only standard warranty, remote activation support, and five years of charger connect. EMC Class B rated. Features dual outlet CCS1 and CHAdeMO charging cables and basic cable management holsters for CCS1 and CHAdeMO A 19.5 - 22.5 kW offering with 208/240 V single phase input and rated up to 920 VDC output. Features include 23 foot charging cable(s), RFID Reader, LED Display, 4G cellular modem, basic cable management holster(s), support for OCPP 1.6 integrations, a 2 year parts only standard warranty, remote activation support, and five years of charger connect. EMC Class B rated. Features a single outlet CCS1 charging cable and basic cable management holster for CCS1 A 19.5 - 22.5 kW offering with 208/240 V single phase input and rated up to 920 VDC output. Features include 23 foot charging cable(s), RFID Reader, LED Display, 4G cellular modem, basic cable management holster for CCS1 A 19.5 - 22.5 kW offering with 208/240 V single phase input and rated up to 920 VDC output. Features include 23 foot charging cable(s), RFID Reader, LED Display, 4G cellular modem, basic cable management holster(s), support for OCPP 1.6 integrations, a 2 year parts only standard warranty, remote activation support, and five years of charger connect. EMC Class B rated. Features <u>dual outlet CCS1 and CHAdeMO charging cable</u> and basic cable management holsters for CCS1 and CHAdeMO	\$ \$	16,000.00 13,500.00
6AGC107315 - DCWB22 CJ 3P 6AGC079381- DCWB22 C SP 6AGC107314 - DCWB22 CJ SP DC Wall Box - Accessories	cellular modem, basic cable management holster(s), support for OCPP 1.6 integrations, a 2 year parts only standard warranty, remote activation support, and five years of charger connect. EMC Class B rated. Features a single outlet CCS1 charging cable and basic cable management holster for CCS1 A 22.5 - 24 kW offering with 480V three phase input and rated up to 920 VDC output. Features include 23 foot charging cable(s), RFID Reader, LED Display, 4G cellular modem, basic cable management holsters for CCS1 and CHAdeMO charging cable and basic cable management holsters for CCS1 and CHAdeMO A 19.5 - 22.5 kW offering with 208/240 V single phase input and rated up to 920 VDC output. Features include 23 foot charging cable(s), RFID Reader, LED Display, 4G cellular modem, basic cable management holsters for CCS1 and CHAdeMO A 19.5 - 22.5 kW offering with 208/240 V single phase input and rated up to 920 VDC output. Features include 23 foot charging cable(s), RFID Reader, LED Display, 4G cellular modem, basic cable management holster(s), support for OCPP 1.6 integrations, a 2 year parts only standard warranty, remote activation support, and five years of charger connect. EMC Class B rated. Features a single outlet CCS1 charging cables and basic cable management holster for CCS1 A 19.5 - 22.5 kW offering with 208/240 V single phase input and rated up to 920 VDC output. Features include 23 foot charging cable(s), RFID Reader, LED Display, 4G cellular modem, basic cable management holster for CCS1 A 19.5 - 22.5 kW offering with 208/240 V single phase input and rated up to 920 VDC output. Features include 23 foot charging cable(s), RFID Reader, LED Display, 4G cellular modem, basic cable management holster for CCS1 A 19.5 - 22.5 kW offering with 208/240 V single phase input and rated up to 920 VDC output. Features include 23 foot charging cable(s), RFID Reader, LED Display, 4G cellular modem, basic cable management holster for CCS1 A 19.5 - 22.5 kW offering with 208/240 V single phase input and rated up to 920 VDC output. Fea	\$ \$	16,000.00 13,500.00
6AGC107315 - DCWB22 CJ 3P 6AGC079381- DCWB22 C SP 6AGC107314 - DCWB22 CJ SP DC Wall Box - Accessories 6AGC076604	cellular modem, basic cable management holster(s), support for OCPP 1.6 integrations, a 2 year parts only standard warranty, remote activation support, and five years of charger connect. EMC Class B rated. Features a single outlet CCS1 charging cable and basic cable management holster for CCS1 A 22.5 - 24 kW offering with 480V three phase input and rated up to 920 VDC output. Features include 23 foot charging cable(s), RFID Reader, LED Display, 4G cellular modem, basic cable management holster(s), support for OCPP 1.6 integrations, a 2 year parts only standard warranty, remote activation support, and five years of charger connect. EMC Class B rated. Features dual outlet CCS1 and CHAdeMO charging cables and basic cable management holsters for CCS1 and CHAdeMO A 19.5 - 22.5 kW offering with 208/240 V single phase input and rated up to 920 VDC output. Features include 23 foot charging cable(s), RFID Reader, LED Display, 4G cellular modem, basic cable management holster(s), support for OCPP 1.6 integrations, a 2 year parts only standard warranty, remote activation support, and five years of charger connect. EMC Class B rated. Features a single outlet CCS1 charging cable and basic cable management holster for CCS1 A 19.5 - 22.5 kW offering with 208/240 V single phase input and rated up to 920 VDC output. Features include 23 foot charging cable(s), RFID Reader, LED Display, 4G cellular modem, basic cable management holster(s), support for OCPP 1.6 integrations, a 2 year parts only standard warranty, remote activation support, and five years of charger connect. EMC Class B rated. Features a single outlet CCS1 charging cable and basic cable management holster for CCS1 A 19.5 - 22.5 kW offering with 208/240 V single phase input and rated up to 920 VDC output. Features include 23 foot charging cable(s), RFID Reader, LED Display, 4G cellular modem, basic cable management holster(s), support for OCPP 1.6 integrations, a 2 year parts only standard warranty, remote activation support, and five years of charger connect. EMC C	\$ \$ \$ \$	16,000.00 13,500.00 16,500.00 672.00
6AGC107315 - DCWB22 CJ 3P 6AGC079381- DCWB22 C SP 6AGC107314 - DCWB22 CJ SP DC Wall Box - Accessories 6AGC076604 6AGC076601	cellular modem, basic cable management holster(s), support for OCPP 1.6 integrations, a 2 year parts only standard warranty, remote activation support, and five years of charger connect. EMC Class B rated. Features a single outlet CCS1 charging cable and basic cable management holster for CCS1 A 22.5 - 24 kW offering with 480V three phase input and rated up to 920 VDC output. Features include 23 foot charging cable(s), RFID Reader, LED Display, 4G cellular modem, basic cable management holster (s), support for OCPP 1.6 integrations, a 2 year parts only standard warranty, remote activation support, and five years of charger connect. EMC Class B rated. Features dual outlet CCS1 and CHAdeMO charging cables and basic cable management holsters for CCS1 and CHAdeMO A 19.5 - 22.5 kW offering with 208/240 V single phase input and rated up to 920 VDC output. Features include 23 foot charging cable(s), RFID Reader, LED Display, 4G cellular modem, basic cable management holster(s), support for OCPP 1.6 integrations, a 2 year parts only standard warranty, remote activation support, and five years of charger connect. EMC Class B rated. Features a single outlet CCS1 charging cable and basic cable management holster for CCS1 A 19.5 - 22.5 kW offering with 208/240 V single phase input and rated up to 920 VDC output. Features include 23 foot charging cable(s), RFID Reader, LED Display, 4G cellular modem, basic cable management holster(s), support for OCPP 1.6 integrations, a 2 year parts only standard warranty, remote activation support, and five years of charger connect. EMC Class B rated. Features a single outlet CCS1 and CHAdeMO charging cable and basic cable management holster for CCS1 Display, 4G cellular modem, basic cable management holster(s), support for OCPP 1.6 integrations, a 2 year parts only standard warranty, remote activation support, and five years of charger connect. EMC Class B rated. Features a <u>dual outlet CCS1 and CHAdeMO charging cables</u> and basic cable management holsters for CCS1 and cHAdeMO charging ca	\$ \$ \$ \$ \$	16,000.00 13,500.00 16,500.00 672.00 672.00
6AGC107315 - DCWB22 CJ 3P 6AGC079381- DCWB22 C SP 6AGC107314 - DCWB22 CJ SP DC Wall Box - Accessories 6AGC076604 6AGC076601 C-CCS1 cable only	cellular modem, basic cable management holster(s), support for OCPP 1.6 integrations, a 2 year parts only standard warranty, remote activation support, and five years of charger connect. EMC Class B rated. Features a single outlet CCS1 charging cable and basic cable management holster for CCS1 A 22.5. + 24 Wo offering with 480V three phase input and rated up to 920 VDC output. Features include 23 foot charging cable(s), RFID Reader, LED Display, 4G cellular modem, basic cable management holster(s), support for OCPP 1.6 integrations, a 2 year parts only standard warranty, remote activation support, and five years of charger connect. EMC Class B rated. Features dual outlet CCS1 and CHAdeMO charging cable(s), RFID Reader, LED Display, 4G cellular modem, basic cable management holsters for CCS1 and CHAdeMO charging cables and basic cable management holsters for CCS1 and CHAdeMO charging cables and basic cable management holsters for CCS1 and CHAdeMO charging cables and basic cable management holster for CCS1 and CHAdeMO charging cable and basic cable management holster for CCS1 and CHAdeMO charging cable and basic cable management holster for CCS1 and CHAdeMO charging cable and basic cable management holster for CCS1 A 19.5 - 22.5 kW offering with 208/240 V single phase input and rated up to 920 VDC output. Features include 23 foot charging cable(s), RFID Reader, LED Display, 4G cellular modem, basic cable management holster for CCS1 A 19.5 - 22.5 kW offering with 208/240 V single phase input and rated up to 920 VDC output. Features include 23 foot charging cable(s), RFID Reader, LED Display, 4G cellular modem, basic cable management holster for CCS1 A 19.5 - 22.5 kW offering with 208/240 V single phase input and rated up to 920 VDC output. Features include 23 foot charging cable(s), RFID Reader, LED Display, 4G cellular modem, basic cable management holster for CCS1 A 19.5 - 22.5 kW offering with 208/240 V single phase input and rated up to 920 VDC output. Features include 23 foot charging cable(s), RFID Reader, L	\$ \$ \$ \$ \$	16,000.00 13,500.00 16,500.00 672.00 2,347.15
6AGC107315 - DCWB22 CJ 3P 6AGC079381- DCWB22 C SP 6AGC107314 - DCWB22 CJ SP DC Wall Box - Accessories 6AGC076604 6AGC076601 C-CCS1 cable only CJ for CCS1 and CHAdeMO cables	cellular modem, basic cable management holster(s), support for OCPP 1.6 integrations, a 2 year parts only standard warranty, remote activation support, and five years of charger connect. EMC Class B rated. Features a single outlet CCS1 charging cable and basic cable management holster for CCS1 A 22.5 - 24 Wo offering with 480V three phase input and rated up to 920 VDC output. Features include 23 foot charging cable(s), RFID Reader, LED Display, 4G cellular modem, basic cable management holster(s), support for OCPP 1.6 integrations, a 2 year parts only standard warranty, remote activation support, and five years of charger connect. EMC Class B rated. Features dual outlet CCS1 and CHAdeMO charging cables and basic cable management holsters for CCS1 and CHAdeMO A 19.5 - 22.5 kW offering with 208/240 V single phase input and rated up to 920 VDC output. Features include 23 foot charging cable(s), RFID Reader, LED Display, 4G cellular modem, basic cable management holster(s), support on COPP 1.6 integrations, a 2 year parts only standard warranty, remote activation support, and five years of charger connect. EMC Class B rated. Features a single outlet CCS1 charging cable and basic cable management holster for CCS1 A 19.5 - 22.5 kW offering with 208/240 V single phase input and rated up to 920 VDC output. Features include 23 foot charging cable(s), RFID Reader, LED Display, 4G cellular modem, basic cable management holster(s), support on OCPP 1.6 integrations, a 2 year parts only standard warranty, remote activation support, and five years of charger connect. EMC Class B rated. Features <u>dual outlet CCS1 and CHAdeMO</u> charging cables and basic cable management holster for CCS1 and CHAdeMO The upgraded "Gold" level CCS1 cable holster for the Terra DC Wallbox is tailored to cradle the specific design of CCS1 connectors. This holster offers additional weather protection while enhancing operational lifetime of the cable connectors - in a color-matched aesthetic design. The "Gold" level CHAdeMO cable holster for the Terra	\$ \$ \$ \$ \$	16,000.00 13,500.00 16,500.00 672.00 2,347.15 3,393.00
6AGC107315 - DCWB22 CJ 3P 6AGC079381- DCWB22 C SP 6AGC107314 - DCWB22 CJ SP DC Wall Box - Accessories 6AGC076604 6AGC076601 C-CCS1 cable only	cellular modem, basic cable management holster(s), support for OCPP 1.6 integrations, a 2 year parts only standard warranty, remote activation support, and five years of charger connect. EMC Class B rated. Features a single outlet CCS1 charging cable and basic cable management holster for CCS1 A 22.5. + 24 Wo offering with 480V three phase input and rated up to 920 VDC output. Features include 23 foot charging cable(s), RFID Reader, LED Display, 4G cellular modem, basic cable management holster(s), support for OCPP 1.6 integrations, a 2 year parts only standard warranty, remote activation support, and five years of charger connect. EMC Class B rated. Features dual outlet CCS1 and CHAdeMO charging cable(s), RFID Reader, LED Display, 4G cellular modem, basic cable management holsters for CCS1 and CHAdeMO charging cables and basic cable management holsters for CCS1 and CHAdeMO charging cables and basic cable management holsters for CCS1 and CHAdeMO charging cables and basic cable management holster for CCS1 and CHAdeMO charging cable and basic cable management holster for CCS1 and CHAdeMO charging cable and basic cable management holster for CCS1 and CHAdeMO charging cable and basic cable management holster for CCS1 A 19.5 - 22.5 kW offering with 208/240 V single phase input and rated up to 920 VDC output. Features include 23 foot charging cable(s), RFID Reader, LED Display, 4G cellular modem, basic cable management holster for CCS1 A 19.5 - 22.5 kW offering with 208/240 V single phase input and rated up to 920 VDC output. Features include 23 foot charging cable(s), RFID Reader, LED Display, 4G cellular modem, basic cable management holster for CCS1 A 19.5 - 22.5 kW offering with 208/240 V single phase input and rated up to 920 VDC output. Features include 23 foot charging cable(s), RFID Reader, LED Display, 4G cellular modem, basic cable management holster for CCS1 A 19.5 - 22.5 kW offering with 208/240 V single phase input and rated up to 920 VDC output. Features include 23 foot charging cable(s), RFID Reader, L	\$ \$ \$ \$ \$	16,000.00 13,500.00 16,500.00 672.00 2,347.15

	*** ABM Price List ***		ID / NAPSO us Optional
Terra 54			
6AGC107092 - T54HV C 6AGC108711 - T54HV C +CCR	ABB's Terra 54 High Voltage DC fast charger is connected via a 4G cellular modem and provides 50 kW continuous charging for vehicles with battery voltages requiring up to 920 VDC. Features 5 x 10kW redundant power module architecture for high uptime and remote serviceability, a 7" high-brightness color touchscreen display, 20 foot charging cable(s), RFID, support for OCPP 1.6 integrations, a 2 year parts and on-site labor standard warranty, remote activation support, and five years of charger connect. Features 1x CCS1 charging cable and a 65KAIC short circuit rating ABB's Terra 54 High Voltage DC fast charger is connected via a 4G cellular modem and provides 50 kW continuous charging for vehicles with battery voltages	\$	34,399.87
9460 1067 TT - 154HV C +CCK	requiring up to 920 VDC. Features 5x 10kW redundant power module architecture for high uptime and remote serviceability, a 7 ⁺ high-brightness color touchscreen display, 20 foot charging cable(s), RFID, support for OCPP 1.6 integrations, a 2 year parts and on-site labor standard warranty, remote activation support, and five years of charger connect. Features 1x CCS1 charging cable, a 65KAIC short circuit rating, and an integrated Nayax credit card reader	\$	34,987.21
AGC082821 - T54HV CJ	ABB's Terra 54 High Voltage DC fast charger is connected via a 4G cellular modem and provides 50 kW continuous charging for vehicles with battery voltages requiring up to 920 VDC. Features 5 x 10kW redundant power module architecture for high uptime and remote serviceability, a 7 ^s high-brightness color touchscreen display, 20 foot charging cable(s), RFID, support for OCPP 1.6 integrations, a 2 year parts and on-site labor standard warranty, remote activation support, and five years of charger connect. Features 1x CCS1 charging cable and 1x 125A CHAdeMO charging cable and a 65KAIC short circuit rating	\$	37,020.64
;agc08281 - T54HV CJ + CCR - ABB SAGC072758	ABB's Terra 54 High Voltage DC fast charger is connected via a 4G cellular modem and provides 50 kW continuous charging for vehicles with battery voltages requiring up to 920 VDC. Features 5 x 10kW redundant power module architecture for high uptime and remote serviceability, a 7" high-brightness color touchscreen display, 20 foot charging cable(s), RFID, support for OCPP 1.6 integrations, a 2 year parts and on-site labor standard warranty, remote activation support, and five years of charger connect. Features 1x CCS1 charging cable and 1x 125A CHAdeMO charging cable and a 65KAIC short circuit rating + Nayax Card Reader		
		\$	38,778.89
Terra 54			
TL40018003819003 (1) T54-2545B(1) TR40013753179003	Terra 54 Cable Management Solution for single outlet CCS1 units (includes one cable retractor). Associated labor cost to install is not included on this line item. Terra 54 Cable Management Solution for dual outlet CCS1 and CHAdeMO units (each part number includes one cable retractor, must order gty 1 of each part	\$	1,656.20
ABB 6AGC072758	number, pricing is per part number). Associated labor cost to install is not included on this line item. NAYAX Payment Kit Field Mounted for Terra	\$ \$	1,586.36 1,550.00
2CEB489802R0003	Above round metal focumation for Terra 54HV and Terra 124/184 units - allows for side conduit entry when trenching is not possible. Labor to field install is not	Ŷ	1,550.00
	included.	\$	1,818.87
Terra 124 & 184			
6AGC085481 - T124 CC High Current	The high-current Terra 124 offering provides a compact, all-in-one solution while providing CCS1 charging cable(s) with 400A current capabilities. The design		
C C	provides a high current charging option to reduce charge times while supporting easy installation, a 2-year parts and on-site labor standard warranty, remove		
	activation support, and five years of charger connect. Features 2x 400A (Peak) CCS1 charging cables in dual outlet configuration, and can charge 2 cars simultaneously up to 60 kW each	\$	74,553.86
6AGC112997 - T124 CC High Current + CCR	The high-current Terra 124 offering provides a compact, all-in-one solution while providing CCS1 charging cable(s) with 400A current capabilities. The design provides a high current charging option to reduce charge times while supporting easy installation, a 2-year parts and on-site labor standard warranty, remove activation support, and five years of charger connect. Features 2x 400A (Peak) CCS1 charging cables in dual outlet configuration, and can charge 2 cars		
	simultaneously up to 60 kW each. Includes an integrated credit card reader.	\$	75,890.54
6AGC085478 - T124 CJ High Current	The high-current Terra 124 offering provides a compact, all-in-one solution while providing CCS1 charging cable(s) with 400A current capabilities. The design provides a high current charging option to reduce charge times while supporting easy installation, a 2-year parts and on-site labor standard warranty, remove activation support, and five years of charger connect. Features 1x 400A (peak) CCS1 charging cable and 1x 200A CHAdeMO charging cable in dual outlet		
	configuration, and can charge 2 cars simultaneously up to 60 kW each	\$	75,433.30
6AGC112949 - T124 CJ High Current + CCR	The high-current Terra 124 offering provides a compact, all-in-one solution while providing CCS1 charging cable(s) with 400A current capabilities. The design provides a high current charging option to reduce charge times while supporting easy installation, a 2-year parts and on-site labor standard warranty, remove activation support, and five years of charger connect. Features 1x 400A (peak) CCS1 charging cable and 1x 200A CHAdeMO charging cable in dual outlet		
	configuration, and can charge 2 cars simultaneously up to 60 kW each. Includes an integrated credit card reader.	\$	76,769.99
6AGC100820 - T184 CC HC	The high-current Terra 184 offering provides a compact, all-in-one solution while providing CCS1 charging cable(s) with 400A current capabilities. The design provides a high current charging option to reduce charge times while supporting easy installation, a 2-year parts and on-site labor standard warranty, remove activation support, and five years of charger connect . Features 2x 400A (peak) CCS1 charging cables in dual outlet configuration, and can charge 2 vehicles simultaneously up to 90 kW each	Ś	81,885.49
6AGC112876 - T184 CC HC + CCR	The high-current Terra 184 offering provides a compact, all-in-one solution while providing CCS1 charging cable(s) with 400A current capabilities. The design provides a high current charging option to reduce charge times while supporting easy installation, a 2-year parts and on-site labor standard warranty, remove activation support, and five years of charger connect. Features 2x 400A (peak) CCS1 charging cables in dual outlet configuration, and can charge 2 vehicles	Ť	01,000.45
	simultaneously up to 90 kW each. Includes an integrated credit card reader.	\$	83,098.53
6AGC101315 - T184 CJ HC	The high-current Terra 184 offering provides a compact, all-in-one solution while providing CCS1 charging cable(s) with 400A current capabilities. The design provides a high current charging option to reduce charge times while supporting easy installation, a 2-year parts and on-site labor standard warranty, remove activation support, and five years of charger connect. Features 1x 400A (peak) CCS1 charging cable and 1x 200A CHAdeMO charging cable in dual outlet		
6AGC112873 - T184 CJ HC	configuration, and can charge 2 vehicles simultaneously up to 90 kW each. The high-current Terra 184 offering provides a compact, all-in-one solution while providing CCS1 charging cable(s) with 400A current capabilities. The design	\$	82,991.99
	provides a high current charging option to reduce charge times while supporting easy installation, a 2-year parts and on-site labor standard warranty, remove activation support, and five years of charger connect. Features 1x 400A (peak) CCS1 charging cable and 1x 200A CHAdeMO charging cable in dual outlet configuration, and can charge 2 vehicles simultaneously up to 90 kW each. Includes an integrated credit card reader.	ć	84,205.03
	configuration, and can charge 2 venicies simultaneously up to 90 kW each. Includes an integrated credit card reader.	ç	34,203.03

Г

٦

	*** ABM Price List ***		1D / NAPSO us Optional
Terra 124 & 184 Accessories			
2CEB489802R0003	Above ground metal foundation for Terra 54/54HV and Terra 124/184 that supports connection of conduits when trenching is not possible. Labor to field install is not included.	\$	1,818.87
(1) TL40025683819003	Cable Management Solution for HIGH CURRENT dual CCS1 outlet (each part number includes one cable retractor, must order qty 1 of each part number, pricing is per part number). Associated labor cost to install is not included on this line item.	\$	1,898.67
(1) TR40025683819003	Cable Management Solution for HIGH CURRENT dual CCS1 outlet (each part number includes one cable retractor, must order qty 1 of each part number, pricing is per part number). Associated labor cost to install is not included on this line item.	\$	1,900.10
(1) TL40028874179003	Cable Management Solution for dual HIGH CURRENT CCS1 and CHAdeMO outlet (each part number includes one cable retractor, must order qty 1 of each part number, pricing is per part number). Associated labor cost to install is not included on this line item.	\$	1,901.53
(1) TR40025683819003	Cable Management Solution for dual HIGH CURRENT CCS1 and CHAdeMO outlet (each part number includes one cable retractor, must order qty 1 of each part number, pricing is per part number). Associated labor cost to install is not included on this line item.	Ś	1,902.96
		Ŷ	1,502.50
Terra HP			
(1) 6AGC101327 - THP CP3 UL 500 C 5R-15M-0-0	Terra HP Gen 3 Charge Post, 500 A CCS1, 5.3 m cable with retraction system, 15" screen, Mifare RFID reader. cTUVus certified. 4G Modern. 2 year warranty is included.	\$	36,588.88
(1) 6AGC101329 - THP CP3 UL 500 CJ 5R-15M-0-0	Terra HP Gen 3 Charge Post, 500 A CCS1 and 200 A CHAdeMO, 5.3 m cables with retraction system, 15" screen, Mifare RFID reader. cTUVus certified. Note: simultaneous charging on both cables is not supported. 4G Modem. 2 year warranty is included.	\$	41,242.97
(1) 6AGC067631 - THP UL 175 0r CDN 6AGC074936	Terra HP Power Cabinet, 175 kWp and 375 A output, 480 VAC 60 Hz input. cTUVus certified. 2 year warranty is included.	\$	60,600.51
(1) 6AGC067632 - THP UL 175 D or CDN 6AGC077029	Terra HP Power Cabinet with Dynamic DC power sharing, 175 kWp and 375 A output, 480 VAC 60 Hz input. cTUVus certified. 2 year warranty is included.	\$	65,254.60
Terra HP Accessories	-		
Concrete Power Cabinet prefab base	Custom Precast 3'-0"x3'-6"x3'-0" ID Power Cabinets. Qty: 1: Custom precast concrete power cabinet units 2'-11 ¼" x 3'6" ID x 3'-0" inside height with 6" walls, 6" base and no top. Provide (1) integral 6" thick non extended base section with +/-3' - 0"ID inside height of vertical wall. Formed openings per shop drawings. Structure shall be manufactured with FM standard gray 4000 PSI concrete, built-in lifting devices as required and ASTM A615 Grade 60 steel reinforcement. Price includes shop drawings for approval. Delivery NOT included. Heaviest lift: +/- 2.36 tons	\$	2,046.67
Steel cover plate for concrete fondation	In-Service Cover/Back plate +/- 21 ½" x 45" manufactured with HR 7 GA galvanized steel including (8) pre-drilled 5/16" holes and +/- 2" x 34 ½" angled back flap. Weight: +/- 74 lbs. Needs custom freight quote	\$	238.67
Concrete Dispenser Cabinet prefab base	section including (1) 2-2"x1-6"x 2'-4" OD centered collar section with a hollow 1'- 4"x8" cut-out running through the middle of the unit with a 16"Wx16"H access opening provided at the base of the collar. (Entire height of structure including base: 2'-10"OD.) Structure shall be manufactured with FM standard gray 4000 PSI concrete, built-in lifting devices as required and ASTM A615 Grade 60 steel reinforcement. Price includes shop drawing for approval. Delivery NOT included.		
	Heaviest lift: +/91 tons needs custom freight quote	\$	1,800.00
2CEB489802R0001	Foundation for the Power Cabinet allows for installation when trenching is not possible HPC175-HVC150 MET FOUND KIT 8IN – NAM * Labor to field install is not included.	\$	3,282.05
2CEB489802R0002	Foundation for the ChargePost allows for installation when trenching is not possible- THP CH POST GENII MET FND KIT 6IN – NAM * Labor to field install is not included.	\$	2,000.00

MD / NAPSO Plus Optional

*** ABM Price List ***

	Abit The List				
Network					
ABM L2 -1	ABM Level 2 Charger yearly cloud plan (per Port)		5	240.00	Ī
ABM L3-1	ABM Level 3 Charger yearly cloud plan (per Port)	-	5	450.00	
ABM L2 Cell Connect -1 yr	ABM Level 2 Cellular Connectivity Charges 1 yr		5	70.00	
ABM Gateway Cell Connect -1 yr	ABM Gateway Cellular Connectivity Charges 1 yr	-	5	110.00	
ABM Gateway-1	ABM Gateway yearly cloud plan	-	5	300.00	
Charger Connect -1	Charger Connect - Includes GSM connectivity, cellular data plan, live software updates and 24/7 NOC monitoring (Cost per station per year) - 1 year		5	246.43	
NAYAX-1	50 THRU 350 KW NAYAX CREDIT CARD OPERATING FEE - 1 YEAR / PER STATION		5	98.57	
Charger Care -1	Charger Care - Advanced web service tool for advanced users to remotely troubleshoot and/or rectify station issues. Charger Care functionality can differ per				
ç	charger product family. strives to continuously enhance functionality to bring consistent user behavior1yr	Ş	\$	533.57	
Driver Care -1	Driver Care - Web tool to view charger status, user access control via PIN/RFID, data reporting, case management (Includes 4 Licenses)- 1yr	Ş	\$	309.12	
ABM L2 -2	ABM Level 2 Charger yearly cloud plan (per Port) - 2 year bundle	Ş	\$	470.40	
ABM L3-2	ABM Level 3 Charger yearly cloud plan (per Port) - 2 year bundle	\$	\$	882.00	
ABM L2 Cell Connect -2 yr	ABM Level 2 Cellular Connectivity Charges 2 yr	Ş	\$	140.00	
ABM Gateway Cell Connect -2 yr	ABM Gateway Cellular Connectivity Charges 2 yr	Ş	\$	220.00	
ABM Gateway-2	ABM Gateway yearly cloud plan - 2 year bundle	Ş	\$	588.00	
Charger Connect -2	Charger Connect - Includes GSM connectivity, cellular data plan, live software updates and 24/7 NOC monitoring (Cost per station per year) - 2 year		\$	492.86	
NAYAX-2	50 THRU 350 KW NAYAX CREDIT CARD OPERATING FEE - 2 YEAR / PER STATION		\$	98.57	
Charger Care -2	Charger Care - Advanced web service tool for advanced users to remotely troubleshoot and/or rectify station issues. Charger Care functionality can differ per charger product family. strives to continuously enhance functionality to bring consistent user behavior 2yr	ç	\$ 1,	,067.14	
Driver Care -2	Driver Care - Web tool to view charger status, user access control via PIN/RFID, data reporting, case management (Includes 4 Licenses) - 2yr	Ş	\$	618.24	
ABM L2 -3	ABM Level 2 Charger yearly cloud plan (per Port) - 3 year bundle		\$	691.20	
ABM L3-3	ABM Level 3 Charger yearly cloud plan (per Port) - 3 year bundle		\$ 1	,296.00	
ABM L2 Cell Connect -3 yr	ABM Level 2 Cellular Connectivity Charges 3 yr		\$	210.00	
ABM Gateway Cell Connect -3 yr	ABM Gateway Cellular Connectivity Charges 3 yr	\$	\$	330.00	
ABM Gateway-3	ABM Gateway yearly cloud plan - 3 year bundle		\$	864.00	
Charger Connect -3	Charger Connect - Includes GSM connectivity, cellular data plan, live software updates and 24/7 NOC monitoring (Cost per station per year) - 3 year	\$	\$	739.29	
NAYAX-3	50 THRU 350 KW NAYAX CREDIT CARD OPERATING FEE - 3 YEAR / PER STATION	\$	\$	98.57	
Charger Care -3	Charger Care - Advanced web service tool for advanced users to remotely troubleshoot and/or rectify station issues. Charger Care functionality can differ per charger product family. strives to continuously enhance functionality to bring consistent user behavior 3 yr		\$ 1	,600.71	
Driver Care -3	Driver Care - Web tool to view charger status, user access control via PIN/RFID, data reporting, case management (Includes 4 Licenses) - 3 yr		\$	927.36	
ABM L2 -4	ABM Level 2 Charger yearly cloud plan (per Port) - 4 year bundle		\$	902.40	
ABM L3-4	ABM Level 3 Charger yearly cloud plan (per Port) - 4 year bundle		\$ 1	,692.00	
ABM L2 Cell Connect -4 yr	ABM Level 2 Cellular Connectivity Charges 4 yr		5	280.00	
ABM Gateway Cell Connect -4 yr	ABM Gateway Cellular Connectivity Charges 4 yr	-	5	440.00	
ABM Gateway-4	ABM Gateway yearly cloud plan - 4 year bundle		\$ 1	,128.00	
Charger Connect -4	Charger Connect - Includes GSM connectivity, cellular data plan, live software updates and 24/7 NOC monitoring (Cost per station per year) - 4 year		5	985.72	
NAYAX-4	50 THRU 350 KW NAYAX CREDIT CARD OPERATING FEE - 4 YEAR / PER STATION		5	98.57	
Charger Care -4	Charger Care - Advanced web service tool for advanced users to remotely troubleshoot and/or rectify station issues. Charger Care functionality can differ per	1 '			
-	charger product family. strives to continuously enhance functionality to bring consistent user behavior 4 yr	Ş		,134.28	
Driver Care -4	Driver Care - Web tool to view charger status, user access control via PIN/RFID, data reporting, case management (Includes 4 Licenses) - 4 yr	Ş		,236.48	
ABM L2 -5	ABM Level 2 Charger yearly cloud plan (per Port) - 5 year bundle	\$	\$ 1	,104.00	
ABM L3-5	ABM Level 3 Charger yearly cloud plan (per Port) - 5 year bundle	Ş	\$ 2	,070.00	

	*** ABM Price List ***			NAPSO Optional	
ABM L2 Cell Connect -5 yr	ABM Level 2 Cellular Connectivity Charges 5 yr	\$		350.00	
ABM Gateway Cell Connect -5 yr	ABM Gateway Cellular Connectivity Charges 5 yr	\$		550.00	1
ABM Gateway-5	ABM Gateway yearly cloud plan - 5 year bundle	\$:	1,380.00	l.
Charger Connect -5	Charger Connect - Includes GSM connectivity, cellular data plan, live software updates and 24/7 NOC monitoring (Cost per station per year) - 5 year	\$	f	1,232.15	
NAYAX-5	50 THRU 350 KW NAYAX CREDIT CARD OPERATING FEE - 5 YEAR / PER STATION	\$		98.57	1
Charger Care -5	Charger Care - Advanced web service tool for advanced users to remotely troubleshoot and/or rectify station issues. Charger Care functionality can differ per charger product family. strives to continuously enhance functionality to bring consistent user behavior 5 yr	\$;	2,667.85	
Driver Care -5	Driver Care - Web tool to view charger status, user access control via PIN/RFID, data reporting, case management (Includes 4 Licenses) - 5yr	\$	1	1,545.60	
Warranty					Ц
AC30P-WAR-1	AC30P - 1 Year Parts Warranty	¢			-
Gateway-WAR-1	Gateway Glob - 1 Vear Parts Warranty	- 3		-	11
AC7L-WAR-1	ACTL 1 Year Parts Warranty	- 、			
AC7LC-WAR-1	AC7LC - 1 Year Parts Warranty	Ś		-	l.
AC19L-WAR-1	AC19L - 1 Year Parts Warranty	Ś		-	l.
AC19L Exceed-WAR-1	AC19L Exceed - 1 Year Parts Warranty	Ś		-	
25KW - WAR -1	25KW - Extended Warranty year 1 - included	Ś		-	
50KW - WAR -1	50KW - Extended Warranty year 1	Ś		-	l.
120KW - WAR -1	120KW - Extended parts Warranty year 1 - included	Ś		-	11
180KW - WAR -1	180KW - Extended parts Warranty year 1 - included	\$		-	l.
150KW - WAR -1	150KW - Extended Warranty year 1 - included	\$		-	1
350KW - WAR -1	350KW - Extended Warranty year 1 - included	\$		-	i I
Gateway-WAR-2	Gateway G100 - 2 Year Parts Warranty	\$		-	11
AC7L-WAR-2	AC7L - 2 year Parts Warranty	\$		-	
AC7LC-WAR-2	AC7LC - 2 year Parts Warranty	\$		-	
AC19L-WAR-2	AC19L - 2 year Parts Warranty	\$		-	
AC19L Exceed-WAR-2	AC19L Exceed - 2 year Parts Warranty	\$		-	
25KW - WAR -2	25KW - Extended Warranty year 2 - included	\$		-	
50KW - WAR -2	50KW - Extended Warranty year 2	\$		-	
120KW - WAR -2	120KW - Extended parts Warranty year 2 - included	\$		-	
180KW - WAR -2	180KW - Extended parts Warranty year 2 - included	\$		-	
150KW - WAR -2	150KW - Extended Warranty year 2 - included	ć			1

120KW - WAR -2	120KW - Extended parts Warranty year 2 - included	\$	-
180KW - WAR -2	180KW - Extended parts Warranty year 2 - included	\$	-
150KW - WAR -2	150KW - Extended Warranty year 2 - included	\$	-
350KW - WAR -2	350KW - Extended Warranty year 2 - included	\$	-
AC30P-WAR-3	AC30P - 3 Year Parts Warranty	\$	166.67
Gateway-WAR-3	Gateway G100 - 3 Year Parts Warranty	\$	166.67
AC7L-WAR-3	AC7L - 3 year Parts Warranty	\$	233.33
AC7LC-WAR-3	AC7LC - 3 year Parts Warranty	\$	233.33
AC19L-WAR-3	AC19L - 3 year Parts Warranty	\$	466.67
AC19L Exceed-WAR-3	AC19L Exceed - 3 year Parts Warranty	\$	633.33
25KW - WAR -3	25KW - Extended Warranty year 3 - Parts and on-site labor extended warranty - Terra DC Wallbox for 1 additional year (3 years total)	\$	3,380.71
50KW - WAR -3	50KW - Extended Warranty year 3 - Parts and on-site labor extended warranty - Terra 53/54 for 1 additional year (3 years total)	\$	2,861.67
120KW - WAR -3	120KW - Extended Warranty year 3 - Extended parts and onsite labor warranty is only enabled when ordered with the charger. T124 price per charger for in total 3 years of warranty	Ś	6,134.37
180KW - WAR -3	180KW - Extended Warranty year 3 - Extended parts and on-site labor warranty is only enabled when ordered with the charger. T184 price per charger for in total 3 years of warranty	Ş	6,883.13
6AGC105932 - P Wty 3 yr T175 PC	Parts only extended warranty - Terra 175 HP Power Cabinet for 1 additional year (3 years total)	\$	2,516.21
6AGC068179 - P Wty 3 yr T175 CP	Parts only extended warranty - Terra 175 HP ChargePost for 1 additional year (3 years total)	\$	3,588.13
EW1LTHP175	On-site labor extended warranty - Terra 175 HP for up to 3 years (must be purchased with parts only warranty for equivalent time frame, does not include PM)	¢	4,621.44
EW1LTHP350	On-site labor extended warranty - Terra 350 HP for up to 3 years (must be purchased with parts only warranty for equivalent time frame, does not include PM)	¢	5,881.83
AC30P-WAR-4	AC30P - 4 Year Parts Warranty	ŝ	333.33
Gateway-WAR-4	Gateway G100 - 4 Year Parts Warranty	\$	333.33
AC7L-WAR-4	AC7L - 4 year Parts Warranty	\$	366.67
AC7LC-WAR-4	AC7LC - 4 year Parts Warranty	\$	466.67
AC19L-WAR-4	AC19L - 4 year Parts Warranty	\$	933.33
AC19L Exceed-WAR-4	AC19L Exceed - 4 year Parts Warranty	\$	1,266.67
25KW - WAR -4	25KW - Extended Warranty year 4 - Parts and onsite labor extended warranty - Terra DC Wallbox for 2 additional years (4 years total)	\$	5,464.16
50KW - WAR -4	50KW - Extended Warranty year 4 - Parts and on-site labor extended warranty - Terra 53/54 for 2 additional years (4 years total)	\$	5,204.64
120KW - WAR -4	120KW - Extended Warranty year 4 - Extended parts and on-site labor warranty is only enabled when ordered with the charger. T124 price per charger for in total	ć	11 620 22
180KW - WAR -4	4 years of warranty 180KW - Extended Warranty year 4 - Extended parts and on-site labor warranty is only enabled when ordered with the charger. T184 price per charger for in total	ş	11,630.32
6AGC105938 - P Wty 4 yr T175 PC	4 years of warranty Parts only extended warranty - Terra 175 HP Power Cabinet for 2 additional year (4 years total)	Ş	13,123.57
0AGC105930 - P Wty 4 yr 1175 PC	rans only extended warranty - rena 175 mm Power Cabinet for 2 additional year (4 years total)	Ş	5,865.42

	*** ABM Price List ***	MD / NAPSO Plus Optional
6AGC068180 - P Wty 4 yr T175 CP	Parts only extended warranty - Terra 175 HP ChargePost for 2 additional year (4 years total)	\$ 6,345.42
EW2LTHP175	On-site labor extended warranty - Terra 175 HP for up to 4 years (must be purchased with parts only warranty for equivalent time frame, does not include PM)	\$ 8,402.61
EW2LTHP350	On-site labor extended warranty - Terra 350 HP for up to 4 years (must be purchased with parts only warranty for equivalent time frame, does not include PM)	\$ 11,763.66
AC30P-WAR-5	AC30P - 5 Year Parts Warranty	\$ 500.00
Gateway-WAR-5	Gateway G100 - 5 Year Parts Warranty	\$ 500.00
AC7L-WAR-5	AC7L - 5 year Parts Warranty	\$ 500.00
AC7LC-WAR-5	AC7LC - 5 year Parts Warranty	\$ 700.00
AC19L-WAR-5	AC19L - 5 year Parts Warranty	\$ 1,400.00
AC19L Exceed-WAR-5	AC19L Exceed - 5 year Parts Warranty	\$ 1,900.00
25KW - WAR -5	25KW - Extended Warranty year 5 - Parts and on-site extended warranty - Terra DC Wallbox for 3 additional years (5 years total)	\$ 7,547.61
50KW - WAR -5	50KW - Extended Warranty year 5 - Parts and on-site labor extended warranty - Terra 53/54 for 3 additional year (5 years total)	\$ 8,585.01
120KW - WAR -5	120KW - Extended Warranty year 5 - Extended parts and on-site labor warranty is only enabled when ordered with the charger. T124 price per charger for in total 5 years of warranty	\$ 17,126.27
180KW - WAR -5	180KW - Extended Warranty year 5 - Extended parts and on-site labor warranty is only enabled when ordered with the charger. T184 price per charger for in total 5 years of warranty	\$ 19,364.01
6AGC105937 - P Wty 5 yr T175 PC	Parts only extended warranty - Terra 175 HP Power Cabinet for 3 additional year (5 years total)	\$ 10,041.17
6AGC068181 - P Wty 5 yr T175 CP	Parts only extended warranty - Terra 175 HP ChargePost for 3 additional year (5 years total)	\$ 8,274.01
EW3LTHP175	On-site labor extended warranty - Terra 175 HP for up to 5 years (must be purchased with parts only warranty for equivalent time frame, does not include PM)	\$ 12,603.92
EW3LTHP350	On-site labor extended warranty - Terra 350 HP for up to 5 years (must be purchased with parts only warranty for equivalent time frame, does not include PM)	\$ 17,645.49

.2- Valid&COMM	Level 2 Validation and Commissioning	Ś	650.00
	Level 2 valuation and commissioning Initial Station Activation & Configuration Service includes activation of cloud services and configuration of radio groups, custom groups, connections, access	Ŷ	050.00
SUPPORT-ACTIVE	control, visibility control, pricing, reports and alerts. One time initial service per station.	Ś	349.00
STATION ACTIVATION FEE	STATION ACTIVATION FEE - DESTIANTION EVCI	\$	2,136.90
PROJECT - EVCI	PROJECT - EVCI - Commissioning Fee per Terra HP or HVC	\$	1,033.33
24kw - INSTALL - VALID	24KW - ABM will validate the electrical capacity, transformers, panels, breakers, wiring, cellular coverage and that station installation meets all Manufacturer published requirements and local codes. A successful Site Validation is a prerequisite to activate manufacturers warranty and to purchase Extended Warranty. INSTALLVALID is priced per station.	Ś	699.00
50KW - INSTALLATION - VALID	50-180KW - ABM will validate the electrical capacity, transformers, panels, breakers, wiring, cellular coverage and that station installation meets all Manufacturer published requirements and local codes. A successful Site Validation is a prerequisite to activate manufacturers warranty and to purchase Extended Warranty. INSTALATION VALID is priced per charger power cabinet & dispenser.	ŝ	1,250.00
150-350KW - INSTALLATION - VALID	150-350KW - ABM will validate the electrical capacity, transformers, panels, breakers, wiring, cellular coverage and that station installation meets all Manufacturer published requirements and local codes. A successful Site Validation is a prerequisite to activate manufacturers warranty and to purchase Extended Warranty. INSTALATION VALID is priced per charger power cabinet & dispenser.	Ś	4.750.00
	Activation Fee per Terra DC Wallbox - will remotely activate the unit in our diagnostic system, check for any errors, load latest version of firmware and log unit for	Ŷ	4,750.00
ACDCWB, CDN COMM-DCWB	warranty activation, any specific customizations that have been purchased by the customer.	\$	262.44
CTX4, CDN - COMM-Tx4	Activation Fee per Terra 54 - will remotely activate the unit in our diagnostic system, check for any errors, load latest version of firmware and log unit for warranty activation, any specific customizations that have been purchased by the customer are completed at this time.	\$	261.07
CT1X4, CDN -COMM-Txx4	Activation Fee per Terra 94/124/184 - will remotely activate the unit in our diagnostic system, check for any errors, load latest version of firmware and log unit for warranty activation, any specific customizations that have been purchased by the customer.	\$	534.77
CSAT1x4	Terra 94, 124, 184 - Commissioning Fee per unit. Only approved service partners trained by can perform commissioning. Certified commissioning channel partners can self perform and are not required to purchase, required for all other customers.	\$	2,122.73
CTHP	Activation Fee per Terra HP - will remotely activate the unit in our diagnostic system, check for any errors, load latest version of firmware and log unit for warranty activation, any specific customizations that have been purchased by the customer	\$	1,015.00
SATTHP	Terra HP - Commissioning Fee per system. Only approved service partners trained by can perform commissioning. Certified commissioning channel partners can self perform and are not required to purchase, required for all other customers.	\$	2,122.73
CTHP3D	Activation Fee per Terra HP350 or Terra HP 175 Dynamic - will activate the unit in our diagnostic system, check for any errors, load latest version of firmware and log unit for warranty activation, any specific customizations that have been purchased by the customer.	\$	2,000.00

	*** ABM Price List ***	MD / NAPSO Plus Optional
Preventative Maintenance		
L2 PM -1	one Preventative Maintenance visit per year per station	\$ 350.00
L2 PM -2	one Preventative Maintenance visit per year per station	\$ 690.00
L2 PM -3	one reventative Maintenance visit per year per station	\$ 990.00
L2 PM -4	one Preventative Maintenance visit per year per station	
L2 PM -5	one Preventative Maintenance visit per year per station	\$ 1,260.00
L2 FIM -3	One preventative maintenance visit per DC Wallbox unit. Must be scheduled in advance and sites with multiple stations will have PMs completed concurrently.	\$ 1,500.00
DCWB PM-1	One preventative maintenance visit per DC wantox unit. Wais be schedured on advance and sites with induple stations with have PWs completed concurrency. Includes 2 hours of drive time by technician - remote sites may incru an additional travel-time surcharge.	\$ 1,340.55
DEWB FINFI	One preventative maintenance visit per DC Wallbox unit. Must be scheduled in advance and sites with multiple stations will have PMs completed concurrently.	Ş 1,540.55
DCWB PM-2	Includes 2 hours of drive time by technician - remote sites may incur an additional travel-time surcharge.	\$ 2,654.29
	One preventative maintenance visit per DC Wallbox unit. Must be scheduled in advance and sites with multiple stations will have PMs completed concurrently.	, ,
DCWB PM-3	Includes 2 hours of drive time by technician - remote sites may incur an additional travel-time surcharge.	\$ 3,780.35
	One preventative maintenance visit per DC Wallbox unit. Must be scheduled in advance and sites with multiple stations will have PMs completed concurrently.	
DCWB PM-4	Includes 2 hours of drive time by technician - remote sites may incur an additional travel-time surcharge.	\$ 4,825.98
	One preventative maintenance visit per DC Wallbox unit. Must be scheduled in advance and sites with multiple stations will have PMs completed concurrently. Levelue 2 hours of drive time but appeiring a mente after any or and drive and work provided and the set of the	A 5 7 6 4 9 7
DCWB PM-5	Includes 2 hours of drive time by technician - remote sites may incur an additional travel-time surcharge. One preventative maintenance visit per T54 unit. Must be scheduled in advance and sites with multiple stations will have PMs completed concurrently. Includes 2	\$ 5,764.37
T54 PM -1	one preventative maintenance visit per 154 unit, was to e scheduled in advante and sites with multiple stations with have Five completed concurrency, includes 2 hours of drive time by technician - remote sites may includes a user an additional travel-time surcharge.	\$ 1,340.55
1341 101-1	One preventative maintenance visit per T54 unit. Must be scheduled in advance and sites with multiple stations will have PMs completed concurrently. Includes 2	Ş 1,540.55
T54 PM -2	hours of drive time by technician - remote sites may incur an additional travel-time surcharge.	\$ 2,654.29
	One preventative maintenance visit per T54 unit. Must be scheduled in advance and sites with multiple stations will have PMs completed concurrently. Includes 2	· _/···
T54 PM -3	hours of drive time by technician - remote sites may incur an additional travel-time surcharge.	\$ 3,780.35
	One preventative maintenance visit per T54 unit. Must be scheduled in advance and sites with multiple stations will have PMs completed concurrently. Includes 2	
T54 PM -4	hours of drive time by technician - remote sites may incur an additional travel-time surcharge.	\$ 4,825.98
	One preventative maintenance visit per T54 unit. Must be scheduled in advance and sites with multiple stations will have PMs completed concurrently. Includes 2	
T54 PM -5	hours of drive time by technician - remote sites may incur an additional travel-lime surcharge.	\$ 5,764.37
T124 and 184 PM -1	One preventative maintenance visit per T124 and T184 unit. Must be scheduled in advance and sites with multiple stations will have PMs completed concurrently. Includes 2 hours of drive time by technician - remote sites may incur an additional travel-time surcharge.	\$ 1,661.32
1124 and 164 PM-1	Includes 2 hours or drive time by reclimicant remove sites may incur an advance and sites with multiple stations will have PMs completed concurrently.	\$ 1,661.32
T124 and 184 PM -2	Includes 2 hours of drive time by technican - remote sites may incur an additional travel-time surcharge.	\$ 3,289.41
	One preventative maintenance visit per T124 and T184 unit. Must be scheduled in advance and sites with multiple stations will have PMs completed concurrently.	Ş 3,203.41
T124 and 184 PM -3	Includes 2 hours of drive time by technician - remote sites may incur an additional travel-time surcharge.	\$ 4,684.92
	One preventative maintenance visit per T124 and T184 unit. Must be scheduled in advance and sites with multiple stations will have PMs completed concurrently.	· ·
T124 and 184 PM -4	Includes 2 hours of drive time by technician - remote sites may incur an additional travel-time surcharge.	\$ 5,980.75
	One preventative maintenance visit per T124 and T184 unit. Must be scheduled in advance and sites with multiple stations will have PMs completed concurrently.	
T124 and 184 PM -5	Includes 2 hours of drive time by technician - remote sites may incur an additional travel-time surcharge.	\$ 7,143.68
HP power Cabinet PM - 1	One preventative maintenance visit per HP power cabinet unit. Must be scheduled in advance and sites with multiple stations will have PMs completed concurrently. Includes 2 hours of drive time by technician - remote sites may incur an additional travel-time surcharge.	\$ 2,330.86
HP power Cabinet PM - 1	Oncentering, includes 2 hours of one time by recriminant remote sites may include an adultional date may adult adult.	\$ 2,330.86
HP power Cabinet PM - 2	concurrently. Includes 2 hours of drive time by technician - remote sites may incur an additional travel-time surcharge.	\$ 4,615.10
	One preventative maintenance visit per HP power cabinet unit. Must be scheduled in advance and sites with multiple stations will have PMs completed	+ .,
HP power Cabinet PM - 3	concurrently. Includes 2 hours of drive time by technician - remote sites may incur an additional travel-time surcharge.	\$ 6,573.03
	One preventative maintenance visit per HP power cabinet unit. Must be scheduled in advance and sites with multiple stations will have PMs completed	
HP power Cabinet PM - 4	concurrently. Includes 2 hours of drive time by technician - remote sites may incur an additional travel-time surcharge.	\$ 8,391.10
	One preventative maintenance visit per HP power cabinet unit. Must be scheduled in advance and sites with multiple stations will have PMs completed	
HP power Cabinet PM - 5	concurrently. Includes 2 hours of drive time by technician - remote sites may incur an additional travel-time surcharge.	\$ 10,022.70
HD Kiesk DM 1	One preventative maintenance visit per HP kiosk unit. Must be scheduled advance and sites with multiple stations will have PMs completed concurrently. Include 2 hours of drive time by technicing - pende sites may include and advance and sites with multiple stations will have PMs completed concurrently.	ć 780.01
HP Kiosk PM - 1	Includes 2 hours of drive time by technician - remote sites may incur an additional travel-time surcharge. One preventative maintenance visit per HP kiosk unit. Must be scheduled in advance and sites with multiple stations will have PMs completed concurrently.	\$ 789.01
HP Kiosk PM - 2	Includes 2 hours of drive time by technican - remote sites may include and attravel-time surcharge.	\$ 1,562.24
	One preventative maintenance visit per HP kiosk unit. Must be scheduled in advance and sites with multiple stations will have PMs completed concurrently.	Ş 1,502.24
HP Kiosk PM - 3	Includes 2 hours of drive time by technician - remote sites may incur an additional travel-time surcharge.	\$ 2,225.01
	One preventative maintenance visit per HP kiosk unit. Must be scheduled in advance and sites with multiple stations will have PMs completed concurrently.	· ·
HP Kiosk PM - 4	Includes 2 hours of drive time by technician - remote sites may incur an additional travel-time surcharge.	\$ 2,840.44
	One preventative maintenance visit per HP kiosk unit. Must be scheduled in advance and sites with multiple stations will have PMs completed concurrently.	
HP Kiosk PM - 5	Includes 2 hours of drive time by technician - remote sites may incur an additional travel-time surcharge.	\$ 3,392.74
Shipping		
L2 charger	Freight per each Charger or Gateway / Accessory	\$ 100.00
L2 Pedestal	Freight per each Pedestal	\$ 150.00
DCWall Box Freight	Freight per each DC Wallbox unit.	\$ 680.00
T54 Freight	Freight per each Terra 54 unit.	\$ 998.00
T54 ACC Freight	Freight per 1x of any of the following: cable management solution (per retractor) or ground metal foundation.	\$ 325.00
T124 and 184 Freight	Freight per each Terra 124 and 184 unit.	\$ 2,500.00
T124 and 184 ACC Freight	Freight per 1x of any of the following: cable management solution (per retractor) or ground metal foundation.	\$ 325.00
HP Freight Power Cabinet	Freight per each Terra hp unit. Power Cabinet	\$ 2,500.00
HP Freight Kiosk	Freight per each Terra hp unit. Kiosk	\$ 800.00
HP ACC Freight	Freight per 1x of any of the following: cable management solution (per retractor) or ground metal foundation.	\$ 325.00
DCWB Pedestal Freight	Freight per Pedestal	\$ 735.00
Setter reagin		y 133.00

Г

٦