



Current Date 03Jan2020

26G Compact Excavator

ENGINE:

Yanmar 3TNV80F 3-77.0 cu.
in. (1.2 l)20 ISO9249 Net HP (14.9
kW)Certified to EPA Tier 4 Final
Antifreeze

Single Dry-Type Air Filter

Electric Fuel Shutoff

Fan Guard

Full Flow Oil Filter

Low Maintenance Battery

Fuel Filter & Water Separator
Isolation Mounted

Under Hood Muffler

40 Amp Alternator - 12 Volt

Glow Plugs Cold Start Aid

HYDRAULICS:

Open Center with Two

Variable Displacement

Pumps and One Fixed Gear
PumpHydraulic Pilot Controls for
Boom, Arm, Bucket, Swing,
and Propel

Excavator to Backhoe

Control Pattern Change

Valve

Auxiliary Function Control
and Right Hand Pilot Lever

Boom Swing Foot Control

Axial Piston Swing Motor

Wet Disk Swing Brake

Propel Brake

Auxiliary Valve Section

Auxiliary hydraulic lines with
a selector valve to the arm

UNDERCARRIAGE:

12 in. (300 mm) Rubber
Track

Backfill Blade

Propel Motor Shield

Planetary Final Drive

Two Speed Propel with
Automatic Shifting

Axial Piston Propel Motor

UPPERSTRUCTURE:

360 Degree Upper Structure
RotationIndependent Boom Swing
(70 degree left and 60
degree right rotation)

ROPS/OPG/FOPS Canopy

Work lights: One Mounted on
Canopy (Cab) One Mounted
on Boom

Canopy Counterweight:

Canopy 582 lb. (264 kg.),

Cab 509 lbs (231 kg.)

Vandal Locks for Service
Doors

FRONT ATTACHMENTS:

Boom 6 ft. 10 in. (2.10 m)

Arm 3 ft. 10 in. (1.17 m)

Mechanical Quick Coupler

OPERATOR'S STATION:

Adjustable Vinyl Seat

2 in. Retractable Seat Belt
Horn

Hour Meter

Instrumentation Lights

Monitor System with:

Alternator Charge Warning
LightEngine Coolant Warning
Light and AlarmEngine Oil Pressure Warning
Light

Travel Mode Indicator

Fuel Gauge and Warning
LightEngine Preheat Indicator
Light Switch with "On"

Indicator

Two Travel Modes with
Automatic Shifting and

Speed Selection Switch

Motion Alarm with Cancel
Switch

Cupholder

12 Volt Cell Phone Outlet

Operator manual storage in
back of seatPropel Levers and Foldable
PedalsRequired - *You must select one from each category*

▼ BASE MACHINE

Description	Code	Price
26G Compact Excavator	0020FF	\$39,188.00

▼ CANOPY OR CAB

Description	Code	Price
ROPS / FOPS Canopy	8150	No Added Cost

ROPS / FOPS Cab

8185

\$4,266.00

Cab is Radio Ready with Speakers, Antenna, Wiring and Mounting.
With Heater.

Optional - *Select as desired*

DEALER-INSTALLED KITS

Description	Code	Price
Buckets		
12 in. (305 mm) Heavy Duty Bucket; 1.33 cu. ft. (0.038 cu. m) (3 Teeth Included)	BYT10962	\$644.00
Does not work with Hydraulic coupler AT442164		
18 in. (457 mm) Heavy Duty Bucket Bundle	BYT10971	\$2,307.00
* Bundle includes a quantity of 4 of the same size bucket * Price includes a 5% discount from individual buckets' prices		
18 in. (457 mm) Heavy Duty Bucket; 2.33 cu. ft. (0.066 cu. m) (4 Teeth Included)	BYT10963	\$671.00
24 in. (610 mm) Heavy Duty Bucket Bundle	BYT10972	\$2,496.00
Bundle includes a quantity of 4 of the same size bucket * Price includes a 5% discount from individual buckets' prices		
24 in. (610 mm) Heavy Duty Bucket; 3.29 cu. ft. (0.093 cu. m) (4 Teeth Included)	BYT10964	\$722.00
30 in. (762 mm) Ditch Cleaning Bucket; 4.4 cu. ft. (0.12 cu. m) (No Teeth)	BYT10965	\$805.00
Clamps		
Hydraulic Clamp, Short Arm - Factory Installation Fee	AT349584	\$547.00
* Must also order Hydraulic Clamp * Cannot be ordered with Rubber Crawler Pads, 3130		
Hydraulic GREY Clamp	AT451119	\$1,705.00
Interface Adapters		
Interface Adapter for 27-35 CE and 110 TLB	AT305753	\$639.00
Miscellaneous		
Auxiliary Hydraulic Quick Disconnect Kit	BYT10142	\$103.00
Front Screen, Canopy (GR#706024) (26 CE)	AT495180	\$603.00
Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Canopy		
Hydraulic Quick Disconnect Kit for Selector Valve	BYT11478	\$103.00
Serial No. Break - 264782		



REFERRAL ATTACHMENTS

Description	Code	Price
G.r.mfg. G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
Front Screen, Cab (GR#705753) (26-50 CE)	AT451135	\$653.00
*Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Cab.		