



Current Date 03Jan2020

30G Compact Excavator

ENGINE:

Yanmar 3TNV88 (1.64 l)
 23.3 SAE Net HP
 Certified to EPA Final
 Tier 4 Emissions
 Antifreeze
 Single Dry-Type Air Filter
 Electric Fuel Shutoff
 Fan Guard
 Full Flow Oil Filter
 Low Maintenance Battery
 Fuel Filter & Water Separator

Isolation Mounted
 Under Hood Muffler
 55 Amp Alternator - 12 Volt
 HYDRAULICS:

Open-Center, Load-Sensing
 With Two Variable
 Displacement Pumps and
 One Fixed Gear Pump
 Hydraulic Pilot Controls for
 Boom, Arm, Bucket, Swing,
 Boom Swing,
 Blade, and Auxiliary
 Excavator to Backhoe
 Control
 Pattern Change Valve
 Auxiliary Function Control
 and Right Hand Pilot Lever
 Boom Swing Foot Control
 Axial Piston Swing Motor
 Wet Disk Swing Brake

Auxiliary Valve Section
 Auxiliary Hydraulic Lines
 with Release Under Pressure
 Auxiliary hydraulic lines with
 a selector valve to the arm
 UNDERCARRIAGE:
 12 in. (300 mm) Rubber
 Track

4 ft. 11 in. (1.5 m) Backfill
 Blade
 Propel Motor Shield
 Planetary Final Drive
 Two Speed Propel with
 Automatic Shifting
 Axial Piston Propel Motor
 UPPERSTRUCTURE:
 Zero Tail Swing
 Configuration
 360 Degree Upper Structure
 Rotation

Independent Boom Swing
 (72 degree left and 62
 degree right rotation)
 ROPS/FOPS Canopy
 Vandal Locks for:
 Service Doors
 Work lights:
 One Mounted on Canopy
 (Cab)
 One Mounted on Boom
 Counterweight 723 lb. (328
 kg.)

FRONT ATTACHMENTS:
 Boom 7 ft. 6 in. (2.28 m)

Arm 3 ft. 8 in. (1.17 m)
 Mechanical Quick Coupler
 OPERATOR'S STATION:
 Electronic Throttle Control
 with Auto Idle
 Vinyl Seat with Fore/Aft
 Adjustment

2 in. Retractable Seat Belt
 Horn
 Hour Meter
 Instrumentation Lights
 Monitor System with:
 Engine Preheat Indicator
 Engine Oil Pressure
 Indicator
 Alternator Voltage
 Indicator
 Fuel Gauge and
 Level Indicator
 Engine Coolant
 Temperature Gauge
 and Indicator
 Hour Meter
 Operating Lights Switch
 Operating Lights
 Indicator
 Foldable Propel Pedals and
 Levers
 Two Travel Modes with
 Automatic Shifting and
 Speed
 Selection Switch
 Motion Alarm with Cancel
 Switch
 Cupholder
 12 Volt Cell Phone Outlet

Required - You must select one from each category



BASE MACHINE

Description
 30G Compact Excavator

Code Price
 0100FF \$47,301.00



TRACKS

Description	Code	Price
Rubber Track	3125	No Added Cost
12 in. (300 mm).		

▼ ARM

Description	Code	Price
Standard Arm	7110	No Added Cost
3 ft. 10 in.(1.17m)		

▼ CANOPY OR CAB

Description	Code	Price
ROPS / FOPS Canopy	8150	No Added Cost
ROPS / FOPS Cab	8185	\$6,243.00
Cab is Radio Ready with Speakers, Antenna, Wiring and Mounting. With Heater & Air Conditioner.		

▼ SEAT

Description	Code	Price
Suspension Seat - Vinyl	4145	\$351.00
Requires ROPS / FOPS Canopy (8150).		
Suspension Seat - Cloth	4150	\$380.00
Requires ROPS / FOPS Cab with Heater & Air Conditioner (8185).		

Optional - *Select as desired*

▼ DEALER-INSTALLED KITS

Description	Code	Price
<u>Buckets</u>		
12 in. (305 mm) Heavy Duty Bucket; 1.33 cu. ft. (0.038 cu. m) (3 Teeth Included)	BYT10962	\$644.00
Does not work with Hydraulic coupler AT442164		
18 in. (457 mm) Heavy Duty Bucket Bundle	BYT10971	\$2,307.00
* Bundle includes a quantity of 4 of the same size bucket * Price includes a 5% discount from individual buckets' prices		
18 in. (457 mm) Heavy Duty Bucket; 2.33 cu. ft. (0.066 cu. m) (4 Teeth Included)	BYT10963	\$671.00
24 in. (610 mm) Heavy Duty Bucket Bundle	BYT10972	\$2,496.00
Bundle includes a quantity of 4 of the same size bucket * Price includes a 5% discount from individual buckets' prices		
24 in. (610 mm) Heavy Duty Bucket; 3.29 cu. ft. (0.093 cu. m) (4 Teeth Included)	BYT10964	\$722.00

30 in. (762 mm) Ditch Cleaning Bucket; 4.4 cu. ft. (0.12 cu. m) (No Teeth)	BYT10965	\$805.00
Clamps		
Hydraulic Clamp - Factory Installation Fee	AT487517	\$830.00
Interface Adapters		
Interface Adapter for 27-35 CE and 110 TLB	AT305753	\$639.00
Miscellaneous		
Auxiliary Hydraulic Quick Disconnect Kit	BYT10142	\$103.00
Hydraulic GREY Clamp	BYT10715	\$1,918.00
For dealer install, also order T213184 - Wear Plate (QTY 1) and AT317646 - Arm Bracket (QTY 1). These parts are not required if ordering AT487517 - Factory Installation Fee.		
Hydraulic Quick Disconnect Kit for Selector Valve	BYT11478	\$103.00
Serial No. Break - 266590		



REFERRAL ATTACHMENTS

Description	Code	Price
G.r.mfg.		
G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
Front Screen, Cab (GR#705578) (30-50G CE)	AT435404	\$539.00
*Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Canopy.		
Front Screen, Cab (GR#705753) (26-50 CE)	AT451135	\$653.00
*Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Cab.		