



Current Date 03Jan2020

60G Compact Excavator

ENGINE:

Yanmar 4TNV98 (3.3 l)
 53 SAE Net HP
 Certified to EPA Final
 Tier 4 Emissions
 Antifreeze
 Single Dry-Type Air Filter
 Electric Fuel Shutoff
 Fan Guard
 Full Flow Oil Filter
 Low Maintenance Battery
 Fuel Filter & Water Separator
 Isolation Mounted
 Under Hood Muffler
 55 Amp Alternator - 12 Volt

HYDRAULICS:

Closed-Center, Load-Sensing
 with One Variable
 Displacement Pump and One
 Fixed Gear Pump
 Hydraulic Pilot Controls for
 Boom, Arm, Bucket, Swing,
 Boom Swing,
 Blade, and Auxiliary
 Excavator to Backhoe
 Control
 Pattern Change Valve
 Auxiliary Function Control
 and Right Hand Pilot Lever
 Boom Swing Foot Control
 Axial Piston Swing Motor
 Wet Disk Swing Brake
 Auxiliary Valve Section

Auxiliary Hydraulic Lines
 with
 Release Under Pressure
 Hydraulic Quick Couplers to
 End of Boom

UNDERCARRIAGE:

16 in. (400 mm) Rubber
 Track

6 ft. 7 in. (2.0 m) Backfill
 Blade

Propel Motor Shield
 Planetary Final Drive
 Two Speed Propel With
 Automatic Shifting
 Axial Piston Propel Motor

UPPERSTRUCTURE:

Reduced Tail Swing
 Configuration
 360 Degree Upper Structure
 Rotation

Independent Boom Swing
 (80 degree left and 60
 degree right rotation)

ROPS/FOPS/TOPS Cab
 Toolbox

Vandal Locks for:

Service Doors

Work lights:

One Mounted on Canopy
 (Cab)

One Mounted on Boom
 Counterweight 1642 lb. (745
 kg.)

FRONT ATTACHMENTS:

Boom 9 ft. 9 in. (3.0 m)

Arm 4 ft. 11 in. (1.5 m)

Mechanical Quick Coupler

OPERATOR'S STATION:

Air Conditioning and Heat
 Electronic Throttle Control
 with Auto Idle
 Efficiency/Productivity Modes
 Cloth Suspension Seat with
 Fore/Aft Adjustment
 2 in. Retractable Seat Belt
 Horn

Hour Meter

Instrumentation Lights

Monitor System with:

Engine Preheat Indicator
 Engine Oil Pressure
 Indicator

Alternator Voltage
 Indicator

Fuel Gauge and
 Level Indicator

Engine Coolant
 Temperature Gauge
 and Indicator

Hour Meter

Operating Lights Switch

Operating Lights
 Indicator

Foldable Propel Pedals and
 Levers

Two Travel Modes with
 Automatic Shifting And
 Speed

Selection Switch

Motion Alarm with Cancel
 Switch

Cupholder

12 Volt Cell Phone Outlet

Required - You must select one from each category



BASE MACHINE

Description

60G Compact Excavator

Code

0071FF

Price

\$77,990.00

▼ TRACKS

Description	Code	Price
Rubber Track	3125	No Added Cost
16 in. (400 mm).		
Steel Track with Triple Semi-Grouser Shoes	3128	\$2,025.00
16 in. (400 mm). Long lead-time item; contact Order Fulfillment for availability.		
Rubber Crawler Pads	3130	\$5,990.00
Shipped from the nearest port. Factory Hydraulic Clamp installation is not available; dealer-installed only. Steel track shoes with vulcanized rubber pads bonded to top of shoes. Long lead-time item; contact Order Fulfillment for availability.		

▼ ARM

Description	Code	Price
Standard Arm	7110	No Added Cost
4 ft. 11 in. (1.50 m).		
Long Arm and Extra Counterweight	7120	\$1,781.00
Extra counterweight extends 5 in. (115 mm) beyond width of tracks when upper structure is rotated to the side. 6 ft. 1 in. (1.85 m) and Extra Counterweight 573 lbs (260 kg).		

▼ CANOPY OR CAB

Description	Code	Price
ROPS / FOPS Canopy	8150	No Added Cost
ROPS / FOPS Cab	8185	\$6,243.00
Cab is Radio Ready with Speakers, Antenna, Wiring and Mounting. With Heater & Air Conditioner.		

Optional - *Select as desired*

▼ BLADE

Description	Code	Price
Angle Blade	9555	\$4,694.00

▼ DEALER-INSTALLED KITS

Description	Code	Price
<u>Buckets</u>		
13 In. (330 mm) Heavy Duty 3 Tooth Bucket; 3.3 Cu. Ft. (0.09 Cu. M)	BYT10988	\$1,065.00
13 In. (330 mm) Heavy Duty Bucket; 3.3 Cu. Ft. (0.09 Cu. M) (3 TK Teeth Included)	BYT10987	\$1,065.00

18 in. (457 mm) Heavy Duty 4 Tooth Bucket; 5.1 cu. ft.	BYT10990	\$1,163.00
18 in. (457 mm) Heavy Duty Bucket; 3.6 cu. ft. (0.10 cu. m) (4 Teeth Included)	BYT10979	\$986.00
18 in. (457 mm) Heavy Duty Bucket; 5.1 Cu. Ft. (0.14 Cu. M) (4 TK Teeth Included)	BYT10989	\$1,163.00
24 in. (610 mm) Heavy Duty 5 Tooth Bucket; 7.5 cu. ft.	BYT10992	\$1,310.00
24 in. (610 mm) Heavy Duty Bucket; 7.5 Cu. Ft. (0.21 Cu. M) (5 TK Teeth Included)	BYT10991	\$1,310.00
30 in. (762 mm) Heavy Duty 5 Tooth Bucket; 10.0 cu. ft	BYT10994	\$1,457.00
36 in. (914 mm) Heavy Duty Bucket; 12.5 Cu. Ft. (0.35 Cu. M) (6 TK Teeth Included)	BYT10995	\$1,450.00
36 in. Heavy Duty 5 Tooth Bucket; 12.5 cu. ft.	BYT10996	\$1,516.00
42 in. (946 mm) Ditch Cleaning Bucket; 9.6 cu. ft. (0.26 cu. m) (No Teeth)(Grey Paint)	BYT10997	\$1,415.00
<u>Clamps</u>		
Hydraulic Clamp, Long Arm - Factory Installation Fee	AT349585	\$671.00
* Must also order Hydraulic Clamp * Cannot be ordered with Rubber Crawler Pads, 3130		
Hydraulic Clamp, Short Arm - Factory Installation Fee	AT349584	\$547.00
* Must also order Hydraulic Clamp * Cannot be ordered with Rubber Crawler Pads, 3130		
Hydraulic GREY Clamp	BYT10171	\$1,898.00
<u>Hydraulic Couplers</u>		
Hydraulic Quick Coupler	AT452558	\$2,793.00
Works with John Deere and Hitachi 60 series quick coupler buckets only; AT461521G, AT460874, AT460878G, AT460879, AT460880G, AT460881, AT460882G, AT460887, AT460888G, AT460889, AT408385, AT408385G.		
Hydraulic Quick Coupler - Factory Installation Fee	AT461031	\$1,772.00
Labor for installation of Deere/Hitachi Hydraulic Quick Coupler at Paladin Customworks, Davenport, Iowa. Must also order Hydraulic Quick Coupler.		
<u>Interface Adapters</u>		
Interface Adapter for 50-60 CE	AT306177	\$692.00



REFERRAL ATTACHMENTS

Description	Code	Price
G.r.mfg.		
G.R. Manufacturing, Inc. * Kits listed below must be ordered through		

John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005

Front Screen, Cab (GR#705577) (60 CE)	ETN112936	\$653.00
---------------------------------------	-----------	----------

*Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Cab.

Front Screen, Cab (GR#705578) (30-50G CE)	AT435404	\$539.00
---	----------	----------

*Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Canopy.
