

**MODELS HM234/235/236 ECO. DM
US PRICE LIST**

(Port of Entry)

Standard Equipment

HM DISC MOWER SPECIFICATIONS

- Cutterbar Type: Low Profile Gear-Driven Common Sump Design
- Cutterbar Lift: Hyd. - Single Acting
- Disc Rock Guard Skid Shoes Standard
- Open Right-Side with Outside Drum
- Right-Side Swath Board
- Two (2) Adjustable Parking Stands
- PTO Driveline with Overrunning Clutch
- PTO Shaft Storage Support
- 3-Point Hitch Limit Chains

NOTE: Only for use with tractors having a fully enclosed cab.

MODEL HM234

- Cutting Width 5 ft. 6 in. (1.7M)
- Num. Discs 4 Oval Cutting
- Knives per Disc 2 -Reversible
- Hitch Cat I/II
3-Pt.-Adjustable
- Flotation Inner/Outer Spring
- Protection Mechanical Breakaway
- Hydraulic Req. 1 SA
- PTO Speed 540 RPM
- Tractor Req. Min. 35 PTO HP
- Operating Weight 886 lbs. (402 kg)

MODEL HM235

- Cutting Width 6 ft. 9 in. (2.1M)
- Num. Discs 5 Oval Cutting
- Knives per disc 2 Reversible
- Hitch Cat I/II
3-pt.-Adjustable
- Flotation Inner/Outer Spring
- Protection Mechanical Breakaway
- Hydraulic Req. 1 SA
- PTO Speed 540 RPM
- Tractor Req. Min. 40 PTO HP
- Operating Weight 990 lbs. (449 kg)

MODEL HM236

- Cutting Width 7 ft. 11 in. (2.4M)
- Num. Discs 6 Oval Cutting
- Knives per Disc 2 Reversible
- Hitch Cat II 3-Pt.-Adjustable
- Flotation Inner/Outer Spring
- Protection Mechanical Breakaway
- Hydraulic Req. 1 SA
- PTO Speed 540 RPM
- Tractor Req. Min. 50 PTO HP
- Operating Weight 1,182 lbs. (536 kg)

WARRANTY

New Holland Standard Warranty Applies

Models

COMMERCIAL MODEL	WORKING WIDTH	Weight	Factory Data	List Price
HM234	5 ft. 6 in. Cut Width	996 LB		\$9,047.00
HM235	6 ft. 8 in. Cut Width	1,100 LB		\$10,041.00
HM236	7 ft. 10 in. Cut Width	1,318 LB		\$11,207.00

**MODELS HM234/235/236 ECO. DM
US PRICE LIST**

(Port of Entry)

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

	XT9981X	Less Fast Pick Config Fast Pick configurations are complete packaged units. Selecting any option outside of a Fast Pick configuration, unless specifically allowed eliminates the Fast Pick ordering incentive. LESS FAST PICK CONFIG = A LA CARTE ORDERING AND PRICING			No Charge
	XH949XX	HM MOWER FAST PICK HM Series Economy Disc Mower Fast Pick FAST PICK PKG PRICE = ~5% SAVINGS OVER A LA CARTE ORDER Fast Pick package contains base model without options			(\$500.00)

FACTORY SUPPLIED OPTIONS

WHEEL KITS

SD_16030 INNER SWATH WHEEL KIT

	717279	Inner Swath Wheel Kit	21 LB		\$345.00
--	--------	-----------------------	-------	--	----------

LANGUAGE KITS

SD_47083 OPERATOR'S MANUAL

	715294	French Canadian	1 LB		No Charge
	715309	Spanish Manual - NA	1 LB		No Charge
	X47083X	No Additional Operators Manual			No Charge



MODELS HM234/235/236 ECO. DM
US PRICE LIST

(Port of Entry)

Factory Supplied Attachments

Order Code		Description	Weight	Factory Data	List Price
	717279006	Inner Swath Wheel Kit	21 LB		\$345.00

DURADISC™ M SERIES DISC MOWER US PRICE LIST

Standard Equipment

DISC CUTTERBAR SPECIFICATIONS

-Type	MowMax™ True Modular Disc Cutterbar
-Protection	ShockPRO™ Disc Drive Hubs
-Rock Guard	Heavy-Duty Cast Iron
-Skid Shoes	Hardened Steel- Replaceable
-Knives	QuickMax™ Knives 14° w/ Smooth Edge 2 per Disc (Reversible)
-Lift Mechanism	Hyd. Single Acting

MODEL DURADISC 107M

-Cutting Width	6 ft. 8 in. (2.0M)
-Num. Discs	5 Oval Discs
-Right-End	Open with Swath Drum
-Hitch	Category II 3-Pt. Quick Hitch Compatible
-Flotation	Spring
-Protection	Mechanical Breakaway
-Hydraulic Req.	1 SA
-PTO Speed	540 RPM
-PTO Protection	Belt Drive w/ Overrunning Clutch
-Tractor Req.	Min. 45 PTO HP

MODEL DURADISC 108M

-Cutting Width	7 ft. 10 in. (2.4M)
-Num. Discs	6 Oval Discs
-Right-End	Open with Swath Drum
-Hitch	Category II 3-Pt. Quick Hitch Compatible
-Flotation	Spring
-Protection	Mechanical Breakaway
-Hydraulic Req.	1 SA
-PTO Speed	540 RPM
-PTO Protection	Belt Drive w/ Overrunning Clutch
-Tractor Req.	Min. 55 PTO HP

MODEL DURADISC 109M

-Cutting Width	9 ft. 2 in. (2.8M)
-Num. Discs	7 Oval Discs
-Right-End	Open with Swath Drum
-Hitch	Category II 3-Pt. Quick Hitch Compatible
-Flotation	Spring
-Protection	Mechanical Breakaway
-Hydraulic Req.	1 SA
-PTO Speed	540 RPM
-PTO Protection	Belt Drive w/ Overrunning Clutch
-Tractor Req.	Min. 60 PTO HP

MODEL DURADISC 210M Trailed

-Cutting Width	10 ft. 4 in. (3.14M)
-Avg. Swath	95 in.
-Num. Discs	8 Oval Discs
-Cutting Height	Mechanical
-Hitch	Clevis Hitch
-Trans. Width	10 ft. 10 in.
-Flotation	Spring - Vertical & Lateral
-Chassis Tires	2 - 27 x 9.5 - 15, 6PR
-Hydraulic Req.	2 - 1 SA & 1 DA
-PTO Speed	540 RPM
-PTO Type	80° Constant Velocity Drive
-PTO Protection	Slip & Overrunning Clutches
-Tractor Req.	Min. 60 PTO HP

****All mounted mowers must be ordered
in multiples of 2 due to crating****

NOTE: Only for use with tractors having
a fully enclosed cab.

WARRANTY

- New Holland Standard Warranty
Applies to Base
- MowMax 3 Year, Factory Cutterbar
Extended Warranty

**DURADISC™ M SERIES DISC MOWER
US PRICE LIST****Models**

COMMERCIAL MODEL	WORKING WIDTH	HITCH	Weight	Factory Data	List Price
DURADISC 107M	6 ft. 8 in. Cut Width	CAT II	1,474 LB		\$12,410.00
DURADISC 108M	7 ft. 10 in. Cut Width	CAT II	1,639 LB		\$13,771.00
DURADISC 109M	9 ft. 2 in. Cut Width	CAT II	1,826 LB		\$15,060.00
DURADISC 210M	10 ft. 4 in. Cut Width	CLEVIS HITCH	2,944 LB		\$23,123.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

	XT9981X	Less Fast Pick Config Fast Pick Configurations are complete packaged units. Selecting any option outside of a Fast Pick configuration, unless specifically allowed eliminates the Fast Pick ordering incentive. LESS FAST PICK CONFIG = A LA CARTE ORDERING AND PRICING			No Charge
	XH917XX	DURADISC FAST PICK FAST PICK PKG PRICE = ~5% SAVINGS OVER A LA CARTE ORDER DuraDisc - Fast Pick Package contains base model without options.			(\$700.00)

FACTORY SUPPLIED OPTIONS

DISC MOWER OPTIONS

SD_H5812 RH SWATHBOARD KIT

	717355	RH Swathboard Kit (Not orderable with DuraDisc 210M)			\$166.00
--	--------	--	--	--	----------

LANGUAGE KITS

SD_47083 OPERATOR'S MANUAL

	715257	French Canadian Manual - NA			No Charge
	715309	Spanish Manual - NA			No Charge

**PROTED™ ROTARY TEDDERS
 US PRICE LIST**

(Port of Entry)

Standard Equipment
ProTed™ 3417 TEDDER FEATURES

ProTed 3417 rotary tedder features four large-diameter rotors offering an increased width compared to the prior model 163 rotary tedder. New HD box-frame design and ProTed rotor-gearboxes lubricated by grease deliver reliable service year-after-year. This drawbar trailed model folds vertically and automatically raises the tines for transport. When work is resumed the tines automatically return to the preset adjustment without mechanical adjustments.

PROTED 3417 SPECIFICATIONS

-Overall Width	19 ft. (5.8M)
-Working Width	17 ft.1 in.(5.2M)
-Hitch	Drawbar
-Num. Rotors	4
-Num. Tine Arms	6
-Rotor Lubrication	Grease
-Transport Width	9 ft. 6 in.(2.9M)
-Transport Height	8 ft. 8 in.(2.64M)
-Transport Length	8 ft. 6 in.(2.6M)
-Transport Speed	31 MPH (50 KPH)
-Shipping weight	904 lbs.(410 KG)
-Driveline	Std. U-Joint
-Protection	Radial Pin Clutch
-Tires	16x6.5-8

STANDARD & OPTIONAL EQUIPMENT

-Anti-Wrap Fenders	Standard
-Jack & Safety Chain	Standard
-Tine Saver Clips	Optional
-Anti-Wrap Deflectors	Optional

TRACTOR REQUIREMENTS

-PTO Speed	540 RPM
-Power Req.	20 HP (15 KW)
-Hydraulic Req.	1 SA

ProTed™ 3625 TEDDER FEATURES

ProTed 3625 rotary tedder offers 50% more productivity than four-rotor models. HD frame design and enclosed ProTed rotor-gearboxes lubricated by oil deliver reliable service year-after-year. Three position rotor angle adjustment for more uniform crop spreading. Border tedding angles the tedder when working along field edges. A transport frame supports the machine on large tires allowing operation with smaller tractors than mounted tedder models.

PROTED 3625 SPECIFICATIONS

-Overall Width	25 ft. 9 in. (7.9M)
-Working Width	24 ft. 11 in(7.6M)
-Hitch	Drawbar
-Num. Rotors	6
-Num. Tine Arms	7
-Rotor Lubrication	Oil Bath
-Transport Width	9 ft. 9 in.(2.98M)
-Transport Height	13 ft. 1 in. (4M)
-Transport Length	12 ft. 6 in. (3.8M)
-Transport Speed	31 MPH (50 KPH)
-Shipping Weight	2640 lbs(1190KG)
-Driveline	U-Joint & CV
-Protection	Radial Pin Clutch
-Rotor Support Tires	4, 16x6.5-8 2, 18x8.5-8
-Transport Tires	2, 10/75-15.3

STANDARD & OPTIONAL EQUIPMENT

-Adj. Rotor Angle	Standard
-Border Tedding	Standard
-Anti-Wrap Fenders	Standard
-Jack & Safety Chain	Standard
-Transport Lighting	Standard
-Tine Saver Clips	Optional
-Anti-Wrap Deflectors	Optional

TRACTOR REQUIREMENTS

-PTO SPEED	540 RPM
-Power Req.	50 HP (37 KW)
-Hydraulic Req.	1 SA & 1 DA
-Electrical Req.	7-Pin Lighting

PROTED™ ROTARY TEDDERS US PRICE LIST

(Port of Entry)

Standard Equipment

ProTed™ 3836 TEDDER FEATURES

ProTed 3836 rotary tedder features twice the productivity of four-rotor models. HD frame design and ProTed rotor gearboxes deliver reliable service year-after-year. Three position angle adjustment provides more uniform crop spreading. Border tedding angles the tedder when working along field edges. 2-Pt. semi mounted trailed design allows for use with smaller tractors than fully-mounted models. A transport frame supports the rotors on large tires.

PROTED 3836 SPECIFICATIONS

-Width in Work Pos.	37 ft.2 in.(11.3M)
-Working Width	36 ft. 1 in.(11M)
-Attachment	2-Pt (Cat I & II)
-Num. Rotors	8
-Num. Tine Arms	7
-Rotor Lubrication	Oil Bath
-Transport Width	9 ft. 9 in.(2.9M)
-Transport Height	10 ft. 9 in.(3.3M)
-Transport Length	19 ft.4 in. (5.9M)
-Transport Speed	31 MPH (50 KPH)
-Shipping weight	3571 lbs. (1620KG)
-Driveline	U-Joint & CV
-Protection	Radial Pin Clutch
-Rotor Support Tires	6, 16x6.5-8 2, 18x8.5-8
-Transport Tires	2, 10/75-15.3

STANDARD & OPTIONAL EQUIPMENT

-Adj. Rotor Angle	Standard
-Border Tedding	Standard
-Anti-Wrap Fenders	Standard
-Transport Lighting	Standard
-Tine Saver Clips	Optional
-Anti-Wrap Deflectors	Optional

TRACTOR REQUIREMENTS

-PTO SPEED	540 RPM
-Power Req.	60 HP (45 KW)
-Hydraulic Req.	1 SA & 1 DA
-Electrical Req.	7-Pin Lighting

WARRANTY

New Holland Standard Warranty Applies



**PROTED™ ROTARY TEDDERS
US PRICE LIST**

(Port of Entry)
Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
PROTED 3417	1,180 LB		\$11,357.00
PROTED 3625	3,420 LB		\$27,976.00
PROTED 3836	4,570 LB		\$42,122.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

	XT9981X	Less Fast Pick Config Less Fast Pick Configuration Fast Pick Configurations are complete packaged units. Selecting any option outside of a Fast Pick configuration, unless specifically allowed eliminates the Fast Pick ordering incentive. LESS FAST PICK CONFIG = A LA CARTE ORDERING AND PRICING			No Charge
	XH932XX	PROTED FAST PICK FAST PICK PKG PRICE = ~5% SAVINGS OVER A LA CARTE ORDER ProTed - Fast Pick Package contains base model without options.			(\$1,200.00)

HAYTOOL OPTIONS

RAKE OPTIONS

SD_H6205 TINE SAVER CLIPS

	726928	Tine Saver Clips PT3417 kit of 34 PT3525 kit of 42 PT3836 kit of 56			
		if MODEL is PT3417			\$250.00
		if MODEL is PT3625			\$460.00
		if MODEL is PT3836			\$609.00

**PROTED™ ROTARY TEDDERS
US PRICE LIST**

(Port of Entry)

SD_H6220 DEFLECTORS

		726972	Anti-Wrap Deflectors Anti-Wrap Deflector/ Fenders, attach to the wheel columns providing additional protection against wrapping. PT3417 kit of 2 PT3625 kit of 4 PT3836 kit of 6			
			if MODEL is PT3417			\$333.00
			if MODEL is PT3625			\$531.00
			if MODEL is PT3836			\$597.00

MANUALS

OPERATORS

SD_47083 OPERATOR'S MANUAL

		715294	French Canadian			No Charge
		715309	Spanish Manual - NA			No Charge



**PROTED™ ROTARY TEDDERS
US PRICE LIST**

(Port of Entry)

Factory Supplied Attachments

Order Code		Description	Weight	Factory Data	List Price
	726928036	Tine Saver Clips-24: PT3417	8 LB		\$250.00
	726928046	Tine Saver Clips-42: PT3625	15 LB		\$460.00
	726928056	Tine Saver Clips-56: PT3836	19 LB		\$609.00
	726972006	Anti-Wrap Deflectors PT3417 Attach to the wheel columns providing additional protection against wrapping. PT3417 kit of 2 deflectors	18 LB		\$333.00
	726972016	Anti-Wrap Deflectors PT3625 Attach to the wheel columns providing additional protection against wrapping. PT3625 kit of 4 deflectors	34 LB		\$531.00
	726972026	Anti-Wrap Deflectors PT3836 Attach to the wheel columns providing additional protection against wrapping. PT3836 kit of 6 deflectors	55 LB		\$597.00



**ROLABAR® 258 BASKET RAKE
US PRICE LIST**

(New Holland, PA)

Standard Equipment

Model 258 SPECIFICATIONS

-Raking Width	9 ft. 6 in.
-Delivery	Left Side
-Ground Drive	Mechanical Ground Driven with Lock-Out
-Tires	2, 5.0 x 15 4 PR (I3)
-Attachment	Clevis Hitch
-Parking Stand	Jack
-Trans. Safety Chain Standard	

BASKET SPECIFICATIONS

-Num. Tines	100
-Tines	Rubber
-Num. Tine Bars	5
-Tine Bar Bearings	Sealed Ball Bearings
-Basket Angle	Manual, Adjustable
-Basket Height	Manual, Adjustable
-Basket Suspension	Spring
-Basket Lubrication	100 Acres

OPTIONAL

-Hitch & Dolly Wheel Kit

WARRANTY

New Holland Standard Warranty Applies

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
258 RAKE BTO	1,115 LB		\$10,395.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

	XT9981X	Less Fast Pick Config LESS FAST PICK CONFIG = A LA CARTE ORDERING AND PRICING			No Charge
	XH919XX	258 - HITCH AND JACK FAST PICK PKG PRICE = ~5% SAVINGS OVER A LA CARTE ORDER Model 258 Hitch & Jack - Fast Pick Package contains base model with hitch & jack completing package.			(\$500.00)
	XH920XX	258 - DOLLY L/ TIRES FAST PICK PKG PRICE = ~5% SAVINGS OVER A LA CARTE ORDER Model 258 Dolly Wheel - Fast Pick Package contains base model with dolly wheel less tires completing package.			(\$500.00)



**ROLABAR® 258 BASKET RAKE
US PRICE LIST**

(New Holland, PA)

COMPLETING PACKAGES

COMPLETING PACKAGES

SD_41007 HITCH

		715268	Hitch and Jack Unit			No Charge
		439076	Dolly Wheel 15 Inch			\$704.00
			Dolly Wheel replaces Hitch and Jack (Wheels only / Less tires)			

FACTORY SUPPLIED OPTIONS

LANGUAGE KITS

SD_47083 OPERATOR'S MANUAL

		715294	French Canadian			No Charge
		715309	Spanish Manual - NA			No Charge

ROLABAR® 230 TWIN BASKET RAKE US PRICE LIST

Standard Equipment

The Rolabar 230 twin basket delivers high capacity, clean raking with simple, intuitive operator controls. With raking capacity up to 30 ft., this rake matches well with large SP Windrower heads and large center-pivot mower-conditioners.

Convenient electro-hydraulic control of raking functions allow adjustments to easily be made on-the-go. Basket speed can be varied simply by rotating a knob at the top of the controller to match basket speed with ground speed. Low hydraulic requirements of 9 GPM and one set of double-acting remotes allow the use of many tractors with the rake.

A full range of basket flotation is provided which allows the rake to easily move over uneven ground conditions. This results in cleaner raking with less hay left behind and less ash in the windrow. Standard spring mounted front and rear solid rubber gauge wheels deliver consistent tine height and flotation.

The choice of 6 or 7-bar rake baskets with 37 tines per bar provide clean raking without sacrificing ground speed.

Standard walking beam tandem axles allow the rake to move smoothly over rough ground conditions such as pivot tracks.

TRACTOR REQUIREMENTS

-Remotes	(1) Double Acting
-Hydraulic Flow	9 GPM Minimum
-Power Req.	Min. 65 PTO HP

WARRANTY

New Holland standard warranty applies

ROLABAR 230 SPECIFICATIONS

-Max. Raking Width	30 ft.
-Delivery	Center
-Hitch	Adjustable Clevis Opt. Ball Hitch (Svc. Parts)
-Trail Frame	Unitized
-Axle	Walking Tandem
-Tires	(4) 235/75-R16

BASKET SPECIFICATIONS

-Num. Baskets	2
-Tine Bar Length	12' tine-to-tine
-Num. Tine Bars	6 or 7 / Basket
-Num. Tines (total)	444 (6-Bar) 518 (7-Bar)
-Tine Type	Rubber Mounted
-Tine Bar Bearings	Double Ball Bearing
-Tine Stripper Bar	Standard
-Tine Stripper Bar Tool	Standard
-Basket Speed	Adjustable
-Basket Tilt	Turnbuckle Adj.
-Basket Height	Turnbuckle Adj.
-Basket Flotation	2 Springs/Basket
-Gauge Wheels	Adj. Front/Rear Solid Rubber

CONTROL BOX FUNCTIONS

-Electro-Hydraulic Control of the Below
-Rake On/Off
-Flotation On/Off
-Basket Speed (Knob Controlled)
-Basket Raise/Lower
-Unfold LH/RH
-Fold LH/RH
-Angle Out LH/RH
-Angle In LH/RH
-Electrical Requirements
-12V DC
-7-Pin Trailer Plug

Not for sale in Quebec



ROLABAR® 230 TWIN BASKET RAKE
US PRICE LIST

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
ROLABAR 230 6 BAR	6260		\$49,130.00
ROLABAR 230 7 BAR	6390		\$50,530.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

	XT9981X	Less Fast Pick Config LESS FAST PICK CONFIG = A LA CARTE ORDERING AND PRICING			No Charge
	XH921XX	ROLABAR 230 - 6 BAR FAST PICK PKG PRICE = ~5% SAVINGS OVER A LA CARTE ORDER Rolabar 230 with 6 tine bars per basket - Fast Pick Package Contains base model without options.			(\$2,400.00)
	XH922XX	ROLABAR 230 - 7 BAR FAST PICK PKG PRICE = ~5% SAVINGS OVER A LA CARTE ORDER Rolabar 230 with 7 tine bars per basket - Fast Pick Package Contains base model without options.			(\$2,400.00)

OPERATOR'S MANUAL

ADDITIONAL OPERATOR'S MANUAL

SD_47083 OPERATOR'S MANUAL

	412136	Spanish - North America			No Charge
--	--------	-------------------------	--	--	-----------

PROROTOR™ ROTARY HAY RAKES US PRICE LIST

(Port of Entry)

Standard Equipment

ProRotor™ rotary hay rakes rake clean and help to improve forage quality by improving leaf retention. Like a mechanical pitchfork each tine lifts and carries the crop to the windrow.

Long flexible rake tines sweep through the stubble without contacting the soil reducing contaminants swept in the windrow.

The gentle rotary action builds an easy-baling windrow that promotes continued drying and resists blowing in high-winds.

For better leaf retention in delicate legume crops rake at a slightly higher moisture level and match PTO speed to crop volume.

For optimum raking performance the minimum recommended cutting height 1-1/2 in. to 2 in.

ProRotor KEY SALES FEATURES

- Three ProRotor Rake Models
 - 3114 Single Rotor Side Delivery
 - 3223 Dual Rotor Side Delivery
 - 3226 Dual Rotor Center Delivery

Gentle & Clean, Rotary Raking Action
Oil Lubricated Sealed Rotor Gearbox
Tangential Mounted, Curved Tine Arms
Specially Formed Rake Tines
Adjustable Swath Curtain
Hydraulic Lift
Folding Guards, Removable Tine Arms
Adjustable Storage Jack

WARRANTY

New Holland Standard Warranty Applies

ProRotor 3114 KEY SALES FEATURES

The single-rotor ProRotor 3114 rakes individual windrows, or doubles up each windrow when working with a ten-foot mower for the most efficient baling and harvesting possible.

ProRotor 3114 SPECIFICATIONS

-DIN* Raking Width	13 ft. 9 in. (4.2M)
*Includes Maximum Windrow Width	
-Rotor Diameter	11 ft. (3.3M)
-Clean Sweep	9 ft. 8 in. (2.95M)
-Num. Tine Arms	11
-Num. Tines Per Arm	4
-Tine Lift Height	20 in. (50 CM)
-Windrow Delivery	Left-Hand
-Transport Width	6 ft. 7 in. (2.0M)
-Transport Length	12 ft. 10 in. (3.9M)
-Shipping Weight	1256 lbs (570 KG)
-Driveline	Double CV PTO
-Protection	Radial Pin Clutch
-Tires	4, 18 x 8.5-8, PR6

STANDARD & OPTIONAL EQUIPMENT

-Tandem Axles	Standard
-Special Hitch Pin	Standard
-Safety Chain	Standard
-Tine Saver Kit	Optional
-Road Lights	Optional

TRACTOR REQUIREMENTS

-PTO Speed	540 RPM
-Power Req.	20 HP (15 KW)
-Hydraulic Req.	1 SA

PROROTOR™ ROTARY HAY RAKES US PRICE LIST

(Port of Entry)

Standard Equipment

ProRotor 3223™ KEY SALES FEATURES

The dual-rotor ProRotor 3223 can rake one large double windrow with a single pass or two individual windrows when equipped with the optional front swath board.

In double windrow raking mode it is possible to merge four swaths into a single large windrow ideal for pickup by balers and forage harvesters.

ProRotor 3223 SPECIFICATIONS

-DIN* Raking Width	
Double Windrow	23 ft. 3 in. (7.1M)
Single Windrow	21ft. 8 in. (6.6M)
*Includes Maximum Windrow Width	
-Rotor Diameter	9 ft. 10 in. (3.0M)
-Clean Sweep	16 ft. (4.9M)
-Num. Tine Arms	
Front Rotor	11
Rear Rotor	12
-Num. Tines Per Arm	
	4
-Tine Lift Height	20 in. (50 CM)
-Windrow Delivery	Left-Hand
-Transport Width	7 ft. 3 in. (2.2M)
-Transport Length	24 ft. 3 in (7.4M)
-Weight	2976 lbs (1350 KG)
-Driveline	Double CV PTO
-Protection	Radial Pin Clutch
-Tires	8,18 x 8.5-8, PR6

STANDARD & OPTIONAL EQUIPMENT

-Frnt/Rear Tandem Axles	Standard
-Special Hitch Pin	Standard
-Safety Chain	Standard
-Transport Lighting	Standard
-Second Swathboard	Standard
-Tine Saver Kit	Optional
-Addtnl Support Whls	Optional

TRACTOR REQUIREMENTS

PTO Speed	540 RPM
Power Req.	50 PTO HP (37KW)
Hydraulic Req.	1 DA and 1 SA

ProRotor 3226™ KEY SALES FEATURES

The dual-rotor ProRotor 3226 can rake two swaths up to 8' wide from a 16 foot windrower with just one pass making it ideal for large balers.

ProRotor 3226 SPECIFICATIONS

-DIN* Raking Width#	
Minimum	23 ft. (7.0M)
Maximum	25 ft. 7in. (7.8M)
*Includes Windrow Width	
-Rotor Diameter	2x11 ft. (3.3M)
-Clean Sweep	2x9 ft. 8in. (2.9M)
-Num. Tine Arms	
	11
-Num. Tines Per Arm	
	4
-Windrow Delivery	Center
-Hitch	Category II
-Attachment	2-Pt. Arms
-Max. Turn Angle	85°
-Transport Width	9 ft. 2 in. (2.8M)
-Transport Length	19 ft. 4 in. (5.9M)
-Weight	3615 lbs (1640 KG)
-Driveline	Double CV PTO
-Protection	Radial Pin Clutch
-Rotor Undercarriage	Tricycle
-Rotor Articulation	3D
-Num. Tires	
	6
-Undercarriage Tires	16x6.5-8 PR6
-Frnt Guide wheels	Standard
-Tandem Axle Pkg.	Optional
-Frame	Central Chassis
-Chasis Tires	10.0/75-15.3

STANDARD & OPTIONAL EQUIPMENT

-Central Swath Board	Standard
-Rear Wheel Steerring	Standard
-Transport Lighting	Standard
-Tine Saver Kit	Optional
-Tandem Axle	Optional
-Single Side Rotor Lift	Optional

TRACTOR REQUIREMENTS

-PTO Speed	540 RPM
-Power Req.	50 PTO HP (37 KW)
-Hydraulic Req.	1 DA and 1 SA



PROROTOR™ ROTARY HAY RAKES US PRICE LIST

(Port of Entry)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
PROROTOR 3114	1256LBS		\$12,131.00
PROROTOR 3223	2976LBS		\$32,262.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

	XT9981X	Less Fast Pick Config Fast Pick Configurations are complete packaged units. Selecting any option outside of a Fast Pick configuration, unless specifically allowed eliminates the Fast Pick ordering incentive. LESS FAST PICK CONFIG = A LA CARTE ORDERING AND PRICING			No Charge
	XH930XX	PROROTOR FAST PICK FAST PICK PKG PRICE = ~5% SAVINGS OVER A LA CARTE ORDER ProRotor - Fast Pick Package contains base model without options.			(\$1,200.00)

SD_T9987 PERFORMANCE PACK

	X9747XX	PR3223 PERF PACK 1 Additional Support Wheel Kit (PR3223 ONLY) Package Contains: 726929 - Additional Support Wheel Kit			(\$50.00)
--	---------	---	--	--	-----------

HAYTOOL OPTIONS

RAKE OPTIONS

SD_H5404 ROAD LIGHTS

	717874	Road Lights For 3114 Only	6LBS		\$626.00
--	--------	-------------------------------------	------	--	----------

SD_H6205 TINE SAVER CLIPS

	726928	Tine Saver Clips	15LBS		
		if MODEL is PR3114	15LBS		\$399.00
		if MODEL is PR3223	15LBS		\$906.00



**PROROTOR™ ROTARY HAY RAKES
US PRICE LIST**

(Port of Entry)

SD_H6206 ADD SUPPORT WHLS

		726929	Additional Support Wheels Provides a third set of adjustable wheels (16x6.5-8) on the front of the rear undercarriage providing extra stability on hillsides and improved contour following rough fields. ProRotor™ 3223 ONLY.			\$1,080.00
--	--	--------	--	--	--	------------



**PROROTOR™ ROTARY HAY RAKES
US PRICE LIST**

(Port of Entry)

Factory Supplied Attachments

Order Code			Description	Weight	Factory Data	List Price
		717874006	Road Lights Only Available on PROROTOR 3114	5 LB		\$626.00
		726928006	TINE SAVER CLIPS PR3114	5 LB		\$399.00
		726928016	TINE SAVER CLIPS PR3223	15 LB		\$906.00
		726929006	Additional support wheels 2X18.5IN	39 LB		\$1,080.00
		726930006	2nd Swathboard-Front Rotor Only for ProRotor 3223	21 LB		\$873.00

**PROROTOR™ 3226 ROTARY RAKE
US PRICE LIST**

(Port of Entry)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
PROROTOR 3226	3615LBS		\$34,468.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

	XT9981X	Less Fast Pick Config Fast Pick Configurations are complete packaged units. Selecting any option outside of a Fast Pick configuration, unless specifically allowed eliminates the Fast Pick ordering incentive. LESS FAST PICK CONFIG = A LA CARTE ORDERING AND PRICING			No Charge
	XH930XX	PROROTOR FAST PICK FAST PICK PKG PRICE = ~5% SAVINGS OVER A LA CARTE ORDER ProRotor - Fast Pick Package contains base model without options.			(\$1,200.00)

SD_T9987 PERFORMANCE PACK

	X9749XX	PR3226 PERF PACK Tandem Axle Kit (PR3226 ONLY) Package Contains: 726931 - Tandem Axle Undercarrage Kit			(\$100.00)
--	---------	--	--	--	------------

HAYTOOL OPTIONS

RAKE OPTIONS

SD_H6205 TINE SAVER CLIPS

	726928	Tine Saver Clips	15LBS		\$778.00
--	--------	------------------	-------	--	----------

SD_H6208 TANDEM AXLE UNDERCARRAGE

	726931	Tandem Axle Undercarrage Recommended when raking in rolling or uneven field conditions.	30LBS		\$2,250.00
--	--------	---	-------	--	------------



**PROROTOR™ 3226 ROTARY RAKE
US PRICE LIST**

(Port of Entry)

SD_H6209 SINGLE SIDE ROTOR LIFT

		727096	SS RTR LFT ELEC HYD Required for turning previously raked windrows, allows for easier finishing of oddly shaped fields with point rows. Electrohydraulic joystick is supplied for control			\$1,106.00
--	--	--------	---	--	--	------------



**PROROTOR™ 3226 ROTARY RAKE
US PRICE LIST**

(Port of Entry)

Factory Supplied Attachments

Order Code		Description	Weight	Factory Data	List Price
	726928026	TINE SAVER CLIPS PR3226	14 LB		\$778.00
	726931006	TNDM AXL F/UNDERCARRIAGE	111 LB		\$2,250.00
	727096006	Single-Side, Rotor-Lift Kit Electro HYD ProRotor 3226 Only	3 LB		\$1,106.00

**PROCART™ CARTED WHEEL RAKES
 US PRICE LIST**

(Port of Entry)

Standard Equipment

ProCart™ high capacity, center-delivery carted rake in 8, 10, or 12 wheel versions; the 8-wheel version is convertible to 10 raking wheels. The leading rake wheel on each beam (10 & 12 Wheel) can be raised & locked out of the work position quickly adjusting raking width.

Individual floating rake wheels are spring suspended to optimize ground contact pressure. High-capacity curved rake wheel arms ensure uniform crop flow.

Vertical/flat folding provides clearance and stability when transporting. Ability to individually rake or turn windrows with either the right or left-hand wheel is standard.

PROCART RAKE SPECIFICATIONS

-Type	"Vee"
-Delivery	Center
-Hitch	Clevis
-Wheel Lift	Hydraulic
-Folding Hyd.	Vertical/Flat
-Width/Angle Control	Mechanical
-Tires	2, 205-75 x 15
-Parking Stand/Jack	Standard
-Trans. Safety Chain	Standard
-SMV & Reflectors	Standard
-Windrow Turning	Standard

RAKE WHEELS

-Diameter	55 in.
-Num. Tines	40
-Tine Diameter	7MM
-Wheel Mounting	Individual
-Flotation	Adj. Spring Tension
-Wheel Arm Pivots	Nylon Bushing
-Greaseable Pivots	Yes

WARRANTY

New Holland Standard Warranty Applies

PROCART 819 SPECIFICATIONS

-Num. Rake Wheels	8
-Min. Working Width	16 ft. 4 in.*
-Max. Working Width	18 ft.*
-Min. Windrow Width	3 ft.*
-Max. Windrow Width	6 ft. 7 in.*
-Trans. Width	8 ft. 5 in.
-Min. Trans. Height	7 ft. 9 in.
-Hydraulic Req.	1 DA
-Tractor Req.	30 HP

PROCART 1022 SPECIFICATIONS

-Num. Rake Wheels	10
-Min. Working Width	19 ft.*
-Max. Working Width	21 ft.*
-Min. Windrow Width	3 ft.*
-Max. Windrow Width	6 ft., 7 in.*
-Trans. Width	8 ft. 5 in.
-Min. Trans. Height	7 ft. 9 in.
-Hydraulic Req.	1 DA
-Tractor Req.	30 HP

PROCART 1225 SPECIFICATIONS

-Num. Rake Wheels	12
-Min. Working Width	21 ft. 8 in.*
-Max. Working Width	24 ft. 6 in.*
-Min. Windrow Width	3 ft.*
-Max. Windrow Width	6 ft. 7 in.*
-Trans. Width	10 ft. 2 in.
-Min. Trans. Height	7 ft. 9 in.
-Hydraulic Req.	1 DA
-Tractor Req.	50 HP

*Depending on crop conditions

OPTIONAL EQUIPMENT

-Center Kicker Wheel Kit
-8 to 10 Rake Wheel Conversion Kit
-Hyd. Angling Kit (Hyd. Req. 2 DA)

NOTE: For extreme hillside applications, choose the ProCart series wheel rakes over DuraVee series wheel rakes.

Not for sale in Quebec



**PROCART™ CARTED WHEEL RAKES
US PRICE LIST**

(Port of Entry)
Models

COMMERCIAL MODEL	WHEEL RAKE	Weight	Factory Data	List Price
PROCART 819	8 Wheel Rake	1,812 LB		\$7,741.00
PROCART 1022	10 Wheel Rake	2,012 LB		\$8,567.00
PROCART 1225	12 Wheel Rake	2,252 LB		\$9,672.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

		XT9981X	Less Fast Pick Config LESS FAST PICK CONFIG = A LA CARTE ORDERING AND PRICING			No Charge
		XH923XX	PROCART FAST PICK ProCart Rake Fast Pick - 55" Wheels FAST PICK PKG PRICE = ~5% SAVINGS OVER A LA CARTE ORDER Fast Pick Package Contains: Base model ProCart rake less options. Available Options: X9744XX - PERFORMANCE PACK 1-PROCART W/ KICKER WHEEL			(\$400.00)

SD_T9987 PERFORMANCE PACK

		X9744XX	PROCART PERF PACK 1 PERFORMANCE PACK 1-PROCART W/ KICKER WHEEL			(\$50.00)
--	--	---------	--	--	--	-----------

FACTORY SUPPLIED OPTIONS

SD_16019 CENTER KICKER WHEEL

		716929	Center Kicker Wheel Single wheel on ProCart series, double wheel on ProCart Plus.			\$933.00
--	--	--------	---	--	--	----------

SD_16064 WHEEL CONVERSION

		716930	2 Wheel Conversion Kit For converting a ProCart™ 819 to a ten wheel rake only			\$1,070.00
--	--	--------	---	--	--	------------

SD_20087 HYDRAULIC FRAME ANGLING KIT

		715677	Hydraulic Angling Kit			\$1,447.00
--	--	--------	-----------------------	--	--	------------



**PROCART™ CARTED WHEEL RAKES
US PRICE LIST**

(Port of Entry)

Factory Supplied Attachments

Order Code		Description	Weight	Factory Data	List Price
	715677046	Hyd Angling Kit 8/10 Wheel for 8 and 10 wheel versions (requires second remote valve)	57 LB		\$1,447.00
	715677056	Hyd Angling Kit 12 Wheel for 12 wheel version (requires second remote valve)	57 LB		\$1,447.00
	716929046	Center Kicker Wheel NH	105 LB		\$933.00
	716930086	8 to 10 Wheel Conversion Kit	256 LB		\$1,070.00

PROCART™ PLUS CARTED WHEEL RAKES US PRICE LIST

(Port of Entry)

Standard Equipment

ProCart™ Plus high capacity, center-delivery carted rake in 12 or 14 wheel versions; the 12-wheel version is convertible to 14 raking wheels. The leading rake wheel on each beam can be raised and locked out of the work position quickly adjusting raking width.

Convenient electro-hydraulic adjustment of working width & rake arm angle to easily change windrow width and crop volume from the seat of the tractor.

Standard walking tandem axles provide increased stability and allow the rake wheels to ride more smoothly over uneven ground.

Individual floating rake wheels are spring suspended to optimize ground contact pressure. High-capacity curved rake wheel arms ensure uniform crop flow.

Vertical/flat folding provides clearance and stability when transporting. Ability to individually rake or turn windrows with either the right or left-hand wheel is standard.

PROCART RAKE SPECIFICATIONS

-Type	"Vee"
-Delivery	Center
-Hitch	Clevis
-Wheel Lift	Hydraulic
-Folding Hyd.	Vertical/Flat
-Width/Angle Control	Electro-Hydraulic
-Tires	4, 205/75x15 in.
-Parking Stand/Jack	Standard
-Trans. Safety Chain	Standard
-SMV & Reflectors	Standard
-Windrow Turning	Standard

WARRANTY

New Holland Standard Warranty Applies

****Not for sale in Quebec****

RAKE WHEELS

-Diameter (Std.)	55 in.
-Tine Diameter (Std.)	7MM
-Diameter (Opt.)	60 in.
-Tine Diameter (Opt.)	7.5MM
-Num. Tines	40
-Wheel Mounting	Individual
-Flotation	Adj. Spring Tension
-Wheel Arm Pivots	Nylon Bushing
-Rake Wheel Pivots	Tapered Roller (Greaseable)

PROCART 1225 PLUS SPECIFICATIONS

-Num. Rake Wheels	12
-Min. Working Width	22 ft.*
-Max. Working Width	25 ft., 1 in.*
-Min. Windrow Width	3 ft.*
-Max. Windrow Width	6 ft., 7 in.*
-Trans. Width	9 ft. 2 in.
-Min. Trans. Height	9 ft. 2 in.
-Hydraulic Req.	2 DA
-Tractor Req.	50 HP

PROCART 1428 PLUS SPECIFICATIONS

-Num. Rake Wheels	14
-Min. Working Width	24 ft. 11 in.*
-Max. Working Width	28 ft.*
-Min. Windrow Width	3 ft.*
-Max. Windrow Width	6 ft. 7 in.*
-Trans. Width	9 ft. 2 in.
-Min. Trans. Height	9 ft. 2 in.
-Hydraulic Req.	2 DA
-Tractor Req.	60 HP

*Depending on crop conditions

OPTIONAL EQUIPMENT

- 60" Rake Wheels w/ 7.5MM Diameter Tines
- Center Kicker Wheel Kit
- 12 to 14 Rake Wheel Conversion Kit
- 2-5/16" Ball Hitch Coupler (Svc. Parts)

NOTE: For extreme hillside applications, choose the ProCart Plus series wheel rakes over DuraVee series wheel rakes.



**PROCART™ PLUS CARTED WHEEL RAKES
US PRICE LIST**

(Port of Entry)
Models

COMMERCIAL MODEL	WHEEL RAKE	Weight	Factory Data	List Price
PROCART 1225 PLUS	12WR HD	2,855 LB		\$12,552.00
PROCART 1428 PLUS	14WR HD	3,240 LB		\$13,495.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

	XT9981X	Less Fast Pick Config LESS FAST PICK CONFIG = A LA CARTE ORDERING AND PRICING			No Charge
	XH924XX	PROCART P FAST PICK ProCart PLUS Rake Fast Pick - 60" Wheels FAST PICK PKG PRICE = ~5% SAVINGS OVER A LA CARTE ORDER Fast Pick Package Contains: 727142 - 60" rake wheels Available Options: X9745XX - PERFORMANCE PACK 1-PROCART PLUS W/ KICKER WHEEL			(\$620.00)

SD_T9987 PERFORMANCE PACK

	X9745XX	PROCART PERF PACK 2 PERFORMANCE PACK 2PROCART PLUS W/ KICKER WHEEL			(\$75.00)
--	---------	--	--	--	-----------

FACTORY SUPPLIED OPTIONS

SD_16019 CENTER KICKER WHEEL

	716929	Center Kicker Wheel Single wheel on ProCart series, double wheel on ProCart Plus.			\$1,247.00
--	--------	---	--	--	------------

SD_H6222 RAKING WHEELS

	727141	Wheel Package 55 in. Wheels			No Charge
	727142	60 in. Rake Wheel Upgrade 60" / 7.5mm dia. tine raking wheels replace 55" rake wheels			
		if WHEEL RAKE is 12WR HD			\$348.00
		if WHEEL RAKE is 14WR HD			\$403.00



**PROCART™ PLUS CARTED WHEEL RAKES
US PRICE LIST**

(Port of Entry)

Factory Supplied Attachments

Order Code		Description	Weight	Factory Data	List Price
	439250006	12- TO 14- WHL CONV KIT - 55IN	263 LB		\$1,594.00
	439251006	12- TO 14-WHL CONV. KIT- 60IN	280 LB		\$1,839.00
	716929116	Center Kicker Wheel	225 LB		\$1,247.00



**DURAVEE™ 817 & 1020 STANDARD RAKES
US PRICE LIST**

Standard Equipment

DURAVEE™ RAKE SPECIFICATIONS

-Type	"VEE"
-Delivery	Center
-Wheel Lift	Hyd. - Rack Lift
-Folding	Hyd.- Front Folding
-Width Control	Hyd. - Pilot Valve
-Windrow Control	Mechanical

CHASSIS SPECIFICATIONS

-Num. Tires	4
-Caster Brakes	Adj.Friction Disc
-Tire Size	205-75 x 15
-Trans. Safety Chain	Standard

RAKE WHEEL SPECIFICATIONS

-Diameter	55 in.
-Num. Tines	40
-Tine Diameter	7MM
-Wheel Mounting	Individual
-Flotation	Adj. Springs
-Wheel Arm Pivots	Nylon Bushing
-Greaseable Pivots	Yes

NOTE: For extreme hillside applications choose the ProCart series wheel rakes.

DURAVEE 817 SPECIFICATIONS

-Num. Rake Wheels	8
-Max. Working Width	17 ft. 5 in.
-Trans. Width	8 ft. 3 in.
-Overall Length	21 ft. 7 in.
-Tractor Req.	30 HP
-Hydraulic Req.	1 SA and 1 DA

DURAVEE 1020 SPECIFICATIONS:

-Num. Raking Wheels	10
-Max. Working Width	20 ft. 4 in.
-Tran. Width	8 ft. 3 in.
-Overall Length	21 ft. 7 in.
-Tractor Req.	30 HP
-Hydraulic Req.	1 SA and 1 DA

OPTIONAL EQUIPMENT

-Road Lighting Kit
-Single Side Opening Kit
-8 to 10 Wheel Conversion Kit
-Center Kicker Rake Wheel Kit

WARRANTY

New Holland Standard Warranty Applies

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
DURAVEE 817	2,750 LB		\$12,034.00
DURAVEE 1020	2,750 LB		\$12,938.00

**DURAVEE™ 817 & 1020 STANDARD RAKES
US PRICE LIST****Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

	XT9981X	Less Fast Pick Config LESS FAST PICK CONFIG = A LA CARTE ORDERING AND PRICING			No Charge
	XH925XX	DURAVEE RAKE FP FAST PICK PKG PRICE = ~5% SAVINGS OVER A LA CARTE ORDER DuraVee 817 & 1020 - Fast Pick Package contains base model without options.			(\$400.00)
	XH926XX	DURAVEE RAKE FP 2 FAST PICK PKG PRICE = ~5% SAVINGS OVER A LA CARTE ORDER DuraVee 817 & 1020 - Fast Pick Package contains 716929 Center Kicker Wheel (In-line style kicker)			(\$475.00)

HAYTOOL OPTIONS

WHEEL KITS

SD_16019 CENTER KICKER WHEEL

	716929	Center Kicker Wheel Hydraulic lift and lockout, turns crop at the center of the swath. "V" style on 12, 14 and 16-wheel, in-line style on all others models.	256		\$1,378.00
--	--------	---	-----	--	------------

SD_16064 WHEEL CONVERSION

	716930	2 Wheel Conversion Kit Allows field conversion of an 8-wheel rake to a 10-wheel rake. Also allows field conversion of an 18-wheel rake to a 20-wheel rake.	430		\$1,503.00
--	--------	--	-----	--	------------

HYDRAULIC KITS

SD_H5813 SINGLE SIDE OPENING

	716932	Single Side Opening Hydraulic conversion kit allows either side of the rake to be opened individually.	18		\$911.00
--	--------	--	----	--	----------



DURAVEE™ 817 & 1020 STANDARD RAKES
US PRICE LIST

LIGHT KIT

SD_06032 LIGHTS-LIGHT KIT

		715123	Light Kit Road Lighting Kit			\$680.00
--	--	--------	---------------------------------------	--	--	----------

LANGUAGE KITS

SD_47083 OPERATOR'S MANUAL

		715294	French Canadian			No Charge
--	--	--------	-----------------	--	--	-----------



**DURAVEE™ 817 & 1020 STANDARD RAKES
US PRICE LIST**

Factory Supplied Attachments

Order Code		Description	Weight	Factory Data	List Price
	716929006	Center Kicker Wheel DuraVee™ 817 & 1020 Only	243 LB		\$1,378.00
	716930006	Wheel Conversion DuraVee™ 817 (8-Wheel) conversion to 1020 (10-Wheel)	287 LB		\$1,503.00
	716932016	Single Side Opening DuraVee™ 817, 1020, 1833, 2026 ONLY	18 LB		\$911.00
	715123026	Road Lighting Kit	7 LB		\$680.00

**DURAVEE™ 1225, 1428 & 1631 DELUXE RAKES
US PRICE LIST**

Standard Equipment

DURAVEE™ RAKE SPECIFICATIONS

-Type	"VEE"
-Delivery	Center
-Wheel Lift	Hyd. Rack Lift
-Folding	Hyd. Front Folding
-Width Control	Hyd. Pilot Valve
-Windrow Control	Mechanical
-Hydraulic Req.	1 SA and 1 DA

DURAVEE 1428 SPECIFICATIONS

-Num. Rake Wheels	14
-Max. Working Width	28 ft. 6 in.
-Frame Type	Rigid-Truss
-Trans.Width	8 ft. 3 in.
-Overall Length	30 ft.
-Num. Tires	6 - 205-75 x 15
-Tractor Req.	40 HP

CHASSIS SPECIFICATIONS

-Num. Tires	4 or 6
-Caster Brakes	Adj. Friction Disc
-Tire Size	205-75 x 15
-Trans. Safety Chain	Standard
-SMV	Standard
-Road Lighting Kit	Standard

DURAVEE 1631 SPECIFICATIONS

-Num. Rake Wheels	16
-Max. Working Width	30 ft. 10 in.
-Frame Type	Rigid-Truss
-Transport Width	8 ft. 3 in.
-Overall Length	30 ft.
-Num. Tires	6 - 205-75 x 15
-Tractor Req.	40 HP

RAKE WHEELS

-Diameter	55 in.
-Num. Tines	40
-Tine Diameter	7MM
-Wheel Mounting	Individual
-Flotation	Adj. Springs
-Wheel Arm Pivots	Nylon Bushing
-Greaseable Pivots	Yes

OPTIONAL EQUIPMENT

-Single Side Opening Kit
-12 to 14 Wheel Conversion Kit
-Center Splitter Type Wheel Kit
-Rear Tandem Axle Kit
-Hyd. Windrow Control
-3rd Wheel Kit (DV1225 Only)
-60 in. Rake Wheel Upgrade

DURAVEE 1225 SPECIFICATIONS

-Num. Rake Wheels	12
-Max. Working Width	25 ft.
-Frame Type	Rigid
-Trans. Width	8 ft. 3 in.
-Overall Length	24 ft. 6 in.
-Num. Tires	4 - 205-75 x 15
-Tractor Req.	30 HP

NOTE: For extreme hillside applications choose the ProCart series wheel rakes.

WARRANTY

New Holland Standard Warranty Applies

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
DURAVEE 1225	3,827 LB		\$18,286.00
DURAVEE 1428	5,208 LB		\$23,473.00
DURAVEE 1631	5,570 LB		\$24,266.00

**DURAVEE™ 1225, 1428 & 1631 DELUXE RAKES
US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

	XT9981X	Less Fast Pick Config LESS FAST PICK CONFIG = A LA CARTE ORDERING AND PRICING			No Charge
	XH927XX	DURAVEE RAKE FP 3 FAST PICK PKG PRICE = ~5% SAVINGS OVER A LA CARTE ORDER DuraVee 1225, 1428, & 1631- Fast Pick Package contains base model without options.			(\$1,000.00)
	XH928XX	DURAVEE RAKE FP 4 FAST PICK PKG PRICE = ~5% SAVINGS OVER A LA CARTE ORDER DuraVee 1225, 1428, & 1631- Fast Pick Package contains 716929 Center Kicker Wheel (Vee style - splitter/kicker wheels) ONLY Available With the Following Performance Pack Options: X9710XX - Perf. Pack 1 (12/14/16 Wheels ONLY) X9711XX - Perf. Pack 2 (12/14/16 Wheels ONLY) X9712XX - Perf. Pack 3 (18/20 Wheels ONLY)			(\$1,075.00)

SD_T9987 PERFORMANCE PACK

	X9710XX	PERFORMANCE PACK 1 DuraVee 1225, 1428 and 1631 ONLY HD 60" Rake Wheels Upgrade and Rear Tandem Axle 727142 - 60 in. Rake Wheel Upgrade 716937 - Rear Tandems			(\$95.00)
	X9711XX	PERFORMANCE PACK 2 DuraVee 1225, 1428 and 1631 ONLY HD 60" Rake Wheels Upgrade with Rear Tandem Axle with Deluxe Hydraulic Controls: 727142 - 60 in. Rake Wheel Upgrade 716937 - Rear Tandems 716934 - Rear Hydraulic Opening Kit 716932 - Single Side Opening			(\$220.00)

**DURAVEE™ 1225, 1428 & 1631 DELUXE RAKES
US PRICE LIST**

HAYTOOL OPTIONS

WHEEL KITS

SD_05043 CONVERSION KIT

		439073	Conversion Rake Whls 55 in. Required when 14 to 16 wheel conversion kit is ordered. For 55 inch wheels. 1 right hand and 1 left hand wheel included.			\$278.00
		439074	Conversion Rake Whls 60 in. Required when 14 to 16 wheel conversion kit is ordered. For 60 inch wheels. 1 right hand and 1 left hand wheel included.			\$315.00

SD_16019 CENTER KICKER WHEEL

		716929	Center Kicker Wheel Hydraulic lift and lockout, turns crop at the center of the swath. "V" style on 12, 14 and 16-wheel, in-line style on all others models.	256		\$1,378.00
--	--	--------	--	-----	--	------------

SD_16064 WHEEL CONVERSION

		439072	CONV 14 TO 16 L/R WH Coverts DuraVee 1428 to 16 wheels. Wheels are not included. Must be paired with appropriate package of 55" or 60" raking wheels.			\$1,503.00
--	--	--------	---	--	--	------------

SD_H6222 RAKING WHEELS

		727142	60 in. Rake Wheel Upgrade Upgrade to 60 inch raking wheels for 12 wheel, 14 wheel, and 16 wheel machines. 7.5 mm thick tines. 60 inch raking wheels replace standard 55 inch raking wheels.			
			if WHEEL RAKE is 12 Wheel Rake			\$348.00
			if WHEEL RAKE is 14 Wheel Rake			\$403.00
			if WHEEL RAKE is 16 Wheel Rake			\$457.00

SUPPORT WHEELS

SD_16011 3RD WHEEL KIT

		717638	3rd Wheel Kit Includes caster mounts, tires, and yellow transport wheels. Adds a caster wheel to the front of the 12-wheel rake to improve performance in rough fields.	265		\$1,480.00
--	--	--------	---	-----	--	------------

SD_16037 REAR TANDEMS

		716937	Rear Tandems Includes walking beam axles, tires, and yellow transport wheels. Recommended when working in rough fields, particularly pivot irrigation.	312		\$1,354.00
--	--	--------	--	-----	--	------------



**DURAVEE™ 1225, 1428 & 1631 DELUXE RAKES
US PRICE LIST**

HYDRAULIC KITS

SD_20083 HYD REAR OPENING KIT

		716934	Rear Hydraulic Opening Kit Replaces mechanical rear opening ratchet adjustment.	115		\$1,530.00
--	--	--------	---	-----	--	------------

SD_H5813 SINGLE SIDE OPENING

		716932	Single Side Opening Hydraulic conversion kit allows either side of the rake to be opened individually.	18		\$911.00
--	--	--------	--	----	--	----------

LANGUAGE KITS

SD_47083 OPERATOR'S MANUAL

		715294	French Canadian			No Charge
--	--	--------	-----------------	--	--	-----------

**DURAVEE™ 1225, 1428 & 1631 DELUXE RAKES
US PRICE LIST**

Factory Supplied Attachments

Order Code		Description	Weight	Factory Data	List Price
	439072006	CONV KIT 14 TO 16 L/R WHLS No wheels included. Must order 439073006 (55 in. wheels) or 439074006 (60 in. wheels) to complete.	104 LB		\$1,503.00
	439073006	Conv Kit Rake Whls 55IN Set of two 55" rake wheels (1-RH/1-LH) for two wheel conversion kit	77 LB		\$278.00
	439074006	CONV KIT RAKE WHLS 60IN NH Set of two 60" rake wheels (1-RH/1-LH) for two wheel conversion kit	95 LB		\$315.00
	716932036	SINGLE SIDE OPENING DuraVee™ 1225, 1428, & 1631 ONLY	12 LB		\$911.00
	716934056	HYD REAR OPENING KIT DuraVee™ 1225 ONLY (12-wheel)	95 LB		\$1,530.00
	716934066	Hyd Rear Opening Kit DuraVee™ 1428 (14-Wheel), & 1631(16-Wheel) ONLY	104 LB		\$1,530.00
	716937026	Rear Tandems DuraVee™ 1225, 1428, & 1631 ONLY	242 LB		\$1,354.00
	716929126	Center Kicker Wheel - V-Shape NH DuraVee™ 1225, 1428 and 1631 ONLY	265 LB		\$1,378.00
	717638046	KIT, 3RD WHEEL NH DuraVee™ 1225 ONLY, Standard on DuraVee 1428, 1631, 1833 & 2036	297 LB		\$1,480.00



DURAVEE™ 1833 & 2036 DELUXE RAKES
US PRICE LIST

Standard Equipment

DURAVEE™ RAKE SPECIFICATIONS

-Type	"VEE"
-Delivery	Center
-Wheel Lift	Hyd. Rack Lift
-Folding	Hyd. Front Folding
-Width Control	Hyd. Pilot Valve
-Windrow Control	Mechanical
-Hydraulic Req.	1 SA and 1 DA

-Tractor Req. 55 HP

DURAVEE 2036 SPECIFICATIONS

-Num. Rake Wheels	20
-Max. Working Width	36 ft.
-Frame Type	Articulated
-Trans. Width	8 ft., 3 in.
-Overall Length	37 ft. 10 in.
-Num. Tires	6 - 205-75 x 15
-Tractor Req.	55 HP

CHASSIS SPECIFICATIONS

-Num. Tires	4 or 6
-Caster Brakes	Adj. Friction Disc
-Tire Size	205-75 x 15
-Trans. Safety Chain	Standard
-SMV	Standard
-Road Lighting Kit	Standard

OPTIONAL EQUIPMENT

-Single Side Opening Kit
-18 to 20 Wheel Conversion Kit
-Center Splitter Type Wheel Kit
-Rear Tandem Axle Kit
-Hyd. Windrow Control

RAKE WHEELS

-Diameter	55 in.
-Num. Tines	40
-Tine Diameter	7MM
-Wheel Mounting	Individual
-Flotation	Adj. Springs
-Wheel Arm Pivots	Nylon Bushing
-Greaseable Pivots	Yes

NOTE: For extreme hillside applications choose the ProCart series wheel rakes.

WARRANTY

New Holland Standard Warranty Applies

DURAVEE 1833 SPECIFICATIONS

-Num. Rake Wheels	18
-Max. Working Width	33 ft. 5 in.
-Frame Type	Articulated
-Transport Width	8 ft. 3 in.
-Overall Length	37 ft. 10 in.
-Num. Tires	6 - 205-75 x 15

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
DURAVEE 1833	5,210 LB		\$28,467.00
DURAVEE 2036	5,540 LB		\$29,093.00

**DURAVEE™ 1833 & 2036 DELUXE RAKES
US PRICE LIST****Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION**SD_T9981 CONFIGURATION**

	XT9981X	Less Fast Pick Config LESS FAST PICK CONFIG = A LA CARTE ORDERING AND PRICING			No Charge
	XH929XX	DURAVEE RAKE FP 5 FAST PICK PKG PRICE = ~5% SAVINGS OVER A LA CARTE ORDER DuraVee 1833 & 2036 - Fast Pick Package contains 716929 Center Kicker Wheel (In-line style kicker)			(\$1,400.00)

SD_T9987 PERFORMANCE PACK

	X9712XX	PERFORMANCE PACK 3 DuraVee 1833 & 2036 ONLY Rear Tandem Axle with Deluxe Hydraulic Controls: 716937 - Rear Tandems 716934 - Rear Hydraulic Opening Kit 716932 - Single Side Opening			(\$200.00)
--	---------	---	--	--	------------

HAYTOOL OPTIONS**WHEEL KITS****SD_16019 CENTER KICKER WHEEL**

	716929	Center Kicker Wheel Hydraulic lift and lockout, turns crop at the center of the swath. "V" style on 12, 14 and 16-wheel, in-line style on all others models.	256		\$1,378.00
--	--------	--	-----	--	------------

SD_16064 WHEEL CONVERSION

	716930	2 Wheel Conversion Kit Allows field conversion of an 8-wheel rake to a 10-wheel rake. Also allows field conversion of an 18-wheel rake to a 20-wheel rake.	430		\$1,503.00
--	--------	--	-----	--	------------

SUPPORT WHEELS**SD_16037 REAR TANDEMS**

	716937	Rear Tandems Includes walking beam axles, tires, and yellow transport wheels. Recommended when working in rough fields, particularly pivot irrigation.	312		\$1,354.00
--	--------	--	-----	--	------------



**DURAVEE™ 1833 & 2036 DELUXE RAKES
US PRICE LIST**

HYDRAULIC KITS

SD_20083 HYD REAR OPENING KIT

		716934	Rear Hydraulic Opening Kit Replaces mechanical rear opening ratchet adjustment.	115		\$1,530.00
--	--	--------	---	-----	--	------------

SD_H5813 SINGLE SIDE OPENING

		716932	Single Side Opening Hydraulic conversion kit allows either side of the rake to be opened individually.	18		\$911.00
--	--	--------	--	----	--	----------

**DURAVEE™ 1833 & 2036 DELUXE RAKES
 US PRICE LIST**
Factory Supplied Attachments

Order Code		Description	Weight	Factory Data	List Price
	716929016	CENTER KICKER WHEEL DuraVee™ 1833 and 2036 Only	256 LB		\$1,378.00
	716932016	Single Side Opening DuraVee™ 817, 1020, 1833, 2026 ONLY	18 LB		\$911.00
	716934026	Rear Hyd 18-20 Wheel DuraVee™ 1833 (18-Wheel) & 2026 (20-Wheel) ONLY	108 LB		\$1,530.00
	716937006	REAR TANDEMS DuraVee™ 1833 & 2036 ONLY	265 LB		\$1,354.00
	716930026	18-20 WHEEL CONVERSION 2-Wheel Conversion Kit to make an 18-Wheel Rake a 20-Wheel Rake	270 LB		\$1,503.00

**MODEL H5980 HD WHEEL RAKE-FAST PICK
 US PRICE LIST**

(Marshfield, WI)

Standard Equipment

New Holland H5980 heavy-duty wheel rake provides greater reliability and more capacity than traditional wheel rakes. The offset "Y-rake" design turns all of the hay for more consistent drying and easier pickup.

H5980 KEY SALES FEATURES

- Offset Y-rake design turns all crop eliminating need for center kicker wheel(s).
- Twin sliding overhead frame provides extra high-clearance to rake high volume crops without bunching.
- Mechanical rake wheel tilt adjustment up to ten degrees to produce more fluffy and uniform windrows.
- Individual and gang style raking Wheel ground pressure adjustments.
- The optional front rake wheel extension kits adds two additional raking wheels for a bigger reach.
- The optional rear rake wheel extension kit provides additional 12 in. reach and maintains rear overlap to ensure everything is turned.

H5980 WHEEL RAKE SPECIFICATIONS:

- | | |
|-----------------------------|----------|
| -Rake Wheel Dia. | 60 in. |
| -Num. Raking wheels | 17 |
| Right Side Frame - 8 Wheels | |
| Left Side Frame - 9 Wheels | |
| -Num. Tines per wheel | 36 |
| -Tine Mounting | Rubber |
| -Tine Diameter | .285 in. |
| -Poly Wind Panels | Std. |
| -Tapered Roller Bearings | Std. |
| -Walking Tandem Axle | Std. |
| -Offset Tires | Std. |
| -Tire Size | 9.5Lx15 |
| -Clevis Hitch | Std. |
| -2 5/16 in. Ball Hitch | DIA Kit |
| -Parking Jack | Std. |
| -Power Req. | 65 HP |

ELECTRO-HYDRAULIC CONTROLS

- Independent RH/LH Rake wheel Lift
- Independent RH/LH Rake Frame Angle Control
- Independent RH/LH Rake Width Adjustment

TRACTOR REQUIREMENTS

- | | |
|------------------|----------|
| -Hydraulic | |
| Num. Valves | 1 DA |
| Close Center | Required |
| Open Center | Possible |
| -Electrical Req. | 12V |
| -Power Req. | 65 HP |

H5980 (Std. 17 Rake Wheels)

- | | |
|---------------------|--------------|
| -Max. Working Width | 30 ft. 3 in. |
| -Max. Windrow Width | 72 in. |
| -Transport Width | 12 ft. 3 in. |
| -Overall length | 28 ft. 3 in. |

H5980 (w/ Opt. Rear Ext. Kit Only)

- | | |
|---------------------|--------------|
| -Max. Working Width | 31 ft. 3 in. |
| -Max. Windrow Width | 72 in. |
| -Transport Width | 13 ft. 3 in. |
| -Overall length | 30 ft. 8 in. |

H5980 (w/ Opt. Front Ext. Kit Only)

- | | |
|---------------------|--------------|
| -Max. Working Width | 33 ft. 3in. |
| -Max. Windrow Width | 72 in. |
| -Transport Width | 12 ft. 3in. |
| -Overall Length | 30 ft. 8 in. |

H5980 (w/ Opt. Front & Rear Ext. Kits)

- | | |
|---------------------|--------------|
| -Max. Working Width | 34 ft. 3in. |
| -Max. Windrow Width | 72 in. |
| -Transport Width | 13 ft. 3in. |
| -Overall Length | 33 ft. 1 in. |

WARRANTY

New Holland Standard Warranty Applies

**MODEL H5980 HD WHEEL RAKE-FAST PICK
US PRICE LIST**

(Marshfield, WI)

Models

COMMERCIAL MODEL	WHEEL RAKE	Weight	Factory Data	List Price
H5980	17 Wheel Rake	5,700 LB		\$41,092.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

HAYTOOL OPTIONS

RAKING EXTENSIONS

SD_H7002 FR RAKING EXTENSIONS

		439032	Front Raking Extensions Increases the maximum working width by providing two additional right and left raking wheels for a maximum width of 33 ft. 3 in. or 34 ft. 3 in. when used with rear rake wheel extension kit.			\$3,067.00
--	--	--------	--	--	--	------------

SD_H7003 RR RAKING EXTENSIONS

		439033	Rear Raking Extensions Extends the overhead frame by 1-foot for increased width and extends the the right-hand raking frame by one raking wheel and to ensure all the hay is turned when raked.			\$2,040.00
--	--	--------	---	--	--	------------

LANGUAGE KITS

SD_47083 OPERATOR'S MANUAL

		715294	French Canadian	1 LB		No Charge
		715309	Spanish Manual - NA	1 LB		No Charge



**MODEL H5980 HD WHEEL RAKE-FAST PICK
US PRICE LIST**

(Marshfield, WI)

Factory Supplied Attachments

Order Code		Description	Weight	Factory Data	List Price
	439034006	Front Raking Extension Increases the maximum working width by providing two additional right and left raking wheel for a maximum width of 33 ft. 3 in. or 34 ft. 3 in. when used with rear rake wheel extension kit. Serial number YBWHR0030 through current production only.	492 LB		\$3,067.00
	439035006	Rear Raking Extension Extends the overhead frame by 1-foot for increased width and extends the the right-hand raking frame by one raking wheel and to ensure all the hay is turned when raked. Serial number: YBWHR0030 through current production only.	231 LB		\$2,040.00

**DISCBINE® 209 SIDE-PULL DMC
US PRICE LIST**

(New Holland, PA)

Standard Equipment

DISCBINE® 209 SIDE-PULL DMC

-Hitch	Clevis
-Head Tilt	Hydraulic
-Head Flotation	Adjustable Springs
-Flotation Geometry	Up & Back
-Impact Hood Liner	High Density Polyethylene
-Tongue Swing	Hydraulic
-Tires	2, 9.5L 14, 6PR
-Trans. Width	9 ft. 11 in. (3.0m)
-Trans. Lighting	Standard
-SMV Symbol	Standard
-Safety Chain	Standard

DISC CUTTERBAR SPECIFICATIONS

-Cutting Width	9 ft. 2 in. (2.8m)
-Cutting Height	1.1-2.7 in. (29-68mm)
-QuickMax™ Knives	Standard
-Num. Discs	7 Oval Discs
-Disc Speed	3000 rpm
-Crop Lifters	Standard (Roll Only)
-Knives/Disc	2 Reversible
-Std. Knives	14° Smooth Edge
-Type	MowMax™ Disc Cutterbar
-Protection	ShockPRO™ System
-Rock Guard	Heavy-Duty Cast Iron
-Skid Shoes	Hardened Steel

SWATH SPECIFICATIONS

-Width Range	3-6 ft. (.91-1.8m)
-Shields & Gate/Baffle	Adjustable

DRIVE SPECIFICATIONS

-Primary PTO	80° Constant Velocity (CV)
-NON-CV Joint Secondary PTO with Slip & Overrunning Clutch Protection	

ROLL CONDITIONING SYSTEM

-Roll Design	Chevron
-Roll Width	90 in.
-Roll Diameter	10-3/8 in.
-Roll Material	Rubber
-Roll Speed	647 rpm
-Roll Pressure System	Torsion Bar
-Roll Pressure Adj.	Hand Crank
-Roll Gap & Timing	Adjustable

FLAIL CONDITIONING SYSTEM

-Design	LeaningEdge™ Flail Tines
-Tine Material	Cast Steel
-Num. Tines	90
-Rotor Width	90 in.
-Rotor Speed	1016 rpm (730 rpm available)
-Intensity	Adjustable Hood
-Adjustment	Hand Crank

TRACTOR REQUIREMENTS

-PTO Speed	540 RPM
-Power	65 PTO hp
-Hyd. Equipment	1 DA / 1 SA

OPTIONAL EQUIPMENT

-Adjustable Skid Shoe Set	
-Hood Liner Kit - Flail Tine Only	

WARRANTY

-New Holland Standard Warranty Applies To Base	
-MowMax 3 Year, Factory Cutterbar Extended Warranty	

****Only for use with tractors having a fully enclosed cab.****



**DISCBINE® 209 SIDE-PULL DMC
US PRICE LIST**

(New Holland, PA)

Models

COMMERCIAL MODEL	CONDITIONER TYPE	TONGUE	Weight	Factory Data	List Price
DISCBINE 209R	Rubber on rubber chevron	STD TONGUE	4,340 LB		\$32,907.00
DISCBINE 209F	Flail Rotor Conditioner	STD TONGUE	4,340 LB		\$31,376.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

	XT9981X	Less Fast Pick Config Fast Pick Configurations are complete packaged units. Selecting any option outside of a Fast Pick configuration, unless specifically allowed eliminates the Fast Pick ordering incentive. LESS FAST PICK CONFIG = A LA CARTE ORDERING AND PRICING			No Charge
	XH901XX	DB209 FAST PICK 1 FAST PICK PKG PRICE = ~5% SAVINGS OVER A LA CARTE ORDER DB209 - Fast Pick Package contains base model without options.			(\$1,500.00)

FACTORY SUPPLIED OPTIONS

MOWER CONDITIONER OPTIONS

SD_C5832 SKID SHOE

	415017	Adjustable Skid Shoes Kit Factory supplied adjustable skid shoes (2), 2.25-4.5 in. cut height			\$733.00
--	--------	---	--	--	----------

SD_H5815 TEXTURED LINER KIT

	716537	Textured Liner Kit FLAIL ROTOR CONDITIONER MODELS ONLY Factory supplied - Increases flail conditioning intensity.			\$435.00
--	--------	---	--	--	----------

LANGUAGE KITS

SD_47083 OPERATOR'S MANUAL

	715257	French Canadian Manual - NA			No Charge
	715309	Spanish Manual - NA			No Charge

**DISCBINE® 210 SIDE-PULL DMC
US PRICE LIST**

(New Holland, PA)

Standard Equipment

DISCBINE® 210 SIDE-PULL DMC

-Standard Tongue	Clevis Hitch
-Swivel Tongue	Drawbar Hitch
-Head Tilt	Hydraulic
-Head Flotation	Adjustable Springs
-Flotation Geometry	Up & Back
-Impact Hood Liner	High Density Polyethylene
-Tongue Swing	Hydraulic
-Tires:	
-Roll Cond.	2, 11.5L 15, 6PR
-Flail Tine Cond.	2, 9.5L 14, 6PR
-Trans. Width	11 ft. 3 in. (3.4m)
-Trans. Lighting	Standard
-SMV Symbol	Standard
-Safety Chain	Standard

DISC CUTTERBAR SPECIFICATIONS

-Cutting Width	10 ft. 4 in. (3.16m)
-Cutting Height	.8-2.4 in. (21-60 mm)
-QuickMax™ Knives	Standard
-Num. Discs	8 Oval Discs
-Disc Speed	3000 rpm
-Crop Lifters	Standard (Roll Only)
-Knives/Disc	2 Reversible
-Std. Knives	14° Smooth Edge
-Type	MowMax™ Disc Cutterbar
-Protection	ShockPRO™ System
-Rock Guard	Heavy-Duty Cast Iron
-Skid Shoes	Hardened Steel

SWATH SPECIFICATIONS

-Width Range	3-7 ft. (.91-2.1m)
-Shields & Gate/Baffle	Adjustable

DRIVE SPECIFICATIONS

-Primary PTO	
Standard Tongue	80° Constant Velocity (CV)
Swivel Tongue	Std. U-Joint & Swivel Gearbox
-Double CV Joint Secondary PTO with Slip & Overrunning Clutch Protection	

ROLL CONDITIONING SYSTEM

-Roll Design	Chevron
-Roll Width	102 in.
-Roll Diameter	10-3/8 in.
-Roll Material	Rubber
-Roll Speed	635 rpm
-Roll Pressure System	Torsion Bar
-Roll Pressure Adj.	Hand Crank
-Roll Gap & Timing	Adjustable

FLAIL CONDITIONING SYSTEM

-Design	LeaningEdge™ Flail Tines
-Tine Material	Cast Steel
-Num. Tines	100
-Rotor Width	102 in.
-Rotor Speed	1016 rpm (718 rpm available)
-Intensity	Adjustable Hood
-Adjustment	Hand Crank

STANDARD HITCH REQUIREMENTS

-PTO Speed	540 RPM
-Power	80 PTO hp
-Hyd. Equipment	1 DA / 1 SA

SWIVEL HITCH REQUIREMENTS

-PTO Speed	540 RPM
-Power	80 PTO hp
-Hyd. Equipment	1 DA / 1 SA

OPTIONAL EQUIPMENT

-Swivel Tongue ONLY:	
-2 Point Hitch Attachment	
-Standard & Swivel Tongue:	
-Adjustable Skid Shoe Set	
-Hood Liner Kit - Flail Tine Only	

WARRANTY

-New Holland Standard Warranty Applies To Base	
-MowMax 3 Year, Factory Cutterbar Extended Warranty	
Only for use with tractors having a fully enclosed cab.	



**DISCBINE® 210 SIDE-PULL DMC
US PRICE LIST**

(New Holland, PA)

Models

COMMERCIAL MODEL	CONDITIONER TYPE	TONGUE	Weight	Factory Data	List Price
DISCBINE 210R	Rubber on rubber chevron	STD TONGUE	4,340 LB		\$35,683.00
DISCBINE 210S	Steel on steel chevron	STD TONGUE	4,340 LB		\$36,285.00
DISCBINE 210F	Flail Rotor Conditioner	STD TONGUE	4,340 LB		\$33,964.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

	XT9981X	Less Fast Pick Config Fast Pick Configurations are complete packaged units. Selecting any option outside of a Fast Pick configuration, unless specifically allowed eliminates the Fast Pick ordering incentive. LESS FAST PICK CONFIG = A LA CARTE ORDERING AND PRICING			No Charge
	XH902XX	DB210 FAST PICK 1 DB210 8-Disc Std. Drawbar Hitch Fast Pick FAST PICK PKG PRICE = ~5% SAVINGS OVER A LA CARTE ORDER DB210 Standard Tongue - Fast Pick Package contains base model without options.			(\$1,650.00)

FACTORY SUPPLIED OPTIONS

MOWER CONDITIONER OPTIONS

SD_C5832 SKID SHOE

	415017	Adjustable Skid Shoes Kit Factory supplied adjustable skid shoes (2), 2.25-4.5 in. cut height			\$733.00
--	--------	---	--	--	----------

SD_H5815 TEXTURED LINER KIT

	716537	Textured Liner Kit FLAIL ROTOR CONDITIONER MODELS ONLY Factory supplied - Increases flail conditioning intensity.			\$435.00
--	--------	---	--	--	----------



**DISCBINE® 210 SIDE-PULL DMC
US PRICE LIST**

(New Holland, PA)

LANGUAGE KITS

SD_47083 OPERATOR'S MANUAL

		715257	French Canadian Manual - NA			No Charge
		715309	Spanish Manual - NA			No Charge



**DISCBINE® 210 SIDE-PULL DMC
US PRICE LIST**

(New Holland, PA)

Models

COMMERCIAL MODEL	CONDITIONER TYPE	TONGUE	Weight	Factory Data	List Price
DISCBINE 210R	Rubber on rubber chevron	SWIVEL TNG	4,340 LB		\$36,864.00
DISCBINE 210S	Steel on steel chevron	SWIVEL TNG	4,340 LB		\$37,466.00
DISCBINE 210F	Flail Rotor Conditioner	SWIVEL TNG	4,340 LB		\$35,145.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

	XT9981X	Less Fast Pick Config Fast Pick Configurations are complete packaged units. Selecting any option outside of a Fast Pick configuration, unless specifically allowed eliminates the Fast Pick ordering incentive. LESS FAST PICK CONFIG = A LA CARTE ORDERING AND PRICING			No Charge
	XH903XX	DB210 FAST PICK 2 DB210 8-Disc Swivel Drawbar Hitch Fast Pick FAST PICK PKG PRICE = ~5% SAVINGS OVER A LA CARTE ORDER B210 Swivel Tongue - Fast Pick Package contains base model. ONLY Available With the Following Completion Package and/or Performance Pack Options: 717937 - 2 Pt Hitch (Removes Drawbar Attachment) X9736XX - Perf. Pack 1 - Adjustable Skids X9737XX - Perf. Pack 2 - Adjustable Skids & Hood Liner			(\$1,650.00)

SD_T9987 PERFORMANCE PACK

	X9736XX	PERF PACK 1 SKIDS PERFORMANCE PACK 1 - Adjustable Skids (Swivel Hitch / Roll Conditioner ONLY) 415017 - Adjustable Skid Shoe Kit			(\$25.00)
	X9737XX	PERF PACK 2 SKIDS FL PERFORMANCE PACK 2 - Adjustable Skids & Flail Hood Liner (Swivel Hitch / Flail Conditioner ONLY) 415017 - Adjustable Skid Shoe Kit 716537 - Textured Liner Kit			(\$50.00)

**DISCBINE® 210 SIDE-PULL DMC
US PRICE LIST**

(New Holland, PA)

COMPLETING PACKAGES

COMPLETING PACKAGES

SD_41039 HITCH

		717937	2 Point Hitch SWIVEL TONGUE ONLY: OPTIONAL 2-POINT HITCH ATTACHMENT Removes standard drawbar attaching kit from base equipment.			\$262.00
--	--	--------	--	--	--	----------

FACTORY SUPPLIED OPTIONS

MOWER CONDITIONER OPTIONS

SD_C5832 SKID SHOE

		415017	Adjustable Skid Shoes Kit Factory supplied adjustable skid shoes (2), 2.25-4.5 in. cut height			\$733.00
--	--	--------	---	--	--	----------

SD_H5815 TEXTURED LINER KIT

		716537	Textured Liner Kit FLAIL ROTOR CONDITIONER MODELS ONLY Factory supplied - Increases flail conditioning intensity.			\$435.00
--	--	--------	--	--	--	----------

LANGUAGE KITS

SD_47083 OPERATOR'S MANUAL

		715257	French Canadian Manual - NA			No Charge
		715309	Spanish Manual - NA			No Charge

DISCBINE® 310 SMALL CENTER PIVOT DMC
US PRICE LIST

(New Holland, PA)

Standard Equipment
Discbine® 310 Disc Mower-Conditioner

-Tongue	Center-Pivot
-Swivel Hitch	Standard
-Attachment	Drawbar
-Head Tilt	Mechanical
-Head Flotation	Adjustable Springs
-Flotation Geometry	Vertical-TopSafe
-Tongue Swing	Hydraulic
-Tires	300/55-17 Flotation
-Trans. Width	9' 10" (3.0m)
-Trans. Length	22' 9" (6.93m)
-Trans. Lighting	Standard
-SMV Symbol	Standard

DISC CUTTERBAR SPECIFICATIONS

-Cutting Width	10 ft. 4in.(3.15m)
-Cutting Height	1-4 in.(24-98 mm)
-QuickMax™ System	Standard
-Num. Discs	8 Discs / 16 Knives
-Type	Low-profile
-Protection	ShockPRO™ System
-Skid Shoes	Full Coverage

SWATH SPECIFICATIONS

-Roll Conditioning	
-Windrow Range	4-6.5ft.(1.2-2m)
-Flail Tine Conditioning	
-Windrow	4-6.5 ft.(1.2-2m)
-Wide Swath	8.2 ft.(2.5m)

DRIVE SPECIFICATIONS

-Primary	Std. U-Joint & Swivel Gearbox
-Secondary	Std. U-Joint & Swivel Gearbox
-Slip Cutch	Standard
-Overrunning Clutch	Standard

ROLL CONDITIONING

-Roll Design	Chevron
-Roll Width	99 in. (2510mm)
-Roll Material	Rubber
-Roll Drive	Synchronized gears
-Roll Speed	970 rpm
-Roll Pressure	Adj. Springs
-Roll Gap	Adjustable
-Roll Timing	Adjustable
-Windrow Range	4-6.5ft.(1.2-2m)

FLAIL TINE CONDITIONING

-Design	70 Steel Y-Flails
-Rotor Width	99in.(2510mm)
-Rotor Speed	1000 rpm
-Intensity	Adjustable Hood
-Windrow Range	4-6.5 ft. (1.2-2m)
-Wide Swath	8.2 ft.(2.5m)

TRACTOR REQUIREMENTS

-PTO Speed RPM	1000
-PTO Yoke	1 3/8" - 21s
-Min. Power	82 PTO hp (60kW)
-Hyd. Equipment	1DA / 1 SA

OPTIONAL EQUIPMENT

-2 Point Hitch Attachment

WARRANTY

-New Holland Standard Warranty Applies
--

****Only for use with tractors having a fully enclosed cab.****



**DISCBINE® 310 SMALL CENTER PIVOT DMC
US PRICE LIST**

(New Holland, PA)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
DISCBINE 310F.	6,920 LB		\$38,088.00
DISCBINE 310R.	6,920 LB		\$40,250.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

		XT9981X	<p>Less Fast Pick Config</p> <p>LESS FAST PICK CONFIGURATION</p> <p>Fast Pick Configurations are complete packaged units. Selecting any option outside of a Fast Pick configuration, unless specifically allowed eliminates the Fast Pick ordering incentive.</p> <p>LESS FAST PICK CONFIG = A LA CARTE ORDERING AND PRICING</p>			No Charge
		XH904XX	<p>DB310 FAST PICK 1</p> <p>DB310 8-Disc Drawbar Hitch Fast Pick</p> <p>FAST PICK PKG PRICE ==5% SAVINGS OVER A LA CARTE ORDER</p> <p>Available With the Following Completion Package Option: 463092 - 2 PNT SWIV HITCH FF</p>			(\$1,800.00)

FACTORY SUPPLIED OPTIONS

SD_41039 HITCH

		463092	<p>2 PNT SWIV HITCH FF</p> <p>OPTIONAL 2-POINT HITCH ATTACHMENT</p> <p>Removes standard drawbar attachment kit from base equipment.</p>			\$262.00
--	--	--------	--	--	--	----------

OPERATOR'S MANUAL

SD_47083 OPERATOR'S MANUAL

		712371	English for North America			No Charge
		712372	French for North America			No Charge

DISCBINE® 312 SMALL CENTER PIVOT DMC
US PRICE LIST

(New Holland, PA)

Standard Equipment
Discbine® 312 Disc Mower-Conditioner

-Tongue	Center-Pivot
-Swivel Hitch	Standard
-Attachment	Drawbar
-Head Tilt	Mechanical
-Head Flotation	Adjustable Springs
-Flotation Geometry	Vertical-TopSafe
-Tongue Swing	Hydraulic
-Tires	300/55-17 Flotation
-Trans. Width	11' 2" (3.41m)
-Trans. Length	24' 8" (7.51m)
-Trans. Lighting	Standard
-SMV Symbol	Standard

DISC CUTTERBAR SPECIFICATIONS

-Cutting Width	11 ft. 6in.(3.51m)
-Cutting Height	1-4 in.(24-98 mm)
-QuickMax™ System	Standard
-Num. Discs	9 Discs / 18 Knives
-Type	Low-profile
-Protection	ShockPRO™ System
-Skid Shoes	Full Coverage

SWATH SPECIFICATIONS

-Roll Conditioning	
-Windrow Range	4-6.5ft.(1.2-2m)
-Flail Tine Conditioning	
-Windrow	4-6.5 ft.(1.2-2m)
-Wide Swath	8.2 ft.(2.5m)

DRIVE SPECIFICATIONS

-Primary	Std. U-Joint & Swivel Gearbox
-Secondary	Std. U-Joint & Swivel Gearbox
-Slip Cutch	Standard
-Overrunning Clutch	Standard

ROLL CONDITIONING

-Roll Design	Chevron
-Roll Width	115 in. (2920mm)
-Roll Material	Rubber
-Roll Drive	Synchronized gears
-Roll Speed	970 rpm
-Roll Pressure	Adj. Springs
-Roll Gap	Adjustable
-Roll Timing	Adjustable
-Windrow Range	4-6.5ft.(1.2-2m)

FLAIL TINE CONDITIONING

-Design	86 Steel Y-Flails
-Rotor Width	115in.(2920mm)
-Rotor Speed	1000 rpm
-Intensity	Adjustable Hood
-Windrow Range	4-6.5 ft. (1.2-2m)
-Wide Swath	9.1 ft.(2.8m)

TRACTOR REQUIREMENTS

-PTO Speed RPM	1000
-PTO Yoke	1 3/8" - 21s
-Min. Power	87 PTO hp (64kW)
-Hyd. Equipment	1DA / 1 SA

OPTIONAL EQUIPMENT

-2 Point Hitch Attachment

WARRANTY

-New Holland Standard Warranty Applies
--

****Only for use with tractors having a fully enclosed cab.****



**DISCBINE® 312 SMALL CENTER PIVOT DMC
US PRICE LIST**

(New Holland, PA)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
DISCBINE 312F.	6,920 LB		\$40,388.00
DISCBINE 312R.	6,920 LB		\$43,792.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

		XT9981X	Less Fast Pick Config LESS FAST PICK CONFIGURATION Fast Pick Configurations are complete packaged units. Selecting any option outside of a Fast Pick configuration, unless specifically allowed eliminates the Fast Pick ordering incentive. LESS FAST PICK CONFIG = A LA CARTE ORDERING AND PRICING			No Charge
		XH905XX	DB312 FAST PICK 1 DB312 9-Disc Drawbar Hitch Fast Pick FAST PICK PKG PRICE ==5% SAVINGS OVER A LA CARTE ORDER Available With the Following Completion Package Option: 463092 - 2 PNT SWIV HITCH FF			(\$1,950.00)

FACTORY SUPPLIED OPTIONS

SD_41039 HITCH

		463092	2 PNT SWIV HITCH FF OPTIONAL 2-POINT HITCH ATTACHMENT Removes standard drawbar attachment kit from base equipment.			\$262.00
--	--	--------	---	--	--	----------

OPERATOR'S MANUAL

SD_47083 OPERATOR'S MANUAL

		712371	English for North America			No Charge
		712372	French for North America			No Charge

DISCBINE® 313 LARGE CENTER PIVOT DMC
US PRICE LIST

(New Holland, PA)

Standard Equipment

DB 313 DISC MOWER-CONDITIONER

-Swivel Hitch	Standard
-Attachment	Drawbar
-Head Tilt	Hydraulic
-Head Flotation	Adjustable Springs
-Flotation Geometry	Up & Back
-Poly Bifold Hoods	Standard
-Tongue Swing	Hydraulic Center Pivot
-Tires	2, 12.5L 15, 6PR
-Trans. Width	13 ft. 4 in. (4.04m)
-Trans. Lighting	Standard
-SMV Symbol	Standard
-Safety Chain	Standard

DISC CUTTERBAR SPECIFICATIONS

-Cutting Width	13 ft. (4.0m)
-Cutting Height	.79-2.7 in. (20-69mm)
-QuickMax™ Knives	Standard
-Num. Discs	8 Large Oval Discs
-Disc Speed	2250 rpm
-Knives/Disc	2 Reversible
-Std. Knives	14° Smooth Edge
-Type	MowMax™ II Disc Cutterbar
-Protection	ShockPRO™ System
-Rock Guard	Heavy-Duty Cast Iron
-Skid Shoes	Hardened Steel

SWATH SPECIFICATIONS

-Width Range	3-10 ft. (.91-3.0m)
-Windrow Shields	Adjustable
-Swath Gate/Baffle	Adjustable
-Swath Wedges	Standard

DRIVE SPECIFICATIONS

-Primary PTO	Std. U-Joint & Swivel Gearbox
-Secondary PTO	Std. U-Joint & Swivel Gearbox
-Slip Clutch	Standard
-Overrunning Clutch	Standard

WIDE DRY™ ROLL CONDITIONING

-Roll Design	Chevron
-Roll Width	125 in. (3175mm)
-Roll Diameter	10-3/8 in. (264mm)
-Roll Material	Rubber or Steel
-Roll Speed	750/640 rpm
-Roll Pressure System	Torsion Bar
-Roll Pressure Adj.	Hand Crank
-Roll Gap & Timing	Adjustable

WIDE DRY™ FLAIL TINE CONDITIONING

-Design	LeaningEdge™ Flail Tines
-Tine Material	Cast Steel
-Num. Tines	120
-Rotor Width	125 in. (3175mm)
-Rotor Speed	1042 rpm (752 rpm available)
-Intensity	Adjustable Hood
-Hood Liner	Replaceable
-Adjustment	Hand Crank

OTHER OPTIONAL EQUIPMENT

-2 Point Hitch Attachment Kit
-Textured Hood Liner Kit (Flail Only)

TRACTOR REQUIREMENTS

-PTO Speed	1000 RPM
-Power	90 PTO hp
-Hyd. Equipment	1DA / 1 SA

WARRANTY

-New Holland Standard Warranty Applies To Base
-MowMax 3 Year, Factory Cutterbar Extended Warranty

Only for use with tractors having a fully enclosed cab.



**DISCBINE® 313 LARGE CENTER PIVOT DMC
US PRICE LIST**

(New Holland, PA)

Models

COMMERCIAL MODEL	CONDITIONER TYPE	Weight	Factory Data	List Price
DB313F	Flail Rotor Conditioner	6,420 LB		\$47,989.00
DB313R	Rubber on rubber chevron	6,420 LB		\$49,974.00
DB313S	Steel on steel chevron	6,420 LB		\$50,564.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

	XT9981X	Less Fast Pick Config Fast Pick Configurations are complete packaged units. Selecting any option outside of a Fast Pick configuration, unless specifically allowed eliminates the Fast Pick ordering incentive. LESS FAST PICK CONFIG = A LA CARTE ORDERING AND PRICING			No Charge
	XH906XX	DB313 FAST PICK 1 FAST PICK PKG PRICE = ~5% SAVINGS OVER A LA CARTE ORDER DB313 ONLY Available With the Following Hitch Completion Package and/or Performance Pack Options. 716533 - 2-Point Swivel Hitch (Removes Drawbar Attachment) X9987XX - Perf. Pack 1 - Adjustable Skids (Roll Only) X9737XX - Perf. Pack 1 - Adjustable Skids & Hood Liner (Flail Only)			(\$2,250.00)

SD_T9987 PERFORMANCE PACK

	X9736XX	PERF PACK 1 SKIDS PERFORMANCE PACK 1 - Adjustable Skids 415017 - Adjustable Skid Shoes Kit			(\$25.00)
	X9737XX	PERF PACK 2 SKIDS FL PERFORMANCE PACK 2 - Adjustable Skids & Flail Hood Liner 415017 - Adjustable Skid Shoes Kit 716537 - Textured Liner Kit			(\$50.00)

**DISCBINE® 313 LARGE CENTER PIVOT DMC
US PRICE LIST**

(New Holland, PA)

HITCH

SD_41030 HITCH

		716533	2-Point Swivel Hitch-Installed SWIVEL TONGUE: OPTIONAL 2-POINT HITCH ATTACHMENT Removes standard drawbar attaching kit from base equipment.			\$262.00
--	--	--------	--	--	--	----------

HAYTOOL OPTIONS**TEXTURED LINER**

SD_H5815 TEXTURED LINER KIT

		716537	Textured Liner Kit FLAIL ROTOR CONDITIONER MODELS ONLY Factory supplied - Increases conditioning intensity providing faster crop drying of difficult to condition grass hay crops			\$435.00
--	--	--------	---	--	--	----------

ADJUSTABLE SKID SHOE

SD_C5832 SKID SHOE

		415017	Adjustable Skid Shoes Kit Factory supplied adjustable skid shoes (2), 0.75-5.75 in. cut height			\$865.00
--	--	--------	---	--	--	----------

OPERATORS MANUAL

SD_47083 OPERATOR'S MANUAL

		715257	French Canadian Manual - NA			No Charge
		715309	Spanish Manual - NA			No Charge

DISCBINE® 316 LARGE CENTER PIVOT DMC
US PRICE LIST

(New Holland, PA)

Standard Equipment

DB 316 DISC MOWER-CONDITIONER

-Swivel Hitch	Standard
-Attachment	Drawbar
-Head Tilt	Hydraulic
-Head Flotation	Adjustable Springs
-Flotation Geometry	Up & Back
-Poly Bifold Hoods	Standard
-Tongue Swing	Hydraulic Center Pivot
-Tires	2, 12.5L 15, 6PR
-Trans. Width	16 ft. 7 in. (5.05m)
-Trans. Lighting	Standard
-SMV Symbol	Standard
-Safety Chain	Standard

DISC CUTTERBAR SPECIFICATIONS

-Cutting Width	16 ft. 3 in. (4.95m)
-Cutting Height	.79-2.7 in. (20-69mm)
-QuickMax™ Knives	Standard
-Num. Discs	10 Large Oval Discs
-Disc Speed	2250 rpm
-Knives/Disc	2 Reversible
-Std. Knives	14° Smooth Edge
-Type	MowMax™ II Disc Cutterbar
-Protection	ShockPRO™ System
-Rock Guard	Heavy-Duty Cast Iron
-Skid Shoes	Hardened Steel

SWATH SPECIFICATIONS

-Width Range	3-10 ft. (.91-3.0m)
-Windrow Shields	Adjustable
-Swath Gate/Baffle	Adjustable
-Swath Wedges	Standard

DRIVE SPECIFICATIONS

-Primary PTO	Std. U-Joint & Swivel Gearbox
-Secondary PTO	Std. U-Joint & Swivel Gearbox
-Slip Clutch	Standard
-Overrunning Clutch	Standard

WIDE DRY™ ROLL CONDITIONING

-Roll Design	Chevron
-Roll Width	125 in. (3175mm)
-Roll Diameter	10-3/8 in. (264mm)
-Roll Material	Rubber or Steel
-Roll Speed	750/640 rpm
-Roll Pressure System	Torsion Bar
-Roll Pressure Adj.	Hand Crank
-Roll Gap & Timing	Adjustable

WIDE DRY™ FLAIL TINE CONDITIONING

-Design	LeaningEdge™ Flail Tines
-Tine Material	Cast Steel
-Num. Tines	120
-Rotor Width	125 in. (3175mm)
-Rotor Speed	1042 rpm (752 rpm available)
-Intensity	Adjustable Hood
-Hood Liner	Replaceable
-Adjustment	Hand Crank

OTHER OPTIONAL EQUIPMENT

-2 Point Hitch Attachment Kit
-Textured Hood Liner Kit (Flail Only)

TRACTOR REQUIREMENTS

-PTO Speed	1000 RPM
-Power	100 PTO hp
-Hyd. Equipment	1DA / 1 SA

WARRANTY

-New Holland Standard Warranty Applies To Base
-MowMax 3 Year, Factory Cutterbar Extended Warranty

****Only for use with tractors having a fully enclosed cab.****



**DISCBINE® 316 LARGE CENTER PIVOT DMC
US PRICE LIST**

(New Holland, PA)

Models

COMMERCIAL MODEL	CONDITIONER TYPE	Weight	Factory Data	List Price
DB316F	Flail Rotor Conditioner	6,845 LB		\$56,810.00
DB316R	Rubber on rubber chevron	6,845 LB		\$57,124.00
DB316S	Steel on steel chevron	6,845 LB		\$57,714.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

	XT9981X	Less Fast Pick Config Fast Pick Configurations are complete packaged units. Selecting any option outside of a Fast Pick configuration, unless specifically allowed eliminates the Fast Pick ordering incentive. LESS FAST PICK CONFIG = A LA CARTE ORDERING AND PRICING			No Charge
	XH907XX	DB316 FAST PICK 1 FAST PICK PKG PRICE = ~5% SAVINGS OVER A LA CARTE ORDER DB316 ONLY Available With the Following Hitch Completion Package and/or Performance Pack Options. 716533 - 2-Point Swivel Hitch (Removes Drawbar Attachment) X9987XX - Perf. Pack 1 - Adjustable Skids (Roll Only) X9737XX - Perf. Pack 1 - Adjustable Skids & Hood Liner (Flail Only)			(\$2,650.00)

SD_T9987 PERFORMANCE PACK

	X9736XX	PERF PACK 1 SKIDS PERFORMANCE PACK 1 - Adjustable Skids 415017 - Adjustable Skid Shoes Kit			(\$25.00)
	X9737XX	PERF PACK 2 SKIDS FL PERFORMANCE PACK 2 - Adjustable Skids & Flail Hood Liner 415017 - Adjustable Skid Shoes Kit 716537 - Textured Liner Kit			(\$50.00)



**DISCBINE® 316 LARGE CENTER PIVOT DMC
US PRICE LIST**

(New Holland, PA)

HITCH

SD_41030 HITCH

		716533	2-Point Swivel Hitch-Installed SWIVEL TONGUE: OPTIONAL 2-POINT HITCH ATTACHMENT Removes standard drawbar attaching kit from base equipment.			\$262.00
--	--	--------	--	--	--	----------

HAYTOOL OPTIONS

TEXTURED LINER

SD_H5815 TEXTURED LINER KIT

		716537	Textured Liner Kit FLAIL ROTOR CONDITIONER MODELS ONLY Factory supplied - Increases conditioning intensity providing faster crop drying of difficult to condition grass hay crops			\$435.00
--	--	--------	---	--	--	----------

ADJUSTABLE SKID SHOE

SD_C5832 SKID SHOE

		415017	Adjustable Skid Shoes Kit Factory supplied adjustable skid shoes (2), 0.75-5.75 in. cut height			\$865.00
--	--	--------	---	--	--	----------

OPERATORS MANUAL

SD_47083 OPERATOR'S MANUAL

		715257	French Canadian Manual - NA			No Charge
		715309	Spanish Manual - NA			No Charge



**MODEL 488 MOWER-CONDITIONER
US PRICE LIST**

(New Holland, PA)

Standard Equipment

MODEL 488

-Hitch	Equal Angle
-Head Tilt	Manual
-Head Flotation	Adjustable Springs
-Tongue Swing	Manual-Rope Pull
-Tires	2,25x9.5-15
-Trans. Width	12 ft. 2 in.
-Trans. Lighting	Standard
-SMV Symbol	Standard
-Safety Chain	Standard

CUTTERBAR SPECIFICATIONS

-Cutting Width	9 ft. 3 in.
-Cutting Height	1.25-4.25in.
-Std. Knives	Over-serrated
-Std. Hold Downs	Adjustable

ADJUSTABLE REEL SPECIFICATIONS

-Num. Tine Bars	4
-Speed Adj.	Variable sheave
-Drive	Belt & Chain

RUBBER CHEVRON ROLL CONDITIONING

-Roll Width	102 in.
-Roll Diameter	10 3/8 in.
-Roll Speed	637 rpm
-Roll Pressure System	Torsion Bar
-Roll Pressure Adj.	Hand Crank
-Roll Drive	Chain Driven
-Swath Range	38-96 in.

**OPTIONAL AMS SUPPLIED DIA
EQUIPMENT**

-Hydraulic Lift Kit (Req. 1 SA)

TRACTOR REQUIREMENTS

-PTO Speed 540 RPM

WARRANTY

New Holland Standard Warranty Applies

Models

COMMERCIAL MODEL	KNIFE	Weight	Factory Data	List Price
488MC BTO	STD GUARD	3,040 LB		\$27,944.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

	XT9981X	Less Fast Pick Config LESS FAST PICK CONFIG = A LA CARTE ORDERING AND PRICING			No Charge
	XH909XX	488SMC FAST PICK FAST PICK PKG PRICE = 5% SAVINGS OVER A LA CARTE ORDER			(\$1,000.00)

H7150 PIVOT TONGUE SMC TRAIL FRAME US PRICE LIST

Standard Equipment

**HS SERIES HAYBINE® MOWER-
CONDITIONER HEADS ARE SOLD
SEPARATELY; MUST ORDER HS 14, 16,
OR 18 SMC HEAD TO COMPLETE THE
H7150 TRAIL FRAME.**

**HS SERIES SPECIFICATIONS
PROVIDED ARE FOR CONVENIENCE AND
ARE NOT INCLUDED WITH THE BASE**

Model H7150 TRAIL FRAME

-Drive	Tongue Mounted Drive Pump
-Attachment	Drawbar Extension
-Head Tilt	Hydraulic
-Head Flotation	Adjustable Springs
-Tongue Swing	Center-Pivot, Hydraulic
-Tires	2,31x13.5-15 8PR
-Trans. Lighting	Standard
-SMV Symbol	Standard
-Safety Chain	Standard

HS - CUTTERBAR SPECIFICATIONS

-Cutting Width	
HS 14 Head	14 ft. 3 in.
HS 16 Head	16 ft. 3 in.
HS 18 Head	18 ft. 3 in.
-Cutting Height	1.2-6.2 in.
-Drive	Dual Wobble Drives
-Std. Knives	Over-serrated
-Hold Downs	Adjustable
-Guards	Standard Type

HS - REEL SPECIFICATIONS

-Num. Tine Bars	5 - Segmented
-Tine Type	Full-Flex
-Speed Adj.	Variable sheave
-Position	Adjustable
-Drive	Belt & Chain

HS - CONDITIONING SPECIFICATIONS

-Roll Design	Rubber Chevron
-Roll Width	102 in.
-Roll Diameter	10 3/8 in.
-Roll Speed	717 rpm
-Roll Pressure System	Torsion Bar
-Roll Pressure Adj.	Hand Crank
-Roll Drive	Gearbox & Shafts
-Swath Range	38 - 96 in.

HS - TRANSPORT WIDTH

-HS 14 head	16 ft. 3 in.
-HS 16 head	18 ft. 3 in.
-HS 18 Head	20 ft. 3 in.

H7150 - TRACTOR REQUIREMENTS

-PTO Speed	1000 RPM
-Power Req.	70 hp
-Hydraulic Req.	1 SA / 1 DA

WARRANTY

New Holland Standard Warranty Applies

Not for sale in Quebec



**H7150 PIVOT TONGUE SMC TRAIL FRAME
US PRICE LIST**

Models

COMMERCIAL MODEL	MODEL	Weight	Factory Data	List Price
H7150 BTO	H7150 SMC	3,050 LB		\$21,487.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

	XT9981X	<p>Less Fast Pick Config</p> <p>Fast Pick Configurations are complete packaged units. Selecting any option outside of a Fast Pick configuration, unless specifically allowed eliminates the Fast Pick ordering incentive.</p> <p>LESS FAST PICK CONFIG = A LA CARTE ORDERING AND PRICING</p>			No Charge
	XH910XX	<p>H7150/HS14 FAST PICK</p> <p>FAST PICK PKG PRICE = ~5% SAVINGS OVER A LA CARTE ORDER</p> <p>H7150 for HS14 Header ONLY - HS HEAD SOLD SEPARATELY</p> <p>Fast Pick Package Contains:</p> <p>727147006 - H7150 Trail Frame</p> <p>727148006 - Tongue 14/16 FT</p> <p>727150006 - Completing Group - 14 FT</p>			(\$1,000.00)
	XH911XX	<p>H7150/HS16 FAST PICK</p> <p>FAST PICK PKG PRICE = ~5% SAVINGS OVER A LA CARTE ORDER</p> <p>H7150 for HS16 Header ONLY - HS HEAD SOLD SEPARATELY</p> <p>Fast Pick Package Contains:</p> <p>727147006 - H7150 Trail Frame</p> <p>727148006 - Tongue 14/16 FT</p> <p>727151006 - Completing Group - 16/18 FT</p>			(\$1,000.00)
	XH912XX	<p>H7150/HS18 FAST PICK</p> <p>FAST PICK PKG PRICE = ~5% SAVINGS OVER A LA CARTE ORDER</p> <p>H7150 for HS18 Header ONLY - HS HEAD SOLD SEPARATELY</p> <p>Fast Pick Package Contains:</p> <p>727147006 - H7150 Trail Frame</p> <p>727149006 - Tongue 18 FT</p> <p>727151006 - Completing Group - 16/18 FT</p>			(\$1,100.00)



**H7150 PIVOT TONGUE SMC TRAIL FRAME
US PRICE LIST**

PACKAGES

SD_H5801 COMPLETING PACKAGES

		727150	Completing Group 14 ft.			No Charge
		727151	Completing Group 16/18 ft.			No Charge

HITCH

SD_41030 HITCH

		727148	Tongue 14/16 ft. **HS SERIES HAYBINE® MOWER-CONDITIONER HEADS ARE SOLD SEPARATELY; MUST ALSO ORDER HS 14 OR 16 SMC HEAD TO COMPLETE THE H7150 TRAIL FRAME.**			No Charge
		727149	Tongue 18 ft. **HS SERIES HAYBINE® MOWER-CONDITIONER HEADS ARE SOLD SEPARATELY; MUST ALSO ORDER HS18 SMC HEAD TO COMPLETE THE H7150 TRAIL FRAME.**			\$1,702.00

SPEEDROWER® 160 SP WINDROWER
US PRICE LIST

(Grand Island, NE)

Standard Equipment
ENGINE

- Engine MFG FPT/New Holland
- Emissions Level Tier 4B
- Rated Power 150 hp rated*
- Displacement 274 cu. In. (4.5 L)
- Num. Cylinders 4
- Aspiration Turbocharged
- Pre-cleaning Top Spin™ **
- Intercooling Air-to-Air
- Fuel System
 - High-pressure common rail
 - Electronic fuel injection

* Manufacturer's rating per ECE R120 / ISO 14396

** TOPSPIN™ is a registered trademark of the Donaldson Company, Inc.

EMISSIONS SYSTEM

- EcoBlue™ HI-eSCR high-efficiency Selective Catalytic Reduction with engine exhaust muffler / SCR

COOLING SYSTEM

- High-efficiency, multi-layer cooling
- High-capacity rotary screen cleaning system.
- Chaff wiper kit standard
- Vertical opening rotary air screen

ELECTRICAL SYSTEM

- Voltage 12-Volt
- Alternator 150 amp
- Battery CCA 925 CCA
- Battery Type Low maintenance
- Num. Batteries 1

FUEL/DEF CAPACITIES

- Diesel Fuel 120-gallon (454 L)
- DEF Fluid 19-gallon (72 L)

ENGINE SHUTDOWN PROTECTION:

- Automatic engine shutdown
 - Low engine oil pressure
 - Engine coolant overheat
 - Low hydrostatic charge oil pressure

ENGINE SHIELDS

- Sheet molded compound side shields
- Easy-open gas strut supported

CHASSIS & REAR AXLE

- Rear axle 3° caster post swivels
- Fork with 14L tire
- Independent rear axle suspension

DRIVELINE

- Two speed range hydrostatic drive
- Apx. top speed of 18 MPH
- HD double reduction planetary final drives
- Spring applied, hydraulically released park brake (console switch controlled)

STEERING SYSTEM

- 2000 psi hydraulic steering system with dedicated pump and load reactive steering provides operator feedback and optimized straight line tracking.

HEAD DRIVE PUMP & HS DRIVE MOTOR

- SMC HS Hay Only - Fixed displacement 29 GPM Head Drive Pump
- SMC HS Hay Sickle Head Adaptor Kit including header drive motor and poppet style quick couplers

HEAD ATTACHMENT

- Hydraulic couplers for head drive motor attachment
- Hydraulic head flotation
- Hydraulic Head Tilt
 - In-cab & Remote control switches
 - Electronic tilt indicator displayed on 4-line display and Intelliview™ IV equipped windrowers.
 - 4" stroke head tilt cylinder
- Single lever head transport locking
- Header quick latch system
- Head lift cylinders
 - Hay Only - Diameter 2.5 inch

**SPEEDROWER® 160 SP WINDROWER
US PRICE LIST**

(Grand Island, NE)

Standard Equipment

WINDROW SHIELDS

- Manual adjust hay windrow shields.

BASE CAB EQUIPMENT

- Comfort Ride™ cab suspension and air-ride rear axle suspension
- Curved, tinted glass with left-hand entry door
- Adjustable tilt/telescopic steering column
- Fore/Aft adjustable console with cup holder, lighter & ashtray
- Front windshield wiper/washer
- Dual cab air filtration system:
 - (1) External fresh air filter
 - (1) In-cab air recirculation filter
- Cab interior lighting package
 - (1) Center dome light
 - (1) Right-hand console light

OPERATOR AREA OPTION PACKAGES

STANDARD CAB - OPTION PACKAGE

- Fabric-covered operator seating
 - Air-suspension
 - Fore/aft isolator
 - Lumbar adjustment
 - Ride dampener adjustment
 - Retractable seat belt
 - Operator's presence system
- Fabric-covered instructor seating
- Entertainment & communications
 - AM/FM/weather band Radio with antenna and two (2) speakers.
 - Auxiliary input socket for MP3 player, satellite radio or portable CD player
 - (2) Additional radio port locations with DIN mounting slots
 - Business band antenna ready
- Climate Control Systems
 - Air-conditioner and heater with manual temperature controls
- Mirrors and Lighting
 - (2) External mount rear view mirrors (mechanical adjust)

- (4) Halogen, Cab Roof-mounted Work Lights
- (2) Halogen, rear work lights
- (2) Halogen, stubble lights
- Time delay cab exit light
- 12 volt, service light receptacle

DELUXE CAB - OPTION PACKAGE

- Fabric-covered operator seating
 - Air-suspension
 - Fore/aft isolator
 - Lumbar adjustment
 - Ride dampener adjustment
 - Retractable seat belt
 - Operator's presence system
- Fabric-covered instructor seating
- Entertainment & communications
 - Deluxe satellite radio w/ bluetooth Connectivity mic for hands free calling and four (4) speakers
 - Auxiliary input socket for MP3 player, satellite radio or portable CD player
 - (2) Additional radio port locations with DIN mounting slots
 - Business band antenna ready
- Climate Control Systems
 - Air-conditioner and heater with automatic temperature controls
 - Front/rear sun shades
- Mirrors and Lighting
 - (2) External mount rear view mirrors (Deluxe in-cab electrical adjustment)
 - (4) LED, Cab Roof-mounted forward facing work lights
 - (2) Halogen, rear facing work lights
 - (2) Halogen, stubble lights
 - Time delay cab exit light
 - 12-volt, service light receptacle

PREMIUM CAB - OPTION PACKAGE

- Leather-covered operator seating
 - Comfort Heating
 - Air-suspension
 - Fore/aft isolator
 - Lumbar adjustment

**SPEEDROWER® 160 SP WINDROWER
US PRICE LIST**

(Grand Island, NE)

Standard Equipment

- Ride dampener adjustment
- Retractable seat belt
- Operator's presence system
- Leather-covered instructor seating
- Entertainment & communications
 - Deluxe satellite radio w/ bluetooth Connectivity mic for hands free calling and four (4) speakers
 - Auxiliary input socket for MP3 player, satellite radio or portable CD player
 - (2) Additional radio port locations with DIN mounting slots
 - Business band antenna ready
- Climate Control Systems
 - Air-conditioner and heater with automatic temperature controls
 - Front/rear sun shades
- Mirrors and Lighting
 - (2) External mount rear view mirrors (Deluxe in-cab electrical adjustment)
 - (4) LED, Cab Roof-mounted forward facing work lights
 - (2) LED, rear facing work lights
 - (2) LED, stubble lights
 - Time delay cab exit light
 - 12-volt, service light receptacle

MULTI-FUNCTION HANDLE

- CommandGrip™ MFH with low-effort forward-neutral-reverse ground speed control with back lighting.
- MFH Controls for:
 - Performance monitor 4-line display selection
 - Head raise/lower
 - Head tilt control
 - Auto guidance engagement

RIGHT-HAND CONSOLE CONTROLS

- Engine speed
- Head engagement
- Head power reverser
- Head flotation adjustment
- Park brake control
- Cold start (when equipped)

MONITORS AND DISPLAYS

- Console mounted, adjustable displays & monitors
 - Standard Monitor: 4-line performance monitor display, TS-Ready for Auto Guidance Ready
 - Optional IntelliView™ IV, 10 inch color touch screen display required for Auto Guidance Complete.
- Monitored systems
 - Engine oil pressure
 - Engine coolant temperature
 - Engine rpm
 - Battery voltage
 - Ground speed
 - Diesel fuel & DEF fluid levels
 - Engine/head hours
 - Hydrostatic transmission charge oil pressure

STANDARD TECHNOLOGY FEATURES

- PLM™ Precision Land Management IntelliSteer™ auto guidance ready

TRANSPORT LIGHTING

- (2) Halogen, cab roof-mounted transport lights
- (2) Combination rear tail light/brake lights
- (2) Combination turn signal/flashing hazard lights

WEIGHTING AND BALLASTING

- Must select required chassis ballast:
 - HS14 - DEALER MUST SELECT 0 lb. less ballast package for use with HS14
 - HHS16-Ballast value defaults to 400 lbs. as required for HS16
 - HS18 - DEALER MUST SELECT 600lb. package for use with HS18 heads

WARRANTY

- New Holland Standard Warranty Applies



**SPEEDROWER® 160 SP WINDROWER
US PRICE LIST**

(Grand Island, NE)

Models

COMMERCIAL MODEL	ENGINE POWER	Weight	Factory Data	List Price
SPEEDROWER_160	160 HP	14,000 LB		\$147,794.00
Includes the following Equipment 21L x 28 14PR R4 (8089907) \$6,674.00				

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

	XT9981X	<p>Less Fast Pick Config</p> <p>Fast Pick Configurations are complete packaged units. Selecting any option outside of a Fast Pick configuration, unless specifically allowed eliminates the Fast Pick ordering incentive.</p> <p>LESS FAST PICK CONFIG = A LA CARTE ORDERING AND PRICING</p>			No Charge
	X1601XX	<p>SR160 SMC HAY FP (4-CY, DLX, 2-SPD, 18.4 R4 - 14L Fork)</p> <p>FAST PICK PKG PRICE = 5% SAVINGS OVER A LA CARTE ORDER</p> <p>SR160 SMC Hay Fast Pick Package Contains:</p> <p>X9202XX Deluxe Cab Package</p> <p>726897026 Guidance Ready</p> <p>726992026 4-Line Display, T-S Ready</p> <p>809290726 18.4X26 12PR (R4) Lug Tread</p> <p>727103016 Forked/14L with Damper</p> <p>761159036 Cold Start Kit</p> <p>726909016 Manual Adjustable Windrow Shields</p> <p>Speed Option:</p> <p>727143026 4-CY 2-SPD Standard Road Speed</p> <p>Ballast Kit:</p> <p>727106006 Ballast Kit - 400 lbs. SR160 w.HS16 Head</p> <p>Available Options:</p> <p>X0500XX: LESS AG COMPLETE</p> <p>X0501XX: WAAS AG COMPLETE</p>			(\$7,090.00)



**SPEEDROWER® 160 SP WINDROWER
US PRICE LIST**

(Grand Island, NE)

		X2009XX	<p>WINDROWER FP 6</p> <p>NH Windrower Fast Pick 6 (4-CY,DLX,2-SPD,21L R4-14L Fork, SMC)</p> <p>FAST PICK PKG PRICE = 5% SAVINGS OVER A LA CARTE ORDER</p> <p>SR160 Fast Pick Package Contains:</p> <p>X9202XX Deluxe Cab Package</p> <p>726897026 Guidance Ready</p> <p>726992026 4-Line Display, T-S Ready</p> <p>808990736 21LX28 14PR (R4) Lug Tread</p> <p>727103016 Forked/14L with Damper</p> <p>761159036 Cold Start Kit</p> <p>726909016 Manual Adjustable Windrow Shields</p> <p>Speed Option:</p> <p>727143026 4-CY 2-SPD Standard Road Speed</p> <p>Ballast Kits:</p> <p>727106006 Ballast Kit - 400 lbs. - SR160 w/ HS16 Head</p> <p>Available Options:</p> <p>X0500XX: LESS AG COMPLETE</p> <p>X0501XX: WAAS AG COMPLETE</p>			(\$7,150.00)
		X2013XX	<p>WINDROWER FP 7</p> <p>NH Windrower Fast Pick 7 (4-CY,DLX,2-SPD,600R1W-14L Fork,SMC)</p> <p>FAST PICK PKG PRICE = 5% SAVINGS OVER A LA CARTE ORDER</p> <p>SR160 Fast Pick Package Contains:</p> <p>X9202XX Deluxe Cab Package</p> <p>726897026 Guidance Ready</p> <p>726992026 4-Line Display, T-S Ready</p> <p>800140736 600/65R28 160 R1W Deep Cleat Tread</p> <p>727103016 Forked/14L with Damper</p> <p>761159046 Cold Start Kit</p> <p>726909016 Manual Adjustable Windrow Shields</p> <p>Speed Option:</p> <p>727143026 4-CY 2-SPD Standard Road Speed</p> <p>Ballast Kit:</p> <p>727106006 Ballast Kit - 400 lbs. SR160 w.HS16 Head</p> <p>Available Options:</p> <p>X0500XX: LESS AG COMPLETE</p> <p>X0501XX: WAAS AG COMPLETE</p>			(\$7,195.00)



**SPEEDROWER® 160 SP WINDROWER
US PRICE LIST**

(Grand Island, NE)

		X2014XX	WINDROWER FP 8 NH Windrower Fast Pick 8 (4-CY,STD,2-SPD,18.4 R4-14L Fork,SMC) FAST PICK PKG PRICE = 5% SAVINGS OVER A LA CARTE ORDER SR160 Fast Pick Package Contains: X9201XX Standard Cab Package 726897026 Guidance Ready 726992026 4-Line Display, T-S Ready 809290726 18.4X26 12PR (R4) Lug Tread 727103016 Forked/14L with Damper 761072016 No Cold Start Kit 726909016 Manual Adjustable Windrow Shields Speed Option: 727143026 4-CY 2-SPD Standard Road Speed Ballast Kit: 727106006 Ballast Kit - 400 lbs. SR160 w.HS16 Head Available Options: X0500XX: LESS AG COMPLETE X0501XX: WAAS AG COMPLETE			(\$6,825.00)
--	--	---------	---	--	--	--------------

SD_T9987 PERFORMANCE PACK

		X0501XX	WAAS AG COMPLETE FAST PICK PERFORMANCE PACKAGE UPGRADE Factory IntelliSteer™ Auto Guidance Complete Level 1 -WAAS Correction signal (+/- 6 to 8-inch accuracy) -REQUIRED: 726997 Navigation Controller III -REQUIRED: 726994 New Holland 372 GNSS Receiver -REQUIRED: 726894 IntelliView™ IV color touch screen display			(\$250.00)
--	--	---------	--	--	--	------------

PACKAGES

SD_T9982 OPERATOR AREA PACK

		X9201XX	STANDARD CAB PACKAGE 726887 Std. Cab option HVAC Controls: Manual Controls SUN SHADES: LESS Front/Rear Shades 726891 FABRIC-COVERED air-ride operator's seat & folding instructor seat 725985 Radio: AM/FM/WX RADIO with antenna two (2) speakers 725971 Two (2) External MANUAL Adjust Mirrors 726887 Four (4) HALOGEN, roof mounted work lights 726889 Four (4) Halogen rear work lights:(2) work & (2) stubble			No Charge
--	--	---------	--	--	--	-----------

**SPEEDROWER® 160 SP WINDROWER
US PRICE LIST**

(Grand Island, NE)

		X9202XX	DELUXE CAB PACKAGE 725843 DLX. Cab option HVAC Controls: (ATC) Automatic Temperature Controls SUN SHADES: Includes Front/Rear Shades 726891 FABRIC-COVERED air-ride operator's seat & folding instructor seat 727104 Radio: AM/FM/WX-BT&Sat RADIO with antenna four (4) speakers 725972 Two (2) External Dlx Electric Adjust Mirrors 726888 Four (4) LED, roof mounted work lights 726889 Four (4) Halogen rear work lights:(2) work & (2) stubble			\$6,063.00
		X9203XX	PREMIUM CAB PACKAGE 725843 DLX. Cab option HVAC Controls: (ATC) Automatic Temperature Controls SUN SHADES: Includes Front/Rear Shades 726892 LEATHER-COVERED air-ride operator's seat & folding instructor seat 727104 Radio: AM/FM/WX-BT&Sat RADIO with antenna four (4) speakers 725972 Two (2) External Dlx Electric Adjust Mirrors 726888 Four (4) LED, roof mounted work lights 726890 Four (4) LED, rear work lights:(2) work & (2) stubble			\$9,208.00

PRECISION FARMING

PRECISION FARMING DISPLAY

SD_25003 CAB DISPLAY MONITOR

		726992	4-Line Display, T-S Ready Fixed top-line with Engine RPM & Ground Speed. Bottom three (3) lines are customizable to operator preference. REQUIRED with Auto Guidance Ready Configurations; also provides mounting bracket and wiring harness to connect IntelliView™IV display moved from another vehicle into the windrower.			No Charge
		726894	Large Color Touch Screen Disp. Factory installed and tested IntelliView™IV 10-inch color touch -screen display with factory integrated vehicle controls and auto-guidance software. REQUIRED with Auto Guidance Complete Configurations			\$4,474.00

HAYTOOLS TIRES AND WHEELS

DRIVE TIRES

SD_16066 WHEELS AND TIRES

		8092907	18.4 x 26 12PR R4 18.4 x 26 R4 Industrial Tire			\$5,398.00
--	--	---------	---	--	--	------------

**SPEEDROWER® 160 SP WINDROWER
US PRICE LIST****(Grand Island, NE)**

		8089907	21L x 28 14PR R4 21L x 28 R4 Industrial Tire			\$6,674.00
		8001407	600/65R28 154 R1W 600/65 R28 R1W Deep Cleat Ag Tire			\$7,635.00

REAR TIRES**SD_H6202 REAR TIRE - WHEEL SUPPORT**

		727103	Forked/14L w/Damper Standard-Clearance, 3° forked arm caster assemblies with heavy-duty rotational dampers and 14L x 16.1 tires & wheels maintain chassis height with near zero rear height change when reversing.			No Charge
--	--	--------	--	--	--	-----------

FACTORY SUPPLIED OPTIONS**ENGINE GROUP****SD_02024 COLD WEATHER PKG**

		761159	Cold Weather Package			\$548.00
--	--	--------	----------------------	--	--	----------

TRANSMISSION GROUP**SD_N6424 SPEED OPTION**

		727143	Std Rd Speed w/Power Down ND Two-speed hydrostatic drive, WITH header lift arm power down. TOP SPEED APPROXIMATELY 18 MPH - NON DRAPER ONLY			No Charge
--	--	--------	---	--	--	-----------

CAB GROUP**SD_21014 CAMERAS**

		439110	Rear Camera Kit REQUIRES Intelliview™IV or 4-line Display with T/S Ready Option where display is moved from another vehicle. Kit contains one (1) rear-facing camera and harness to connect to Intelliview IV display only. System capacity of up to three (3) cameras, additional cameras sold separately.			\$998.00
--	--	--------	---	--	--	----------

HYDRAULICS GROUP**SD_09002 AUX HYD PUMP AND CONTROL VALVE**

		727085	Gear Pump/Cntl Valve NonDraper NON DRAPER READY UNITS ONLY! REQUIRED when Hydraulic Reel Drive Kit #716961046 is installed on HS series headers.			\$1,629.00
--	--	--------	--	--	--	------------



**SPEEDROWER® 160 SP WINDROWER
US PRICE LIST**

(Grand Island, NE)

WEIGHT GROUP

SD_T4980 BALLAST PACKAGE

SEE BALLASTING CHART

		727106	400 lbs. - Ballast Kit SR160-4CY Non-Draper & Haybine® HS16 Header SR220-6CY L-HP & Durabine™ 416 SR220-6CY L-HP & DuraSwath™425HB SR260-6CY H-HP, DuraMerger™419, & Durabine™ 419 Header	400 LB		No Charge
		727178	600 lbs. - Ballast Kit SR160-4CY Non-Draper & Haybine® HS18 Header SR220-6CY L-HP, DuraSwath™425HB SR260-6CY H-HP & Durabine™ 419	600 LB		\$278.00

AUTOGUIDANCE

SD_27047 AUTOGUIDANCE

		726897	AutoGuidance Ready INCLUDED IN BASE: 1-All Cab and Chassis wiring, including wiring connection to IntelliView™IV touch screen display 2-Electrohydraulic auto-guidance steering valve 3-Mounting provisions for Navigation Controller & GPS 372 Receiver TO COMPLETE FACTORY EQUIPPED AUTO GUIDANCE ORDER: 1- IntelliView™IV Large Color Touch Screen Display 2- GPS Receiver (WAAS or OmniSTAR Accuracy) 3- Navigation Controller II			No Charge
--	--	--------	---	--	--	-----------

SD_27060 GPS RECEIVER

		X27060X	No GPS Receiver			No Charge
		726994	GPS 372 Receiver - WAAS Factory Installed - Narrow / Wide Band NH372 Receiver (GL1) Factory Installed Auto Guidance Navigation III Controller WAAS Accuracy			\$3,200.00
		726995	GPS 372 Receiver - OMNISTAR Factory Installed - Narrow / Wide Band NH372 Receiver (GL2) Factory Installed Auto Guidance Navigation III Controller OmniSTAR Accuracy Unlock			\$5,700.00

SD_27061 NAV CONTROLLER

		X27061X	No NAV Controller			No Charge
--	--	---------	-------------------	--	--	-----------



**SPEEDROWER® 160 SP WINDROWER
US PRICE LIST**

(Grand Island, NE)

		726997	NAV Controller Factory Installed Auto Guidance Navigation III Controller			\$5,500.00
--	--	--------	--	--	--	------------

LANGUAGE KITS

SD_47083 OPERATOR'S MANUAL

		439130	English Lang Manual			No Charge
		715294	French Canadian			No Charge
		715309	Spanish Manual - NA			No Charge
		X47083X	No Additional Operators Manual			No Charge

FIELD INSTALLED HEADER COMPLETING PACKAGES

FOR SHIPMENT WITH BASE UNIT ONLY

SD_05143 REMOTE WINDROW SHIELD CONTROL

		717131	Remote Windrow Shield Control Provides in cab electrical adjustment of swath forming shields. (CANNOT be used with fixed shields on draper-ready units.)			\$1,726.00
--	--	--------	--	--	--	------------

SD_20107 HYDRAULIC REEL DRIVE

		716961	Hydraulic Reel Drive Kit FOR USE WITH HS SERIES SMC HEADS ONLY: Also requires engine mounted auxiliary hydraulic pump with control valve (Draper or Non-draper Configurations) and HS header reel drive DIA# 716961076 installed on head.			\$702.00
--	--	--------	---	--	--	----------

**SPEEDROWER® 220 SP WINDROWER
US PRICE LIST**

(Grand Island, NE)

Standard Equipment

ENGINE

-Engine MFG	FPT/New Holland
-Emissions Level	Tier 4B
-Rated Power	210 hp rated*
-Displacement	411 cu. In. (6.7 L)
-Num. Cylinders	6
-Aspiration	Turbocharged
-Pre-cleaning	Top Spin™ **
-Intercooling	Air-to-Air
-Fuel System	
-High-pressure common rail	
-Electronic fuel injection	

* Manufacturer's rating per ECE R120 / ISO 14396

** TOPSPIN™ is a registered trademark of the Donaldson Company, Inc.

EMISSIONS SYSTEM

-EcoBlue™ HI-eSCR high-efficiency Selective Catalytic Reduction with engine exhaust muffler / SCR

COOLING SYSTEM

-High-efficiency, multi-layer cooling
-High-capacity rotary screen cleaning system.
-Chaff wiper kit
-Vertical opening rotary air screen

ELECTRICAL SYSTEM

-Voltage	12-Volt
-Alternator	150 amp
-Battery CCA	650 CCA
-Battery Type	Low maintenance
-Num. Batteries	2

FUEL/DEF CAPACITIES

-Diesel Fuel	120-gallon (454 L)
-DEF Fluid	19-gallon (72 L)

ENGINE SHUTDOWN PROTECTION:

-Automatic engine shutdown
-Low engine oil pressure
-Engine coolant overheat

-Low hydrostatic charge oil pressure

ENGINE SHIELDS

-Sheet molded compound side shields
-Easy-open gas strut supported

CHASSIS & REAR AXLE

-Rear axle 3° caster post swivels maintain chassis height with nearly zero rear height change and heavy-duty rotational dampers.
-Independent rear axle suspension
-Hay Only - Heavy-duty 120 in. adjustable single vertical position rear axle
-Draper Ready - high clearance 135 in. adjustable high/low vertical position rear axle

DRIVELINE

-Standard, Two speed range hydrostatic drive
-Apx. top speed of 18 MPH
-Optional Three speed range hydrostatic drive
-Apx. top speed of 24.5 MPH
-HD double reduction planetary final drives
-Spring applied, hydraulically released park brake (console switch controlled)

STEERING SYSTEM

-2000 psi hydraulic steering system with dedicated pump and load reactive steering provides operator feedback and optimized straight line tracking.

HEAD DRIVE

-Hay Only - Variable displacement 80 GPM head drive pump
-Advanced power management system for Durabine™ disc heads
-Draper Ready - Variable displacement twin 40 GPM head drive pumps

**SPEEDROWER® 220 SP WINDROWER
US PRICE LIST**

(Grand Island, NE)

Standard Equipment

- Dedicated knife drive (High PSI)
- Dedicated canvas & reel drive (Low PSI)

- Cab interior lighting package
 - (1) Center dome light
 - (1) Right-hand console light

HEAD ATTACHMENT

- Variable speed hydrostatic head drive, less head drive motor
- Flat Face couplers for head drive motor attachment for disc hay units and Draper Ready units.
- Independent RH/LH hydraulic head flotation
- Hydraulic head tilt
 - In-cab & remote-control switches
 - Electronic tilt indicator displayed on 4-line display and Intelliview™ IV equipped windrowers.
 - Tilt indicator on the tilt cylinder
 - 8" stroke head tilt cylinder
- Single lever head transport lock system
- Header quick latch system
- Large diameter (2.75") head lift cylinders

WINDROW SHIELDS

- Manual adjust hay windrow shields (Non-draper Machines Only)
- Fixed windrow shields (Draper Machines Only)

BASE CAB EQUIPMENT

- Comfort Ride™ cab suspension and air-ride rear axle suspension
- Curved, tinted glass with left-hand entry door
- Adjustable tilt/telescopic steering column
- Fore/Aft adjustable console with cup holder, lighter & ashtray
- Front windshield wiper/washer
- Dual cab air filtration system:
 - (1) External fresh air filter
 - (1) In-cab air recirculation filter

OPERATOR AREA OPTION PACKAGES

STANDARD CAB - OPTION PACKAGE

- Fabric-covered operator seating
 - Air-suspension
 - Fore/aft isolator
 - Lumbar adjustment
 - Ride dampener adjustment
 - Retractable seat belt
 - Operator's presence system
- Fabric-covered instructor seating
 - Flip up design with seat belt
- Entertainment & communications
 - AM/FM/weather band Radio with antenna and two (2) speakers.
 - Auxiliary input socket for MP3 player, satellite radio or portable CD player
 - (2) Additional radio port locations with DIN mounting slots
 - Business band antenna ready
- Climate Control Systems
 - Air-conditioner and heater with manual temperature controls
- Dual cab air filtration system:
 - (1) External fresh air filter
 - (1) In-cab air recirculation filter
- Mirrors and Lighting
 - (2) External mount rear view mirrors (mechanical adjust)
 - (4) Halogen, Cab Roof-mounted Work Lights
 - (2) Halogen, rear work lights
 - (2) Halogen, stubble lights
 - Time delay cab exit light
 - 12-volt, service light receptacle

DELUXE CAB - OPTION PACKAGE

- Fabric-covered operator seating
 - Air-suspension
 - Fore/aft isolator
 - Lumbar adjustment
 - Ride dampener adjustment

**SPEEDROWER® 220 SP WINDROWER
US PRICE LIST**

(Grand Island, NE)

Standard Equipment

- Retractable seat belt
 - Operator's presence system
 - Fabric-covered instructor seating
 - Flip up design with seat belt
 - Entertainment & communications
 - Deluxe satellite radio w/ Bluetooth Connectivity mic for hands free calling and four (4) speakers
 - Auxiliary input socket for MP3 player, satellite radio or portable CD player
 - (2) Additional radio port locations with DIN mounting slots
 - Business band antenna ready
 - Climate Control Systems
 - Air-conditioner and heater with automatic temperature controls
 - Dual cab air filtration system:
 - (1) External fresh air filter
 - (1) In-cab air recirculation filter
 - Front/rear sun shades
 - Mirrors and Lighting
 - (2) External mount rear view mirrors (Deluxe in-cab electrical adjustment)
 - (4) LED, Cab Roof-mounted forward facing work lights
 - (2) Halogen, rear facing work lights
 - (2) Halogen, stubble lights
 - Time delay cab exit light
 - 12-volt, service light receptacle
- PREMIUM CAB - OPTION PACKAGE**
- Premium Leather-covered operator seating
 - Comfort Heating
 - Air-suspension
 - Fore/aft isolator
 - Lumbar adjustment
 - Ride dampener adjustment
 - Retractable seat belt
 - Operator's presence system
 - Leather-covered instructor seating
 - Flip up design with seat belt
 - Entertainment & communications
 - Deluxe satellite radio w/ Bluetooth Connectivity mic for hands free calling and four (4) speakers
 - Auxiliary input socket for MP3 player, satellite radio or portable CD player
 - (2) Additional radio port locations with DIN mounting slots
 - Business band antenna ready
 - Climate Control Systems
 - Air-conditioner and heater with automatic temperature controls
 - Dual cab air filtration system:
 - (1) External fresh air filter
 - (1) In-cab air recirculation filter
 - Front/rear sun shades
 - Mirrors and Lighting
 - (2) External mount rear view mirrors (Deluxe in-cab electrical adjustment)
 - (4) LED, Cab Roof-mounted forward facing work lights
 - (2) LED, rear facing work lights
 - (2) LED, stubble lights
 - Time delay cab exit light
 - 12-volt, service light receptacle
- MULTI-FUNCTION HANDLE**
- CommandGrip™ MFH with low-effort forward-neutral-reverse ground speed control with back lighting.
 - Haying MFH: Short stock without palm rest and hay specific operation decal affixed to right cab window.
 - Draper MFH: Traditional tall stalk design with palm rest, and hay specific operational decal affixed to right cab window.
- MFH Controls for:**
- Performance monitor 4-line display selection
 - Head raise/lower
 - Head tilt control
 - Auto guidance engagement
- RIGHT-HAND CONSOLE CONTROLS**
- Engine speed
 - Head engagement

**SPEEDROWER® 220 SP WINDROWER
US PRICE LIST**

(Grand Island, NE)

Standard Equipment

- Head power reverser
- Head flotation adjustment
- Park brake control
- Cold start (when equipped)

MONITORS AND DISPLAYS

- Console mounted, adjustable displays & monitors
- Standard Monitor: 4-line performance monitor display, TS-Ready for Auto Guidance Ready
- Optional IntelliView™ IV, 10 inch color touch screen display required for Auto Guidance Complete.
- Monitored systems
 - Engine oil pressure
 - Engine coolant temperature
 - Engine rpm
 - Battery voltage
 - Ground speed
 - Diesel fuel & DEF fluid levels
 - Engine/head hours
 - Hydrostatic transmission charge oil pressure

WEIGHTING AND BALLASTING

- Must select required chassis ballast
- Durabine Disc Hay Config: Ballast value defaults to 400 lbs. required for Durabine 416 heads.
- DuraMerger Disc Hay Config: ballast value defaults to 200 lbs. for use with Durabine 416 and associated windrow merging attachment(s).
- Prairie Special Draper Ready Config: ballast value default to 1600 lbs. which includes additional rear ballast bar required for use with DuraSwath 436 and 440 draper heads.

Additional

100 lb. suitcase weights to achieve proper ballast are available through CNHi Service Parts.

WARRANTY

New Holland Standard Warranty
Applies

STANDARD TECHNOLOGY FEATURES

- PLM™ Precision Land Management IntelliSteer™ auto guidance ready

TRANSPORT LIGHTING

- (2) Halogen, cab roof-mounted transport lights
- (2) Combination rear tail light/brake lights
- (2) Combination turn signal/flashing hazard lights



**SPEEDROWER® 220 SP WINDROWER
US PRICE LIST**

(Grand Island, NE)

Models

COMMERCIAL MODEL	ENGINE POWER	Weight	Factory Data	List Price
SPEEDROWER_220	220 HP	14,000 LB		\$170,692.00
Includes the following Equipment				
580/70R26 149 R3 (8088907) \$8,063.00				
High Road Speed w/Power Dn (726778) \$3,078.00				

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

		XT9981X	Less Fast Pick Config Fast Pick Configurations are complete packaged units. Selecting any option outside of a Fast Pick configuration, unless specifically allowed eliminates the Fast Pick ordering incentive. LESS FAST PICK CONFIG = A LA CARTE ORDERING AND PRICING			No Charge
--	--	---------	---	--	--	-----------



**SPEEDROWER® 220 SP WINDROWER
US PRICE LIST**

(Grand Island, NE)

	X2201XX	<p>SR220 DMC HAY FP</p> <p>FAST PICK SR220 for Durabine 416 heads</p> <p>FAST PICK PKG PRICE = 5% SAVINGS OVER A LA CARTE ORDER</p> <p>Package Contains: (6-CY, DLX, 2-SPD, 580 R3 - 16.5L Single)</p> <p>X9202XX Deluxe Cab Package</p> <p>726897026 Guidance Ready</p> <p>726992026 4-Line Display, T-S Ready</p> <p>808890736 580/70R26 160 (R3) Turf Tread</p> <p>726904016 Single/16.5L with Damper</p> <p>761159036 Cold Start Kit</p> <p>726909016 Manual Adjustable Windrow Shields</p> <p>Speed Option:</p> <p>726990046 6-CY 2-SPD Standard Road Speed</p> <p>Ballast Kit:</p> <p>727106006 Ballast Kit - 400 lbs. SR220 W/ 416 Head</p> <p>Available Options:</p> <p>X0500XX: LESS AG COMPLETE</p> <p>X0501XX: WAAS AG COMPLETE</p>			(\$8,155.00)
	X2202XX	<p>SR220 MERGER FP</p> <p>FAST PICK SR220 for Durabine 416 head & DuraMerger 419 Plus</p> <p>FAST PICK PKG PRICE = 5% SAVINGS OVER A LA CARTE ORDER</p> <p>Package Contains:</p> <p>(6-CY, DLX, 2-SPD, 580 R3 - 14L Fork, with DM419P AUX. Pump)</p> <p>X9202XX Deluxe Cab Package</p> <p>726897026 Guidance Ready</p> <p>726992026 4-Line Display, T-S Ready</p> <p>808890736 580/70R26 160 (R3) Turf Tread</p> <p>727103016 Forked/14L with Damper</p> <p>726909016 Manual Adjustable Windrow Shields</p> <p>425755 006 Aux HYD Drive Kit-Duramerger 419 Plus</p> <p>Speed Option:</p> <p>726990046 6-CY 2-SPD Standard Road Speed</p> <p>Ballast Kits:</p> <p>727105006 Ballast Kit - 200 lbs. SR260 w/ DB416&DM419+</p> <p>Available Options:</p> <p>X0500XX: LESS AG COMPLETE</p> <p>X0501XX: WAAS AG COMPLETE</p>			(\$8,145.00)



**SPEEDROWER® 220 SP WINDROWER
US PRICE LIST**

(Grand Island, NE)

		X2204XX	<p>SR220 SMC HAY FP</p> <p>FAST PICK SR220 SMC for HS16& 18 ft. heads</p> <p>FAST PICK PKG PRICE = 5% SAVINGS OVER A LA CARTE ORDER</p> <p>Package Contains:</p> <p>(6-CY, DLX, 2-SPD, 21L R4 - 14L Fork, SMC ADAPTOR)</p> <p>X9202XX Deluxe Cab Package</p> <p>726897026 Guidance Ready</p> <p>726992026 4-Line Display, T-S Ready</p> <p>808990736 21LX28 14PR (R4) Lug Tread</p> <p>727103016 Forked/14L with Damper</p> <p>761159036 Cold Start Kit</p> <p>726909016 Manual Adjustable Windrow Shields</p> <p>716965136 HS Sickle Header Adpt Kit</p> <p>Speed Option:</p> <p>726990046 6-CY 2-SPD Standard Road Speed</p> <p>Ballast Kits:</p> <p>XT4980X No Ballast Kit SR220 & HS16 & HS18</p> <p>***Requires Lift Arm Extension Kit Supplied with HS Heads***</p> <p>Available Options:</p> <p>X0500XX: LESS AG COMPLETE</p> <p>X0501XX: WAAS AG COMPLETE</p>			(\$8,050.00)
		X2203XX	<p>SR220 DRAPER FP</p> <p>FAST PICK SR220 PRAIRIE SPECIAL for 36 ft. & Larger heads</p> <p>FAST PICK PKG PRICE = 5% SAVINGS OVER A LA CARTE ORDER</p> <p>Package Contains:</p> <p>(6-CY, DLX, 2-SPD, 600 R1W - 16.5L Single, Prairie Special Draper)</p> <p>X9202XX Deluxe Cab Package</p> <p>726897026 Guidance Ready</p> <p>726992026 4-Line Display, T-S Ready</p> <p>47841463 600/65R28 160 R1W Deep Cleat Tread</p> <p>726904016 Single/16.5L with Damper</p> <p>726910006 Fixed Deflector Shields</p> <p>726649026 Prairie Special Kit</p> <p>Speed Option:</p> <p>726990046 6-CY 2-SPD Standard Road Speed</p> <p>Ballast Kits:</p> <p>727110006 Ballast Kit - 1600 lbs.</p> <p>439128006 Rear Ballast Hangar Kit</p> <p>Available Options:</p> <p>X0500XX: LESS AG COMPLETE</p> <p>X0501XX: WAAS AG COMPLETE</p>			(\$8,770.00)



**SPEEDROWER® 220 SP WINDROWER
US PRICE LIST**

(Grand Island, NE)

		X2001XX	<p>WINDROWER FP 1</p> <p>NH Windrower Fast Pick 1 (6-CY, DLX, 2-SPD, 580 Turf - 14L Fork) FAST PICK PKG PRICE = 5% SAVINGS OVER A LA CARTE ORDER</p> <p>SR220 or SR260 Fast Pick Package Contains:</p> <p>X9202XX Deluxe Cab Package</p> <p>726897026 Guidance Ready</p> <p>726992026 4-Line Display, T-S Ready</p> <p>808890736 580/70R26 160 (R3) Turf Tread</p> <p>727103016 Forked/14L with Damper</p> <p>726909016 Manual Adjustable Windrow Shields</p> <p>Speed Option:</p> <p>726990046 6-CY 2-SPD Standard Road Speed</p> <p>Ballast Kits:</p> <p>727106006 Ballast Kit - 400 lbs. SR220 W/ 416 Head</p> <p>727105006 Ballast Kit - 200 lbs. SR260 W/ 416 Head</p> <p>Available Options:</p> <p>X0500XX: LESS AG COMPLETE</p> <p>X0501XX: WAAS AG COMPLETE</p>			(\$8,040.00)
		X2002XX	<p>WINDROWER FP 2</p> <p>NH Windrower Fast Pick 2 (6-CY, STD, 2-SPD, 21L R4 - 14L Fork) FAST PICK PKG PRICE = 5% SAVINGS OVER A LA CARTE ORDER</p> <p>SR220 or SR260 Fast Pick Package Contains:</p> <p>X9201XX Standard Cab Package</p> <p>726897026 Guidance Ready</p> <p>726992026 4-Line Display, T-S Ready</p> <p>808990736 21LX28 14PR (R4) Lug Tread</p> <p>727103016 Forked/14L with Damper</p> <p>761159036 Cold Start Kit</p> <p>726909016 Manual Adjustable Windrow Shields</p> <p>Speed Option:</p> <p>726990046 6-CY 2-SPD Standard Road Speed</p> <p>Ballast Kits:</p> <p>727106006 Ballast Kit - 400 lbs. SR220 W/ 416 Head</p> <p>727105006 Ballast Kit - 200 lbs. SR260 W/ 416 Head</p> <p>Available Options:</p> <p>X0500XX: LESS AG COMPLETE</p> <p>X0501XX: WAAS AG COMPLETE</p>			(\$7,720.00)

**SPEEDROWER® 220 SP WINDROWER
 US PRICE LIST**

(Grand Island, NE)

		X2003XX	WINDROWER FP 3 NH Windrower Fast Pick 3 (6-CY, DLX, 3-SPD, 21L R4 - 14L Fork) FAST PICK PKG PRICE = 5% SAVINGS OVER A LA CARTE ORDER SR220 or SR260 Fast Pick Package Contains: X9202XX Deluxe Cab Package 726897026 Guidance Ready 726992026 4-Line Display, T-S Ready 808990736 21LX28 14PR (R4) Lug Tread 727103016 Forked/14L with Damper 761159036 Cold Start Kit 726909016 Manual Adjustable Windrow Shields Speed Option: 726778056 6-CY, 3-SPD High Road Speed Ballast Kits: 727106006 Ballast Kit - 400 lbs. SR220 W/ 416 Head 727105006 Ballast Kit - 200 lbs. SR260 W/ 416 Head Available Options: X0500XX: LESS AG COMPLETE X0501XX: WAAS AG COMPLETE			(\$8,145.00)
		X2008XX	WINDROWER FP 5 NH Windrower Fast Pick 5 (6-CY,PREM,3-SPD,580 R3-16.5L Single) FAST PICK PKG PRICE = 5% SAVINGS OVER A LA CARTE ORDER SR220 or SR260 Fast Pick Package Contains: X9203XX Premium Cab Package 726897026 Guidance Ready 726894036 IntelliView™ IV Large Color Touch-Screen Display 808890736 580/70R26 160 (R3) Turf Tread 726904016 Single/16.5L with Damper 761159036 Cold Start Kit 726909016 Manual Adjustable Windrow Shields Speed Option: 726778056 6-CY, 3-SPD High Road Speed Ballast Kits: 727106006 Ballast Kit - 400 lbs. SR220 W/ 416 Head 727105006 Ballast Kit - 200 lbs. SR260 W/ 416 Head Available Options: X0500XX: LESS AG COMPLETE X0501XX: WAAS AG COMPLETE			(\$8,665.00)

**SPEEDROWER® 220 SP WINDROWER
 US PRICE LIST**

(Grand Island, NE)

		X2007XX	WINDROWER FP 4 NH Windrower Fast Pick 4 (6-CY,PREM,3-SPD,21L R4-16.5L Single) FAST PICK PKG PRICE = 5% SAVINGS OVER A LA CARTE ORDER SR220 or SR260 Fast Pick Package Contains: X9203XX Premium Cab Package 726897026 Guidance Ready 726894036 IntelliView™ IV Large Color Touch-Screen Display 808990736 21LX28 14PR (R4) Lug Tread 726904016 Single/16.5L with Damper 761159036 Cold Start Kit 726909016 Manual Adjustable Windrow Shields Speed Option: 726778056 6-CY, 3-SPD High Road Speed Ballast Kits: 727106006 Ballast Kit - 400 lbs. SR220 W/ 416 Head 727105006 Ballast Kit - 200 lbs. SR260 W/ 416 Head Available Options: X0500XX: LESS AG COMPLETE X0501XX: WAAS AG COMPLETE			(\$8,600.00)
		X2015XX	WINDROWER FP 9 NH Windrower Fast Pick 9 (6-CY,DLX 3-SPD,600R1W-16.5L Single) FAST PICK PKG PRICE = 5% SAVINGS OVER A LA CARTE ORDER SR220 or SR260 Fast Pick Package Contains: X9202XX Deluxe Cab Package 726897026 Guidance Ready 726992026 4-Line Display, T-S Ready 800140736 600/65R28 160 R1W Deep Cleat Tread 726904016 Single/16.5L with Damper 761159036 Cold Start Kit 726909016 Manual Adjustable Windrow Shields Speed Option: 726778056 6-CY, 3-SPD High Road Speed Ballast Kits: 727106006 Ballast Kit - 400 lbs. SR220 W/ 416 Head 727105006 Ballast Kit - 200 lbs. SR260 W/ 416 Head Available Options: X0500XX: LESS AG COMPLETE X0501XX: WAAS AG COMPLETE			(\$8,253.00)



**SPEEDROWER® 220 SP WINDROWER
US PRICE LIST**

(Grand Island, NE)

SD_T9987 PERFORMANCE PACK

		X0501XX	WAAS AG COMPLETE FAST PICK PERFORMANCE PACKAGE UPGRADE Factory IntelliSteer™ Auto Guidance Complete Level 1 -WAAS Correction signal (+/- 6 to 8-inch accuracy) -REQUIRED: 726997 Navigation Controller III -REQUIRED: 726994 New Holland 372 GNSS Receiver -REQUIRED: 726894 IntelliView™ IV color touch screen display			(\$250.00)
--	--	---------	--	--	--	------------

PACKAGES

SD_T9982 OPERATOR AREA PACK

		X9201XX	STANDARD CAB PACKAGE 726887 Std. Cab option HVAC Controls: Manual Controls SUN SHADES: LESS Front/Rear Shades 726891 FABRIC-COVERED air-ride operator's seat & folding instructor seat 725985 Radio: AM/FM/WX RADIO with antenna two (2) speakers 725971 Two (2) External MANUAL Adjust Mirrors 726887 Four (4) HALOGEN, roof mounted work lights 726889 Four (4) Halogen rear work lights:(2) work & (2) stubble			No Charge
		X9202XX	DELUXE CAB PACKAGE 725843 DLX. Cab option HVAC Controls: (ATC) Automatic Temperature Controls SUN SHADES: Includes Front/Rear Shades 726891 FABRIC-COVERED air-ride operator's seat & folding instructor seat 727104 Radio: AM/FM/WX-BT&Sat RADIO with antenna four (4) speakers 725972 Two (2) External Dlx Electric Adjust Mirrors 726888 Four (4) LED, roof mounted work lights 726889 Four (4) Halogen rear work lights:(2) work & (2) stubble			\$6,063.00
		X9203XX	PREMIUM CAB PACKAGE 725843 DLX. Cab option HVAC Controls: (ATC) Automatic Temperature Controls SUN SHADES: Includes Front/Rear Shades 726892 LEATHER-COVERED air-ride operator's seat & folding instructor seat 727104 Radio: AM/FM/WX-BT&Sat RADIO with antenna four (4) speakers 725972 Two (2) External Dlx Electric Adjust Mirrors 726888 Four (4) LED, roof mounted work lights 726890 Four (4) LED, rear work lights:(2) work & (2) stubble			\$9,208.00

**SPEEDROWER® 220 SP WINDROWER
US PRICE LIST**

(Grand Island, NE)

PRECISION FARMING

PRECISION FARMING DISPLAY

SD_25003 CAB DISPLAY MONITOR

		726992	4-Line Display, T-S Ready Fixed top-line with Engine RPM & Ground Speed. Bottom three (3) lines are customizable to operator preference. REQUIRED with Auto Guidance Ready Configurations; also provides mounting bracket and wiring harness to connect IntelliView™IV display moved from another vehicle into the windrower.			No Charge
		726894	Large Color Touch Screen Disp. Factory installed and tested IntelliView™IV 10-inch color touch -screen display with factory integrated vehicle controls and auto-guidance software. REQUIRED with Auto Guidance Complete Configurations			\$4,474.00

HAYTOOLS TIRES AND WHEELS

DRIVE TIRES

SD_16066 WHEELS AND TIRES

		8092907	18.4 x 26 12PR R4 18.4 x 26 R4 Industrial Tire			\$5,398.00
		8089907	21L x 28 14PR R4 21L x 28 R4 Industrial Tire			\$6,674.00
		8001407	600/65R28 154 R1W 600/65 R28 R1W Deep Cleat Ag Tire			\$7,635.00
		8088907	580/70R26 149 R3 580/70R26 R3 Turf Tire			\$8,063.00

REAR TIRES

SD_H6202 REAR TIRE - WHEEL SUPPORT

		727103	Forked/14L w/Damper Standard-Clearance, 3° forked arm caster assemblies with heavy-duty rotational dampers and 14L x 16.1 tires & wheels maintain chassis height with near zero rear height change when reversing.			No Charge
		726904	Single/16.5L w/Damper High-Clearance, 3° single arm caster assemblies and heavy-duty rotational dampers with 16.5L x 16.1 tires maintain chassis height with near zero rear height change when reversing.			\$1,935.00

**SPEEDROWER® 220 SP WINDROWER
US PRICE LIST**

(Grand Island, NE)

FACTORY SUPPLIED OPTIONS

ADAPTER PACKAGES

SD_H5807 DRAPER HEADER ADAPTER

		726907	Draper Ready Prairie Special DRAPER READY Package Includes single and double swath delivery capabilities, tandem EDC header drive pumps, lift arm position sensors, fixed position crop deflectors and header quick latch system. REQUIRED: 727110 1600 lbs. rear ballast kit For Hay operation order windrow forming shield from the DIA section part # 87473378 REQUIRED for Durabine™ disc head operation - Order Hydraulic Cross over kit option source kit through NH Parts (PN. 47522054). (Speedrower 220 Draper Ready units are only available with 600, 580, & 21L size front drive tires)			\$10,716.00
--	--	--------	--	--	--	-------------

ENGINE GROUP

SD_02024 COLD WEATHER PKG

		761159	Cold Weather Package			\$548.00
--	--	--------	----------------------	--	--	----------

TRANSMISSION GROUP

SD_N6424 SPEED OPTION

		726990	Std Road Speed with Power Down Two-speed hydrostatic drive, WITH header lift arm power down. TOP SPEED APPROXIMATELY 18 MPH			No Charge
		726778	High Road Speed w/Power Dn Three-speed hydrostatic drive, WITH header lift arm power down. TOP SPEED APPROXIMATELY 24 MPH			\$3,078.00



**SPEEDROWER® 220 SP WINDROWER
US PRICE LIST**

(Grand Island, NE)

CAB GROUP

SD_21014 CAMERAS

		439110	Rear Camera Kit REQUIRES Intelliview™IV or 4-line Display with T/S Ready Option where display is moved from another vehicle. Kit contains one (1) rear-facing camera and harness to connect to Intelliview IV display only. System capacity of up to three (3) cameras, additional cameras sold separately.			\$998.00
--	--	--------	---	--	--	----------

HYDRAULICS GROUP

SD_09001 AUX HYD PUMP & CONTROL VALVE

		425755	HYD ENG MT CRP MERGE REQUIRED for use with DuraMerger™419 Crop Merging Attachment - FOR USE WITH MY2019 AND CURRENT DM419+ ATTACHMENT ONLY -Hay Configuration Only - NON Draper Machines ONLY -3° forked style tail wheel arm with 14L tire only -Auxiliary Hydraulic Pump for MY2019 - DuraMerger™ Plus 419 Windrow Merging Attachment & DuraMerger Plus Decal * NOT COMPATIBLE WITH MY2018 & PRIOR STANDARD DURAMERGER ATTACHMENT. ***DuraMerger™ 419 Plus Attachment is ordered and sold separately sales order linking is recommended.			\$2,574.00
--	--	--------	--	--	--	------------

SD_09002 AUX HYD PUMP AND CONTROL VALVE

		725998	Gear Pump and Control Valve DRAPER READY UNITS ONLY! REQUIRED when Hydraulic Reel Drive Kit #716961046 is installed on HS series headers.			\$1,629.00
		727085	Gear Pump/Cntl Valve NonDraper NON DRAPER READY UNITS ONLY! REQUIRED when Hydraulic Reel Drive Kit #716961046 is installed on HS series headers.			\$1,629.00

WEIGHT GROUP

SD_T4980 BALLAST PACKAGE

		727105	200 lbs. - Ballast Kit SR220-6CY L-HP, Durabine™ 416, & Duramerger™ 419 SR260-6CY H-HP & Durabine™ 416	200 LB		(\$278.00)
--	--	--------	--	--------	--	------------

**SPEEDROWER® 220 SP WINDROWER
US PRICE LIST**

(Grand Island, NE)

		727106	400 lbs. - Ballast Kit SR160-4CY Non-Draper & Haybine® HS16 Header SR220-6CY L-HP & Durabine™ 416 SR220-6CY L-HP & DuraSwath™425HB SR260-6CY H-HP, DuraMerger™419, & Durabine™ 419 Header	400 LB		No Charge
		727110	1600 lbs. - Ballast Kit REQUIRED BALLAST FOR DRAPER READY CONFIGURATIONS: -DuraSwath 436 and 440 that require greater than the maximum factory ballast 1600 lbs. -Includes 439128 ballast bar (175 lbs.) increasing the maximum factory ballast to 1775 lbs. -Dealer must source additional suitcase weights PN. 718215036 (100 lbs. each) from CNH Industrial Parts & Service kit for DuraSwath 436 and 440 draper heads See SPW Ballast Chart for more information.	1775 LB		\$3,030.00

AUTOGUIDANCE

SD_27047 AUTOGUIDANCE

		726897	AutoGuidance Ready INCLUDED IN BASE: 1-All Cab and Chassis wiring, including wiring connection to IntelliView™IV touch screen display 2-Electrohydraulic auto-guidance steering valve 3-Mounting provisions for Navigation Controller & GPS 372 Receiver TO COMPLETE FACTORY EQUIPPED AUTO GUIDANCE ORDER: 1- IntelliView™IV Large Color Touch Screen Display 2- GPS Receiver (WAAS or OmniSTAR Accuracy) 3- Navigation Controller II			No Charge
--	--	--------	---	--	--	-----------

SD_27060 GPS RECEIVER

		X27060X	No GPS Receiver			No Charge
		726994	GPS 372 Receiver - WAAS Factory Installed - Narrow / Wide Band NH372 Receiver (GL1) Factory Installed Auto Guidance Navigation III Controller WAAS Accuracy			\$3,200.00
		726995	GPS 372 Receiver - OMNISTAR Factory Installed - Narrow / Wide Band NH372 Receiver (GL2) Factory Installed Auto Guidance Navigation III Controller OmniSTAR Accuracy Unlock			\$5,700.00



**SPEEDROWER® 220 SP WINDROWER
US PRICE LIST**

(Grand Island, NE)

SD_27061 NAV CONTROLLER

		X27061X	No NAV Controller			No Charge
		726997	NAV Controller Factory Installed Auto Guidance Navigation III Controller			\$5,500.00

LANGUAGE KITS

SD_47083 OPERATOR'S MANUAL

		439130	English Lang Manual			No Charge
		715294	French Canadian			No Charge
		715309	Spanish Manual - NA			No Charge
		X47083X	No Additional Operators Manual			No Charge

FIELD INSTALLED HEADER COMPLETING PACKAGES

FOR SHIPMENT WITH BASE UNIT ONLY

SD_05143 REMOTE WINDROW SHIELD CONTROL

		717131	Remote Windrow Shield Control Provides in cab electrical adjustment of swath forming shields. (CANNOT be used with fixed shields on draper-ready units.)			\$1,726.00
--	--	--------	--	--	--	------------

SD_20107 HYDRAULIC REEL DRIVE

		716961	Hydraulic Reel Drive Kit FOR USE WITH HS SERIES SMC HEADS ONLY: Also requires engine mounted auxiliary hydraulic pump with control valve (Draper or Non-draper Configurations) and HS header reel drive DIA# 716961076 installed on head.			\$702.00
--	--	--------	---	--	--	----------

SD_45036 SICKLE HEADER ADAPT

		716965	Sickle Header Adaptor Kit REQUIRED FOR HS SICKLE HEAD OPERATION Includes header drive motor and hoses with poppet style quick couplers.			\$1,651.00
--	--	--------	---	--	--	------------

SPEEDROWER® 260 SP WINDROWER
US PRICE LIST

(Grand Island, NE)

Standard Equipment
ENGINE

-Engine MFG	FPT/New Holland
-Emissions Level	Tier 4B
-Rated Power	250 hp rated*
-Displacement	411 cu. In. (6.7 L)
-Num. Cylinders	6
-Aspiration	Turbocharged
-Pre-cleaning	Top Spin™ **
-Intercooling	Air-to-Air
-Fuel System	
-High-pressure common rail	
-Electronic fuel injection	

* Manufacturer's rating per ECE R120 / ISO 14396

** TOPSPIN™ is a registered trademark of the Donaldson Company, Inc.

EMISSIONS SYSTEM

-EcoBlue™ HI-eSCR high-efficiency Selective Catalytic Reduction with engine exhaust muffler / SCR

COOLING SYSTEM

-High-efficiency, multi-layer cooling
-High-capacity rotary screen cleaning system.
-Chaff wiper kit
-Vertical opening rotary air screen

ELECTRICAL SYSTEM

-Voltage	12-Volt
-Alternator	150 amp
-Battery CCA	650 CCA
-Battery Type	Low maintenance
-Num. Batteries	2

FUEL/DEF CAPACITIES

-Diesel Fuel	120-gallon (454 L)
-DEF Fluid	19-gallon (72 L)

ENGINE SHUTDOWN PROTECTION:

-Automatic engine shutdown
-Low engine oil pressure
-Engine coolant overheat

-Low hydrostatic charge oil pressure

ENGINE SHIELDS

-Sheet molded compound side shields
-Easy-open gas strut supported

CHASSIS & REAR AXLE

-Rear axle 3° caster post swivels maintain chassis height with nearly zero rear height change and heavy-duty rotational dampers.
-Independent rear axle suspension
-Hay Only - Heavy-duty 120 in. adjustable single vertical position rear axle
-Draper Ready - high clearance 135 in. adjustable high/low vertical position rear axle

DRIVELINE

-Standard, Two speed range hydrostatic drive
-Apx. top speed of 18 MPH
-Optional Three speed range hydrostatic drive
-Apx. top speed of 24.5 MPH
-HD double reduction planetary final drives
-Spring applied, hydraulically released park brake (console switch controlled)

STEERING SYSTEM

-2000 psi hydraulic steering system with dedicated pump and load reactive steering provides operator feedback and optimized straight line tracking.

HEAD DRIVE

Hay Only - Variable displacement 80 GPM head drive pump
-Advanced power management system for Durabine™ disc heads

HEAD ATTACHMENT

**SPEEDROWER® 260 SP WINDROWER
US PRICE LIST**

(Grand Island, NE)

Standard Equipment

- Variable speed hydrostatic head drive, less head drive motor
- Flat Face couplers for head drive motor attachment for disc hay units.
- Independent RH/LH hydraulic head flotation
- Hydraulic head tilt
 - In-cab & remote control switches
 - Electronic tilt indicator displayed on 4-line display and Intelliview™ IV equipped windrowers.
 - Tilt indicator on the tilt cylinder
 - 8" stroke head tilt cylinder
- Single lever head transport lock system
- Header quick latch system
- Large diameter (2.75") head lift cylinders

WINDROW SHIELDS

- Manual adjust hay windrow shields

BASE CAB EQUIPMENT

- Comfort Ride™ cab suspension and air-ride rear axle suspension
- Curved, tinted glass with left-hand entry door
- Adjustable tilt/telescopic steering column
- Fore/Aft adjustable console with cup holder, lighter & ashtray
- Front windshield wiper/washer
- Dual cab air filtration system:
 - (1) External fresh air filter
 - (1) In-cab air recirculation filter
- Cab interior lighting package
 - (1) Center dome light
 - (1) Right-hand console light

OPERATOR AREA OPTION PACKAGES

STANDARD CAB - OPTION PACKAGE

- Fabric-covered operator seating
 - Air-suspension
 - Fore/aft isolator

- Lumbar adjustment
- Ride dampener adjustment
- Retractable seat belt
- Operator's presence system
- Fabric-covered instructor seating
 - Flip up design with seat belt
- Entertainment & communications
 - AM/FM/weather band Radio with antenna and two (2) speakers.
 - Auxiliary input socket for MP3 player, satellite radio or portable CD player
 - (2) Additional radio port locations with DIN mounting slots
 - Business band antenna ready
- Climate Control Systems
 - Air-conditioner and heater with manual temperature controls
- Dual cab air filtration system:
 - (1) External fresh air filter
 - (1) In-cab air recirculation filter
- Mirrors and Lighting
 - (2) External mount rear view mirrors (mechanical adjust)
 - (4) Halogen, Cab Roof-mounted Work Lights
 - (2) Halogen, rear work lights
 - (2) Halogen, stubble lights
 - Time delay cab exit light
 - 12 volt, service light receptacle

DELUXE CAB - OPTION PACKAGE

- Fabric-covered operator seating
 - Air-suspension
 - Fore/aft isolator
 - Lumbar adjustment
 - Ride dampener adjustment
 - Retractable seat belt
 - Operator's presence system
- Fabric-covered instructor seating
 - Flip up design with seat belt
- Entertainment & communications
 - Deluxe satellite radio w/ bluetooth Connectivity mic for hands free calling and four (4) speakers
 - Auxiliary input socket for MP3 player,

**SPEEDROWER® 260 SP WINDROWER
US PRICE LIST**

(Grand Island, NE)

Standard Equipment

- satellite radio or portable CD player
- (2) Additional radio port locations with DIN mounting slots
- Business band antenna ready
- Climate Control Systems
 - Air-conditioner and heater with automatic temperature controls
 - Dual cab air filtration system:
 - (1) External fresh air filter
 - (1) In-cab air recirculation filter
 - Front/rear sun shades
- Mirrors and Lighting
 - (2) External mount rear view mirrors (Deluxe in-cab electrical adjustment)
 - (4) LED, Cab Roof-mounted forward facing work lights
 - (2) Halogen, rear facing work lights
 - (2) Halogen, stubble lights
 - Time delay cab exit light
 - 12-volt, service light receptacle
- automatic temperature controls
- Dual cab air filtration system:
 - (1) External fresh air filter
 - (1) In-cab air recirculation filter
- Front/rear sun shades
- Mirrors and Lighting
 - (2) External mount rear view mirrors (Deluxe in-cab electrical adjustment)
 - (4) LED, Cab Roof-mounted forward facing work lights
 - (2) LED, rear facing work lights
 - (2) LED, stubble lights
 - Time delay cab exit light
 - 12-volt, service light receptac
- PREMIUM CAB - OPTION PACKAGE**
 - Premium Leather-covered operator seating
 - Comfort Heating
 - Air-suspension
 - Fore/aft isolator
 - Lumbar adjustment
 - Ride dampener adjustment
 - Retractable seat belt
 - Operator's presence system
 - Leather-covered instructor seating
 - Flip up design with seat belt
 - Entertainment & communications
 - Deluxe satellite radio w/ bluetooth Connectivity mic for hands free calling and four (4) speakers
 - Auxiliary input socket for MP3 player, satellite radio or portable CD player
 - (2) Additional radio port locations with DIN mounting slots
 - Business band antenna ready
 - Climate Control Systems
 - Air-conditioner and heater with
- MULTI-FUNCTION HANDLE**
 - CommandGrip™ MFH with low-effort forward-neutral-reverse ground speed control with back lighting.
 - Haying MFH: Short stock without palm rest and hay specific operation decal affixed to right cab window.
 - Draper MFH: Traditional tall stalk design with palm rest, and hay specific operational decal decal affixed to right cab window.
- MFH Controls for:
 - Performance monitor 4-line display selection
 - Head raise/lower
 - Head tilt control
 - Auto guidance engagement
- RIGHT-HAND CONSOLE CONTROLS**
 - Engine speed
 - Head engagement
 - Head power reverser
 - Head flotation adjustment
 - Park brake control
 - Cold start (when equipped)
- MONITORS AND DISPLAYS**
 - Console mounted, adjustable displays & monitors
 - Standard Monitor: 4-line performance



**SPEEDROWER® 260 SP WINDROWER
US PRICE LIST**

(Grand Island, NE)

Standard Equipment

monitor display, TS-Ready for Auto
Guidance Ready
-Optional IntelliView™ IV, 10 inch
color touch screen display required
for Auto Guidance Complete.
-Monitored systems
-Engine oil pressure
-Engine coolant temperature
-Engine rpm
-Battery voltage
-Ground speed
-Diesel fuel & DEF fluid levels
-Engine/head hours
-Hydrostatic transmission charge
oil pressure

-DuraMerger for 16'ft Disc Head:
Ballast value defaults to 0lbs. for
use with Durabine 416 and
DuraMerger
merging attachment(s)
-DuraMerger for 19' Disc Head:
DEALER MUST SELECT 400
lb.ballast
package for use with Durabine 419
and DuraMerger merging
attachment(s)

WARRANTY
New Holland Standard Warranty
Applies

STANDARD TECHNOLOGY FEATURES

-PLM™ Precision Land Management
IntelliSteer™ auto guidance ready

TRANSPORT LIGHTING

-(2) Halogen, cab roof-mounted
transport lights
-(2) Combination rear tail light/brake
lights
-(2) Combination turn signal/flashing
hazard lights

WEIGHTING AND BALLASTING

-Must select required chassis ballast:
-Durabine Disc Hay Config:
Ballast value defaults to 200 lbs.
as required for Durabine 416
heads.



**SPEEDROWER® 260 SP WINDROWER
US PRICE LIST**

(Grand Island, NE)

Models

COMMERCIAL MODEL	ENGINE POWER	Weight	Factory Data	List Price
SPEEDROWER_260	260HP	14,000 LB		\$181,097.00
Includes the following Equipment				
580/70R26 149 R3 (8088907) \$8,063.00				
High Road Speed w/Power Dn (726778) \$3,078.00				
200 lbs. - Ballast Kit (727105) (\$278.00)				

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

	XT9981X	Less Fast Pick Config Fast Pick Configurations are complete packaged units. Selecting any option outside of a Fast Pick configuration, unless specifically allowed eliminates the Fast Pick ordering incentive. LESS FAST PICK CONFIG = A LA CARTE ORDERING AND PRICING			No Charge
--	---------	---	--	--	-----------



**SPEEDROWER® 260 SP WINDROWER
US PRICE LIST**

(Grand Island, NE)

	X2601XX	<p>SR260 DMC HAY FP</p> <p>FAST PICK SR260 for Durabine 416 head</p> <p>FAST PICK PKG PRICE = 5% SAVINGS OVER A LA CARTE ORDER</p> <p>Package Contains:</p> <p>(6-CY, DLX, 2-SPD, 580 R3 - 16.5L Single)</p> <p>X9202XX Deluxe Cab Package</p> <p>726897026 Guidance Ready</p> <p>726992026 4-Line Display, T-S Ready</p> <p>808890736 580/70R26 160 (R3) Turf Tread</p> <p>726904016 Single/16.5L with Damper</p> <p>761159036 Cold Start Kit</p> <p>726909016 Manual Adjustable Windrow Shields</p> <p>Speed Option:</p> <p>726778056 6-CY, 3-SPD High Road Speed</p> <p>Ballast Kits:</p> <p>727105006 Ballast Kit - 200 lbs. SR260 W/ DB416 Head</p> <p>Available Options:</p> <p>X0500XX: LESS AG COMPLETE</p> <p>X0501XX: WAAS AG COMPLETE</p>			(\$8,635.00)
	X2602XX	<p>SR260 MERGER FP</p> <p>FAST PICK SR260 for Durabine 416 head & DuraMerger 419 Plus</p> <p>FAST PICK PKG PRICE = 5% SAVINGS OVER A LA CARTE ORDER</p> <p>Package Contains:</p> <p>(6-CY, DLX, 2-SPD, 580 R3 - 14L Fork, with DM419P AUX. Pump)</p> <p>X9202XX Deluxe Cab Package</p> <p>726897026 Guidance Ready</p> <p>726992026 4-Line Display, T-S Ready</p> <p>808890736 580/70R26 160 (R3) Turf Tread</p> <p>727103016 Forked/14L with Damper</p> <p>726909016 Manual Adjustable Windrow Shields</p> <p>425755 006 Aux HYD Drive Kit-Duramerger 419 Plus</p> <p>Speed Option:</p> <p>726990046 6-CY 2-SPD Standard Road Speed</p> <p>Ballast Kits:</p> <p>XT4980X No Ballast Kit SR260 w/ DB416&DM419+</p> <p>Available Options:</p> <p>X0500XX: LESS AG COMPLETE</p> <p>X0501XX: WAAS AG COMPLETE</p>			(\$8,490.00)



**SPEEDROWER® 260 SP WINDROWER
US PRICE LIST**

(Grand Island, NE)

	X2001XX	<p>WINDROWER FP 1</p> <p>NH Windrower Fast Pick 1 (6-CY, DLX, 2-SPD, 580 Turf - 14L Fork) FAST PICK PKG PRICE = 5% SAVINGS OVER A LA CARTE ORDER</p> <p>SR220 or SR260 Fast Pick Package Contains:</p> <p>X9202XX Deluxe Cab Package</p> <p>726897026 Guidance Ready</p> <p>726992026 4-Line Display, T-S Ready</p> <p>808890736 580/70R26 160 (R3) Turf Tread</p> <p>727103016 Forked/14L with Damper</p> <p>726909016 Manual Adjustable Windrow Shields</p> <p>Speed Option:</p> <p>726990046 6-CY 2-SPD Standard Road Speed</p> <p>Ballast Kits:</p> <p>727106006 Ballast Kit - 400 lbs. SR220 W/ 416 Head</p> <p>727105006 Ballast Kit - 200 lbs. SR260 W/ 416 Head</p> <p>Available Options:</p> <p>X0500XX: LESS AG COMPLETE</p> <p>X0501XX: WAAS AG COMPLETE</p>			(\$8,380.00)
	X2002XX	<p>WINDROWER FP 2</p> <p>NH Windrower Fast Pick 2 (6-CY, STD, 2-SPD, 21L R4 - 14L Fork) FAST PICK PKG PRICE = 5% SAVINGS OVER A LA CARTE ORDER</p> <p>SR220 or SR260 Fast Pick Package Contains:</p> <p>X9201XX Standard Cab Package</p> <p>726897026 Guidance Ready</p> <p>726992026 4-Line Display, T-S Ready</p> <p>808990736 21LX28 14PR (R4) Lug Tread</p> <p>727103016 Forked/14L with Damper</p> <p>761159036 Cold Start Kit</p> <p>726909016 Manual Adjustable Windrow Shields</p> <p>Speed Option:</p> <p>726990046 6-CY 2-SPD Standard Road Speed</p> <p>Ballast Kits:</p> <p>727106006 Ballast Kit - 400 lbs. SR220 W/ 416 Head</p> <p>727105006 Ballast Kit - 200 lbs. SR260 W/ 416 Head</p> <p>Available Options:</p> <p>X0500XX: LESS AG COMPLETE</p> <p>X0501XX: WAAS AG COMPLETE</p>			(\$8,060.00)



**SPEEDROWER® 260 SP WINDROWER
US PRICE LIST**

(Grand Island, NE)

		X2003XX	<p>WINDROWER FP 3</p> <p>NH Windrower Fast Pick 3 (6-CY, DLX, 3-SPD, 21L R4 - 14L Fork) FAST PICK PKG PRICE = 5% SAVINGS OVER A LA CARTE ORDER</p> <p>SR220 or SR260 Fast Pick Package Contains:</p> <p>X9202XX Deluxe Cab Package 726897026 Guidance Ready 726992026 4-Line Display, T-S Ready 808990736 21LX28 14PR (R4) Lug Tread 727103016 Forked/14L with Damper 761159036 Cold Start Kit 726909016 Manual Adjustable Windrow Shields</p> <p>Speed Option: 726778056 6-CY, 3-SPD High Road Speed</p> <p>Ballast Kits: 727106006 Ballast Kit - 400 lbs. SR220 W/ 416 Head 727105006 Ballast Kit - 200 lbs. SR260 W/ 416 Head</p> <p>Available Options: X0500XX: LESS AG COMPLETE X0501XX: WAAS AG COMPLETE</p>			(\$8,485.00)
		X2008XX	<p>WINDROWER FP 5</p> <p>NH Windrower Fast Pick 5 (6-CY,PREM,3-SPD,580 R3-16.5L Single) FAST PICK PKG PRICE = 5% SAVINGS OVER A LA CARTE ORDER</p> <p>SR220 or SR260 Fast Pick Package Contains:</p> <p>X9203XX Premium Cab Package 726897026 Guidance Ready 726894036 IntelliView™ IV Large Color Touch-Screen Display 808890736 580/70R26 160 (R3) Turf Tread 726904016 Single/16.5L with Damper 761159036 Cold Start Kit 726909016 Manual Adjustable Windrow Shields</p> <p>Speed Option: 726778056 6-CY, 3-SPD High Road Speed</p> <p>Ballast Kits: 727106006 Ballast Kit - 400 lbs. SR220 W/ 416 Head 727105006 Ballast Kit - 200 lbs. SR260 W/ 416 Head</p> <p>Available Options: X0500XX: LESS AG COMPLETE X0501XX: WAAS AG COMPLETE</p>			(\$9,010.00)

**SPEEDROWER® 260 SP WINDROWER
 US PRICE LIST**

(Grand Island, NE)

		X2007XX	WINDROWER FP 4 NH Windrower Fast Pick 4 (6-CY,PREM,3-SPD,21L R4-16.5L Single) FAST PICK PKG PRICE = 5% SAVINGS OVER A LA CARTE ORDER SR220 or SR260 Fast Pick Package Contains: X9203XX Premium Cab Package 726897026 Guidance Ready 726894036 IntelliView™ IV Large Color Touch-Screen Display 808990736 21LX28 14PR (R4) Lug Tread 726904016 Single/16.5L with Damper 761159036 Cold Start Kit 726909016 Manual Adjustable Windrow Shields Speed Option: 726778056 6-CY, 3-SPD High Road Speed Ballast Kits: 727106006 Ballast Kit - 400 lbs. SR220 W/ 416 Head 727105006 Ballast Kit - 200 lbs. SR260 W/ 416 Head Available Options: X0500XX: LESS AG COMPLETE X0501XX: WAAS AG COMPLETE			(\$8,945.00)
		X2015XX	WINDROWER FP 9 NH Windrower Fast Pick 9 (6-CY,DLX 3-SPD,600R1W-16.5L Single) FAST PICK PKG PRICE = 5% SAVINGS OVER A LA CARTE ORDER SR220 or SR260 Fast Pick Package Contains: X9202XX Deluxe Cab Package 726897026 Guidance Ready 726992026 4-Line Display, T-S Ready 800140736 600/65R28 160 R1W Deep Cleat Tread 726904016 Single/16.5L with Damper 761159036 Cold Start Kit 726909016 Manual Adjustable Windrow Shields Speed Option: 726778056 6-CY, 3-SPD High Road Speed Ballast Kits: 727106006 Ballast Kit - 400 lbs. SR220 W/ 416 Head 727105006 Ballast Kit - 200 lbs. SR260 W/ 416 Head Available Options: X0500XX: LESS AG COMPLETE X0501XX: WAAS AG COMPLETE			(\$8,594.00)

**SPEEDROWER® 260 SP WINDROWER
 US PRICE LIST**

(Grand Island, NE)

SD_T9987 PERFORMANCE PACK

		X0501XX	WAAS AG COMPLETE FAST PICK PERFORMANCE PACKAGE UPGRADE Factory IntelliSteer™ Auto Guidance Complete Level 1 -WAAS Correction signal (+/- 6 to 8-inch accuracy) -REQUIRED: 726997 Navigation Controller III -REQUIRED: 726994 New Holland 372 GNSS Receiver -REQUIRED: 726894 IntelliView™ IV color touch screen display			(\$250.00)
--	--	---------	--	--	--	------------

PACKAGES
SD_T9982 OPERATOR AREA PACK

		X9201XX	STANDARD CAB PACKAGE 726887 Std. Cab option HVAC Controls: Manual Controls SUN SHADES: LESS Front/Rear Shades 726891 FABRIC-COVERED air-ride operator's seat & folding instructor seat 725985 Radio: AM/FM/WX RADIO with antenna two (2) speakers 725971 Two (2) External MANUAL Adjust Mirrors 726887 Four (4) HALOGEN, roof mounted work lights 726889 Four (4) Halogen rear work lights:(2) work & (2) stubble			No Charge
		X9202XX	DELUXE CAB PACKAGE 725843 DLX. Cab option HVAC Controls: (ATC) Automatic Temperature Controls SUN SHADES: Includes Front/Rear Shades 726891 FABRIC-COVERED air-ride operator's seat & folding instructor seat 727104 Radio: AM/FM/WX-BT&Sat RADIO with antenna four (4) speakers 725972 Two (2) External Dlx Electric Adjust Mirrors 726888 Four (4) LED, roof mounted work lights 726889 Four (4) Halogen rear work lights:(2) work & (2) stubble			\$6,063.00
		X9203XX	PREMIUM CAB PACKAGE 725843 DLX. Cab option HVAC Controls: (ATC) Automatic Temperature Controls SUN SHADES: Includes Front/Rear Shades 726892 LEATHER-COVERED air-ride operator's seat & folding instructor seat 727104 Radio: AM/FM/WX-BT&Sat RADIO with antenna four (4) speakers 725972 Two (2) External Dlx Electric Adjust Mirrors 726888 Four (4) LED, roof mounted work lights 726890 Four (4) LED, rear work lights:(2) work & (2) stubble			\$9,208.00



**SPEEDROWER® 260 SP WINDROWER
US PRICE LIST**

(Grand Island, NE)

PRECISION FARMING

PRECISION FARMING DISPLAY

SD_25003 CAB DISPLAY MONITOR

		726992	4-Line Display, T-S Ready Fixed top-line with Engine RPM & Ground Speed. Bottom three (3) lines are customizable to operator preference. REQUIRED with Auto Guidance Ready Configurations; also provides mounting bracket and wiring harness to connect IntelliView™IV display moved from another vehicle into the windrower.			No Charge
		726894	Large Color Touch Screen Disp. Factory installed and tested IntelliView™IV 10-inch color touch -screen display with factory integrated vehicle controls and auto-guidance software. REQUIRED with Auto Guidance Complete Configurations			\$4,474.00

HAYTOOLS TIRES AND WHEELS

DRIVE TIRES

SD_16066 WHEELS AND TIRES

		8092907	18.4 x 26 12PR R4 18.4 x 26 R4 Industrial Tire			\$5,398.00
		8089907	21L x 28 14PR R4 21L x 28 R4 Industrial Tire			\$6,674.00
		8001407	600/65R28 154 R1W 600/65 R28 R1W Deep Cleat Ag Tire			\$7,635.00
		8088907	580/70R26 149 R3 580/70R26 R3 Turf Tire			\$8,063.00

REAR TIRES

SD_H6202 REAR TIRE - WHEEL SUPPORT

		727103	Forked/14L w/Damper Standard-Clearance, 3° forked arm caster assemblies with heavy-duty rotational dampers and 14L x 16.1 tires & wheels maintain chassis height with near zero rear height change when reversing.			No Charge
		726904	Single/16.5L w/Damper High-Clearance, 3° single arm caster assemblies and heavy-duty rotational dampers with 16.5L x 16.1 tires maintain chassis height with near zero rear height change when reversing.			\$1,935.00

**SPEEDROWER® 260 SP WINDROWER
US PRICE LIST**

(Grand Island, NE)

FACTORY SUPPLIED OPTIONS**ENGINE GROUP**

SD_02024 COLD WEATHER PKG

		761159	Cold Weather Package			\$548.00
--	--	--------	----------------------	--	--	----------

TRANSMISSION GROUP

SD_N6424 SPEED OPTION

		726990	Std Road Speed with Power Down Two-speed hydrostatic drive, WITH header lift arm power down. TOP SPEED APPROXIMATELY 18 MPH			No Charge
		726778	High Road Speed w/Power Dn Three-speed hydrostatic drive, WITH header lift arm power down. TOP SPEED APPROXIMATELY 24 MPH			\$3,078.00

CAB GROUP

SD_21014 CAMERAS

		439110	Rear Camera Kit REQUIRES Intelliview™IV or 4-line Display with T/S Ready Option where display is moved from another vehicle. Kit contains one (1) rear-facing camera and harness to connect to Intelliview IV display only. System capacity of up to three (3) cameras, additional cameras sold separately.			\$998.00
--	--	--------	---	--	--	----------

HYDRAULICS GROUP

SD_09001 AUX HYD PUMP & CONTROL VALVE

		425755	HYD ENG MT CRP MERGE REQUIRED for use with DuraMerger™419 Crop Merging Attachment - FOR USE WITH MY2019 AND CURRENT DM419+ ATTACHMENT ONLY -Hay Configuration Only - NON Draper Machines ONLY -3° forked style tail wheel arm with 14L tire only -Auxiliary Hydraulic Pump for MY2019 - DuraMerger™ Plus 419 Windrow Merging Attachment & DuraMerger Plus Decal *NOT COMPATIBLE WITH MY2018 & PRIOR STANDARD DURAMERGER ATTACHMENT. ***DuraMerger™ 419 Plus Attachment is ordered and sold separately sales order linking is recommended.			\$2,574.00
--	--	--------	---	--	--	------------



**SPEEDROWER® 260 SP WINDROWER
US PRICE LIST**

(Grand Island, NE)

WEIGHT GROUP

SD_T4980 BALLAST PACKAGE

		727105	200 lbs. - Ballast Kit SR220-6CY L-HP, Durabine™ 416, & Duramerger™ 419 SR260-6CY H-HP & Durabine™ 416	200 LB		(\$278.00)
		727106	400 lbs. - Ballast Kit SR160-4CY Non-Draper & Haybine® HS16 Header SR220-6CY L-HP & Durabine™ 416 SR220-6CY L-HP & DuraSwath™425HB SR260-6CY H-HP, DuraMerger™419, & Durabine™ 419 Header	400 LB		No Charge
		727178	600 lbs. - Ballast Kit SR160-4CY Non-Draper & Haybine® HS18 Header SR220-6CY L-HP, DuraSwath™425HB SR260-6CY H-HP & Durabine™ 419	600 LB		\$278.00

AUTOGUIDANCE

SD_27047 AUTOGUIDANCE

		726897	AutoGuidance Ready INCLUDED IN BASE: 1-All Cab and Chassis wiring, including wiring connection to IntelliView™IV touch screen display 2-Electrohydraulic auto-guidance steering valve 3-Mounting provisions for Navigation Controller & GPS 372 Receiver TO COMPLETE FACTORY EQUIPPED AUTO GUIDANCE ORDER: 1- IntelliView™IV Large Color Touch Screen Display 2- GPS Receiver (WAAS or OmniSTAR Accuracy) 3- Navigation Controller II			No Charge
--	--	--------	---	--	--	-----------

SD_27060 GPS RECEIVER

		X27060X	No GPS Receiver			No Charge
		726994	GPS 372 Receiver - WAAS Factory Installed - Narrow / Wide Band NH372 Receiver (GL1) Factory Installed Auto Guidance Navigation III Controller WAAS Accuracy			\$3,200.00
		726995	GPS 372 Receiver - OMNISTAR Factory Installed - Narrow / Wide Band NH372 Receiver (GL2) Factory Installed Auto Guidance Navigation III Controller OmniSTAR Accuracy Unlock			\$5,700.00

**SPEEDROWER® 260 SP WINDROWER
US PRICE LIST****(Grand Island, NE)****SD_27061 NAV CONTROLLER**

		X27061X	No NAV Controller			No Charge
		726997	NAV Controller Factory Installed Auto Guidance Navigation III Controller			\$5,500.00

LANGUAGE KITS**SD_47083 OPERATOR'S MANUAL**

		439130	English Lang Manual			No Charge
		715294	French Canadian			No Charge
		715309	Spanish Manual - NA			No Charge
		X47083X	No Additional Operators Manual			No Charge

FIELD INSTALLED HEADER COMPLETING PACKAGES**FOR SHIPMENT WITH BASE UNIT ONLY****SD_05143 REMOTE WINDROW SHIELD CONTROL**

		717131	Remote Windrow Shield Control Provides in cab electrical adjustment of swath forming shields. (CANNOT be used with fixed shields on draper-ready units.)			\$1,726.00
--	--	--------	--	--	--	------------

DURAMERGER419 PLUS (FOR SR220 & SR260)
US PRICE LIST

(Grand Island, NE)

Standard Equipment

DuraMerger 419 PLUS allows you to place form a single swath, a twin merged swath, or place up to three high-moisture winter forage or hay swaths (50% moisture+) swaths together, increasing windrow volume for high capacity harvesting.

NOTE: Due to significant design changes DuraMerger 419 PLUS is NOT COMPATIBLE with MY15 and prior Self-Propelled windrowers.

NOTE: For MY15 and prior Self-Propelled windrowers are only compatible with the prior DuraMerger 419 Standard.

DRIVE PUMP SPECIFICATION

- Engine Mounted Auxiliary Pump
 - Type Fixed Displacement
 - Speedrower 26gmp (100lpm)*
 - Relief 3000 psi (206.8 bar)*
- *At 3000 RPM engine speed
- NOTE: SOLD SEPARATELY with windrower base or for machines already in service order as DIA through service parts

CONVEYOR FRAME SPECIFICATIONS

- Table Angle 2.5°-7.75°
- Frame Length: 124 in.(3151mm)
- Frame Width: 42.3 in.(1074mm)
- Lubrication 5, 50hr. Zerks
- Bearing SKF Insert seal with anti wrap finger & additional grease filled labyrinth seal.
- Ground Clearance
 - Operating 5in.(127mm)*
 - Transport 23.75in.(603)
- *Adjustable, 5 in. recommendation

BELT SPECIFICATION

- Width 42 in. (1066.8mm)
- Length 132in.(3359mm)
(+56% vs. Prior*)
- Roller Dia. 4 in. (101.6 mm)

- Type Endless & Vulcanized
- Construction# One ply
- Guidance Vee-guide rib
- Tracking Adjustable Drive Roll
- Tensioning Adjustable Spring
- Crop Handling Raised Rib with upper and lower anti-wrap barrier cleats
- Crop Delivery Right side
- *Measured roll center to center
- ** VS. Prior DuraMerger Model

BELT DRIVE SPECIFICATION

- Speed Range 8-24 mph(13-38kph)
(+41% vs. Prior*)
- Motor type Fixed Gear Type
- Displacement 2.02cu in (33.1cc)
(+14% vs. Prior*)
- Drive Direct Drive
- *VS. Prior DuraMerger Model

OPERATOR CONTROLS FUNCTIONS

- Controlled from multi-function handle
 - Full Raise/Lower
- Controlled from right-hand Console:
 - Master On/Off toggle switch
 - Variable belt speed toggle switch

OPERATOR FEEDBACK

- Audible alarm and warning messages on 4-line display or the IntelliView™ IV display when equipped.

WINDROWER COMPATIBILITY

- Speedrower Series 6-cylinder models MY2016 and newer 200, 240, 220, 260 ONLY
- 14L x 16.1 tire equipped units with forked or cast single support ONLY.

DISC HEAD COMPATIBILITY

- Durabine Series* 416 & 419
- *Non specialty heads only
- Compatible with Roll conditioning system ONLY
- NOT FOR USE with LeaningEdge™ flail tine conditioning system

WARRANTY:

New Holland Standard Warranty Applies



DURAMERGER419 PLUS (FOR SR220 & SR260)
US PRICE LIST

(Grand Island, NE)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
DURAMERGER 419P	2,000 LB		\$12,946.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

	XT9981X	Less Fast Pick Config LESS FAST PICK CONFIG = A LA CARTE ORDERING AND PRICING			No Charge
	XH916XX	DM419P FAST PICK FAST PICK PKG PRICE = ~5% SAVINGS OVER A LA CARTE ORDER			(\$600.00)

FACTORY SUPPLIED OPTIONS

LANGUAGE KITS

SD_47083 OPERATOR'S MANUAL

	715309	Spanish Manual - NA			No Charge
--	--------	---------------------	--	--	-----------

DURABINE™ 416 & 419 DISC HEADS US PRICE LIST

(Grand Island, NE)

Standard Equipment

DURABINE™ 416 SPECIFICATIONS

-Flotation	Hydraulic
-Float Adj.	RH/LH Independent
-Head Tilt	Hydraulic
-Impact Hood Liners	Standard
-Trans. Lighting	Standard
-Parking Stands	Standard
-Tractor Connection	Flat Face Couplers

DRIVE SPECIFICATIONS

-Head Drive	Dual Hyd. Motors
-Power Rating	215 HP (@2200 CB-RPM)
-Protection	Hyd. Relief Valve

DISC CUTTERBAR SPECIFICATIONS

-Cutting Width	16 ft. 1 in. (4.9m)
-Cutting Height	.7-3.5 in. (18-89mm)
-QuickMax™ Knives	Standard
-Num. Discs	10 Large Oval Discs
-Disc rotation	Counter Rotating
-Max. Disc Speed	2500 rpm
-Knives/Disc	2 Reversible
-Std. Knives	18° Smooth Edge
-Type	MowMax™ II Disc Cutterbar
-Protection	ShockPRO™ System
-Safety Curtains	ISO17103 Complaint
-Rock Guard	Heavy-Duty Cast Iron
-Skid Shoes	Hardened Steel - Full Coverage

CROP FLOW AUGER SPECIFICATIONS*

-Type/Rotation	Floating/ Undershot
-Diameter	20 in. (508mm)
-Flighting	5/16 in.
-Feed Paddles	Removable

*For Stanard Configurations ONLY

WARRANTY

-New Holland Standard Warranty Applies To Base
-MowMax 3 Year, Factory Cutterbar Extended Warranty

DURABINE™ 419 SPECIFICATIONS

-Flotation	Hydraulic
-Float Adj.	RH/LH Independent
-Head Tilt	Hydraulic
-Impact Hood Liner	Standard
-Trans. Lighting	Standard
-Parking Stands	Standard
-Tractor Connection	Hard Plumbed

DRIVE SPECIFICATIONS

-Head Drive	Dual Hyd. Motors
-Power Rating	215 HP (@2200 CB-RPM)
-Protection	Hyd. Relief Valve

DISC CUTTERBAR SPECIFICATIONS

-Cutting Width	19 ft. 4in. (5.9m)
-Cutting Height	.7-3.5 in. (18-89mm)
-QuickMax™ Knives	Standard
-Num. Discs	12 Large Oval Discs
-Disc rotation	Counter Rotating
-Max. Disc Speed	2500 rpm
-Knives/Disc	2 Reversible
-Std. Knives	18° Smooth Edge
-Type	MowMax™ II Disc Cutterbar
-Protection	ShockPRO™ System
-Safety Curtains	ISO17103Complaint
-Rock Guard	Heavy-Duty Cast Iron
-Skid Shoes	Hardened Steel - Full Coverage

CROP FLOW AUGER SPECIFICATIONS*

-Type/Rotation	Floating/ Undershot
-Diameter	20 in. (508mm)
-Flighting	5/16 in.
-Feed Paddles	Removable

*For Standard Configurations ONLY

WARRANTY

-New Holland Standard Warranty Applies To Base
-MowMax 3 Year, Factory Cutterbar Extended Warranty

**DURABINE™ 416 & 419 DISC HEADS
US PRICE LIST**

(Grand Island, NE)

Standard Equipment**CONDITIONING SPECIFICATIONS****CHEVRON ROLL SYSTEM**

-Roll Width	102 in.(2.6m)
-Roll Diameter	10-3/8 in. (264mm)
-Roll Material	Rubber or Steel
-Roll Speed	938 rpm
-Roll Pressure System	Torsion Bar
-Roll Pressure Adj.	Hand Crank
-Roll Gap & Timing	Adjustable

-Width Range	38-96 in.(.96-2.4m)
-Windrow Shields	Adjustable*
-Swath Gate/Baffle	Adjustable
*Tractor Mounted	

DURABINE 416 HEAD COMPATIBILITY

-SR220/SR260 & SR200/SR240
-H8060/H8080** & HW345/365**

HIGH-CONTACT SYSTEM

-Roll Width	102 in.(2.6m)
-Roll Diameter	10-3/8 in.(264mm)
-Roll Material	Urethane
-Roll Design	Chevron Grooved

DURABINE 419 HEAD COMPATIBILITY

-SR260 & SR240
-H8080** & HW365**

** Contact ASIST for compatibility
details with prior series tractors**

LeaningEdge™ FLAIL TINE SYSTEM*

-Durabine 416	AVAILABLE
-Durabine 419	NOT AVAILABLE
-Design	LeaningEdge™ Flail Tines
-Tine Material	Cast Steel
-Rotor Width	90 in.(2.3m)
-Rotor Speed	1310 rpm
-Intensity	Adjustable Hood
-Hood Liner	Replaceable
-Adjustment	Hand Crank

GRASS SEED HEAD CONFIGURATION:

-Available Model(s)	
Durabine 416	AVAILABLE
Durabine 419	NOT AVAILABLE
-No Conditioning Standard	
-Adj. Push Bar	Standard
-Seed Curtains	Standard
-Crop Flow Auger	Tapered Flighting, No Paddles
-Rear Deck	Standard
-Crop Control	Windrow Forming Rods
-Optional Swath Closure Kits:	
717701	60 in. Field Ins. Kit
717702	83 in Field Ins. Kit

*NOT FOR USE WITH DURAMERGER

419 DOUBLE WINDROW ATTACHMENT

SWATH SPECIFICATIONS



**DURABINE™ 416 & 419 DISC HEADS
US PRICE LIST**

(Grand Island, NE)

Models

COMMERCIAL MODEL	CONDITIONER TYPE	Weight	Factory Data	List Price
DURABINE 416 BTO	Rubber on rubber chevron	4,743 LB		\$48,520.00
DURABINE 419 BTO	Rubber on rubber chevron	5,233 LB		\$57,315.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

	XT9981X	Less Fast Pick Config Fast Pick Configurations are complete packaged units. Selecting any option outside of a Fast Pick configuration, unless specifically allowed eliminates the Fast Pick ordering incentive. LESS FAST PICK CONFIG = A LA CARTE ORDERING AND PRICING			No Charge
	XH936XX	DISC HEADER FP 1 FAST PICK PKG PRICE = ~5% SAVINGS OVER A LA CARTE ORDER DB416 & DB419 Rubber or Steel ONLY - Fast Pick Package contains base model. ONLY Available With the Following Performance Pack Options: X9710XX - Perf. Pack 1 - Adjustable Gauge Wheels X9711XX - Perf. Pack 2 - Adjustable Skids			(\$2,400.00)

SD_T9987 PERFORMANCE PACK

	X9710XX	PERFORMANCE PACK 1 Adjustable Gauge Wheels & Corner Marker Kit 715301076 - Adjustable Gauge Wheel Kit 716791026 - Corner Marker Kit			(\$125.00)
	X9711XX	PERFORMANCE PACK 2 Adjustable Skids & Corner Marker Kit 415017026 - Adjustable Skid Shoe Kit 716791026 - Corner Marker Kit			(\$125.00)

**DURABINE™ 416 & 419 DISC HEADS
US PRICE LIST**

(Grand Island, NE)

FACTORY SUPPLIED OPTIONS**WHEEL KITS****SD_16028 GAUGE WHEEL KIT**

		715301	Gauge Wheel Kit For Durabine 419, must also order LH support #47754905 and RH support 47754907 from service parts to complete installation.			\$2,569.00
--	--	--------	---	--	--	------------

SD_C5832 SKID SHOE

		415017	Adjustable Skid Shoes Kit Adjustable skid shoe kit provides 3/4 to 6 1/2 inch cutting height range (18 to 168 mm). For Durabine 419, must also order LH support #47754905 and RH support 47754907 from service parts to complete installation. NOT COMPATIBLE with roller gauge wheels PN: 715301.			\$2,061.00
--	--	--------	--	--	--	------------

DISC HEAD OPTIONS**SD_20078 HOSE KIT**

		439139	CROSS OVER HOSE KIT REQUIRED when used with MY2014 and newer Speedrower® series draper ready windrowing tractors.			\$1,250.00
--	--	--------	---	--	--	------------

SD_50018 CORNER MARKER KIT

		716791	Corner Marker Kit For better visibility of the corners for operation and transport. Not compatible with specialty header.			\$247.00
--	--	--------	---	--	--	----------

LANGUAGE KITS**SD_47083 OPERATOR'S MANUAL**

		715294	French Canadian			No Charge
		715309	Spanish Manual - NA			No Charge

FIELD INSTALLED HEADER COMPLETING PACKAGES**FIELD CONVERSION MODULES****SD_H5817 STEEL CONDITIONER MODULE**

		717720	Steel Conditioner Module Extra Conditioner Bundle (Does not include Roll Drive PTO Shafts). No configuration changes for this option once order is placed.			\$8,433.00
--	--	--------	--	--	--	------------



**DURABINE™ 416 & 419 DISC HEADS
US PRICE LIST**

(Grand Island, NE)

Models

COMMERCIAL MODEL	CONDITIONER TYPE	Weight	Factory Data	List Price
DURABINE 416 BTO	Steel on steel chevron	4,743 LB		\$49,157.00
DURABINE 419 BTO	Steel on steel chevron	5,233 LB		\$57,952.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

		XT9981X	Less Fast Pick Config Fast Pick Configurations are complete packaged units. Selecting any option outside of a Fast Pick configuration, unless specifically allowed eliminates the Fast Pick ordering incentive. LESS FAST PICK CONFIG = A LA CARTE ORDERING AND PRICING			No Charge
		XH936XX	DISC HEADER FP 1 FAST PICK PKG PRICE = ~5% SAVINGS OVER A LA CARTE ORDER DB416 & DB419 Rubber or Steel ONLY - Fast Pick Package contains base model. ONLY Available With the Following Performance Pack Options: X9710XX - Perf. Pack 1 - Adjustable Gauge Wheels X9711XX - Perf. Pack 2 - Adjustable Skids			(\$2,400.00)

SD_T9987 PERFORMANCE PACK

		X9710XX	PERFORMANCE PACK 1 Adjustable Gauge Wheels & Corner Marker Kit 715301076 - Adjustable Gauge Wheel Kit 716791026 - Corner Marker Kit			(\$125.00)
		X9711XX	PERFORMANCE PACK 2 Adjustable Skids & Corner Marker Kit 415017026 - Adjustable Skid Shoe Kit 716791026 - Corner Marker Kit			(\$125.00)



**DURABINE™ 416 & 419 DISC HEADS
US PRICE LIST**

(Grand Island, NE)

FACTORY SUPPLIED OPTIONS

WHEEL KITS

SD_16028 GAUGE WHEEL KIT

		715301	Gauge Wheel Kit For Durabine 419, must also order LH support #47754905 and RH support 47754907 from service parts to complete installation.			\$2,569.00
--	--	--------	---	--	--	------------

SD_C5832 SKID SHOE

		415017	Adjustable Skid Shoes Kit Adjustable skid shoe kit provides 3/4 to 6 1/2 inch cutting height range (18 to 168 mm). For Durabine 419, must also order LH support #47754905 and RH support 47754907 from service parts to complete installation. NOT COMPATIBLE with roller gauge wheels PN: 715301.			\$2,061.00
--	--	--------	--	--	--	------------

DISC HEAD OPTIONS

SD_20078 HOSE KIT

		439139	CROSS OVER HOSE KIT REQUIRED when used with MY2014 and newer Speedrower® series draper ready windrowing tractors.			\$1,250.00
--	--	--------	---	--	--	------------

SD_50018 CORNER MARKER KIT

		716791	Corner Marker Kit For better visibility of the corners for operation and transport. Not compatible with specialty header.			\$247.00
--	--	--------	---	--	--	----------

LANGUAGE KITS

SD_47083 OPERATOR'S MANUAL

		715294	French Canadian			No Charge
		715309	Spanish Manual - NA			No Charge

FIELD INSTALLED HEADER COMPLETING PACKAGES

FIELD CONVERSION MODULES

SD_H5816 RUBBER CONDITIONER MODULE

		716939	Rubber Conditioner Module Extra Conditioner Bundle (Does not include Roll Drive PTO Shafts). No configuration changes for this option once order is placed.			\$7,765.00
--	--	--------	---	--	--	------------

**DURABINE™ 416 & 419 DISC HEADS
US PRICE LIST**

(Grand Island, NE)

Models

COMMERCIAL MODEL	CONDITIONER TYPE	Weight	Factory Data	List Price
DURABINE 416 BTO	Hi-contact	4,743 LB		\$58,339.00
DURABINE 419 BTO	Hi-contact	5,233 LB		\$67,134.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

	XT9981X	Less Fast Pick Config Fast Pick Configurations are complete packaged units. Selecting any option outside of a Fast Pick configuration, unless specifically allowed eliminates the Fast Pick ordering incentive. LESS FAST PICK CONFIG = A LA CARTE ORDERING AND PRICING			No Charge
--	---------	---	--	--	-----------

FACTORY SUPPLIED OPTIONS

WHEEL KITS

SD_16028 GAUGE WHEEL KIT

	715301	Gauge Wheel Kit For Durabine 419, must also order LH support #47754905 and RH support 47754907 from service parts to complete installation.			\$2,569.00
--	--------	---	--	--	------------

SD_C5832 SKID SHOE

	415017	Adjustable Skid Shoes Kit Adjustable skid shoe kit provides 3/4 to 6 1/2 inch cutting height range (18 to 168 mm). For Durabine 419, must also order LH support #47754905 and RH support 47754907 from service parts to complete installation. NOT COMPATIBLE with roller gauge wheels PN: 715301.			\$2,061.00
--	--------	--	--	--	------------



**DURABINE™ 416 & 419 DISC HEADS
US PRICE LIST**

(Grand Island, NE)

DISC HEAD OPTIONS

SD_20078 HOSE KIT

		439139	CROSS OVER HOSE KIT REQUIRED when used with MY2014 and newer Speedrower® series draper ready windrowing tractors.			\$1,250.00
--	--	--------	---	--	--	------------

SD_50018 CORNER MARKER KIT

		716791	Corner Marker Kit For better visibility of the corners for operation and transport. Not compatible with specialty header.			\$247.00
--	--	--------	---	--	--	----------

LANGUAGE KITS

SD_47083 OPERATOR'S MANUAL

		715294	French Canadian			No Charge
		715309	Spanish Manual - NA			No Charge

**DURABINE™ 416 DISC HEAD
US PRICE LIST**

(Grand Island, NE)

Models

COMMERCIAL MODEL	CONDITIONER TYPE	Weight	Factory Data	List Price
DURABINE 416 BTO	Flail Rotor Conditioner	4,743 LB		\$46,297.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

		XT9981X	Less Fast Pick Config Fast Pick Configurations are complete packaged units. Selecting any option outside of a Fast Pick configuration, unless specifically allowed eliminates the Fast Pick ordering incentive. LESS FAST PICK CONFIG = A LA CARTE ORDERING AND PRICING			No Charge
--	--	---------	---	--	--	-----------

FACTORY SUPPLIED OPTIONS

WHEEL KITS

SD_16028 GAUGE WHEEL KIT

		715301	Gauge Wheel Kit For Durabine 419, must also order LH support #47754905 and RH support 47754907 from service parts to complete installation.			\$2,569.00
--	--	--------	---	--	--	------------

SD_C5832 SKID SHOE

		415017	Adjustable Skid Shoes Kit Adjustable skid shoe kit provides 3/4 to 6 1/2 inch cutting height range (18 to 168 mm). For Durabine 419, must also order LH support #47754905 and RH support 47754907 from service parts to complete installation. NOT COMPATIBLE with roller gauge wheels PN: 715301.			\$2,061.00
--	--	--------	--	--	--	------------

**DURABINE™ 416 DISC HEAD
US PRICE LIST****(Grand Island, NE)****DISC HEAD OPTIONS****SD_20078 HOSE KIT**

		439139	CROSS OVER HOSE KIT REQUIRED when used with MY2014 and newer Speedrower® series draper ready windrowing tractors.			\$1,250.00
--	--	--------	---	--	--	------------

SD_50018 CORNER MARKER KIT

		716791	Corner Marker Kit For better visibility of the corners for operation and transport. Not compatible with specialty header.			\$247.00
--	--	--------	---	--	--	----------

SD_H5815 TEXTURED LINER KIT

		716537	Textured Liner Kit Durabine 416 Flail head only. For more aggressive flail conditioning.			\$464.00
--	--	--------	--	--	--	----------

LANGUAGE KITS**SD_47083 OPERATOR'S MANUAL**

		715294	French Canadian			No Charge
		715309	Spanish Manual - NA			No Charge

**DURABINE™ 416 GRASS SEED DISC HEAD
US PRICE LIST**

(Grand Island, NE)

Models

COMMERCIAL MODEL	CONDITIONER TYPE	Weight	Factory Data	List Price
DURABINE 416 BTO	GRASS SEED SPECIAL	4,743 LB		\$45,004.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

	XT9981X	Less Fast Pick Config Fast Pick Configurations are complete packaged units. Selecting any option outside of a Fast Pick configuration, unless specifically allowed eliminates the Fast Pick ordering incentive. LESS FAST PICK CONFIG = A LA CARTE ORDERING AND PRICING			No Charge
	XH937XX	DISC HEADER FP 2 FAST PICK PKG PRICE = ~5% SAVINGS OVER A LA CARTE ORDER DB416 GRASS SEED SPECIAL - Fast Pick Package contains base model with: 717702016 - 83" Swath Closure Kit			(\$2,400.00)

FACTORY SUPPLIED OPTIONS

WHEEL KITS

SD_C5832 SKID SHOE

	415017	Adjustable Skid Shoes Kit Adjustable skid shoe kit provides 3/4 to 6 1/2 inch cutting height range (18 to 168 mm). For Durabine 419, must also order LH support #47754905 and RH support 47754907 from service parts to complete installation. NOT COMPATIBLE with roller gauge wheels PN: 715301.			\$2,061.00
--	--------	--	--	--	------------



**DURABINE™ 416 GRASS SEED DISC HEAD
US PRICE LIST**

(Grand Island, NE)

FIELD INSTALLED HEADER COMPLETING PACKAGES

CLOSURE KITS

SD_H5818 60 IN CLOSURE KIT

		717701	60 in. Opening Closure Kit used to make a 60" windrow when no conditioner is installed	44 LB		\$758.00
--	--	--------	--	-------	--	----------

SD_H5819 83 IN CLOSURE KIT

		717702	83 in. Opening Closure Kit used to make a 83" windrow when no conditioner is installed	20 LB		\$688.00
--	--	--------	--	-------	--	----------

HS SERIES HAYBINE® SICKLE HEADS US PRICE LIST

(Grand Island, NE)

Standard Equipment

HS SERIES HEAD SPECIFICATIONS

-Drive Type	Hydraulic
-Head Drive Motor	NOT Included
-Connection	Poppet Couplers

-Smooth	High Contact
-Roll Dimension	102 in.x10.4 in dia.
-Roll Pressure	Torsion Bar/Hand Crank
-Roll Drive	Gearbox & PTO

CUTTERBAR SPECIFICATIONS

-Cutting Width	HS14 - 14 ft. 3 in. HS16 - 16 ft. 3 in. HS18 - 18 ft. 3 in.
-Drive	Mechanical, counter stroking dual sickles
-Wobble Drive	Dual, Heavy-Duty
-Knife Sections	
Attachment	100% Bolted
Type/Thickness	Over-serrated
Back Hardened	Standard
-Wearplate	Standard
-Cutting Height	1.2-6.2 in.
-Hold Downs	Bolt Adjustable
-Guards	Standard Type

SP WINDROWER COMPATIBILITY

-Speedrower, H8000, HW 5 Series,
HW 0 Series, SPW 2450, and 2550.

TRAIL FRAME COMPATIBILITY

-1475 & H7150 Mower-Conditioner

ADAPTOR FRAME COMPATIBILITY

-2300 BF & 2330 BR

Must order 716965 sickle head adapter
to operate with a Speedrower, H8000,
or HW5 series.

HS12 is NOT compatible with model
1475 and H7150 frail frame or the
Speedrower series.

HS12 is only for use on PRIOR MODEL
SPW with 16.9-28 R4 tires.

HS14 IS ONLY compatible with model
SR130 & 160 Speedrower series SPW.

REEL SPECIFICATIONS

-Num. Tine Bars	5 Bar - Segmented
-Reel Drive	Chain & Variable Speed Belt
-Position	Adjustable
-Drive	Belt & Chain

CONTACT ASIST PRIOR SERIES DETAIL

AUGER SPECIFICATIONS

-Auger Diameter	20 in.
-Flighting Depth	5 in.
-Auger Type	Single/Floating
-Slip Clutch	Standard

WARRANTY

New Holland Standard Warranty Applies

ROLL CONDITIONING

-Chevron	Rubber on Rubber
-Chevron	Steel on Steel



HS SERIES HAYBINE® SICKLE HEADS US PRICE LIST

(Grand Island, NE)

Models

COMMERCIAL MODEL	CONDITIONER TYPE	Weight	Factory Data	List Price
HS14 BTO	Rubber on rubber chevron	4,240 LB		\$34,150.00
HS16 BTO	Rubber on rubber chevron	4,480 LB		\$35,236.00
HS18 BTO	Rubber on rubber chevron	4,600 LB		\$36,490.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

	XT9981X	Less Fast Pick Config Fast Pick Configurations are complete packaged units. Selecting any option outside of a Fast Pick configuration, unless specifically allowed eliminates the Fast Pick ordering incentive. LESS FAST PICK CONFIG = A LA CARTE ORDERING AND PRICING			No Charge
	XH933XX	HS HEAD FAST PICK 1 HS Head for H7150 Trail Frame SMC FAST PICK PKG PRICE = ~5% SAVINGS OVER A LA CARTE ORDER Fast Pick Package contains base model without options. ONLY Available With the Following Models & Conditioner Types: HS14, 16 & 18 - Rubber on Rubber / Steel on Steel Rollers			(\$1,650.00)
	XH934XX	HS HEAD FAST PICK 2 HS14, HS16, & HS18 Heads for Speedrower SR160 FAST PICK PKG PRICE = ~5% SAVINGS OVER A LA CARTE ORDER Fast Pick Package contains base model without options. ONLY Available With the Following Models & Conditioner Types: HS14, 16 & 18 - Rubber on Rubber / Steel on Steel Rollers			(\$1,650.00)
	XH935XX	HS HEAD FAST PICK 3 HS 16 & 18 Head for Speedrower SR220 & SR260 FAST PICK PKG PRICE = ~5% SAVINGS OVER A LA CARTE ORDER Fast Pick Package contains base model with: 439105 - Lift Arm Extension Kit for HS16 & HS18 heads ONLY Available With the Following Models & Conditioners: HS16 & 18 - Rubber on Rubber / Steel on Steel Rollers			(\$1,700.00)



HS SERIES HAYBINE® SICKLE HEADS US PRICE LIST

(Grand Island, NE)

SD_T9987 PERFORMANCE PACK

		X9710XX	PERFORMANCE PACK 1 PERFORMANCE PACK 1 - Adjustable Gauge Wheel Kit Available With the Following Fast Pick Configurations: XH934XX - HS Head Fast Pick 2 - HS14,16,18 For SR160 XH935XX - HS Head Fast Pick 3 - HS16 & 18 for SR 220 & SR260			(\$130.00)
--	--	---------	---	--	--	------------

FACTORY SUPPLIED OPTIONS

HYDRAULIC KITS

SD_20107 HYDRAULIC REEL DRIVE

		716961	Hydraulic Reel Drive Kit Must be used in conjunction with windrower-mounted Hydraulic Reel Drive Kit	42 LB		\$1,274.00
--	--	--------	--	-------	--	------------

SICKLE HEAD OPTIONS

SD_H5101 CROP DIVIDERS

		715295	Crop Divider Pair of 2 dividers, one for each end of header. Recommended for tall crops.	22 LB		\$329.00
--	--	--------	--	-------	--	----------

SD_H7004 LIFT ARM EXTENSION

		439105	Lift Arm Extension Includes lift arm extension brackets and crop deflectors. -Required for HS14 header installation on MY15 4 cyliner Draper Ready. -Required for HS16 & HS18 header installation on MY15 6 Cylinder.			\$1,057.00
--	--	--------	---	--	--	------------

WHEEL KITS

SD_16028 GAUGE WHEEL KIT

		715301	Gauge Wheel Kit Set of 4 gauge wheels which replaces the skid shoes.	240 LB		\$2,785.00
--	--	--------	--	--------	--	------------

LANGUAGE KITS

SD_47083 OPERATOR'S MANUAL

		715294	French Canadian	1 LB		No Charge
		715309	Spanish Manual - NA	1 LB		No Charge



HS SERIES HAYBINE® SICKLE HEADS US PRICE LIST

(Grand Island, NE)

Models

COMMERCIAL MODEL	CONDITIONER TYPE	Weight	Factory Data	List Price
HS14 BTO	Steel on steel chevron	4,240 LB		\$34,813.00
HS16 BTO	Steel on steel chevron	4,480 LB		\$35,899.00
HS18 BTO	Steel on steel chevron	4,600 LB		\$37,153.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

	XT9981X	Less Fast Pick Config Fast Pick Configurations are complete packaged units. Selecting any option outside of a Fast Pick configuration, unless specifically allowed eliminates the Fast Pick ordering incentive. LESS FAST PICK CONFIG = A LA CARTE ORDERING AND PRICING			No Charge
	XH933XX	HS HEAD FAST PICK 1 HS Head for H7150 Trail Frame SMC FAST PICK PKG PRICE = ~5% SAVINGS OVER A LA CARTE ORDER Fast Pick Package contains base model without options. ONLY Available With the Following Models & Conditioner Types: HS14, 16 & 18 - Rubber on Rubber / Steel on Steel Rollers			(\$1,650.00)
	XH934XX	HS HEAD FAST PICK 2 HS14, HS16, & HS18 Heads for Speedrower SR160 FAST PICK PKG PRICE = ~5% SAVINGS OVER A LA CARTE ORDER Fast Pick Package contains base model without options. ONLY Available With the Following Models & Conditioner Types: HS14, 16 & 18 - Rubber on Rubber / Steel on Steel Rollers			(\$1,650.00)
	XH935XX	HS HEAD FAST PICK 3 HS 16 & 18 Head for Speedrower SR220 & SR260 FAST PICK PKG PRICE = ~5% SAVINGS OVER A LA CARTE ORDER Fast Pick Package contains base model with: 439105 - Lift Arm Extension Kit for HS16 & HS18 heads ONLY Available With the Following Models & Conditioners: HS16 & 18 - Rubber on Rubber / Steel on Steel Rollers			(\$1,700.00)



HS SERIES HAYBINE® SICKLE HEADS US PRICE LIST

(Grand Island, NE)

SD_T9987 PERFORMANCE PACK

		X9710XX	PERFORMANCE PACK 1 PERFORMANCE PACK 1 - Adjustable Gauge Wheel Kit Available With the Following Fast Pick Configurations: XH934XX - HS Head Fast Pick 2 - HS14,16,18 For SR160 XH935XX - HS Head Fast Pick 3 - HS16 & 18 for SR 220 & SR260			(\$130.00)
--	--	---------	---	--	--	------------

FACTORY SUPPLIED OPTIONS

HYDRAULIC KITS

SD_20107 HYDRAULIC REEL DRIVE

		716961	Hydraulic Reel Drive Kit Must be used in conjunction with windrower-mounted Hydraulic Reel Drive Kit	42 LB		\$1,274.00
--	--	--------	--	-------	--	------------

SICKLE HEAD OPTIONS

SD_H5101 CROP DIVIDERS

		715295	Crop Divider Pair of 2 dividers, one for each end of header. Recommended for tall crops.	22 LB		\$329.00
--	--	--------	--	-------	--	----------

SD_H7004 LIFT ARM EXTENSION

		439105	Lift Arm Extension Includes lift arm extension brackets and crop deflectors. -Required for HS14 header installation on MY15 4 cyliner Draper Ready. -Required for HS16 & HS18 header installation on MY15 6 Cylinder.			\$1,057.00
--	--	--------	---	--	--	------------

WHEEL KITS

SD_16028 GAUGE WHEEL KIT

		715301	Gauge Wheel Kit Set of 4 gauge wheels which replaces the skid shoes.	240 LB		\$2,785.00
--	--	--------	--	--------	--	------------

LANGUAGE KITS

SD_47083 OPERATOR'S MANUAL

		715294	French Canadian	1 LB		No Charge
		715309	Spanish Manual - NA	1 LB		No Charge

**HS SERIES HAYBINE® SICKLE HEADS
US PRICE LIST**

(Grand Island, NE)

Models

COMMERCIAL MODEL	CONDITIONER TYPE	Weight	Factory Data	List Price
HS14 BTO	Hi-contact	4,240 LB		\$44,396.00
HS16 BTO	Hi-contact	4,480 LB		\$45,482.00
HS18 BTO	Hi-contact	4,600 LB		\$46,736.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

		XT9981X	Less Fast Pick Config Fast Pick Configurations are complete packaged units. Selecting any option outside of a Fast Pick configuration, unless specifically allowed eliminates the Fast Pick ordering incentive. LESS FAST PICK CONFIG = A LA CARTE ORDERING AND PRICING			No Charge
--	--	---------	---	--	--	-----------

FACTORY SUPPLIED OPTIONS

HYDRAULIC KITS

SD_20107 HYDRAULIC REEL DRIVE

		716961	Hydraulic Reel Drive Kit Must be used in conjunction with windrower-mounted Hydraulic Reel Drive Kit	42 LB		\$1,274.00
--	--	--------	--	-------	--	------------

SICKLE HEAD OPTIONS

SD_H5101 CROP DIVIDERS

		715295	Crop Divider Pair of 2 dividers, one for each end of header. Recommended for tall crops.	22 LB		\$329.00
--	--	--------	--	-------	--	----------



**HS SERIES HAYBINE® SICKLE HEADS
US PRICE LIST**

(Grand Island, NE)

SD_H7004 LIFT ARM EXTENSION

		439105	Lift Arm Extension Includes lift arm extension brackets and crop deflectors. -Required for HS14 header installation on MY15 4 cyliner Draper Ready. -Required for HS16 & HS18 header installation on MY15 6 Cylinder.			\$1,057.00
--	--	--------	---	--	--	------------

WHEEL KITS

SD_16028 GAUGE WHEEL KIT

		715301	Gauge Wheel Kit Set of 4 gauge wheels which replaces the skid shoes.	240 LB		\$2,785.00
--	--	--------	--	--------	--	------------

LANGUAGE KITS

SD_47083 OPERATOR'S MANUAL

		715294	French Canadian	1 LB		No Charge
		715309	Spanish Manual - NA	1 LB		No Charge

DURASWATH™ 425HB DRAPER HEAD US PRICE LIST

Standard Equipment

DuraSwath™ 425 SPECIFICATIONS

-Drive	Speedrower® SPW draper head drive system, twin 40 gpm hydraulic pumps with dedicated knife drive and reel & draper circuits
-In-line filtration	Standard
-Fore/Aft Tilt Angle	2-8°
-Max. Harvest Speed	11.5mph (18.5kph)

DRAPER HEAD COMPATIBILITY

-Speedrower 130, 200 & 240	(Tier 3)
-Speedrower 160, 220 & 260	(Tier 4)
-Incompatible with all prior series self-propelled windrowers.	

CUTTERBAR SPECIFICATIONS

-Drive System	SCH® Pro-Drive, low maintenance planetary knife drive system.*
-Available Cutting Systems	
Standard	SCH Easy Cut system with hardened alloy spring steel guards, low friction roller guides, and bolted thru-hardened knife sections for fast replacement.
Optional	New Holland cutting system with heavy-duty cast iron standard or stub guards resist bending. Knife sections are thru- and back-hardened, 100% bolted for fast replacement, with hold down adjustment.
-Cutting Width	25 ft. (7.6m)
-Min. Cut Height	.75 in. (19mm) @ 8°
-Knife	Single Knife-AVBL. Double Knife-AVBL.
-Knife Speed	1400 SPM
-Knife Stroke	3.35 in. (85mm)
-Poly Skid Kit	Available

DRAPER BELT & DECK SPECIFICATIONS

-Type	Raptor™ Draper Belt
-Material	Friction coated 100% polyester high-tensile filament fabric with puncture and tear resistance with reinforced cleats.*
-Belt Drive	Hydraulic, Pulled
-Belt Tracking	Molded V-Guide
-Width	42 in.
-Belt Angle	15° @ 2° Tilt
-Max. Belt Speed	750 ft./sec.
-Belt Speed Control	Variable - In cab
-Deck Sealing	
Front Edge	Hay guard labyrinth edge seal
Rear Edge	Draper guard shield with full-width deck belt guide.

STANDARD DECK SPECIFICATIONS

-Center delivery	56-72" (1.42-1.83)*
	*Max. 80 in. by removing opening extension panels.

DOUBLE-SWATH SPECIFICATIONS

-End discharge	55-65 in. (1.3-1.6m)*
-Hyd. Deck Shift	Standard

REEL SPECIFICATIONS

-Type	HB - Flip over reel
-Assembly	Fully-Assembled
-Num. Bats	6
-Fingers	Plastic, 1/4 turn quick change design
-End Tine	Standard

REEL DRIVE & ADJUSTMENTS

SPECIFICATIONS

-Drive	Hydraulic, with chain reduction with automatic groundspeed synchronization
-Hyd. Drive Motor	15.9 cu.in.
-Speed	10-75 rpm

**DURASWATH™ 425HB DRAPER HEAD
US PRICE LIST**

Standard Equipment

-Lift Hydraulic
-Fore/Aft Hydraulic

CROP DIVIDER SPECIFICATIONS

-Fixed Pipe Standard
-Floating Tip Optional
-Rotary Shear Ready Optional

OTHER OPTIONAL EQUIPMENT

-Header gauge wheel kit
-2 Wheel transport kit
-Adjustable skid shoe kit
-Cross auger feed kit

WARRANTY

New Holland Standard Warranty Applies

*SCH® is a registered trademark of the
Schumacher Company, LLC

*RAPTOR™ is a trademark of WCCO
Belting Inc.



**DURASWATH™ 425HB DRAPER HEAD
US PRICE LIST**

Models

COMMERCIAL MODEL	KNIFE	REEL	DELIVERY	Weight	Factory Data	List Price
DURASWATH 425HB	Single Knife	SINGLE REEL	STD DECK	4,675 LB		\$59,988.00
DURASWATH 425HB	Single Knife	SINGLE REEL	DOUBLE SWATH	4,675 LB		\$65,799.00
DURASWATH 425HB	Double Knife	SINGLE REEL	STD DECK	4,675 LB		\$65,030.00
DURASWATH 425HB	Double Knife	SINGLE REEL	DOUBLE SWATH	4,887 LB		\$71,118.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

	XT9981X	<p>Less Fast Pick Config</p> <p>Fast Pick Configurations are complete packaged units. Selecting any option outside of a Fast Pick configuration, unless specifically allowed eliminates the Fast Pick ordering incentive.</p> <p>LESS FAST PICK CONFIG = A LA CARTE ORDERING AND PRICING</p>			No Charge
	XH938XX	<p>DURASWATH FP 1</p> <p>DuraSwath Draper Head 25', 30' & 36', Draper Headers</p> <p>FAST PICK PKG PRICE = ~5% SAVINGS OVER A LA CARTE ORDER</p> <p>DuraSwath Fast Pick Package contains base model with:</p> <p>727067 - New Holland Cutting System w/ Std. Guards</p> <p>727070 - Poly Skid Plate for NH Cutting System</p> <p>Available With the Following Performance Pack Options:</p> <p>X9710XX - Perf. Pack 1 - Gauge Whlls & 2 Whl Hdr Trans.</p> <p>X9711XX - Perf. Pack 2 - Gauge Whlls & 2 Whl Hdr Trans & Auger</p> <p>X9712XX - Perf. Pack 3 - Gauge Whlls, 4 Whl Hdr Trans & Auger</p>			(\$3,650.00)

**DURASWATH™ 425HB DRAPER HEAD
US PRICE LIST**

COMPLETING PACKAGES

CUTTING SYSTEM

SD_H5806 CUTTING SYSTEM

		727066	Schumacher Cutterbar EasyCut system with spring steel guards, ProCut, bolt-on, plated knife sections and Rollerguide knifeback guide system.			No Charge
		727067	CNH Cutterbar Standard Guard NH system with forged steel guards, adjustable hold-down clips and bolt-on knife sections. Recommended for cutting all crops. With adjustable knife hold-downs adjusted regularly, cutterbar cuts cleaner longer using less power. Required for green hay cutting on 25, 30, 36, 40 foot units. Standard guards.			
			if KNIFE is Double Knife and WORKING WIDTH is 25 ft.			\$216.00
			if KNIFE is Single Knife and WORKING WIDTH is 25 ft.			\$796.00
		727081	CNH Cutterbar Stub Guard NH system with forged steel guards, adjustable hold-down clips and bolt-on knife sections. Recommended for cutting all crops. With adjustable knife hold-downs adjusted regularly, cutterbar cuts cleaner longer using less power. Required for green hay cutting on 25, 30, 36, 40 foot units. Stub guards.			
			if KNIFE is Double Knife and WORKING WIDTH is 25 ft.			\$1,650.00
			if KNIFE is Single Knife and WORKING WIDTH is 25 ft.			\$2,159.00

REELS

SD_H5601 REEL

		449541	HB REEL SNGL PF 6B Honey Bee high-strength, high-performance reels include timing adjustment for varying crops and conditions. Innovative ¼ turn quick release plastic tines and exclusive bat construction allow for fast replacement and allow for custom finger spacing adjustments. HB single piece reel with 6 bats and plastic ¼ turn quick release fingers.			No Charge
--	--	--------	--	--	--	-----------

**DURASWATH™ 425HB DRAPER HEAD
US PRICE LIST****FACTORY SUPPLIED OPTIONS**

TRANSPORT

SD_16050 TIRES/WHLS/HUBS/SPI

		725591	Tires/Wheels/Hubs Spindles Required w/castoring gauge wheel option, and/or 2-wheel- or 4-wheel transport option. Only order this option one time when ordering both casting gauge wheels and 2/4 wheel transport. Wheels are the color yellow.			\$1,548.00
--	--	--------	--	--	--	------------

SD_49010 HEADER TRANSPORT

		727073	2 Wheel Hdr Transport Less TW Includes two-piece tongue for LH end of header and fold-up axle for RH end of header. Requires tires, wheels, hubs, spindles to be functional. No on-header storage if casting gauge wheels are not ordered.			\$2,220.00
--	--	--------	--	--	--	------------

LANGUAGE KITS

SD_47083 OPERATOR'S MANUAL

		725023	French Manual			No Charge
--	--	--------	---------------	--	--	-----------

**OPTIONAL CUTTERBAR PROTECTION SYSTEM (REQUIRED
FOR GREEN HAY CUTTING)**

POLY SKID PLATES

SD_H5823 POLY SKID PLATE

		727070	Poly Skid For CNH Provides full width skids for on-ground operation for CNH cutterbar.			\$1,333.00
		727071	Poly Skid For Schumacher Provides full width skids for on-ground operation for Schumacher cutterbar.			\$1,333.00

OPTIONAL EQUIPMENT

DRAPER HEAD OPTIONS

SD_C5832 SKID SHOE

		727076	Adjustable Skid Shoes One adjustable shoe for each end of the header.			\$1,013.00
--	--	--------	---	--	--	------------



**DURASWATH™ 425HB DRAPER HEAD
US PRICE LIST**

		727145	Adjustable END/MDL Skid Shoes One adjustable shoe for each end of the header, plus 2 additional adjustable shoes for middle struts. This will equip the outer ends and middle struts on 25' headers, and the outer ends and 2 of the 4 middle struts on 30', 36' & 40' headers.			\$1,636.00
--	--	--------	---	--	--	------------

SD_H5824 FLOATING TIP DIVIDER

		727077	Floating Tip Divider Recommended for hay and lentils.			\$797.00
--	--	--------	---	--	--	----------

SD_H5825 END SHEARS

		727078	Rotary Shear Ready Cutting shears are mounted on the ends of the head. Help cut through downed, tangled, and green crops. Includes brackets, hoses, and valve cartridge to direct oil to rotary shear at both ends of header.			\$1,656.00
--	--	--------	---	--	--	------------

**DURASWATH™ 430HB DRAPER HEAD
 US PRICE LIST**

Standard Equipment

DuraSwath™ 430 SPECIFICATIONS

-Drive	Speedrower® SPW draper head drive system, twin 40 gpm hydraulic pumps with dedicated knife drive and reel & draper circuits.
-In-line filtration	Standard
-Fore/Aft Tilt Angle	2-8°
-Max. Harvest Speed	11.5mph (18.5kph)

DRAPER HEAD COMPATIBILITY

- Speedrower 130, 200 & 240 (Tier 3)
- Speedrower 160, 220 & 260 (Tier 4)
- Incompatible with all prior series self-propelled windrowers.

CUTTERBAR SPECIFICATIONS

-Drive System	SCH® Pro-Drive, low maintenance planetary knife drive system.*
-Available Cutting Systems	
Standard	SCH Easy Cut system with hardened alloy spring steel guards, low friction roller guides, and bolted thru-hardened knife sections for fast replacement.
Optional	New Holland cutting system with heavy-duty cast iron standard or stub guards resist bending. Knife sections are thru- and back-hardened, 100% bolted for fast replacement, with hold down adjustment.
-Cutting Width	30 ft. (9.1m)
-Min. Cut Height	.75 in. (19mm) @ 8°
-Knife	Single Knife-AVBL. Double Knife-AVBL.
-Knife Speed	1400 SPM
-Knife Stroke	3.35 in. (85mm)
-Poly Skid Kit	Available

DRAPER BELT & DECK SPECIFICATIONS

-Type	Raptor™ Draper Belt
-Material	Friction coated 100% polyester high-tensile filament fabric with puncture and tear resistance with reinforced cleats.*
-Belt Drive	Hydraulic, Pulled
-Belt Tracking	Molded V-Guide
-Width	42 in.
-Belt Angle	15° @ 2° Tilt
-Max. Belt Speed	750 ft./sec.
-Belt Speed Control	Variable - In cab
-Deck Sealing	
Front Edge	Hay guard labyrinth edge seal
Rear Edge	Draper guard shield with full-width deck belt guide.

STANDARD DECK SPECIFICATIONS

-Center delivery	56-72" (1.42-1.83)*
	*Max. 80 in. by removing opening extension panels.

DOUBLE-SWATH SPECIFICATIONS

-End discharge	55-65 in. (1.3-1.6m)
-Hyd. Deck Shift	Standard

REEL SPECIFICATIONS

-Type	HB - Flip over reel
-Assembly	Fully-Assembled
-Num. Bats	6
-Fingers	Plastic, 1/4 turn quick change design
-End Tine	Standard

REEL DRIVE & ADJUSTMENTS
SPECIFICATIONS

-Drive	Hydraulic, with chain reduction with automatic groundspeed synchronization
-Hyd. Drive Motor	15.9 cu.in.
-Speed	10-75 rpm



**DURASWATH™ 430HB DRAPER HEAD
US PRICE LIST**

Standard Equipment

-Lift	Hydraulic
-Fore/Aft	Hydraulic

CROP DIVIDER SPECIFICATIONS

-Fixed Pipe	Standard
-Floating Tip	Optional
-Rotary Shear Ready	Optional

OTHER OPTIONAL EQUIPMENT

- Header gauge wheel kit
- 2 Wheel transport kit
- Adjustable skid shoe kit
- Cross auger feed kit

WARRANTY

New Holland Standard Warranty Applies

*SCH® is a registered trademark of the
Schumacher Company, LLC

*RAPTOR™ is a trademark of WCCO
Belting Inc.

**DURASWATH™ 430HB DRAPER HEAD
US PRICE LIST**

Models

COMMERCIAL MODEL	KNIFE	REEL	DELIVERY	Weight	Factory Data	List Price
DURASWATH 430HB	Single Knife	SINGLE REEL	STD DECK	5,631 LB		\$67,909.00
DURASWATH 430HB	Single Knife	SINGLE REEL	DOUBLE SWATH	5,631 LB		\$70,437.00
DURASWATH 430HB	Double Knife	SINGLE REEL	STD DECK	5,991 LB		\$70,793.00
DURASWATH 430HB	Double Knife	SINGLE REEL	DOUBLE SWATH	5,631 LB		\$73,644.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

	XT9981X	<p>Less Fast Pick Config</p> <p>Fast Pick Configurations are complete packaged units. Selecting any option outside of a Fast Pick configuration, unless specifically allowed eliminates the Fast Pick ordering incentive.</p> <p>LESS FAST PICK CONFIG = A LA CARTE ORDERING AND PRICING</p>			No Charge
	XH938XX	<p>DURASWATH FP 1</p> <p>DuraSwath Draper Head 25', 30' & 36', Draper Headers</p> <p>FAST PICK PKG PRICE = ~5% SAVINGS OVER A LA CARTE ORDER</p> <p>DuraSwath Fast Pick Package contains base model with:</p> <p>727067 - New Holland Cutting System w/ Std. Guards</p> <p>727070 - Poly Skid Plate for NH Cutting System</p> <p>Available With the Following Performance Pack Options:</p> <p>X9710XX - Perf. Pack 1 - Gauge Whlls & 2 Whl Hdr Trans.</p> <p>X9711XX - Perf. Pack 2 - Gauge Whlls & 2 Whl Hdr Trans & Auger</p> <p>X9712XX - Perf. Pack 3 - Gauge Whlls, 4 Whl Hdr Trans & Auger</p>			(\$3,650.00)

**DURASWATH™ 430HB DRAPER HEAD
US PRICE LIST**

		XH939XX	DURASWATH FP 2 DuraSwath Draper Head 25', 30', 36', & 40' Draper Headers FAST PICK PKG PRICE = ~5% SAVINGS OVER A LA CARTE ORDER DuraSwath Fast Pick Package contains base model with: 727066 - Schumacher Cutting System 727071 - Poly Skid Plate for Schumacher Cutting System Available With the Following Performance Pack Options: X9710XX - Perf. Pack 1 - Gauge Whlls & 2 Whl Hdr Trans. X9711XX - Perf. Pack 2 - Gauge Whlls & 2 Whl Hdr Trans. & Auger X9712XX - Perf. Pack 3 - Gauge Whlls, 4 Whl Hdr Trans.			(\$3,575.00)
		XH940XX	DURASWATH FP 3 DuraSwath Draper Head 25', 30', 36', & 40' Draper Headers FAST PICK PKG PRICE = ~5% SAVINGS OVER A LA CARTE ORDER DuraSwath Fast Pick Package contains base model with: 727066 - Schumacher Cutting System 727071 - Poly Skid Plate for Schumacher Cutting System 727078 - Rotary Shear Ready Available With the Following Performance Pack Options: X9710XX - Perf. Pack 1 - Gauge Whlls & 2 Whl Hdr Trans. X9711XX - Perf. Pack 2 - Gauge Whlls & 2 Whl Hdr Trans. & Auger X9712XX - Perf. Pack 3 - Gauge Whlls, 4 Whl Hdr Trans.			(\$3,650.00)

SD_T9987 PERFORMANCE PACK

		X9710XX	PERFORMANCE PACK 1 Gauge Wheels & Two (2) Wheel Header Transport (DuraSwath 430 & 436 Headers) 725579 - Castoring Gauge Wheels less tires & wheels 727073 - Two (2) Wheel Header Transport Kit less tires & wheels 725591 - Tires, Wheels, Hubs & Spindles for gauge & transporting			(\$300.00)
		X9711XX	PERFORMANCE PACK 2 Gauge Wheels, Two (2) Wheel Header Transport, Cross Auger Kit (DuraSwath 430 & 436 Headers) 725579 - Castoring Gauge Wheels less tires & wheels 727073 - Two (2) Wheel Header Transport Kit less tires & wheels 725591 - Tires, Wheels, Hubs & Spindles for gauge & transporting 725595 - Feed Assist Cross Auger with center feed fighting			(\$700.00)

COMPLETING PACKAGES

CUTTING SYSTEM

SD_H5806 CUTTING SYSTEM

		727066	Schumacher Cutterbar EasyCut system with spring steel guards, ProCut, bolt-on, plated knife sections and Rollerguide knifeback guide system.			No Charge
--	--	--------	---	--	--	-----------

**DURASWATH™ 430HB DRAPER HEAD
US PRICE LIST**

		727067	CNH Cutterbar Standard Guard NH system with forged steel guards, adjustable hold-down clips and bolt-on knife sections. Recommended for cutting all crops. With adjustable knife hold-downs adjusted regularly, cutterbar cuts cleaner longer using less power. Required for green hay cutting on 25, 30, 36, 40 foot units. Standard guards.			
			if KNIFE is Double Knife and WORKING WIDTH is 30 ft.			\$301.00
			if KNIFE is Single Knife and WORKING WIDTH is 30 ft.			\$945.00
		727081	CNH Cutterbar Stub Guard NH system with forged steel guards, adjustable hold-down clips and bolt-on knife sections. Recommended for cutting all crops. With adjustable knife hold-downs adjusted regularly, cutterbar cuts cleaner longer using less power. Required for green hay cutting on 25, 30, 36, 40 foot units. Stub guards.			
			if KNIFE is Double Knife and WORKING WIDTH is 30 ft.			\$1,604.00
			if KNIFE is Single Knife and WORKING WIDTH is 30 ft.			\$2,704.00

REELS

SD_H5601 REEL

		449541	HB REEL SNGL PF 6B Honey Bee high-strength, high-performance reels include timing adjustment for varying crops and conditions. Innovative ¼ turn quick release plastic tines and exclusive bat construction allow for fast replacement and allow for custom finger spacing adjustments. HB single piece reel with 6 bats and plastic ¼ turn quick release fingers.			No Charge
--	--	--------	--	--	--	-----------

FACTORY SUPPLIED OPTIONS

WHEEL KITS

SD_16027 CASTERING GAUGE WHEEL

		725579	Castering Gauge Wheels Fully castoring with 3-8 inches of shock travel. One person adjustment. Requires tires, wheels, hubs, spindles option to be functional. Wheels are the color yellow.			\$3,681.00
--	--	--------	---	--	--	------------



**DURASWATH™ 430HB DRAPER HEAD
US PRICE LIST**

TRANSPORT

SD_16050 TIRES/WHLS/HUBS/SPI

		725591	Tires/Wheels/Hubs Spindles Required w/castoring gauge wheel option, and/or 2-wheel- or 4-wheel transport option. Only order this option one time when ordering both catoring gauge wheels and 2/4 wheel transport. Wheels are the color yellow.			\$1,548.00
--	--	--------	---	--	--	------------

SD_49010 HEADER TRANSPORT

		727073	2 Wheel Hdr Transport Less TW Includes two-piece tongue for LH end of header and fold-up axle for RH end of header. Requires tires, wheels, hubs, spindles to be functional. No on-header storage if castoring gauge wheels are not ordered.			\$2,297.00
--	--	--------	--	--	--	------------

LANGUAGE KITS

SD_47083 OPERATOR'S MANUAL

		725023	French Manual			No Charge
--	--	--------	---------------	--	--	-----------

OPTIONAL CUTTERBAR PROTECTION SYSTEM (REQUIRED FOR GREEN HAY CUTTING)

POLY SKID PLATES

SD_H5823 POLY SKID PLATE

		727070	Poly Skid For CNH Provides full width skids for on-ground operation for CNH cutterbar.			\$1,443.00
		727071	Poly Skid For Schumacher Provides full width skids for on-ground operation for Schumacher cutterbar.			\$1,443.00

OPTIONAL EQUIPMENT

DRAPER HEAD OPTIONS

SD_C5832 SKID SHOE

		727076	Adjustable Skid Shoes One adjustable shoe for each end of the header.			\$1,013.00
		727145	Adjustable END/MDL Skid Shoes One adjustable shoe for each end of the header, plus 2 additional adjustable shoes for middle struts. This will equip the outer ends and middle struts on 25' headers, and the outer ends and 2 of the 4 middle struts on 30', 36' & 40' headers.			\$1,636.00



**DURASWATH™ 430HB DRAPER HEAD
US PRICE LIST**

SD_H5501 CROSS AUGER

		725595	Feed Assist Cross Auger Kit Full length auger with centered flighting.			\$6,256.00
--	--	--------	--	--	--	------------

SD_H5824 FLOATING TIP DIVIDER

		727077	Floating Tip Divider Recommended for hay and lentils.			\$797.00
--	--	--------	---	--	--	----------

SD_H5825 END SHEARS

		727078	Rotary Shear Ready Cutting shears are mounted on the ends of the head. Help cut through downed, tangled, and green crops. Includes brackets, hoses, and valve cartridge to direct oil to rotary shear at both ends of header.			\$1,692.00
--	--	--------	---	--	--	------------

DURASWATH™ 436HB DRAPER HEAD US PRICE LIST

Standard Equipment

DuraSwath™ 436 SPECIFICATIONS

-Drive	Speedrower® SPW draper head drive system, twin 40 gpm hydraulic pumps with dedicated knife drive and reel & draper circuits.
-In-line filtration	Standard
-Fore/Aft Tilt Angle	2-8°
-Max. Harvest Speed	11.5mph (18.5kph)

DRAPER HEAD COMPATIBILITY

-Speedrower 200 & 240 (6-Cy. Tier 3)	
-Speedrower 160, 220 & 260 (Tier 4)	
-Incompatible with all prior series self-propelled windrowers.	

CUTTERBAR SPECIFICATIONS

-Drive System	SCH® Pro-Drive, low maintenance planetary knife drive system.*
-Available Cutting Systems	
Standard	SCH Easy Cut system with hardened alloy spring steel guards, low friction roller guides, and bolted thru-hardened knife sections for fast replacement.
Optional	New Holland cutting system with heavy-duty cast iron standard or stub guards resist bending. Knife sections are thru- and back-hardened, 100% bolted for fast replacement, with hold down adjustment.
-Cutting Width	36 ft. (11m)
-Min. Cut Height	.75 in. (19mm) @ 8°
-Knife	Double Knife - STD.
-Knife Speed	1400 SPM
-Knife Stroke	3.35 in. (85mm)
-Poly Skid Kit	Available

DRAPER BELT & DECK SPECIFICATIONS

-Type	Raptor™ Draper Belt
-Material	Friction coated 100% polyester high-tensile filament fabric with puncture and tear resistance with reinforced cleats.*
-Belt Drive	Hydraulic, Pulled
-Drive Rolls	Vulcanized rubber covered drive rolls
-Tracking	Molded V-Guide
-Width	42 in.
-Belt Angle	15° @ 2° Tilt
-Max. Belt Speed	750 ft./sec.
-Belt Speed Control	Variable - In cab
-Deck Sealing	
Front Edge	Hay guard labyrinth edge seal
Rear Edge	Draper guard shield with full-width deck belt guide.

STANDARD DECK SPECIFICATIONS

-Center delivery	64-80 in. (1.6-2.0m)
------------------	----------------------

DOUBLE-SWATH SPECIFICATIONS

-End discharge	55-65 in. (1.3-1.6m)
-Hyd. Deck Shift	Standard

REEL SPECIFICATIONS

-Type	HB - Flip over reel
Single Reel	Available
Split Reel	NOT - Available
-Assembly	Fully-Assembled
-Num. Bats	6
-Fingers	Plastic, 1/4 turn quick change design
-End Tine	Standard

REEL DRIVE & ADJUSTMENTS

SPECIFICATIONS

-Drive	Hydraulic, with chain reduction with automatic groundspeed synchronization
--------	--

**DURASWATH™ 436HB DRAPER HEAD
US PRICE LIST**

Standard Equipment

- Hyd. Drive Motor 15.9 cu.in.
- Speed 10-75 rpm
- Lift Hydraulic
- Fore/Aft Hydraulic

CROP DIVIDER SPECIFICATIONS

- Fixed Pipe Standard
- Floating Tip Optional
- Rotary Shear Ready Optional

OPTIONAL EQUIPMENT

- Header gauge wheel kit
- 2 Wheel transport kit
- Adjustable skid shoe kit
- Cross auger feed kit

WARRANTY

New Holland Standard Warranty Applies

*SCH® is a registered trademark of the
Schumacher Company, LLC

*RAPTOR™ is a trademark of WCCO
Belting Inc.



**DURASWATH™ 436HB DRAPER HEAD
US PRICE LIST**

Models

COMMERCIAL MODEL	KNIFE	REEL	DELIVERY	Weight	Factory Data	List Price
DURASWATH 436HB	Double Knife	SINGLE REEL	STD DECK	6,702 LB		\$80,522.00
DURASWATH 436HB	Double Knife	SINGLE REEL	DOUBLE SWATH	6,702 LB		\$84,161.00
DURASWATH 436HB	Double Knife	SPLIT REEL	STD DECK	7,069 LB		\$88,336.00
DURASWATH 436HB	Double Knife	SPLIT REEL	DOUBLE SWATH	6,702 LB		\$91,911.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

	XT9981X	<p>Less Fast Pick Config</p> <p>Fast Pick Configurations are complete packaged units. Selecting any option outside of a Fast Pick configuration, unless specifically allowed eliminates the Fast Pick ordering incentive.</p> <p>LESS FAST PICK CONFIG = A LA CARTE ORDERING AND PRICING</p>			No Charge
	XH938XX	<p>DURASWATH FP 1</p> <p>DuraSwath Draper Head 25', 30' & 36', Draper Headers</p> <p>FAST PICK PKG PRICE = ~5% SAVINGS OVER A LA CARTE ORDER</p> <p>DuraSwath Fast Pick Package contains base model with:</p> <p>727067 - New Holland Cutting System w/ Std. Guards</p> <p>727070 - Poly Skid Plate for NH Cutting System</p> <p>Available With the Following Performance Pack Options:</p> <p>X9710XX - Perf. Pack 1 - Gauge Whlls & 2 Whl Hdr Trans.</p> <p>X9711XX - Perf. Pack 2 - Gauge Whlls & 2 Whl Hdr Trans & Auger</p> <p>X9712XX - Perf. Pack 3 - Gauge Whlls, 4 Whl Hdr Trans & Auger</p>			(\$3,650.00)

**DURASWATH™ 436HB DRAPER HEAD
US PRICE LIST**

		XH939XX	<p>DURASWATH FP 2</p> <p>DuraSwath Draper Head 25', 30', 36', & 40' Draper Headers</p> <p>FAST PICK PKG PRICE = ~5% SAVINGS OVER A LA CARTE ORDER</p> <p>DuraSwath Fast Pick Package contains base model with:</p> <p>727066 - Schumacher Cutting System</p> <p>727071 - Poly Skid Plate for Schumacher Cutting System</p> <p>Available With the Following Performance Pack Options:</p> <p>X9710XX - Perf. Pack 1 - Gauge Whlls & 2 Whl Hdr Trans.</p> <p>X9711XX - Perf. Pack 2 - Gauge Whlls & 2 Whl Hdr Trans. & Auger</p> <p>X9712XX - Perf. Pack 3 - Gauge Whlls, 4 Whl Hdr Trans.</p>			(\$3,575.00)
		XH940XX	<p>DURASWATH FP 3</p> <p>DuraSwath Draper Head 25', 30', 36', & 40' Draper Headers</p> <p>FAST PICK PKG PRICE = ~5% SAVINGS OVER A LA CARTE ORDER</p> <p>DuraSwath Fast Pick Package contains base model with:</p> <p>727066 - Schumacher Cutting System</p> <p>727071 - Poly Skid Plate for Schumacher Cutting System</p> <p>727078 - Rotary Shear Ready</p> <p>Available With the Following Performance Pack Options:</p> <p>X9710XX - Perf. Pack 1 - Gauge Whlls & 2 Whl Hdr Trans.</p> <p>X9711XX - Perf. Pack 2 - Gauge Whlls & 2 Whl Hdr Trans. & Auger</p> <p>X9712XX - Perf. Pack 3 - Gauge Whlls, 4 Whl Hdr Trans.</p>			(\$3,650.00)

SD_T9987 PERFORMANCE PACK

		X9710XX	<p>PERFORMANCE PACK 1</p> <p>Gauge Wheels & Two (2) Wheel Header Transport</p> <p>(DuraSwath 430 & 436 Headers)</p> <p>725579 - Castoring Gauge Wheels less tires & wheels</p> <p>727073 - Two (2) Wheel Header Transport Kit less tires & wheels</p> <p>725591 - Tires, Wheels, Hubs & Spindles for gauge & transporting</p>			(\$300.00)
		X9711XX	<p>PERFORMANCE PACK 2</p> <p>Gauge Wheels, Two (2) Wheel Header Transport, Cross Auger Kit</p> <p>(DuraSwath 430 & 436 Headers)</p> <p>725579 - Castoring Gauge Wheels less tires & wheels</p> <p>727073 - Two (2) Wheel Header Transport Kit less tires & wheels</p> <p>725591 - Tires, Wheels, Hubs & Spindles for gauge & transporting</p> <p>725595 - Feed Assist Cross Auger with center feed fighting</p>			(\$700.00)

COMPLETING PACKAGES

CUTTING SYSTEM

SD_H5806 CUTTING SYSTEM

		727066	<p>Schumacher Cutterbar</p> <p>EasyCut system with spring steel guards, ProCut, bolt-on, plated knife sections and Rollerguide knifeback guide system.</p>			No Charge
--	--	--------	---	--	--	-----------

**DURASWATH™ 436HB DRAPER HEAD
US PRICE LIST**

		727067	CNH Cutterbar Standard Guard NH system with forged steel guards, adjustable hold-down clips and bolt-on knife sections. Recommended for cutting all crops. With adjustable knife hold-downs adjusted regularly, cutterbar cuts cleaner longer using less power. Required for green hay cutting on 25, 30, 36, 40 foot units. Standard guards.			\$1,345.00
		727081	CNH Cutterbar Stub Guard NH system with forged steel guards, adjustable hold-down clips and bolt-on knife sections. Recommended for cutting all crops. With adjustable knife hold-downs adjusted regularly, cutterbar cuts cleaner longer using less power. Required for green hay cutting on 25, 30, 36, 40 foot units. Stub guards.			\$3,297.00

REELS

SD_H5601 REEL

		449541	HB REEL SNGL PF 6B Honey Bee high-strength, high-performance reels include timing adjustment for varying crops and conditions. Innovative ¼ turn quick release plastic tines and exclusive bat construction allow for fast replacement and allow for custom finger spacing adjustments. HB single piece reel with 6 bats and plastic ¼ turn quick release fingers.			No Charge
		449542	HB REEL SPLIT PF 6B Honey Bee high-strength, high-performance reels include timing adjustment for varying crops and conditions. Innovative ¼ turn quick release plastic tines and exclusive bat construction allow for fast replacement and allow for custom finger spacing adjustments. HB split reel with 6 bats and plastic ¼ turn quick release fingers.			No Charge

FACTORY SUPPLIED OPTIONS

WHEEL KITS

SD_16027 CASTING GAUGE WHEEL

		725579	Castering Gauge Wheels Fully castoring with 3-8 inches of shock travel. One person adjustment. Requires tires, wheels, hubs, spindles option to be functional. Wheels are the color yellow.			\$3,681.00
--	--	--------	---	--	--	------------

**DURASWATH™ 436HB DRAPER HEAD
US PRICE LIST****TRANSPORT****SD_16050 TIRES/WHLS/HUBS/SPI**

		725591	Tires/Wheels/Hubs Spindles Required w/castoring gauge wheel option, and/or 2-wheel- or 4-wheel transport option. Only order this option one time when ordering both catering gauge wheels and 2/4 wheel transport. Wheels are the color yellow.			\$1,548.00
--	--	--------	---	--	--	------------

SD_49010 HEADER TRANSPORT

		727073	2 Wheel Hdr Transport Less TW Includes two-piece tongue for LH end of header and fold-up axle for RH end of header. Requires tires, wheels, hubs, spindles to be functional. No on-header storage if castoring gauge wheels are not ordered.			\$2,234.00
		727074	4 Wheel Hdr transport less TW Includes two-piece tongue and two dolly wheels for LH end of header and fold-up axle for RH end of header. Requires tires, wheels, hubs, spindles for rear axle to be functional. No on-header storage if castoring gauge wheels not ordered.			\$4,005.00

LANGUAGE KITS**SD_47083 OPERATOR'S MANUAL**

		725023	French Manual			No Charge
--	--	--------	---------------	--	--	-----------

**OPTIONAL CUTTERBAR PROTECTION SYSTEM (REQUIRED
FOR GREEN HAY CUTTING)****POLY SKID PLATES****SD_H5823 POLY SKID PLATE**

		727070	Poly Skid For CNH Provides full width skids for on-ground operation for CNH cutterbar.			\$2,022.00
		727071	Poly Skid For Schumacher Provides full width skids for on-ground operation for Schumacher cutterbar.			\$2,022.00

**DURASWATH™ 436HB DRAPER HEAD
US PRICE LIST****OPTIONAL EQUIPMENT****DRAPER HEAD OPTIONS****SD_C5832 SKID SHOE**

		727076	Adjustable Skid Shoes One adjustable shoe for each end of the header.			\$1,013.00
		727145	Adjustable END/MDL Skid Shoes One adjustable shoe for each end of the header, plus 2 additional adjustable shoes for middle struts. This will equip the outer ends and middle struts on 25' headers, and the outer ends and 2 of the 4 middle struts on 30', 36' & 40' headers.			\$1,636.00

SD_H5501 CROSS AUGER

		725595	Feed Assist Cross Auger Kit Full length auger with centered flighting.			\$6,459.00
--	--	--------	--	--	--	------------

SD_H5824 FLOATING TIP DIVIDER

		727077	Floating Tip Divider Recommended for hay and lentils.			\$797.00
--	--	--------	---	--	--	----------

SD_H5825 END SHEARS

		727078	Rotary Shear Ready Cutting shears are mounted on the ends of the head. Help cut through downed, tangled, and green crops. Includes brackets, hoses, and valve cartridge to direct oil to rotary shear at both ends of header.			\$1,728.00
--	--	--------	---	--	--	------------

DURASWATH™ 440HB DRAPER HEAD US PRICE LIST

Standard Equipment

DuraSwath™ 440 SPECIFICATIONS

-Drive	Speedrower® SPW draper head drive system, twin 40 gpm hydraulic pumps with dedicated knife drive and reel & draper circuits.
-In-line filtration	Standard
-Fore/Aft Tilt Angle	2-8°
-Max. Harvest Speed	11.5mph (18.5kph)

DRAPER HEAD COMPATIBILITY

-Speedrower 200 & 240 (6-Cy. Tier 3)
-Speedrower 220 & 260 (6-Cy. Tier 4)
-Incompatible with all prior series self-propelled windrowers.

CUTTERBAR SPECIFICATIONS

-Drive System	SCH® Pro-Drive, low maintenance planetary knife drive system.*
-Available Cutting Systems	
Standard	SCH Easy Cut system with hardened alloy spring steel guards, low friction roller guides, and bolted thru-hardened knife sections for fast replacement.
Optional	New Holland cutting system with heavy-duty cast iron standard or stub guards resist bending. Knife sections are thru- and back-hardened, 100% bolted for fast replacement, with hold down adjustment.
-Cutting Width	40 ft. (12.1m)
-Min. Cut Height	.75 in. (19mm) @ 8°
-Knife	Double Knife - STD.
-Knife Speed	1400 SPM
-Knife Stroke	3.35 in. (85mm)
-Poly Skid Kit	Available

DRAPER BELT & DECK SPECIFICATIONS

-Type	Raptor™ Draper Belt
-Material	Friction coated 100% polyester high-tensile filament fabric with puncture and tear resistance with reinforced cleats.*
-Belt Drive	Hydraulic, Pulled
-Drive Rolls	Vulcanized rubber covered drive rolls
-Tracking	Molded V-Guide
-Width	42 in.
-Belt Angle	15° @ 2° Tilt
-Max. Belt Speed	750 ft./sec.
-Belt Speed Control	Variable - In cab
-Deck Sealing	
Front Edge	Hay guard labyrinth edge seal
Rear Edge	Draper guard shield with full-width deck belt guide.

STANDARD DECK SPECIFICATIONS

-Center delivery	64-80 in. (1.6-2.0m)
------------------	----------------------

REEL SPECIFICATIONS

-Type	HB - Flip over reel
Split Reel	Standard
-Assembly	Fully-Assembled
-Num. Bats	6
-Fingers	Plastic, 1/4 turn quick change design
-End Tine	Standard

REEL DRIVE & ADJUSTMENTS SPECIFICATIONS

-Drive	Hydraulic, with chain reduction with automatic groundspeed synchronization
-Hyd. Drive Motor	15.9 cu.in.
-Speed	10-75 rpm

**DURASWATH™ 440HB DRAPER HEAD
US PRICE LIST**

Standard Equipment

-Lift Hydraulic
-Fore/Aft Hydraulic

CROP DIVIDER SPECIFICATIONS

-Fixed Pipe Standard
-Floating Tip Optional
-Rotary Shear Ready Optional

OPTIONAL EQUIPMENT

-Header gauge wheel kit
-4 Wheel transport kit
-Adjustable skid shoe kit
-Cross auger feed kit

WARRANTY

New Holland Standard Warranty Applies

*SCH® is a registered trademark of the
Schumacher Company, LLC

*RAPTOR™ is a trademark of WCCO
Belting Inc.



**DURASWATH™ 440HB DRAPER HEAD
US PRICE LIST**

Models

COMMERCIAL MODEL	KNIFE	REEL	DELIVERY	Weight	Factory Data	List Price
DURASWATH 440HB	Double Knife	SPLIT REEL	STD DECK	7,715 LB		\$86,776.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

	XT9981X	<p>Less Fast Pick Config</p> <p>Fast Pick Configurations are complete packaged units. Selecting any option outside of a Fast Pick configuration, unless specifically allowed eliminates the Fast Pick ordering incentive.</p> <p>LESS FAST PICK CONFIG = A LA CARTE ORDERING AND PRICING</p>			No Charge
	XH939XX	<p>DURASWATH FP 2</p> <p>DuraSwath Draper Head 25', 30', 36', & 40' Draper Headers</p> <p>FAST PICK PKG PRICE = ~5% SAVINGS OVER A LA CARTE ORDER</p> <p>DuraSwath Fast Pick Package contains base model with:</p> <p>727066 - Schumacher Cutting System</p> <p>727071 - Poly Skid Plate for Schumacher Cutting System</p> <p>Available With the Following Performance Pack Options:</p> <p>X9710XX - Perf. Pack 1 - Gauge Whlls & 2 Whl Hdr Trans.</p> <p>X9711XX - Perf. Pack 2 - Gauge Whlls & 2 Whl Hdr Trans. & Auger</p> <p>X9712XX - Perf. Pack 3 - Gauge Whlls, 4 Whl Hdr Trans.</p>			(\$3,575.00)

**DURASWATH™ 440HB DRAPER HEAD
US PRICE LIST**

		XH940XX	<p>DURASWATH FP 3</p> <p>DuraSwath Draper Head 25', 30', 36', & 40' Draper Headers</p> <p>FAST PICK PKG PRICE = ~5% SAVINGS OVER A LA CARTE ORDER</p> <p>DuraSwath Fast Pick Package contains base model with:</p> <p>727066 - Schumacher Cutting System</p> <p>727071 - Poly Skid Plate for Schumacher Cutting System</p> <p>727078 - Rotary Shear Ready</p> <p>Available With the Following Performance Pack Options:</p> <p>X9710XX - Perf. Pack 1 - Gauge Whlls & 2 Whl Hdr Trans.</p> <p>X9711XX - Perf. Pack 2 - Gauge Whlls & 2 Whl Hdr Trans. & Auger</p> <p>X9712XX - Perf. Pack 3 - Gauge Whlls, 4 Whl Hdr Trans.</p>			(\$3,650.00)
--	--	---------	---	--	--	--------------

SD_T9987 PERFORMANCE PACK

		X9712XX	<p>PERFORMANCE PACK 3</p> <p>Gauge Wheels & Four (4) Wheel Header Transport</p> <p>(DuraSwath 440 Headers ONLY)</p> <p>725579 - Castoring Gauge Wheels less tires & wheels</p> <p>727073 - Four (4) Wheel Header Transport Kit less tires & wheels</p> <p>725591 - Tires, Wheels, Hubs & Spindles for gauge & transporting</p>			(\$425.00)
--	--	---------	---	--	--	------------

COMPLETING PACKAGES

CUTTING SYSTEM

SD_H5806 CUTTING SYSTEM

		727066	<p>Schumacher Cutterbar</p> <p>EasyCut system with spring steel guards, ProCut, bolt-on, plated knife sections and Rollerguide knifeback guide system.</p>			No Charge
		727067	<p>CNH Cutterbar Standard Guard</p> <p>NH system with forged steel guards, adjustable hold-down clips and bolt-on knife sections. Recommended for cutting all crops. With adjustable knife hold-downs adjusted regularly, cutterbar cuts cleaner longer using less power. Required for green hay cutting on 25, 30, 36, 40 foot units. Standard guards.</p>			\$214.00
		727081	<p>CNH Cutterbar Stub Guard</p> <p>NH system with forged steel guards, adjustable hold-down clips and bolt-on knife sections. Recommended for cutting all crops. With adjustable knife hold-downs adjusted regularly, cutterbar cuts cleaner longer using less power. Required for green hay cutting on 25, 30, 36, 40 foot units. Stub guards.</p>			\$1,626.00

**DURASWATH™ 440HB DRAPER HEAD
US PRICE LIST**

REELS

SD_H5601 REEL

		449542	HB REEL SPLIT PF 6B Honey Bee high-strength, high-performance reels include timing adjustment for varying crops and conditions. Innovative ¼ turn quick release plastic tines and exclusive bat construction allow for fast replacement and allow for custom finger spacing adjustments. HB split reel with 6 bats and plastic ¼ turn quick release fingers.			No Charge
--	--	--------	---	--	--	-----------

FACTORY SUPPLIED OPTIONS

WHEEL KITS

SD_16027 CASTERING GAUGE WHEEL

		725579	Castering Gauge Wheels Fully castoring with 3-8 inches of shock travel. One person adjustment. Requires tires, wheels, hubs, spindles option to be functional. Wheels are the color yellow.			\$3,681.00
--	--	--------	--	--	--	------------

TRANSPORT

SD_16050 TIRES/WHLS/HUBS/SPI

		725591	Tires/Wheels/Hubs Spindles Required w/castering gauge wheel option, and/or 2-wheel- or 4-wheel transport option. Only order this option one time when ordering both catoring gauge wheels and 2/4 wheel transport. Wheels are the color yellow.			\$1,548.00
--	--	--------	--	--	--	------------

SD_49010 HEADER TRANSPORT

		727074	4 Wheel Hdr transport less TW Includes two-piece tongue and two dolly wheels for LH end of header and fold-up axle for RH end of header. Requires tires, wheels, hubs, spindles for rear axle to be functional. No on-header storage if castoring gauge wheels not ordered.			\$4,005.00
--	--	--------	--	--	--	------------

LANGUAGE KITS

SD_47083 OPERATOR'S MANUAL

		725023	French Manual			No Charge
--	--	--------	---------------	--	--	-----------

**DURASWATH™ 440HB DRAPER HEAD
US PRICE LIST**

**OPTIONAL CUTTERBAR PROTECTION SYSTEM (REQUIRED
FOR GREEN HAY CUTTING)**

POLY SKID PLATES

SD_H5823 POLY SKID PLATE

		727070	Poly Skid For CNH Provides full width skids for on-ground operation for CNH cutterbar.			\$2,352.00
		727071	Poly Skid For Schumacher Provides full width skids for on-ground operation for Schumacher cutterbar.			\$2,352.00

OPTIONAL EQUIPMENT

DRAPER HEAD OPTIONS

SD_C5832 SKID SHOE

		727076	Adjustable Skid Shoes One adjustable shoe for each end of the header.			\$1,013.00
		727145	Adjustable END/MDL Skid Shoes One adjustable shoe for each end of the header, plus 2 additional adjustable shoes for middle struts. This will equip the outer ends and middle struts on 25' headers, and the outer ends and 2 of the 4 middle struts on 30', 36' & 40' headers.			\$1,636.00

SD_H5501 CROSS AUGER

		725595	Feed Assist Cross Auger Kit Full length auger with centered flighting.			\$6,692.00
--	--	--------	--	--	--	------------

SD_H5824 FLOATING TIP DIVIDER

		727077	Floating Tip Divider Recommended for hay and lentils.			\$797.00
--	--	--------	---	--	--	----------

SD_H5825 END SHEARS

		727078	Rotary Shear Ready Cutting shears are mounted on the ends of the head. Help cut through downed, tangled, and green crops. Includes brackets, hoses, and valve cartridge to direct oil to rotary shear at both ends of header.			\$1,769.00
--	--	--------	---	--	--	------------

**MEGACUTTER FRONT PLAIN MOWER
 US PRICE LIST**

(Port of Entry)

Standard Equipment
MegaCutter 510 Front Plain Mower

-NON Conditioning	Standard
-Rubber Roll	Not Available
-Flail Tine	Not Available
-Attachment	Cat II
-A Frame Coupler	Standard
-Check Chain Kit	Standard
-Head Flotation	Adjustable Springs
-Flotation Geometry	Up & Back
-VERTICAL	25.2 in. (640mm)
-Transverse	17°
-Headland Clearance	13.7 in. (350 mm)
-Trans. Width	9' 10" (3.0m)

matching four already provided.
 Provides more complete coverage
 improving floatation in soft
 ground.

- 20 mm (1 5/8") kit of four (4)
 matching for already provided.
 Required when cutting less than
 two (2) inches is required.
 Changes standard cutting height
 range to 1 to 3 inches.

DISC CUTTERBAR SPECIFICATIONS

-Cutting Width	10 ft. 6 in.(3.2m)
-Cutting Height	2 - 4 in.(50-101 mm)
-Quick Knives	Standard
-Num. Discs	8 Round Discs
-Disc Speed	3000 rpm
-Knives/Disc	2 Reversible
-Std. Knives	Angled-Smooth Edge
-Type	Low-Profile Disc Cutterbar
-Protection	Shear Hub System
-Rock Guard	Hardened steel rock guard and skid shoe

PTO ROTATION SPECIFICATIONS

-STD. Primary PTO	Clockwise
-OPT. Primary PTO	Counter-Clockwise

OPTIONAL EQUIPMENT

-Crop Divider Kit	
-1 3/8-21 Spline PTO Yoke	
-Swath Narrowing Wheel Kits	
-Stubble Skid Shoe Kit(s)	
- 40mm (3/4") kit of four (4)	

Tractor REQUIREMENTS

-Tractor Hitch	Cat II-Front Hitch
-PTO Rotation	CW/CCW
-PTO Speed	1000 or 750RPM
-PTO Shaft	1 3/8"-6 spline
-Power	75 PTO hp
-Hyd. Equipment	1 SA Flat Face
-Elec. Requirement	None

BASIC Tractor Recommendations

-NON SUPERSTEER FRONT AXLE
-Three Hydraulic Remotes
-Factory Cat II Front Hitch & PTO
-Lift arms with floating position
-1000 RPM 6-Spline PTO CW Rotation
-Front single acting hydraulic coupler
-Auto Guidance Complete
-Rotary Transport Beacon
-Reversing engine fan package

Recommended Tractor Models

- T5 & Larger - MC510 Only

WARRANTY

New Holland Standard Warranty Applies
 **Only for use with tractors having a
 fully enclosed cab.**

**MEGACUTTER FRONT PLAIN MOWER
US PRICE LIST**

(Port of Entry)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
MEGACUTTER 510P	6,300 LB		\$23,995.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

		XT9981X	Less Fast Pick Config Fast Pick Configurations are complete packaged units. Selecting any option outside of a Fast Pick configuration, unless specifically allowed eliminates the Fast Pick ordering incentive. LESS FAST PICK CONFIG = A LA CARTE ORDERING AND PRICING			No Charge
		X5101XX	MC 510/531 T7 FP FAST PICK PKG PRICE = ~5% SAVINGS OVER A LA CARTE ORDER MC510 Plain Mower for T7 Series Tractors Fast Pick Package Contains: 717279 - Inner Swath Wheel Kit			(\$1,125.00)

MEGACUTTER OPTIONS

SD_H6212 CAT II A-Frame Quick Hitch

		XH6212X	NO CAT II A-Frame Quick Hitch LESS CAT II A-FRAME: DEDUCT SHOULD ONLY BE TAKEN WHEN TRACTOR IS KNOWN TO HAVE BEEN PREVIOUSLY EQUIPPED WITH A-FRAME HITCH.			(\$721.00)
--	--	---------	---	--	--	------------

SD_H6210 1-3/8 21 SPLINE PTO

		726936	1-3/8 21 SPLINE PTO PTO YOKE ONLY - Required for tractors with 1 3/8"-21 spline PTO.			\$270.00
--	--	--------	--	--	--	----------

**MEGACUTTER FRONT PLAIN MOWER
US PRICE LIST**

(Port of Entry)

SD_T2500 CLUTCH

		439426	<p>CNTERCLOCKW OR CLTCH</p> <p>REQUIRED OPTION FOR COUNTER-CLOCKWISE (CCW) TRACTOR PTO: OVERRUNNING CLUTCH FOR CONVERSION OF PRIMARY PTO FROM STANDARD CLOCKWISE (CW) ROTATION TO COUNTER-CLOCKWISE (CCW) ROTATION.</p> <p>THE BASE MC510 IS FACTORY SUPPLIED WITH CW INPUT ROTATION AND A DUAL DIRECTION GEARBOX DRIVE GEARBOX PERMITTING CCW OPERATION.</p> <p>CONVERSION FROM CW to CCW:</p> <p>1) ROTATE THE DUAL DIRECTION BOX to CCW POSITION</p> <p>2) REPLACE THE PRIMARY PTO OVERRUNNING CLUTCH</p> <p>3) TENSION BELTS & INSTALL ALL GUARDS/SHIELDS</p>			\$279.00
--	--	--------	---	--	--	----------

SD_S7002 CUTTERHEAD DRUMS

		462652	<p>STD TOPPER, SHORT DR</p> <p>Light Crop Kit - Improves Crop Feeding Across Cutterbar</p>			\$189.00
--	--	--------	---	--	--	----------

SD_16030 INNER SWATH WHEEL KIT

		717279	<p>Inner Swath Wheel Kit</p> <p>RH/LH swath wheels for individual MegaCutter 510 mowing head. Rolling swath wheels guide mown grass way from the cut edge narrowing the swath.</p>			\$245.00
--	--	--------	---	--	--	----------

SD_47083 OPERATOR'S MANUAL

		715257	French Canadian Manual - NA			No Charge
		715309	Spanish Manual - NA			No Charge

**MEGACUTTER FRONT PLAIN MOWER
US PRICE LIST**

(Port of Entry)

Factory Supplied Attachments

Order Code		Description	Weight	Factory Data	List Price
	726933016	20mm High Skid Shoes (Set of 2) When equipped this kit provides a total of two (2) 20 mm flat skid shoes required when cutting at less than 2 inches. This kit contains two (2), 20 mm height flat skid shoes used in place of four (4) standard raised 40mm skids. RECOMMENDED: ORDER QUANTITY OF TWO, SKID SHOE KITS FOR EACH MEGACUTTER DISC CUTTERBAR	14 KG		\$259.00
	726934016	40mm High Skid Shoes (Set of 2) When equipped this kit provides a total of two (2) 40 equal height skid shoes offering improved flotation. This kit contains two (2), additional 40 mm height raised skid shoes matching standard configuration with 2 in. - 4 in. cutting height range. RECOMMENDED: ORDER QUANTITY OF TWO, SKID SHOE KITS FOR EACH MEGACUTTER DISC CUTTERBAR	16 KG		\$259.00

**MEGACUTTER REAR PLAIN TRIPLE MOWER
US PRICE LIST**

(Port of Entry)

Standard Equipment

MegaCutter 531 Rear Plain Mower

-NON Conditioning	Available
-Attachment	Cat II-III
-Quick Hitch	Not Compliant
-Head Flotation	Spring Type
-Flotation Geometry	Up
-Protection	Safety Breakaway
-Trans. Width	9' 7" (2.92m)
-Trans. Height	13 ft. 0 in. (3.97m)
-Vertical Parking	Standard
-Parked Height	12 ft. 9 in. (3.88m)
-Check Chains	Standard

spring pressure.

- Right/Left Swath narrowing wheels
- 1 3/4-20 Spline PTO for T8 Series
- High Stubble Skid Shoe Kit(s)
 - 40mm (3/4") kit of eight (8) matching four already provided. Provides more complete coverage improving flotation in soft ground.
 - 20 mm (1 5/8") kit of eight (8) matching for already provided. Required when cutting less than two (2) inches is required. Changes standard cutting height range to 1 to 3 inches.

DISC CUTTERBAR SPECIFICATIONS

-Cutting Width (Non-Variable / Fixed)	
-Narrow	30 ft. 4 in. (9.24m)
-Wide	31 ft. 2 in (9.49m)
-Cutting Height	2 - 4 in. (50-101 mm)
-Quick Knives	Standard
-Num. Discs	18 (2 x 9) Round Discs
-Disc Speed	3000 rpm
-Knives/Disc	2 Reversible
-Std. Knives	Angled-Smooth Edge
-Type	Low-Profile Disc Cutterbar, with full width support
-Protection	Shear Hub System
-Rock Guard	Hardened steel rock guard and skid shoe

Tractor REQUIREMENTS

-Tractor Hitch	Cat II - Cat III
-PTO Speed	1000 RPM
-PTO Shaft	1 3/8"-21 spline
-Power	190 PTO hp
-Hyd. Equipment	1 SA
-Elec. Requirement	None

Tractor Recommendations

- NON SUPERSTEER FRONT AXLE
- Factory Front Hitch with 1000 RPM
- Lift arms with float position
- Auto Guidance Complete
- Rotary Transport Beacon
- Reversing engine fan package

DRIVE SPECIFICATIONS

-Primary PTO	
Standard	Std. U-Joint

Recommended Tractor Models

- T5 & Larger - MC510 Only
- T7 & Larger - MC510 & MC531

OPTIONAL EQUIPMENT

- Electric Lift Control diverter valve allows operator to select unified or provides independent control of right and left heads.
- Hydraulic adjustment of flotation

WARRANTY

New Holland Standard Warranty Applies
 Only for use with tractors having a fully enclosed cab.



**MEGACUTTER REAR PLAIN TRIPLE MOWER
US PRICE LIST**

(Port of Entry)
Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
MEGACUTTER 531P	6,300 LB		\$55,336.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

		XT9981X	Less Fast Pick Config Fast Pick Configurations are complete packaged units. Selecting any option outside of a Fast Pick configuration, unless specifically allowed eliminates the Fast Pick ordering incentive. LESS FAST PICK CONFIG = A LA CARTE ORDERING AND PRICING			No Charge
		X5311XX	MC 531 T7 FAST PICK FAST PICK PKG PRICE = ~5% SAVINGS OVER A LA CARTE ORDER MC531 Plain Mower for T7 Series Tractors Fast Pick Package Contains: 415385 - INNER SWTH WHL KT RS			(\$2,600.00)

SD_T9987 PERFORMANCE PACK

		X9741XX	MC 531 PERF PACK 1 MC 531 Performance Package 1: 726970 - Electric Control Box			(\$75.00)
		X9742XX	MC 531 PERF PACK 2 MC 531 Performance Package 2: 727230 - HYD FLOAT ADJUST			(\$100.00)
		X9743XX	MC 531 PERF PACK 3 MC 531 Performance Package 3: 726970 - Electric Control Box 727230 - HYD FLOAT ADJUST			(\$175.00)

MEGACUTTER OPTIONS

SD_H6211 1-3/4 20 SPLINE PTO

		726937	1-3/4 20 SPLINE PTO PTO YOKE ONLY - Required for tractors with 1 3/4"-20 spline PTO.			\$270.00
--	--	--------	--	--	--	----------

**MEGACUTTER REAR PLAIN TRIPLE MOWER
 US PRICE LIST**

(Port of Entry)

SD_H6219 ELECTRIC CONTROL BOX

		726970	Electric Control Box Standard MC531 Requires two (2) double acting valves to raise/lower-fold the heads. This option provides an electric splitter valve and control box reducing the hydraulic requirement from two (2) DA values to one (1) double acting valve while requiring a 12V electrical connection. The operator may select Right Independent Left Independent, or Simultaneous Right & Left headland lifting.			\$1,388.00
--	--	--------	---	--	--	------------

SD_S7002 CUTTERHEAD DRUMS

		462652	STD TOPPER, SHORT DR Light Crop Kit - Improves Crop Feeding Across Cutterbar			\$189.00
--	--	--------	--	--	--	----------

SD_16031 INNER SWATH WHL KIT

		415385	INNER SWTH WHL KT RS RH/LH Swath for individual MegaCutter 531 mowing heads. Rolling swath wheels guide mown grass way from the cut edge narrowing the swath.			\$486.00
--	--	--------	---	--	--	----------

SD_27025 HYDRAULIC LAT FLOAT

		727230	HYD FLOAT ADJUST Hydraulic adjustment of flotation			\$2,276.00
--	--	--------	--	--	--	------------

SD_47083 OPERATOR'S MANUAL

		715257	French Canadian Manual - NA			No Charge
		715309	Spanish Manual - NA			No Charge

**MEGACUTTER REAR PLAIN TRIPLE MOWER
 US PRICE LIST**

(Port of Entry)

Factory Supplied Attachments

Order Code		Description	Weight	Factory Data	List Price
	726933016	20mm High Skid Shoes (Set of 2) When equipped this kit provides a total of two (2) 20 mm flat skid shoes required when cutting at less than 2 inches. This kit contains two (2), 20 mm height flat skid shoes used in place of four (4) standard raised 40mm skids. RECOMMENDED: ORDER QUANTITY OF TWO, SKID SHOE KITS FOR EACH MEGACUTTER DISC CUTTERBAR	14 KG		\$259.00
	726934016	40mm High Skid Shoes (Set of 2) When equipped this kit provides a total of two (2) 40 equal height skid shoes offering improved flotation. This kit contains two (2), additional 40 mm height raised skid shoes matching standard configuration with 2 in. – 4 in. cutting height range. RECOMMENDED: ORDER QUANTITY OF TWO, SKID SHOE KITS FOR EACH MEGACUTTER DISC CUTTERBAR	16 KG		\$259.00

**MEGACUTTER FRONT MOWER-CONDITIONER
 US PRICE LIST**

(Port of Entry)

Standard Equipment
MegaCutter 512 Front Mounted DMC

-Rubber Roll	Available
-Flail Tine	Available
-Attachment	Cat II, A-Frame
-Head Flotation	Adjustable Springs
-Flotation Geometry	Up & Back
-Vertical	27.5 in.
-Transverse	24°
-Headland Clearance	15.7 in. (400mm)
-Trans. Width	11' 2" (3.4m)
-Check Chains	Standard

DISC CUTTERBAR SPECIFICATIONS

-Cutting Width	11 ft.10 in. (3.6m)
-Cutting Height	2 - 4 in.(50-101 mm)
-Quick Knives	Standard
-Num. Discs	9 Round Discs
-Disc Speed	3000 rpm
-Crop Lifters	Optional
-Knives/Disc	2 Reversible
-Std. Knives	Angled-Smooth Edge
-Type	Low-Profile Disc Cutterbar
-Protection	Shear Hub System
-Rock Guard	Hardened steel rock guard and skid shoe

SWATH SPECIFICATIONS

-Swath Shields	Adjustable
----------------	------------

DRIVE SPECIFICATIONS

-Primary PTO	Std. U-Joint & dual CW/CCW direction input gearbox
-Secondary PTO	
Slip Clutch	Standard
Overrunning Clutch	Standard

ROLL CONDITIONING SYSTEM

-Roll Design	Chevron
-Roll Diameter	8.85 in.
-Roll Material	Polyurethane
-Roll Speed	900 rpm
-Roll Pressure	Spring

FLAIL CONDITIONING SYSTEM

-Design	Semi-Swinging "V" Tines
-Tine Material	Steel
-Num. Tines	86
-Rotor Speed	600 rpm (900 rpm available)
-Intensity	Adjustable Hood

OPTIONAL EQUIPMENT

-1 3/8"-21 Spline PTO for T8 Series	
-Stubble Skid Shoe Kit(s)	
- 40mm (3/4") kit of four (4)	matching four already provided.
- 20 mm (1 5/8") kit of four (4)	matching for already provided.

Tractor REQUIREMENTS

-Tractor Hitch	Cat II-Front Hitch
-PTO Rotation	CW/CCW
-PTO Speed	1000
-PTO Shaft	1 3/8"-6 spline
-Power	90 PTO hp
-Hyd. Equipment	1 SA
-Elec. Requirement	None

BASIC Tractor Recommendations

-NON SUPERSTEER FRONT AXLE	
-Three Hydraulic Remotes	
-Factory Front Hitch & PTO Complete	
-Lift Arm Category II	
-Lift arms with floating position	
-1000 RPM 6-Spline PTO CW Rotation	
-Front single acting hydraulic coupler	
-Reversing engine fan package	

Recommended Tractor Models

-T6.155 & Larger - MC512 T/R Only	
-T7.315 & Larger - MC512 & MC533	

WARRANTY

New Holland Standard Warranty Applies
 **Only for use with tractors having a
 fully enclosed cab.**



**MEGACUTTER FRONT MOWER-CONDITIONER
US PRICE LIST**

(Port of Entry)
Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
MEGACUTTER 512R	6,300 LB		\$37,349.00
MEGACUTTER 512T	6,300 LB		\$32,686.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

		XT9981X	Less Fast Pick Config Fast Pick Configurations are complete packaged units. Selecting any option outside of a Fast Pick configuration, unless specifically allowed eliminates the Fast Pick ordering incentive. LESS FAST PICK CONFIG = A LA CARTE ORDERING AND PRICING			No Charge
		X5121XX	MC 512/533 T7 FP FAST PICK PKG PRICE = ~5% SAVINGS OVER A LA CARTE ORDER MC512 T/R Disc Mower Conditioner for T7 Series Tractors Fast Pick Package Contains base model without options.			(\$1,625.00)
		X5122XX	MC 512/533 T8 FP FAST PICK PKG PRICE = ~5% SAVINGS OVER A LA CARTE ORDER MMC512 T/R Disc Mower Conditioner for T8 Series Tractors Fast Pick Package Contains: 726936 - 1-3/8 21 SPLINE PTO			(\$1,635.00)

MEGACUTTER OPTIONS

SD_H6212 CAT II A-Frame Quick Hitch

		XH6212X	NO CAT II A-Frame Quick Hitch LESS CAT II A-FRAME: DEDUCT SHOULD ONLY BE TAKEN WHEN TRACTOR IS KNOWN TO HAVE BEEN PREVIOUSLY EQUIPPED WITH A-FRAME HITCH.			(\$721.00)
--	--	---------	---	--	--	------------



**MEGACUTTER FRONT MOWER-CONDITIONER
US PRICE LIST**

(Port of Entry)

SD_H6210 1-3/8 21 SPLINE PTO

		726936	1-3/8 21 SPLINE PTO PTO YOKE ONLY - Required for tractors with 1 3/8"-21 spline PTO.			\$270.00
--	--	--------	--	--	--	----------

SD_47083 OPERATOR'S MANUAL

		715257	French Canadian Manual - NA			No Charge
		715309	Spanish Manual - NA			No Charge

**MEGACUTTER FRONT MOWER-CONDITIONER
 US PRICE LIST**

(Port of Entry)

Factory Supplied Attachments

Order Code		Description	Weight	Factory Data	List Price
	726933016	20mm High Skid Shoes (Set of 2) When equipped this kit provides a total of two (2) 20 mm flat skid shoes required when cutting at less than 2 inches. This kit contains two (2), 20 mm height flat skid shoes used in place of four (4) standard raised 40mm skids. RECOMMENDED: ORDER QUANTITY OF TWO, SKID SHOE KITS FOR EACH MEGACUTTER DISC CUTTERBAR	14 KG		\$259.00
	726934016	40mm High Skid Shoes (Set of 2) When equipped this kit provides a total of two (2) 40 equal height skid shoes offering improved flotation. This kit contains two (2), additional 40 mm height raised skid shoes matching standard configuration with 2 in. - 4 in. cutting height range. RECOMMENDED: ORDER QUANTITY OF TWO, SKID SHOE KITS FOR EACH MEGACUTTER DISC CUTTERBAR	16 KG		\$259.00

**MEGACUTTER REAR TRIPLE MOWER-CONDITIONER
 US PRICE LIST**

(Port of Entry)

Standard Equipment
MegaCutter 533 Rear Triple DMC

-Rubber Roll	Available
-Flail Tine	Available
-Attachment	Cat III-IV
-Quick Hitch	Not Compliant
-Head Flotation	Hydraulic
-Flotation Geometry	Up & Back
-VERTICAL	27.5 in.
-Transverse	30°
-Trans. Width	9 ft. 4 in. (2.84 m)
-Trans. Height	13 ft. 6 in. (4.12 m)
-Vertical Parking	Standard
-Parked Height	13 ft. 1 in. (3.9m)
-Check Chains	Standard
-Hydraulic Top link	Optional

-Secondary PTO	
Slip Clutch	Standard
Overrunning Clutch	Standard

ROLL CONDITIONING SYSTEM

- Chevron Roll Conditioning provides through stem conditioning speeding dry down of legume crops while protecting delicate high-value leaves.
- Twin driven rollers ensure uniform and consistent feeding and a uniform swath formation.

-Roll Design	Chevron
-Roll Diameter	8.85 in.
-Roll Material	Polyurethane
-Roll Speed	900 rpm
-Roll Pressure System	Spring

DISC CUTTERBAR SPECIFICATIONS

-Cutting Width	
-Narrow	30 ft. 8 in. (9.32m)
-Wide	33 ft. 6 in. (10.2m)
-Variable Width Hydraulic Control	
-Max Overlap	11in. (275mm) per side
-Min Overlap	6 in. (75mm) per side
-Cutting Height	2 - 4 in. (50-101 mm)
-Quick Knives	Standard
-Num. Discs	18 (2 x 9)
-Disc Type	Round
-Disc Speed	3000 rpm
-Crop Lifters	Optional
-Knives/Disc	2 Reversible
-Std. Knives	Angled-Smooth Edge
-Type	Low-Profile Disc Cutterbar, with full width support
-Protection	Shear Hub System
-Rock Guard	Hardened steel rock guard and skid shoe

FLAIL CONDITIONING SYSTEM:

- Tangential mounted v-tines provide additional outward crop pressure enhance conditioning quality and uniform swath formation compared to straight tine concepts.
- Design Semi-Swinging "V" Tines
- Tine Material Steel
- Num. Tines 132 (66 per head)
- Rotor Speed 700 rpm (1000 rpm available)
- Intensity Adjustable Hood

OPTIONAL EQUIPMENT

- Hydraulic third top link kit controlled by MegaCutter hydraulics.
- Crop Divider Kit
- 1 3/4-20 Spline PTO for T8 Series
- Hydraulic folding side guards
- High Stubble Skid Shoe Kit(s)
 - 40mm (3/4") kit of eight (8) matching four already provided. Provides more complete coverage improving flotation in soft ground.
 - 20 mm (1 5/8") kit of eight (8)

SWATH SPECIFICATIONS

-Swath Shields	Adjustable
-Wide Swathing	Optional

DRIVE SPECIFICATIONS

-Primary PTO	
Standard	Std. U-Joint

**MEGACUTTER REAR TRIPLE MOWER-CONDITIONER
US PRICE LIST**

(Port of Entry)

Standard Equipment

matching for already provided.
Required when cutting less than
two (2) inches is required.
Changes standard cutting height
range to 1 to 3 inches.

-ISOBUS - Less Joystick Controls
MegaCutter 533 controlled through
tractors IntelliView IV virtual terminal
(VT) monitor and/or ISOBUS tractor
controls when equipped. All machine
functions controlled with IntelliView
IV monitor soft keys. Easy to use
programmable single button touch
automatic headland lift function -one
for perpendicular headlands or
function-two for angular headlands.

-ISOBUS & Non ISOBUS - With
Joystick Controls: MegaCutter 533
controlled with Joystick controller
mounted on tractor armrest providing
dedicated MegaCutter controls
outside of the IntelliView IV monitor
soft keys or when a tractor is not
ISOBUS Compliant. Easy to use
programmable single button touch
automatic headland lift function -one
for perpendicular headlands or
function -two for angular headlands.

****Factory Control Option Default:**
ISOBUS - Less Joystick Controls******
****Linking MC512 and MC533 for**
centralized ISOBUS control
requires a hydraulic hose
extension supplied by the
dealer and connecting the
front mower lift circuit to

the MC533 control system.**

Tractor REQUIREMENTS

-Tractor Hitch	Cat III or IV
-PTO Speed	1000 RPM
-PTO Shaft	1 3/8"-21 or 20 Opt.
-Power	235 PTO hp
-Hyd. Equipment	CCLS Hydraulics
-Front MC512 T/R	1 SA
-Rear MC533 T/R	CCLS 1 LS / 1 DA
-Flow Rate	6.5-13.25 GPM (25-50 lmp)
-Pressure	2175-2900 psi (150-200 bar)
-Elec. Requirement	12V 3-pin
-Tractor Display	IntelliView IV
-ISOBUS Compliant	YES - 11783

Connector

Tractor Recommendations

- NON SUPERSTEER FRONT AXLE
- Three Hydraulic Remotes
- Factory Cat II Front Hitch & PTO
 - Lift arms with floating position
 - 1000 RPM 6-Spline PTO CW Rotation
 - Front single acting hydraulic coupler
- Auto Guidance Complete
- Rotary Transport Beacon
- Reversing engine fan package

Recommended Tractor Models

- T6.155 & Larger - MC512 T/R Only
- T7.315 & Larger - MC512 & MC533

WARRANTY

New Holland Standard Warranty Applies
****Only for use with tractors having a
fully enclosed cab.****



**MEGACUTTER REAR TRIPLE MOWER-CONDITIONER
US PRICE LIST**

(Port of Entry)
Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
MEGACUTTER 533R	6,300 LB		\$98,245.00
MEGACUTTER 533T	6,300 LB		\$93,915.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

	XT9981X	Less Fast Pick Config Fast Pick Configurations are complete packaged units. Selecting any option outside of a Fast Pick configuration, unless specifically allowed eliminates the Fast Pick ordering incentive. LESS FAST PICK CONFIG = A LA CARTE ORDERING AND PRICING			No Charge
	X5331XX	MC 533 T7 FAST PICK FAST PICK PKG PRICE = ~5% SAVINGS OVER A LA CARTE ORDER MC533 T/R Disc Mower Conditioner for T7 Series Tractors Fast Pick Package Contains: 726940 - Flip-Over Swath Gate			(\$4,500.00)
	X5332XX	MC 533 T8 FAST PICK FAST PICK PKG PRICE = ~5% SAVINGS OVER A LA CARTE ORDER MC533 T/R Disc Mower Conditioner for T8 Series Tractors Fast Pick Package Contains: 726937 - 1-3/4 20 SPLINE PTO 726940 - Flip-Over Swath Gate			(\$4,510.00)

SD_T9987 PERFORMANCE PACK

	X9738XX	MC 533 PERF PACK 1 MC 533 Performance Package 1: 415386 - HYDRAULIC TOP LINK			(\$50.00)
	X9739XX	MC 533 PERF PACK 2 MC 533 Performance Package 2: 727185 - JOYSTICK CNT-ISOBUS ISOBUS/NON ISOBUS			(\$150.00)
	X9740XX	MC 533 PERF PACK 3 MC 533 Performance Package 3: 415386 - HYDRAULIC TOP LINK 727185 - JOYSTICK CNT-ISOBUS ISOBUS/NON ISOBUS			(\$300.00)

**MEGACUTTER REAR TRIPLE MOWER-CONDITIONER
US PRICE LIST**

(Port of Entry)

MEGACUTTER OPTIONS

SD_H6211 1-3/4 20 SPLINE PTO

		726937	1-3/4 20 SPLINE PTO PTO YOKE ONLY - Required for tractors with 1 3/4"-20 spline PTO.			\$270.00
--	--	--------	--	--	--	----------

SD_50145 JOYSTICK

		727185	JOYSTICK CNT-ISOBUS ISOBUS/NON ISOBUS MEGACUTTER CONTROLLER: Joystick controller INCLUDES the additional wiring NON-ISOBUS harness required for Joystick control of ISOBUS & NON-ISOBUS compliant tractors. Controller connects through the tractor's ISOBUS plug or directly to the MegaCutter. When used with ISOBUS tractor provides for VT display of machine functions and joystick control of critical headland function.			\$3,510.00
		X50145X	No Joystick LESS MEGACUTTER CONTROLLER: MegaCutter delivered without a pre-programmed controller and connects directly through the tractor's ISOBUS plug and provides for VT display and control of machine functions ONLY when used with an ISOBUS tractor.			No Charge

SD_C5825 HYDRAULIC TOP LINK

		415386	HYDRAULIC TOP LINK Hydraulic Top Link Kit - Cat III: Connects to the MegaCutter hydraulics allowing for easy adjustment of cutting height/angle compared to the standard, mechanical top link angle adjustment. INCLUDES TOP LINK EXTENSION LINK LONG & SHORT: Cat IV - Hydraulic Top Link - LONG EXTENSION 182 mm Cat IV - Hydraulic Top Link - SHORT EXTENSION 68 mm			\$3,256.00
--	--	--------	--	--	--	------------

SD_H6213 FLIP-OVER SWATH GATE

		726940	Flip-Over Swath Gate MC533 ONLY - Right & Left flip over wide spreading kit with adjustable fin angle for up to 100% swath coverage.			\$1,080.00
--	--	--------	--	--	--	------------

SD_47083 OPERATOR'S MANUAL

		715257	French Canadian Manual - NA			No Charge
		715309	Spanish Manual - NA			No Charge

**MEGACUTTER REAR TRIPLE MOWER-CONDITIONER
US PRICE LIST**

(Port of Entry)

Factory Supplied Attachments

Order Code		Description	Weight	Factory Data	List Price
	726933016	20mm High Skid Shoes (Set of 2) When equipped this kit provides a total of two (2) 20 mm flat skid shoes required when cutting at less than 2 inches. This kit contains two (2), 20 mm height flat skid shoes used in place of four (4) standard raised 40mm skids. RECOMMENDED: ORDER QUANTITY OF TWO, SKID SHOE KITS FOR EACH MEGACUTTER DISC CUTTERBAR	14 KG		\$259.00
	726934016	40mm High Skid Shoes (Set of 2) When equipped this kit provides a total of two (2) 40 equal height skid shoes offering improved flotation. This kit contains two (2), additional 40 mm height raised skid shoes matching standard configuration with 2 in. - 4 in. cutting height range. RECOMMENDED: ORDER QUANTITY OF TWO, SKID SHOE KITS FOR EACH MEGACUTTER DISC CUTTERBAR	16 KG		\$259.00