

**TS6 CAB FWD 16X8 LESS LOADER FAST PICK  
US PRICE LIST**

## Standard Equipment

### KEY SELLING POINTS:

- CommandArc# ergonomically places most frequently used controls to operator's right
- Cab has ten repositionable vents for heating and air conditioning
- Full-size instructor seat (option)
- Creeper transmission (option)
- 4.5L, 4-cylinder, FPT engines with 4 valves per cylinder, and common rail fuel injection systems
- Tier 4B EPA emissions compliant with ECOBlue# HI-eSCR Tier4B emissions system

### ENGINE

#### ----- TS6.110

Rated PTO HP - 90  
Rated Engine HP - 110  
Rated Engine Speed - @ 2200 rpm  
274 cu. in. (4.5L) Displacement  
4 Cylinders, Turbocharged  
Intercooled Diesel Engine

#### TS6.120

Rated PTO HP - 96  
Rated Engine HP - 119  
Rated Engine Speed - @ 2200 rpm  
274 cu. in. (4.5L) Displacement  
4 Cylinders, Turbocharged  
Intercooled Engine

#### TS6.130

Rated PTO HP - 105  
Rated Engine HP - 130  
Rated Engine Speed - @ 2200 rpm  
274 cu. in. (4.5L) Displacement  
4 Cylinders, Turbocharged  
Intercooled Engine

#### TS6.140

Rated PTO HP - 115  
Rated Engine HP - 139

Rated Engine Speed - @ 2200 rpm  
274 cu. in. (4.5L) Displacement  
4 Cylinders, Turbocharged  
Intercooled Engine

### COMMON ENGINE FEATURES

-----  
Tier 4B Emissions Compliant  
ECOBBlue# HI-eSCR Tier4B emissions system  
Engine with Turbocharger and Air-to-Air Intercooler  
4 Valves Per Cylinder  
Bosch Common Rail Fuel Injection Pump (electronic)  
Grid Heater Starting Aid  
Dual Element Air Filter with Pre-Cleaner (spin tube intakes)  
A-Pillar Exhaust with Integral Muffler  
Air cleaner with integrated pre-cleaner & dust ejector  
Fixed Fan  
Cooling System with Antifreeze  
Water Separator and Dual Fuel Filters  
Plastic Fuel Tank  
57.5 gallon (217.6 liter) fuel capacity  
7.9 gallon (30 liter) DEF tank capacity  
Fuel tank guard

### TRANSMISSION

-----  
16 X 8 Power Shuttle  
16 Forward x 8 Reverse  
24.9 MPH (40 KPH)  
Main gearbox synchronized in range  
Left-hand shuttle lever  
(2) Right-hand Shift Levers  
Multiplate Wet Clutch (7) 6in. plates

### STEERING

-----  
Hydrostatic Power Steering

**TS6 CAB FWD 16X8 LESS LOADER FAST PICK  
US PRICE LIST**

## Standard Equipment

### AXLES

-----  
Front - FWD

104" Wheel Base

Class 3 Heavy Duty

Limited Slip Front Wheel Drive

Mechanical FWD Engagement

55° Turning Angle

12° Axle Oscillation

Front Drive Shaft Shield

Manual Adjustable Tread Width from  
64 in. to 80 in.

Rear

Hydraulic Wet Brakes (equalizing)

Park Brake Lever

Swinging Drawbar

Manual Adjustable Tread Width from  
64 in. to 80 in.

PTO

-----  
Independent, 540/1000 rpm PTO

Multi-plate Wet Clutch

Mechanical Engagement

### HYDRAULIC SYSTEM

-----  
Fixed displacement pumps

Dual Gear Pumps

Maximum Flow at Rated Engine Speed:

Implement Pump: 22 gpm

Steering Pump: 7 gpm

Total Flow: 29 gpm

(2) Close Center Deluxe Remotes (opt.

for 3) with Flow Control and

(4) Couplers

### 3-POINT LIFT SYSTEM

-----  
Top Link Draft Sensing

3735 lbs. Lift Capacity @ 24 in. (ASAE)

Category II, 3-point Linkage with Flexible  
Link Ends

Telescopic Stabilizers

### ELECTRICAL:

(1) 950 cca Heavy-Duty Battery

120 amp Alternator

7-pin Outlet for trailer/implement lighting  
and signals

3-pin Power Outlet (30 amp) - cab only

Single Pin (8 amp) Accessory Power  
outlet

12V power socket (cigarette lighter) -  
cab only

### INSTRUMENTATION:

Analog Instrumentation with warning  
lights for air cleaner service,  
alternator, oil pressure, fuel  
sediment/water sensor, PTO  
engagement, head light high beam,  
low fuel and parking brake,  
digital speed readout

Gauges for fuel level, engine  
temperature, tachometer and hour  
meter

Horn

### LIGHTING:

CAB

Front: (2) Halogen Headlights and  
(4) cab mounted worklights

Rear: (4) cab mounted worklights

Turn Signals/Flashers/Rear Lights

### OPERATOR PROTECTIVE STRUCTURE:

#### CAB MODELS

ROPS protected, FOPS Certified, flat  
deck platform with heat and air  
conditioning, tinted windshield, two  
doors with locks, two external mirrors,  
openable side windows, hinged rear  
window (opens completely)  
Steering Wheel - adjustable tilt  
Seat - Cloth covered with mechanical



TS6 CAB FWD 16X8 LESS LOADER FAST PICK  
US PRICE LIST

## Standard Equipment

suspension, operator's presence sensor,  
retractable seat belt and arm rests  
Suspended pedals  
Radio, wires, speakers, and  
antenna  
Front window washer and wiper

### WARRANTY

-----  
New Holland Standard Warranty Applies

### MISCELLANEOUS

-----  
Pivoting Engine Hood  
SMV Emblem  
Toolbox

**TS6 CAB FWD 16X8 LESS LOADER FAST PICK  
 US PRICE LIST**
**Models**

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
TS6.110 T4B	Cab	MFD	10,450 LB		\$85,335.00
Includes the following Equipment					
13.6R28 MICHELIN (8201703) \$1,853.00					
18.4R34 MICHELIN (8301703) \$3,592.00					
Radio 392295 (392295) \$244.00					
TS6.120 T4B	Cab	MFD	10,450 LB		\$89,930.00
Includes the following Equipment					
13.6R28 MICHELIN (8201703) \$1,853.00					
18.4R34 MICHELIN (8301703) \$3,592.00					
Radio 392295 (392295) \$244.00					
TS6.130 T4B	Cab	MFD	10,626 LB		\$95,083.00
Includes the following Equipment					
13.6R28 MICHELIN (8201703) \$1,853.00					
18.4R34 MICHELIN (8301703) \$3,592.00					
Radio 392295 (392295) \$244.00					
TS6.140 T4B	Cab	MFD	10,626 LB		\$102,642.00
Includes the following Equipment					
13.6R28 MICHELIN (8201703) \$1,853.00					
18.4R34 MICHELIN (8301703) \$3,592.00					
Radio 392295 (392295) \$244.00					



TS6 CAB FWD 16X8 LESS LOADER FAST PICK  
US PRICE LIST

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

PACKAGE SELECTION

SD\_T9980 PACKAGING

	X0548XX	NH FAST PICK #3 NH FAST PICK #3 TS6 Cab FWD 16X8 Less Loader # Includes: 337280: 40 KPH 330061: 16x8 With Power Shuttle 390331: Heavy-duty Flange Axle 429472: 2 Bosch RR Flow Ctrl 390819: Less Loader Ready XT8240X: Std less External 3-pt Control 390215: Less Front Carrier and Weights XT4961X: Standard less rear ballast 334743: High-visibility window 336937: Instructor seat 390860: Less Front Fenders 392295: Radio 392295 X5701XX: Floor mat in Cab base			(\$766.00)
--	---------	---	--	--	------------

TRANSMISSION

SD\_T3230 CREEPER or Interlock

	330066	10:1 CREEPER FOR 8+8 & 16+8 Creeper Transmission  NOT Compatible with 16x8 (330061) AND 46" rear wheels (8360761 or 8360781).			\$2,517.00
--	--------	---	--	--	------------

TIRES

FRONT WHEELS & TIRES

SD\_T4940 FRONT WHEELS AND TIRES

4WD Front					
	8201703	13.6R28 MICHELIN Requires 18.4R34 R1W Rear Tires			\$1,853.00

**TS6 CAB FWD 16X8 LESS LOADER FAST PICK  
US PRICE LIST**

	8240304	14.9-24 6PR R1 <b>Firestone Brand</b>			\$1,853.00
	8282201	12.4 x 28 6PR R1 <b>Requires 12.4x42 Rear Tires</b>			\$2,153.00
	8248621	250/95 R34 R1 <b>Requires 12.4R46 or 320/90R46 R1 Rear Tires</b>			\$2,451.00
	8248631	320/85 R34 R1 <b>Requires 14.9R46 (380/85R46) Rear Tires</b>			\$4,189.00
	8299905	Front Shipping Wheels-4WD <b>4WD Shipping Wheels</b>			\$195.00

**REAR WHEELS & TIRES**

**SD T4950 REAR WHEELS AND TIRES**

		Flange Axle			
	8340612	18.4x34 8 ply R1 8340612			\$3,518.00
	8301702	18.4R30 MICHELIN			\$3,063.00
	8301703	18.4R34 MICHELIN			\$3,592.00
	8365440	18.4 x 34 8 PLY R1 <b>Firestone Brand</b>			\$3,592.00
	8301705	18.4R38 MICHELIN			\$4,181.00
	8380100	12.4x42 8PR R1			\$4,621.00
	8399905	Shipping Wheels-Rear			\$733.00

**3-POINT HITCH**

**REAR 3 POINT HITCH**

**SD T8950 AUX RAMS**

	390344	Hyd Lift w/ 1 int. cyl <b>1 Internal Lift Ram</b> <b>3,735 pounds lift capacity</b>			No Charge
	336784	Hyd Lift w/ 1 int. & 1 ext cyl <b>1 Auxiliary Lift Ram</b> <b>5,499 pounds lift capacity</b>			\$706.00
	339784	Hyd Lift w/ 1 int. & 2 ext cyl <b>2 Auxiliary Lift Rams</b> <b>7,326 pounds lift capacity</b>			\$1,334.00

**CAB OPTION**

**SEATS**

**SD T8500 SEAT**

	336923	Air suspension seat w/swivel <b>With 15 degree swivel</b>			\$939.00
--	--------	--	--	--	----------



**TS6 CAB FWD 16X8 LESS LOADER FAST PICK  
US PRICE LIST**

**REAR WINDOW WIPER/WASHER**

**SD T9150 REAR WIPER & WASHER**

		330642	Rear wiper/washer - CAB <b>Rear window wiper/washer for Cab</b>			\$272.00
--	--	--------	--	--	--	----------

**OPERATOR'S MANUALS**

**SD T9802 OPERATORS MANUAL**

		429481	Spanish Bosch T4B			No Charge
		429482	French Bosch T4B			No Charge

**SD T9840 COUNTRY CONFIGURATION**

		339982	French Decals			No Charge
		339986	Spanish Decals			No Charge

**TS6 CAB FWD 16X8 LOADER READY FAST PICK  
US PRICE LIST**

## Standard Equipment

### KEY SELLING POINTS:

- CommandArc# ergonomically places most frequently used controls to operator's right
- High visibility panel provides a better view of loader when at full height
- Ten repositionable vents for heating and air conditioning
- Full-size instructor seat
- 4.5L, 4-cylinder, FPT engines with 4 valves per cylinder, and common rail fuel injection systems
- Tier 4B EPA emissions compliant with ECOBlue# HI-eSCR Tier4B emissions system
- Factory Installed joystick and loader mounts
- Economy priced All Purpose Heavy tractor

### ENGINE

#### -----

#### TS6.110

Rated PTO HP - 90  
Rated Engine HP - 110  
Rated Engine Speed - @ 2200 rpm  
274 cu. in. (4.5L) Displacement  
4 Cylinders, Turbocharged  
Intercooled Diesel Engine

#### TS6.120

Rated PTO HP - 96  
Rated Engine HP - 119  
Rated Engine Speed - @ 2200 rpm  
274 cu. in. (4.5L) Displacement  
4 Cylinders, Turbocharged  
Intercooled Diesel Engine

#### TS6.130

Rated PTO HP - 105  
Rated Engine HP - 130  
Rated Engine Speed - @ 2200 rpm  
274 cu. in. (4.5L) Displacement  
4 Cylinders, Turbocharged  
Intercooled Diesel Engine

#### TS6.140

Rated PTO HP - 115  
Rated Engine HP - 139  
Rated Engine Speed - @ 2200 rpm  
274 cu. in. (4.5L) Displacement  
4 Cylinders, Turbocharged  
Intercooled Diesel Engine

### COMMON ENGINE FEATURES

-----  
Tier 4B Emissions Compliant  
ECOBBlue# HI-eSCR Tier4B emissions system  
Engine with Turbocharger and Air-to-Air Intercooler  
4 Valves Per Cylinder  
Bosch Common Rail Fuel Injection Pump (electronic)  
Grid Heater Starting Aid  
Dual Element Air Filter with Pre-Cleaner (spin tube intakes)  
A-Pillar Exhaust with Integral Muffler  
Air cleaner with integrated pre-cleaner & dust ejector  
Fixed Fan  
Cooling System with Antifreeze  
Water Separator and Dual Fuel Filters  
Plastic Fuel Tank  
57.5 gallon (217.6 liter) fuel capacity  
7.9 gallon (30 liter) DEF tank capacity  
Fuel tank guard

### TRANSMISSION

-----  
16 X 8 Power Shuttle  
16 Forward x 8 Reverse  
4WD - 24.9 MPH (40 KPH)  
Main gearbox synchronized in range  
Left-hand shuttle lever  
(2) Right-hand shift Levers  
Multi-plate wet clutch (7) 6in. plates

### STEERING

-----



**TS6 CAB FWD 16X8 LOADER READY FAST PICK  
US PRICE LIST**

## Standard Equipment

### Hydrostatic Power Steering

#### AXLES

-----  
Front - FWD  
104" Wheel Base  
Class 3 Heavy Duty  
Limited Slip Front Wheel Drive  
Mechanical FWD Engagement  
55° Turning Angle  
12° Axle Oscillation  
Front Drive Shaft Shield  
Manual Adjustable Tread Width from  
64 in. to 80 in.

Rear  
Hydraulic Wet Brakes (equalizing)  
Park Brake Lever  
Swinging Drawbar  
Manual Adjustable Tread Width from  
64 in. to 80 in.

#### PTO

-----  
Independent, 540/1000 rpm PTO  
Multi-plate Wet Clutch  
Mechanical Engagement

#### HYDRAULIC SYSTEM

-----  
Fixed displacement pumps  
Dual Gear Pumps  
Maximum Flow at Rated Engine Speed:  
Implement Pump: 22 gpm  
Steering Pump: 7 gpm  
Total Flow: 29 gpm  
(3) Close Center Deluxe Remotes  
(6) Couplers  
2 function mid mount valve and  
joystick with loader brackets,  
hoses and multi-coupler quick coupler

#### 3-POINT LIFT SYSTEM

### Top Link Draft Sensing

3735 lbs. Lift Capacity @ 24 in. (ASAE)  
Category II, 3-point Linkage with Flexible  
Link Ends  
Telescopic Stabilizers  
External 3-point hitch control

#### ELECTRICAL:

(1) 950 cca Heavy-Duty Battery  
120 amp Alternator  
7-pin Outlet for trailer/implement lighting  
and signals  
3-pin Power Outlet (30 amp) - cab only  
Single Pin (8 amp) Accessory Power  
outlet  
12V power socket (cigarette lighter) -  
cab only

#### INSTRUMENTATION:

Analog Instrumentation with warning  
lights for air cleaner service,  
alternator, oil pressure, fuel  
sediment/water sensor, PTO  
engagement, head light high beam,  
low fuel and parking brake,  
digital speed readout  
Gauges for fuel level, engine  
temperature, tachometer and hour  
meter  
Horn

#### LIGHTING:

CAB  
Front: (2) Halogen Headlights and  
(4) cab mounted worklights  
Rear: (4) cab mounted worklights  
Turn Signals/Flashers/Rear Lights

#### OPERATOR PROTECTIVE STRUCTURE:

ROPS protected, FOPS certified, flat  
deck platform  
with heat and air conditioning, tinted  
windshield, two doors with locks, two  
external mirrors, openable side



**TS6 CAB FWD 16X8 LOADER READY FAST PICK  
US PRICE LIST**

**Standard Equipment**

windows, hinged rear window (opens completely)  
Steering Wheel - adjustable tilt  
Seat - Cloth covered with air suspension, operator's presence sensor, retractable seat belt and arm rests  
Instructor seat  
Suspended pedals  
Radio complete with radio, wires, speakers, and antenna  
Front and rear window washer and wiper  
Overhead high visibility window  
Sun visor

MISCELLANEOUS

-----  
Pivoting Engine Hood  
SMV Emblem  
Toolbox  
6 Rear Wheel Weights

WARRANTY

-----  
New Holland Standard Warranty Applies

**TS6 CAB FWD 16X8 LOADER READY FAST PICK  
 US PRICE LIST**
**Models**

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
TS6.110 T4B	Cab	MFD	10,450 LB		\$85,335.00
Includes the following Equipment					
13.6R28 MICHELIN (8201703) \$1,853.00					
18.4R34 MICHELIN (8301703) \$3,592.00					
Radio 392295 (392295) \$244.00					
TS6.120 T4B	Cab	MFD	10,450 LB		\$89,930.00
Includes the following Equipment					
13.6R28 MICHELIN (8201703) \$1,853.00					
18.4R34 MICHELIN (8301703) \$3,592.00					
Radio 392295 (392295) \$244.00					
TS6.130 T4B	Cab	MFD	10,626 LB		\$95,083.00
Includes the following Equipment					
13.6R28 MICHELIN (8201703) \$1,853.00					
18.4R34 MICHELIN (8301703) \$3,592.00					
Radio 392295 (392295) \$244.00					
TS6.140 T4B	Cab	MFD	10,626 LB		\$102,642.00
Includes the following Equipment					
13.6R28 MICHELIN (8201703) \$1,853.00					
18.4R34 MICHELIN (8301703) \$3,592.00					
Radio 392295 (392295) \$244.00					

**TS6 CAB FWD 16X8 LOADER READY FAST PICK  
US PRICE LIST**

## Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

### PACKAGE SELECTION

#### SD\_T9980 PACKAGING

	X0549XX	<b>NH FAST PICK #4</b> <b>NH FAST PICK #4</b> <b>Cab FWD 16X8 Loader Ready</b>  <b>Include:</b> <b>337280: 40 KPH</b> <b>330061: 16x8 With Power Shuttle</b> <b>390331: Heavy-duty Flange Axle</b> <b>390266: L/CREEPER FOR 8+8</b> <b>429473: 3 Bosch RR Flow Ctrl</b> <b>330845: External 3-pt Control for MDC</b> <b>429475: Loader Ready 429475</b> <b>330471: 6 Rear Wheel Weights</b> <b>334743: High-visibility window</b> <b>336937: Instructor seat</b> <b>390860: Less Front Fenders</b> <b>392295: Radio 392295</b> <b>X5701XX: Floor mat in Cab base</b>			\$6,592.00
--	---------	---	--	--	------------

### TIRES

#### FRONT WHEELS & TIRES

#### SD\_T4940 FRONT WHEELS AND TIRES

4WD Front					
	8230608	14.9X24 6 PLY R1 8230608			\$1,706.00
	8201703	13.6R28 MICHELIN <b>Requires 18.4R34 R1W Rear Tires</b>			\$1,853.00
	8240304	14.9-24 6PR R1 <b>Firestone Brand</b>			\$1,853.00
	8282201	12.4 x 28 6PR R1 <b>Requires 12.4x42 Rear Tires</b>			\$2,153.00
	8299905	Front Shipping Wheels-4WD <b>4WD Shipping Wheels</b>			\$195.00

**TS6 CAB FWD 16X8 LOADER READY FAST PICK  
US PRICE LIST**

**REAR WHEELS & TIRES**

SD T4950 REAR WHEELS AND TIRES

Flange Axle						
		8340612	18.4x34 8 ply R1 8340612			\$3,518.00
		8301702	18.4R30 MICHELIN			\$3,063.00
		8301703	18.4R34 MICHELIN			\$3,592.00
		8365440	18.4 x 34 8 PLY R1			\$3,592.00
			<b>Firestone Brand</b>			
		8301705	18.4R38 MICHELIN			\$4,181.00
		8380100	12.4x42 8PR R1			\$4,621.00

**3-POINT HITCH**

**REAR 3 POINT HITCH**

SD T8950 AUX RAMS

		390344	Hyd Lift w/ 1 int. cyl <b>1 Internal Lift Ram</b> <b>3,735 pounds lift capacity</b>			No Charge
		336784	Hyd Lift w/ 1 int. & 1 ext cyl <b>1 Auxiliary Lift Ram</b> <b>5,499 pounds lift capacity</b>			\$706.00

**WEIGHTS**

**FRONT WEIGHTS**

SD T2150 FRONT BALLAST

		334923	Carrier less front weights			\$313.00
		330213	Front Weight Carrier +8 wgths <b>Front weight carrier &amp; 8 weight slices (31kgs / 68 lbs each)</b>			\$1,232.00
		330214	Front Weight Carrier +12 wgths <b>Front weight carrier &amp; 12 weight slices (31kgs / 68 lbs each)</b>			\$1,743.00
		330218	Front Weight Carrier +16 wgths <b>Front weight carrier &amp; 16 weight slices (31kgs / 68 lbs each)</b>			\$1,908.00

**CAB OPTION**

**SEATS**

SD T8500 SEAT

		336923	Air suspension seat w/swivel <b>With 15 degree swivel</b>			\$939.00
--	--	--------	--	--	--	----------



**TS6 CAB FWD 16X8 LOADER READY FAST PICK  
US PRICE LIST**

**REAR WINDOW WIPER/WASHER**

**SD T9150 REAR WIPER & WASHER**

		330642	Rear wiper/washer - CAB <b>Rear window wiper/washer for Cab</b>			\$272.00
--	--	--------	--	--	--	----------

**MISCELLANEOUS**

**FENDERS FRONT**

**SD T8740 FRONT FENDERS**

		336940	Front Fenders-Dynamic <b>Requires 331497 axle oscillation stops.</b>			\$733.00
--	--	--------	---	--	--	----------

**OPERATOR'S MANUALS**

**SD T9802 OPERATORS MANUAL**

		429481	Spanish Bosch T4B			No Charge
		429482	French Bosch T4B			No Charge

**SD T9840 COUNTRY CONFIGURATION**

		339982	French Decals			No Charge
		339986	Spanish Decals			No Charge

**TS6 CAB 2WD 16X8 LESS LOADER FAST PICK  
US PRICE LIST**

## Standard Equipment

### KEY SELLING POINTS:

- CommandArc# ergonomically places most frequently used controls to operator's right
- Ten repositionable vents for heating and air conditioning
- Full-size instructor seat
- 4.5L, 4-cylinder, FPT engines with 4 valves per cylinder, and common rail fuel injection systems
- Tier 4B EPA emissions compliant with ECOBlue# HI-eSCR Tier4B emissions system
- Economy priced All Purpose Heavy tractor

### ENGINE

#### -----

#### TS6.110

Rated PTO HP - 90  
Rated Engine HP - 110  
Rated Engine Speed - @ 2200 rpm  
274 cu. in. (4.5L) Displacement  
4 Cylinders, Turbocharged  
Intercooled Diesel Engine

#### TS6.120

Rated PTO HP - 96  
Rated Engine HP - 119  
Rated Engine Speed - @ 2200 rpm  
274 cu. in. (4.5L) Displacement  
4 Cylinders, Turbocharged  
Intercooled Diesel Engine

#### TS6.130

Rated PTO HP - 105  
Rated Engine HP - 130  
Rated Engine Speed - @ 2200 rpm  
274 cu. in. (4.5L) Displacement  
4 Cylinders, Turbocharged  
Intercooled Diesel Engine

#### TS6.140

Rated PTO HP - 115  
Rated Engine HP - 139

Rated Engine Speed - @ 2200 rpm  
274 cu. in. (4.5L) Displacement  
4 Cylinders, Turbocharged  
Intercooled Diesel Engine

### COMMON ENGINE FEATURES

-----  
Tier 4B Emissions Compliant  
ECOBBlue# HI-eSCR Tier4B emissions system  
Engine with Turbocharger and Air-to-Air Intercooler  
4 Valves Per Cylinder  
Bosch Common Rail Fuel Injection Pump (electronic)  
Grid Heater Starting Aid  
Dual Element Air Filter with Pre-Cleaner (spin tube intakes)  
A-Pillar Exhaust with Integral Muffler  
Air cleaner with integrated pre-cleaner & dust ejector  
Fixed Fan  
Cooling System with Antifreeze  
Water Separator and Dual Fuel Filters  
Plastic Fuel Tank  
57.5 gallon (217.6 liter) fuel capacity  
7.9 gallon (30 liter) DEF tank capacity  
Fuel tank guard

### TRANSMISSION

-----  
16 X 8 Power Shuttle  
16 Forward x 8 Reverse  
2WD - 18.7 MPH (30 KPH)  
Main gearbox synchronized in range  
Left-hand shuttle lever  
(2) Right-hand shift Levers  
Multi-plate wet clutch (7) 6in. plates

### STEERING

-----  
Hydrostatic Power Steering

### AXLES

-----

**TS6 CAB 2WD 16X8 LESS LOADER FAST PICK  
US PRICE LIST**

## Standard Equipment

Front - 2WD  
STD - 100" Wheel Base - TS6.110 &  
TS6.120  
HD - 96" wheel Base - TS6.130 &  
TS6.140  
55° Turning Angle  
12° Axle Oscillation  
Adjustable Tread Width from 60 in.  
to 80 in.

Rear  
Hydraulic Wet Brakes (equalizing)  
Park Brake Lever  
Swinging Drawbar  
Manual Adjustable Tread Width from  
64 in. to 80 in.

### PTO

-----  
Independent, 540/1000 rpm PTO  
Multi-plate Wet Clutch  
Mechanical Engagement

### HYDRAULIC SYSTEM

-----  
Fixed displacement pumps  
Dual Gear Pumps  
Maximum Flow at Rated Engine Speed:  
Implement Pump: 22 gpm  
Steering Pump: 7 gpm  
Total Flow: 29 gpm  
(2) Close Center Deluxe Remotes  
(4) Couplers

### 3-POINT LIFT SYSTEM

-----  
Top Link Draft Sensing  
5499 lbs. Lift Capacity @ 24 in. (ASAE)  
Category II, 3-point Linkage with Flexible  
Link Ends  
Telescopic Stabilizers

### ELECTRICAL:

(1) 950 cca Heavy-Duty Battery

120 amp Alternator  
7-pin Outlet for trailer/implement lighting  
and signals  
3-pin Power Outlet (30 amp) - cab only  
Single Pin (8 amp) Accessory Power  
outlet  
12V power socket (cigarette lighter) -  
cab only

### INSTRUMENTATION:

Analog Instrumentation with warning  
lights for air cleaner service,  
alternator, oil pressure, fuel  
sediment/water sensor, PTO  
engagement, head light high beam,  
low fuel and parking brake,  
digital speed readout  
Gauges for fuel level, engine  
temperature, tachometer and hour  
meter  
Horn

### CAB

Front: (2) Halogen Headlights and  
(4) cab mounted worklights  
Rear: (4) cab mounted worklights  
Turn Signals/Flashers/Rear Lights

### CAB MODELS

ROPS protected, FOPS certified, flat  
deck platform  
with heat and air conditioning, tinted  
windshield, two doors with locks, two  
external mirrors, openable side  
windows, hinged rear window (opens  
completely)  
Steering Wheel - adjustable tilt  
Seat - Cloth covered with air suspension,  
operator's presence sensor, retractable  
seat belt and arm rests  
Instructor seat  
Suspended pedals  
Radio complete with radio, wires,  
speakers, and antenna  
Front and rear window washer and





TS6 CAB 2WD 16X8 LESS LOADER FAST PICK  
US PRICE LIST

Standard Equipment

wiper  
Sun visor

WARRANTY

MISCELLANEOUS

-----  
New Holland Standard Warranty Applies

-----  
Pivoting Engine Hood  
SMV Emblem  
Toolbox

**TS6 CAB 2WD 16X8 LESS LOADER FAST PICK  
 US PRICE LIST**
**Models**

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
TS6.110 T4B	Cab	2WD	9,281 LB		\$78,144.00
Includes the following Equipment					
10.00-16 8PR F2 (8114404) \$864.00					
18.4R34 MICHELIN (8301703) \$3,592.00					
Radio 392295 (392295) \$244.00					
TS6.120 T4B	Cab	2WD	9,281 LB		\$82,739.00
Includes the following Equipment					
10.00-16 8PR F2 (8114404) \$864.00					
18.4R34 MICHELIN (8301703) \$3,592.00					
Radio 392295 (392295) \$244.00					
TS6.130 T4B	Cab	2WD	9,326 LB		\$87,892.00
Includes the following Equipment					
10.00 x 16 8ply For HD Axl (8180522) \$864.00					
18.4R34 MICHELIN (8301703) \$3,592.00					
Radio 392295 (392295) \$244.00					
TS6.140 T4B	Cab	2WD	9,326 LB		\$95,451.00
Includes the following Equipment					
10.00 x 16 8ply For HD Axl (8180522) \$864.00					
18.4R34 MICHELIN (8301703) \$3,592.00					
Radio 392295 (392295) \$244.00					



**TS6 CAB 2WD 16X8 LESS LOADER FAST PICK  
US PRICE LIST**

**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**PACKAGE SELECTION**

SD\_T9980 PACKAGING

	X0552XX	NH FAST PICK #7 <b>X0552XX: NH FAST PICK #7</b> <b>TS6 Cab 2WD 16X8 Less Loader</b> <b>#</b> <b>Include:</b> 330061: 16x8 With Power Shuttle 390331: Heavy-duty Flange Axle 429472: 2 Bosch RR Flow Ctrl 390819: Less Loader Ready 336784: Hyd Lift w/ 1 int. & 1 ext cyl XT4961X: Standard less rear ballast 330642: Rear wiper/washer # CAB 392295: Radio 392295 X5701XX: Floor mat in Cab base			(\$1,144.00)
--	---------	--	--	--	--------------

**FRONT AXLE**

SD\_T4010 FRONT AXLE

	390373	2WD Front Axle HD <b>Standard Equipment Heavy Duty 2WD Front Axle for TS6.130 and TS6.140</b>			\$2,660.00
		if MODEL is TS6 130 NH			No Charge
		if MODEL is TS6.140			No Charge

**TIRES**

**FRONT WHEELS & TIRES**

SD\_T4940 FRONT WHEELS AND TIRES

2WD Front					
	8114404	10.00-16 8PR F2 <b>Firestone Brand - 2WD</b>			\$864.00
	8180522	10.00 x 16 8ply For HD Axle <b>Firestone Brand - 2WD</b>			\$864.00

**TS6 CAB 2WD 16X8 LESS LOADER FAST PICK  
US PRICE LIST**

		8199101	Front Shipping Wheels-2wd <b>2WD Shipping Wheels (NOT compatible with Heavy Duty 2WD front axle 390373)</b>			\$114.00
		8843901	Front Shipping Wheels 2WD HD <b>Requires 2WD Heavy Duty axle 390373</b>			\$114.00

**REAR WHEELS & TIRES**

**SD T4950 REAR WHEELS AND TIRES**

			Flange Axle			
		8301702	18.4R30 MICHELIN			\$3,063.00
		8301703	18.4R34 MICHELIN			\$3,592.00
		8301705	18.4R38 MICHELIN			\$4,181.00
		8380100	12.4x42 8PR R1			\$4,621.00
		8399905	Shipping Wheels-Rear			\$733.00

**3-POINT HITCH**

**REAR 3 POINT HITCH**

**SD T8240 EXTERNAL LIFT CONTROL**

		330845	External 3-pt Control for MDC <b>Mechanical ground control for 3 point hitch (not compatible with 2 external lift cylinders 339784)</b>			\$181.00
--	--	--------	--	--	--	----------

**WEIGHTS**

**FRONT WEIGHTS**

**SD T2150 FRONT BALLAST**

		390215	Less Front Carrier and Weights			No Charge
		334923	Carrier less front weights			\$313.00
		330213	Front Weight Carrier +8 wghts <b>Front weight carrier &amp; 8 weight slices (31kgs / 68 lbs each)</b>			\$1,232.00
		330214	Front Weight Carrier +12 wghts <b>Front weight carrier &amp; 12 weight slices (31kgs / 68 lbs each)</b>			\$1,743.00
		330218	Front Weight Carrier +16 wghts <b>Front weight carrier &amp; 16 weight slices (31kgs / 68 lbs each)</b>			\$1,908.00

**CAB OPTION**

**SD T9411 HIGH VISIBILITY WINDOW**

		334743	High-visibility window			\$530.00
--	--	--------	------------------------	--	--	----------



**TS6 CAB 2WD 16X8 LESS LOADER FAST PICK  
US PRICE LIST**

**SEATS**

**SD T8500 SEAT**

		336923	Air suspension seat w/swivel <b>With 15 degree swivel</b>			\$939.00
--	--	--------	--	--	--	----------

**INSTRUCTOR SEAT**

**SD T5702 INSTRUCTOR SEAT**

		336937	Instructor seat			\$575.00
--	--	--------	-----------------	--	--	----------

**MISCELLANEOUS**

**BRAKES/TRAILER BRAKE**

**SD T7130 TRLR BRK VLV**

		330718	Hydraulic trailer brakes			\$915.00
--	--	--------	--------------------------	--	--	----------

**REVERSE ALARM**

**SD T9249 REVERSE ALARM**

		330692	Reverse Alarm			\$169.00
--	--	--------	---------------	--	--	----------

**OPERATOR'S MANUALS**

**SD T9802 OPERATORS MANUAL**

		429481	Spanish Bosch T4B			No Charge
		429482	French Bosch T4B			No Charge

**SD T9840 COUNTRY CONFIGURATION**

		339982	French Decals			No Charge
		339986	Spanish Decals			No Charge

**TS6 ROPS FWD 16X8 LESS LOADER FAST PICK  
US PRICE LIST**

## Standard Equipment

### KEY SELLING POINTS:

- CommandArc# ergonomically places most frequently used controls to operator's right
- 4.5L, 4-cylinder, FPT engines with 4 valves per cylinder, and common rail fuel injection systems
- Tier 4B EPA emissions compliant with ECOBlue# HI-eSCR Tier4B emissions system
- Economy priced All Purpose Heavy tractor

### ENGINE

#### -----

#### TS6.110

Rated PTO HP - 90  
Rated Engine HP - 110  
Rated Engine Speed - @ 2200 rpm  
274 cu. in. (4.5L) Displacement  
4 Cylinders, Turbocharged  
Intercooled Diesel Engine

#### TS6.120

Rated PTO HP - 96  
Rated Engine HP - 119  
Rated Engine Speed - @ 2200 rpm  
274 cu. in. (4.5L) Displacement  
4 Cylinders, Turbocharged  
Intercooled Diesel Engine

#### TS6.130

Rated PTO HP - 105  
Rated Engine HP - 130  
Rated Engine Speed - @ 2200 rpm  
274 cu. in. (4.5L) Displacement  
4 Cylinders, Turbocharged  
Intercooled Diesel Engine

#### TS6.140

Rated PTO HP - 115  
Rated Engine HP - 139  
Rated Engine Speed - @ 2200 rpm  
274 cu. in. (4.5L) Displacement  
4 Cylinders, Turbocharged

Intercooled Diesel Engine

### COMMON ENGINE FEATURES

-----  
Tier 4B Emissions Compliant  
ECOBBlue# HI-eSCR Tier4B emissions system  
Engine with Turbocharger and Air-to-Air Intercooler  
4 Valves Per Cylinder  
Bosch Common Rail Fuel Injection Pump (electronic)  
Grid Heater Starting Aid  
Dual Element Air Filter with Pre-Cleaner (spin tube intakes)  
A-Pillar Exhaust with Integral Muffler  
Air cleaner with integrated pre-cleaner & dust ejector  
Fixed Fan  
Cooling System with Antifreeze  
Water Separator and Dual Fuel Filters  
Plastic Fuel Tank  
57.5 gallon (217.6 liter) fuel capacity  
7.9 gallon (30 liter) DEF tank capacity  
Fuel tank guard

### TRANSMISSION

-----  
16 X 8 Power Shuttle  
16 Forward x 8 Reverse  
4WD - 24.9 MPH (40 KPH)  
Main gearbox synchronized in range  
Left-hand shuttle lever  
(2) Right-hand shift Levers  
Multi-plate wet clutch (7) 6in. plates

### STEERING

-----  
Hydrostatic Power Steering

### AXLES

-----  
Front - FWD  
104" Wheel Base

**TS6 ROPS FWD 16X8 LESS LOADER FAST PICK  
US PRICE LIST**

## Standard Equipment

Class 3 Heavy Duty  
Limited Slip Front Wheel Drive  
Mechanical FWD Engagement  
55° Turning Angle  
12° Axle Oscillation  
Front Drive Shaft Shield  
Manual Adjustable Tread Width from  
64 in. to 80 in.

Rear  
Hydraulic Wet Brakes (equalizing)  
Park Brake Lever  
Swinging Drawbar  
Manual Adjustable Tread Width from  
64 in. to 80 in.

### PTO

-----  
Independent, 540/1000 rpm PTO  
Multi-plate Wet Clutch  
Mechanical Engagement

### HYDRAULIC SYSTEM

-----  
Fixed displacement pumps  
Dual Gear Pumps  
Maximum Flow at Rated Engine Speed:  
Implement Pump: 22 gpm  
Steering Pump: 7 gpm  
Total Flow: 29 gpm  
(2) Close Center Deluxe Remotes  
(4) Couplers

### 3-POINT LIFT SYSTEM

-----  
Top Link Draft Sensing  
5499 lbs. Lift Capacity @ 24 in. (ASAE)  
Category II, 3-point Linkage with Flexible  
Link Ends  
Telescopic Stabilizers  
External 3-point hitch control

### ELECTRICAL:

(1) 950 cca Heavy-Duty Battery

120 amp Alternator  
7-pin Outlet for trailer/implement lighting  
and signals  
3-pin Power Outlet (30 amp) - cab only  
Single Pin (8 amp) Accessory Power  
outlet  
12V power socket (cigarette lighter) -  
cab only

### INSTRUMENTATION:

Analog Instrumentation with warning  
lights for air cleaner service,  
alternator, oil pressure, fuel  
sediment/water sensor, PTO  
engagement, head light high beam,  
low fuel and parking brake,  
digital speed readout  
Gauges for fuel level, engine  
temperature, tachometer and hour  
meter  
Horn

### LIGHTING:

ROPS  
Front: (2) Halogen Headlights  
Rear: (1) Worklight  
Turn Signals/Flashers/Rear Lights

### OPERATOR PROTECTIVE STRUCTURE:

ROPS MODELS  
2-Post Foldable ROPS with ISO-  
mounted flat deck platform  
with rubber floor mat  
Steering Wheel - adjustable tilt  
Seat - Vinyl covered with mechanical  
suspension, operator's presence  
sensor, retractable seat belts and  
arm rests  
Suspended pedals  
Locking brake pedals

### MISCELLANEOUS

-----



TS6 ROPS FWD 16X8 LESS LOADER FAST PICK  
US PRICE LIST

Standard Equipment

Pivoting Engine Hood  
SMV Emblem  
Toolbox

New Holland Standard Warranty Applies

WARRANTY  
-----



**TS6 ROPS FWD 16X8 LESS LOADER FAST PICK  
 US PRICE LIST**
**Models**

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
TS6.110 T4B	Rops	MFD	9,700 LB		\$73,222.00
Includes the following Equipment					
13.6R28 MICHELIN (8201703)					\$1,853.00
18.4R34 MICHELIN (8301703)					\$3,592.00
TS6.120 T4B	Rops	MFD	9,700 LB		\$77,817.00
Includes the following Equipment					
13.6R28 MICHELIN (8201703)					\$1,853.00
18.4R34 MICHELIN (8301703)					\$3,592.00
TS6.130 T4B	Rops	MFD	9,877 LB		\$82,970.00
Includes the following Equipment					
13.6R28 MICHELIN (8201703)					\$1,853.00
18.4R34 MICHELIN (8301703)					\$3,592.00
TS6.140 T4B	Rops	MFD	9,877 LB		\$90,529.00
Includes the following Equipment					
13.6R28 MICHELIN (8201703)					\$1,853.00
18.4R34 MICHELIN (8301703)					\$3,592.00



**TS6 ROPS FWD 16X8 LESS LOADER FAST PICK  
US PRICE LIST**

## Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

### PACKAGE SELECTION

#### SD\_T9980 PACKAGING

	X0550XX	NH FAST PICK #5 <b>X0550XX: NH FAST PICK #5</b> <b>TS6 ROPS FWD 16X8 Less Loader</b> <b>#</b> <b>Include:</b> <b>337280: 40 KPH</b> <b>330061: 16x8 With Power Shuttle</b> <b>390266: L/CREEPER FOR 8+8</b> <b>XT401XX: Less 2WD Front Axle</b> <b>390331: Heavy-duty Flange Axle</b> <b>429472: 2 Bosch RR Flow Ctrl</b> <b>390819: Less Loader Ready</b> <b>330845: External 3-pt Control for MDC</b> <b>336784: Hyd Lift w/ 1 int. &amp; 1 ext cyl</b> <b>390215: Less Front Carrier and Weights</b> <b>XT4961X: Standard less rear ballast</b> <b>#</b>			(\$1,228.00)
--	---------	---	--	--	--------------

### TIRES

#### FRONT WHEELS & TIRES

#### SD\_T4940 FRONT WHEELS AND TIRES

		4WD Front			
	8230608	14.9X24 6 PLY R1 8230608			\$1,706.00
	8201703	13.6R28 MICHELIN <b>Requires 18.4R34 R1W Rear Tires</b>			\$1,853.00
	8240304	14.9-24 6PR R1 <b>Firestone Brand</b>			\$1,853.00
	8282201	12.4 x 28 6PR R1 <b>Requires 12.4x42 Rear Tires</b>			\$2,153.00
	8248621	250/95 R34 R1 <b>Requires 12.4R46 or 320/90R46 R1 Rear Tires</b>			\$2,451.00
	8248631	320/85 R34 R1 <b>Requires 14.9R46 (380/85R46) Rear Tires</b>			\$4,189.00

**TS6 ROPS FWD 16X8 LESS LOADER FAST PICK  
US PRICE LIST**

		8299905	Front Shipping Wheels-4WD <b>4WD Shipping Wheels</b>			\$195.00
--	--	---------	---	--	--	----------

**REAR WHEELS & TIRES**

**SD T4950 REAR WHEELS AND TIRES**

			Flange Axle			
		8340612	18.4x34 8 ply R1 8340612			\$3,518.00
		8301702	18.4R30 MICHELIN			\$3,063.00
		8301703	18.4R34 MICHELIN			\$3,592.00
		8365440	18.4 x 34 8 PLY R1 <b>Firestone Brand</b>			\$3,592.00
		8301705	18.4R38 MICHELIN			\$4,181.00
		8380100	12.4x42 8PR R1			\$4,621.00
		8399905	Shipping Wheels-Rear			\$733.00

**MISCELLANEOUS**

**FENDERS FRONT**

**SD T8740 FRONT FENDERS**

		336940	Front Fenders-Dynamic <b>Requires 331497 axle oscillation stops.</b>			\$733.00
--	--	--------	---	--	--	----------

**ROPS CANOPY**

**SD T8771 CANOPY**

		335857	Canopy <b>Only for Open Station ROPS tractor</b>			\$795.00
--	--	--------	---	--	--	----------

**RUBBER FLOOR MAT**

**SD T5701 FLOOR MAT**

		334742	Rubber floor mat <b>Only for open station ROPS tractors</b>			\$106.00
--	--	--------	--	--	--	----------

**OPERATOR'S MANUALS**

**SD T9802 OPERATORS MANUAL**

		429481	Spanish Bosch T4B			No Charge
		429482	French Bosch T4B			No Charge

**SD T9840 COUNTRY CONFIGURATION**

		339982	French Decals			No Charge
		339986	Spanish Decals			No Charge

**TS6 ROPS FWD 8X8 LESS LOADER FAST PICK  
US PRICE LIST**

## Standard Equipment

### KEY SELLING POINTS:

- CommandArc# ergonomically places most frequently used controls to operator's right
- 4.5L, 4-cylinder, FPT engines with 4 valves per cylinder, and common rail fuel injection systems
- Tier 4B EPA emissions compliant with ECOBlue# HI-eSCR Tier4B emissions system
- Economy priced All Purpose Heavy tractor

### ENGINE

#### TS6.110

Rated PTO HP - 90  
Rated Engine HP - 110  
Rated Engine Speed - @ 2200 rpm  
274 cu. in. (4.5L) Displacement  
4 Cylinders, Turbocharged  
Intercooled Diesel Engine

#### TS6.120

Rated PTO HP - 96  
Rated Engine HP - 119  
Rated Engine Speed - @ 2200 rpm  
274 cu. in. (4.5L) Displacement  
4 Cylinders, Turbocharged  
Intercooled Diesel Engine

#### TS6.130

Rated PTO HP - 105  
Rated Engine HP - 130  
Rated Engine Speed - @ 2200 rpm  
274 cu. in. (4.5L) Displacement  
4 Cylinders, Turbocharged  
Intercooled Diesel Engine

#### TS6.140

Rated PTO HP - 115  
Rated Engine HP - 139  
Rated Engine Speed - @ 2200 rpm  
274 cu. in. (4.5L) Displacement  
4 Cylinders, Turbocharged

### Intercooled Diesel Engine

### COMMON ENGINE FEATURES

Tier 4B Emissions Compliant  
ECOBBlue# HI-eSCR Tier4B emissions system  
Engine with Turbocharger and Air-to-Air Intercooler  
4 Valves Per Cylinder  
Bosch Common Rail Fuel Injection Pump (electronic)  
Grid Heater Starting Aid  
Dual Element Air Filter with Pre-Cleaner (spin tube intakes)  
A-Pillar Exhaust with Integral Muffler  
Air cleaner with integrated pre-cleaner & dust ejector  
Fixed Fan  
Cooling System with Antifreeze  
Water Separator and Dual Fuel Filters  
Plastic Fuel Tank  
57.5 gallon (217.6 liter) fuel capacity  
7.9 gallon (30 liter) DEF tank capacity  
Fuel tank guard

### TRANSMISSION

8 X 8 Power Shuttle  
8 Forward x 8 Reverse  
4WD - 24.9 MPH (40 KPH)  
Main gearbox synchronized in range  
Left-hand shuttle lever  
(2) Right-hand shift Levers  
Multi-plate wet clutch (7) 6in. plates

### STEERING

Hydrostatic Power Steering

### AXLES

Front - FWD  
104" Wheel Base

**TS6 ROPS FWD 8X8 LESS LOADER FAST PICK  
US PRICE LIST**

## Standard Equipment

Class 3 Heavy Duty  
Limited Slip Front Wheel Drive  
Mechanical FWD Engagement  
55° Turning Angle  
12° Axle Oscillation  
Front Drive Shaft Shield  
Manual Adjustable Tread Width from  
64 in. to 80 in.

Rear  
Hydraulic Wet Brakes (equalizing)  
Park Brake Lever  
Swinging Drawbar  
Manual Adjustable Tread Width from  
64 in. to 80 in.

### PTO

-----  
Independent, 540/1000 rpm PTO  
Multi-plate Wet Clutch  
Mechanical Engagement

### HYDRAULIC SYSTEM

-----  
Fixed displacement pumps  
Dual Gear Pumps  
Maximum Flow at Rated Engine Speed:  
Implement Pump: 22 gpm  
Steering Pump: 7 gpm  
Total Flow: 29 gpm  
(2) Close Center Deluxe Remotes (opt.  
f/ 3 & 4) with Flow Controls and  
(4) Couplers

### 3-POINT LIFT SYSTEM

-----  
Top Link Draft Sensing  
5499 lbs. Lift Capacity @ 24 in. (ASAE)  
Category II, 3-point Linkage with Flexible  
Link Ends  
Telescopic Stabilizers

### ELECTRICAL:

(1) 950 cca Heavy-Duty Battery

120 amp Alternator  
7-pin Outlet for trailer/implement lighting  
and signals  
3-pin Power Outlet (30 amp) - cab only  
Single Pin (8 amp) Accessory Power  
outlet  
12V power socket (cigarette lighter) -  
cab only

### INSTRUMENTATION:

Analog Instrumentation with warning  
lights for air cleaner service,  
alternator, oil pressure, fuel  
sediment/water sensor, PTO  
engagement, head light high beam,  
low fuel and parking brake,  
digital speed readout  
Gauges for fuel level, engine  
temperature, tachometer and hour  
meter  
Horn

### LIGHTING:

ROPS  
Front: (2) Halogen Headlights  
Rear: (1) Worklight  
Turn Signals/Flashers/Rear Lights

### OPERATOR PROTECTIVE STRUCTURE:

ROPS MODELS  
2-Post Foldable ROPS with ISO-  
mounted flat deck platform  
with rubber floor mat  
Steering Wheel - adjustable tilt  
Seat - Vinyl covered with mechanical  
suspension, operator's presence  
sensor, retractable seat belts and  
arm rests  
Suspended pedals  
Locking brake pedals

### MISCELLANEOUS



TS6 ROPS FWD 8X8 LESS LOADER FAST PICK  
US PRICE LIST

Standard Equipment

-----	-----
Pivoting Engine Hood	New Holland Standard Warranty Applies
SMV Emblem	
Toolbox	
WARRANTY	

**TS6 ROPS FWD 8X8 LESS LOADER FAST PICK  
 US PRICE LIST**
**Models**

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
TS6.110 T4B	Rops	MFD	9,700 LB		\$73,222.00
Includes the following Equipment					
13.6R28 MICHELIN (8201703)					\$1,853.00
18.4R34 MICHELIN (8301703)					\$3,592.00
TS6.120 T4B	Rops	MFD	9,700 LB		\$77,817.00
Includes the following Equipment					
13.6R28 MICHELIN (8201703)					\$1,853.00
18.4R34 MICHELIN (8301703)					\$3,592.00
TS6.130 T4B	Rops	MFD	9,877 LB		\$82,970.00
Includes the following Equipment					
13.6R28 MICHELIN (8201703)					\$1,853.00
18.4R34 MICHELIN (8301703)					\$3,592.00
TS6.140 T4B	Rops	MFD	9,877 LB		\$90,529.00
Includes the following Equipment					
13.6R28 MICHELIN (8201703)					\$1,853.00
18.4R34 MICHELIN (8301703)					\$3,592.00

**TS6 ROPS FWD 8X8 LESS LOADER FAST PICK  
US PRICE LIST**

## Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

### PACKAGE SELECTION

#### SD\_T9980 PACKAGING

	X0551XX	NH FAST PICK #6 <b>X0551XX: NH FAST PICK #6</b> <b>TS6 ROPS FWD 8X8 Less Loader</b> <b>#</b> <b>Include:</b> <b>337280: 40 KPH</b> <b>330059: 8x8 With Power Shuttle</b> <b>390266: L/CREEPER FOR 8+8</b> <b>XT401XX: Less 2WD Front Axle</b> <b>390331: Heavy-duty Flange Axle</b> <b>429472: 2 Bosch RR Flow Ctrl</b> <b>390819: Less Loader Ready</b> <b>330845: External 3-pt Control for MDC</b> <b>336784: Hyd Lift w/ 1 int. &amp; 1 ext cyl</b> <b>390215: Less Front Carrier and Weights</b> <b>XT4961X: Standard less rear ballast</b>			(\$3,262.00)
--	---------	---	--	--	--------------

### TIRES

#### FRONT WHEELS & TIRES

#### SD\_T4940 FRONT WHEELS AND TIRES

4WD Front					
	8230608	14.9X24 6 PLY R1 8230608			\$1,706.00
	8201703	13.6R28 MICHELIN <b>Requires 18.4R34 R1W Rear Tires</b>			\$1,853.00
	8240304	14.9-24 6PR R1 <b>Firestone Brand</b>			\$1,853.00
	8282201	12.4 x 28 6PR R1 <b>Requires 12.4x42 Rear Tires</b>			\$2,153.00
	8248621	250/95 R34 R1 <b>Requires 12.4R46 or 320/90R46 R1 Rear Tires</b>			\$2,451.00
	8248631	320/85 R34 R1 <b>Requires 14.9R46 (380/85R46) Rear Tires</b>			\$4,189.00
	8299905	Front Shipping Wheels-4WD <b>4WD Shipping Wheels</b>			\$195.00



**TS6 ROPS FWD 8X8 LESS LOADER FAST PICK  
US PRICE LIST**

**REAR WHEELS & TIRES**

**SD T4950 REAR WHEELS AND TIRES**

Flange Axle						
		8340612	18.4x34 8 ply R1 8340612			\$3,518.00
		8301702	18.4R30 MICHELIN			\$3,063.00
		8301703	18.4R34 MICHELIN			\$3,592.00
		8365440	18.4 x 34 8 PLY R1			\$3,592.00
			<b>Firestone Brand</b>			
		8301705	18.4R38 MICHELIN			\$4,181.00
		8380100	12.4x42 8PR R1			\$4,621.00
		8399905	Shipping Wheels-Rear			\$733.00

**MISCELLANEOUS**

**FENDERS FRONT**

**SD T8740 FRONT FENDERS**

		336940	Front Fenders-Dynamic <b>Requires 331497 axle oscillation stops.</b>			\$733.00
--	--	--------	---	--	--	----------

**ROPS CANOPY**

**SD T8771 CANOPY**

		335857	Canopy <b>Only for Open Station ROPS tractor</b>			\$795.00
--	--	--------	---	--	--	----------

**RUBBER FLOOR MAT**

**SD T5701 FLOOR MAT**

		334742	Rubber floor mat <b>Only for open station ROPS tractors</b>			\$106.00
--	--	--------	--	--	--	----------

**OPERATOR'S MANUALS**

**SD T9802 OPERATORS MANUAL**

		429481	Spanish Bosch T4B			No Charge
		429482	French Bosch T4B			No Charge

**SD T9840 COUNTRY CONFIGURATION**

		339982	French Decals			No Charge
		339986	Spanish Decals			No Charge

**TS6 ALL PURPOSE - LESS FAST PICK  
US PRICE LIST**

## Standard Equipment

### KEY SELLING POINTS:

- CommandArc# ergonomically places most frequently used controls to operator's right
- High visibility panel provides a better view of loader when at full height
- Ten repositionable vents for heating and air conditioning
- Full-size instructor seat
- Creeper transmission option
- 4.5L, 4-cylinder, FPT engines with 4 valves per cylinder, and common rail fuel injection systems
- Tier 4B EPA emissions compliant with ECOBlue# HI-eSCR Tier4B emissions system
- Cab, ROPS, 2WD or 4WD options
- Factory Installed joystick and loader mounts (optional)
- Economy priced All Purpose Heavy tractor

### ENGINE

-----  
 TS6.110  
 Rated PTO HP - 90  
 Rated Engine HP - 110  
 Rated Engine Speed - @ 2200 rpm  
 274 cu. in. (4.5L) Displacement  
 4 Cylinders, Turbocharged  
 Intercooled Diesel Engine

TS6.120  
 Rated PTO HP - 96  
 Rated Engine HP - 119  
 Rated Engine Speed - @ 2200 rpm  
 274 cu. in. (4.5L) Displacement  
 4 Cylinders, Turbocharged  
 Intercooled Diesel Engine

TS6.130  
 Rated PTO HP - 105  
 Rated Engine HP - 130  
 Rated Engine Speed - @ 2200 rpm  
 274 cu. in. (4.5L) Displacement

4 Cylinders, Turbocharged  
 Intercooled Diesel Engine

TS6.140  
 Rated PTO HP - 115  
 Rated Engine HP - 139  
 Rated Engine Speed - @ 2200 rpm  
 274 cu. in. (4.5L) Displacement  
 4 Cylinders, Turbocharged  
 Intercooled Diesel Engine

### COMMON ENGINE FEATURES

-----  
 Tier 4B Emissions Compliant  
 ECOBlue# HI-eSCR Tier4B emissions system  
 Engine with Turbocharger and  
 Air-to-Air Intercooler  
 4 Valves Per Cylinder  
 Bosch Common Rail Fuel Injection  
 Pump (electronic)  
 Grid Heater Starting Aid  
 Dual Element Air Filter with Pre-Cleaner (spin tube intakes)  
 A-Pillar Exhaust with Integral Muffler  
 Air cleaner with integrated pre-cleaner & dust ejector  
 Fixed Fan  
 Cooling System with Antifreeze  
 Water Separator and Dual Fuel Filters  
 Plastic Fuel Tank  
 57.5 gallon (217.6 liter) fuel capacity  
 7.9 gallon (30 liter) DEF tank capacity  
 Fuel tank guard

### TRANSMISSION

-----  
 8 X 8 Power Shuttle  
 8 Forward x 8 Reverse  
 4WD - 24.9 MPH (40 KPH)  
 2WD - 18.7 MPH (30 KPH)  
 Main gearbox synchronized in range  
 Left-hand shuttle lever  
 (2) Right-hand shift Levers  
 Multi-plate wet clutch (7) 6in. plates

**TS6 ALL PURPOSE - LESS FAST PICK  
US PRICE LIST**

## Standard Equipment

### STEERING

-----  
Hydrostatic Power Steering

### AXLES

-----  
Front - 2WD  
STD - 100" Wheel Base - TS6.110 &  
TS6.120  
HD - 96" wheel Base - TS6.130 &  
TS6.140  
55° Turning Angle  
12° Axle Oscillation  
Adjustable Tread Width from 60 in.  
to 80 in.

Front - FWD  
104" Wheel Base  
Class 3 Heavy Duty  
Limited Slip Front Wheel Drive  
Mechanical FWD Engagement  
55° Turning Angle  
12° Axle Oscillation  
Front Drive Shaft Shield  
Manual Adjustable Tread Width from  
64 in. to 80 in.

Rear  
Hydraulic Wet Brakes (equalizing)  
Park Brake Lever  
Swinging Drawbar  
Manual Adjustable Tread Width from  
64 in. to 80 in.

### PTO

-----  
Independent, 540/1000 rpm PTO  
Multi-plate Wet Clutch  
Mechanical Engagement

### HYDRAULIC SYSTEM

-----  
Fixed displacement pumps

### Dual Gear Pumps

Maximum Flow at Rated Engine Speed:

Implement Pump: 22 gpm

Steering Pump: 7 gpm

Total Flow: 29 gpm

(2) Close Center Deluxe Remotes (opt.

f/ 3 & 4) with Flow Controls and

(4) Couplers

### 3-POINT LIFT SYSTEM

-----  
Top Link Draft Sensing

3735 lbs. Lift Capacity @ 24 in. (ASAE)

Category II, 3-point Linkage with Flexible

Link Ends

Telescopic Stabilizers

### ELECTRICAL:

(1) 950 cca Heavy-Duty Battery

120 amp Alternator

7-pin Outlet for trailer/implement lighting  
and signals

3-pin Power Outlet (30 amp) - cab only

Single Pin (8 amp) Accessory Power  
outlet

12V power socket (cigarette lighter) -  
cab only

### INSTRUMENTATION:

Analog Instrumentation with warning  
lights for air cleaner service,  
alternator, oil pressure, fuel  
sediment/water sensor, PTO  
engagement, head light high beam,  
low fuel and parking brake,  
digital speed readout

Gauges for fuel level, engine  
temperature, tachometer and hour  
meter

Horn

### LIGHTING:

ROPS

**TS6 ALL PURPOSE - LESS FAST PICK  
US PRICE LIST**

## Standard Equipment

Front: (2) Halogen Headlights  
Rear: (1) Worklight  
Turn Signals/Flashers/Rear Lights

### CAB

Front: (2) Halogen Headlights and  
(4) cab mounted worklights  
Rear: (4) cab mounted worklights  
Turn Signals/Flashers/Rear Lights

### OPERATOR PROTECTIVE STRUCTURE:

#### ROPS MODELS

2-Post Foldable ROPS with ISO-  
mounted flat deck platform

with rubber floor mat

Steering Wheel - adjustable tilt

Seat - Vinyl covered with mechanical  
suspension, operator's presence  
sensor, retractable seat belts and  
arm rests

Suspended pedals

Locking brake pedals

### CAB MODELS

ROPS protected, FOPS certified, flat  
deck platform

with heat and air conditioning, tinted  
windshield, two doors with locks, two

external mirrors, openable side  
windows, hinged rear window (opens  
completely)  
Steering Wheel - adjustable tilt  
Seat - Cloth covered with air suspension,  
operator's presence sensor, retractable  
seat belt and arm rests  
Suspended pedals  
Radio complete with radio, wires,  
speakers, and antenna  
Front and rear window washer and  
wiper  
Sun visor

### MISCELLANEOUS

-----  
Pivoting Engine Hood

SMV Emblem

Toolbox

### WARRANTY

-----  
New Holland Standard Warranty Applies

**TS6 ALL PURPOSE - LESS FAST PICK  
 US PRICE LIST**

## Models

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
TS6.110 T4B	Rops	2WD	8,532 LB		\$66,031.00
Includes the following Equipment					
10.00-16 8PR F2 (8114404) \$864.00					
18.4R34 MICHELIN (8301703) \$3,592.00					
TS6.110 T4B	Rops	MFD	9,700 LB		\$73,222.00
Includes the following Equipment					
13.6R28 MICHELIN (8201703) \$1,853.00					
18.4R34 MICHELIN (8301703) \$3,592.00					
TS6.110 T4B	Cab	2WD	9,281 LB		\$78,144.00
Includes the following Equipment					
10.00-16 8PR F2 (8114404) \$864.00					
18.4R34 MICHELIN (8301703) \$3,592.00					
Radio 392295 (392295) \$244.00					
TS6.110 T4B	Cab	MFD	10,450 LB		\$85,335.00
Includes the following Equipment					
13.6R28 MICHELIN (8201703) \$1,853.00					
18.4R34 MICHELIN (8301703) \$3,592.00					
Radio 392295 (392295) \$244.00					
TS6.120 T4B	Rops	2WD	8,532 LB		\$70,626.00
Includes the following Equipment					
10.00-16 8PR F2 (8114404) \$864.00					
18.4R34 MICHELIN (8301703) \$3,592.00					
TS6.120 T4B	Rops	MFD	9,700 LB		\$77,817.00
Includes the following Equipment					
13.6R28 MICHELIN (8201703) \$1,853.00					
18.4R34 MICHELIN (8301703) \$3,592.00					
TS6.120 T4B	Cab	2WD	9,281 LB		\$82,739.00
Includes the following Equipment					
10.00-16 8PR F2 (8114404) \$864.00					
18.4R34 MICHELIN (8301703) \$3,592.00					
Radio 392295 (392295) \$244.00					
TS6.120 T4B	Cab	MFD	10,450 LB		\$89,930.00
Includes the following Equipment					
13.6R28 MICHELIN (8201703) \$1,853.00					
18.4R34 MICHELIN (8301703) \$3,592.00					
Radio 392295 (392295) \$244.00					
TS6.130 T4B	Rops	2WD	8,576 LB		\$75,779.00
Includes the following Equipment					
10.00 x 16 8ply For HD Axl (8180522) \$864.00					

**TS6 ALL PURPOSE - LESS FAST PICK  
 US PRICE LIST**

## Models

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
18.4R34 MICHELIN (8301703) \$3,592.00					
TS6.130 T4B	Rops	MFD	9,877 LB		\$82,970.00
Includes the following Equipment					
13.6R28 MICHELIN (8201703) \$1,853.00					
18.4R34 MICHELIN (8301703) \$3,592.00					
TS6.130 T4B	Cab	2WD	9,326 LB		\$87,892.00
Includes the following Equipment					
10.00 x 16 8ply For HD Axl (8180522) \$864.00					
18.4R34 MICHELIN (8301703) \$3,592.00					
Radio 392295 (392295) \$244.00					
TS6.130 T4B	Cab	MFD	10,626 LB		\$95,083.00
Includes the following Equipment					
13.6R28 MICHELIN (8201703) \$1,853.00					
18.4R34 MICHELIN (8301703) \$3,592.00					
Radio 392295 (392295) \$244.00					
TS6.140 T4B	Rops	2WD	8,576 LB		\$83,338.00
Includes the following Equipment					
10.00 x 16 8ply For HD Axl (8180522) \$864.00					
18.4R34 MICHELIN (8301703) \$3,592.00					
TS6.140 T4B	Rops	MFD	9,877 LB		\$90,529.00
Includes the following Equipment					
13.6R28 MICHELIN (8201703) \$1,853.00					
18.4R34 MICHELIN (8301703) \$3,592.00					
TS6.140 T4B	Cab	2WD	9,326 LB		\$95,451.00
Includes the following Equipment					
10.00 x 16 8ply For HD Axl (8180522) \$864.00					
18.4R34 MICHELIN (8301703) \$3,592.00					
Radio 392295 (392295) \$244.00					
TS6.140 T4B	Cab	MFD	10,626 LB		\$102,642.00
Includes the following Equipment					
13.6R28 MICHELIN (8201703) \$1,853.00					
18.4R34 MICHELIN (8301703) \$3,592.00					
Radio 392295 (392295) \$244.00					



TS6 ALL PURPOSE - LESS FAST PICK  
US PRICE LIST

## Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

### PACKAGE SELECTION

SD\_T9980 PACKAGING

		X0557XX	LESS PACKAGING.			No Charge
--	--	---------	-----------------	--	--	-----------

### TRANSMISSION

SD\_T2800 SPEED

		337280	40 KPH			\$251.00
--	--	--------	--------	--	--	----------

SD\_T2810 TRANSMISSION

		330061	16x8 With Power Shuttle <b>16x8 DualPower Power Shuttle</b>  <b>NOT Compatible with Creeper (330066) AND rear wheels 8360781.</b>			\$2,034.00
--	--	--------	--	--	--	------------

SD\_T3230 CREEPER or Interlock

		330066	10:1 CREEPER FOR 8+8 & 16+8 <b>Creeper Transmission</b>  <b>NOT Compatible with 16x8 (330061) AND 46" rear wheels (8360761 or 8360781).</b>			\$2,517.00
--	--	--------	--	--	--	------------

### FRONT AXLE

SD\_T4010 FRONT AXLE

		390373	2WD Front Axle HD <b>Standard Equipment Heavy Duty 2WD Front Axle for TS6.130 and TS6.140</b>			\$2,660.00
			if MODEL is TS6 130 NH			No Charge
			if MODEL is TS6.140			No Charge

**TS6 ALL PURPOSE - LESS FAST PICK  
US PRICE LIST**

**REAR AXLE**

SD\_T3200 REAR AXLE

		330331	98 in. bar axle (Steel Wheels) <b>Includes Extremity lights (fold down safety flashers)</b>			\$1,654.00
--	--	--------	--	--	--	------------

**TIRES**

FRONT WHEELS & TIRES

SD\_T4940 FRONT WHEELS AND TIRES

2WD Front						
		8114404	10.00-16 8PR F2 <b>Firestone Brand - 2WD</b>			\$864.00
		8180522	10.00 x 16 8ply For HD Axle <b>Firestone Brand - 2WD</b>			\$864.00
		8199101	Front Shipping Wheels-2wd <b>2WD Shipping Wheels (NOT compatible with Heavy Duty 2WD front axle 390373)</b>			\$114.00
		8843901	Front Shipping Wheels 2WD HD <b>Requires 2WD Heavy Duty axle 390373</b>			\$114.00
4WD Front						
		8230608	14.9X24 6 PLY R1 8230608			\$1,706.00
		8201703	13.6R28 MICHELIN <b>Requires 18.4R34 R1W Rear Tires</b>			\$1,853.00
		8240304	14.9-24 6PR R1 <b>Firestone Brand</b>			\$1,853.00
		8282201	12.4 x 28 6PR R1 <b>Requires 12.4x42 Rear Tires</b>			\$2,153.00
		8248621	250/95 R34 R1 <b>Requires 12.4R46 or 320/90R46 R1 Rear Tires</b>			\$2,451.00
		8248631	320/85 R34 R1 <b>Requires 14.9R46 (380/85R46) Rear Tires</b>			\$4,189.00
		8299905	Front Shipping Wheels-4WD <b>4WD Shipping Wheels</b>			\$195.00

REAR WHEELS & TIRES

SD\_T4950 REAR WHEELS AND TIRES

Flange Axle						
		8340612	18.4x34 8 ply R1 8340612			\$3,518.00
		8301702	18.4R30 MICHELIN			\$3,063.00
		8301707	520/70R38 MICHELIN <b>520/70R38 R1W Michelin Omnibib</b>			\$7,208.00
		8301703	18.4R34 MICHELIN			\$3,592.00



**TS6 ALL PURPOSE - LESS FAST PICK  
US PRICE LIST**

		8365440	18.4 x 34 8 PLY R1 <b>Firestone Brand</b>			\$3,592.00
		8301705	18.4R38 MICHELIN			\$4,181.00
		8380100	12.4x42 8PR R1			\$4,621.00
		8399905	Shipping Wheels-Rear			\$733.00
Bar Axle - Singles						
		8301708	520/85R38 MICH BAR S <b>520/70R38 R1W Michelin Omnibib</b>			\$7,315.00
		8301704	18.4R34-MICH BAR S			\$3,592.00
		8301706	18.4R38 MICH BAR S			\$4,181.00
		8318590	Single 12.4 x 42 R1			\$4,621.00
		8360761	320/90R46 R-1 # Bar Single <b>Requires 250/95 R34 R1 Front Tire</b>			\$5,649.00
		8399906	Rear Shipping Wheels			\$733.00

**HYDRAULICS**

REAR REMOTE VALVES

SD\_T8270 REAR REMOTES

		429472	2 Bosch RR Flow Ctrl			No Charge
		429473	3 Bosch RR Flow Ctrl			\$1,038.00
		429474	4 Bosch RR Flow Ctrl			\$2,074.00

LOADER READY OPTIONS

SD\_T8110 LOADER BRACKETS

		429475	Loader Ready 429475 <b>Includes loader mounting brackets (horizontal and verticle), 2 slice mid-mount loader valve and joystick control, with hoses from the mid-mount valve (MMV) to the multi-coupler. Includes tractor half of the multi-coupler. Does not include front end loader frame, buckets or attachments. Refer to 805 Series loader pages to order suitable front end loader. Order base loader, desired bucket or attachments and multi-coupler 4 hose cap (MC4) if a non-self leveling (NSL) base loader. For 3rd loader function, must order diverter valve kit and electric joystick handle kit.</b>			\$5,294.00
--	--	--------	--	--	--	------------

**3-POINT HITCH**

REAR 3 POINT HITCH

SD\_T8240 EXTERNAL LIFT CONTROL

		330845	External 3-pt Control for MDC <b>Mechanical ground control for 3 point hitch (not compatible with 2 external lift cylinders 339784)</b>			\$181.00
--	--	--------	--	--	--	----------

**TS6 ALL PURPOSE - LESS FAST PICK  
US PRICE LIST**

## SD\_T8950 AUX RAMS

		390344	Hyd Lift w/ 1 int. cyl <b>1 Internal Lift Ram</b> <b>3,735 pounds lift capacity</b>			No Charge
		336784	Hyd Lift w/ 1 int. & 1 ext cyl <b>1 Auxiliary Lift Ram</b> <b>5,499 pounds lift capacity</b>			\$706.00
		339784	Hyd Lift w/ 1 int. & 2 ext cyl <b>2 Auxiliary Lift Rams</b> <b>7,326 pounds lift capacity</b>			\$1,334.00

**WEIGHTS**

## FRONT WEIGHTS

## SD\_T2150 FRONT BALLAST

		390215	Less Front Carrier and Weights			No Charge
		334923	Carrier less front weights			\$313.00
		330213	Front Weight Carrier +8 wghts <b>Front weight carrier &amp; 8 weight slices (31kgs / 68 lbs each)</b>			\$1,232.00
		330214	Front Weight Carrier +12 wghts <b>Front weight carrier &amp; 12 weight slices (31kgs / 68 lbs each)</b>			\$1,743.00
		330218	Front Weight Carrier +16 wghts <b>Front weight carrier &amp; 16 weight slices (31kgs / 68 lbs each)</b>			\$1,908.00

## REAR WHEEL WEIGHTS

## SD\_T4961 REAR BALLAST

Bar Axle						
		336935	6 Rear wheel weights <b>6 rear wheel weights for bar axle (65 kgs / 143 lbs each)</b>			\$845.00
		334354	10 rear wheel weight <b>10 rear wheel weights for bar axle (65 kgs / 143 lbs each)</b>			\$1,408.00
		XT4961X	Standard less rear ballast			No Charge
		330471	6 Rear Wheel Weights <b>6 rear wheel weights (40 kgs / 88 lbs each)</b> <b>for flange axle , total 528 lbs.</b>  <b>ONLY compatible with 18.4-34 &amp; 18.4-38 rear wheels</b>			\$845.00
Flange Axle						
		332497	12 Rear wheel weights <b>12 rear wheel weights for flange axle</b> <b>(40 kgs / 88 lbs each)total 1056 lbs.</b>  <b>ONLY compatible with 18.4-38 rear wheels</b>			\$1,686.00

**TS6 ALL PURPOSE - LESS FAST PICK  
 US PRICE LIST**
**CAB OPTION**

SD\_T9411 HIGH VISIBILITY WINDOW

		334743	High-visibility window			\$530.00
--	--	--------	------------------------	--	--	----------

**SEATS**

SD\_T8500 SEAT

		336923	Air suspension seat w/swivel <b>With 15 degree swivel</b>			\$939.00
--	--	--------	--	--	--	----------

**REAR WINDOW WIPER/WASHER**

SD\_T9150 REAR WIPER &amp; WASHER

		330642	Rear wiper/washer - CAB <b>Rear window wiper/washer for Cab</b>			\$272.00
--	--	--------	--	--	--	----------

**MISCELLANEOUS**
**FENDERS FRONT**

SD\_T8740 FRONT FENDERS

		336940	Front Fenders-Dynamic <b>Requires 331497 axle oscillation stops.</b>			\$733.00
--	--	--------	---	--	--	----------

**BRAKES/TRAILER BRAKE**

SD\_T7130 TRLR BRK VLV

		330718	Hydraulic trailer brakes			\$915.00
--	--	--------	--------------------------	--	--	----------

**REVERSE ALARM**

SD\_T9249 REVERSE ALARM

		330692	Reverse Alarm			\$169.00
--	--	--------	---------------	--	--	----------

**ROPS CANOPY**

SD\_T8771 CANOPY

		335857	Canopy <b>Only for Open Station ROPS tractor</b>			\$795.00
--	--	--------	---	--	--	----------

**TS6 ALL PURPOSE - LESS FAST PICK  
US PRICE LIST**

**RUBBER FLOOR MAT**

**SD T5701 FLOOR MAT**

		334742	Rubber floor mat <b>Only for open station ROPS tractors</b>			\$106.00
--	--	--------	--	--	--	----------

**OPERATOR'S MANUALS**

**SD T9802 OPERATORS MANUAL**

		429481	Spanish Bosch T4B			No Charge
		429482	French Bosch T4B			No Charge

**SD T9840 COUNTRY CONFIGURATION**

		339982	French Decals			No Charge
		339986	Spanish Decals			No Charge

**TS6.120 HC ROPS TANKS & CANOPY FAST PICK  
US PRICE LIST**

## Standard Equipment

### KEY SELLING POINTS:

- CommandArc# ergonomically places most frequently used controls to operator's right
- Creeper transmission
- 4.5L, 4-cylinder, FPT engines with 4 valves per cylinder, and common rail fuel injection systems
- Tier 4B EPA emissions compliant with ECOBlue# HI-eSCR Tier4B emissions system

### ENGINE

TS6.120

Rated PTO HP - 96  
Rated Engine HP - 119  
Rated Engine Speed - @ 2200 rpm  
274 cu. in. (4.5L) Displacement  
4 Cylinders, Turbocharged  
Intercooled Diesel Engine

### COMMON ENGINE FEATURES

Tier 4B Emissions Compliant  
ECOBBlue# HI-eSCR Tier4B emissions system  
Engine with Turbocharger and Air-to-Air Intercooler  
4 Valves Per Cylinder  
Bosch Common Rail Fuel Injection Pump (electronic)  
Grid Heater Starting Aid  
Dual Element Air Filter with Pre-Cleaner (spin tube intakes)  
A-Pillar Exhaust with Integral Muffler  
Air cleaner with integrated pe-cleaner & dust ejector  
Fixed Fan  
Cooling System with Antifreeze  
Water Separator and Dual Fuel Filters  
Plastic Fuel Tank  
57.5 gallon (217.6 liter) fuel capacity  
7.9 gallon (30 liter) DEF tank capacity

Fuel tank guard

### TRANSMISSION

8X8 Power Shuttle  
8 Forward x 8 Reverse gears  
Creeper transmission  
Synchronized gear change  
Main gearbox synchronized  
Left-hand shuttle lever  
14" cerametallic clutch  
18.7 MPH (30 KPH)

### STEERING

Hydrostatic Power Steering

### PTO

Independent, 540/1000 rpm PTO  
Multi-plate Wet Clutch  
Mechanical Engagement

### AXLES

Front Axle - FWD:  
Class III Standard Duty  
Limited Slip Front Wheel Drive Axle  
Mechanical FWD Engagement  
55° Turning Angle  
12° Axle Oscillation Drive Shaft Shield  
Front Drive Shaft Shield  
Manual Adjustable Tread Width from 72 in. to 84 in.  
Maximum Axle Clearance - 28 in.

Rear Axle:  
Drop Box Final Drives  
Hydraulic Wet Brakes (equalizing)  
Park Brake Lever  
Manual Adjustable Tread Width from 72 in. to 84 in.  
Maximum Drawbar Support Clearance - 30 in.

**TS6.120 HC ROPS TANKS & CANOPY FAST PICK  
US PRICE LIST**

## Standard Equipment

### HYDRAULIC SYSTEM

-----  
Fixed displacement pumps

Dual Gear Pumps

Maximum Flow at Rated Engine Speed:

Implement Pump: 22 gpm

Steering Pump: 7 gpm

Total Flow: 29 gpm

(2) Close Center Deluxe Remotes with  
Flow Controls, Adjustable Detents and

(4) Couplers

### 3-POINT LIFT SYSTEM

-----  
One internal lift cylinder

Top Link Draft Sensing

3735 lbs. Lift Capacity @ 24 in. (ASAE)

Category II, 3-point Linkage with Flexible  
Link Ends

Telescopic Stabilizers

### INSTRUMENTATION:

Analog Instrumentation with warning  
lights for air cleaner service,  
alternator, oil pressure, fuel  
sediment/water sensor, PTO  
engagement, head light high beam,  
low fuel and parking brake,  
digital speed readout

Gauges for fuel level, engine  
temperature, tachometer and hour  
meter

Horn

### ELECTRICAL:

(1) 950 cca Heavy-Duty Battery

120 amp Alternator

7-pin Outlet for trailer/implement lighting  
and signals

3-pin Power Outlet (30 amp) - cab only

Single Pin (8 amp) Accessory Power  
outlet

12V power socket (cigarette lighter) -  
cab only

Reverse alarm

### LIGHTING:

#### ROPS

Front: (2) Halogen Headlights

Rear: (1) Worklight

Turn Signals/Flashers/Rear Lights

### OPERATOR PROTECTIVE STRUCTURE:

#### ROPS MODELS

2-Post Foldable ROPS with ISO-  
mounted flat deck platform

Canopy

Steering Wheel - adjustable tilt

Seat - Vinyl covered with mechanical  
suspension, operator's presence  
sensor, retractable seat belts and  
arm rests

Suspended pedals

Locking brake pedals

### MISCELLANEOUS

-----  
Front push frame mounts

Two 120 gallon tanks integrated  
into the rear fenders

16 front weights

Pivoting Engine Hood

SMV Emblem

Toolbox

### WARRANTY

-----  
New Holland Standard Warranty Applies



**TS6.120 HC ROPS TANKS & CANOPY FAST PICK  
US PRICE LIST**

**Models**

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
TS6.120 HC T4B	Rops & High Clearance	MFD	10,692 LB		\$94,783.00
Includes the following Equipment					
8x8 With Power Shuttle (330059)		\$1,911.00			
13.6R38 MICHELIN (8201706)		\$2,302.00			
13.6R38 MICHELIN HC (8301709)		\$2,302.00			

**TS6.120 HC ROPS TANKS & CANOPY FAST PICK  
US PRICE LIST**

## Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

### PACKAGE SELECTION

SD\_T9980 PACKAGING

	X0546XX	NH FAST PICK #1 <b>NH FAST PICK #1</b> <b>TS6.120 High Clear ROPS Pkg</b> <b># Tanks &amp; Canopy</b> <b>Includes:</b> <b>330059: 8x8 With Power Shuttle</b> <b>30066: 10:1 CREEPER FOR 8+8 &amp; 16+</b> <b>8201706: 13.6R38 MICHELIN</b> <b>8301709: 13.6R38 MICHELIN HC</b> <b>429472: 2 Bosch RR Flow Ctrl</b> <b>463748: 2 TANKS SET</b> <b>463789: HYD LIFT 1CYL TANKS</b> <b>330218: Front Weight Carrier +16 wghts</b> <b>330692: Reverse Alarm</b> <b>335857: Canopy</b>			\$14,383.00
--	---------	---	--	--	-------------

### TIRES

REAR WHEELS & TIRES

SD\_T4950 REAR WHEELS AND TIRES

	8301709	13.6R38 MICHELIN HC <b>Requires 13.6R38 Front Tires</b>			\$2,302.00
	8390701	12.4R X46 R2 8390701 <b>Requires 12.4 x 46 R2 Front Tires</b>			\$4,601.00

### OPERATOR'S MANUALS

SD\_T9802 OPERATORS MANUAL

	429481	Spanish Bosch T4B			No Charge
	429482	French Bosch T4B			No Charge

SD\_T9840 COUNTRY CONFIGURATION

	339982	French Decals			No Charge
	339986	Spanish Decals			No Charge



**TS6.120 HC ROPS LESS TANKS FAST PICK  
 US PRICE LIST**

## Standard Equipment

**KEY SELLING POINTS:**

- CommandArc# ergonomically places most frequently used controls to operator's right
- Creeper transmission
- 4.5L, 4-cylinder, FPT engines with 4 valves per cylinder, and common rail fuel injection systems
- Tier 4B EPA emissions compliant with ECOBlue# HI-eSCR Tier4B emissions system

**ENGINE**

-----  
 TS6.120

Rated PTO HP - 96  
 Rated Engine HP - 119  
 Rated Engine Speed - @ 2200 rpm  
 274 cu. in. (4.5L) Displacement  
 4 Cylinders, Turbocharged  
 Intercooled Diesel Engine

**COMMON ENGINE FEATURES**

-----  
 Tier 4B Emissions Compliant  
 ECOBlue# HI-eSCR Tier4B emissions system  
 Engine with Turbocharger and Air-to-Air Intercooler  
 4 Valves Per Cylinder  
 Bosch Common Rail Fuel Injection Pump (electronic)  
 Grid Heater Starting Aid  
 Dual Element Air Filter with Pre-Cleaner (spin tube intakes)  
 A-Pillar Exhaust with Integral Muffler  
 Air cleaner with integrated pe-cleaner & dust ejector  
 Fixed Fan  
 Cooling System with Antifreeze  
 Water Separator and Dual Fuel Filters  
 Plastic Fuel Tank  
 57.5 gallon (217.6 liter) fuel capacity  
 7.9 gallon (30 liter) DEF tank capacity

Fuel tank guard

**TRANSMISSION**

-----  
 8X8 Power Shuttle  
 8 Forward x 8 Reverse gears  
 Creeper transmission  
 Synchronized gear change  
 Main gearbox synchronized  
 Left-hand shuttle lever  
 14" cerametallic clutch  
 18.7 MPH (30 KPH)

**STEERING**

-----  
 Hydrostatic Power Steering

**PTO**

-----  
 Independent, 540/1000 rpm PTO  
 Multi-plate Wet Clutch  
 Mechanical Engagement

**AXLES**

-----  
 Front Axle - FWD:  
 Class III Standard Duty  
 Limited Slip Front Wheel Drive Axle  
 Mechanical FWD Engagement  
 55° Turning Angle  
 12° Axle Oscillation Drive Shaft Shield  
 Front Drive Shaft Shield  
 Manual Adjustable Tread Width from 72 in. to 84 in.  
 Maximum Axle Clearance - 28 in.

**Rear Axle:**

Drop Box Final Drives  
 Hydraulic Wet Brakes (equalizing)  
 Park Brake Lever  
 Manual Adjustable Tread Width from 72 in. to 84 in.  
 Maximum Drawbar Support Clearance - 30 in.

**TS6.120 HC ROPS LESS TANKS FAST PICK  
US PRICE LIST**

## Standard Equipment

### HYDRAULIC SYSTEM

-----  
Fixed displacement pumps  
Dual Gear Pumps  
Maximum Flow at Rated Engine Speed:  
Implement Pump: 22 gpm  
Steering Pump: 7 gpm  
Total Flow: 29 gpm  
(2) Close Center Deluxe Remotes with  
Flow Controls, Adjustable Detents and  
(4) Couplers

### 3-POINT LIFT SYSTEM

-----  
One internal lift cylinder  
Top Link Draft Sensing  
3735 lbs. Lift Capacity @ 24 in. (ASAE)  
Category II, 3-point Linkage with Flexible  
Link Ends  
Telescopic Stabilizers

### INSTRUMENTATION:

Analog Instrumentation with warning  
lights for air cleaner service,  
alternator, oil pressure, fuel  
sediment/water sensor, PTO  
engagement, head light high beam,  
low fuel and parking brake,  
digital speed readout  
Gauges for fuel level, engine  
temperature, tachometer and hour  
meter  
Horn

### ELECTRICAL:

(1) 950 cca Heavy-Duty Battery  
120 amp Alternator  
7-pin Outlet for trailer/implement lighting  
and signals  
3-pin Power Outlet (30 amp) - cab only

Single Pin (8 amp) Accessory Power  
outlet  
12V power socket (cigarette lighter) -  
cab only  
Reverse alarm

### LIGHTING:

ROPS  
Front: (2) Halogen Headlights  
Rear: (1) Worklight  
Turn Signals/Flashers/Rear Lights

### OPERATOR PROTECTIVE STRUCTURE:

ROPS MODELS  
2-Post Foldable ROPS with ISO-  
mounted flat deck platform  
Steering Wheel - adjustable tilt  
Seat - Vinyl covered with mechanical  
suspension, operator's presence  
sensor, retractable seat belts and  
arm rests  
Suspended pedals  
Locking brake pedals

### MISCELLANEOUS

-----  
Front push frame mounts  
16 front weights  
Pivoting Engine Hood  
SMV Emblem  
Toolbox

### WARRANTY

-----  
New Holland Standard Warranty Applies



**TS6.120 HC ROPS LESS TANKS FAST PICK  
US PRICE LIST**

**Models**

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
TS6.120 HC T4B	Rops & High Clearance	MFD	10,692 LB		\$94,783.00
Includes the following Equipment					
8x8 With Power Shuttle (330059)		\$1,911.00			
13.6R38 MICHELIN (8201706)		\$2,302.00			
13.6R38 MICHELIN HC (8301709)		\$2,302.00			

**TS6.120 HC ROPS LESS TANKS FAST PICK  
 US PRICE LIST**
**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**PACKAGE SELECTION**

## SD\_T9980 PACKAGING

	X0547XX	NH FAST PICK #2 <b>NH FAST PICK #2</b> <b>TS6.120 High Clear ROPS Pkg</b> <b># Less Tanks &amp; Canopy</b> <b>Includes:</b> 8x8 With Power Shuttle 10:1 CREEPER FOR 8+8 & 16+ 13.6R38 MICHELIN 13.6R38 MICHELIN HC 2 Bosch RR Flow Ctrl Hyd Lift w/ 1 int. cyl Front Weight Carrier +16 wghts Reverse Alarm			(\$412.00)
--	---------	---	--	--	------------

**3-POINT HITCH**

## REAR 3 POINT HITCH

## SD\_T8240 EXTERNAL LIFT CONTROL

	330845	External 3-pt Control for MDC <b>Mechanical ground control for 3 point hitch</b> (not compatible with 2 external lift cylinders 339784)			\$181.00
--	--------	---	--	--	----------

**MISCELLANEOUS**

## ROPS CANOPY

## SD\_T8771 CANOPY

	335857	Canopy <b>Only for Open Station ROPS tractor</b>			\$795.00
--	--------	---	--	--	----------

**OPERATOR'S MANUALS**

## SD\_T9802 OPERATORS MANUAL

	429481	Spanish Bosch T4B			No Charge
--	--------	-------------------	--	--	-----------



**TS6.120 HC ROPS LESS TANKS FAST PICK  
US PRICE LIST**

		429482	French Bosch T4B			No Charge
--	--	--------	------------------	--	--	-----------

**SD T9840 COUNTRY CONFIGURATION**

		339982	French Decals			No Charge
		339986	Spanish Decals			No Charge

**TS6 T4B HIGH CLEARANCE - LESS FAST PICK  
US PRICE LIST**

## Standard Equipment

### KEY SELLING POINTS:

- VisionView# cab
- CommandArc# ergonomically places most frequently used controls to operator's right
- Cab has ten repositionable vents for heating and air conditioning w/dual fan
- Full-size instructor seat (option)
- Creeper transmission
- 4.5L, 4-cylinder, FPT engines with 4 valves per cylinder, and common rail fuel injection systems
- Tier 4B EPA emissions compliant with ECOBlue# HI-eSCR Tier4B emissions system
- Offering to fit customer; Cab or ROPS

### ENGINE

-----  
TS6.120

Rated PTO HP - 96  
Rated Engine HP - 119  
Rated Engine Speed - @ 2200 rpm  
274 cu. in. (4.5L) Displacement  
4 Cylinders, Turbocharged  
Intercooled Diesel Engine

### COMMON ENGINE FEATURES

-----  
Tier 4B Emissions Compliant  
ECOBBlue# HI-eSCR Tier4B emissions system  
Engine with Turbocharger and Air-to-Air Intercooler  
4 Valves Per Cylinder  
Bosch Common Rail Fuel Injection Pump (electronic)  
Grid Heater Starting Aid  
Dual Element Air Filter with Pre-Cleaner (spin tube intakes)  
A-Pillar Exhaust with Integral Muffler  
Air cleaner with integrated pe-cleaner & dust ejector  
Fixed Fan

Cooling System with Antifreeze  
Water Separator and Dual Fuel Filters  
Plastic Fuel Tank  
57.5 gallon (217.6 liter) fuel capacity  
7.9 gallon (30 liter) DEF tank capacity  
Fuel tank guard

### TRANSMISSION

-----  
8X8 Power Shuttle  
8 Forward x 8 Reverse gears  
Creeper transmission  
Synchronized gear change  
Main gearbox synchronized  
Left-hand shuttle lever  
14" cerametallic clutch  
18.7 MPH (30 KPH)

### STEERING

-----  
Hydrostatic Power Steering

### PTO

-----  
Independent, 540/1000 rpm PTO  
Multi-plate Wet Clutch  
Mechanical Engagement

### AXLES

-----  
Front Axle - FWD:  
Class III Standard Duty  
Limited Slip Front Wheel Drive Axle  
Mechanical FWD Engagement  
55° Turning Angle  
12° Axle Oscillation Drive Shaft Shield  
Front Drive Shaft Shield  
Manual Adjustable Tread Width from 72 in. to 84 in.  
Maximum Axle Clearance - 28 in.  
  
Rear Axle:  
Drop Box Final Drives  
Hydraulic Wet Brakes (equalizing)  
Park Brake Lever

**TS6 T4B HIGH CLEARANCE - LESS FAST PICK  
US PRICE LIST**

## Standard Equipment

Manual Adjustable Tread Width from  
72 in. to 84 in.  
Maximum Drawbar Support Clearance -  
30 in.

### HYDRAULIC SYSTEM

-----  
Fixed displacement pumps  
Dual Gear Pumps  
Maximum Flow at Rated Engine Speed:  
Implement Pump: 22 gpm  
Steering Pump: 7 gpm  
Total Flow: 29 gpm  
(2) Close Center Deluxe Remotes with  
Flow Controls, Adjustable Detents and  
(4) Couplers

### 3-POINT LIFT SYSTEM

-----  
One internal lift cylinder  
Top Link Draft Sensing  
3735 lbs. Lift Capacity @ 24 in. (ASAE)  
Category II, 3-point Linkage with Flexible  
Link Ends  
Telescopic Stabilizers

### INSTRUMENTATION:

Analog Instrumentation with warning  
lights for air cleaner service,  
alternator, oil pressure, fuel  
sediment/water sensor, PTO  
engagement, head light high beam,  
low fuel and parking brake,  
digital speed readout  
Gauges for fuel level, engine  
temperature, tachometer and hour  
meter  
Horn

### ELECTRICAL:

(1) 950 cca Heavy-Duty Battery  
120 amp Alternator  
7-pin Outlet for trailer/implement lighting  
and signals  
3-pin Power Outlet (30 amp) - cab only

Single Pin (8 amp) Accessory Power  
outlet  
12V power socket (cigarette lighter) -  
cab only

### LIGHTING:

#### ROPS

Front: (2) Halogen Headlights  
Rear: (1) Worklight  
Turn Signals/Flashers/Rear Lights

#### CAB

Front: (2) Halogen Headlights and  
(4) cab mounted worklights  
Rear: (4) cab mounted worklights  
Turn Signals/Flashers/Rear Lights

### OPERATOR PROTECTIVE STRUCTURE:

#### ROPS MODELS

2-Post Foldable ROPS with ISO-  
mounted flat deck platform  
Steering Wheel - adjustable tilt  
Seat - Vinyl covered with mechanical  
suspension, operator's presence  
sensor, retractable seat belts and  
arm rests  
Suspended pedals  
Locking brake pedals

#### CAB MODELS

ROPS protected, FOPS Certified, flat  
deck platform with heat and air  
conditioning, tinted windshield, two  
doors with locks, two external mirrors,  
openable side windows, hinged rear  
window (opens completely)  
Steering Wheel - adjustable tilt  
Seat - Cloth covered with mechanical  
suspension, operator's presence sensor,  
retractable seat belt and arm rests  
Suspended pedals, Radio, wires,  
speakers, and antenna  
Front window washer and wiper



TS6 T4B HIGH CLEARANCE - LESS FAST PICK  
US PRICE LIST

## Standard Equipment

### MISCELLANEOUS

-----

Front push frame mounts  
Pivoting Engine Hood  
SMV Emblem  
Toolbox

### WARRANTY

-----

New Holland Standard Warranty Applies





**TS6 T4B HIGH CLEARANCE - LESS FAST PICK  
US PRICE LIST**

**Models**

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
TS6.120 HC T4B	Rops & High Clearance	MFD	10,692 LB		\$94,783.00
Includes the following Equipment					
8x8 With Power Shuttle (330059) \$1,911.00					
13.6R38 MICHELIN (8201706) \$2,302.00					
13.6R38 MICHELIN HC (8301709) \$2,302.00					
TS6.120 HC T4B	Cab & High Clearance	MFD	11,442 LB		\$106,770.00
Includes the following Equipment					
8x8 With Power Shuttle (330059) \$1,911.00					
13.6R38 MICHELIN (8201706) \$2,302.00					
13.6R38 MICHELIN HC (8301709) \$2,302.00					
Radio 392295 (392295) \$244.00					

**TS6 T4B HIGH CLEARANCE - LESS FAST PICK  
US PRICE LIST**

## Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

### PACKAGE SELECTION

SD\_T9980 PACKAGING

	X0557XX	LESS PACKAGING.			No Charge
--	---------	-----------------	--	--	-----------

### TRANSMISSION

SD\_T2810 TRANSMISSION

	330061	16x8 With Power Shuttle <b>16x8 DualPower Power Shuttle</b>  <b>NOT Compatible with Creeper (330066) AND rear wheels 8360781.</b>			\$2,034.00
--	--------	--	--	--	------------

SD\_T3230 CREEPER or Interlock

	330066	10:1 CREEPER FOR 8+8 & 16+8 <b>Creeper Transmission</b>  <b>NOT Compatible with 16x8 (330061) AND 46" rear wheels (8360761 or 8360781).</b>			No Charge
	390266	L/CREEPER FOR 8+8 <b>Less Creeper Option</b>			(\$2,517.00)

### TIRES

#### FRONT WHEELS & TIRES

SD\_T4940 FRONT WHEELS AND TIRES

4WD Front					
	8201706	13.6R38 MICHELIN			\$2,302.00
	8296801	12.4R x 46 R2 - ANY BR			\$4,601.00
	8215404	9.5R48 R1W Wide Track <b>Matches 230/95R48 R1W Rear Tire</b>			\$4,718.00
	8299905	Front Shipping Wheels-4WD <b>4WD Shipping Wheels</b>			\$195.00

**TS6 T4B HIGH CLEARANCE - LESS FAST PICK  
 US PRICE LIST**
**REAR WHEELS & TIRES**
**SD T4950 REAR WHEELS AND TIRES**

Flange Axle						
		8301709	13.6R38 MICHELIN HC <b>Requires 13.6R38 Front Tires</b>			\$2,302.00
		8390701	12.4R X46 R2 8390701 <b>Requires 12.4 x 46 R2 Front Tires</b>			\$4,601.00
		8903401	230/95R48 R1W <b>Requires 230/9.5 x 48 FrontTires</b>			\$4,718.00
		8399905	Shipping Wheels-Rear			\$733.00

**HYDRAULICS**
**REAR REMOTE VALVES**
**SD T8270 REAR REMOTES**

		429473	3 Bosch RR Flow Ctrl			\$1,038.00
		429474	4 Bosch RR Flow Ctrl			\$2,074.00

**TANKS**
**TANKS**
**SD P8103 TANK**

		463747	240G FENDER TANKS <b>Two 120 US Gallon Tanks are intergrated into the fenders and installed on the tractor.</b>			\$6,000.00
		463748	2 TANKS SET <b>Two 120 US Gallon Tanks are intergrated into the fenders and installed on the tractor and two additional tanks shipped with the tractor on a skid.</b>			\$14,000.00

**3-POINT HITCH**
**REAR 3 POINT HITCH**
**SD T8240 EXTERNAL LIFT CONTROL**

		330845	External 3-pt Control for MDC <b>Mechanical ground control for 3 point hitch (not compatible with 2 external lift cylinders 339784)</b>			\$181.00
--	--	--------	--	--	--	----------

**TS6 T4B HIGH CLEARANCE - LESS FAST PICK  
 US PRICE LIST**

## SD\_T8950 AUX RAMS

		390344	Hyd Lift w/ 1 int. cyl <b>1 Internal Lift Ram</b> <b>3,735 pounds lift capacity</b>			No Charge
		336784	Hyd Lift w/ 1 int. & 1 ext cyl <b>1 Auxiliary Lift Ram</b> <b>5,499 pounds lift capacity</b>			\$706.00
		339784	Hyd Lift w/ 1 int. & 2 ext cyl <b>2 Auxiliary Lift Rams</b> <b>7,326 pounds lift capacity</b>			\$1,334.00
		463789	HYD LIFT 1CYL TANKS <b>1 Internal Lift Ram</b> <b>3,735 pounds lift capacity</b> <b>Used with 240 Gallon Fender Tanks</b>			No Charge
		463790	HYD LIFT XT CYL TANK <b>1 Auxiliary Lift Ram</b> <b>5,499 pounds lift capacity</b> <b>Used with 240 Gallon Fender Tanks</b>			\$706.00
		463791	HYD LIFT 2CYL TANKS <b>2 Auxiliary Lift Rams</b> <b>7,326 pounds lift capacity</b> <b>Used with 240 Gallon Fender Tanks</b>			\$1,334.00

**WEIGHTS**

## FRONT WEIGHTS

## SD\_T2150 FRONT BALLAST

		334923	Carrier less front weights			\$313.00
		330213	Front Weight Carrier +8 wghts <b>Front weight carrier &amp; 8 weight slices (31kgs / 68 lbs each)</b>			\$1,232.00
		330214	Front Weight Carrier +12 wghts <b>Front weight carrier &amp; 12 weight slices (31kgs / 68 lbs each)</b>			\$1,743.00
		330218	Front Weight Carrier +16 wghts <b>Front weight carrier &amp; 16 weight slices (31kgs / 68 lbs each)</b>			\$1,908.00

**CAB OPTION**

## SEATS

## SD\_T8500 SEAT

		336923	Air suspension seat w/swivel <b>With 15 degree swivel</b>			\$939.00
--	--	--------	--	--	--	----------

**TS6 T4B HIGH CLEARANCE - LESS FAST PICK  
US PRICE LIST**
**INSTRUCTOR SEAT**

## SD T5702 INSTRUCTOR SEAT

		336937	Instructor seat			\$575.00
--	--	--------	-----------------	--	--	----------

**REAR WINDOW WIPER/WASHER**

## SD T9150 REAR WIPER &amp; WASHER

		330642	Rear wiper/washer - CAB <b>Rear window wiper/washer for Cab</b>			\$272.00
--	--	--------	--	--	--	----------

**RADIO**

## SD T9160 RADIO READY

		392295	Radio 392295			\$244.00
--	--	--------	--------------	--	--	----------

**MISCELLANEOUS**
**BRAKES/TRAILER BRAKE**

## SD T7130 TRLR BRK VLV

		330718	Hydraulic trailer brakes			\$915.00
--	--	--------	--------------------------	--	--	----------

**REVERSE ALARM**

## SD T9249 REVERSE ALARM

		330692	Reverse Alarm			\$169.00
--	--	--------	---------------	--	--	----------

**ROPS CANOPY**

## SD T8771 CANOPY

		335857	Canopy <b>Only for Open Station ROPS tractor</b>			\$795.00
--	--	--------	---	--	--	----------

**RUBBER FLOOR MAT**

## SD T5701 FLOOR MAT

		334742	Rubber floor mat <b>Only for open station ROPS tractors</b>			\$106.00
--	--	--------	--	--	--	----------

**OPERATOR'S MANUALS**

## SD T9802 OPERATORS MANUAL

		429481	Spanish Bosch T4B			No Charge
		429482	French Bosch T4B			No Charge



**TS6 T4B HIGH CLEARANCE - LESS FAST PICK  
US PRICE LIST**

SD\_T9840 COUNTRY CONFIGURATION

		339982	French Decals			No Charge
		339986	Spanish Decals			No Charge