

**JOHN DEERE TURF & UTILITY PRODUCTS  
LAWN TRACTORS**

**Select Series X330 Tractor with 42 Accel Deep (42A) Mower Deck  
Equipment for Base Machine**

<p><b>ENGINE</b> 20 hp* (14.9 kW) 44.2-cu in. (724-cc) displacement Model 44J6 Air cooled, V-twin cylinder with cast-iron liners No tools oil drain and oil drain tube <b>FUEL SYSTEM</b> Gasoline Instrument display with hourmeter and fuel gauge <b>ELECTRICAL SYSTEM</b> 12-V (340-CCA) battery 15-amp regulated flywheel alternator Optional 12-V outlet <b>TRANSAXLE</b> K46 hydrostatic transmission Twin Touch pedals Cruise control 0-5.5 mph (0-8.9 km/h) forward speed</p>	<p>0-4 mph (0-6.4 km/h) reverse speed <b>CHASSIS</b> Standard rear weight bracket holds up to two and optional front weight bracket holds up to four 42-lb (19-kg) Quik-Tatch weights Cast-iron front axle 15x6-6 front turf tires 20x10-8 rear turf tires Storage under seat and on fender <b>STEERING</b> Manual, two-wheel steer 14-in. (35.6-cm) steering wheel 16-in. (40.6-cm) turning radius 42A - 26-in. (66 cm) uncut circle radius <b>SEAT</b> 15-in. (38.1-cm) open back with grasp <b>LIFT SYSTEM</b> Foot pedal implement lift <b>MOWER DECK</b></p>	<p>Side discharge 42 in. (107 cm) 12-gauge, 0.105-in. (2.7-mm) stamped steel deck shell Mower wash port Two mower wheels  *Engine horsepower and torque information for non-Deere engines are provided by the engine manufacturer for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's Web site for additional information.</p>
---	---	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

<i>F.O.B. Janesville, Wisconsin</i>		
4690M	Select Series X330 Tractor with 42 Accel Deep (42A) Mower Deck <i>Not Available for Sale in California.</i>	2,999.00

**DESTINATION**

001A	United States and Canada	In Base Price
------	--------------------------	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Engine:</b>	
AM135845	Spark Arrester Muffler Screen (X300s, X500 M-Ts)	48.95
	<b>FRONT MOUNTED THATCHERS:</b>	
LP48004	38 In. Front Thatcher (Center) <i>Requires Mounting Frame.</i>	246.00
LP48003	8 In. Front Thatcher (Extension) <i>Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width.</i>	50.00
LP48005	Thatcher Mounting Frame (X300, X500 M-T)	207.00
	<b>Material Collection System Hoppers:</b>	
BM21679	7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i>	441.91

JOHN DEERE TURF & UTILITY PRODUCTS  
LAWN TRACTORS

**Select Series X330 Tractor with 42 Accel Deep (42A) Mower Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
AM135486		Loose knit bag for 7 bu. Hopper	41.70
BG20754		<b>Material Collection System Power Flow/Rear Bagger Chutes:</b> Rear Bagger Chute for 42A Mower	125.19
BM24915		<b>Miscellaneous:</b> 12 Volt Outlet Kit (X300) <i>Used on MY2012- X300s (220001-).</i>	13.91
BM17981		12 Volt Work Light Kit	74.90
TY25866		Battery Charger and Maintainer	37.68
BM23057		Brush Guard (X300, X500 M-T)	128.40
BM23056		Bumper (X300s, X500, X530, X534, X570)	66.34
TY27534		Fuel Protect for Gasoline Engines (8 oz.)	4.49
LG227		Home Maintenance Kit	37.14
AM136046		Seat Net Kit	37.80
BM26155		Snow Blower and Front Blade Compatibility Kit <i>Updates a model year 2006-2015 44 Snow Blower (7001M/SKU23045), 47 Snow Blower (7002M/SKU23047), or 48 Front Blade (6002M/SKU23048) for use on a model year 2016 X300/X500 M-T tractor.</i>	328.49
BM23054		Sun Shade (X300/X500 M-T)	166.91
GX25668		<b>Mower Deck and Mower Deck Attachments:</b> Blade (42A, Bagging)	27.43
M170642		Blade (42A, Mulching)	27.50
M170639		Blade (42A, Side Discharge)	24.27
AM130907		<b>Mower Decks:</b> Mower deck leveling gauge	6.95
BM24794		<b>Mulch Kits:</b> 42A MulchControl kit	139.10
LP23117		<b>Order Zone:</b> 125 lb. Electric Broadcast Spreader Barrier Shield	65.00
LP35439		125 lb. Select Series Mounted Electric Broadcast Spreader <i>Requires Front Wheel Weights or Front Weight Bracket and 2 weights.</i>	449.00
LP22861		25-gal. Mounted Sprayer <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	449.95
LP63767		40-In. Tractor Shovel	939.00
LPJD400		Bucket (5 gallon)	8.95

JOHN DEERE TURF & UTILITY PRODUCTS  
LAWN TRACTORS

**Select Series X330 Tractor with 42 Accel Deep (42A) Mower Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LPJD301	Bucket Holder (Double)	84.95
	LP64865	Electric Lift Kit (Model Year 2016-) <i>For Snow Blower and Front Blade.</i>	450.00
	LP63762	Grass Groomer (42A)	99.95
	LP47168	MCS 7 Dump From Seat Hopper (X300 with 7 Bushel Hopper) <i>Requires separate material collection system.</i>	499.95
	LP33712	Manual Angling Kit (44 in Front Blade X300s)	164.95
	LP93617	Riding Mower Deluxe Cover (M)	89.99
	LP93917	Riding Mower Standard Cover	69.99
	LP55438	X300 Series Weather Enclosure	499.99
		<b>Protection:</b>	
	LP92624	Seat Cover (Deluxe Medium) - Yellow	42.99
	LP92324	Seat Cover - Yellow	26.99
		<b>Seats / Wheels / Tires:</b>	
	TY16200	Tire Chains (Pair) for 20x10-8, 20x10-10	70.96
		<b>Snow Blowers:</b>	
	BM25887	Lift Assist Spring Kit (X330, X350, X354)	37.46
	AM145350	Winter Grill Cover <i>Used on X300s, MY2007- Model X500 (serial 020001-), X530, MY2011- X534 (serial 060001-), X570, X580, X584, and X590.</i>	107.56
		<b>Spanish North American Kit:</b>	
	BM25402	Spanish Label & Owner's Manual Kit <i>For Model Year 2016 (X350, X354, X370, X380, X384, X390, and X394).</i>	69.56
		<b>Weights:</b>	
	R66949	Quik-Tatch Weight, 42 Lb. <i>Use up to 2 Weights on the rear of X300 Series Tractors</i>	59.91
	BM25370	Weight Bracket, Front (X300/X500 M-T) <i>Allows installation of R66949 Quik-Tatch Weights. Used on X300s, MY2007- Model X500 (serial 020001-), X530, MY2011- X534 (serial 060001-), and X570.</i>	69.56
	BM17962	Wheel Weight (Cast Iron, Front, 34 Lb., 5 or 6 in wheel) <i>Requires BM17978 Mounting Hardware.</i>	144.46
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**LAWN TRACTORS**

**Select Series X350 Tractor with 42 Accel Deep (42A) Mower Deck**  
Equipment for Base Machine

<p><b>ENGINE</b> 18.5 hp* (13.8 kW) 36.8-cu in. (603-cc) displacement Model FS600V Air cooled, V-twin cylinder with cast-iron liners No tools oil drain <b>FUEL SYSTEM</b> Gasoline Instrument display with hourmeter and fuel gauge <b>ELECTRICAL SYSTEM</b> 12-V (340-CCA) battery 15-amp regulated flywheel alternator Optional 12-V outlet <b>TRANSAXLE</b> K46 hydrostatic transmission Twin Touch pedals Cruise control 0-5.5 mph (0-8.9 km/h) forward speed 0-4 mph (0-6.4 km/h) reverse</p>	<p>speed <b>CHASSIS</b> Standard rear weight bracket holds up to two and optional front weight bracket holds up to four 42-lb (19-kg) Quik-Tatch weights Cast-iron front axle 15x6-6 front turf tires 20x10-8 rear turf tires Storage under seat and on fender <b>STEERING</b> Manual, two-wheel steer 14-in. (35.6-cm) steering wheel 16-in. (40.6-cm) turning radius 42A - 26 in. (66 cm) uncut circle radius <b>SEAT</b> 15-in. (38.1-cm) open back with grasp <b>LIFT SYSTEM</b> Foot pedal implement lift <b>MOWER DECK</b> Side discharge 42 in. (107 cm)</p>	<p>12-gauge, 0.105-in. (2.7-mm) stamped steel deck shell Mower wash port Two mower wheels  *Engine horsepower and torque information for non-Deere engines are provided by the engine manufacturer for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's Web site for additional information.</p>
---	---	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

4880M	Select Series X350 Tractor with 42 Accel Deep (42A) Mower Deck <i>Not Available for Sale in California.</i>	3,199.00
-------	--	----------

**DESTINATION**

001A	United States and Canada	In Base Price
0195	Mexico	Same Price

**ATTACHMENTS FOR FIELD CONVERSION**

AM135845	<p><b>Engine:</b> Spark Arrester Muffler Screen (X300s, X500 M-Ts)</p>	48.95
LP48004	<p><b>FRONT MOUNTED THATCHERS:</b> 38 In. Front Thatcher (Center) <i>Requires Mounting Frame.</i></p>	246.00
LP48003	<p>8 In. Front Thatcher (Extension) <i>Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width.</i></p>	50.00
LP48005	Thatcher Mounting Frame (X300, X500 M-T)	207.00
BM21679	<p><b>Material Collection System Hoppers:</b> 7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i></p>	441.91

JOHN DEERE TURF & UTILITY PRODUCTS  
LAWN TRACTORS

**Select Series X350 Tractor with 42 Accel Deep (42A) Mower Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
AM135486		Loose knit bag for 7 bu. Hopper	41.70
BG20754		<b>Material Collection System Power Flow/Rear Bagger Chutes:</b> Rear Bagger Chute for 42A Mower	125.19
BM24915		<b>Miscellaneous:</b> 12 Volt Outlet Kit (X300) <i>Used on MY2012- X300s (220001-).</i>	13.91
BM17981		12 Volt Work Light Kit	74.90
TY25866		Battery Charger and Maintainer	37.68
BM23057		Brush Guard (X300, X500 M-T)	128.40
BM23056		Bumper (X300s, X500, X530, X534, X570)	66.34
TY27534		Fuel Protect for Gasoline Engines (8 oz.)	4.49
LG265		Home Maintenance Kit	39.99
AM136046		Seat Net Kit	37.80
BM26155		Snow Blower and Front Blade Compatibility Kit <i>Updates a model year 2006-2015 44 Snow Blower (7001M/SKU23045), 47 Snow Blower (7002M/SKU23047), or 48 Front Blade (6002M/SKU23048) for use on a model year 2016 X300/X500 M-T tractor.</i>	328.49
BM23054		Sun Shade (X300/X500 M-T)	166.91
GX25668		<b>Mower Deck and Mower Deck Attachments:</b> Blade (42A, Bagging)	27.43
M170642		Blade (42A, Mulching)	27.50
M170639		Blade (42A, Side Discharge)	24.27
AM130907		<b>Mower Decks:</b> Mower deck leveling gauge	6.95
BM24794		<b>Mulch Kits:</b> 42A MulchControl kit	139.10
LP23117		<b>Order Zone:</b> 125 lb. Electric Broadcast Spreader Barrier Shield	65.00
LP35439		125 lb. Select Series Mounted Electric Broadcast Spreader <i>Requires Front Wheel Weights or Front Weight Bracket and 2 weights.</i>	449.00
LP22861		25-gal. Mounted Sprayer <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	449.95
LP63767		40-In. Tractor Shovel	939.00
LPJD400		Bucket (5 gallon)	8.95

JOHN DEERE TURF & UTILITY PRODUCTS  
LAWN TRACTORS

**Select Series X350 Tractor with 42 Accel Deep (42A) Mower Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LPJD301	Bucket Holder (Double)	84.95
	LP64865	Electric Lift Kit (Model Year 2016-) <i>For Snow Blower and Front Blade.</i>	450.00
	LP63762	Grass Groomer (42A)	99.95
	LP47168	MCS 7 Dump From Seat Hopper (X300 with 7 Bushel Hopper) <i>Requires separate material collection system.</i>	499.95
	LP33712	Manual Angling Kit (44 in Front Blade X300s)	164.95
	LP93617	Riding Mower Deluxe Cover (M)	89.99
	LP93917	Riding Mower Standard Cover	69.99
	LP55438	X300 Series Weather Enclosure	499.99
		<b>Protection:</b>	
	LP92624	Seat Cover (Deluxe Medium) - Yellow	42.99
	LP92324	Seat Cover - Yellow	26.99
		<b>Seats / Wheels / Tires:</b>	
	TY16200	Tire Chains (Pair) for 20x10-8, 20x10-10	70.96
		<b>Snow Blowers:</b>	
	BM25887	Lift Assist Spring Kit (X330, X350, X354)	37.46
	AM145350	Winter Grill Cover <i>Used on X300s, MY2007- Model X500 (serial 020001-), X530, MY2011- X534 (serial 060001-), X570, X580, X584, and X590.</i>	107.56
		<b>Spanish North American Kit:</b>	
	BM25402	Spanish Label & Owner's Manual Kit <i>For Model Year 2016 (X350, X354, X370, X380, X384, X390, and X394).</i>	69.56
		<b>Weights:</b>	
	R66949	Quik-Tatch Weight, 42 Lb. <i>Use up to 2 Weights on the rear of X300 Series Tractors</i>	59.91
	BM25370	Weight Bracket, Front (X300/X500 M-T) <i>Allows installation of R66949 Quik-Tatch Weights. Used on X300s, MY2007- Model X500 (serial 020001-), X530, MY2011- X534 (serial 060001-), and X570.</i>	69.56
	BM17962	Wheel Weight (Cast Iron, Front, 34 Lb., 5 or 6 in wheel) <i>Requires BM17978 Mounting Hardware.</i>	144.46
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77

**JOHN DEERE TURF & UTILITY PRODUCTS  
LAWN TRACTORS**

**Select Series X350 Tractor with 48 Accel Deep (48A) Mower Deck  
Equipment for Base Machine**

ENGINE  
18.5 hp\* (13.8 kW)  
36.8-cu in. (603-cc)  
displacement  
Model FS600V  
Air cooled, V-twin cylinder with  
cast-iron liners  
No tools oil drain  
FUEL SYSTEM  
Gasoline  
Instrument display with  
hourmeter and fuel gauge  
ELECTRICAL SYSTEM  
12-V (340-CCA) battery  
15-amp regulated flywheel  
alternator  
Optional 12-V outlet  
TRANSAXLE  
K46 hydrostatic transmission  
Twin Touch pedals  
Cruise control  
0-5.5 mph (0-8.9 km/h) forward  
speed  
0-4 mph (0-6.4 km/h) reverse

speed  
CHASSIS  
Standard rear weight bracket  
holds up to two and optional  
front weight bracket holds up to  
four 42-lb (19-kg) Quik-Tatch  
weights  
Cast-iron front axle  
15x6-6 front turf tires  
20x10-8 rear turf tires  
Storage under seat and on fender  
STEERING  
Manual, two-wheel steer  
14-in. (35.6-cm) steering wheel  
16-in. (40.6-cm) turning radius  
48A - 21 in. (53 cm) uncut  
circle radius  
SEAT  
15-in. (38.1-cm) open back with  
grasp  
LIFT SYSTEM  
Foot pedal implement lift  
MOWER DECK  
Side discharge 48 in. (122 cm)

10-gauge, 0.135-in. (3.4-mm)  
stamped steel deck shell  
Mower wash port  
Four mower wheels and front  
center rollers

\*Engine horsepower and torque  
information for non-Deere  
engines are provided by the  
engine manufacturer for  
comparison purposes only. Actual  
operating horsepower and torque  
will be less. Refer to the  
engine manufacturer's Web site  
for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

4881M	Select Series X350 Tractor with 48 Accel Deep (48A) Mower Deck <i>Not Available for Sale in California.</i>	3,599.00
-------	--	----------

**DESTINATION**

001A	United States and Canada	In Base Price
0195	Mexico	Same Price

**ATTACHMENTS FOR FIELD CONVERSION**

AM135845	<b>Engine:</b> Spark Arrester Muffler Screen (X300s, X500 M-Ts)	48.95
<b>FRONT MOUNTED THATCHERS:</b>		
LP48004	38 In. Front Thatcher (Center) <i>Requires Mounting Frame.</i>	246.00
LP48003	8 In. Front Thatcher (Extension) <i>Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width.</i>	50.00
LP48005	Thatcher Mounting Frame (X300, X500 M-T)	207.00
<b>Material Collection System Hoppers:</b>		
BM21679	7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i>	441.91

JOHN DEERE TURF & UTILITY PRODUCTS  
LAWN TRACTORS

**Select Series X350 Tractor with 48 Accel Deep (48A) Mower Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
AM135486		Loose knit bag for 7 bu. Hopper	41.70
BG20748		<b>Material Collection System Power Flow Blowers:</b> High-Performance Blower Assembly for 48A Mowers(X300/X500 M-T)	541.41
BM21681		<b>Material Collection System Power Flow/Rear Bagger Chutes:</b> Power Flow Chute (6.5/7 bu.)	115.56
BM24915		<b>Miscellaneous:</b> 12 Volt Outlet Kit (X300) <i>Used on MY2012- X300s (220001-).</i>	13.91
BM17981		12 Volt Work Light Kit	74.90
TY25866		Battery Charger and Maintainer	37.68
BM23057		Brush Guard (X300, X500 M-T)	128.40
BM23056		Bumper (X300s, X500, X530, X534, X570)	66.34
TY27534		Fuel Protect for Gasoline Engines (8 oz.)	4.49
LG265		Home Maintenance Kit	39.99
AM136046		Seat Net Kit	37.80
BM26155		Snow Blower and Front Blade Compatibility Kit <i>Updates a model year 2006-2015 44 Snow Blower (7001M/SKU23045), 47 Snow Blower (7002M/SKU23047), or 48 Front Blade (6002M/SKU23048) for use on a model year 2016 X300/X500 M-T tractor.</i>	328.49
BM23054		Sun Shade (X300/X500 M-T)	166.91
M127673		<b>Mower Deck and Mower Deck Attachments:</b> Blade (48C/48X/48A, Mulching)	18.68
M145476		Blade (48C/48X/48A, Side Discharge)	12.59
AM130907		<b>Mower Decks:</b> Mower deck leveling gauge	6.95
BM24794		<b>Mulch Kits:</b> 42A MulchControl kit	139.10
BM24993		48A MulchControl kit	169.06
LP23117		<b>Order Zone:</b> 125 lb. Electric Broadcast Spreader Barrier Shield	65.00
LP35439		125 lb. Select Series Mounted Electric Broadcast Spreader <i>Requires Front Wheel Weights or Front Weight Bracket and 2 weights.</i>	449.00
LP22861		25-gal. Mounted Sprayer <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	449.95
LP63767		40-In. Tractor Shovel	939.00

JOHN DEERE TURF & UTILITY PRODUCTS  
LAWN TRACTORS

**Select Series X350 Tractor with 48 Accel Deep (48A) Mower Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LPJD400	Bucket (5 gallon)	8.95
	LPJD301	Bucket Holder (Double)	84.95
	LP64865	Electric Lift Kit (Model Year 2016-) <i>For Snow Blower and Front Blade.</i>	450.00
	LP63761	Grass Groomer (48A/54A)	119.95
	LP47168	MCS 7 Dump From Seat Hopper (X300 with 7 Bushel Hopper) <i>Requires separate material collection system.</i>	499.95
	LP33712	Manual Angling Kit (44 in Front Blade X300s)	164.95
	LP93617	Riding Mower Deluxe Cover (M)	89.99
	LP93917	Riding Mower Standard Cover	69.99
	LP55438	X300 Series Weather Enclosure	499.99
		<b>Protection:</b>	
	LP92624	Seat Cover (Deluxe Medium) - Yellow	42.99
	LP92324	Seat Cover - Yellow	26.99
		<b>Seats / Wheels / Tires:</b>	
	TY16200	Tire Chains (Pair) for 20x10-8, 20x10-10	70.96
		<b>Snow Blowers:</b>	
	AM145350	Winter Grill Cover <i>Used on X300s, MY2007- Model X500 (serial 020001-), X530, MY2011- X534 (serial 060001-), X570, X580, X584, and X590.</i>	107.56
		<b>Spanish North American Kit:</b>	
	BM25402	Spanish Label & Owner's Manual Kit <i>For Model Year 2016 (X350, X354, X370, X380, X384, X390, and X394).</i>	69.56
		<b>Weights:</b>	
	R66949	Quik-Tatch Weight, 42 Lb. <i>Use up to 2 Weights on the rear of X300 Series Tractors</i>	59.91
	BM25370	Weight Bracket, Front (X300/X500 M-T) <i>Allows installation of R66949 Quik-Tatch Weights. Used on X300s, MY2007- Model X500 (serial 020001-), X530, MY2011- X534 (serial 060001-), and X570.</i>	69.56
	BM17962	Wheel Weight (Cast Iron, Front, 34 Lb., 5 or 6 in wheel) <i>Requires BM17978 Mounting Hardware.</i>	144.46
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77

**JOHN DEERE TURF & UTILITY PRODUCTS  
LAWN TRACTORS**

**Select Series X350 Tractor Less Mower Deck  
Equipment for Base Machine**

<p><b>ENGINE</b> 18.5 hp* (13.8 kW) 36.8-cu in. (603-cc) displacement Model FS600V Air cooled, V-twin cylinder with cast-iron liners No tools oil drain <b>FUEL SYSTEM</b> Gasoline Instrument display with hourmeter and fuel gauge <b>ELECTRICAL SYSTEM</b> 12-V (340-CCA) battery 15-amp regulated flywheel alternator Optional 12-V outlet <b>TRANSAXLE</b> K46 hydrostatic transmission Twin Touch pedals Cruise control 0-5.5 mph (0-8.9 km/h) forward speed 0-4 mph (0-6.4 km/h) reverse speed <b>CHASSIS</b> Standard rear weight bracket</p>	<p>holds up to two and optional front weight bracket holds up to four 42-lb (19-kg) Quik-Tatch weights Cast-iron front axle 15x6-6 front turf tires 20x10-8 rear turf tires Storage under seat and on fender <b>STEERING</b> Manual, two-wheel steer 14-in. (35.6-cm) steering wheel 16-in. (40.6-cm) turning radius 42 Mulch - Right 23 in. (58 cm) Left 27 in. (69 cm), 42A - 26 in. (66 cm); 48A - 21 in. (53 cm) uncut circle radius <b>SEAT</b> 15-in. (38.1-cm) open back with grasp <b>LIFT SYSTEM</b> Foot pedal implement lift <b>OPTIONAL MOWER DECKS</b> Mulch 42 in. (107 cm), side discharge 42 in. (107 cm) or 48 in. (122 cm) 42M, 42A - 12-gauge, 0.105-in. (2.7-mm); 48A - 10-gauge,</p>	<p>0.135-in. (3.4-mm) stamped steel deck shell Mower wash port 42 Mulch and 42A - Two mower wheels, 48A - Four mower wheels and front center rollers <b>MOWER ATTACHABILITY</b> 48A - Mower wheels rotate 90 degrees for easy mower removal *Engine horsepower and torque information for non-Deere engines are provided by the engine manufacturer for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's Web site for additional information.</p>
---	---	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

4882M	Select Series X350 Tractor Less Mower Deck <i>Not Available for Sale in California.</i>	2,699.00
-------	--	----------

**DESTINATION**

001A	United States and Canada	In Base Price
0195	Mexico	Same Price

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Engine:</b>		
AM135845		Spark Arrester Muffler Screen (X300s, X500 M-Ts)	48.95
	<b>FRONT MOUNTED THATCHERS:</b>		
LP48004		38 In. Front Thatcher (Center) <i>Requires Mounting Frame.</i>	246.00
LP48003		8 In. Front Thatcher (Extension) <i>Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width.</i>	50.00
LP48005		Thatcher Mounting Frame (X300, X500 M-T)	207.00

JOHN DEERE TURF & UTILITY PRODUCTS  
LAWN TRACTORS

**Select Series X350 Tractor Less Mower Deck**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Material Collection System Hoppers:</b>	
BM21679		7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i>	441.91
AM135486		Loose knit bag for 7 bu. Hopper	41.70
		<b>Material Collection System Power Flow Blowers:</b>	
BG20748		High-Performance Blower Assembly for 48A Mowers(X300/X500 M-T)	541.41
		<b>Material Collection System Power Flow/Rear Bagger Chutes:</b>	
BM21681		Power Flow Chute (6.5/7 bu.)	115.56
BG20754		Rear Bagger Chute for 42A Mower	125.19
		<b>Miscellaneous:</b>	
BM24915		12 Volt Outlet Kit (X300) <i>Used on MY2012- X300s (220001-).</i>	13.91
BM17981		12 Volt Work Light Kit	74.90
TY25866		Battery Charger and Maintainer	37.68
BM23057		Brush Guard (X300, X500 M-T)	128.40
BM23056		Bumper (X300s, X500, X530, X534, X570)	66.34
TY27534		Fuel Protect for Gasoline Engines (8 oz.)	4.49
LG265		Home Maintenance Kit	39.99
AM136046		Seat Net Kit	37.80
BM26155		Snow Blower and Front Blade Compatibility Kit <i>Updates a model year 2006-2015 44 Snow Blower (7001M/SKU23045), 47 Snow Blower (7002M/SKU23047), or 48 Front Blade (6002M/SKU23048) for use on a model year 2016 X300/X500 M-T tractor.</i>	328.49
BM23054		Sun Shade (X300/X500 M-T)	166.91
		<b>Mower Deck and Mower Deck Attachments:</b>	
GX25668		Blade (42A, Bagging)	27.43
M170642		Blade (42A, Mulching)	27.50
M170639		Blade (42A, Side Discharge)	24.27
M127673		Blade (48C/48X/48A, Mulching)	18.68
M145476		Blade (48C/48X/48A, Side Discharge)	12.59
AM140332		Blade Kit (42M Mulching Low Lift, and X350R Mulching)	44.60
AM140973		Blade Kit (42M, Mulching)	37.49
		<b>Mower Decks:</b>	
AM130907		Mower deck leveling gauge	6.95

JOHN DEERE TURF & UTILITY PRODUCTS  
LAWN TRACTORS

**Select Series X350 Tractor Less Mower Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Mulch Kits:</b>	
BM24794		42A MulchControl kit	139.10
BM24993		48A MulchControl kit	169.06
		<b>Order Zone:</b>	
LP23117		125 lb. Electric Broadcast Spreader Barrier Shield	65.00
LP35439		125 lb. Select Series Mounted Electric Broadcast Spreader <i>Requires Front Wheel Weights or Front Weight Bracket and 2 weights.</i>	449.00
LP22861		25-gal. Mounted Sprayer <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	449.95
LP63767		40-In. Tractor Shovel	939.00
LPJD400		Bucket (5 gallon)	8.95
LPJD301		Bucket Holder (Double)	84.95
LP64865		Electric Lift Kit (Model Year 2016-) <i>For Snow Blower and Front Blade.</i>	450.00
LP63762		Grass Groomer (42A)	99.95
LP63761		Grass Groomer (48A/54A)	119.95
LP47168		MCS 7 Dump From Seat Hopper (X300 with 7 Bushel Hopper) <i>Requires separate material collection system.</i>	499.95
LP33712		Manual Angling Kit (44 in Front Blade X300s)	164.95
LP93617		Riding Mower Deluxe Cover (M)	89.99
LP93917		Riding Mower Standard Cover	69.99
LP55438		X300 Series Weather Enclosure	499.99
		<b>Protection:</b>	
LP92624		Seat Cover (Deluxe Medium) - Yellow	42.99
LP92324		Seat Cover - Yellow	26.99
		<b>Seats / Wheels / Tires:</b>	
TY16200		Tire Chains (Pair) for 20x10-8, 20x10-10	70.96
		<b>Snow Blowers:</b>	
BM25887		Lift Assist Spring Kit (X330, X350, X354)	37.46
AM145350		Winter Grill Cover <i>Used on X300s, MY2007- Model X500 (serial 020001-), X530, MY2011- X534 (serial 060001-), X570, X580, X584, and X590.</i>	107.56
		<b>Spanish North American Kit:</b>	
BM25402		Spanish Label & Owner's Manual Kit <i>For Model Year 2016 (X350, X354, X370, X380, X384, X390, and X394).</i>	69.56

JOHN DEERE TURF & UTILITY PRODUCTS  
LAWN TRACTORS

**Select Series X350 Tractor Less Mower Deck**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Weights:</b>	
R66949		Quik-Tatch Weight, 42 Lb. <i>Use up to 2 Weights on the rear of X300 Series Tractors</i>	59.91
BM25370		Weight Bracket, Front (X300/X500 M-T) <i>Allows installation of R66949 Quik-Tatch Weights. Used on X300s, MY2007- Model X500 (serial 020001-), X530, MY2011- X534 (serial 060001-), and X570.</i>	69.56
BM17962		Wheel Weight (Cast Iron, Front, 34 Lb., 5 or 6 in wheel) <i>Requires BM17978 Mounting Hardware.</i>	144.46
BM17978		Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77

**JOHN DEERE TURF & UTILITY PRODUCTS  
LAWN TRACTORS**

**Select Series X350 Tractor Less Mower Deck, California Model  
Equipment for Base Machine**

<p><b>ENGINE</b> 18.5 hp* (13.8 kW) 36.8-cu in. (603-cc) displacement Model FS600V Air cooled, V-twin cylinder with cast-iron liners No tools oil drain</p> <p><b>FUEL SYSTEM</b> Gasoline Instrument display with hourmeter and fuel gauge</p> <p><b>ELECTRICAL SYSTEM</b> 12-V (340-CCA) battery 15-amp regulated flywheel alternator Optional 12-V outlet</p> <p><b>TRANSAXLE</b> K46 hydrostatic transmission Twin Touch pedals Cruise control 0-5.5 mph (0-8.9 km/h) forward speed 0-4 mph (0-6.4 km/h) reverse speed</p> <p><b>CHASSIS</b> Standard rear weight bracket</p>	<p>holds up to two and optional front weight bracket holds up to four 42-lb (19-kg) Quik-Tatch weights Cast-iron front axle 15x6-6 front turf tires 20x10-8 rear turf tires Storage under seat and on fender</p> <p><b>STEERING</b> Manual, two-wheel steer 14-in. (35.6-cm) steering wheel 16-in. (40.6-cm) turning radius 42 Mulch - Right 23 in. (58 cm) Left 27 in. (69 cm), 42A - 26 in. (66 cm); 48A - 21 in. (53 cm) uncut circle radius</p> <p><b>SEAT</b> 15-in. (38.1-cm) open back with grasp</p> <p><b>LIFT SYSTEM</b> Foot pedal implement lift</p> <p><b>OPTIONAL MOWER DECKS</b> Mulch 42 in. (107 cm), side discharge 42 in. (107 cm) or 48 in. (122 cm) 42M, 42A - 12-gauge, 0.105-in. (2.7-mm); 48A - 10-gauge,</p>	<p>0.135-in. (3.4-mm) stamped steel deck shell Mower wash port 42 Mulch and 42A - Two mower wheels, 48A - Four mower wheels and front center rollers</p> <p><b>MOWER ATTACHABILITY</b> 48A - Mower wheels rotate 90 degrees for easy mower removal</p> <p>*Engine horsepower and torque information for non-Deere engines are provided by the engine manufacturer for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's Web site for additional information.</p>
---	---	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

4883M	Select Series X350 Tractor Less Mower Deck, California Model	2,699.00
-------	--	----------

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Engine:</b>	
AM135845	Spark Arrester Muffler Screen (X300s, X500 M-Ts)	48.95
	<b>FRONT MOUNTED THATCHERS:</b>	
LP48004	38 In. Front Thatcher (Center) <i>Requires Mounting Frame.</i>	246.00
LP48003	8 In. Front Thatcher (Extension) <i>Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width.</i>	50.00
LP48005	Thatcher Mounting Frame (X300, X500 M-T)	207.00
	<b>Material Collection System Hoppers:</b>	
BM21679	7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i>	441.91
AM135486	Loose knit bag for 7 bu. Hopper	41.70

**Material Collection System Power Flow Blowers:**

JOHN DEERE TURF & UTILITY PRODUCTS  
LAWN TRACTORS

**Select Series X350 Tractor Less Mower Deck, California Model**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BG20748		High-Performance Blower Assembly for 48A Mowers(X300/X500 M-T)	541.41
		<b>Material Collection System Power Flow/Rear Bagger Chutes:</b>	
BM21681		Power Flow Chute (6.5/7 bu.)	115.56
BG20754		Rear Bagger Chute for 42A Mower	125.19
		<b>Miscellaneous:</b>	
BM24915		12 Volt Outlet Kit (X300) <i>Used on MY2012- X300s (220001-).</i>	13.91
BM17981		12 Volt Work Light Kit	74.90
TY25866		Battery Charger and Maintainer	37.68
BM23057		Brush Guard (X300, X500 M-T)	128.40
BM23056		Bumper (X300s, X500, X530, X534, X570)	66.34
TY27534		Fuel Protect for Gasoline Engines (8 oz.)	4.49
LG265		Home Maintenance Kit	39.99
AM136046		Seat Net Kit	37.80
BM26155		Snow Blower and Front Blade Compatibility Kit <i>Updates a model year 2006-2015 44 Snow Blower (7001M/SKU23045), 47 Snow Blower (7002M/SKU23047), or 48 Front Blade (6002M/SKU23048) for use on a model year 2016 X300/X500 M-T tractor.</i>	328.49
BM23054		Sun Shade (X300/X500 M-T)	166.91
		<b>Mower Deck and Mower Deck Attachments:</b>	
GX25668		Blade (42A, Bagging)	27.43
M170642		Blade (42A, Mulching)	27.50
M170639		Blade (42A, Side Discharge)	24.27
M127673		Blade (48C/48X/48A, Mulching)	18.68
M145476		Blade (48C/48X/48A, Side Discharge)	12.59
AM140332		Blade Kit (42M Mulching Low Lift, and X350R Mulching)	44.60
AM140973		Blade Kit (42M, Mulching)	37.49
		<b>Mower Decks:</b>	
AM130907		Mower deck leveling gauge	6.95
		<b>Mulch Kits:</b>	
BM24794		42A MulchControl kit	139.10
BM24993		48A MulchControl kit	169.06

JOHN DEERE TURF & UTILITY PRODUCTS  
LAWN TRACTORS

**Select Series X350 Tractor Less Mower Deck, California Model**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Order Zone:</b>	
LP23117		125 lb. Electric Broadcast Spreader Barrier Shield	65.00
LP35439		125 lb. Select Series Mounted Electric Broadcast Spreader <i>Requires Front Wheel Weights or Front Weight Bracket and 2 weights.</i>	449.00
LP22861		25-gal. Mounted Sprayer <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	449.95
LP63767		40-In. Tractor Shovel	939.00
LPJD400		Bucket (5 gallon)	8.95
LPJD301		Bucket Holder (Double)	84.95
LP64865		Electric Lift Kit (Model Year 2016-) <i>For Snow Blower and Front Blade.</i>	450.00
LP63762		Grass Groomer (42A)	99.95
LP63761		Grass Groomer (48A/54A)	119.95
LP47168		MCS 7 Dump From Seat Hopper (X300 with 7 Bushel Hopper) <i>Requires separate material collection system.</i>	499.95
LP33712		Manual Angling Kit (44 in Front Blade X300s)	164.95
LP93617		Riding Mower Deluxe Cover (M)	89.99
LP93917		Riding Mower Standard Cover	69.99
LP55438		X300 Series Weather Enclosure	499.99
		<b>Protection:</b>	
LP92624		Seat Cover (Deluxe Medium) - Yellow	42.99
LP92324		Seat Cover - Yellow	26.99
		<b>Seats / Wheels / Tires:</b>	
TY16200		Tire Chains (Pair) for 20x10-8, 20x10-10	70.96
		<b>Snow Blowers:</b>	
BM25887		Lift Assist Spring Kit (X330, X350, X354)	37.46
AM145350		Winter Grill Cover <i>Used on X300s, MY2007- Model X500 (serial 020001-), X530, MY2011- X534 (serial 060001-), X570, X580, X584, and X590.</i>	107.56
		<b>Spanish North American Kit:</b>	
BM25402		Spanish Label & Owner's Manual Kit <i>For Model Year 2016 (X350, X354, X370, X380, X384, X390, and X394).</i>	69.56
		<b>Weights:</b>	
R66949		Quik-Tatch Weight, 42 Lb. <i>Use up to 2 Weights on the rear of X300 Series Tractors</i>	59.91

JOHN DEERE TURF & UTILITY PRODUCTS  
LAWN TRACTORS

**Select Series X350 Tractor Less Mower Deck, California Model**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM25370		Weight Bracket, Front (X300/X500 M-T) <i>Allows installation of R66949 Quik-Tatch Weights. Used on X300s, MY2007- Model X500 (serial 020001-), X530, MY2011- X534 (serial 060001-), and X570.</i>	69.56
BM17962		Wheel Weight (Cast Iron, Front, 34 Lb., 5 or 6 in wheel) <i>Requires BM17978 Mounting Hardware.</i>	144.46
BM17978		Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77

**JOHN DEERE TURF & UTILITY PRODUCTS  
LAWN TRACTORS**

**Select Series X350R Tractor with 42-in. Rear Discharge Mower Deck  
Equipment for Base Machine**

**ENGINE**  
18.5 hp\* (13.8 kW)  
36.8-cu in. (603-cc)  
displacement  
Model FS600V  
Air cooled, V-twin cylinder with  
cast-iron liners  
No tools oil drain  
**FUEL SYSTEM**  
Gasoline  
Instrument display with  
hourmeter and fuel gauge  
**ELECTRICAL SYSTEM**  
12-V (340-CCA) battery  
15-amp regulated flywheel  
alternator  
Optional 12-V outlet  
**TRANSAXLE**  
K46 hydrostatic transmission  
Twin Touch pedals  
Cruise control  
0-5.3 mph (0-8.5 km/h) forward  
speed  
0-4 mph (0-6.4 km/h) reverse

speed  
**CHASSIS**  
Optional front weight bracket  
holds up to four 42-lb (19-kg)  
Quik-Tatch weights  
Cast-iron front axle  
15x6-6 front turf tires  
20x10-8 rear turf tires  
Storage under seat and on fender  
**STEERING**  
Manual, two-wheel steer  
14-in. (35.6-cm) steering wheel  
16.5-in. (42-cm) turning radius  
42R - Right 23 in. (58 cm), Left  
28 in. (71 cm) uncut circle  
radius  
**SEAT**  
15-in. (38.1-cm) open back with  
grasp  
**LIFT SYSTEM**  
Foot pedal implement lift  
**MOWER DECK**  
Rear discharge and collect 42  
in. (107 cm)

11-gauge, 0.120-in. (3-mm)  
stamped steel deck shell  
Mower wash port  
Two mower wheels  
Mulching plug

\*Engine horsepower and torque  
information for non-Deere  
engines are provided by the  
engine manufacturer for  
comparison purposes only. Actual  
operating horsepower and torque  
will be less. Refer to the  
engine manufacturer's Web site  
for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

4890M	Select Series X350R Tractor with 42-in. Rear Discharge Mower Deck <i>Not Available for Sale in California.</i>	4,399.00
-------	---	----------

**DESTINATION**

001A	United States and Canada	In Base Price
0195	Mexico	Same Price

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Engine:</b>	
AM135845	Spark Arrester Muffler Screen (X300s, X500 M-Ts)	48.95
	<b>FRONT MOUNTED THATCHERS:</b>	
LP48004	38 In. Front Thatcher (Center) <i>Requires Mounting Frame.</i>	246.00
LP48003	8 In. Front Thatcher (Extension) <i>Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width.</i>	50.00
LP48005	Thatcher Mounting Frame (X300, X500 M-T)	207.00
	<b>Miscellaneous:</b>	
BM24915	12 Volt Outlet Kit (X300) <i>Used on MY2012- X300s (220001-).</i>	13.91
BM17981	12 Volt Work Light Kit	74.90

JOHN DEERE TURF & UTILITY PRODUCTS  
LAWN TRACTORS

**Select Series X350R Tractor with 42-in. Rear Discharge Mower Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
TY25866		Battery Charger and Maintainer	37.68
BM23057		Brush Guard (X300, X500 M-T)	128.40
BM23056		Bumper (X300s, X500, X530, X534, X570)	66.34
TY27534		Fuel Protect for Gasoline Engines (8 oz.)	4.49
LG265		Home Maintenance Kit	39.99
BM25065		Rear Deflector Kit (X350R)	127.33
AM136046		Seat Net Kit	37.80
BM26155		Snow Blower and Front Blade Compatibility Kit <i>Updates a model year 2006-2015 44 Snow Blower (7001M/SKU23045), 47 Snow Blower (7002M/SKU23047), or 48 Front Blade (6002M/SKU23048) for use on a model year 2016 X300/X500 M-T tractor.</i>	328.49
AM140332		<b>Mower Deck and Mower Deck Attachments:</b> Blade Kit (42M Mulching Low Lift, and X350R Mulching)	44.60
AM147289		Blade Kit (X350R, Bagging and Rear Discharge)	59.50
BM25257		Mulch Kit (X350R)	107.00
AM130907		<b>Mower Decks:</b> Mower deck leveling gauge	6.95
LP63767		<b>Order Zone:</b> 40-In. Tractor Shovel	939.00
LP64865		Electric Lift Kit (Model Year 2016-) <i>For Snow Blower and Front Blade.</i>	450.00
LP33712		Manual Angling Kit (44 in Front Blade X300s)	164.95
LP92624		<b>Protection:</b> Seat Cover (Deluxe Medium) - Yellow	42.99
LP92324		Seat Cover - Yellow	26.99
BM19123		<b>Seats / Wheels / Tires:</b> 31 Lb. Plastic Rear Wheel Weights	68.49
TY16200		Tire Chains (Pair) for 20x10-8, 20x10-10	70.96
BM24810		<b>Snow Blowers:</b> Supplemental Lift Assist Spring Kit (X350R)	84.53
AM145350		Winter Grill Cover <i>Used on X300s, MY2007- Model X500 (serial 020001-), X530, MY2011- X534 (serial 060001-), X570, X580, X584, and X590.</i>	107.56
BM25403		<b>Spanish North American Kit:</b> Spanish Label & Owner's Manual Kit <i>For Model Year 2016 (X350R).</i>	69.56

JOHN DEERE TURF & UTILITY PRODUCTS  
LAWN TRACTORS

**Select Series X350R Tractor with 42-in. Rear Discharge Mower Deck**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Weights:</b>	
R66949		Quik-Tatch Weight, 42 Lb.	59.91
BM25370		Weight Bracket, Front (X300/X500 M-T) <i>Allows installation of R66949 Quik-Tatch Weights. Used on X300s, MY2007- Model X500 (serial 020001-), X530, MY2011- X534 (serial 060001-), and X570.</i>	69.56
BM17962		Wheel Weight (Cast Iron, Front, 34 Lb., 5 or 6 in wheel) <i>Requires BM17978 Mounting Hardware.</i>	144.46
BM17978		Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77

**JOHN DEERE TURF & UTILITY PRODUCTS  
LAWN TRACTORS**

**Select Series X350R Tractor with 42-in. Rear Discharge Mower Deck, California Model  
Equipment for Base Machine**

**ENGINE**  
18.5 hp\* (13.8 kW)  
36.8-cu in. (603-cc)  
displacement  
Model FS600V  
Air cooled, V-twin cylinder with  
cast-iron liners  
No tools oil drain

**FUEL SYSTEM**  
Gasoline  
Instrument display with  
hourmeter and fuel gauge

**ELECTRICAL SYSTEM**  
12-V (340-CCA) battery  
15-amp regulated flywheel  
alternator  
Optional 12-V outlet

**TRANSAXLE**  
K46 hydrostatic transmission  
Twin Touch pedals  
Cruise control  
0-5.3 mph (0-8.5 km/h) forward  
speed  
0-4 mph (0-6.4 km/h) reverse

speed  
**CHASSIS**  
Optional front weight bracket  
holds up to four 42-lb (19-kg)  
Quik-Tatch weights  
Cast-iron front axle  
15x6-6 front turf tires  
20x10-8 rear turf tires  
Storage under seat and on fender

**STEERING**  
Manual, two-wheel steer  
14-in. (35.6-cm) steering wheel  
16.5-in. (42-cm) turning radius  
42R - Right 23 in. (58 cm), Left  
28 in. (71 cm) uncut circle  
radius

**SEAT**  
15-in. (38.1-cm) open back with  
grasp

**LIFT SYSTEM**  
Foot pedal implement lift

**MOWER DECK**

Rear discharge and collect 42  
in. (107 cm)  
11-gauge, 0.120-in. (3-mm)  
stamped steel deck shell  
Mower wash port  
Two mower wheels  
Mulching plug

\*Engine horsepower and torque  
information for non-Deere  
engines are provided by the  
engine manufacturer for  
comparison purposes only. Actual  
operating horsepower and torque  
will be less. Refer to the  
engine manufacturer's Web site  
for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

4891M	Select Series X350R Tractor with 42-in. Rear Discharge Mower Deck, California Model	4,399.00
-------	---	----------

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Engine:</b>		
AM135845		Spark Arrester Muffler Screen (X300s, X500 M-Ts)	48.95
	<b>FRONT MOUNTED THATCHERS:</b>		
LP48004		38 In. Front Thatcher (Center) <i>Requires Mounting Frame.</i>	246.00
LP48003		8 In. Front Thatcher (Extension) <i>Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width.</i>	50.00
LP48005		Thatcher Mounting Frame (X300, X500 M-T)	207.00
	<b>Miscellaneous:</b>		
BM24915		12 Volt Outlet Kit (X300) <i>Used on MY2012- X300s (220001-).</i>	13.91
BM17981		12 Volt Work Light Kit	74.90
TY25866		Battery Charger and Maintainer	37.68
BM23057		Brush Guard (X300, X500 M-T)	128.40

JOHN DEERE TURF & UTILITY PRODUCTS  
LAWN TRACTORS

**Select Series X350R Tractor with 42-in. Rear Discharge Mower Deck, California Model**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM23056		Bumper (X300s, X500, X530, X534, X570)	66.34
TY27534		Fuel Protect for Gasoline Engines (8 oz.)	4.49
LG265		Home Maintenance Kit	39.99
BM25065		Rear Deflector Kit (X350R)	127.33
AM136046		Seat Net Kit	37.80
BM26155		Snow Blower and Front Blade Compatibility Kit <i>Updates a model year 2006-2015 44 Snow Blower (7001M/SKU23045), 47 Snow Blower (7002M/SKU23047), or 48 Front Blade (6002M/SKU23048) for use on a model year 2016 X300/X500 M-T tractor.</i>	328.49
		<b>Mower Deck and Mower Deck Attachments:</b>	
AM140332		Blade Kit (42M Mulching Low Lift, and X350R Mulching)	44.60
AM147289		Blade Kit (X350R, Bagging and Rear Discharge)	59.50
BM25257		Mulch Kit (X350R)	107.00
		<b>Mower Decks:</b>	
AM130907		Mower deck leveling gauge	6.95
		<b>Order Zone:</b>	
LP63767		40-In. Tractor Shovel	939.00
LP64865		Electric Lift Kit (Model Year 2016-) <i>For Snow Blower and Front Blade.</i>	450.00
LP33712		Manual Angling Kit (44 in Front Blade X300s)	164.95
		<b>Protection:</b>	
LP92624		Seat Cover (Deluxe Medium) - Yellow	42.99
LP92324		Seat Cover - Yellow	26.99
		<b>Seats / Wheels / Tires:</b>	
BM19123		31 Lb. Plastic Rear Wheel Weights	68.49
TY16200		Tire Chains (Pair) for 20x10-8, 20x10-10	70.96
		<b>Snow Blowers:</b>	
BM24810		Supplemental Lift Assist Spring Kit (X350R)	84.53
AM145350		Winter Grill Cover <i>Used on X300s, MY2007- Model X500 (serial 020001-), X530, MY2011- X534 (serial 060001-), X570, X580, X584, and X590.</i>	107.56
		<b>Spanish North American Kit:</b>	
BM25403		Spanish Label & Owner's Manual Kit <i>For Model Year 2016 (X350R).</i>	69.56
		<b>Weights:</b>	
R66949		Quik-Tatch Weight, 42 Lb.	59.91

JOHN DEERE TURF & UTILITY PRODUCTS  
LAWN TRACTORS

**Select Series X350R Tractor with 42-in. Rear Discharge Mower Deck, California Model**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM25370		Weight Bracket, Front (X300/X500 M-T) <i>Allows installation of R66949 Quik-Tatch Weights. Used on X300s, MY2007- Model X500 (serial 020001-), X530, MY2011- X534 (serial 060001-), and X570.</i>	69.56
BM17962		Wheel Weight (Cast Iron, Front, 34 Lb., 5 or 6 in wheel) <i>Requires BM17978 Mounting Hardware.</i>	144.46
BM17978		Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**LAWN TRACTORS**

**Select Series X354 Tractor with 42 Accel Deep (42A) Mower Deck**  
Equipment for Base Machine

<p><b>ENGINE</b> 18.5 hp* (13.8 kW) 36.8-cu in. (603-cc) displacement Model FS600V Air cooled, V-twin cylinder with cast-iron liners No tools oil drain <b>FUEL SYSTEM</b> Gasoline Instrument display with hourmeter and fuel gauge <b>ELECTRICAL SYSTEM</b> 12-V (340-CCA) battery 15-amp regulated flywheel alternator Optional 12-V outlet <b>TRANSAXLE</b> K46 hydrostatic transmission Twin Touch pedals Cruise control 0-5.5 mph (0-8.9 km/h) forward speed 0-4 mph (0-6.4 km/h) reverse</p>	<p>speed <b>CHASSIS</b> Optional rear weight bracket holds up to two and optional front weight bracket holds up to four 42-lb (19-kg) Quik-Tatch weights Cast-iron front axle 15x6-6 front turf tires 20x10-10 rear turf tires Storage under seat and on fender <b>STEERING</b> Manual, four-wheel steer 14-in. (35.6-cm) steering wheel 15-in. (38.1-cm) turning radius 42A - 15 in. (38 cm) uncut circle radius <b>SEAT</b> 15-in. (38.1-cm) open back with grasp <b>LIFT SYSTEM</b> Foot pedal implement lift <b>MOWER DECK</b> Side discharge 42 in. (107 cm)</p>	<p>12-gauge, 0.105-in. (2.7-mm) stamped steel deck shell Mower wash port Two mower wheels *Engine horsepower and torque information for non-Deere engines are provided by the engine manufacturer for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's Web site for additional information.</p>
---	---	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

1910M	Select Series X354 Tractor with 42 Accel Deep (42A) Mower Deck <i>Not Available for Sale in California.</i>	3,799.00
-------	--	----------

**DESTINATION**

001A	United States and Canada	In Base Price
0195	Mexico	Same Price

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Engine:</b>	
AM135845	Spark Arrester Muffler Screen (X300s, X500 M-Ts)	48.95
	<b>FRONT MOUNTED THATCHERS:</b>	
LP48004	38 In. Front Thatcher (Center) <i>Requires Mounting Frame.</i>	246.00
LP48003	8 In. Front Thatcher (Extension) <i>Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width.</i>	50.00
LP48005	Thatcher Mounting Frame (X300, X500 M-T)	207.00
	<b>Material Collection System Hoppers:</b>	
BM21679	7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i>	441.91

JOHN DEERE TURF & UTILITY PRODUCTS  
LAWN TRACTORS

**Select Series X354 Tractor with 42 Accel Deep (42A) Mower Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
AM135486		Loose knit bag for 7 bu. Hopper	41.70
BG20754		<b>Material Collection System Power Flow/Rear Bagger Chutes:</b> Rear Bagger Chute for 42A Mower	125.19
BM24915		<b>Miscellaneous:</b> 12 Volt Outlet Kit (X300) <i>Used on MY2012- X300s (220001-).</i>	13.91
BM17981		12 Volt Work Light Kit	74.90
TY25866		Battery Charger and Maintainer	37.68
BM23057		Brush Guard (X300, X500 M-T)	128.40
BM23056		Bumper (X300s, X500, X530, X534, X570)	66.34
TY27534		Fuel Protect for Gasoline Engines (8 oz.)	4.49
LG265		Home Maintenance Kit	39.99
AM136046		Seat Net Kit	37.80
BM26155		Snow Blower and Front Blade Compatibility Kit <i>Updates a model year 2006-2015 44 Snow Blower (7001M/SKU23045), 47 Snow Blower (7002M/SKU23047), or 48 Front Blade (6002M/SKU23048) for use on a model year 2016 X300/X500 M-T tractor.</i>	328.49
BM23054		Sun Shade (X300/X500 M-T)	166.91
GX25668		<b>Mower Deck and Mower Deck Attachments:</b> Blade (42A, Bagging)	27.43
M170642		Blade (42A, Mulching)	27.50
M170639		Blade (42A, Side Discharge)	24.27
AM130907		<b>Mower Decks:</b> Mower deck leveling gauge	6.95
BM24794		<b>Mulch Kits:</b> 42A MulchControl kit	139.10
LP23117		<b>Order Zone:</b> 125 lb. Electric Broadcast Spreader Barrier Shield	65.00
LP35439		125 lb. Select Series Mounted Electric Broadcast Spreader <i>Requires Front Wheel Weights or Front Weight Bracket and 2 weights.</i>	449.00
LP22861		25-gal. Mounted Sprayer <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	449.95
LP63767		40-In. Tractor Shovel	939.00
LPJD400		Bucket (5 gallon)	8.95

JOHN DEERE TURF & UTILITY PRODUCTS  
LAWN TRACTORS

**Select Series X354 Tractor with 42 Accel Deep (42A) Mower Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LPJD301	Bucket Holder (Double)	84.95
	LP64865	Electric Lift Kit (Model Year 2016-) <i>For Snow Blower and Front Blade.</i>	450.00
	LP63762	Grass Groomer (42A)	99.95
	LP47168	MCS 7 Dump From Seat Hopper (X300 with 7 Bushel Hopper) <i>Requires separate material collection system.</i>	499.95
	LP33712	Manual Angling Kit (44 in Front Blade X300s)	164.95
	LP93617	Riding Mower Deluxe Cover (M)	89.99
	LP93917	Riding Mower Standard Cover	69.99
	LP55438	X300 Series Weather Enclosure	499.99
		<b>Protection:</b>	
	LP92624	Seat Cover (Deluxe Medium) - Yellow	42.99
	LP92324	Seat Cover - Yellow	26.99
		<b>Seats / Wheels / Tires:</b>	
	TY16200	Tire Chains (Pair) for 20x10-8, 20x10-10	70.96
		<b>Snow Blowers:</b>	
	BM25887	Lift Assist Spring Kit (X330, X350, X354)	37.46
	AM145350	Winter Grill Cover <i>Used on X300s, MY2007- Model X500 (serial 020001-), X530, MY2011- X534 (serial 060001-), X570, X580, X584, and X590.</i>	107.56
		<b>Spanish North American Kit:</b>	
	BM25402	Spanish Label & Owner's Manual Kit <i>For Model Year 2016 (X350, X354, X370, X380, X384, X390, and X394).</i>	69.56
		<b>Weights:</b>	
	R66949	Quik-Tatch Weight, 42 Lb. <i>Use up to 2 Weights on the rear of X300 Series Tractors</i>	59.91
	BM25370	Weight Bracket, Front (X300/X500 M-T) <i>Allows installation of R66949 Quik-Tatch Weights. Used on X300s, MY2007- Model X500 (serial 020001-), X530, MY2011- X534 (serial 060001-), and X570.</i>	69.56
	BM24011	Weight Bracket, Rear (X300/X500 M-T) <i>Allows installation of R66949 Quik-Tatch Weights</i>	89.89
	BM17962	Wheel Weight (Cast Iron, Front, 34 Lb., 5 or 6 in wheel) <i>Requires BM17978 Mounting Hardware.</i>	144.46
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77

**JOHN DEERE TURF & UTILITY PRODUCTS  
LAWN TRACTORS**

**Select Series X354 Tractor Less Mower Deck, California Model  
Equipment for Base Machine**

<p><b>ENGINE</b> 18.5 hp* (13.8 kW) 36.8-cu in. (603-cc) displacement Model FS600V Air cooled, V-twin cylinder with cast-iron liners No tools oil drain <b>FUEL SYSTEM</b> Gasoline Instrument display with hourmeter and low fuel indicator <b>ELECTRICAL SYSTEM</b> 12-V (340-CCA) battery 15-amp regulated flywheel alternator Optional 12-V outlet <b>TRANSAXLE</b> K46 hydrostatic transmission Twin Touch pedals Cruise control 0-5.5 mph (0-8.9 km/h) forward speed 0-4 mph (0-6.4 km/h) reverse speed <b>CHASSIS</b></p>	<p>Optional rear weight bracket holds up to two and optional front weight bracket holds up to four 42-lb (19-kg) Quik-Tatch weights Cast-iron front axle 15x6-6 front turf tires 20x10-10 rear turf tires Storage under seat and on fender <b>STEERING</b> Manual, four-wheel steer 14-in. (35.6-cm) steering wheel 15-in. (38.1-cm) turning radius 42M - Right 12 in. (30 cm) Left 15 in. (38 cm), 42A - 15 in. (38 cm) uncut circle radius <b>SEAT</b> 15-in. (38.1-cm) open back with grasp <b>LIFT SYSTEM</b> Foot pedal implement lift <b>OPTIONAL MOWER DECK</b> Mulch 42 in. (107 cm), side discharge 42 in. (107 cm) or 48 in. (122 cm) 42M, 42A - 12-gauge, 0.105-in.</p>	<p>(2.7-mm); 48A - 10-gauge, 0.135-in. (3.4-mm) stamped steel deck shell Mower wash port 42 Mulch and 42A - Two mower wheels, 48A - Four mower wheels and front center rollers *Engine horsepower and torque information for non-Deere engines are provided by the engine manufacturer for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's Web site for additional information.</p>
--	--	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

5191M	Select Series X354 Tractor Less Mower Deck, California Model	3,299.00
-------	--	----------

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Engine:</b>		
AM135845		Spark Arrester Muffler Screen (X300s, X500 M-Ts)	48.95
	<b>FRONT MOUNTED THATCHERS:</b>		
LP48004		38 In. Front Thatcher (Center) <i>Requires Mounting Frame.</i>	246.00
LP48003		8 In. Front Thatcher (Extension) <i>Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width.</i>	50.00
LP48005		Thatcher Mounting Frame (X300, X500 M-T)	207.00
	<b>Material Collection System Hoppers:</b>		
BM21679		7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i>	441.91
AM135486		Loose knit bag for 7 bu. Hopper	41.70
	<b>Material Collection System Power Flow Blowers:</b>		
BG20748		High-Performance Blower Assembly for 48A Mowers(X300/X500 M-T)	541.41

JOHN DEERE TURF & UTILITY PRODUCTS  
LAWN TRACTORS

**Select Series X354 Tractor Less Mower Deck, California Model**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
<b>Material Collection System Power Flow/Rear Bagger Chutes:</b>			
BM21681		Power Flow Chute (6.5/7 bu.)	115.56
BG20754		Rear Bagger Chute for 42A Mower	125.19
<b>Miscellaneous:</b>			
BM24915		12 Volt Outlet Kit (X300) <i>Used on MY2012- X300s (220001-).</i>	13.91
BM17981		12 Volt Work Light Kit	74.90
TY25866		Battery Charger and Maintainer	37.68
BM23057		Brush Guard (X300, X500 M-T)	128.40
BM23056		Bumper (X300s, X500, X530, X534, X570)	66.34
TY27534		Fuel Protect for Gasoline Engines (8 oz.)	4.49
LG265		Home Maintenance Kit	39.99
AM136046		Seat Net Kit	37.80
BM26155		Snow Blower and Front Blade Compatibility Kit <i>Updates a model year 2006-2015 44 Snow Blower (7001M/SKU23045), 47 Snow Blower (7002M/SKU23047), or 48 Front Blade (6002M/SKU23048) for use on a model year 2016 X300/X500 M-T tractor.</i>	328.49
BM23054		Sun Shade (X300/X500 M-T)	166.91
<b>Mower Deck and Mower Deck Attachments:</b>			
GX25668		Blade (42A, Bagging)	27.43
M170642		Blade (42A, Mulching)	27.50
M170639		Blade (42A, Side Discharge)	24.27
M127673		Blade (48C/48X/48A, Mulching)	18.68
M145476		Blade (48C/48X/48A, Side Discharge)	12.59
AM140332		Blade Kit (42M Mulching Low Lift, and X350R Mulching)	44.60
AM140973		Blade Kit (42M, Mulching)	37.49
<b>Mower Decks:</b>			
AM130907		Mower deck leveling gauge	6.95
<b>Mulch Kits:</b>			
BM24794		42A MulchControl kit	139.10
BM24993		48A MulchControl kit	169.06
<b>Order Zone:</b>			
LP23117		125 lb. Electric Broadcast Spreader Barrier Shield	65.00

JOHN DEERE TURF & UTILITY PRODUCTS  
LAWN TRACTORS

**Select Series X354 Tractor Less Mower Deck, California Model**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LP35439		125 lb. Select Series Mounted Electric Broadcast Spreader <i>Requires Front Wheel Weights or Front Weight Bracket and 2 weights.</i>	449.00
LP22861		25-gal. Mounted Sprayer <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	449.95
LP63767		40-In. Tractor Shovel	939.00
LPJD400		Bucket (5 gallon)	8.95
LPJD301		Bucket Holder (Double)	84.95
LP64865		Electric Lift Kit (Model Year 2016-) <i>For Snow Blower and Front Blade.</i>	450.00
LP63762		Grass Groomer (42A)	99.95
LP63761		Grass Groomer (48A/54A)	119.95
LP47168		MCS 7 Dump From Seat Hopper (X300 with 7 Bushel Hopper) <i>Requires separate material collection system.</i>	499.95
LP33712		Manual Angling Kit (44 in Front Blade X300s)	164.95
LP93617		Riding Mower Deluxe Cover (M)	89.99
LP93917		Riding Mower Standard Cover	69.99
LP55438		X300 Series Weather Enclosure	499.99
		<b>Protection:</b>	
LP92624		Seat Cover (Deluxe Medium) - Yellow	42.99
LP92324		Seat Cover - Yellow	26.99
		<b>Seats / Wheels / Tires:</b>	
TY16200		Tire Chains (Pair) for 20x10-8, 20x10-10	70.96
		<b>Snow Blowers:</b>	
BM25887		Lift Assist Spring Kit (X330, X350, X354)	37.46
AM145350		Winter Grill Cover <i>Used on X300s, MY2007- Model X500 (serial 020001-), X530, MY2011- X534 (serial 060001-), X570, X580, X584, and X590.</i>	107.56
		<b>Spanish North American Kit:</b>	
BM25402		Spanish Label & Owner's Manual Kit <i>For Model Year 2016 (X350, X354, X370, X380, X384, X390, and X394).</i>	69.56
		<b>Weights:</b>	
R66949		Quik-Tatch Weight, 42 Lb. <i>Use up to 2 Weights on the rear of X300 Series Tractors</i>	59.91
BM25370		Weight Bracket, Front (X300/X500 M-T) <i>Allows installation of R66949 Quik-Tatch Weights. Used on X300s, MY2007- Model X500 (serial 020001-), X530, MY2011- X534 (serial 060001-), and X570.</i>	69.56

JOHN DEERE TURF & UTILITY PRODUCTS  
LAWN TRACTORS

---

**Select Series X354 Tractor Less Mower Deck, California Model**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM24011		Weight Bracket, Rear (X300/X500 M-T) <i>Allows installation of R66949 Quik-Tatch Weights</i>	89.89
BM17962		Wheel Weight (Cast Iron, Front, 34 Lb., 5 or 6 in wheel) <i>Requires BM17978 Mounting Hardware.</i>	144.46
BM17978		Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**LAWN TRACTORS**

**Select Series X370 Tractor with 42 Accel Deep (42A) Mower Deck**  
Equipment for Base Machine

<p><b>ENGINE</b> 18.5 hp* (13.8 kW) 36.8-cu in. (603-cc) displacement Model FS600V Air cooled, V-twin cylinder with cast-iron liners No tools oil drain <b>FUEL SYSTEM</b> Gasoline Instrument display with hourmeter and fuel gauge <b>ELECTRICAL SYSTEM</b> 12-V (340-CCA) battery 15-amp regulated flywheel alternator Optional 12-V outlet <b>TRANSAXLE</b> K57 hydrostatic transmission Twin Touch pedals Cruise control 0-5.8 mph (0-9.3 km/h) forward speed 0-3.5 mph (5.6 km/h) reverse</p>	<p>speed <b>CHASSIS</b> Standard rear weight bracket holds up to two and optional front weight bracket holds up to four 42-lb (19-kg) Quik-Tatch weights Cast-iron front axle Replaceable metal spindle bushings 15x6-6 front turf tires 20x10-8 rear turf tires Storage under seat and on fender <b>STERING</b> Power, two-wheel steer 14-in. (35.6-cm) steering wheel 22-in. (55.9-cm) turning radius 42A - 30 in. (76 cm) uncut circle radius <b>SEAT</b> 15-in. (38.1-cm) open back with grasp <b>LIFT SYSTEM</b> Hydraulic implement lift</p>	<p><b>MOWER DECK</b> Side discharge 42 in. (107 cm) 12-gauge, 0.105-in. (2.7-mm) stamped steel deck shell Mower wash port Two mower wheels *Engine horsepower and torque information for non-Deere engines are provided by the engine manufacturer for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's Web site for additional information.</p>
---	--	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

5200M	Select Series X370 Tractor with 42 Accel Deep (42A) Mower Deck <i>Not Available for Sale in California.</i>	3,999.00
-------	--	----------

**DESTINATION**

001A	United States and Canada	In Base Price
0195	Mexico	Same Price

**ATTACHMENTS FOR FIELD CONVERSION**

AM135845	<p><b>Engine:</b> Spark Arrester Muffler Screen (X300s, X500 M-Ts)</p>	48.95
LP48004	<p><b>FRONT MOUNTED THATCHERS:</b> 38 In. Front Thatcher (Center) <i>Requires Mounting Frame.</i></p>	246.00
LP48003	<p>8 In. Front Thatcher (Extension) <i>Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width.</i></p>	50.00
LP48005	Thatcher Mounting Frame (X300, X500 M-T)	207.00
BM21679	<p><b>Material Collection System Hoppers:</b> 7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i></p>	441.91

JOHN DEERE TURF & UTILITY PRODUCTS  
LAWN TRACTORS

**Select Series X370 Tractor with 42 Accel Deep (42A) Mower Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
AM135486		Loose knit bag for 7 bu. Hopper	41.70
BG20754		<b>Material Collection System Power Flow/Rear Bagger Chutes:</b> Rear Bagger Chute for 42A Mower	125.19
BM24915		<b>Miscellaneous:</b> 12 Volt Outlet Kit (X300) <i>Used on MY2012- X300s (220001-).</i>	13.91
BM17981		12 Volt Work Light Kit	74.90
TY25866		Battery Charger and Maintainer	37.68
BM23057		Brush Guard (X300, X500 M-T)	128.40
BM23056		Bumper (X300s, X500, X530, X534, X570)	66.34
TY27534		Fuel Protect for Gasoline Engines (8 oz.)	4.49
LG265		Home Maintenance Kit	39.99
AM136046		Seat Net Kit	37.80
BM26155		Snow Blower and Front Blade Compatibility Kit <i>Updates a model year 2006-2015 44 Snow Blower (7001M/SKU23045), 47 Snow Blower (7002M/SKU23047), or 48 Front Blade (6002M/SKU23048) for use on a model year 2016 X300/X500 M-T tractor.</i>	328.49
BM23054		Sun Shade (X300/X500 M-T)	166.91
GX25668		<b>Mower Deck and Mower Deck Attachments:</b> Blade (42A, Bagging)	27.43
M170642		Blade (42A, Mulching)	27.50
M170639		Blade (42A, Side Discharge)	24.27
AM130907		<b>Mower Decks:</b> Mower deck leveling gauge	6.95
BM24794		<b>Mulch Kits:</b> 42A MulchControl kit	139.10
LP23117		<b>Order Zone:</b> 125 lb. Electric Broadcast Spreader Barrier Shield	65.00
LP35439		125 lb. Select Series Mounted Electric Broadcast Spreader <i>Requires Front Wheel Weights or Front Weight Bracket and 2 weights.</i>	449.00
LP22861		25-gal. Mounted Sprayer <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	449.95
LP63767		40-In. Tractor Shovel	939.00
LPJD400		Bucket (5 gallon)	8.95

JOHN DEERE TURF & UTILITY PRODUCTS  
LAWN TRACTORS

**Select Series X370 Tractor with 42 Accel Deep (42A) Mower Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LPJD301	Bucket Holder (Double)	84.95
	LP63762	Grass Groomer (42A)	99.95
	LP47168	MCS 7 Dump From Seat Hopper (X300 with 7 Bushel Hopper) <i>Requires separate material collection system.</i>	499.95
	LP33712	Manual Angling Kit (44 in Front Blade X300s)	164.95
	LP93617	Riding Mower Deluxe Cover (M)	89.99
	LP93917	Riding Mower Standard Cover	69.99
	LP55438	X300 Series Weather Enclosure	499.99
		<b>Protection:</b>	
	LP92624	Seat Cover (Deluxe Medium) - Yellow	42.99
	LP92324	Seat Cover - Yellow	26.99
		<b>Seats / Wheels / Tires:</b>	
	TY16200	Tire Chains (Pair) for 20x10-8, 20x10-10	70.96
		<b>Snow Blowers:</b>	
	AM145350	Winter Grill Cover <i>Used on X300s, MY2007- Model X500 (serial 020001-), X530, MY2011- X534 (serial 060001-), X570, X580, X584, and X590.</i>	107.56
		<b>Spanish North American Kit:</b>	
	BM25402	Spanish Label & Owner's Manual Kit <i>For Model Year 2016 (X350, X354, X370, X380, X384, X390, and X394).</i>	69.56
		<b>Weights:</b>	
	R66949	Quik-Tatch Weight, 42 Lb. <i>Use up to 2 Weights on the rear of X300 Series Tractors</i>	59.91
	BM25370	Weight Bracket, Front (X300/X500 M-T) <i>Allows installation of R66949 Quik-Tatch Weights. Used on X300s, MY2007- Model X500 (serial 020001-), X530, MY2011- X534 (serial 060001-), and X570.</i>	69.56
	BM17962	Wheel Weight (Cast Iron, Front, 34 Lb., 5 or 6 in wheel) <i>Requires BM17978 Mounting Hardware.</i>	144.46
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**LAWN TRACTORS**

**Select Series X380 Tractor with 48 Accel Deep (48A) Mower Deck**  
Equipment for Base Machine

**ENGINE**  
22 hp\* (16.4 kW)  
44.3 cu in. (726 cc)  
displacement  
Model FS651V  
Air cooled, V-twin cylinder with  
cast-iron liners  
No tools oil drain  
**FUEL SYSTEM**  
Gasoline  
Instrument display with  
hourmeter and fuel gauge  
**ELECTRICAL SYSTEM**  
12-V (340-CCA) battery  
15-amp regulated flywheel  
alternator  
Optional 12-V outlet  
**TRANSAXLE**  
K58 hydrostatic transmission  
Twin Touch pedals  
Cruise control  
0-6.2 mph (0-10 km/h) forward  
speed  
0-3.5 mph (5.6 km/h) reverse  
speed

**CHASSIS**  
Standard rear weight bracket  
holds up to two and optional  
front weight bracket holds up to  
four 42-lb (19-kg) Quik-Tatch  
weights  
Cast-iron front axle  
15x6.5-8 front turf tires  
22x11-10 rear turf tires  
Storage under seat and on fender  
**STEERING**  
Manual, two-wheel steer  
14-in. (35.6-cm) steering wheel  
16-in. (40.6-cm) turning radius  
48A - 21 in. (53 cm) uncut  
circle radius  
**SEAT**  
15-in. (38.1-cm) open back with  
grasp  
**LIFT SYSTEM**  
Foot pedal implement lift  
**MOWER DECK**  
Side discharge 48 in. (122 cm)  
10-gauge, 0.135-in. (3.4-mm)  
stamped steel deck shell

Mower wash port  
Four mower wheels and front  
center rollers  
**MOWER ATTACHABILITY**  
Mower wheels rotate 90 degrees  
for easy mower removal  
\*Engine horsepower and torque  
information for non-Deere  
engines are provided by the  
engine manufacturer for  
comparison purposes only. Actual  
operating horsepower and torque  
will be less. Refer to the  
engine manufacturer's Web site  
for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

5210M	Select Series X380 Tractor with 48 Accel Deep (48A) Mower Deck <i>Not Available for Sale in California.</i>	4,399.00
-------	--	----------

**DESTINATION**

001A	United States and Canada	In Base Price
0195	Mexico	Same Price

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Engine:</b>		
AM135845		Spark Arrester Muffler Screen (X300s, X500 M-Ts)	48.95
	<b>FRONT MOUNTED THATCHERS:</b>		
LP48004		38 In. Front Thatcher (Center) <i>Requires Mounting Frame.</i>	246.00
LP48003		8 In. Front Thatcher (Extension) <i>Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width.</i>	50.00
LP48005		Thatcher Mounting Frame (X300, X500 M-T)	207.00
	<b>Material Collection System Hoppers:</b>		
BM21679		7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i>	441.91

JOHN DEERE TURF & UTILITY PRODUCTS  
LAWN TRACTORS

**Select Series X380 Tractor with 48 Accel Deep (48A) Mower Deck**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
AM135486		Loose knit bag for 7 bu. Hopper	41.70
LP49228		MC519 Material Collection System <i>Requires Power Flow Blower Assembly and Power Flow Chute. See Sales Manual for Ballast Requirements.</i>	979.00
BG20748		<b>Material Collection System Power Flow Blowers:</b> High-Performance Blower Assembly for 48A Mowers(X300/X500 M-T)	541.41
BM21681		<b>Material Collection System Power Flow/Rear Bagger Chutes:</b> Power Flow Chute (6.5/7 bu.)	115.56
BM20855		Power Flow Chute (MC519 with C, X, or A Series Blowers)	87.74
BM24915		<b>Miscellaneous:</b> 12 Volt Outlet Kit (X300) <i>Used on MY2012- X300s (220001-).</i>	13.91
BM17981		12 Volt Work Light Kit	74.90
TY25866		Battery Charger and Maintainer	37.68
BM23057		Brush Guard (X300, X500 M-T)	128.40
BM23056		Bumper (X300s, X500, X530, X534, X570)	66.34
TY27534		Fuel Protect for Gasoline Engines (8 oz.)	4.49
LG265		Home Maintenance Kit	39.99
AM136046		Seat Net Kit	37.80
BM26155		Snow Blower and Front Blade Compatibility Kit <i>Updates a model year 2006-2015 44 Snow Blower (7001M/SKU23045), 47 Snow Blower (7002M/SKU23047), or 48 Front Blade (6002M/SKU23048) for use on a model year 2016 X300/X500 M-T tractor.</i>	328.49
BM23054		Sun Shade (X300/X500 M-T)	166.91
M127673		<b>Mower Deck and Mower Deck Attachments:</b> Blade (48C/48X/48A, Mulching)	18.68
M145476		Blade (48C/48X/48A, Side Discharge)	12.59
AM130907		<b>Mower Decks:</b> Mower deck leveling gauge	6.95
BM24993		<b>Mulch Kits:</b> 48A MulchControl kit	169.06
LP23117		<b>Order Zone:</b> 125 lb. Electric Broadcast Spreader Barrier Shield	65.00
LP35439		125 lb. Select Series Mounted Electric Broadcast Spreader <i>Requires Front Wheel Weights or Front Weight Bracket and 2 weights.</i>	449.00

JOHN DEERE TURF & UTILITY PRODUCTS  
LAWN TRACTORS

**Select Series X380 Tractor with 48 Accel Deep (48A) Mower Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LP22861		25-gal. Mounted Sprayer <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	449.95
LP63767		40-In. Tractor Shovel	939.00
LPJD400		Bucket (5 gallon)	8.95
LPJD301		Bucket Holder (Double)	84.95
LP64865		Electric Lift Kit (Model Year 2016-) <i>For Snow Blower and Front Blade.</i>	450.00
LP63761		Grass Groomer (48A/54A)	119.95
LP47168		MCS 7 Dump From Seat Hopper (X300 with 7 Bushel Hopper) <i>Requires separate material collection system.</i>	499.95
LP33712		Manual Angling Kit (44 in Front Blade X300s)	164.95
LP93617		Riding Mower Deluxe Cover (M)	89.99
LP93917		Riding Mower Standard Cover	69.99
LP55438		X300 Series Weather Enclosure	499.99
		<b>Protection:</b>	
LP92624		Seat Cover (Deluxe Medium) - Yellow	42.99
LP92324		Seat Cover - Yellow	26.99
		<b>Seats / Wheels / Tires:</b>	
TY24327		Tire Chains (Pair) for 22x11-10 and 22x9.5-12	76.64
		<b>Snow Blowers:</b>	
AM145350		Winter Grill Cover <i>Used on X300s, MY2007- Model X500 (serial 020001-), X530, MY2011- X534 (serial 060001-), X570, X580, X584, and X590.</i>	107.56
		<b>Spanish North American Kit:</b>	
BM25402		Spanish Label & Owner's Manual Kit <i>For Model Year 2016 (X350, X354, X370, X380, X384, X390, and X394).</i>	69.56
		<b>Weights:</b>	
R66949		Quik-Tatch Weight, 42 Lb. <i>Use up to 2 Weights on the rear of X300 Series Tractors</i>	59.91
BM25370		Weight Bracket, Front (X300/X500 M-T) <i>Allows installation of R66949 Quik-Tatch Weights. Used on X300s, MY2007- Model X500 (serial 020001-), X530, MY2011- X534 (serial 060001-), and X570.</i>	69.56
BM17964		Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) <i>For Use on Steered Wheel.</i>	103.79
BM17978		Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77

**JOHN DEERE TURF & UTILITY PRODUCTS  
LAWN TRACTORS**

**Select Series X380 Tractor with 54 Accel Deep (54A) Mower Deck  
Equipment for Base Machine**

**ENGINE**  
22 hp\* (16.4 kW)  
44.3 cu in. (726 cc)  
displacement  
Model FS651V  
Air cooled, V-twin cylinder with  
cast-iron liners  
No tools oil drain  
**FUEL SYSTEM**  
Gasoline  
Instrument display with  
hourmeter and fuel gauge  
**ELECTRICAL SYSTEM**  
12-V (340-CCA) battery  
15-amp regulated flywheel  
alternator  
Optional 12-V outlet  
**TRANSAXLE**  
K58 hydrostatic transmission  
Twin Touch pedals  
Cruise control  
0-6.2 mph (0-10 km/h) forward  
speed  
0-3.5 mph (5.6 km/h) reverse  
speed

**CHASSIS**  
Standard rear weight bracket  
holds up to two and optional  
front weight bracket holds up to  
four 42-lb (19-kg) Quik-Tatch  
weights  
Cast-iron front axle  
15x6.5-8 front turf tires  
22x11-10 rear turf tires  
Storage under seat and on fender  
**STEERING**  
Manual, two-wheel steer  
14-in. (35.6-cm) steering wheel  
16-in. (40.6-cm) turning radius  
54A - 18 in. (46 cm) uncut  
circle radius  
**SEAT**  
15-in. (38.1-cm) open back with  
grasp  
**LIFT SYSTEM**  
Foot pedal implement lift  
**MOWER DECK**  
Side discharge 54 in. (137 cm)  
10-gauge, 0.135-in. (3.4-mm)  
stamped steel deck shell

Mower wash port  
Four mower wheels and front  
center rollers  
**MOWER ATTACHABILITY**  
Mower wheels rotate 90 degrees  
for easy mower removal  
\*Engine horsepower and torque  
information for non-Deere  
engines are provided by the  
engine manufacturer for  
comparison purposes only. Actual  
operating horsepower and torque  
will be less. Refer to the  
engine manufacturer's Web site  
for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

5212M	Select Series X380 Tractor with 54 Accel Deep (54A) Mower Deck <i>Not Available for Sale in California.</i>	4,699.00
-------	--	----------

**DESTINATION**

001A	United States and Canada	In Base Price
0195	Mexico	Same Price

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Engine:</b>		
AM135845		Spark Arrester Muffler Screen (X300s, X500 M-Ts)	48.95
	<b>FRONT MOUNTED THATCHERS:</b>		
LP48004		38 In. Front Thatcher (Center) <i>Requires Mounting Frame.</i>	246.00
LP48003		8 In. Front Thatcher (Extension) <i>Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width.</i>	50.00
LP48005		Thatcher Mounting Frame (X300, X500 M-T)	207.00
	<b>Material Collection System Hoppers:</b>		
BM21679		7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i>	441.91

JOHN DEERE TURF & UTILITY PRODUCTS  
LAWN TRACTORS

**Select Series X380 Tractor with 54 Accel Deep (54A) Mower Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
AM135486		Loose knit bag for 7 bu. Hopper	41.70
LP49228		MC519 Material Collection System <i>Requires Power Flow Blower Assembly and Power Flow Chute. See Sales Manual for Ballast Requirements.</i>	979.00
		<b>Material Collection System Power Flow Blowers:</b>	
BG20749		High-Performance Blower Assembly for 54A Mowers(X300/X500 M-T)	541.41
		<b>Material Collection System Power Flow/Rear Bagger Chutes:</b>	
BM21681		Power Flow Chute (6.5/7 bu.)	115.56
BM20855		Power Flow Chute (MC519 with C, X, or A Series Blowers)	87.74
		<b>Miscellaneous:</b>	
BM24915		12 Volt Outlet Kit (X300) <i>Used on MY2012- X300s (220001-).</i>	13.91
BM17981		12 Volt Work Light Kit	74.90
TY25866		Battery Charger and Maintainer	37.68
BM23057		Brush Guard (X300, X500 M-T)	128.40
BM23056		Bumper (X300s, X500, X530, X534, X570)	66.34
TY27534		Fuel Protect for Gasoline Engines (8 oz.)	4.49
LG265		Home Maintenance Kit	39.99
AM136046		Seat Net Kit	37.80
BM26155		Snow Blower and Front Blade Compatibility Kit <i>Updates a model year 2006-2015 44 Snow Blower (7001M/SKU23045), 47 Snow Blower (7002M/SKU23047), or 48 Front Blade (6002M/SKU23048) for use on a model year 2016 X300/X500 M-T tractor.</i>	328.49
BM23054		Sun Shade (X300/X500 M-T)	166.91
		<b>Mower Deck and Mower Deck Attachments:</b>	
M143520		Blade (54C/54X/54A, Side Discharge)	16.27
		<b>Mower Decks:</b>	
AM130907		Mower deck leveling gauge	6.95
		<b>Mulch Kits:</b>	
BM24994		54A MulchControl kit	219.36
		<b>Order Zone:</b>	
LP23117		125 lb. Electric Broadcast Spreader Barrier Shield	65.00
LP35439		125 lb. Select Series Mounted Electric Broadcast Spreader <i>Requires Front Wheel Weights or Front Weight Bracket and 2 weights.</i>	449.00
LP22861		25-gal. Mounted Sprayer <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	449.95

JOHN DEERE TURF & UTILITY PRODUCTS  
LAWN TRACTORS

**Select Series X380 Tractor with 54 Accel Deep (54A) Mower Deck**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LP63767	40-In. Tractor Shovel	939.00
	LPJD400	Bucket (5 gallon)	8.95
	LPJD301	Bucket Holder (Double)	84.95
	LP64865	Electric Lift Kit (Model Year 2016-) <i>For Snow Blower and Front Blade.</i>	450.00
	LP63761	Grass Groomer (48A/54A)	119.95
	LP47168	MCS 7 Dump From Seat Hopper (X300 with 7 Bushel Hopper) <i>Requires separate material collection system.</i>	499.95
	LP33712	Manual Angling Kit (44 in Front Blade X300s)	164.95
	LP93617	Riding Mower Deluxe Cover (M)	89.99
	LP93917	Riding Mower Standard Cover	69.99
	LP55438	X300 Series Weather Enclosure	499.99
		<b>Protection:</b>	
	LP92624	Seat Cover (Deluxe Medium) - Yellow	42.99
	LP92324	Seat Cover - Yellow	26.99
		<b>Seats / Wheels / Tires:</b>	
	TY24327	Tire Chains (Pair) for 22x11-10 and 22x9.5-12	76.64
		<b>Snow Blowers:</b>	
	AM145350	Winter Grill Cover <i>Used on X300s, MY2007- Model X500 (serial 020001-), X530, MY2011- X534 (serial 060001-), X570, X580, X584, and X590.</i>	107.56
		<b>Spanish North American Kit:</b>	
	BM25402	Spanish Label & Owner's Manual Kit <i>For Model Year 2016 (X350, X354, X370, X380, X384, X390, and X394).</i>	69.56
		<b>Weights:</b>	
	R66949	Quik-Tatch Weight, 42 Lb. <i>Use up to 2 Weights on the rear of X300 Series Tractors</i>	59.91
	BM25370	Weight Bracket, Front (X300/X500 M-T) <i>Allows installation of R66949 Quik-Tatch Weights. Used on X300s, MY2007- Model X500 (serial 020001-), X530, MY2011- X534 (serial 060001-), and X570.</i>	69.56
	BM17964	Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) <i>For Use on Steered Wheel.</i>	103.79
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77

**JOHN DEERE TURF & UTILITY PRODUCTS  
LAWN TRACTORS**

**Select Series X380 Tractor Less Mower Deck, California Model  
Equipment for Base Machine**

**ENGINE**  
22 hp\* (16.4 kW)  
44.3 cu in. (726 cc)  
displacement  
Model FS651V  
Air cooled, V-twin cylinder with  
cast-iron liners  
No tools oil drain

**FUEL SYSTEM**  
Gasoline  
Instrument display with  
hourmeter and fuel gauge

**ELECTRICAL SYSTEM**  
12-V (340-CCA) battery  
15-amp regulated flywheel  
alternator  
Optional 12-V outlet

**TRANSAXLE**  
K58 hydrostatic transmission  
Twin Touch pedals  
Cruise control  
0-6.2 mph (0-10 km/h) forward  
speed  
0-3.5 mph (5.6 km/h) reverse  
speed

**CHASSIS**  
Standard rear weight bracket  
holds up to two and optional  
front weight bracket holds up to  
four 42-lb (19-kg) Quik-Tatch  
weights  
Cast-iron front axle  
15x6.5-8 front turf tires  
22x11-10 rear turf tires  
Storage under seat and on fender

**STEERING**  
Manual, two-wheel steer  
14-in. (35.6-cm) steering wheel  
16-in. (40.6-cm) turning radius  
48A - 21 in. (53 cm), 54A - 18  
in. (46 cm) uncut circle radius

**SEAT**  
15-in. (38.1-cm) open back with  
grasp

**LIFT SYSTEM**  
Foot pedal implement lift

**OPTIONAL MOWER DECKS**  
Side discharge 48 in. (122 cm)  
or 54 in. (137 cm)  
10-gauge, 0.135-in. (3.4-mm)

stamped steel deck shell  
Mower wash port  
48A and 54A - Four mower wheels  
and front center rollers

**MOWER ATTACHABILITY**  
Mower wheels rotate 90 degrees  
for easy mower removal

\*Engine horsepower and torque  
information for non-Deere  
engines are provided by the  
engine manufacturer for  
comparison purposes only. Actual  
operating horsepower and torque  
will be less. Refer to the  
engine manufacturer's Web site  
for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

5213M	Select Series X380 Tractor Less Mower Deck, California Model	3,499.00
-------	--	----------

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Engine:</b>		
AM135845		Spark Arrester Muffler Screen (X300s, X500 M-Ts)	48.95
	<b>FRONT MOUNTED THATCHERS:</b>		
LP48004		38 In. Front Thatcher (Center) <i>Requires Mounting Frame.</i>	246.00
LP48003		8 In. Front Thatcher (Extension) <i>Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width.</i>	50.00
LP48005		Thatcher Mounting Frame (X300, X500 M-T)	207.00
	<b>Material Collection System Hoppers:</b>		
BM21679		7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i>	441.91
AM135486		Loose knit bag for 7 bu. Hopper	41.70

JOHN DEERE TURF & UTILITY PRODUCTS  
LAWN TRACTORS

**Select Series X380 Tractor Less Mower Deck, California Model**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LP49228		MC519 Material Collection System <i>Requires Power Flow Blower Assembly and Power Flow Chute. See Sales Manual for Ballast Requirements.</i>	979.00
		<b>Material Collection System Power Flow Blowers:</b>	
BG20748		High-Performance Blower Assembly for 48A Mowers(X300/X500 M-T)	541.41
BG20749		High-Performance Blower Assembly for 54A Mowers(X300/X500 M-T)	541.41
		<b>Material Collection System Power Flow/Rear Bagger Chutes:</b>	
BM21681		Power Flow Chute (6.5/7 bu.)	115.56
BM20855		Power Flow Chute (MC519 with C, X, or A Series Blowers)	87.74
		<b>Miscellaneous:</b>	
BM24915		12 Volt Outlet Kit (X300) <i>Used on MY2012- X300s (220001-).</i>	13.91
BM17981		12 Volt Work Light Kit	74.90
TY25866		Battery Charger and Maintainer	37.68
BM23057		Brush Guard (X300, X500 M-T)	128.40
BM23056		Bumper (X300s, X500, X530, X534, X570)	66.34
TY27534		Fuel Protect for Gasoline Engines (8 oz.)	4.49
LG265		Home Maintenance Kit	39.99
AM136046		Seat Net Kit	37.80
BM26155		Snow Blower and Front Blade Compatibility Kit <i>Updates a model year 2006-2015 44 Snow Blower (7001M/SKU23045), 47 Snow Blower (7002M/SKU23047), or 48 Front Blade (6002M/SKU23048) for use on a model year 2016 X300/X500 M-T tractor.</i>	328.49
BM23054		Sun Shade (X300/X500 M-T)	166.91
		<b>Mower Deck and Mower Deck Attachments:</b>	
M127673		Blade (48C/48X/48A, Mulching)	18.68
M145476		Blade (48C/48X/48A, Side Discharge)	12.59
M143520		Blade (54C/54X/54A, Side Discharge)	16.27
		<b>Mower Decks:</b>	
AM130907		Mower deck leveling gauge	6.95
		<b>Mulch Kits:</b>	
BM24993		48A MulchControl kit	169.06
BM24994		54A MulchControl kit	219.36
		<b>Order Zone:</b>	
LP23117		125 lb. Electric Broadcast Spreader Barrier Shield	65.00

JOHN DEERE TURF & UTILITY PRODUCTS  
LAWN TRACTORS

**Select Series X380 Tractor Less Mower Deck, California Model**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LP35439		125 lb. Select Series Mounted Electric Broadcast Spreader <i>Requires Front Wheel Weights or Front Weight Bracket and 2 weights.</i>	449.00
LP22861		25-gal. Mounted Sprayer <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	449.95
LP63767		40-In. Tractor Shovel	939.00
LPJD400		Bucket (5 gallon)	8.95
LPJD301		Bucket Holder (Double)	84.95
LP64865		Electric Lift Kit (Model Year 2016-) <i>For Snow Blower and Front Blade.</i>	450.00
LP63761		Grass Groomer (48A/54A)	119.95
LP47168		MCS 7 Dump From Seat Hopper (X300 with 7 Bushel Hopper) <i>Requires separate material collection system.</i>	499.95
LP33712		Manual Angling Kit (44 in Front Blade X300s)	164.95
LP93617		Riding Mower Deluxe Cover (M)	89.99
LP93917		Riding Mower Standard Cover	69.99
LP55438		X300 Series Weather Enclosure	499.99
		<b>Protection:</b>	
LP92624		Seat Cover (Deluxe Medium) - Yellow	42.99
LP92324		Seat Cover - Yellow	26.99
		<b>Seats / Wheels / Tires:</b>	
TY24327		Tire Chains (Pair) for 22x11-10 and 22x9.5-12	76.64
		<b>Snow Blowers:</b>	
AM145350		Winter Grill Cover <i>Used on X300s, MY2007- Model X500 (serial 020001-), X530, MY2011- X534 (serial 060001-), X570, X580, X584, and X590.</i>	107.56
		<b>Spanish North American Kit:</b>	
BM25402		Spanish Label & Owner's Manual Kit <i>For Model Year 2016 (X350, X354, X370, X380, X384, X390, and X394).</i>	69.56
		<b>Weights:</b>	
R66949		Quik-Tatch Weight, 42 Lb. <i>Use up to 2 Weights on the rear of X300 Series Tractors</i>	59.91
BM25370		Weight Bracket, Front (X300/X500 M-T) <i>Allows installation of R66949 Quik-Tatch Weights. Used on X300s, MY2007- Model X500 (serial 020001-), X530, MY2011- X534 (serial 060001-), and X570.</i>	69.56
BM17964		Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) <i>For Use on Steered Wheel.</i>	103.79
BM17978		Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77

JOHN DEERE TURF & UTILITY PRODUCTS  
LAWN TRACTORS

---

**Select Series X380 Tractor Less Mower Deck, California Model**  
Continued

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**LAWN TRACTORS**

**Select Series X384 Tractor with 48 Accel Deep (48A) Mower Deck**  
Equipment for Base Machine

**ENGINE**  
22 hp\* (16.4 kW)  
44.3 cu in. (726 cc)  
displacement  
Model FS651V  
Air cooled, V-twin cylinder with  
cast-iron liners  
No tools oil drain  
**FUEL SYSTEM**  
Gasoline  
Instrument display with  
hourmeter and fuel gauge  
**ELECTRICAL SYSTEM**  
12-V (340-CCA) battery  
15-amp regulated flywheel  
alternator  
Optional 12-V outlet  
**TRANSAXLE**  
K58 hydrostatic transmission  
Twin Touch pedals  
Cruise control  
0-5.9 mph (0-9.5 km/h) forward  
speed  
0-3.5 mph (5.6 km/h) reverse  
speed

**CHASSIS**  
Optional rear weight bracket  
holds up to two and optional  
front weight bracket holds up to  
four 42-lb (19-kg) Quik-Tatch  
weights  
Cast-iron front axle  
15x6-6 front turf tires  
20x10-10 rear turf tires  
Storage under seat and on fender  
**STEERING**  
Manual, four-wheel steer  
14-in. (35.6-cm) steering wheel  
15-in. (38.1-cm) turning radius  
48A - 9 in. (23 cm) uncut circle  
radius  
**SEAT**  
15-in. (38.1-cm) open back with  
grasp  
**LIFT SYSTEM**  
Foot pedal implement lift  
**MOWER DECK**  
Side discharge 48 in. (122 cm)  
10-gauge, 0.135-in. (3.4-mm)  
stamped steel deck shell

Mower wash port  
Four mower wheels and front  
center rollers  
**MOWER ATTACHABILITY**  
Mower wheels rotate 90 degrees  
for easy mower removal  
\*Engine horsepower and torque  
information for non-Deere  
engines are provided by the  
engine manufacturer for  
comparison purposes only. Actual  
operating horsepower and torque  
will be less. Refer to the  
engine manufacturer's Web site  
for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

5220M	Select Series X384 Tractor with 48 Accel Deep (48A) Mower Deck <i>Not Available for Sale in California.</i>	5,099.00
-------	--	----------

**DESTINATION**

001A	United States and Canada	In Base Price
0195	Mexico	Same Price

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Engine:</b>		
AM135845		Spark Arrester Muffler Screen (X300s, X500 M-Ts)	48.95
	<b>FRONT MOUNTED THATCHERS:</b>		
LP48004		38 In. Front Thatcher (Center) <i>Requires Mounting Frame.</i>	246.00
LP48003		8 In. Front Thatcher (Extension) <i>Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width.</i>	50.00
LP48005		Thatcher Mounting Frame (X300, X500 M-T)	207.00
	<b>Material Collection System Hoppers:</b>		
BM21679		7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i>	441.91

JOHN DEERE TURF & UTILITY PRODUCTS  
LAWN TRACTORS

**Select Series X384 Tractor with 48 Accel Deep (48A) Mower Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	AM135486	Loose knit bag for 7 bu. Hopper	41.70
	LP49228	MC519 Material Collection System <i>Requires Power Flow Blower Assembly and Power Flow Chute. See Sales Manual for Ballast Requirements.</i>	979.00
		<b>Material Collection System Power Flow Blowers:</b>	
	BG20748	High-Performance Blower Assembly for 48A Mowers(X300/X500 M-T)	541.41
		<b>Material Collection System Power Flow/Rear Bagger Chutes:</b>	
	BM21681	Power Flow Chute (6.5/7 bu.)	115.56
	BM20855	Power Flow Chute (MC519 with C, X, or A Series Blowers)	87.74
		<b>Miscellaneous:</b>	
	BM24915	12 Volt Outlet Kit (X300) <i>Used on MY2012- X300s (220001-).</i>	13.91
	BM17981	12 Volt Work Light Kit	74.90
	TY25866	Battery Charger and Maintainer	37.68
	BM23057	Brush Guard (X300, X500 M-T)	128.40
	BM23056	Bumper (X300s, X500, X530, X534, X570)	66.34
	TY27534	Fuel Protect for Gasoline Engines (8 oz.)	4.49
	LG265	Home Maintenance Kit	39.99
	AM136046	Seat Net Kit	37.80
	BM26155	Snow Blower and Front Blade Compatibility Kit <i>Updates a model year 2006-2015 44 Snow Blower (7001M/SKU23045), 47 Snow Blower (7002M/SKU23047), or 48 Front Blade (6002M/SKU23048) for use on a model year 2016 X300/X500 M-T tractor.</i>	328.49
	BM23054	Sun Shade (X300/X500 M-T)	166.91
		<b>Mower Deck and Mower Deck Attachments:</b>	
	M127673	Blade (48C/48X/48A, Mulching)	18.68
	M145476	Blade (48C/48X/48A, Side Discharge)	12.59
		<b>Mower Decks:</b>	
	AM130907	Mower deck leveling gauge	6.95
		<b>Mulch Kits:</b>	
	BM24993	48A MulchControl kit	169.06
		<b>Order Zone:</b>	
	LP23117	125 lb. Electric Broadcast Spreader Barrier Shield	65.00
	LP35439	125 lb. Select Series Mounted Electric Broadcast Spreader <i>Requires Front Wheel Weights or Front Weight Bracket and 2 weights.</i>	449.00

JOHN DEERE TURF & UTILITY PRODUCTS  
LAWN TRACTORS

**Select Series X384 Tractor with 48 Accel Deep (48A) Mower Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LP22861		25-gal. Mounted Sprayer <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	449.95
LP63767		40-In. Tractor Shovel	939.00
LPJD400		Bucket (5 gallon)	8.95
LPJD301		Bucket Holder (Double)	84.95
LP64865		Electric Lift Kit (Model Year 2016-) <i>For Snow Blower and Front Blade.</i>	450.00
LP63761		Grass Groomer (48A/54A)	119.95
LP47168		MCS 7 Dump From Seat Hopper (X300 with 7 Bushel Hopper) <i>Requires separate material collection system.</i>	499.95
LP33712		Manual Angling Kit (44 in Front Blade X300s)	164.95
LP93617		Riding Mower Deluxe Cover (M)	89.99
LP93917		Riding Mower Standard Cover	69.99
LP55438		X300 Series Weather Enclosure	499.99
		<b>Protection:</b>	
LP92624		Seat Cover (Deluxe Medium) - Yellow	42.99
LP92324		Seat Cover - Yellow	26.99
		<b>Seats / Wheels / Tires:</b>	
TY16200		Tire Chains (Pair) for 20x10-8, 20x10-10	70.96
		<b>Snow Blowers:</b>	
AM145350		Winter Grill Cover <i>Used on X300s, MY2007- Model X500 (serial 020001-), X530, MY2011- X534 (serial 060001-), X570, X580, X584, and X590.</i>	107.56
		<b>Spanish North American Kit:</b>	
BM25402		Spanish Label & Owner's Manual Kit <i>For Model Year 2016 (X350, X354, X370, X380, X384, X390, and X394).</i>	69.56
		<b>Weights:</b>	
R66949		Quik-Tatch Weight, 42 Lb. <i>Use up to 2 Weights on the rear of X300 Series Tractors</i>	59.91
BM25370		Weight Bracket, Front (X300/X500 M-T) <i>Allows installation of R66949 Quik-Tatch Weights. Used on X300s, MY2007- Model X500 (serial 020001-), X530, MY2011- X534 (serial 060001-), and X570.</i>	69.56
BM24011		Weight Bracket, Rear (X300/X500 M-T) <i>Allows installation of R66949 Quik-Tatch Weights</i>	89.89
BM17962		Wheel Weight (Cast Iron, Front, 34 Lb., 5 or 6 in wheel) <i>Requires BM17978 Mounting Hardware.</i>	144.46
BM17978		Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77

JOHN DEERE TURF & UTILITY PRODUCTS  
LAWN TRACTORS

---

**Select Series X384 Tractor with 48 Accel Deep (48A) Mower Deck**  
Continued

**JOHN DEERE TURF & UTILITY PRODUCTS  
LAWN TRACTORS**

**Select Series X390 Tractor with 48 Accel Deep (48A) Mower Deck  
Equipment for Base Machine**

<p><b>ENGINE</b> 22 hp* (16.4 kW) 44.3 cu in. (726 cc) displacement Model FS651V Air cooled, V-twin cylinder with cast-iron liners No tools oil drain <b>FUEL SYSTEM</b> Gasoline Instrument display with hourmeter and fuel gauge <b>ELECTRICAL SYSTEM</b> 12-V (340-CCA) battery 15-amp regulated flywheel alternator Optional 12-V outlet <b>TRANSAXLE</b> K58 hydrostatic transmission Twin Touch pedals Cruise control 0-6.2 mph (0-10 km/h) forward speed 0-3.5 mph (5.6 km/h) reverse speed <b>CHASSIS</b></p>	<p>Standard rear weight bracket holds up to two and optional front weight bracket holds up to four 42-lb (19-kg) Quik-Tatch weights Cast-iron front axle Replaceable metal spindle bushings 15x6.5-8 front turf tires 22x11-10 rear turf tires Storage under seat and on fender <b>STEERING</b> Power, two-wheel steer 14-in. (35.6-cm) steering wheel 22-in. (55.9-cm) turning radius 48A - 24 in. (61 cm) uncut circle radius <b>SEAT</b> 15-in. (38.1-cm) open back with grasp <b>LIFT SYSTEM</b> Hydraulic implement lift <b>MOWER DECK</b> Side discharge 48 in. (122 cm) 10-gauge, 0.135-in. (3.4-mm) stamped steel deck shell</p>	<p>Mower wash port Four mower wheels and front center rollers <b>MOWER ATTACHABILITY</b> Mower wheels rotate 90 degrees for easy mower removal *Engine horsepower and torque information for non-Deere engines are provided by the engine manufacturer for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's Web site for additional information.</p>
---	--	---

<b>CODE</b>	<b>ATTACHMENT IDENTIFIER</b>	<b>DESCRIPTION</b>	<b>SUGGESTED LIST PRICE USD (\$)</b>
-------------	------------------------------	--------------------	--------------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

5230M	Select Series X390 Tractor with 48 Accel Deep (48A) Mower Deck <i>Not Available for Sale in California.</i>	5,399.00
-------	--	----------

**DESTINATION**

001A	United States and Canada	In Base Price
0195	Mexico	Same Price

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Engine:</b>		
AM135845		Spark Arrester Muffler Screen (X300s, X500 M-Ts)	48.95
	<b>FRONT MOUNTED THATCHERS:</b>		
LP48004		38 In. Front Thatcher (Center) <i>Requires Mounting Frame.</i>	246.00
LP48003		8 In. Front Thatcher (Extension) <i>Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width.</i>	50.00
LP48005		Thatcher Mounting Frame (X300, X500 M-T)	207.00

JOHN DEERE TURF & UTILITY PRODUCTS  
LAWN TRACTORS

**Select Series X390 Tractor with 48 Accel Deep (48A) Mower Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Material Collection System Hoppers:</b>	
BM21679		7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i>	441.91
AM135486		Loose knit bag for 7 bu. Hopper	41.70
LP49228		MC519 Material Collection System <i>Requires Power Flow Blower Assembly and Power Flow Chute. See Sales Manual for Ballast Requirements.</i>	979.00
		<b>Material Collection System Power Flow Blowers:</b>	
BG20748		High-Performance Blower Assembly for 48A Mowers(X300/X500 M-T)	541.41
		<b>Material Collection System Power Flow/Rear Bagger Chutes:</b>	
BM21681		Power Flow Chute (6.5/7 bu.)	115.56
BM20855		Power Flow Chute (MC519 with C, X, or A Series Blowers)	87.74
		<b>Miscellaneous:</b>	
BM24915		12 Volt Outlet Kit (X300) <i>Used on MY2012- X300s (220001-).</i>	13.91
BM17981		12 Volt Work Light Kit	74.90
TY25866		Battery Charger and Maintainer	37.68
BM23057		Brush Guard (X300, X500 M-T)	128.40
BM23056		Bumper (X300s, X500, X530, X534, X570)	66.34
TY27534		Fuel Protect for Gasoline Engines (8 oz.)	4.49
LG265		Home Maintenance Kit	39.99
AM136046		Seat Net Kit	37.80
BM26155		Snow Blower and Front Blade Compatibility Kit <i>Updates a model year 2006-2015 44 Snow Blower (7001M/SKU23045), 47 Snow Blower (7002M/SKU23047), or 48 Front Blade (6002M/SKU23048) for use on a model year 2016 X300/X500 M-T tractor.</i>	328.49
BM23054		Sun Shade (X300/X500 M-T)	166.91
		<b>Mower Deck and Mower Deck Attachments:</b>	
M127673		Blade (48C/48X/48A, Mulching)	18.68
M145476		Blade (48C/48X/48A, Side Discharge)	12.59
		<b>Mower Decks:</b>	
AM130907		Mower deck leveling gauge	6.95
		<b>Mulch Kits:</b>	
BM24993		48A MulchControl kit	169.06
		<b>Order Zone:</b>	
LP23117		125 lb. Electric Broadcast Spreader Barrier Shield	65.00

JOHN DEERE TURF & UTILITY PRODUCTS  
LAWN TRACTORS

**Select Series X390 Tractor with 48 Accel Deep (48A) Mower Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LP35439		125 lb. Select Series Mounted Electric Broadcast Spreader <i>Requires Front Wheel Weights or Front Weight Bracket and 2 weights.</i>	449.00
LP22861		25-gal. Mounted Sprayer <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	449.95
LP63767		40-In. Tractor Shovel	939.00
LPJD400		Bucket (5 gallon)	8.95
LPJD301		Bucket Holder (Double)	84.95
LP63761		Grass Groomer (48A/54A)	119.95
LP47168		MCS 7 Dump From Seat Hopper (X300 with 7 Bushel Hopper) <i>Requires separate material collection system.</i>	499.95
LP33712		Manual Angling Kit (44 in Front Blade X300s)	164.95
LP93617		Riding Mower Deluxe Cover (M)	89.99
LP93917		Riding Mower Standard Cover	69.99
LP55438		X300 Series Weather Enclosure	499.99
		<b>Protection:</b>	
LP92624		Seat Cover (Deluxe Medium) - Yellow	42.99
LP92324		Seat Cover - Yellow	26.99
		<b>Seats / Wheels / Tires:</b>	
TY24327		Tire Chains (Pair) for 22x11-10 and 22x9.5-12	76.64
		<b>Snow Blowers:</b>	
AM145350		Winter Grill Cover <i>Used on X300s, MY2007- Model X500 (serial 020001-), X530, MY2011- X534 (serial 060001-), X570, X580, X584, and X590.</i>	107.56
		<b>Spanish North American Kit:</b>	
BM25402		Spanish Label & Owner's Manual Kit <i>For Model Year 2016 (X350, X354, X370, X380, X384, X390, and X394).</i>	69.56
		<b>Weights:</b>	
R66949		Quik-Tatch Weight, 42 Lb. <i>Use up to 2 Weights on the rear of X300 Series Tractors</i>	59.91
BM25370		Weight Bracket, Front (X300/X500 M-T) <i>Allows installation of R66949 Quik-Tatch Weights. Used on X300s, MY2007- Model X500 (serial 020001-), X530, MY2011- X534 (serial 060001-), and X570.</i>	69.56
BM17964		Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) <i>For Use on Steered Wheel.</i>	103.79
BM17978		Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**LAWN TRACTORS**

**Select Series X390 Tractor with 54 Accel Deep (54A) Mower Deck**  
Equipment for Base Machine

<p><b>ENGINE</b> 22 hp* (16.4 kW) 44.3 cu in. (726 cc) displacement Model FS651V Air cooled, V-twin cylinder with cast-iron liners No tools oil drain <b>FUEL SYSTEM</b> Gasoline Instrument display with hourmeter and fuel gauge <b>ELECTRICAL SYSTEM</b> 12-V (340-CCA) battery 15-amp regulated flywheel alternator Optional 12-V outlet <b>TRANSAXLE</b> K58 hydrostatic transmission Twin Touch pedals Cruise control 0-6.2 mph (0-10 km/h) forward speed 0-3.5 mph (5.6 km/h) reverse speed <b>CHASSIS</b></p>	<p>Standard rear weight bracket holds up to two and optional front weight bracket holds up to four 42-lb (19-kg) Quik-Tatch weights Cast-iron front axle Replaceable metal spindle bushings 15x6.5-8 front turf tires 22x11-10 rear turf tires Storage under seat and on fender <b>STEERING</b> Power, two-wheel steer 14-in. (35.6-cm) steering wheel 22-in. (55.9-cm) turning radius 54A - 22 in. (56 cm) uncut circle radius <b>SEAT</b> 15-in. (38.1-cm) open back with grasp <b>LIFT SYSTEM</b> Hydraulic implement lift <b>MOWER DECK</b> Side discharge 54 in. (137 cm) 10-gauge, 0.135-in. (3.4-mm) stamped steel deck shell</p>	<p>Mower wash port Four mower wheels and front center rollers <b>MOWER ATTACHABILITY</b> Mower wheels rotate 90 degrees for easy mower removal *Engine horsepower and torque information for non-Deere engines are provided by the engine manufacturer for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's Web site for additional information.</p>
---	--	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

5231M	Select Series X390 Tractor with 54 Accel Deep (54A) Mower Deck <i>Not Available for Sale in California.</i>	5,699.00
-------	--	----------

**DESTINATION**

001A	United States and Canada	In Base Price
0195	Mexico	Same Price

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Engine:</b>	
AM135845	Spark Arrester Muffler Screen (X300s, X500 M-Ts)	48.95
	<b>FRONT MOUNTED THATCHERS:</b>	
LP48004	38 In. Front Thatcher (Center) <i>Requires Mounting Frame.</i>	246.00
LP48003	8 In. Front Thatcher (Extension) <i>Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width.</i>	50.00
LP48005	Thatcher Mounting Frame (X300, X500 M-T)	207.00

JOHN DEERE TURF & UTILITY PRODUCTS  
LAWN TRACTORS

**Select Series X390 Tractor with 54 Accel Deep (54A) Mower Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Material Collection System Hoppers:</b>	
BM21679		7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i>	441.91
AM135486		Loose knit bag for 7 bu. Hopper	41.70
LP49228		MC519 Material Collection System <i>Requires Power Flow Blower Assembly and Power Flow Chute. See Sales Manual for Ballast Requirements.</i>	979.00
		<b>Material Collection System Power Flow Blowers:</b>	
BG20749		High-Performance Blower Assembly for 54A Mowers(X300/X500 M-T)	541.41
		<b>Material Collection System Power Flow/Rear Bagger Chutes:</b>	
BM21681		Power Flow Chute (6.5/7 bu.)	115.56
BM20855		Power Flow Chute (MC519 with C, X, or A Series Blowers)	87.74
		<b>Miscellaneous:</b>	
BM24915		12 Volt Outlet Kit (X300) <i>Used on MY2012- X300s (220001-).</i>	13.91
BM17981		12 Volt Work Light Kit	74.90
TY25866		Battery Charger and Maintainer	37.68
BM23057		Brush Guard (X300, X500 M-T)	128.40
BM23056		Bumper (X300s, X500, X530, X534, X570)	66.34
TY27534		Fuel Protect for Gasoline Engines (8 oz.)	4.49
LG265		Home Maintenance Kit	39.99
AM136046		Seat Net Kit	37.80
BM26155		Snow Blower and Front Blade Compatibility Kit <i>Updates a model year 2006-2015 44 Snow Blower (7001M/SKU23045), 47 Snow Blower (7002M/SKU23047), or 48 Front Blade (6002M/SKU23048) for use on a model year 2016 X300/X500 M-T tractor.</i>	328.49
BM23054		Sun Shade (X300/X500 M-T)	166.91
		<b>Mower Deck and Mower Deck Attachments:</b>	
M143520		Blade (54C/54X/54A, Side Discharge)	16.27
		<b>Mower Decks:</b>	
AM130907		Mower deck leveling gauge	6.95
		<b>Mulch Kits:</b>	
BM24994		54A MulchControl kit	219.36
		<b>Order Zone:</b>	
LP23117		125 lb. Electric Broadcast Spreader Barrier Shield	65.00

JOHN DEERE TURF & UTILITY PRODUCTS  
LAWN TRACTORS

**Select Series X390 Tractor with 54 Accel Deep (54A) Mower Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LP35439		125 lb. Select Series Mounted Electric Broadcast Spreader <i>Requires Front Wheel Weights or Front Weight Bracket and 2 weights.</i>	449.00
LP22861		25-gal. Mounted Sprayer <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	449.95
LP63767		40-In. Tractor Shovel	939.00
LPJD400		Bucket (5 gallon)	8.95
LPJD301		Bucket Holder (Double)	84.95
LP63761		Grass Groomer (48A/54A)	119.95
LP47168		MCS 7 Dump From Seat Hopper (X300 with 7 Bushel Hopper) <i>Requires separate material collection system.</i>	499.95
LP33712		Manual Angling Kit (44 in Front Blade X300s)	164.95
LP93617		Riding Mower Deluxe Cover (M)	89.99
LP93917		Riding Mower Standard Cover	69.99
LP55438		X300 Series Weather Enclosure	499.99
		<b>Protection:</b>	
LP92624		Seat Cover (Deluxe Medium) - Yellow	42.99
LP92324		Seat Cover - Yellow	26.99
		<b>Seats / Wheels / Tires:</b>	
TY24327		Tire Chains (Pair) for 22x11-10 and 22x9.5-12	76.64
		<b>Snow Blowers:</b>	
AM145350		Winter Grill Cover <i>Used on X300s, MY2007- Model X500 (serial 020001-), X530, MY2011- X534 (serial 060001-), X570, X580, X584, and X590.</i>	107.56
		<b>Spanish North American Kit:</b>	
BM25402		Spanish Label & Owner's Manual Kit <i>For Model Year 2016 (X350, X354, X370, X380, X384, X390, and X394).</i>	69.56
		<b>Weights:</b>	
R66949		Quik-Tatch Weight, 42 Lb. <i>Use up to 2 Weights on the rear of X300 Series Tractors</i>	59.91
BM25370		Weight Bracket, Front (X300/X500 M-T) <i>Allows installation of R66949 Quik-Tatch Weights. Used on X300s, MY2007- Model X500 (serial 020001-), X530, MY2011- X534 (serial 060001-), and X570.</i>	69.56
BM17964		Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) <i>For Use on Steered Wheel.</i>	103.79
BM17978		Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**LAWN TRACTORS**

**Select Series X394 Tractor with 48 Accel Deep (48A) Mower Deck**  
Equipment for Base Machine

<p><b>ENGINE</b> 22 hp* (16.4 kW) 44.3 cu in. (726 cc) displacement Model FS651V Air cooled, V-twin cylinder with cast-iron liners No tools oil drain <b>FUEL SYSTEM</b> Gasoline Instrument display with hourmeter and fuel gauge <b>ELECTRICAL SYSTEM</b> 12-V (340-CCA) battery 15-amp regulated flywheel alternator Optional 12-V outlet <b>TRANSAXLE</b> K58 hydrostatic transmission Twin Touch pedals Cruise control 0-6.2 mph (0-10 km/h) forward speed 0-3.5 mph (5.6 km/h) reverse speed <b>CHASSIS</b></p>	<p>Optional rear weight bracket holds up to two and optional front weight bracket holds up to four 42-lb (19-kg) Quik-Tatch weights Cast-iron front axle Replaceable metal spindle bushings 15x6.5-8 front turf tires 22x9.5-12 rear turf tires Storage under seat and on fender <b>STEERING</b> Power, four-wheel steer 14-in. (35.6-cm) steering wheel 19-in. (48.3-cm) turning radius 48A - 15 in. (38 cm) uncut circle radius <b>SEAT</b> 15-in. (38.1-cm) open back with grasp <b>LIFT SYSTEM</b> Hydraulic implement lift <b>MOWER DECK</b> Side discharge 48 in. (122 cm) 10-gauge, 0.135-in. (3.4-mm) stamped steel deck shell</p>	<p>Mower wash port Four mower wheels and front center rollers <b>MOWER ATTACHABILITY</b> Mower wheels rotate 90 degrees for easy mower removal *Engine horsepower and torque information for non-Deere engines are provided by the engine manufacturer for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's Web site for additional information.</p>
---	--	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

5240M	Select Series X394 Tractor with 48 Accel Deep (48A) Mower Deck <i>Not Available for Sale in California.</i>	6,099.00
-------	--	----------

**DESTINATION**

001A	United States and Canada	In Base Price
0195	Mexico	Same Price

**ATTACHMENTS FOR FIELD CONVERSION**

	<p><b>Engine:</b> Spark Arrester Muffler Screen (X300s, X500 M-Ts)</p>	48.95
	<p><b>FRONT MOUNTED THATCHERS:</b> 38 In. Front Thatcher (Center) <i>Requires Mounting Frame.</i></p>	246.00
	<p>8 In. Front Thatcher (Extension) <i>Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width.</i></p>	50.00
	Thatcher Mounting Frame (X300, X500 M-T)	207.00

JOHN DEERE TURF & UTILITY PRODUCTS  
LAWN TRACTORS

**Select Series X394 Tractor with 48 Accel Deep (48A) Mower Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
		<b>Material Collection System Hoppers:</b>	
BM21679		7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i>	441.91
AM135486		Loose knit bag for 7 bu. Hopper	41.70
LP49228		MC519 Material Collection System <i>Requires Power Flow Blower Assembly and Power Flow Chute. See Sales Manual for Ballast Requirements.</i>	979.00
		<b>Material Collection System Power Flow Blowers:</b>	
BG20748		High-Performance Blower Assembly for 48A Mowers(X300/X500 M-T)	541.41
		<b>Material Collection System Power Flow/Rear Bagger Chutes:</b>	
BM21681		Power Flow Chute (6.5/7 bu.)	115.56
BM20855		Power Flow Chute (MC519 with C, X, or A Series Blowers)	87.74
		<b>Miscellaneous:</b>	
BM24915		12 Volt Outlet Kit (X300) <i>Used on MY2012- X300s (220001-).</i>	13.91
BM17981		12 Volt Work Light Kit	74.90
TY25866		Battery Charger and Maintainer	37.68
BM23057		Brush Guard (X300, X500 M-T)	128.40
BM23056		Bumper (X300s, X500, X530, X534, X570)	66.34
TY27534		Fuel Protect for Gasoline Engines (8 oz.)	4.49
LG265		Home Maintenance Kit	39.99
AM136046		Seat Net Kit	37.80
BM26155		Snow Blower and Front Blade Compatibility Kit <i>Updates a model year 2006-2015 44 Snow Blower (7001M/SKU23045), 47 Snow Blower (7002M/SKU23047), or 48 Front Blade (6002M/SKU23048) for use on a model year 2016 X300/X500 M-T tractor.</i>	328.49
BM23054		Sun Shade (X300/X500 M-T)	166.91
		<b>Mower Deck and Mower Deck Attachments:</b>	
M127673		Blade (48C/48X/48A, Mulching)	18.68
M145476		Blade (48C/48X/48A, Side Discharge)	12.59
		<b>Mower Decks:</b>	
AM130907		Mower deck leveling gauge	6.95
		<b>Mulch Kits:</b>	
BM24993		48A MulchControl kit	169.06
		<b>Order Zone:</b>	
LP23117		125 lb. Electric Broadcast Spreader Barrier Shield	65.00

JOHN DEERE TURF & UTILITY PRODUCTS  
LAWN TRACTORS

**Select Series X394 Tractor with 48 Accel Deep (48A) Mower Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LP35439		125 lb. Select Series Mounted Electric Broadcast Spreader <i>Requires Front Wheel Weights or Front Weight Bracket and 2 weights.</i>	449.00
LP22861		25-gal. Mounted Sprayer <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	449.95
LP63767		40-In. Tractor Shovel	939.00
LPJD400		Bucket (5 gallon)	8.95
LPJD301		Bucket Holder (Double)	84.95
LP63761		Grass Groomer (48A/54A)	119.95
LP47168		MCS 7 Dump From Seat Hopper (X300 with 7 Bushel Hopper) <i>Requires separate material collection system.</i>	499.95
LP33712		Manual Angling Kit (44 in Front Blade X300s)	164.95
LP93617		Riding Mower Deluxe Cover (M)	89.99
LP93917		Riding Mower Standard Cover	69.99
LP55438		X300 Series Weather Enclosure	499.99
		<b>Protection:</b>	
LP92624		Seat Cover (Deluxe Medium) - Yellow	42.99
LP92324		Seat Cover - Yellow	26.99
		<b>Seats / Wheels / Tires:</b>	
TY24327		Tire Chains (Pair) for 22x11-10 and 22x9.5-12	76.64
		<b>Snow Blowers:</b>	
AM145350		Winter Grill Cover <i>Used on X300s, MY2007- Model X500 (serial 020001-), X530, MY2011- X534 (serial 060001-), X570, X580, X584, and X590.</i>	107.56
		<b>Spanish North American Kit:</b>	
BM25402		Spanish Label & Owner's Manual Kit <i>For Model Year 2016 (X350, X354, X370, X380, X384, X390, and X394).</i>	69.56
		<b>Weights:</b>	
R66949		Quik-Tatch Weight, 42 Lb. <i>Use up to 2 Weights on the rear of X300 Series Tractors</i>	59.91
BM25370		Weight Bracket, Front (X300/X500 M-T) <i>Allows installation of R66949 Quik-Tatch Weights. Used on X300s, MY2007- Model X500 (serial 020001-), X530, MY2011- X534 (serial 060001-), and X570.</i>	69.56
BM24011		Weight Bracket, Rear (X300/X500 M-T) <i>Allows installation of R66949 Quik-Tatch Weights to 4-Wheel Steer and Region 2 (CE) X300 tractors.</i>	89.89
BM17964		Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) <i>For Use on Steered Wheel.</i>	103.79

JOHN DEERE TURF & UTILITY PRODUCTS  
LAWN TRACTORS

---

**Select Series X394 Tractor with 48 Accel Deep (48A) Mower Deck**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77