

JOHN DEERE TURF & UTILITY PRODUCTS
HIGH PERFORMANCE UTILITY VEHICLES AND EQUIPMENT

PR15 - RSX860i Power Steering with WARN Winch and Protection Package (MY16)
Equipment for Base Machine

ENGINE:

46 Engine kW (62 hp) (839 cc),
 electronic fuel injection (EFI)
 2-cylinder, liquid-cooled, dual
 overhead cams, 4-cycle gasoline
 full pressure, and dry sump with
 reservoir lubrication system
 Replaceable single dry-type
 element air cleaner with remote
 intake
 28-L (7.4-gal.) fuel capacity
 Solid-state ignition (12 V)
 Spark-arresting muffler
ELECTRICAL:
 Electric start
 38-amp (450-W) alternator
 340 cold cranking amps (CCA)
 battery
 Four 27-W halogen
 Headlights
 Brake and tail light
 Pre-wired for winch
TRANSAXLE AND TRANSMISSION:
 Continuously variable
 Transmission
 Full clutch enclosure
 Two-speed transaxle
 Operator selectable four-wheel
 drive (4WD)
 97 km/h (60 mph) maximum
 Forward speed
 On-demand true four-wheel drive
 system
 Lockable limited slip; switch
 engagement
 Front differential
 Spool rear final drive
 Front and rear hydraulic disk
 Brakes
 Foot brake; mechanical disk
 Actuation
 Park brake
 Large diameter half shafts with
 thermoplastic elastomer (TPE)
 boot axles
STEERING AND SUSPENSION:

Power Steering
 Rack and pinion steering
 Independent front suspension
 Double A-arm with coil over
 shock and anti-sway bar
 Independent rear suspension
 (IRS) with 229 mm (9 in.) of
 travel
 Independent rear suspension
 Semi-trailing double A-arm with
 coil over shock and anti-sway
 bar independent rear suspension
 (IRS) with 229 mm (9 in.) of
 travel
 Standard 50-mm (2-in.) rear
 receiver
 6-m (19.7-ft) turning circle
 Ground clearance: 266 mm (10.5
 in.)
 Ground clearance
 (Under foot platform): 267 mm
 (10.5 in.)
FRAME AND STYLED PARTS:
 Full, robotically welded frame
 design
 Side frame rails for rock
 sliding
ROLL-OVER PROTECTIVE STRUCTURE
 (ROPS):
 44.4-mm (1.75-in.) steel
 tubular
 Overhead structure
 Multiple passenger handholds
 3-point seat belts
 ISO 3471 and OSHA roll-over
 protective structure (ROPS)
 certified
OPERATOR STATION:
 Professional high-back bucket
 seats; tilt forward
 Adjustment on driver's seat
 Glove box
 Storage compartment underhood
 Two cup holders
 12-V DC outlet
 Digital instrument cluster with

speed mph, km/h, rpm, fuel
 level, hour meter, odometer,
 with trip, clock, water
 temperature, and four
 wheel-drive (4WD) notice.
DIMENSIONS (WITH ROPS):
 3022.6 mm (119 in.) long by
 1435.1 mm (56.5 in.) wide by
 1828.8 mm (72 in.) high
PAYLOAD CAPACITY:
 363-kg (800-lb) total payload
 Capacity which includes: 91-kg
 (200-lb) driver, 91-kg (200-lb)
 passenger, and 181 kg (400 lb)
 in cargo box
 Towing capacity: 544 kg (1200
 lb)
CARGO BOX:
 820 mm (32.3 in.) long by 1209
 mm (47.6 in.) wide by 297 mm
 (11.7 in.) deep
 .25-m (8.9-cu ft) capacity
 181-kg (400-lb) box capacity
 Tilting box; two-sided manual
 Release
 Hinged (bottom) tailgate
TIRES:
 Front: 25x8-12 Ancla# M-T
 (4PR), 26x8-14 Maxxis# Bighorn#
 2.0 (6PR)
 Rear: 25x10-12 Ancla# M-T
 (4PR), 26x10-14 Maxxis# Bighorn#
 2.0 (6PR)
SAFETY VIDEO TAPE:
 Safety and operational DVD
 Operator's manual

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Janesville, Wisconsin

4873M	PR15 - RSX860i Power Steering with WARN Winch and Protection Package (MY16) <i>Base machine suggested list price does not include 550 USD destination charge.</i>	13,659.00
-------	--	-----------

DESTINATION

001A	United States and Canada	In Base Price
------	--------------------------	---------------

JOHN DEERE TURF & UTILITY PRODUCTS
HIGH PERFORMANCE UTILITY VEHICLES AND EQUIPMENT

PR15 - RSX860i Power Steering with WARN Winch and Protection Package (MY16)
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
COLOR			
2500		Green & Yellow	In Base Price
2502		Realtree Hardwoods HD Camo	650.00
WHEELS AND TIRES			
1008		26 in. Maxxis Bighorn 2.0 tires (6PR) on 14 in. yellow alloy wheels	862.00
1009		26 in. Maxxis Bighorn 2.0 tires (6PR) on 14 in. black alloy wheels	862.00
SEAT			
2028		High performance sport seat - black	303.00
SUSPENSION			
2300		FOX monotube shocks	In Base Price
PERFORMANCE PACKAGES			
6320		Winch and protection package <i>Package consists of Warn ProVantage 1588-kg (3500-lb.) winch, pre-runner bumper, rear bumper, 50.8-mm (2-in.) front receiver hitch and recovery loops, and cargo box rails.</i>	1,386.00
ATTACHMENTS FOR FIELD CONVERSION			
		Ag Management Solutions:	
BM25411		AMS Integration Kit <i>Compatible with poly roof, or on the OPS alone. Kit includes components to mount the Starfire iTC or 3000 receiver and GreenStar 2 1800, GreenStar 2 2600, or GreenStar 3 2630 display.</i>	456.89
		Cabs/Roofs/Windshields:	
BM25259		Abrasion Resistant Half Windshield	266.43
BM25261		Abrasion Resistant Poly Rear Window <i>Not compatible with OPS Poly Cab. Installed with full windshield will help keep dust out of operator station.</i>	358.46
BM25224		Cab Heater	822.83
BM26000		Canvas Rear Panel <i>Compatible with poly roof, poly doors. Installed with full windshield will help keep dust out of operator station.</i>	204.37
BM25999		Canvas Roof / Rear Panel <i>Includes one piece roof / rear panel. Compatible with poly doors, full flip-out windshield. NOT compatible with glass windshield.</i>	355.24
BM23373		Full Abrasion Resistant Flip-out Windshield	556.40
BM23376		Glass Windshield w/ Wiper	746.86
BM23377		OPS Poly Cab <i>Consists of rear panel and doors. Requires OPS Poly Roof (NOT Sport) and Full Glass or Poly windshield to complete the cab.</i>	3,070.90

JOHN DEERE TURF & UTILITY PRODUCTS
HIGH PERFORMANCE UTILITY VEHICLES AND EQUIPMENT

PR15 - RSX860i Power Steering with WARN Winch and Protection Package (MY16)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM23399		OPS Poly Sport Roof - Black <i>Not compatible with poly cab.</i>	360.59
BM24737		OPS Side Mirrors <i>Not compatible with poly cab.</i>	190.46
LP37047		OPS Soft Roof - Camo <i>Available through Order Zone.</i>	39.95
BM25956		OSR Door Closeout Panels <i>Panels to closeout openings in the OSR doors.</i>	158.36
BM24796		Poly Cab Door Side Mirrors	171.20
BM25014		Poly Rear Panel <i>Part of the Poly cab, or can be mounted on the OPS alone. Requires full windshield, poly cab doors, and poly roof to complete poly cab, or order complete poly cab bundle which includes the poly cab doors and rear panel. Installed with full windshield will help keep dust out of operator station.</i>	525.37
BM23397		Poly Roof - Black	360.59
BM23853		Poly Roof - Camo	772.54
LP37046		Soft Roof - Black <i>Available through Order Zone.</i>	32.99
BM25103		Windshield Washer Kit	306.01
		Cargo Box Options / Storage:	
BM23849		5 Gallon Pail Holder <i>Requires cargo box rails.</i>	40.66
BM23371		Box Mat	123.06
BM23384		Cargo Box Wall Extensions <i>Requires cargo box rails.</i>	353.10
BM24200		Glove Box Lock	12.84
LP37044		OPS Overhead Organizer - Black <i>Available through Order Zone.</i>	65.99
LP37045		OPS Overhead Organizer - Camo <i>Available through Order Zone.</i>	59.95
BM23385		Tire Rack <i>Requires cargo box rails. Spare tire not included.</i>	223.63
		Carts / Hitches:	
LPPCT17ATJD		17AT Cart <i>Available through Order Zone.</i>	799.00
LPUT21JD		21 Steel Utility Cart <i>Available through Order Zone.</i>	919.00

JOHN DEERE TURF & UTILITY PRODUCTS
HIGH PERFORMANCE UTILITY VEHICLES AND EQUIPMENT

PR15 - RSX860i Power Steering with WARN Winch and Protection Package (MY16)
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	PM05101	Ball Mount - 1.875 in. (48mm)	11.03
	PM05201	Ball Mount - 2 in. (51mm)	11.80
	BM22290	Drawbar - 2 in. (51mm)	41.73
		Custom & High Performance:	
	BM24356	Dual Battery Kit <i>Does not include the dual batteries for the kit, ordered seperately.</i>	313.51
	BM23981	Fox 2.0 Performance Series Shocks	1,856.46
	BM25923	Seat-Belt Comfort Strap (2)	93.09
	BM23933	Sport Steering Wheel	211.86
	BM23379	Stereo and Speaker Kit <i>Includes mounting kit only; must choose one of the following three head units to have complete stereo: Radio, Heavy Duty AM / FM / WB / AUX (SWJHD1130) Radio, Heavy Duty AM / FM / WB / AUX /SAT / I-POD (SWJHD1630) Radio, AM / FM / WB / CD / AUX / SAT / I-POD / Bluetooth / Microphone (SWJHD3630MIC) Must order head unit through Parts. Reference Parts for additional accessories such as external antennas and Bluetooth microphones.</i>	676.24
		Hunting / Camo:	
	LP37041	Vehicle Cover - Transportable (Camo) <i>Available through Order Zone.</i>	179.95
		Lights / Signals:	
	BM25553	Beacon Light <i>Requires OPS Switch Bank. Can be mounted to brake/tail light (no roof), or OPS poly roof if installed. Also requires Beacon Light Harness Kit.</i>	248.24
	BM26182	Beacon Light Harness Kit <i>Required with Beacon Light.</i>	70.61
	BM25619	Brush Guard Light Harness Kit <i>Required with LED light kits or Work Lights (Halogens).</i>	118.77
	BM25620	Front OPS/Roof Light Harness Kit <i>Required with LED light kits or Work Lights (Halogens). Also requires OPS Switch Bank.</i>	86.67
	BM23370	Horn Kit	99.51
	BM25704	LED Driving Lights <i>Can be installed on PreRunner bumper, OPS and roof (front or rear). Requires OPS Switch Bank for OPS or roof mounting. Requires necessary Light Harness Kit based on desired light mounting location.</i>	432.29
	BM25705	LED Work Lights <i>Can be installed on PreRunner bumper, OPS and roof (front or rear). Requires OPS Switch Bank for OPS or roof mounting. Requires necessary Light Harness Kit based on desired light mounting location.</i>	345.61

JOHN DEERE TURF & UTILITY PRODUCTS
HIGH PERFORMANCE UTILITY VEHICLES AND EQUIPMENT

PR15 - RSX860i Power Steering with WARN Winch and Protection Package (MY16)
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM24089		OPS Switch Bank <i>Accommodates up to three separate OPS accessory kits.</i>	72.76
BM25731		Rear OPS/Roof Light Harness Kit <i>Required with LED light kits or Work Lights (Halogens). Also requires OPS Switch Bank.</i>	86.67
BM24831		Turn Signal Kit <i>Includes hazards and turn signals (front & rear).</i>	406.60
BM25544		Work Lights (Halogens) <i>Requires OPS Switch Bank for OPS or poly roof mounting, or PreRunner bumper for front guard mounting, also requires necessary Light Harness Kit based on desired light mounting location.</i>	118.77
		Operator Environment:	
BRE10015		Cell Phone Mount Kit	61.60
BM25148		OPS Rear View Mirror	87.74
		Protection:	
BM23309		CV Guards <i>Aluminum.</i>	153.01
BM23368		Floor Mat	82.39
BM23366		Front Brushguard	344.54
BM23361		Nerf Bars	264.29
BM23333		Underbody Armor <i>Aluminum.</i>	310.30
LP37036		Vehicle Cover - Black	78.99
LP37040		Vehicle Cover - Transportable (Black) <i>Available through Order Zone.</i>	144.99
		Sprayers / Pressure Washers:	
LP39965		25 Gallon Bed Sprayer	524.95
LP39964		45 Gallon Bed Sprayer <i>Available through Order Zone.</i>	599.95
LP39098		45 Gallon High Performance Bed Sprayer <i>Available through Order Zone.</i>	789.95
LP20485		45 Gallon Tow-Behind Sprayer <i>Available through Order Zone.</i>	624.95
LP22885		HP 150 in. Precision Boom <i>Available through Order Zone.</i>	239.95
LP39963		HP 45 Gallon Sprayer - Tow Behind <i>Available through Order Zone.</i>	714.95

JOHN DEERE TURF & UTILITY PRODUCTS
HIGH PERFORMANCE UTILITY VEHICLES AND EQUIPMENT

PR15 - RSX860i Power Steering with WARN Winch and Protection Package (MY16)
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LP22884	HP Boomless Nozzles <i>Available through Order Zone.</i>	145.95
	LP22911	HP Standard Gator Boom <i>Available through Order Zone.</i>	64.95
		Spreaders:	
	LP49056	3 cu. ft. Fertilizer Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	1,199.00
	LP49055	3 cu. ft. Salt Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	849.00
	LP53513	Spreader Hitch and Controls <i>Required with salt and fertilizer spreader. Available through Order Zone.</i>	549.00
		Winch:	
	BM21392	Winch Accessories Kit <i>Accessory kit includes 1/2" shackle, 9,000 lbs. maximum capacity snatch block, (2) 1"x8' tree trunk protectors.</i>	135.89

JOHN DEERE TURF & UTILITY PRODUCTS
HIGH PERFORMANCE UTILITY VEHICLES AND EQUIPMENT

**PR15 - RSX860i Power Steering winch ready with FOX Performance Series Shocks
and Protection Package (MY16)**

Equipment for Base Machine

ENGINE:

46 Engine kW (62 hp) (839 cc),
electronic fuel injection (EFI)
2-cylinder, liquid-cooled, dual
overhead cams, 4-cycle gasoline
full pressure, and dry sump with
reservoir lubrication system
Replaceable single dry-type
element air cleaner with remote
intake

28-L (7.4-gal.) fuel capacity
Solid-state ignition (12 V)
Spark-arresting muffler
ELECTRICAL:
Electric start
38-amp (450-W) alternator
340 cold cranking amps (CCA)

battery

Four 27-W halogen
Headlights
Brake and tail light
Pre-wired for winch

TRANSAXLE AND TRANSMISSION:

Continuously variable
Transmission
Full clutch enclosure
Two-speed transaxle
Operator selectable four-wheel
drive (4WD)

97 km/h (60 mph) maximum
Forward speed
On-demand true four-wheel drive
system
Lockable limited slip; switch
engagement

Front differential
Spool rear final drive
Front and rear hydraulic disk
Brakes

Foot brake; mechanical disk
Actuation
Park brake
Large diameter half shafts with
thermoplastic elastomer (TPE)
boot axles

STEERING AND SUSPENSION:

Power Steering
Rack and pinion steering
Independent front suspension
Double A-arm with coil over
shock and anti-sway bar
Independent rear suspension
(IRS) with 229 mm (9 in.) of
travel

Independent rear suspension
Semi-trailing double A-arm with
coil over shock and anti-sway
bar independent rear suspension
(IRS) with 229 mm (9 in.) of
travel
Standard 50-mm (2-in.) rear
receiver

6-m (19.7-ft) turning circle
Ground clearance: 266 mm (10.5
in.)
Ground clearance
(Under foot platform): 267 mm
(10.5 in.)

FRAME AND STYLED PARTS:

Full, robotically welded frame
design
Side frame rails for rock
sliding
ROLL-OVER PROTECTIVE STRUCTURE
(ROPS):
44.4-mm (1.75-in.) steel
tubular

Overhead structure
Multiple passenger handholds
3-point seat belts
ISO 3471 and OSHA roll-over
protective structure (ROPS)
certified

OPERATOR STATION:

Professional high-back bucket
seats; tilt forward
Adjustment on driver's seat
Glove box
Storage compartment underhood
Two cup holders
12-V DC outlet
Digital instrument cluster with

speed mph, km/h, rpm, fuel
level, hour meter, odometer,
with trip, clock, water
temperature, and four
wheel-drive (4WD) notice.

DIMENSIONS (WITH ROPS):
3022.6 mm (119 in.) long by
1435.1 mm (56.5 in.) wide by
1828.8 mm (72 in.) high

PAYLOAD CAPACITY:
363-kg (800-lb) total payload
Capacity which includes: 91-kg
(200-lb) driver, 91-kg (200-lb)
passenger, and 181 kg (400 lb)
in cargo box
Towing capacity: 544 kg (1200
lb)

CARGO BOX:
820 mm (32.3 in.) long by 1209
mm (47.6 in.) wide by 297 mm
(11.7 in.) deep

.25-m (8.9-cu ft) capacity
181-kg (400-lb) box capacity
Tilting box; two-sided manual
Release

Hinged (bottom) tailgate
TIRES:

Front: 25x8-12 Ancla# M-T
(4PR), 26x8-14 Maxxis# Bighorn#
2.0 (6PR)
Rear: 25x10-12 Ancla# M-T
(4PR), 26x10-14 Maxxis# Bighorn#
2.0 (6PR)

SAFETY VIDEO TAPE:
Safety and operational DVD
Operator's manual

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Janesville, Wisconsin

4874M	PR15 - RSX860i Power Steering winch ready with FOX Performance Series Shocks and Protection Package (MY16) <i>Base machine suggested list price does not include 550 USD destination charge.</i>	13,659.00
-------	---	-----------

DESTINATION

001A	United States and Canada	In Base Price
------	--------------------------	---------------

JOHN DEERE TURF & UTILITY PRODUCTS
HIGH PERFORMANCE UTILITY VEHICLES AND EQUIPMENT

**PR15 - RSX860i Power Steering winch ready with FOX Performance Series Shocks
and Protection Package (MY16)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
DESTINATION Continued...			
COLOR			
2500		Green & Yellow	In Base Price
WHEELS AND TIRES			
1008		26 in. Maxxis Bighorn 2.0 tires (6PR) on 14 in. yellow alloy wheels	862.00
SEAT			
2029		High performance sport seat - black with sport steering wheel	501.00
SUSPENSION			
2301		FOX 2.0 Performance Series Shocks	1,145.00
PERFORMANCE PACKAGES			
6321		Protection package <i>Package consists of pre-runner bumper, rear bumper, and cargo box rails.</i>	664.00
ATTACHMENTS FOR FIELD CONVERSION			
		Ag Management Solutions:	
BM25411		AMS Integration Kit <i>Compatible with poly roof, or on the OPS alone. Kit includes components to mount the Starfire iTC or 3000 receiver and GreenStar 2 1800, GreenStar 2 2600, or GreenStar 3 2630 display.</i>	456.89
		Cabs/Roofs/Windshields:	
BM25259		Abrasion Resistant Half Windshield	266.43
BM25261		Abrasion Resistant Poly Rear Window <i>Not compatible with OPS Poly Cab. Installed with full windshield will help keep dust out of operator station.</i>	358.46
BM25224		Cab Heater	822.83
BM26000		Canvas Rear Panel <i>Compatible with poly roof, poly doors. Installed with full windshield will help keep dust out of operator station.</i>	204.37
BM25999		Canvas Roof / Rear Panel <i>Includes one piece roof / rear panel. Compatible with poly doors, full flip-out windshield. NOT compatible with glass windshield.</i>	355.24
BM23373		Full Abrasion Resistant Flip-out Windshield	556.40
BM23376		Glass Windshield w/ Wiper	746.86
BM23377		OPS Poly Cab <i>Consists of rear panel and doors. Requires OPS Poly Roof (NOT Sport) and Full Glass or Poly windshield to complete the cab.</i>	3,070.90

JOHN DEERE TURF & UTILITY PRODUCTS
HIGH PERFORMANCE UTILITY VEHICLES AND EQUIPMENT

**PR15 - RSX860i Power Steering winch ready with FOX Performance Series Shocks
and Protection Package (MY16)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM23399		OPS Poly Sport Roof - Black <i>Not compatible with poly cab.</i>	360.59
BM24737		OPS Side Mirrors <i>Not compatible with poly cab.</i>	190.46
BM25956		OSR Door Closeout Panels <i>Panels to closeout openings in the OSR doors.</i>	158.36
BM24796		Poly Cab Door Side Mirrors	171.20
BM25014		Poly Rear Panel <i>Part of the Poly cab, or can be mounted on the OPS alone. Requires full windshield, poly cab doors, and poly roof to complete poly cab, or order complete poly cab bundle which includes the poly cab doors and rear panel. Installed with full windshield will help keep dust out of operator station.</i>	525.37
BM23397		Poly Roof - Black	360.59
LP37046		Soft Roof - Black <i>Available through Order Zone.</i>	32.99
BM25103		Windshield Washer Kit	306.01
		Cargo Box Options / Storage:	
BM23849		5 Gallon Pail Holder <i>Requires cargo box rails.</i>	40.66
BM23371		Box Mat	123.06
BM23384		Cargo Box Wall Extensions <i>Requires cargo box rails.</i>	353.10
BM24200		Glove Box Lock	12.84
LP37044		OPS Overhead Organizer - Black <i>Available through Order Zone.</i>	65.99
BM23385		Tire Rack <i>Requires cargo box rails. Spare tire not included.</i>	223.63
		Carts / Hitches:	
LPPCT17ATJD		17AT Cart <i>Available through Order Zone.</i>	799.00
BM23363		2" Front Receiver Hitch and Recovery Loops	117.70
LPUT21JD		21 Steel Utility Cart <i>Available through Order Zone.</i>	919.00
PM05101		Ball Mount - 1.875 in. (48mm)	11.03
PM05201		Ball Mount - 2 in. (51mm)	11.80
BM22290		Drawbar - 2 in. (51mm)	41.73
		Custom & High Performance:	

JOHN DEERE TURF & UTILITY PRODUCTS
HIGH PERFORMANCE UTILITY VEHICLES AND EQUIPMENT

**PR15 - RSX860i Power Steering winch ready with FOX Performance Series Shocks
and Protection Package (MY16)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM24356		Dual Battery Kit <i>Does not include the dual batteries for the kit, ordered seperately.</i>	313.51
BM25923		Seat-Belt Comfort Strap (2)	93.09
BM23379		Stereo and Speaker Kit <i>Includes mounting kit only; must choose one of the following three head units to have complete stereo: Radio, Heavy Duty AM / FM / WB / AUX (SWJHD1130) Radio, Heavy Duty AM / FM / WB / AUX / SAT / I-POD (SWJHD1630) Radio, AM / FM / WB / CD / AUX / SAT / I-POD / Bluetooth / Microphone (SWJHD3630MIC) Must order head unit through Parts. Reference Parts for additional accessories such as external antennas and Bluetooth microphones.</i>	676.24
LP37041		Hunting / Camo: Vehicle Cover - Transportable (Camo) <i>Available through Order Zone.</i>	179.95
BM25553		Lights / Signals: Beacon Light <i>Requires OPS Switch Bank. Can be mounted to brake/tail light (no roof), or OPS poly roof if installed. Also requires Beacon Light Harness Kit.</i>	248.24
BM26182		Beacon Light Harness Kit <i>Required with Beacon Light.</i>	70.61
BM25619		Brush Guard Light Harness Kit <i>Required with LED light kits or Work Lights (Halogens).</i>	118.77
BM25620		Front OPS/Roof Light Harness Kit <i>Required with LED light kits or Work Lights (Halogens). Also requires OPS Switch Bank.</i>	86.67
BM23370		Horn Kit	99.51
BM25704		LED Driving Lights <i>Can be installed on PreRunner bumper, OPS and roof (front or rear). Requires OPS Switch Bank for OPS or roof mounting. Requires necessary Light Harness Kit based on desired light mounting location.</i>	432.29
BM25705		LED Work Lights <i>Can be installed on PreRunner bumper, OPS and roof (front or rear). Requires OPS Switch Bank for OPS or roof mounting. Requires necessary Light Harness Kit based on desired light mounting location.</i>	345.61
BM24089		OPS Switch Bank <i>Accommodates up to three separate OPS accessory kits.</i>	72.76
BM25731		Rear OPS/Roof Light Harness Kit <i>Required with LED light kits or Work Lights (Halogens). Also requires OPS Switch Bank.</i>	86.67
BM24831		Turn Signal Kit <i>Includes hazards and turn signals (front & rear).</i>	406.60
BM25544		Work Lights (Halogens) <i>Requires OPS Switch Bank for OPS or poly roof mounting, or PreRunner bumper for front guard mounting, also requires necessary Light Harness Kit based on desired light mounting location.</i>	118.77

JOHN DEERE TURF & UTILITY PRODUCTS
HIGH PERFORMANCE UTILITY VEHICLES AND EQUIPMENT

**PR15 - RSX860i Power Steering winch ready with FOX Performance Series Shocks
and Protection Package (MY16)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Operator Environment:	
	BRE10015	Cell Phone Mount Kit	61.60
	BM25148	OPS Rear View Mirror	87.74
		Protection:	
	BM23309	CV Guards <i>Aluminum.</i>	153.01
	BM23368	Floor Mat	82.39
	BM23366	Front Brushguard	344.54
	BM23361	Nerf Bars	264.29
	BM23333	Underbody Armor <i>Aluminum.</i>	310.30
	LP37036	Vehicle Cover - Black	78.99
	LP37040	Vehicle Cover - Transportable (Black) <i>Available through Order Zone.</i>	144.99
		Sprayers / Pressure Washers:	
	LP39965	25 Gallon Bed Sprayer	524.95
	LP39964	45 Gallon Bed Sprayer <i>Available through Order Zone.</i>	599.95
	LP39098	45 Gallon High Performance Bed Sprayer <i>Available through Order Zone.</i>	789.95
	LP20485	45 Gallon Tow-Behind Sprayer <i>Available through Order Zone.</i>	624.95
	LP22885	HP 150 in. Precision Boom <i>Available through Order Zone.</i>	239.95
	LP39963	HP 45 Gallon Sprayer - Tow Behind <i>Available through Order Zone.</i>	714.95
	LP22884	HP Boomless Nozzles <i>Available through Order Zone.</i>	145.95
	LP22911	HP Standard Gator Boom <i>Available through Order Zone.</i>	64.95
		Spreaders:	
	LP49056	3 cu. ft. Fertilizer Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	1,199.00
	LP49055	3 cu. ft. Salt Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	849.00
	LP53513	Spreader Hitch and Controls <i>Required with salt and fertilizer spreader. Available through Order Zone.</i>	549.00

JOHN DEERE TURF & UTILITY PRODUCTS
HIGH PERFORMANCE UTILITY VEHICLES AND EQUIPMENT

**PR15 - RSX860i Power Steering winch ready with FOX Performance Series Shocks
and Protection Package (MY16)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Winch:	
	BM24723	WARN ProVantage 3500 lb Winch <i>Requires winch mounting kit and also requires 2 In. Front Receiver Hitch with Recovery Loops for mounting.</i>	603.49
	BM21392	Winch Accessories Kit <i>Accessory kit includes 1/2" shackle, 9,000 lbs. maximum capacity snatch block, (2) 1"x8' tree trunk protectors.</i>	135.89
	BM26246	Winch Mounting Kit (winch ready vehicles) <i>Requires WARN ProVantage 3500 lb Winch. Kit includes all remaining components to mount winch to bumper on winch ready vehicles.</i>	41.73

JOHN DEERE TURF & UTILITY PRODUCTS
HIGH PERFORMANCE UTILITY VEHICLES AND EQUIPMENT

PR15 - RSX860i with sport seats and alloy wheels (MY16)
 Equipment for Base Machine

ENGINE:

46 Engine kW (62 hp) (839 cc),
 electronic fuel injection (EFI)
 2-cylinder, liquid-cooled, dual
 overhead cams, and 4-cycle
 gasoline full pressure, dry sump
 with reservoir lubrication
 system.

Replaceable single dry-type
 element air cleaner with remote
 intake

728-L (7.4-gal.) fuel capacity
 Solid-state Ignition (12 V)
 Spark-arresting Muffler

ELECTRICAL:

Electric Start
 38-amp (450-W) alternator
 340 cold cranking amps (CCA)

battery

Four 27-W halogen

Headlights

Brake and tail light

TRANSAXLE AND TRANSMISSION:

Continuously variable

Transmission

Full clutch enclosure

Two-speed transaxle

Operator selectable four-wheel
 drive (4WD)

97 km/h (60 mph) maximum

Forward speed

On-demand true four-wheel drive
 system

Lockable limited slip; switch
 engagement

Front differential

Spool rear final drive

Front and rear hydraulic disk

Brakes

Foot brake; mechanical disk

Actuation

Park brake

Large diameter half shafts with
 thermoplastic elastomer (TPE)

boot axles

STEERING AND SUSPENSION:

Rack and pinion steering
 Independent front suspension
 Double A-arm with coil over
 shock and anti-sway bar

independent rear suspension
 (IRS) with 229 mm (9 in.) of
 travel

Independent rear suspension
 Semi-trailing double A-arm with
 coil over shock and anti-sway
 bar independent rear suspension

(IRS) with 229 mm (9 in.) of
 travel

Standard 50-mm (2 in.) rear
 receiver

6-m (19.7-ft) turning circle
 Ground Clearance: 267 mm (10.5
 in.)

Ground clearance
 (Under foot platform): 267 mm
 (10.3 in.)

FRAME AND STYLED PARTS:
 Full, robotically welded frame
 design

Side frame rails for rock
 sliding

ROLL-OVER PROTECTIVE STRUCTURE
 (ROPS):

44.4-mm (1.75-in.) steel
 tubular

Overhead structure

Multiple passenger handholds

3-point seat belts

ISO 3471 and OSHA roll-over
 protective structure (ROPS)

certified

OPERATOR STATION:

Professional high-back bucket
 seats; tilt forward

Adjustment on driver's seat

Glove box

Storage compartment underhood

Two cup holders

12-V DC outlet

Digital instrument cluster with
 speed mph, km/h, rpm, fuel

level, hour meter, odometer with
 trip, clock, water temperature,
 and four-wheel drive (4WD)
 notice

DIMENSIONS (WITH ROPS):

3023 mm (119 in.) long x 1435
 mm (56.5 in.) wide x 1829 mm (72
 in.) high

PAYLOAD CAPACITY:

363 kg (800 lb) total payload
 Capacity which includes: 91-kg
 (200-lb) driver, 91-kg (200-lb)

passenger, and 181 kg (400 lb)
 in cargo box

Towing Capacity: 544 kg (1200
 lb)

CARGO BOX:

820 mm (32.3 in.) long by 1209
 mm (47.6 in.) wide by 297 mm

(11.7 in.) deep

.25-m (8.9-cu ft) capacity

181-kg (400-lb) box capacity

Tilting box; two-sided manual

Release

Hinged (bottom) tailgate

TIRES:

Front: 25x8-12 Ancla# M-T
 (4PR), 26x8-14 Maxxis# Bighorn#

2.0 (6PR)

Rear: 25x10-12 Ancla# M-T
 (4PR), 26x10-14 Maxxis# Bighorn#

2.0 (6PR)

SAFETY VIDEO TAPE:

Safety and operational DVD

Operator's manual

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Janesville, Wisconsin

4870M		PR15 - RSX860i with sport seats and alloy wheels (MY16) <i>Base machine suggested list price does not include 550 USD destination charge.</i>	12,299.00
-------	--	--	-----------

DESTINATION

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

COLOR

JOHN DEERE TURF & UTILITY PRODUCTS
HIGH PERFORMANCE UTILITY VEHICLES AND EQUIPMENT

PR15 - RSX860i with sport seats and alloy wheels (MY16)
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
2500		COLOR Continued... Green & Yellow	In Base Price
WHEELS AND TIRES			
1008		26 in. Maxxis Bighorn 2.0 tires (6PR) on 14 in. yellow alloy wheels	862.00
SEAT			
2028		High performance sport seat - black	303.00
ROOF SELECTION			
4049		Less roof	In Base Price
SUSPENSION			
2300		FOX monotube shocks	In Base Price
PERFORMANCE PACKAGES			
6349		Less packages	In Base Price
FRONT BRUSH GUARD			
4249		Less Front Brush Guard or PreRunner Bumper	In Base Price
GUARDS			
4199		Less rear protection	In Base Price
ATTACHMENTS FOR FIELD CONVERSION			
BM25411		Ag Management Solutions: AMS Integration Kit <i>Compatible with poly roof, or on the OPS alone. Kit includes components to mount the Starfire iTC or 3000 receiver and GreenStar 2 1800, GreenStar 2 2600, or GreenStar 3 2630 display.</i>	456.89
BM25259		Cabs/Roofs/Windshields: Abrasion Resistant Half Windshield	266.43
BM25261		Abrasion Resistant Poly Rear Window <i>Not compatible with OPS Poly Cab. Installed with full windshield will help keep dust out of operator station.</i>	358.46
BM25224		Cab Heater	822.83
BM26000		Canvas Rear Panel <i>Compatible with poly roof, poly doors. Installed with full windshield will help keep dust out of operator station.</i>	204.37
BM25999		Canvas Roof / Rear Panel <i>Includes one piece roof / rear panel. Compatible with poly doors, full flip-out windshield. NOT compatible with glass windshield.</i>	355.24
BM23373		Full Abrasion Resistant Flip-out Windshield	556.40
BM23376		Glass Windshield w/ Wiper	746.86

JOHN DEERE TURF & UTILITY PRODUCTS
HIGH PERFORMANCE UTILITY VEHICLES AND EQUIPMENT

PR15 - RSX860i with sport seats and alloy wheels (MY16)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM23377		OPS Poly Cab <i>Consists of rear panel and doors. Requires OPS Poly Roof (NOT Sport) and Full Glass or Poly windshield to complete the cab.</i>	3,070.90
BM23399		OPS Poly Sport Roof - Black <i>Not compatible with poly cab.</i>	360.59
BM24737		OPS Side Mirrors <i>Not compatible with poly cab.</i>	190.46
LP37047		OPS Soft Roof - Camo <i>Available through Order Zone.</i>	39.95
BM25956		OSR Door Closeout Panels <i>Panels to closeout openings in the OSR doors.</i>	158.36
BM24796		Poly Cab Door Side Mirrors	171.20
BM25014		Poly Rear Panel <i>Part of the Poly cab, or can be mounted on the OPS alone. Requires full windshield, poly cab doors, and poly roof to complete poly cab, or order complete poly cab bundle which includes the poly cab doors and rear panel. Installed with full windshield will help keep dust out of operator station.</i>	525.37
BM23397		Poly Roof - Black	360.59
BM23853		Poly Roof - Camo	772.54
LP37046		Soft Roof - Black <i>Available through Order Zone.</i>	32.99
BM25103		Windshield Washer Kit	306.01
		Cargo Box Options / Storage:	
BM23849		5 Gallon Pail Holder <i>Requires cargo box rails.</i>	40.66
BM23371		Box Mat	123.06
BM23526		Cargo Box Rails	117.70
BM23384		Cargo Box Wall Extensions <i>Requires cargo box rails.</i>	353.10
BM24200		Glove Box Lock	12.84
LP37044		OPS Overhead Organizer - Black <i>Available through Order Zone.</i>	65.99
LP37045		OPS Overhead Organizer - Camo <i>Available through Order Zone.</i>	59.95
BM23385		Tire Rack <i>Requires cargo box rails. Spare tire not included.</i>	223.63
		Carts / Hitches:	
LPPCT17ATJD		17AT Cart <i>Available through Order Zone.</i>	799.00

JOHN DEERE TURF & UTILITY PRODUCTS
HIGH PERFORMANCE UTILITY VEHICLES AND EQUIPMENT

PR15 - RSX860i with sport seats and alloy wheels (MY16)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM23363	2" Front Receiver Hitch and Recovery Loops	117.70
	LPUT21JD	21 Steel Utility Cart <i>Available through Order Zone.</i>	919.00
	PM05101	Ball Mount - 1.875 in. (48mm)	11.03
	PM05201	Ball Mount - 2 in. (51mm)	11.80
	BM22290	Drawbar - 2 in. (51mm)	41.73
	BM24356	Custom & High Performance: Dual Battery Kit <i>Does not include the dual batteries for the kit, ordered seperately.</i>	313.51
	BM23981	Fox 2.0 Performance Series Shocks	1,856.46
	BM25923	Seat-Belt Comfort Strap (2)	93.09
	BM23933	Sport Steering Wheel	211.86
	BM23379	Stereo and Speaker Kit <i>Includes mounting kit only; must choose one of the following three head units to have complete stereo:</i> <i>Radio, Heavy Duty AM / FM / WB / AUX (SWJHD1130)</i> <i>Radio, Heavy Duty AM / FM / WB / AUX /SAT / I-POD (SWJHD1630)</i> <i>Radio, AM / FM / WB / CD / AUX / SAT / I-POD / Bluetooth / Microphone (SWJHD3630MIC)</i> <i>Must order head unit through Parts. Reference Parts for additional accessories such as external antennas and Bluetooth microphones.</i>	676.24
	LP37041	Hunting / Camo: Vehicle Cover - Transportable (Camo) <i>Available through Order Zone.</i>	179.95
	BM25553	Lights / Signals: Beacon Light <i>Requires OPS Switch Bank. Can be mounted to brake/tail light (no roof), or OPS poly roof if installed. Also requires Beacon Light Harness Kit.</i>	248.24
	BM26182	Beacon Light Harness Kit <i>Required with Beacon Light.</i>	70.61
	BM25619	Brush Guard Light Harness Kit <i>Required with LED light kits or Work Lights (Halogens).</i>	118.77
	BM25620	Front OPS/Roof Light Harness Kit <i>Required with LED light kits or Work Lights (Halogens). Also requires OPS Switch Bank.</i>	86.67
	BM23370	Horn Kit	99.51
	BM25704	LED Driving Lights <i>Can be installed on PreRunner bumper, OPS and roof (front or rear). Requires OPS Switch Bank for OPS or roof mounting. Requires necessary Light Harness Kit based on desired light mounting location.</i>	432.29

JOHN DEERE TURF & UTILITY PRODUCTS
HIGH PERFORMANCE UTILITY VEHICLES AND EQUIPMENT

PR15 - RSX860i with sport seats and alloy wheels (MY16)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM25705		LED Work Lights <i>Can be installed on PreRunner bumper, OPS and roof (front or rear). Requires OPS Switch Bank for OPS or roof mounting. Requires necessary Light Harness Kit based on desired light mounting location.</i>	345.61
BM24089		OPS Switch Bank <i>Accommodates up to three separate OPS accessory kits.</i>	72.76
BM25731		Rear OPS/Roof Light Harness Kit <i>Required with LED light kits or Work Lights (Halogens). Also requires OPS Switch Bank.</i>	86.67
BM24831		Turn Signal Kit <i>Includes hazards and turn signals (front & rear).</i>	406.60
BM25544		Work Lights (Halogens) <i>Requires OPS Switch Bank for OPS or poly roof mounting, or PreRunner bumper for front guard mounting, also requires necessary Light Harness Kit based on desired light mounting location.</i>	118.77
		Operator Environment:	
BRE10015		Cell Phone Mount Kit	61.60
BM25148		OPS Rear View Mirror	87.74
		Protection:	
BM23309		CV Guards <i>Aluminum.</i>	153.01
BM23368		Floor Mat	82.39
BM23366		Front Brushguard	344.54
BM23361		Nerf Bars	264.29
BM23364		PreRunner Bumper	344.54
BM23362		Rear Bumper	202.23
BM23333		Underbody Armor <i>Aluminum.</i>	310.30
LP37036		Vehicle Cover - Black	78.99
LP37040		Vehicle Cover - Transportable (Black) <i>Available through Order Zone.</i>	144.99
		Sprayers / Pressure Washers:	
LP39965		25 Gallon Bed Sprayer	524.95
LP39964		45 Gallon Bed Sprayer <i>Available through Order Zone.</i>	599.95
LP39098		45 Gallon High Performance Bed Sprayer <i>Available through Order Zone.</i>	789.95
LP20485		45 Gallon Tow-Behind Sprayer <i>Available through Order Zone.</i>	624.95

JOHN DEERE TURF & UTILITY PRODUCTS
HIGH PERFORMANCE UTILITY VEHICLES AND EQUIPMENT

PR15 - RSX860i with sport seats and alloy wheels (MY16)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LP22885	HP 150 in. Precision Boom <i>Available through Order Zone.</i>	239.95
	LP39963	HP 45 Gallon Sprayer - Tow Behind <i>Available through Order Zone.</i>	714.95
	LP22884	HP Boomless Nozzles <i>Available through Order Zone.</i>	145.95
	LP22911	HP Standard Gator Boom <i>Available through Order Zone.</i>	64.95
		Spreaders:	
	LP49056	3 cu. ft. Fertilizer Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	1,199.00
	LP49055	3 cu. ft. Salt Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	849.00
	LP53513	Spreader Hitch and Controls <i>Required with salt and fertilizer spreader. Available through Order Zone.</i>	549.00
		Winch:	
	BM24723	WARN ProVantage 3500 lb Winch <i>Requires winch mounting kit and also requires 2 In. Front Receiver Hitch with Recovery Loops for mounting.</i>	603.49
	BM21392	Winch Accessories Kit <i>Accessory kit includes 1/2" shackle, 9,000 lbs. maximum capacity snatch block, (2) 1"x8' tree trunk protectors.</i>	135.89
	BM25079	Winch Mounting Kit (for non winch ready vehicles) <i>Requires WARN ProVantage 3500 lb Winch. Kit includes wire harnesses and all necessary hardware to mount winch to bumper.</i>	187.26

JOHN DEERE TURF & UTILITY PRODUCTS
UTILITY VEHICLES AND EQUIPMENT

1.7m (66 in.) Straight Blade
 Equipment for Base Machine

66 in. (1.7m) wide straight blade
 Replaceable cutting edge
 Five-position manual angling
 Two adjusting skid shoes
 Trip protection

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

8018M		1.7m (66 in.) Straight Blade <i>For XUV550, XUV550 S4, XUV560, XUV560 S4, XUV590i, XUV590i S4, RSX850i, RSX860i</i> <i>Includes front blade, lift arms, and lift components. A winch is needed for blade lift operations, and 2 in. front receiver hitch is needed for mounting the winch (if not already installed). RSX850i/860i also requires Blade Mount Adapter Kit</i>	1,140.00
-------	--	--	----------

DESTINATION

001A	US/Canada		In Base Price
001C	Australia/New Zealand		Same Price
001B	Europe		Same Price
0195	Mexico		Same Price
001D	All Other Countries		Same Price

LIFT FRAME KITS

3153		Blade Mount Adapter Kit <i>Required on RSX850i/860i, NOT required on XUV550, XUV550 S4, XUV560, XUV560 S4, XUV590i, XUV590i S4</i>	192.00
3160		Less Implement Lift Frame Kit <i>For use on XUV550, XUV550 S4, XUV560, XUV560 S4, XUV590i, XUV590i S4</i>	In Base Price

ATTACHMENTS FOR FIELD CONVERSION

		Blades:		
BM23029		Plow Markers		40.66
		Carts / Hitches:		
BM23363		2" Front Receiver Hitch and Recovery Loops		117.70
		Winch:		
BM24723		WARN ProVantage 3500 lb Winch <i>Requires winch mounting kit.</i>		603.49
BM24019		Warn Winch (3,000 lbs) - S4 <i>Requires 2 In. Front Receiver Hitch with Recovery Loops for mounting.</i>		889.17

JOHN DEERE TURF & UTILITY PRODUCTS
UTILITY VEHICLES AND EQUIPMENT

1.7m (66 in.) Straight Blade
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM25079	Winch Mounting Kit (for non winch ready vehicles) <i>Requires WARN ProVantage 3500 lb Winch. Kit includes wire harnesses and all necessary hardware to mount winch to bumper.</i>	187.26