

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

XUV560 (MY17)
Equipment for Base Machine

ENGINE:
 570cc, 16 HP (12 kW)*
 4-cycle, 2 cylinder, gas,
 dynamically tuned carburetor
 Air cooled
 Full pressure lubrication
 Replaceable single dry-type
 element air cleaner with remote
 intake
 Inductive coil ignition
 Spark-arresting muffler
ELECTRICAL:
 Electric start
 16 amp regulated stator type
 alternator
 340 CCA battery
 Two 37.5 watt halogen headlights
 (1) 12V power outlet
 Available brake light kit
TRANSAXLE/TRANSMISSION:
 Continuously Variable
 Transmission (CVT) with full
 clutch enclosure
 H, L, N, R transaxle with
 lockable rear differential
 Operator selectable 4WD
 Limited slip front differential
 28 mph (45 kph) maximum forward
 speed
 Large diameter half shafts with
 TPE boots
BRAKES:
 Front and rear hydraulic disk
 brakes with large 196mm
 stainless steel rotors
 Foot-operated park brake
STERING/SUSPENSION:
 Rack and Pinion Steering
 12.3 ft. (3.75m) Turning Circle
 Independent front dual A-arm

suspension with anti-roll bar; 8
 in. (203mm) of travel
 Independent rear H-arm
 suspension with camber link; 8
 in. (203mm) of travel
FRAME:
 Robotically welded high-strength
 steel frame
 Integrated 2 in. (50mm) rear
 receiver
 Optional 2 in. (50mm) front
 receiver with recovery loops
OCCUPANT PROTECTIVE STRUCTURE
 (OPS):
 OSR (Occupant Side Retention)
 Nets standard
 1.75 In. (44.4 mm) steel tubular
 overhead structure
 Passenger handhold
 SAE J2194 & OSHA ROPS Certified
OPERATOR STATION:
 2 occupant capacity bench seat
 3-point seat belts
 Hip restraint bars for driver
 and passenger
 Sealed glove box
 Sealed storage compartment under
 hood
 Two cup holders in dash
 Fuel sight gauge Instrument
 cluster with hour meter and seat
 belt reminder
DIMENSIONS:
 113 in. (2.9m) long x 56.5 in.
 (1.4m) wide x 73.5 in. (1.9m)
 high
 Front tread centers: 48 in.
 (1.2m)
 Rear tread centers: 46 in.
 (1.16m)

Wheelbase: 72.8 in. (1.8m)
 Ground Clearance: 10.5 in.
 (267mm)
WEIGHT/CAPACITIES:
 Weight (including fuel/fluids):
 1270 lbs. (576 kg.)
 Payload Capacity: 800 lbs. (363
 kg.)
 Towing Capacity: 1,100 lbs. (499
 kg.)
 4.9 Gallon (18.5L) fuel tank
CARGO BOX:
 Material: High-density composite
 Dimensions: 32.3 In. (82cm) Long
 x 47.6 In. (121cm) Wide x 11.7
 In. (29.7cm) Deep
 Volume: 8.9 cu. ft (0.25 cu.m)
 Capacity: 400 Lbs (181 kg)
 Dump: 2-sided manual release
 with optional power lift
 Tailgate: Hinged, one-handed
 operation, tool-less removal
MISCELLANEOUS:
 Safety and Operational DVD
 Operator's Manual
 *Engine HP is Provided by the
 Engine Manufacturer to be used
 for Comparison Purposes Only,
 Actual Operating HP will be
 less.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Horicon, Wisconsin

5385M	XUV560 (MY17) <i>Base Machine Suggested List Price Does Not Include 550 USD Destination Charge.</i>	8,139.00
-------	--	----------

DESTINATION

001A	US / CANADA	In Base Price
------	-------------	---------------

PRIORITY REPLENISHMENT PACKAGES

0501	PR - Base Package	In Base Price
0502	PR - Utility & Protection Package	No Charge

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

XUV560 (MY17)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
COLOR			
2500		Green & Yellow	In Base Price
WHEELS AND TIRES			
1000		25 in. Terra Hawk All Terrain Tires (4 PR) on 12 in. Yellow steel wheels	In Base Price
1002		25 in. Ancla M-T Extreme Terrain Tires (4PR) on 12 in. Yellow steel wheels	Same Price
1008		26 in. Maxxis Bighorn 2.0 Tires (6 PR) on 14 in. Yellow alloy wheels	862.00
SEAT			
2006		Bench Seat - Yellow	In Base Price
OCCUPANT PROTECTIVE STRUCTURE (OPS)			
4000		OPS with OSR nets	In Base Price
ROOF SELECTION			
4030		Black Poly Roof	337.00
4049		Less Roof	In Base Price
CARGO BOX LIFT			
3100		Manual Lift	In Base Price
PROTECTION PACKAGE			
4105		Utility and Protection Package <i>Package Consists of: Front Brushguard, OPS Black Poly Roof, Cargo Box Rails</i>	823.00
4149		Less Packages	In Base Price
ATTACHMENTS FOR FIELD CONVERSION			
		Ag Management Solutions:	
BM25411		AMS Integration Kit <i>Compatible with poly roof, or on the OPS alone. Kit includes components to mount the Starfire iTC or 3000 receiver and GreenStar 2 1800, GreenStar 2 2600, or GreenStar 3 2630 display.</i>	456.89
		Cabs/Roofs/Windshields:	
BM25259		Abrasion Resistant Half Windshield	266.43
BM26000		Canvas Rear Panel <i>Compatible with poly roof, poly doors. Installed with full windshield will help keep dust out of operator station.</i>	204.37
BM25999		Canvas Roof / Rear Panel <i>Includes one piece roof / rear panel. Compatible with poly doors, full flip-out windshield. NOT compatible with glass windshield.</i>	355.24
BM23373		Full Abrasion Resistant Flip-out Windshield	556.40
BM24737		OPS Side Mirrors	190.46

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

XUV560 (MY17)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM25958		ORS Net Kit <i>Available through Parts.</i>	139.10
BM24796		Poly Cab Door Side Mirrors	171.20
BM24817		Poly Cab Doors <i>Includes left and right doors. Requires full windshield, OPS rear panel, and poly roof to complete poly cab.</i>	2,146.41
BM25014		Poly Rear Panel <i>Part of the Poly cab, or can be mounted on the OPS alone. Requires full windshield, poly cab doors, and poly roof to complete poly cab. Installed with full windshield will help keep dust out of operator station.</i>	525.37
BM23397		Poly Roof - Black	360.59
BM25967		Rear Dust Panel <i>Not compatible with OPS Poly Cab. Installed with full windshield will help keep dust out of operator station.</i>	355.24
BM23396		Rear Metal Screen <i>Includes headrests.</i>	300.67
LP37050		Soft Cab - Black <i>Requires front windshield. Available through Order Zone.</i>	219.99
LP37046		Soft Roof - Black <i>Available through Order Zone.</i>	32.99
BM25103		Windshield Washer Kit	306.01
		Cargo Box Options / Storage:	
BM23849		5 Gallon Pail Holder <i>Cargo box rails required.</i>	40.66
BM23371		Box Mat	123.06
BM25960		Cargo Box Power Lift	821.76
BM23526		Cargo Box Rails	117.70
BM23384		Cargo Box Wall Extensions <i>Requires cargo box rails. Not compatible with poly cab.</i>	353.10
BM23360		Front Rack <i>Requires Front Brushguard for mounting.</i>	260.01
BM24200		Glove Box Lock	12.84
LP66151		MOLLE Device Pouch - Black <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	24.95
LP66150		MOLLE Device Pouch - Camo <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	28.95

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

XUV560 (MY17)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LP66153		MOLLE Fire Extinguisher Pouch - Black <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	33.95
LP66152		MOLLE Fire Extinguisher Pouch - Camo <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	38.95
LP66149		MOLLE Large Pouch - Black <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	33.95
LP66148		MOLLE Large Pouch - Camo <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	38.95
LP66147		MOLLE Small Pouch - Black <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	28.95
LP66146		MOLLE Small Pouch - Camo <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	33.95
LP37044		OPS Overhead Organizer - Black <i>Available through Order Zone.</i>	65.99
BM23385		Tire Rack <i>Requires cargo box rails.</i>	223.63
LPPCT17ATJD		Carts / Hitches: 17AT Cart <i>Available through Order Zone.</i>	799.00
BM23363		2" Front Receiver Hitch and Recovery Loops	117.70
LPUT21JD		21 Steel Utility Cart <i>Available through Order Zone.</i>	919.00
PM05101		Ball Mount - 1.875 in. (48mm)	11.03
PM05201		Ball Mount - 2 in. (51mm)	11.80
BM22290		Drawbar - 2 in. (51mm)	41.73
BM25923		Custom & High Performance: Seat-Belt Comfort Strap (2)	93.09
BM26748		Speedometer Kit <i>For use on XUV560 MY16.</i>	161.57
BM23933		Sport Steering Wheel	211.86

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

XUV560 (MY17)
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM23379		Stereo and Speaker Kit <i>Includes mounting kit only; must choose one of the following three head units to have complete stereo:</i> <i>Radio, Heavy Duty AM / FM / WB / AUX (SWJHD1130)</i> <i>Radio, Heavy Duty AM / FM / WB / AUX / SAT / I-POD (SWJHD1630)</i> <i>Radio, AM / FM / WB / CD / AUX / SAT / I-POD / Bluetooth / Microphone (SWJHD3630MIC)</i> <i>Must order head unit through Parts. Reference Parts for additional accessories such as external antennas and Bluetooth microphones.</i>	676.24
BM26067		Engine: Engine Oil Temperature Sensor Kit	74.90
BM23438		High Capacity Alternator <i>55 Amps.</i>	732.96
LP37041		Hunting / Camo: Vehicle Cover - Transportable (Camo) <i>Available through Order Zone.</i>	179.95
BM23369		Lights / Signals: Backup Alarm	105.93
BM25553		Beacon Light <i>Requires OPS Poly Roof and OPS Switch Bank. Also requires Beacon Light Harness Kit.</i>	248.24
BM26182		Beacon Light Harness Kit <i>Required with Beacon Light.</i>	70.61
BM25965		Brake and Tail Light Kit	65.27
BM25619		Brush Guard Light Harness Kit <i>Required with LED light kits or Work Lights (Halogens).</i>	118.77
BM25620		Front OPS/Roof Light Harness Kit <i>Required with LED light kits or Work Lights (Halogens). Also requires OPS Switch Bank.</i>	86.67
BM23370		Horn Kit	99.51
BM25704		LED Driving Lights <i>Can be installed on brushguard, OPS and roof (front or rear).</i> <i>Requires OPS Switch Bank for OPS or roof mounting.</i> <i>Requires necessary Light Harness Kit based on desired light mounting location.</i>	432.29
BM25705		LED Work Lights <i>Can be installed on brushguard, OPS and roof (front or rear).</i> <i>Requires OPS Switch Bank for OPS or roof mounting.</i> <i>Requires necessary Light Harness Kit based on desired light mounting location.</i>	345.61
BM24089		OPS Switch Bank <i>Accommodates up to three separate OPS accessory kits.</i>	72.76
BM25731		Rear OPS/Roof Light Harness Kit <i>Required with LED light kits or Work Lights (Halogens). Also requires OPS Switch Bank.</i>	86.67
BM26180		Turn Signal Kit <i>Includes flashers, turn signals (front & rear), and back-up lights. Requires OPS Poly Roof for installation. Also requires Turn Signal Light Harness Kit.</i>	334.91

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

XUV560 (MY17)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM26183		Turn Signal Light Harness Kit <i>Required with Turn Signal Kit.</i>	140.17
BM25544		Work Lights (Halogens) <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brush Guard for brush guard mounting, also requires necessary Light Harness Kit based on desired light mounting location.</i>	118.77
BM25148		Operator Environment: OPS Rear View Mirror	87.74
BRE10015		Operator's Station Cell phone mount kit	61.60
BM23309		Protection: CV Guards <i>Aluminum.</i>	153.01
BM23368		Floor Mat	82.39
BM23365		Front Brushguard	344.54
BM23394		Front Fender Guards <i>Requires Front Brushguard</i>	190.46
LP66658		Front Seat Cover - Black <i>Available through Order Zone.</i>	182.95
LP66659		Front Seat Cover - Camo <i>Available through Order Zone.</i>	182.95
BM24095		Full Underbody Skid Plate	167.99
BM23362		Rear Bumper	202.23
LP37036		Vehicle Cover - Black <i>Available through Order Zone.</i>	78.99
LP37040		Vehicle Cover - Transportable (Black)	144.99
LP39965		Sprayers / Pressure Washers: 25 Gallon Bed Sprayer <i>Available through Order Zone.</i>	524.95
LP39964		45 Gallon Bed Sprayer <i>Available through Order Zone.</i>	599.95
LP39098		45 Gallon High Performance Bed Sprayer <i>Available through Order Zone.</i>	789.95
LP20485		45 Gallon Tow-Behind Sprayer <i>Available through Order Zone.</i>	624.95
LP22885		HP 150 in. Precision Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	239.95

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

XUV560 (MY17)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LP39963	HP 45 Gallon Sprayer - Tow Behind <i>Available through Order Zone.</i>	714.95
	LP22884	HP Boomless Nozzles <i>Compatible with HP sprayers. Available through Order Zone.</i>	145.95
	LP22911	HP Standard Gator Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	64.95
		Spreaders:	
	LP49056	3 cu. ft. Fertilizer Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	1,199.00
	LP49055	3 cu. ft. Salt Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	849.00
	LP53513	Spreader Hitch and Controls <i>Required with salt and fertilizer spreader. Available through Order Zone.</i>	549.00
		Winch:	
	BM26248	WARN ProVantage 3500 lb Winch <i>Requires winch mounting kit and also requires 2 In. Front Receiver Hitch with Recovery Loops for mounting.</i>	603.49
	BM21392	Winch Accessories Kit <i>Accessory kit includes 1/2" shackle, 9,000 lbs. maximum capacity snatch block, (2) 1"x8' tree trunk protectors.</i>	135.89
	BM26249	Winch Mounting Kit (for non winch ready vehicles) <i>Only power steering models come winch ready. Required to mount WARN 3500 lb winch. Kit includes wire harnesses and all necessary hardware to mount winch to bumper.</i>	203.30

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

XUV590i Power Steering winch ready (MY17)
 Equipment for Base Machine

ENGINE:
 586cc, 32 HP (23.9kW)*
 4-cycle, Inline twin, gas,
 Electronic Fuel Injection (EFI)
 Liquid Cooled
 Wet sump lubrication
 Replaceable single dry-type
 element air cleaner with remote
 intake
 Digital IDI, ECU controlled
 ignition
 Spark-arresting muffler with
 catalyst

ELECTRICAL:
 Electric start
 65 amp belt driven alternator
 340 CCA battery
 Two 37.5 watt halogen headlights
 (1) 12V power outlet
 Pre-wired for winch on power
 steering models
 Standard OPS mounted brake /
 taillight

TRANSAXLE/TRANSMISSION:
 Continuously Variable
 Transmission (CVT) with full
 clutch enclosure
 H, L, N, R transaxle with
 lockable rear differential
 Operator selectable 4WD
 Limited slip front differential
 45 mph (72 kph) maximum forward
 speed
 Large diameter half shafts with
 TPE boots

BRAKES:
 Front and rear hydraulic disk
 brakes with large 196mm
 stainless steel rotors
 Foot-operated park brake

STEERING/SUSPENSION:
 Rack and Pinion Steering
 Optional power steering
 12.3 ft. (3.75m) Turning Circle

Independent front dual A-arm
 suspension with anti-roll bar; 8
 in. (203mm) of travel
 Independent rear H-arm
 suspension with camber link; 8
 in. (203mm) of travel

FRAME:
 Robotically welded high-strength
 steel frame
 Integrated 2 in. (50mm) rear
 receiver
 Optional 2 in. (50mm) front
 receiver with recovery loops

**OCCUPANT PROTECTIVE STRUCTURE
 (OPS):**
 OSR (Occupant Side Retention)
 Nets standard
 1.75 In. (44.4 mm) steel tubular
 overhead structure
 Passenger handhold
 SAE J2194 & OSHA ROPS Certified

OPERATOR STATION:
 2 occupant capacity bench seat
 3-point seat belts
 Hip restraint bars for driver
 and passenger
 Sealed glove box
 Sealed storage compartment under
 hood
 Two cup holders in dash
 Digital instrument cluster
 displays system diagnostic
 light, engine oil pressure
 light, park brake light, seat
 belt indicator light, fuel
 level, 4WD indicator, vehicle
 speed/rpm, coolant temperature,
 odometer, battery indicator,
 hour meter, and clock

DIMENSIONS:
 113 in. (2.9m) long x 56.5 in.
 (1.4m) wide x 73.5 in. (1.9m)
 high
 Front tread centers: 48 in.

(1.2m)
 Rear tread centers: 46 in.
 (1.16m)
 Wheelbase: 72.8 in. (1.8m)
 Ground Clearance: 10.5 in.
 (267mm)

WEIGHT/CAPACITIES:
 Weight (including fuel/fluids):
 1421 lbs. (645 kg.)
 Payload Capacity: 800 lbs. (363
 kg.)
 Towing Capacity: 1,100 lbs. (499
 kg.)
 7.4 Gallon (28L) fuel tank

CARGO BOX:
 Material: High-density composite
 Dimensions: 32.3 In. (82cm) Long
 x 47.6 In. (121cm) Wide x 11.7
 In. (29.7cm) Deep
 Volume: 8.9 cu. ft. (0.25 cu.m)
 Capacity: 400 lbs. (181 kg)
 Dump: 2-sided manual release
 with optional power lift
 Tailgate: Hinged, one-handed
 operation, tool-less removal

MISCELLANEOUS:
 Safety and Operational DVD
 Operator's Manual

*Engine HP is Provided by the
 Engine Manufacturer to be Used
 for Comparison Purposes Only,
 Actual Operating HP will be
 Less.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

5177M	XUV590i Power Steering winch ready (MY17) <i>Base Machine Suggested List Price Does Not Include 550 USD Destination Charge.</i>	11,359.00
-------	--	-----------

DESTINATION

001A	US / CANADA	In Base Price
------	-------------	---------------

PACKAGES

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

XUV590i Power Steering winch ready (MY17)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0501		PACKAGES Continued... PR - Base Package	In Base Price
0503		PR - Utility & Protection with Winch Package	No Charge
COLOR			
2500		Green & Yellow	In Base Price
2501		Olive & Black	100.00
2502		Realtree Hardwoods HD Camo	650.00
WHEELS AND TIRES			
1000		25 in. Terra Hawk All Terrain Tires (4 Ply) on 12 In. Yellow steel wheels	In Base Price
1003		25 in. Ancla M-T Extreme Terrain Tires (4 Ply) on 12 in. Black steel wheels	Same Price
1008		26 in. Maxxis Bighorn 2.0 Tires (6 Ply) on 14 in. Yellow alloy wheels	862.00
1009		26 in. Maxxis Bighorn 2.0 Tires (6 Ply) on 14 in. Black alloy wheels	862.00
SEAT			
2006		Bench Seat - Yellow	In Base Price
2007		Bench Seat - Black	Same Price
OCCUPANT PROTECTIVE STRUCTURE (OPS)			
4002		OPS with brake/taillight and OSR nets	In Base Price
CARGO BOX LIFT			
3100		Manual Lift	In Base Price
PROTECTION PACKAGE			
4105		Utility and Protection Package <i>Package Consists of: Front Brushguard, OPS Black Poly Roof, Cargo Box Rail</i>	823.00
4106		Utility and Protection Package <i>Package Consists of: Front Brushguard, OPS Camo Poly Roof, Cargo Box Rail</i>	1,235.00
4149		Less Packages	In Base Price
WINCH			
6313		Winch Package <i>Package consists of WARN ProVantage 3500 lb. winch and 2" Front Receiver Hitch and Recovery Loops</i>	721.00
6349		Less Winch Package	In Base Price

ATTACHMENTS FOR FIELD CONVERSION

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

XUV590i Power Steering winch ready (MY17)
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Ag Management Solutions:	
BM25411		AMS Integration Kit <i>Compatible with poly roof, or on the OPS alone. Kit includes components to mount the Starfire iTC or 3000 receiver and GreenStar 2 1800, GreenStar 2 2600, or GreenStar 3 2630 display.</i>	456.89
		Cabs/Roofs/Windshields:	
BM25259		Abrasion Resistant Half Windshield	266.43
BM26298		Cab Heater	863.49
BM26001		Canvas Cab Doors <i>Includes left and right canvas doors. Compatible with poly roof, canvas roof/rear panel, poly rear panel, poly rear window, full flip-out windshield, glass windshield.</i>	971.56
BM26000		Canvas Rear Panel <i>Compatible with poly roof, canvas doors, poly doors. Installed with full windshield will help keep dust out of operator station.</i>	204.37
BM25999		Canvas Roof / Rear Panel <i>Includes one piece roof / rear panel. Compatible with canvas doors, poly doors, full flip-out windshield. NOT compatible with glass windshield.</i>	355.24
BM23373		Full Abrasion Resistant Flip-out Windshield	556.40
BM24737		OPS Side Mirrors	190.46
BM25958		ORS Net Kit <i>Available through Parts.</i>	139.10
BM25969		Poly Cab Door Closeout Panels <i>Required with poly cab doors on XUV590i and XUV590i S4.</i>	108.07
BM24796		Poly Cab Door Side Mirrors	171.20
BM24817		Poly Cab Doors <i>Requires poly cab door closeout panels. Includes left and right poly doors. Requires full windshield, OPS rear panel, and poly roof to complete poly cab.</i>	2,146.41
BM25014		Poly Rear Panel <i>Part of the Poly cab, or can be mounted on the OPS alone. Requires full windshield, poly cab doors, and poly roof to complete poly cab. Installed with full windshield will help keep dust out of operator station.</i>	525.37
BM23397		Poly Roof - Black	360.59
BM23853		Poly Roof - Camo	772.54
BM25967		Rear Dust Panel <i>Not compatible with OPS Poly Cab. Installed with full windshield will help keep dust out of operator station.</i>	355.24
BM23396		Rear Metal Screen <i>Includes headrests.</i>	300.67
BM25103		Windshield Washer Kit	306.01

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

XUV590i Power Steering winch ready (MY17)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Cargo Box Options / Storage:	
BM23849		5 Gallon Pail Holder <i>Cargo box rails required.</i>	40.66
BM23371		Box Mat	123.06
BM24812		Cargo Box Power Lift	808.91
BM23526		Cargo Box Rails	117.70
BM23384		Cargo Box Wall Extensions <i>Requires cargo box rails. Not compatible with poly cab.</i>	353.10
BM23360		Front Rack <i>Requires Front Brushguard for mounting.</i>	260.01
BM24200		Glove Box Lock	12.84
LP66151		MOLLE Device Pouch - Black <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	24.95
LP66150		MOLLE Device Pouch - Camo <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	28.95
LP66153		MOLLE Fire Extinguisher Pouch - Black <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	33.95
LP66152		MOLLE Fire Extinguisher Pouch - Camo <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	38.95
LP66149		MOLLE Large Pouch - Black <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	33.95
LP66148		MOLLE Large Pouch - Camo <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	38.95
LP66147		MOLLE Small Pouch - Black <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	28.95
LP66146		MOLLE Small Pouch - Camo <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	33.95
LP37044		OPS Overhead Organizer - Black <i>Available through Order Zone.</i>	65.99
LP37045		OPS Overhead Organizer - Camo <i>Available through Order Zone.</i>	59.95
BM23385		Tire Rack <i>Requires cargo box rails.</i>	223.63

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

XUV590i Power Steering winch ready (MY17)
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Carts / Hitches:	
LPPCT17ATJD		17AT Cart <i>Available through Order Zone.</i>	799.00
BM23363		2" Front Receiver Hitch and Recovery Loops	117.70
LPUT21JD		21 Steel Utility Cart <i>Available through Order Zone.</i>	919.00
PM05101		Ball Mount - 1.875 in. (48mm)	11.03
PM05201		Ball Mount - 2 in. (51mm)	11.80
BM22290		Drawbar - 2 in. (51mm)	41.73
		Custom & High Performance:	
BM25923		Seat-Belt Comfort Strap (2)	93.09
BM23933		Sport Steering Wheel	211.86
BM23379		Stereo and Speaker Kit <i>Includes mounting kit only; must choose one of the following three head units to have complete stereo:</i> <i>Radio, Heavy Duty AM / FM / WB / AUX (SWJHD1130)</i> <i>Radio, Heavy Duty AM / FM / WB / AUX / SAT / I-POD (SWJHD1630)</i> <i>Radio, AM / FM / WB / CD / AUX / SAT / I-POD / Bluetooth / Microphone (SWJHD3630MIC)</i> <i>Must order head unit through Parts. Reference Parts for additional accessories such as external antennas and Bluetooth microphones.</i>	676.24
		Engine:	
BM25800		Speed Limiter Kit <i>Reduces vehicle top speed to 28mph (45kph).</i>	103.79
		Hunting / Camo:	
LP37041		Vehicle Cover - Transportable (Camo) <i>Available through Order Zone.</i>	179.95
		Lights / Signals:	
BM23369		Backup Alarm	105.93
BM25553		Beacon Light <i>Requires OPS Poly Roof and OPS Switch Bank. Also requires Beacon Light Harness Kit.</i>	248.24
BM26182		Beacon Light Harness Kit <i>Required with Beacon Light.</i>	70.61
BM25619		Brush Guard Light Harness Kit <i>Required with LED light kits or Work Lights (Halogens).</i>	118.77
BM25620		Front OPS/Roof Light Harness Kit <i>Required with LED light kits or Work Lights (Halogens). Also requires OPS Switch Bank.</i>	86.67
BM23370		Horn Kit	99.51
BM25704		LED Driving Lights <i>Can be installed on brushguard, OPS and roof (front or rear). Requires OPS Switch Bank for OPS or roof mounting. Requires necessary Light Harness Kit based on desired light mounting location.</i>	432.29

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

XUV590i Power Steering winch ready (MY17)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM25705		LED Work Lights <i>Can be installed on brushguard, OPS and roof (front or rear). Requires OPS Switch Bank for OPS or roof mounting. Requires necessary Light Harness Kit based on desired light mounting location.</i>	345.61
BM24089		OPS Switch Bank <i>Accommodates up to three separate OPS accessory kits.</i>	72.76
BM25731		Rear OPS/Roof Light Harness Kit <i>Required with LED light kits or Work Lights (Halogens). Also requires OPS Switch Bank.</i>	86.67
BM26180		Turn Signal Kit <i>Includes flashers, turn signals (front & rear), and back-up lights. Requires OPS Poly Roof for installation. Also requires Turn Signal Light Harness Kit.</i>	334.91
BM26183		Turn Signal Light Harness Kit <i>Required with Turn Signal Kit.</i>	140.17
BM25544		Work Lights (Halogens) <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brush Guard for brush guard mounting, also requires necessary Light Harness Kit based on desired light mounting location.</i>	118.77
BM25148		Operator Environment: OPS Rear View Mirror	87.74
BRE10015		Operator's Station Cell phone mount kit	61.60
BM23309		Protection: CV Guards <i>Aluminum.</i>	153.01
BM25743		Floor Mat	81.31
BM23365		Front Brushguard	344.54
BM23394		Front Fender Guards <i>Requires Front Brushguard. Not compatible with nerf bars.</i>	190.46
LP66658		Front Seat Cover - Black <i>Available through Order Zone.</i>	182.95
LP66659		Front Seat Cover - Camo <i>Available through Order Zone.</i>	182.95
BM23361		Nerf Bars <i>Not compatible with front fender guards.</i>	264.29
BM23362		Rear Bumper	202.23
LP37036		Vehicle Cover - Black <i>Available through Order Zone.</i>	78.99
LP37040		Vehicle Cover - Transportable (Black)	144.99

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

XUV590i Power Steering winch ready (MY17)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Sprayers / Pressure Washers:	
LP39965		25 Gallon Bed Sprayer <i>Available through Order Zone.</i>	524.95
LP39964		45 Gallon Bed Sprayer <i>Available through Order Zone.</i>	599.95
LP39098		45 Gallon High Performance Bed Sprayer <i>Available through Order Zone.</i>	789.95
LP20485		45 Gallon Tow-Behind Sprayer <i>Available through Order Zone.</i>	624.95
LP22885		HP 150 in. Precision Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	239.95
LP39963		HP 45 Gallon Sprayer - Tow Behind <i>Available through Order Zone.</i>	714.95
LP22884		HP Boomless Nozzles <i>Compatible with HP sprayers. Available through Order Zone.</i>	145.95
LP22911		HP Standard Gator Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	64.95
		Spreaders:	
LP49056		3 cu. ft. Fertilizer Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	1,199.00
LP49055		3 cu. ft. Salt Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	849.00
LP53513		Spreader Hitch and Controls <i>Required with salt and fertilizer spreader. Available through Order Zone.</i>	549.00
		Winch:	
BM26248		WARN ProVantage 3500 lb Winch <i>Requires winch mounting kit and also requires 2 In. Front Receiver Hitch with Recovery Loops for mounting.</i>	603.49
BM21392		Winch Accessories Kit <i>Accessory kit includes 1/2" shackle, 9,000 lbs. maximum capacity snatch block, (2) 1"x8' tree trunk protectors.</i>	135.89
BM26246		Winch Mounting Kit (winch ready vehicles) <i>All power steering models come winch ready. Required to mount WARN 3,500 lb winch. Kit includes wire harnesses and all necessary hardware to mount winch to bumper.</i>	41.73

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

XUV590i S4 Power Steering winch ready (MY17)
Equipment for Base Machine

ENGINE:
 586cc, 32 HP (23.9kW)*
 4-cycle, Inline twin, gas,
 Electronic Fuel Injection (EFI)
 Liquid Cooled
 Wet sump lubrication
 Replaceable single dry-type
 element air cleaner with remote
 intake
 Digital IDI, ECU controlled
 ignition
 Spark-arresting muffler with
 catalyst

ELECTRICAL:
 Electric start
 65 amp belt driven alternator
 340 CCA battery
 Two 37.5 watt halogen headlights
 (1) 12V power outlet
 Pre-wired for winch on power
 steering models
 Standard OPS mounted brake /
 taillight

TRANSAXLE/TRANSMISSION:
 Continuously Variable
 Transmission (CVT) with full
 clutch enclosure
 H, L, N, R transaxle with
 lockable rear differential
 Operator selectable 4WD
 Limited slip front differential
 45 mph (72 kph) maximum forward
 speed
 Large diameter half shafts with
 TPE boots

BRAKES:
 Front and rear hydraulic disk
 brakes with large 196mm
 stainless steel rotors
 Foot-operated park brake

STEERING/SUSPENSION:
 Rack and Pinion Steering
 Optional power steering
 19.7 ft. (6.0m) Turning Circle
 Independent front dual A-arm
 suspension with anti-roll bar; 8
 in. (203mm) of travel

Independent rear H-arm
 suspension with camber link; 8
 in. (203mm) of travel

FRAME:
 Robotically welded high-strength
 steel frame
 Integrated 2 in. (50mm) rear
 receiver
 Optional 2 in. (50mm) front
 receiver with recovery loops

**OCCUPANT PROTECTIVE STRUCTURE
 (OPS):**
 OSR (Occupant Side Retention)
 Nets standard
 1.75 In. (44.4 mm) steel tubular
 overhead structure
 Passenger handhold
 SAE J2194 & OSHA ROPS Certified

OPERATOR STATION:
 4 occupant capacity bench seats
 3-point seat belts
 Hip restraint bars for driver
 and passengers
 Sealed glove box
 Sealed storage compartment under
 hood
 Optional sealed storage
 compartment under seat
 Two cup holders in dash
 Digital instrument cluster
 displays system diagnostic
 light, engine oil pressure
 light, park brake light, seat
 belt indicator light, fuel
 level, 4WD indicator, vehicle
 speed/rpm, coolant temperature,
 odometer, battery indicator,
 hour meter, and clock

DIMENSIONS:
 144 in. (3.7m) long x 56.5 in.
 (1.4m) wide x 73.5 in. (1.9m)
 high
 Front tread centers: 48 in.
 (1.2m)
 Rear tread centers: 46 in.
 (1.16m)
 Wheelbase: 108 in. (2.7m)

Ground Clearance: 9.3 in.
 (236mm)

WEIGHT/CAPACITIES:
 Weight (including fuel/fluids):
 1646 lbs. (746 kg.)
 Payload Capacity: 1200 lbs. (544
 kg.)
 Towing Capacity: 1,100 lbs. (499
 kg.)
 7.4 Gallon (28L) fuel tank

CARGO BOX:
 Material: High-density composite
 Dimensions: 32.3 In. (82cm) Long
 x 47.6 In. (121cm) Wide x 11.7
 In. (29.7cm) Deep
 Volume: 8.9 cu. ft. (0.25 cu.m)
 Capacity: 400 lbs. (181 kg)
 Dump: 2-sided manual release
 with optional power lift
 Tailgate: Hinged, one-handed
 operation, tool-less removal

CONVERTIBLE CARGO RACK:
 23.5 in. (59.7 cm.) Long x 38.8
 in. (98.6 cm) Wide x 8.1 in.
 (20.6 cm) Deep
 4.3 cu. ft. (0.12 cu.m) Capacity
 200 lbs. (90.7 kg) Rack Capacity

MISCELLANEOUS:
 Safety and Operational DVD
 Operator's Manual

*Engine HP is Provided by the
 Engine Manufacturer to be Used
 for Comparison Purposes Only,
 Actual Operating HP will be
 Less.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

5187M	XUV590i S4 Power Steering winch ready (MY17) <i>Base Machine Suggested List Price Does Not Include 650 USD Destination Charge.</i>	12,959.00
-------	---	-----------

DESTINATION

001A	US / CANADA	In Base Price
------	-------------	---------------

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

XUV590i S4 Power Steering winch ready (MY17)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
PACKAGES			
0501		PR - Base Package	In Base Price
0503		PR - Utility & Protection with Winch Package	No Charge
COLOR			
2500		Green & Yellow	In Base Price
2501		Olive & Black	100.00
2502		Realtree Hardwoods HD Camo	650.00
WHEELS AND TIRES			
1000		25 in. Terra Hawk All Terrain Tires (4 Ply) on 12 In. Yellow steel wheels	In Base Price
1003		25 in. Ancla M-T Extreme Terrain Tires (4 Ply) on 12 in. Black steel wheels	Same Price
1008		26 in. Maxxis Bighorn 2.0 Tires (6 Ply) on 14 in. Yellow alloy wheels	862.00
1009		26 in. Maxxis Bighorn 2.0 Tires (6 Ply) on 14 in. Black alloy wheels	862.00
SEAT			
2022		Bench Seat Front/Rear - Yellow	In Base Price
2023		Bench Seat Front/Rear - Black	Same Price
OCCUPANT PROTECTIVE STRUCTURE (OPS)			
4002		OPS with brake/taillight and OSR nets	In Base Price
CARGO BOX LIFT			
3100		Manual Lift	In Base Price
PROTECTION PACKAGE			
4107		Utility and Protection Package <i>Package Consists of: Front Brushguard, OPS S4 Black Poly Roof, Cargo Box Rail, Underseat storage</i>	1,124.00
4149		Less Packages	In Base Price
WINCH			
6313		Winch Package <i>Package consists of WARN ProVantage 3500 lb. winch and 2" Front Receiver Hitch and Recovery Loops</i>	721.00
6349		Less Winch Package	In Base Price

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

PR15 - XUV560 Base (MY16)
 Equipment for Base Machine

ENGINE:
 570cc, 16 HP (12 kW)*
 4-cycle, 2 cylinder, gas,
 dynamically tuned carburetor
 Air cooled
 Full pressure lubrication
 Replaceable single dry-type
 element air cleaner with remote
 intake
 Inductive coil ignition
 Spark-arresting muffler

ELECTRICAL:
 Electric start
 16 amp regulated stator type
 alternator
 340 CCA battery
 Two 37.5 watt halogen headlights
 (1) 12V power outlet
 Available brake light kit

TRANSAXLE/TRANSMISSION:
 Continuously Variable
 Transmission (CVT) with full
 clutch enclosure
 H, L, N, R transaxle with
 lockable rear differential
 Operator selectable 4WD
 Limited slip front differential
 28 mph (45 kph) maximum forward
 speed
 Large diameter half shafts with
 TPE boots

BRAKES:
 Front and rear hydraulic disk
 brakes with large 196mm
 stainless steel rotors
 Foot-operated park brake

STEERING/SUSPENSION:
 Rack and Pinion Steering
 12.3 ft. (3.75m) Turning Circle
 Independent front dual A-arm

suspension with anti-roll bar; 8
 in. (203mm) of travel
 Independent rear H-arm
 suspension with camber link; 8
 in. (203mm) of travel

FRAME:
 Robotically welded high-strength
 steel frame
 Integrated 2 in. (50mm) rear
 receiver
 Optional 2 in. (50mm) front
 receiver with recovery loops

**OCCUPANT PROTECTIVE STRUCTURE
 (OPS):**
 OSR (Occupant Side Retention)
 Nets standard
 1.75 In. (44.4 mm) steel tubular
 overhead structure
 Passenger handhold
 SAE J2194 & OSHA ROPS Certified

OPERATOR STATION:
 2 occupant capacity bench seat
 3-point seat belts
 Hip restraint bars for driver
 and passenger
 Sealed glove box
 Sealed storage compartment under
 hood
 Two cup holders in dash
 Fuel sight gauge
 Instrument cluster with hour
 meter and seat belt reminder

DIMENSIONS:
 113 in. (2.9m) long x 56.5 in.
 (1.4m) wide x 73.5 in. (1.9m)
 high
 Front tread centers: 48 in.
 (1.2m)
 Rear tread centers: 46 in.
 (1.16m)

Wheelbase: 72.8 in. (1.8m)
 Ground Clearance: 10.5 in.
 (267mm)
WEIGHT/CAPACITIES:
 Weight (including fuel/fluids):
 1270 lbs. (576 kg.)
 Payload Capacity: 800 lbs. (363
 kg.)
 Towing Capacity: 1,100 lbs.
 (499 kg.)
 4.9 Gallon (18.5L) fuel tank

CARGO BOX:
 Material: High-density
 composite
 Dimensions: 32.3 In. (82cm)
 Long x 47.6 In. (121cm) Wide x
 11.7 In. (29.7cm) Deep
 Volume: 8.9 cu. ft (0.25 cu.m)
 Capacity: 400 Lbs (181 kg)
 Dump: 2-sided manual release
 with optional power lift
 Tailgate: Hinged, one-handed
 operation, tool-less removal

MISCELLANEOUS:
 Safety and Operational DVD
 Operator's Manual

*Engine HP is Provided by the
 Engine Manufacturer to be Used
 for Comparison Purposes Only,
 Actual Operating HP will be
 Less.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Janesville, Wisconsin

5380M		PR15 - XUV560 Base (MY16) <i>Base Machine Suggested List Price Does Not Include 550 USD Destination Charge.</i>	8,139.00
-------	--	--	----------

DESTINATION

001A		US / CANADA	In Base Price
------	--	-------------	---------------

COLOR

2500		Green & Yellow	In Base Price
------	--	----------------	---------------

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

PR15 - XUV560 Base (MY16)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
WHEELS AND TIRES			
1000		25 in. Terra Hawk All Terrain Tires (4 PR) on 12 in. Yellow steel wheels	In Base Price
1002		25 in. Ancla M-T Extreme Terrain Tires (4PR) on 12 in. Yellow steel wheels	Same Price
SEAT			
2006		Bench Seat - Yellow	In Base Price
OCCUPANT PROTECTIVE STRUCTURE (OPS)			
4000		OPS with OSR nets	In Base Price
CARGO BOX LIFT			
3100		Manual Lift	In Base Price
ATTACHMENTS FOR FIELD CONVERSION			
		Ag Management Solutions:	
BM25411		AMS Integration Kit <i>Compatible with poly roof, or on the OPS alone. Kit includes components to mount the Starfire iTC or 3000 receiver and GreenStar 2 1800, GreenStar 2 2600, or GreenStar 3 2630 display.</i>	456.89
		Cabs/Roofs/Windshields:	
BM25259		Abrasion Resistant Half Windshield	266.43
BM26000		Canvas Rear Panel <i>Compatible with poly roof, poly doors. Installed with full windshield will help keep dust out of operator station.</i>	204.37
BM25999		Canvas Roof / Rear Panel <i>Includes one piece roof / rear panel. Compatible with poly doors, full flip-out windshield. NOT compatible with glass windshield.</i>	355.24
BM23373		Full Abrasion Resistant Flip-out Windshield	556.40
BM24737		OPS Side Mirrors	190.46
BM25958		ORS Net Kit <i>Available through Parts.</i>	139.10
BM24796		Poly Cab Door Side Mirrors	171.20
BM24817		Poly Cab Doors <i>Includes left and right doors. Requires full windshield, OPS rear panel, and poly roof to complete poly cab.</i>	2,146.41
BM25014		Poly Rear Panel <i>Part of the Poly cab, or can be mounted on the OPS alone. Requires full windshield, poly cab doors, and poly roof to complete poly cab. Installed with full windshield will help keep dust out of operator station.</i>	525.37
BM23397		Poly Roof - Black	360.59
BM25967		Rear Dust Panel <i>Not compatible with OPS Poly Cab. Installed with full windshield will help keep dust out of operator station.</i>	355.24

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

PR15 - XUV560 Base (MY16)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM23396		Rear Metal Screen <i>Includes headrests.</i>	300.67
LP37050		Soft Cab - Black <i>Requires front windshield. Available through Order Zone.</i>	219.99
LP37046		Soft Roof - Black <i>Available through Order Zone.</i>	32.99
BM25103		Windshield Washer Kit	306.01
		Cargo Box Options / Storage:	
BM23849		5 Gallon Pail Holder <i>Cargo box rails required.</i>	40.66
BM23371		Box Mat	123.06
BM25960		Cargo Box Power Lift	821.76
BM23526		Cargo Box Rails	117.70
BM23384		Cargo Box Wall Extensions <i>Requires cargo box rails. Not compatible with poly cab.</i>	353.10
BM23360		Front Rack <i>Requires Front Brushguard for mounting.</i>	260.01
BM24200		Glove Box Lock	12.84
LP66151		MOLLE Device Pouch - Black <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	24.95
LP66150		MOLLE Device Pouch - Camo <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	28.95
LP66153		MOLLE Fire Extinguisher Pouch - Black <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	33.95
LP66152		MOLLE Fire Extinguisher Pouch - Camo <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	38.95
LP66149		MOLLE Large Pouch - Black <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	33.95
LP66148		MOLLE Large Pouch - Camo <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	38.95
LP66147		MOLLE Small Pouch - Black <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	28.95

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

PR15 - XUV560 Base (MY16)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LP66146	MOLLE Small Pouch - Camo <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	33.95
	LP37044	OPS Overhead Organizer - Black <i>Available through Order Zone.</i>	65.99
	BM23385	Tire Rack <i>Requires cargo box rails.</i>	223.63
		Carts / Hitches:	
	LPPCT17ATJD	17AT Cart <i>Available through Order Zone.</i>	799.00
	BM23363	2" Front Receiver Hitch and Recovery Loops	117.70
	LPUT21JD	21 Steel Utility Cart <i>Available through Order Zone.</i>	919.00
	PM05101	Ball Mount - 1.875 in. (48mm)	11.03
	PM05201	Ball Mount - 2 in. (51mm)	11.80
	BM22290	Drawbar - 2 in. (51mm)	41.73
		Custom & High Performance:	
	BM25923	Seat-Belt Comfort Strap (2)	93.09
	BM26748	Speedometer Kit <i>For use on XUV560 MY16.</i>	161.57
	BM23933	Sport Steering Wheel	211.86
	BM23379	Stereo and Speaker Kit <i>Includes mounting kit only; must choose one of the following three head units to have complete stereo: Radio, Heavy Duty AM / FM / WB / AUX (SWJHD1130) Radio, Heavy Duty AM / FM / WB / AUX / SAT / I-POD (SWJHD1630) Radio, AM / FM / WB / CD / AUX / SAT / I-POD / Bluetooth / Microphone (SWJHD3630MIC) Must order head unit through Parts. Reference Parts for additional accessories such as external antennas and Bluetooth microphones.</i>	676.24
		Engine:	
	BM26067	Engine Oil Temperature Sensor Kit	74.90
	BM23438	High Capacity Alternator <i>55 Amps.</i>	732.96
		Hunting / Camo:	
	LP37041	Vehicle Cover - Transportable (Camo) <i>Available through Order Zone.</i>	179.95
		Lights / Signals:	
	BM23369	Backup Alarm	105.93
	BM25553	Beacon Light <i>Requires OPS Poly Roof and OPS Switch Bank. Also requires Beacon Light Harness Kit.</i>	248.24

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

PR15 - XUV560 Base (MY16)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM26182		Beacon Light Harness Kit <i>Required with Beacon Light.</i>	70.61
BM25965		Brake and Tail Light Kit	65.27
BM25619		Brush Guard Light Harness Kit <i>Required with LED light kits or Work Lights (Halogens).</i>	118.77
BM25620		Front OPS/Roof Light Harness Kit <i>Required with LED light kits or Work Lights (Halogens). Also requires OPS Switch Bank.</i>	86.67
BM23370		Horn Kit	99.51
BM25704		LED Driving Lights <i>Can be installed on brushguard, OPS and roof (front or rear). Requires OPS Switch Bank for OPS or roof mounting. Requires necessary Light Harness Kit based on desired light mounting location.</i>	432.29
BM25705		LED Work Lights <i>Can be installed on brushguard, OPS and roof (front or rear). Requires OPS Switch Bank for OPS or roof mounting. Requires necessary Light Harness Kit based on desired light mounting location.</i>	345.61
BM24089		OPS Switch Bank <i>Accommodates up to three separate OPS accessory kits.</i>	72.76
BM25731		Rear OPS/Roof Light Harness Kit <i>Required with LED light kits or Work Lights (Halogens). Also requires OPS Switch Bank.</i>	86.67
BM26180		Turn Signal Kit <i>Includes flashers, turn signals (front & rear), and back-up lights. Requires OPS Poly Roof for installation. Also requires Turn Signal Light Harness Kit.</i>	334.91
BM26183		Turn Signal Light Harness Kit <i>Required with Turn Signal Kit.</i>	140.17
BM25544		Work Lights (Halogens) <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brush Guard for brush guard mounting, also requires necessary Light Harness Kit based on desired light mounting location.</i>	118.77
BM25148		Operator Environment: OPS Rear View Mirror	87.74
BRE10015		Operator's Station Cell phone mount kit	61.60
BM23309		Protection: CV Guards <i>Aluminum.</i>	153.01
BM23368		Floor Mat	82.39
BM23365		Front Brushguard	344.54
BM23394		Front Fender Guards <i>Requires Front Brushguard</i>	190.46

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

PR15 - XUV560 Base (MY16)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LP66658	Front Seat Cover - Black <i>Available through Order Zone.</i>	182.95
	LP66659	Front Seat Cover - Camo <i>Available through Order Zone.</i>	182.95
	BM24095	Full Underbody Skid Plate	167.99
	BM23362	Rear Bumper	202.23
	LP37036	Vehicle Cover - Black <i>Available through Order Zone.</i>	78.99
	LP37040	Vehicle Cover - Transportable (Black)	144.99
		Sprayers / Pressure Washers:	
	LP39965	25 Gallon Bed Sprayer <i>Available through Order Zone.</i>	524.95
	LP39964	45 Gallon Bed Sprayer <i>Available through Order Zone.</i>	599.95
	LP39098	45 Gallon High Performance Bed Sprayer <i>Available through Order Zone.</i>	789.95
	LP20485	45 Gallon Tow-Behind Sprayer <i>Available through Order Zone.</i>	624.95
	LP22885	HP 150 in. Precision Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	239.95
	LP39963	HP 45 Gallon Sprayer - Tow Behind <i>Available through Order Zone.</i>	714.95
	LP22884	HP Boomless Nozzles <i>Compatible with HP sprayers. Available through Order Zone.</i>	145.95
	LP22911	HP Standard Gator Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	64.95
		Spreaders:	
	LP49056	3 cu. ft. Fertilizer Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	1,199.00
	LP49055	3 cu. ft. Salt Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	849.00
	LP53513	Spreader Hitch and Controls <i>Required with salt and fertilizer spreader. Available through Order Zone.</i>	549.00
		Winch:	
	BM26248	WARN ProVantage 3500 lb Winch <i>Requires winch mounting kit and also requires 2 In. Front Receiver Hitch with Recovery Loops for mounting.</i>	603.49

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

PR15 - XUV560 Base (MY16)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM21392	Winch Accessories Kit <i>Accessory kit includes 1/2" shackle, 9,000 lbs. maximum capacity snatch block, (2) 1"x8' tree trunk protectors.</i>	135.89
	BM26249	Winch Mounting Kit (for non winch ready vehicles) <i>Only power steering models come winch ready. Required to mount WARN 3500 lb winch. Kit includes wire harnesses and all necessary hardware to mount winch to bumper.</i>	203.30

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

PR15 - XUV560 Utility & Protection Package (MY16)
 Equipment for Base Machine

ENGINE:
 570cc, 16 HP (12 kW)*
 4-cycle, 2 cylinder, gas,
 dynamically tuned carburetor
 Air cooled
 Full pressure lubrication
 Replaceable single dry-type
 element air cleaner with remote
 intake
 Inductive coil ignition
 Spark-arresting muffler

ELECTRICAL:
 Electric start
 16 amp regulated stator type
 alternator
 340 CCA battery
 Two 37.5 watt halogen headlights
 (1) 12V power outlet
 Available brake light kit

TRANSAXLE/TRANSMISSION:
 Continuously Variable
 Transmission (CVT) with full
 clutch enclosure
 H, L, N, R transaxle with
 lockable rear differential
 Operator selectable 4WD
 Limited slip front differential
 28 mph (45 kph) maximum forward
 speed
 Large diameter half shafts with
 TPE boots

BRAKES:
 Front and rear hydraulic disk
 brakes with large 196mm
 stainless steel rotors
 Foot-operated park brake

STEERING/SUSPENSION:
 Rack and Pinion Steering
 12.3 ft. (3.75m) Turning Circle
 Independent front dual A-arm

suspension with anti-roll bar; 8
 in. (203mm) of travel
 Independent rear H-arm
 suspension with camber link; 8
 in. (203mm) of travel

FRAME:
 Robotically welded high-strength
 steel frame
 Integrated 2 in. (50mm) rear
 receiver
 Optional 2 in. (50mm) front
 receiver with recovery loops

**OCCUPANT PROTECTIVE STRUCTURE
 (OPS):**
 OSR (Occupant Side Retention)
 Nets standard
 1.75 In. (44.4 mm) steel tubular
 overhead structure
 Passenger handhold
 SAE J2194 & OSHA ROPS Certified

OPERATOR STATION:
 2 occupant capacity bench seat
 3-point seat belts
 Hip restraint bars for driver
 and passenger
 Sealed glove box
 Sealed storage compartment under
 hood
 Two cup holders in dash
 Fuel sight gauge
 Instrument cluster with hour
 meter and seat belt reminder

DIMENSIONS:
 113 in. (2.9m) long x 56.5 in.
 (1.4m) wide x 73.5 in. (1.9m)
 high
 Front tread centers: 48 in.
 (1.2m)
 Rear tread centers: 46 in.
 (1.16m)

Wheelbase: 72.8 in. (1.8m)
 Ground Clearance: 10.5 in.
 (267mm)
WEIGHT/CAPACITIES:
 Weight (including fuel/fluids):
 1270 lbs. (576 kg.)
 Payload Capacity: 800 lbs. (363
 kg.)
 Towing Capacity: 1,100 lbs.
 (499 kg.)
 4.9 Gallon (18.5L) fuel tank

CARGO BOX:
 Material: High-density
 composite
 Dimensions: 32.3 In. (82cm)
 Long x 47.6 In. (121cm) Wide x
 11.7 In. (29.7cm) Deep
 Volume: 8.9 cu. ft (0.25 cu.m)
 Capacity: 400 Lbs (181 kg)
 Dump: 2-sided manual release
 with optional power lift
 Tailgate: Hinged, one-handed
 operation, tool-less removal

MISCELLANEOUS:
 Safety and Operational DVD
 Operator's Manual

*Engine HP is Provided by the
 Engine Manufacturer to be Used
 for Comparison Purposes Only,
 Actual Operating HP will be
 Less.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Janesville, Wisconsin

5381M	PR15 - XUV560 Utility & Protection Package (MY16)	Base Machine Suggested List Price Does Not Include 550 USD Destination Charge.	8,139.00
-------	---	--	----------

DESTINATION

001A	US / CANADA	In Base Price
------	-------------	---------------

COLOR

2500	Green & Yellow	In Base Price
------	----------------	---------------

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

PR15 - XUV560 Utility & Protection Package (MY16)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
WHEELS AND TIRES			
1008		26 in. Maxxis Bighorn 2.0 Tires (6 PR) on 14 in. Yellow alloy wheels	862.00
SEAT			
2006		Bench Seat - Yellow	In Base Price
OCCUPANT PROTECTIVE STRUCTURE (OPS)			
4000		OPS with OSR nets	In Base Price
CARGO BOX LIFT			
3100		Manual Lift	In Base Price
PROTECTION PACKAGE			
4105		Utility and Protection Package <i>Package Consists of: Front Brushguard, OPS Black Poly Roof, Cargo Box Rails</i>	823.00

ATTACHMENTS FOR FIELD CONVERSION

		Ag Management Solutions:	
BM25411		AMS Integration Kit <i>Compatible with poly roof, or on the OPS alone. Kit includes components to mount the Starfire iTC or 3000 receiver and GreenStar 2 1800, GreenStar 2 2600, or GreenStar 3 2630 display.</i>	456.89
		Cabs/Roofs/Windshields:	
BM25259		Abrasion Resistant Half Windshield	266.43
BM26000		Canvas Rear Panel <i>Compatible with poly roof, poly doors. Installed with full windshield will help keep dust out of operator station.</i>	204.37
BM25999		Canvas Roof / Rear Panel <i>Includes one piece roof / rear panel. Compatible with poly doors, full flip-out windshield. NOT compatible with glass windshield.</i>	355.24
BM23373		Full Abrasion Resistant Flip-out Windshield	556.40
BM24737		OPS Side Mirrors	190.46
BM25958		ORS Net Kit <i>Available through Parts.</i>	139.10
BM24796		Poly Cab Door Side Mirrors	171.20
BM24817		Poly Cab Doors <i>Includes left and right doors. Requires full windshield, OPS rear panel, and poly roof to complete poly cab.</i>	2,146.41
BM25014		Poly Rear Panel <i>Part of the Poly cab, or can be mounted on the OPS alone. Requires full windshield, poly cab doors, and poly roof to complete poly cab. Installed with full windshield will help keep dust out of operator station.</i>	525.37
BM23397		Poly Roof - Black	360.59

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

PR15 - XUV560 Utility & Protection Package (MY16)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM25967	Rear Dust Panel <i>Not compatible with OPS Poly Cab. Installed with full windshield will help keep dust out of operator station.</i>	355.24
	BM23396	Rear Metal Screen <i>Includes headrests.</i>	300.67
	LP37050	Soft Cab - Black <i>Requires front windshield. Available through Order Zone.</i>	219.99
	LP37046	Soft Roof - Black <i>Available through Order Zone.</i>	32.99
	BM25103	Windshield Washer Kit	306.01
		Cargo Box Options / Storage:	
	BM23849	5 Gallon Pail Holder <i>Cargo box rails required.</i>	40.66
	BM23371	Box Mat	123.06
	BM25960	Cargo Box Power Lift	821.76
	BM23526	Cargo Box Rails	117.70
	BM23384	Cargo Box Wall Extensions <i>Requires cargo box rails. Not compatible with poly cab.</i>	353.10
	BM23360	Front Rack <i>Requires Front Brushguard for mounting.</i>	260.01
	BM24200	Glove Box Lock	12.84
	LP66151	MOLLE Device Pouch - Black <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	24.95
	LP66150	MOLLE Device Pouch - Camo <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	28.95
	LP66153	MOLLE Fire Extinguisher Pouch - Black <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	33.95
	LP66152	MOLLE Fire Extinguisher Pouch - Camo <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	38.95
	LP66149	MOLLE Large Pouch - Black <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	33.95
	LP66148	MOLLE Large Pouch - Camo <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	38.95

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

PR15 - XUV560 Utility & Protection Package (MY16)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LP66147	MOLLE Small Pouch - Black <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	28.95
	LP66146	MOLLE Small Pouch - Camo <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	33.95
	LP37044	OPS Overhead Organizer - Black <i>Available through Order Zone.</i>	65.99
	BM23385	Tire Rack <i>Requires cargo box rails.</i>	223.63
		Carts / Hitches:	
	LPPCT17ATJD	17AT Cart <i>Available through Order Zone.</i>	799.00
	BM23363	2" Front Receiver Hitch and Recovery Loops	117.70
	LPUT21JD	21 Steel Utility Cart <i>Available through Order Zone.</i>	919.00
	PM05101	Ball Mount - 1.875 in. (48mm)	11.03
	PM05201	Ball Mount - 2 in. (51mm)	11.80
	BM22290	Drawbar - 2 in. (51mm)	41.73
		Custom & High Performance:	
	BM25923	Seat-Belt Comfort Strap (2)	93.09
	BM26748	Speedometer Kit <i>For use on XUV560 MY16.</i>	161.57
	BM23933	Sport Steering Wheel	211.86
	BM23379	Stereo and Speaker Kit <i>Includes mounting kit only; must choose one of the following three head units to have complete stereo: Radio, Heavy Duty AM / FM / WB / AUX (SWJHD1130) Radio, Heavy Duty AM / FM / WB / AUX / SAT / I-POD (SWJHD1630) Radio, AM / FM / WB / CD / AUX / SAT / I-POD / Bluetooth / Microphone (SWJHD3630MIC) Must order head unit through Parts. Reference Parts for additional accessories such as external antennas and Bluetooth microphones.</i>	676.24
		Engine:	
	BM26067	Engine Oil Temperature Sensor Kit	74.90
	BM23438	High Capacity Alternator <i>55 Amps.</i>	732.96
		Hunting / Camo:	
	LP37041	Vehicle Cover - Transportable (Camo) <i>Available through Order Zone.</i>	179.95
		Lights / Signals:	
	BM23369	Backup Alarm	105.93

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

PR15 - XUV560 Utility & Protection Package (MY16)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM25553		Beacon Light <i>Requires OPS Poly Roof and OPS Switch Bank. Also requires Beacon Light Harness Kit.</i>	248.24
BM26182		Beacon Light Harness Kit <i>Required with Beacon Light.</i>	70.61
BM25965		Brake and Tail Light Kit	65.27
BM25619		Brush Guard Light Harness Kit <i>Required with LED light kits or Work Lights (Halogens).</i>	118.77
BM25620		Front OPS/Roof Light Harness Kit <i>Required with LED light kits or Work Lights (Halogens). Also requires OPS Switch Bank.</i>	86.67
BM23370		Horn Kit	99.51
BM25704		LED Driving Lights <i>Can be installed on brushguard, OPS and roof (front or rear). Requires OPS Switch Bank for OPS or roof mounting. Requires necessary Light Harness Kit based on desired light mounting location.</i>	432.29
BM25705		LED Work Lights <i>Can be installed on brushguard, OPS and roof (front or rear). Requires OPS Switch Bank for OPS or roof mounting. Requires necessary Light Harness Kit based on desired light mounting location.</i>	345.61
BM24089		OPS Switch Bank <i>Accommodates up to three separate OPS accessory kits.</i>	72.76
BM25731		Rear OPS/Roof Light Harness Kit <i>Required with LED light kits or Work Lights (Halogens). Also requires OPS Switch Bank.</i>	86.67
BM26180		Turn Signal Kit <i>Includes flashers, turn signals (front & rear), and back-up lights. Requires OPS Poly Roof for installation. Also requires Turn Signal Light Harness Kit.</i>	334.91
BM26183		Turn Signal Light Harness Kit <i>Required with Turn Signal Kit.</i>	140.17
BM25544		Work Lights (Halogens) <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brush Guard for brush guard mounting, also requires necessary Light Harness Kit based on desired light mounting location.</i>	118.77
BM25148		Operator Environment: OPS Rear View Mirror	87.74
BRE10015		Operator's Station Cell phone mount kit	61.60
BM23309		Protection: CV Guards <i>Aluminum.</i>	153.01
BM23368		Floor Mat	82.39
BM23365		Front Brushguard	344.54

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

PR15 - XUV560 Utility & Protection Package (MY16)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM23394	Front Fender Guards <i>Requires Front Brushguard</i>	190.46
	LP66658	Front Seat Cover - Black <i>Available through Order Zone.</i>	182.95
	LP66659	Front Seat Cover - Camo <i>Available through Order Zone.</i>	182.95
	BM24095	Full Underbody Skid Plate	167.99
	BM23362	Rear Bumper	202.23
	LP37036	Vehicle Cover - Black <i>Available through Order Zone.</i>	78.99
	LP37040	Vehicle Cover - Transportable (Black)	144.99
		Sprayers / Pressure Washers:	
	LP39965	25 Gallon Bed Sprayer <i>Available through Order Zone.</i>	524.95
	LP39964	45 Gallon Bed Sprayer <i>Available through Order Zone.</i>	599.95
	LP39098	45 Gallon High Performance Bed Sprayer <i>Available through Order Zone.</i>	789.95
	LP20485	45 Gallon Tow-Behind Sprayer <i>Available through Order Zone.</i>	624.95
	LP22885	HP 150 in. Precision Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	239.95
	LP39963	HP 45 Gallon Sprayer - Tow Behind <i>Available through Order Zone.</i>	714.95
	LP22884	HP Boomless Nozzles <i>Compatible with HP sprayers. Available through Order Zone.</i>	145.95
	LP22911	HP Standard Gator Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	64.95
		Spreaders:	
	LP49056	3 cu. ft. Fertilizer Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	1,199.00
	LP49055	3 cu. ft. Salt Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	849.00
	LP53513	Spreader Hitch and Controls <i>Required with salt and fertilizer spreader. Available through Order Zone.</i>	549.00

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

PR15 - XUV560 Utility & Protection Package (MY16)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Winch:	
BM26248		WARN ProVantage 3500 lb Winch <i>Requires winch mounting kit and also requires 2 In. Front Receiver Hitch with Recovery Loops for mounting.</i>	603.49
BM21392		Winch Accessories Kit <i>Accessory kit includes 1/2" shackle, 9,000 lbs. maximum capacity snatch block, (2) 1"x8' tree trunk protectors.</i>	135.89
BM26249		Winch Mounting Kit (for non winch ready vehicles) <i>Only power steering models come winch ready. Required to mount WARN 3500 lb winch. Kit includes wire harnesses and all necessary hardware to mount winch to bumper.</i>	203.30

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

PR15 - XUV560 S4 Base (MY16)
 Equipment for Base Machine

<p>ENGINE: 570cc, 16 HP (12 kW)* 4-cycle, 2 cylinder, gas, dynamically tuned carburetor Air cooled Full pressure lubrication Replaceable single dry-type element air cleaner with remote intake Inductive coil ignition Spark-arresting muffler</p> <p>ELECTRICAL: Electric start 16 Amp regulated stator type alternator 340 CCA battery Two 37.5 watt halogen headlights (1) 12V power outlet Available brake light kit</p> <p>TRANSAXLE/TRANSMISSION: Continuously Variable Transmission (CVT) with full clutch enclosure H, L, N, R transaxle with lockable rear differential Operator selectable 4WD Limited slip front differential 28 mph (45 kph) maximum forward speed Large diameter half shafts with TPE boots</p> <p>BRAKES: Front and rear hydraulic disk brakes with large 196mm stainless steel rotors Foot-operated park brake</p> <p>STEERING/SUSPENSION: Rack and Pinion Steering 19.7 ft. (6.0m) Turning Circle Independent front dual A-arm suspension with anti-roll bar; 8 in. (203mm) of travel Independent rear H-arm</p>	<p>suspension with camber link; 8 in. (203mm) of travel</p> <p>FRAME: Robotically welded high-strength steel frame Integrated 2 in. (50mm) rear receiver Optional 2 in. (50mm) front receiver with recovery loops</p> <p>OCCUPANT PROTECTIVE STRUCTURE (OPS): OSR (Occupant Side Retention) Nets standard 1.75 In. (44.4 mm) steel tubular overhead structure Passenger handhold SAE J2194 & OSHA ROPS Certified</p> <p>OPERATOR STATION: 4 occupant capacity bench seats 3-point seat belts Hip restraint bars for driver and passengers Sealed glove box Sealed storage compartment under hood Optional sealed storage compartment under seat Two cup holders in dash Fuel sight gauge Instrument cluster with hour meter and seat belt reminder</p> <p>DIMENSIONS: 144 in. (3.7m) long x 56.5 in. (1.4m) wide x 73.5 in. (1.9m) high Front tread centers: 48 in. (1.2m) Rear tread centers: 46 in. (1.16m) Wheelbase: 108 in. (2.7m) Ground Clearance: 9.3 in. (236mm)</p> <p>WEIGHT/CAPACITIES:</p>	<p>Weight (including fuel/fluids): 1497 lbs. (679 kg.) Payload Capacity: 1200 lbs. (544 kg.) Towing Capacity: 1,100 lbs. (499 kg.) 4.9 Gallon (18.5L) fuel tank</p> <p>CARGO BOX: Material: High-density composite Dimensions: 32.3 In. (82cm) Long x 47.6 In. (121cm) Wide x 11.7 In. (29.7cm) Deep Volume: 8.9 cu. ft (0.25 cu.m) Capacity: 400 Lbs (181 kg) Dump: 2-sided manual release with optional power lift Tailgate: Hinged, one-handed operation, toolless removal</p> <p>CONVERTIBLE CARGO RACK: 23.5 in. (59.7 cm.) Long x 38.8 in. (98.6 cm) Wide x 8.1 in. (20.6 cm) Deep 4.3 cu. ft (0.12 cu.m) Capacity 200 Lbs (90.7 kg) Rack Capacity</p> <p>MISCELLANEOUS: Safety and Operational DVD Operator's Manual</p> <p>*Engine HP is Provided by the Engine Manufacturer to be Used for Comparison Purposes Only, Actual Operating HP will be Less.</p>
--	---	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Janesville, Wisconsin

5390M		PR15 - XUV560 S4 Base (MY16) <i>Base Machine Suggested List Price Does Not Include 650 USD Destination Charge.</i>	9,739.00
-------	--	---	----------

DESTINATION

001A		US / CANADA	In Base Price
------	--	-------------	---------------

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

PR15 - XUV560 S4 Base (MY16)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
COLOR			
2500		Green & Yellow	In Base Price
WHEELS AND TIRES			
1000		25 in. Terra Hawk All Terrain Tires (4 PR) on 12 in. Yellow steel wheels	In Base Price
SEAT			
2022		Bench Seat Front/Rear - Yellow	In Base Price
OCCUPANT PROTECTIVE STRUCTURE (OPS)			
4000		OPS with OSR nets	In Base Price
CARGO BOX LIFT			
3100		Manual Lift	In Base Price
ATTACHMENTS FOR FIELD CONVERSION			
		Ag Management Solutions:	
BM25411		AMS Integration Kit <i>Compatible with poly roof, or on the OPS alone. Kit includes components to mount the Starfire iTC or 3000 receiver and GreenStar 2 1800, GreenStar 2 2600, or GreenStar 3 2630 display.</i>	456.89
		Cabs/Roofs/Windshields:	
BM25259		Abrasion Resistant Half Windshield	266.43
BM26000		Canvas Rear Panel <i>Compatible with poly roof, poly doors. Installed with full windshield will help keep dust out of operator station.</i>	204.37
BM26476		Canvas Roof / Rear Panel <i>Includes one piece roof / rear panel. Compatible with poly doors, full flip-out windshield. NOT compatible with glass windshield.</i>	426.93
BM23373		Full Abrasion Resistant Flip-out Windshield	556.40
BM24737		OPS Side Mirrors	190.46
BM25959		ORS Net Kit (S4) <i>Available through Parts.</i>	301.74
BM24796		Poly Cab Door Side Mirrors	171.20
BM24818		Poly Cab Doors - S4 <i>Includes left and right doors. Requires full windshield, OPS rear panel, and poly roof to complete poly cab.</i>	3,945.09
BM25015		Poly Rear Panel (S4) <i>Can be mounted on the OPS alone. Requires full windshield, poly cab doors, and poly roof to complete poly cab. Installed with full windshield will help keep dust out of operator station.</i>	570.31
BM23398		Poly Roof - Black (S4)	548.91

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

PR15 - XUV560 S4 Base (MY16)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM25967		Rear Dust Panel <i>Not compatible with OPS Poly Cab. Installed with full windshield will help keep dust out of operator station.</i>	355.24
LP37052		Soft Cab (S4) - Black <i>Requires front windshield. Available through Order Zone.</i>	339.99
LP37048		Soft Roof (S4) - Black <i>Available through Order Zone.</i>	43.99
BM25103		Windshield Washer Kit	306.01
		Cargo Box Options / Storage:	
BM23849		5 Gallon Pail Holder <i>Cargo box rails required.</i>	40.66
BM23371		Box Mat	123.06
BM25960		Cargo Box Power Lift	821.76
BM23526		Cargo Box Rails	117.70
BM23384		Cargo Box Wall Extensions <i>Requires cargo box rails. Not compatible with poly cab.</i>	353.10
BM23360		Front Rack <i>Requires Front Brushguard for mounting.</i>	260.01
BM24200		Glove Box Lock	12.84
LP66151		MOLLE Device Pouch - Black <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	24.95
LP66150		MOLLE Device Pouch - Camo <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	28.95
LP66153		MOLLE Fire Extinguisher Pouch - Black <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	33.95
LP66152		MOLLE Fire Extinguisher Pouch - Camo <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	38.95
LP66149		MOLLE Large Pouch - Black <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	33.95
LP66148		MOLLE Large Pouch - Camo <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	38.95
LP66147		MOLLE Small Pouch - Black <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	28.95

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

PR15 - XUV560 S4 Base (MY16)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LP66146	MOLLE Small Pouch - Camo <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	33.95
	LP37044	OPS Overhead Organizer - Black <i>Available through Order Zone.</i>	65.99
	BM23385	Tire Rack <i>Requires cargo box rails.</i>	223.63
	BM26307	Underseat Storage	112.36
		Carts / Hitches:	
	LPPCT17ATJD	17AT Cart <i>Available through Order Zone.</i>	799.00
	BM23363	2" Front Receiver Hitch and Recovery Loops	117.70
	LPUT21JD	21 Steel Utility Cart <i>Available through Order Zone.</i>	919.00
	PM05101	Ball Mount - 1.875 in. (48mm)	11.03
	PM05201	Ball Mount - 2 in. (51mm)	11.80
	BM22290	Drawbar - 2 in. (51mm)	41.73
		Custom & High Performance:	
	BM25923	Seat-Belt Comfort Strap (2)	93.09
	BM26748	Speedometer Kit <i>For use on XUV560 MY16.</i>	161.57
	BM23933	Sport Steering Wheel	211.86
	BM23379	Stereo and Speaker Kit <i>Includes mounting kit only; must choose one of the following three head units to have complete stereo: Radio, Heavy Duty AM / FM / WB / AUX (SWJHD1130) Radio, Heavy Duty AM / FM / WB / AUX / SAT / I-POD (SWJHD1630) Radio, AM / FM / WB / CD / AUX / SAT / I-POD / Bluetooth / Microphone (SWJHD3630MIC) Must order head unit through Parts. Reference Parts for additional accessories such as external antennas and Bluetooth microphones.</i>	676.24
		Engine:	
	BM26067	Engine Oil Temperature Sensor Kit	74.90
	BM23438	High Capacity Alternator <i>55 Amps.</i>	732.96
		Hunting / Camo:	
	LP37039	Vehicle Cover (S4) - Camo <i>Available through Order Zone.</i>	129.95
	LP37043	Vehicle Cover (S4) - Transportable (Camo) <i>Available through Order Zone.</i>	189.95
		Lights / Signals:	

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

PR15 - XUV560 S4 Base (MY16)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM23369		Backup Alarm	105.93
BM25553		Beacon Light <i>Requires OPS Poly Roof and OPS Switch Bank. Also requires Beacon Light Harness Kit.</i>	248.24
BM26181		Beacon Light Harness Kit (S4) <i>Required with Beacon Light.</i>	70.61
BM25965		Brake and Tail Light Kit	65.27
BM25619		Brush Guard Light Harness Kit <i>Required with LED light kits or Work Lights (Halogens).</i>	118.77
BM25620		Front OPS/Roof Light Harness Kit <i>Required with LED light kits or Work Lights (Halogens). Also requires OPS Switch Bank.</i>	86.67
BM23370		Horn Kit	99.51
BM25704		LED Driving Lights <i>Can be installed on brushguard, OPS and roof (front or rear). Requires OPS Switch Bank for OPS or roof mounting. Requires necessary Light Harness Kit based on desired light mounting location.</i>	432.29
BM25705		LED Work Lights <i>Can be installed on brushguard, OPS and roof (front or rear). Requires OPS Switch Bank for OPS or roof mounting. Requires necessary Light Harness Kit based on desired light mounting location.</i>	345.61
BM24273		Mid-Range Light Kit (rear S4 Only) <i>Requires OPS Switch Bank. Compatible with OPS Poly Roofs, or on the OPS alone.</i>	128.40
BM24089		OPS Switch Bank <i>Accommodates up to three separate OPS accessory kits.</i>	72.76
BM25621		Rear OPS/Roof Light Harness Kit (S4) <i>Required with LED light kits or Work Lights (Halogens). Also requires OPS Switch Bank.</i>	86.67
BM26180		Turn Signal Kit <i>Includes flashers, turn signals (front & rear), and back-up lights. Requires OPS Poly Roof for installation. Also requires Turn Signal Light Harness Kit.</i>	334.91
BM26183		Turn Signal Light Harness Kit <i>Required with Turn Signal Kit.</i>	140.17
BM25544		Work Lights (Halogens) <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brush Guard for brush guard mounting, also requires necessary Light Harness Kit based on desired light mounting location.</i>	118.77
BM25148		Operator Environment: OPS Rear View Mirror	87.74
BRE10015		Operator's Station Cell phone mount kit	61.60
BM23309		Protection: CV Guards <i>Aluminum.</i>	153.01

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

PR15 - XUV560 S4 Base (MY16)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM23884		Floor Mat - S4 <i>Front and rear mats.</i>	167.99
BM23365		Front Brushguard	344.54
BM23394		Front Fender Guards <i>Requires Front Brushguard</i>	190.46
BM23362		Rear Bumper	202.23
LP67306		Rear Seat Cover S4 - Black <i>Available through Order Zone.</i>	172.95
LP67307		Rear Seat Cover S4 - Camo <i>Available through Order Zone.</i>	172.95
LP37038		Vehicle Cover (S4) - Black <i>Available through Order Zone.</i>	92.99
LP37042		Vehicle Cover (S4) - Transportable (Black) <i>Available through Order Zone.</i>	163.99
		Sprayers / Pressure Washers:	
LP39965		25 Gallon Bed Sprayer <i>Available through Order Zone.</i>	524.95
LP39964		45 Gallon Bed Sprayer <i>Available through Order Zone.</i>	599.95
LP39098		45 Gallon High Performance Bed Sprayer <i>Available through Order Zone.</i>	789.95
LP20485		45 Gallon Tow-Behind Sprayer <i>Available through Order Zone.</i>	624.95
LP22885		HP 150 in. Precision Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	239.95
LP39963		HP 45 Gallon Sprayer - Tow Behind <i>Available through Order Zone.</i>	714.95
LP22884		HP Boomless Nozzles <i>Compatible with HP sprayers. Available through Order Zone.</i>	145.95
LP22911		HP Standard Gator Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	64.95
		Spreaders:	
LP49056		3 cu. ft. Fertilizer Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	1,199.00
LP49055		3 cu. ft. Salt Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	849.00

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

PR15 - XUV560 S4 Base (MY16)
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LP53513		Spreader Hitch and Controls <i>Required with salt and fertilizer spreader. Available through Order Zone.</i>	549.00
BM26248		Winch: WARN ProVantage 3500 lb Winch <i>Requires winch mounting kit and also requires 2 In. Front Receiver Hitch with Recovery Loops for mounting.</i>	603.49
BM21392		Winch Accessories Kit <i>Accessory kit includes 1/2" shackle, 9,000 lbs. maximum capacity snatch block, (2) 1"x8' tree trunk protectors.</i>	135.89
BM25587		Winch Mounting Kit - S4 (S4 non winch ready vehicles) <i>Only power steering models come winch ready. Required to mount WARN 3,500 lb S4 winch. Kit includes wire harnesses and all necessary hardware to mount winch to bumper.</i>	203.30

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

PR15 - XUV590i Base (MY16)
Equipment for Base Machine

ENGINE:
 586cc, 32 HP (23.9kW)*
 4-cycle, Inline twin, gas,
 Electronic Fuel Injection (EFI)
 Liquid Cooled
 Wet sump lubrication
 Replaceable single dry-type
 element air cleaner with remote
 intake
 Digital IDI, ECU controlled
 ignition
 Spark-arresting muffler with
 catalyst

ELECTRICAL:
 Electric start
 65 amp belt driven alternator
 340 CCA battery
 Two 37.5 watt halogen headlights
 (1) 12V power outlet
 Pre-wired for winch on power
 steering models
 Standard OPS mounted brake /
 taillight

TRANSAXLE/TRANSMISSION:
 Continuously Variable
 Transmission (CVT) with full
 clutch enclosure
 H, L, N, R transaxle with
 lockable rear differential
 Operator selectable 4WD
 Limited slip front differential
 45 mph (72 kph) maximum forward
 speed
 Large diameter half shafts with
 TPE boots

BRAKES:
 Front and rear hydraulic disk
 brakes with large 196mm
 stainless steel rotors
 Foot-operated park brake

STEERING/SUSPENSION:
 Rack and Pinion Steering
 Optional power steering
 12.3 ft. (3.75m) Turning Circle

Independent front dual A-arm
 suspension with anti-roll bar; 8
 in. (203mm) of travel
 Independent rear H-arm
 suspension with camber link; 8
 in. (203mm) of travel

FRAME:
 Robotically welded high-strength
 steel frame
 Integrated 2 in. (50mm) rear
 receiver
 Optional 2 in. (50mm) front
 receiver with recovery loops

**OCCUPANT PROTECTIVE STRUCTURE
 (OPS):**
 OSR (Occupant Side Retention)
 Nets standard
 1.75 In. (44.4 mm) steel tubular
 overhead structure
 Passenger handhold
 SAE J2194 & OSHA ROPS Certified

OPERATOR STATION:
 2 occupant capacity bench seat
 3-point seat belts
 Hip restraint bars for driver
 and passenger
 Sealed glove box
 Sealed storage compartment under
 hood
 Two cup holders in dash
 Digital instrument cluster
 displays system diagnostic
 light, engine oil pressure
 light, park brake light, seat
 belt indicator light, fuel
 level, 4WD indicator, vehicle
 speed/rpm, coolant temperature,
 odometer, battery indicator,
 hour meter, and clock

DIMENSIONS:
 113 in. (2.9m) long x 56.5 in.
 (1.4m) wide x 73.5 in. (1.9m)
 high
 Front tread centers: 48 in.

(1.2m)
 Rear tread centers: 46 in.
 (1.16m)
 Wheelbase: 72.8 in. (1.8m)
 Ground Clearance: 10.5 in.
 (267mm)

WEIGHT/CAPACITIES:
 Weight (including fuel/fluids):
 1421 lbs. (645 kg.)
 Payload Capacity: 800 lbs. (363
 kg.)
 Towing Capacity: 1,100 lbs. (499
 kg.)
 7.4 Gallon (28L) fuel tank

CARGO BOX:
 Material: High-density composite
 Dimensions: 32.3 In. (82cm) Long
 x 47.6 In. (121cm) Wide x 11.7
 In. (29.7cm) Deep
 Volume: 8.9 cu. ft. (0.25 cu.m)
 Capacity: 400 lbs. (181 kg)
 Dump: 2-sided manual release
 with optional power lift
 Tailgate: Hinged, one-handed
 operation, tool-less removal

MISCELLANEOUS:
 Safety and Operational DVD
 Operator's Manual

*Engine HP is Provided by the
 Engine Manufacturer to be Used
 for Comparison Purposes Only,
 Actual Operating HP will be
 Less.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Janesville, Wisconsin

5170M	PR15 - XUV590i Base (MY16) <i>Base Machine Suggested List Price Does Not Include 550 USD Destination Charge.</i>	9,999.00
-------	---	----------

DESTINATION

001A	US / CANADA	In Base Price
------	-------------	---------------

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

PR15 - XUV590i Base (MY16)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
COLOR			
2500		Green & Yellow	In Base Price
2501		Olive & Black	100.00
WHEELS AND TIRES			
1000		25 in. Terra Hawk All Terrain Tires (4 Ply) on 12 In. Yellow steel wheels	Same Price
1002		25 in. Ancla M-T Extreme Terrain Tires (4 Ply) on 12 in. Yellow steel wheels	In Base Price
1003		25 in. Ancla M-T Extreme Terrain Tires (4 Ply) on 12 in. Black steel wheels	Same Price
SEAT			
2006		Bench Seat - Yellow	In Base Price
2007		Bench Seat - Black	Same Price
OCCUPANT PROTECTION STRUCTURES (OPS)			
4002		OPS with brake / taillight and OSR nets	In Base Price
CARGO BOX LIFT			
3100		Manual Lift	In Base Price
ATTACHMENTS FOR FIELD CONVERSION			
		Ag Management Solutions:	
BM25411		AMS Integration Kit <i>Compatible with poly roof, or on the OPS alone. Kit includes components to mount the Starfire iTC or 3000 receiver and GreenStar 2 1800, GreenStar 2 2600, or GreenStar 3 2630 display.</i>	456.89
		Cabs/Roofs/Windshields:	
BM25259		Abrasion Resistant Half Windshield	266.43
BM26298		Cab Heater	863.49
BM26001		Canvas Cab Doors <i>Includes left and right canvas doors. Compatible with poly roof, canvas roof/rear panel, poly rear panel, poly rear window, full flip-out windshield, glass windshield.</i>	971.56
BM26000		Canvas Rear Panel <i>Compatible with poly roof, canvas doors, poly doors. Installed with full windshield will help keep dust out of operator station.</i>	204.37
BM25999		Canvas Roof / Rear Panel <i>Includes one piece roof / rear panel. Compatible with canvas doors, poly doors, full flip-out windshield. NOT compatible with glass windshield.</i>	355.24
BM23373		Full Abrasion Resistant Flip-out Windshield	556.40
BM24737		OPS Side Mirrors	190.46
BM25958		ORS Net Kit <i>Available through Parts.</i>	139.10

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

PR15 - XUV590i Base (MY16)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM25969		Poly Cab Door Closeout Panels <i>Required with poly cab doors on XUV590i and XUV590i S4.</i>	108.07
BM24796		Poly Cab Door Side Mirrors	171.20
BM24817		Poly Cab Doors <i>Requires poly cab door closeout panels. Includes left and right poly doors. Requires full windshield, OPS rear panel, and poly roof to complete poly cab.</i>	2,146.41
BM25014		Poly Rear Panel <i>Part of the Poly cab, or can be mounted on the OPS alone. Requires full windshield, poly cab doors, and poly roof to complete poly cab. Installed with full windshield will help keep dust out of operator station.</i>	525.37
BM23397		Poly Roof - Black	360.59
BM23853		Poly Roof - Camo	772.54
BM25967		Rear Dust Panel <i>Not compatible with OPS Poly Cab. Installed with full windshield will help keep dust out of operator station.</i>	355.24
BM23396		Rear Metal Screen <i>Includes headrests.</i>	300.67
BM25103		Windshield Washer Kit	306.01
		Cargo Box Options / Storage:	
BM23849		5 Gallon Pail Holder <i>Cargo box rails required.</i>	40.66
BM23371		Box Mat	123.06
BM24812		Cargo Box Power Lift	808.91
BM23526		Cargo Box Rails	117.70
BM23384		Cargo Box Wall Extensions <i>Requires cargo box rails. Not compatible with poly cab.</i>	353.10
BM23360		Front Rack <i>Requires Front Brushguard for mounting.</i>	260.01
BM24200		Glove Box Lock	12.84
LP66151		MOLLE Device Pouch - Black <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	24.95
LP66150		MOLLE Device Pouch - Camo <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	28.95
LP66153		MOLLE Fire Extinguisher Pouch - Black <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	33.95

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

PR15 - XUV590i Base (MY16)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LP66152		MOLLE Fire Extinguisher Pouch - Camo <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	38.95
LP66149		MOLLE Large Pouch - Black <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	33.95
LP66148		MOLLE Large Pouch - Camo <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	38.95
LP66147		MOLLE Small Pouch - Black <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	28.95
LP66146		MOLLE Small Pouch - Camo <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	33.95
LP37044		OPS Overhead Organizer - Black <i>Available through Order Zone.</i>	65.99
LP37045		OPS Overhead Organizer - Camo <i>Available through Order Zone.</i>	59.95
BM23385		Tire Rack <i>Requires cargo box rails.</i>	223.63
		Carts / Hitches:	
LPPCT17ATJD		17AT Cart <i>Available through Order Zone.</i>	799.00
BM23363		2" Front Receiver Hitch and Recovery Loops	117.70
LPUT21JD		21 Steel Utility Cart <i>Available through Order Zone.</i>	919.00
PM05101		Ball Mount - 1.875 in. (48mm)	11.03
PM05201		Ball Mount - 2 in. (51mm)	11.80
BM22290		Drawbar - 2 in. (51mm)	41.73
		Custom & High Performance:	
BM25923		Seat-Belt Comfort Strap (2)	93.09
BM23933		Sport Steering Wheel	211.86
BM23379		Stereo and Speaker Kit <i>Includes mounting kit only; must choose one of the following three head units to have complete stereo: Radio, Heavy Duty AM / FM / WB / AUX (SWJHD1130) Radio, Heavy Duty AM / FM / WB / AUX / SAT / I-POD (SWJHD1630) Radio, AM / FM / WB / CD / AUX / SAT / I-POD / Bluetooth / Microphone (SWJHD3630MIC) Must order head unit through Parts. Reference Parts for additional accessories such as external antennas and Bluetooth microphones.</i>	676.24
		Engine:	

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

PR15 - XUV590i Base (MY16)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM25800		Speed Limiter Kit <i>Reduces vehicle top speed to 28mph (45kph).</i>	103.79
LP37041		Hunting / Camo: Vehicle Cover - Transportable (Camo) <i>Available through Order Zone.</i>	179.95
BM23369		Lights / Signals: Backup Alarm	105.93
BM25553		Beacon Light <i>Requires OPS Poly Roof and OPS Switch Bank. Also requires Beacon Light Harness Kit.</i>	248.24
BM26182		Beacon Light Harness Kit <i>Required with Beacon Light.</i>	70.61
BM25619		Brush Guard Light Harness Kit <i>Required with LED light kits or Work Lights (Halogens).</i>	118.77
BM25620		Front OPS/Roof Light Harness Kit <i>Required with LED light kits or Work Lights (Halogens). Also requires OPS Switch Bank.</i>	86.67
BM23370		Horn Kit	99.51
BM25704		LED Driving Lights <i>Can be installed on brushguard, OPS and roof (front or rear). Requires OPS Switch Bank for OPS or roof mounting. Requires necessary Light Harness Kit based on desired light mounting location.</i>	432.29
BM25705		LED Work Lights <i>Can be installed on brushguard, OPS and roof (front or rear). Requires OPS Switch Bank for OPS or roof mounting. Requires necessary Light Harness Kit based on desired light mounting location.</i>	345.61
BM24089		OPS Switch Bank <i>Accommodates up to three separate OPS accessory kits.</i>	72.76
BM25731		Rear OPS/Roof Light Harness Kit <i>Required with LED light kits or Work Lights (Halogens). Also requires OPS Switch Bank.</i>	86.67
BM26180		Turn Signal Kit <i>Includes flashers, turn signals (front & rear), and back-up lights. Requires OPS Poly Roof for installation. Also requires Turn Signal Light Harness Kit.</i>	334.91
BM26183		Turn Signal Light Harness Kit <i>Required with Turn Signal Kit.</i>	140.17
BM25544		Work Lights (Halogens) <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brush Guard for brush guard mounting, also requires necessary Light Harness Kit based on desired light mounting location.</i>	118.77
BM25148		Operator Environment: OPS Rear View Mirror	87.74
BRE10015		Operator's Station Cell phone mount kit	61.60

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

PR15 - XUV590i Base (MY16)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Protection:	
BM23309		CV Guards <i>Aluminum.</i>	153.01
BM25743		Floor Mat	81.31
BM23365		Front Brushguard	344.54
BM23394		Front Fender Guards <i>Requires Front Brushguard. Not compatible with nerf bars.</i>	190.46
LP66658		Front Seat Cover - Black <i>Available through Order Zone.</i>	182.95
LP66659		Front Seat Cover - Camo <i>Available through Order Zone.</i>	182.95
BM23361		Nerf Bars <i>Not compatible with front fender guards.</i>	264.29
BM23362		Rear Bumper	202.23
LP37036		Vehicle Cover - Black <i>Available through Order Zone.</i>	78.99
LP37040		Vehicle Cover - Transportable (Black)	144.99
Sprayers / Pressure Washers:			
LP39965		25 Gallon Bed Sprayer <i>Available through Order Zone.</i>	524.95
LP39964		45 Gallon Bed Sprayer <i>Available through Order Zone.</i>	599.95
LP39098		45 Gallon High Performance Bed Sprayer <i>Available through Order Zone.</i>	789.95
LP20485		45 Gallon Tow-Behind Sprayer <i>Available through Order Zone.</i>	624.95
LP22885		HP 150 in. Precision Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	239.95
LP39963		HP 45 Gallon Sprayer - Tow Behind <i>Available through Order Zone.</i>	714.95
LP22884		HP Boomless Nozzles <i>Compatible with HP sprayers. Available through Order Zone.</i>	145.95
LP22911		HP Standard Gator Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	64.95
Spreaders:			
LP49056		3 cu. ft. Fertilizer Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	1,199.00

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

PR15 - XUV590i Base (MY16)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LP49055	3 cu. ft. Salt Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	849.00
	LP53513	Spreader Hitch and Controls <i>Required with salt and fertilizer spreader. Available through Order Zone.</i>	549.00
	BM26248	Winch: WARN ProVantage 3500 lb Winch <i>Requires winch mounting kit and also requires 2 In. Front Receiver Hitch with Recovery Loops for mounting.</i>	603.49
	BM21392	Winch Accessories Kit <i>Accessory kit includes 1/2" shackle, 9,000 lbs. maximum capacity snatch block, (2) 1"x8' tree trunk protectors.</i>	135.89
	BM26249	Winch Mounting Kit (for non winch ready vehicles) <i>Only power steering models come winch ready. Required to mount WARN 3500 lb winch. Kit includes wire harnesses and all necessary hardware to mount winch to bumper.</i>	203.30

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

PR15 - XUV590i Power Steering winch ready (MY16)
 Equipment for Base Machine

ENGINE:
 586cc, 32 HP (23.9kW)*
 4-cycle, Inline twin, gas,
 Electronic Fuel Injection (EFI)
 Liquid Cooled
 Wet sump lubrication
 Replaceable single dry-type
 element air cleaner with remote
 intake
 Digital IDI, ECU controlled
 ignition
 Spark-arresting muffler with
 catalyst

ELECTRICAL:
 Electric start
 65 amp belt driven alternator
 340 CCA battery
 Two 37.5 watt halogen headlights
 (1) 12V power outlet
 Pre-wired for winch on power
 steering models
 Standard OPS mounted brake /
 taillight

TRANSAXLE/TRANSMISSION:
 Continuously Variable
 Transmission (CVT) with full
 clutch enclosure
 H, L, N, R transaxle with
 lockable rear differential
 Operator selectable 4WD
 Limited slip front differential
 45 mph (72 kph) maximum forward
 speed
 Large diameter half shafts with
 TPE boots

BRAKES:
 Front and rear hydraulic disk
 brakes with large 196mm
 stainless steel rotors
 Foot-operated park brake

STEERING/SUSPENSION:
 Rack and Pinion Steering
 Optional power steering
 12.3 ft. (3.75m) Turning Circle

Independent front dual A-arm
 suspension with anti-roll bar; 8
 in. (203mm) of travel
 Independent rear H-arm
 suspension with camber link; 8
 in. (203mm) of travel

FRAME:
 Robotically welded high-strength
 steel frame
 Integrated 2 in. (50mm) rear
 receiver
 Optional 2 in. (50mm) front
 receiver with recovery loops

**OCCUPANT PROTECTIVE STRUCTURE
 (OPS):**
 OSR (Occupant Side Retention)
 Nets standard
 1.75 In. (44.4 mm) steel tubular
 overhead structure
 Passenger handhold
 SAE J2194 & OSHA ROPS Certified

OPERATOR STATION:
 2 occupant capacity bench seat
 3-point seat belts
 Hip restraint bars for driver
 and passenger
 Sealed glove box
 Sealed storage compartment under
 hood
 Two cup holders in dash
 Digital instrument cluster
 displays system diagnostic
 light, engine oil pressure
 light, park brake light, seat
 belt indicator light, fuel
 level, 4WD indicator, vehicle
 speed/rpm, coolant temperature,
 odometer, battery indicator,
 hour meter, and clock

DIMENSIONS:
 113 in. (2.9m) long x 56.5 in.
 (1.4m) wide x 73.5 in. (1.9m)
 high
 Front tread centers: 48 in.

(1.2m)
 Rear tread centers: 46 in.
 (1.16m)
 Wheelbase: 72.8 in. (1.8m)
 Ground Clearance: 10.5 in.
 (267mm)

WEIGHT/CAPACITIES:
 Weight (including fuel/fluids):
 1421 lbs. (645 kg.)
 Payload Capacity: 800 lbs. (363
 kg.)
 Towing Capacity: 1,100 lbs. (499
 kg.)
 7.4 Gallon (28L) fuel tank

CARGO BOX:
 Material: High-density composite
 Dimensions: 32.3 In. (82cm) Long
 x 47.6 In. (121cm) Wide x 11.7
 In. (29.7cm) Deep
 Volume: 8.9 cu. ft. (0.25 cu.m)
 Capacity: 400 lbs. (181 kg)
 Dump: 2-sided manual release
 with optional power lift
 Tailgate: Hinged, one-handed
 operation, tool-less removal

MISCELLANEOUS:
 Safety and Operational DVD
 Operator's Manual

*Engine HP is Provided by the
 Engine Manufacturer to be Used
 for Comparison Purposes Only,
 Actual Operating HP will be
 Less.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Janesville, Wisconsin

5171M	PR15 - XUV590i Power Steering winch ready (MY16) <i>Base Machine Suggested List Price Does Not Include 550 USD Destination Charge.</i>	11,359.00
-------	---	-----------

DESTINATION

001A	US / CANADA	In Base Price
------	-------------	---------------

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

PR15 - XUV590i Power Steering winch ready (MY16)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
COLOR			
2500		Green & Yellow	In Base Price
2501		Olive & Black	100.00
2502		Realtree Hardwoods HD Camo	650.00
WHEELS AND TIRES			
1000		25 in. Terra Hawk All Terrain Tires (4 Ply) on 12 In. Yellow steel wheels	In Base Price
1003		25 in. Ancla M-T Extreme Terrain Tires (4 Ply) on 12 in. Black steel wheels	Same Price
1008		26 in. Maxxis Bighorn 2.0 Tires (6 Ply) on 14 in. Yellow alloy wheels	862.00
1009		26 in. Maxxis Bighorn 2.0 Tires (6 Ply) on 14 in. Black alloy wheels	862.00
SEAT			
2006		Bench Seat - Yellow	In Base Price
2007		Bench Seat - Black	Same Price
OCCUPANT PROTECTION STRUCTURES (OPS)			
4002		OPS with brake / taillight and OSR nets	In Base Price
CARGO BOX LIFT			
3100		Manual Lift	In Base Price

ATTACHMENTS FOR FIELD CONVERSION

BM25411	Ag Management Solutions: AMS Integration Kit <i>Compatible with poly roof, or on the OPS alone. Kit includes components to mount the Starfire iTC or 3000 receiver and GreenStar 2 1800, GreenStar 2 2600, or GreenStar 3 2630 display.</i>	456.89
BM25259	Cabs/Roofs/Windshields: Abrasion Resistant Half Windshield	266.43
BM26298	Cab Heater	863.49
BM26001	Canvas Cab Doors <i>Includes left and right canvas doors. Compatible with poly roof, canvas roof/rear panel, poly rear panel, poly rear window, full flip-out windshield, glass windshield.</i>	971.56
BM26000	Canvas Rear Panel <i>Compatible with poly roof, canvas doors, poly doors. Installed with full windshield will help keep dust out of operator station.</i>	204.37
BM25999	Canvas Roof / Rear Panel <i>Includes one piece roof / rear panel. Compatible with canvas doors, poly doors, full flip-out windshield. NOT compatible with glass windshield.</i>	355.24
BM23373	Full Abrasion Resistant Flip-out Windshield	556.40
BM24737	OPS Side Mirrors	190.46

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

PR15 - XUV590i Power Steering winch ready (MY16)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM25958		ORS Net Kit <i>Available through Parts.</i>	139.10
BM25969		Poly Cab Door Closeout Panels <i>Required with poly cab doors on XUV590i and XUV590i S4.</i>	108.07
BM24796		Poly Cab Door Side Mirrors	171.20
BM24817		Poly Cab Doors <i>Requires poly cab door closeout panels. Includes left and right poly doors. Requires full windshield, OPS rear panel, and poly roof to complete poly cab.</i>	2,146.41
BM25014		Poly Rear Panel <i>Part of the Poly cab, or can be mounted on the OPS alone. Requires full windshield, poly cab doors, and poly roof to complete poly cab. Installed with full windshield will help keep dust out of operator station.</i>	525.37
BM23397		Poly Roof - Black	360.59
BM23853		Poly Roof - Camo	772.54
BM25967		Rear Dust Panel <i>Not compatible with OPS Poly Cab. Installed with full windshield will help keep dust out of operator station.</i>	355.24
BM23396		Rear Metal Screen <i>Includes headrests.</i>	300.67
BM25103		Windshield Washer Kit	306.01
		Cargo Box Options / Storage:	
BM23849		5 Gallon Pail Holder <i>Cargo box rails required.</i>	40.66
BM23371		Box Mat	123.06
BM24812		Cargo Box Power Lift	808.91
BM23526		Cargo Box Rails	117.70
BM23384		Cargo Box Wall Extensions <i>Requires cargo box rails. Not compatible with poly cab.</i>	353.10
BM23360		Front Rack <i>Requires Front Brushguard for mounting.</i>	260.01
BM24200		Glove Box Lock	12.84
LP66151		MOLLE Device Pouch - Black <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	24.95
LP66150		MOLLE Device Pouch - Camo <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	28.95

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

PR15 - XUV590i Power Steering winch ready (MY16)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LP66153		MOLLE Fire Extinguisher Pouch - Black <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	33.95
LP66152		MOLLE Fire Extinguisher Pouch - Camo <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	38.95
LP66149		MOLLE Large Pouch - Black <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	33.95
LP66148		MOLLE Large Pouch - Camo <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	38.95
LP66147		MOLLE Small Pouch - Black <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	28.95
LP66146		MOLLE Small Pouch - Camo <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	33.95
LP37044		OPS Overhead Organizer - Black <i>Available through Order Zone.</i>	65.99
LP37045		OPS Overhead Organizer - Camo <i>Available through Order Zone.</i>	59.95
BM23385		Tire Rack <i>Requires cargo box rails.</i>	223.63
LPPCT17ATJD		Carts / Hitches: 17AT Cart <i>Available through Order Zone.</i>	799.00
BM23363		2" Front Receiver Hitch and Recovery Loops	117.70
LPUT21JD		21 Steel Utility Cart <i>Available through Order Zone.</i>	919.00
PM05101		Ball Mount - 1.875 in. (48mm)	11.03
PM05201		Ball Mount - 2 in. (51mm)	11.80
BM22290		Drawbar - 2 in. (51mm)	41.73
BM25923		Custom & High Performance: Seat-Belt Comfort Strap (2)	93.09
BM23933		Sport Steering Wheel	211.86

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

PR15 - XUV590i Power Steering winch ready (MY16)
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM23379		Stereo and Speaker Kit <i>Includes mounting kit only; must choose one of the following three head units to have complete stereo: Radio, Heavy Duty AM / FM / WB / AUX (SWJHD1130) Radio, Heavy Duty AM / FM / WB / AUX / SAT / I-POD (SWJHD1630) Radio, AM / FM / WB / CD / AUX / SAT / I-POD / Bluetooth / Microphone (SWJHD3630MIC) Must order head unit through Parts. Reference Parts for additional accessories such as external antennas and Bluetooth microphones.</i>	676.24
BM25800		Engine: Speed Limiter Kit <i>Reduces vehicle top speed to 28mph (45kph).</i>	103.79
LP37041		Hunting / Camo: Vehicle Cover - Transportable (Camo) <i>Available through Order Zone.</i>	179.95
BM23369		Lights / Signals: Backup Alarm	105.93
BM25553		Beacon Light <i>Requires OPS Poly Roof and OPS Switch Bank. Also requires Beacon Light Harness Kit.</i>	248.24
BM26182		Beacon Light Harness Kit <i>Required with Beacon Light.</i>	70.61
BM25619		Brush Guard Light Harness Kit <i>Required with LED light kits or Work Lights (Halogens).</i>	118.77
BM25620		Front OPS/Roof Light Harness Kit <i>Required with LED light kits or Work Lights (Halogens). Also requires OPS Switch Bank.</i>	86.67
BM23370		Horn Kit	99.51
BM25704		LED Driving Lights <i>Can be installed on brushguard, OPS and roof (front or rear). Requires OPS Switch Bank for OPS or roof mounting. Requires necessary Light Harness Kit based on desired light mounting location.</i>	432.29
BM25705		LED Work Lights <i>Can be installed on brushguard, OPS and roof (front or rear). Requires OPS Switch Bank for OPS or roof mounting. Requires necessary Light Harness Kit based on desired light mounting location.</i>	345.61
BM24089		OPS Switch Bank <i>Accommodates up to three separate OPS accessory kits.</i>	72.76
BM25731		Rear OPS/Roof Light Harness Kit <i>Required with LED light kits or Work Lights (Halogens). Also requires OPS Switch Bank.</i>	86.67
BM26180		Turn Signal Kit <i>Includes flashers, turn signals (front & rear), and back-up lights. Requires OPS Poly Roof for installation. Also requires Turn Signal Light Harness Kit.</i>	334.91
BM26183		Turn Signal Light Harness Kit <i>Required with Turn Signal Kit.</i>	140.17

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

PR15 - XUV590i Power Steering winch ready (MY16)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM25544		Work Lights (Halogens) <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brush Guard for brush guard mounting, also requires necessary Light Harness Kit based on desired light mounting location.</i>	118.77
BM25148		Operator Environment: OPS Rear View Mirror	87.74
BRE10015		Operator's Station Cell phone mount kit	61.60
BM23309		Protection: CV Guards <i>Aluminum.</i>	153.01
BM25743		Floor Mat	81.31
BM23365		Front Brushguard	344.54
BM23394		Front Fender Guards <i>Requires Front Brushguard. Not compatible with nerf bars.</i>	190.46
LP66658		Front Seat Cover - Black <i>Available through Order Zone.</i>	182.95
LP66659		Front Seat Cover - Camo <i>Available through Order Zone.</i>	182.95
BM23361		Nerf Bars <i>Not compatible with front fender guards.</i>	264.29
BM23362		Rear Bumper	202.23
LP37036		Vehicle Cover - Black <i>Available through Order Zone.</i>	78.99
LP37040		Vehicle Cover - Transportable (Black)	144.99
		Sprayers / Pressure Washers:	
LP39965		25 Gallon Bed Sprayer <i>Available through Order Zone.</i>	524.95
LP39964		45 Gallon Bed Sprayer <i>Available through Order Zone.</i>	599.95
LP39098		45 Gallon High Performance Bed Sprayer <i>Available through Order Zone.</i>	789.95
LP20485		45 Gallon Tow-Behind Sprayer <i>Available through Order Zone.</i>	624.95
LP22885		HP 150 in. Precision Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	239.95
LP39963		HP 45 Gallon Sprayer - Tow Behind <i>Available through Order Zone.</i>	714.95

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

PR15 - XUV590i Power Steering winch ready (MY16)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LP22884	HP Boomless Nozzles <i>Compatible with HP sprayers. Available through Order Zone.</i>	145.95
	LP22911	HP Standard Gator Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	64.95
		Spreaders:	
	LP49056	3 cu. ft. Fertilizer Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	1,199.00
	LP49055	3 cu. ft. Salt Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	849.00
	LP53513	Spreader Hitch and Controls <i>Required with salt and fertilizer spreader. Available through Order Zone.</i>	549.00
		Winch:	
	BM26248	WARN ProVantage 3500 lb Winch <i>Requires winch mounting kit and also requires 2 In. Front Receiver Hitch with Recovery Loops for mounting.</i>	603.49
	BM21392	Winch Accessories Kit <i>Accessory kit includes 1/2" shackle, 9,000 lbs. maximum capacity snatch block, (2) 1"x8' tree trunk protectors.</i>	135.89
	BM26246	Winch Mounting Kit (winch ready vehicles) <i>All power steering models come winch ready. Required to mount WARN 3,500 lb winch. Kit includes wire harnesses and all necessary hardware to mount winch to bumper.</i>	41.73

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

PR15 - XUV590i S4 Base (MY16)
Equipment for Base Machine

ENGINE:
 586cc, 32 HP (23.9kW)*
 4-cycle, Inline twin, gas,
 Electronic Fuel Injection (EFI)
 Liquid Cooled
 Wet sump lubrication
 Replaceable single dry-type
 element air cleaner with remote
 intake
 Digital IDI, ECU controlled
 ignition
 Spark-arresting muffler with
 catalyst

ELECTRICAL:
 Electric start
 65 amp belt driven alternator
 340 CCA battery
 Two 37.5 watt halogen headlights
 (1) 12V power outlet
 Pre-wired for winch on power
 steering models
 Standard OPS mounted brake /
 taillight

TRANSAXLE/TRANSMISSION:
 Continuously Variable
 Transmission (CVT) with full
 clutch enclosure
 H, L, N, R transaxle with
 lockable rear differential
 Operator selectable 4WD
 Limited slip front differential
 45 mph (72 kph) maximum forward
 speed
 Large diameter half shafts with
 TPE boots

BRAKES:
 Front and rear hydraulic disk
 brakes with large 196mm
 stainless steel rotors
 Foot-operated park brake

STEERING/SUSPENSION:
 Rack and Pinion Steering
 Optional power steering
 19.7 ft. (6.0m) Turning Circle
 Independent front dual A-arm
 suspension with anti-roll bar; 8
 in. (203mm) of travel

Independent rear H-arm
 suspension with camber link; 8
 in. (203mm) of travel

FRAME:
 Robotically welded high-strength
 steel frame
 Integrated 2 in. (50mm) rear
 receiver
 Optional 2 in. (50mm) front
 receiver with recovery loops

**OCCUPANT PROTECTIVE STRUCTURE
 (OPS):**
 OSR (Occupant Side Retention)
 Nets standard
 1.75 In. (44.4 mm) steel tubular
 overhead structure
 Passenger handhold
 SAE J2194 & OSHA ROPS Certified

OPERATOR STATION:
 4 occupant capacity bench seats
 3-point seat belts
 Hip restraint bars for driver
 and passengers
 Sealed glove box
 Sealed storage compartment under
 hood
 Optional sealed storage
 compartment under seat
 Two cup holders in dash
 Digital instrument cluster
 displays system diagnostic
 light, engine oil pressure
 light, park brake light, seat
 belt indicator light, fuel
 level, 4WD indicator, vehicle
 speed/rpm, coolant temperature,
 odometer, battery indicator,
 hour meter, and clock

DIMENSIONS:
 144 in. (3.7m) long x 56.5 in.
 (1.4m) wide x 73.5 in. (1.9m)
 high
 Front tread centers: 48 in.
 (1.2m)
 Rear tread centers: 46 in.
 (1.16m)
 Wheelbase: 108 in. (2.7m)

Ground Clearance: 9.3 in.
 (236mm)

WEIGHT/CAPACITIES:
 Weight (including fuel/fluids):
 1646 lbs. (746 kg.)
 Payload Capacity: 1200 lbs. (544
 kg.)
 Towing Capacity: 1,100 lbs. (499
 kg.)
 7.4 Gallon (28L) fuel tank

CARGO BOX:
 Material: High-density composite
 Dimensions: 32.3 In. (82cm) Long
 x 47.6 In. (121cm) Wide x 11.7
 In. (29.7cm) Deep
 Volume: 8.9 cu. ft. (0.25 cu.m)
 Capacity: 400 lbs. (181 kg)
 Dump: 2-sided manual release
 with optional power lift
 Tailgate: Hinged, one-handed
 operation, tool-less removal

CONVERTIBLE CARGO RACK:
 23.5 in. (59.7 cm.) Long x 38.8
 in. (98.6 cm) Wide x 8.1 in.
 (20.6 cm) Deep
 4.3 cu. ft. (0.12 cu.m) Capacity
 200 lbs. (90.7 kg) Rack Capacity

MISCELLANEOUS:
 Safety and Operational DVD
 Operator's Manual

*Engine HP is Provided by the
 Engine Manufacturer to be Used
 for Comparison Purposes Only,
 Actual Operating HP will be
 Less.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Janesville, Wisconsin

5180M	PR15 - XUV590i S4 Base (MY16) <i>Base Machine Suggested List Price Does Not Include 650 USD Destination Charge.</i>	11,599.00
-------	--	-----------

DESTINATION

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

PR15 - XUV590i S4 Base (MY16)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
001A		DESTINATION Continued... US / CANADA	In Base Price
COLOR			
2500		Green & Yellow	In Base Price
2501		Olive & Black	100.00
WHEELS AND TIRES			
1000		25 in. Terra Hawk All Terrain Tires (4 Ply) on 12 In. Yellow steel wheels	Same Price
1002		25 in. Ancla M-T Extreme Terrain Tires (4 Ply) on 12 in. Yellow steel wheels	In Base Price
1003		25 in. Ancla M-T Extreme Terrain Tires (4 Ply) on 12 in. Black steel wheels	Same Price
SEAT			
2022		Bench Seat Front/Rear - Yellow	In Base Price
2023		Bench Seat Front/Rear - Black	Same Price
OCCUPANT PROTECTION STRUCTURES (OPS)			
4002		OPS with brake / taillight and OSR nets	In Base Price
CARGO BOX LIFT			
3100		Manual Lift	In Base Price
ATTACHMENTS FOR FIELD CONVERSION			
BM25411		Ag Management Solutions: AMS Integration Kit <i>Compatible with poly roof, or on the OPS alone. Kit includes components to mount the Starfire iTC or 3000 receiver and GreenStar 2 1800, GreenStar 2 2600, or GreenStar 3 2630 display.</i>	456.89
BM25259		Cabs/Roofs/Windshields: Abrasion Resistant Half Windshield	266.43
BM26298		Cab Heater	863.49
BM26000		Canvas Rear Panel <i>Compatible with poly roof, poly doors. Installed with full windshield will help keep dust out of operator station.</i>	204.37
BM26476		Canvas Roof / Rear Panel <i>Includes one piece roof / rear panel. Compatible with poly doors, full flip-out windshield. NOT compatible with glass windshield.</i>	426.93
BM23373		Full Abrasion Resistant Flip-out Windshield	556.40
BM24737		OPS Side Mirrors	190.46
BM25959		ORS Net Kit (S4) <i>Available through Parts.</i>	301.74

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

PR15 - XUV590i S4 Base (MY16)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM25969		Poly Cab Door Closeout Panels <i>Required with poly cab doors on XUV590i and XUV590i S4.</i>	108.07
BM24796		Poly Cab Door Side Mirrors	171.20
BM24818		Poly Cab Doors - S4 <i>Requires poly cab door closeout panels. Includes left and right poly doors. Requires full windshield, OPS rear panel, and poly roof to complete poly cab.</i>	3,945.09
BM25015		Poly Rear Panel (S4) <i>Can be mounted on the OPS alone. Requires full windshield, poly cab doors, and poly roof to complete poly cab. Installed with full windshield will help keep dust out of operator station.</i>	570.31
BM23398		Poly Roof - Black (S4)	548.91
BM25967		Rear Dust Panel <i>Not compatible with OPS Poly Cab. Installed with full windshield will help keep dust out of operator station.</i>	355.24
BM25103		Windshield Washer Kit	306.01
		Cargo Box Options / Storage:	
BM23849		5 Gallon Pail Holder <i>Cargo box rails required.</i>	40.66
BM23371		Box Mat	123.06
BM24812		Cargo Box Power Lift	808.91
BM23526		Cargo Box Rails	117.70
BM23384		Cargo Box Wall Extensions <i>Requires cargo box rails. Not compatible with poly cab.</i>	353.10
BM23360		Front Rack <i>Requires Front Brushguard for mounting.</i>	260.01
BM24200		Glove Box Lock	12.84
LP66151		MOLLE Device Pouch - Black <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	24.95
LP66150		MOLLE Device Pouch - Camo <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	28.95
LP66153		MOLLE Fire Extinguisher Pouch - Black <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	33.95
LP66152		MOLLE Fire Extinguisher Pouch - Camo <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	38.95

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

PR15 - XUV590i S4 Base (MY16)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LP66149		MOLLE Large Pouch - Black <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	33.95
LP66148		MOLLE Large Pouch - Camo <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	38.95
LP66147		MOLLE Small Pouch - Black <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	28.95
LP66146		MOLLE Small Pouch - Camo <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	33.95
LP37044		OPS Overhead Organizer - Black <i>Available through Order Zone.</i>	65.99
LP37045		OPS Overhead Organizer - Camo <i>Available through Order Zone.</i>	59.95
BM23385		Tire Rack <i>Requires cargo box rails.</i>	223.63
BM26307		Underseat Storage	112.36
		Carts / Hitches:	
LPPCT17ATJD		17AT Cart <i>Available through Order Zone.</i>	799.00
BM23363		2" Front Receiver Hitch and Recovery Loops	117.70
LPUT21JD		21 Steel Utility Cart <i>Available through Order Zone.</i>	919.00
PM05101		Ball Mount - 1.875 in. (48mm)	11.03
PM05201		Ball Mount - 2 in. (51mm)	11.80
BM22290		Drawbar - 2 in. (51mm)	41.73
		Custom & High Performance:	
BM25923		Seat-Belt Comfort Strap (2)	93.09
BM23933		Sport Steering Wheel	211.86
BM23379		Stereo and Speaker Kit <i>Includes mounting kit only; must choose one of the following three head units to have complete stereo: Radio, Heavy Duty AM / FM / WB / AUX (SWJHD1130) Radio, Heavy Duty AM / FM / WB / AUX / SAT / I-POD (SWJHD1630) Radio, AM / FM / WB / CD / AUX / SAT / I-POD / Bluetooth / Microphone (SWJHD3630MIC) Must order head unit through Parts. Reference Parts for additional accessories such as external antennas and Bluetooth microphones.</i>	676.24

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

PR15 - XUV590i S4 Base (MY16)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Engine:	
BM25800		Speed Limiter Kit <i>Reduces vehicle top speed to 28mph (45kph).</i>	103.79
		Hunting / Camo:	
LP37039		Vehicle Cover (S4) - Camo <i>Available through Order Zone.</i>	129.95
LP37043		Vehicle Cover (S4) - Transportable (Camo) <i>Available through Order Zone.</i>	189.95
		Lights / Signals:	
BM23369		Backup Alarm	105.93
BM25553		Beacon Light <i>Requires OPS Poly Roof and OPS Switch Bank. Also requires Beacon Light Harness Kit.</i>	248.24
BM26181		Beacon Light Harness Kit (S4) <i>Required with Beacon Light.</i>	70.61
BM25619		Brush Guard Light Harness Kit <i>Required with LED light kits or Work Lights (Halogens).</i>	118.77
BM25620		Front OPS/Roof Light Harness Kit <i>Required with LED light kits or Work Lights (Halogens). Also requires OPS Switch Bank.</i>	86.67
BM23370		Horn Kit	99.51
BM25704		LED Driving Lights <i>Can be installed on brushguard, OPS and roof (front or rear). Requires OPS Switch Bank for OPS or roof mounting. Requires necessary Light Harness Kit based on desired light mounting location.</i>	432.29
BM25705		LED Work Lights <i>Can be installed on brushguard, OPS and roof (front or rear). Requires OPS Switch Bank for OPS or roof mounting. Requires necessary Light Harness Kit based on desired light mounting location.</i>	345.61
BM24273		Mid-Range Light Kit (rear S4 Only) <i>Requires OPS Switch Bank. Compatible with OPS Poly Roofs, or on the OPS alone.</i>	128.40
BM24089		OPS Switch Bank <i>Accommodates up to three separate OPS accessory kits.</i>	72.76
BM25621		Rear OPS/Roof Light Harness Kit (S4) <i>Required with LED light kits or Work Lights (Halogens). Also requires OPS Switch Bank.</i>	86.67
BM26180		Turn Signal Kit <i>Includes flashers, turn signals (front & rear), and back-up lights. Requires OPS Poly Roof for installation. Also requires Turn Signal Light Harness Kit.</i>	334.91
BM26183		Turn Signal Light Harness Kit <i>Required with Turn Signal Kit.</i>	140.17
BM25544		Work Lights (Halogens) <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brush Guard for brush guard mounting, also requires necessary Light Harness Kit based on desired light mounting location.</i>	118.77

Operator Environment:

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

PR15 - XUV590i S4 Base (MY16)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM25148	OPS Rear View Mirror	87.74
		Operator's Station	
	BRE10015	Cell phone mount kit	61.60
		Protection:	
	BM23309	CV Guards <i>Aluminum.</i>	153.01
	BM25744	Floor Mat - S4 <i>Front and rear mats.</i>	165.86
	BM23365	Front Brushguard	344.54
	BM23394	Front Fender Guards	190.46
	BM23362	Rear Bumper	202.23
	LP67306	Rear Seat Cover S4 - Black <i>Available through Order Zone.</i>	172.95
	LP67307	Rear Seat Cover S4 - Camo <i>Available through Order Zone.</i>	172.95
	LP37038	Vehicle Cover (S4) - Black <i>Available through Order Zone.</i>	92.99
	LP37042	Vehicle Cover (S4) - Transportable (Black) <i>Available through Order Zone.</i>	163.99
		Sprayers / Pressure Washers:	
	LP39965	25 Gallon Bed Sprayer <i>Available through Order Zone.</i>	524.95
	LP39964	45 Gallon Bed Sprayer <i>Available through Order Zone.</i>	599.95
	LP39098	45 Gallon High Performance Bed Sprayer <i>Available through Order Zone.</i>	789.95
	LP20485	45 Gallon Tow-Behind Sprayer <i>Available through Order Zone.</i>	624.95
	LP22885	HP 150 in. Precision Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	239.95
	LP39963	HP 45 Gallon Sprayer - Tow Behind <i>Available through Order Zone.</i>	714.95
	LP22884	HP Boomless Nozzles <i>Compatible with HP sprayers. Available through Order Zone.</i>	145.95
	LP22911	HP Standard Gator Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	64.95
		Spreaders:	

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

PR15 - XUV590i S4 Base (MY16)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LP49056	3 cu. ft. Fertilizer Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	1,199.00
	LP49055	3 cu. ft. Salt Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	849.00
	LP53513	Spreader Hitch and Controls <i>Required with salt and fertilizer spreader. Available through Order Zone.</i>	549.00
	BM26248	Winch: WARN ProVantage 3500 lb Winch <i>Requires winch mounting kit and also requires 2 In. Front Receiver Hitch with Recovery Loops for mounting.</i>	603.49
	BM21392	Winch Accessories Kit <i>Accessory kit includes 1/2" shackle, 9,000 lbs. maximum capacity snatch block, (2) 1"x8' tree trunk protectors.</i>	135.89
	BM25587	Winch Mounting Kit - S4 (S4 non winch ready vehicles) <i>Only power steering models come winch ready. Required to mount WARN 3,500 lb S4 winch. Kit includes wire harnesses and all necessary hardware to mount winch to bumper.</i>	203.30

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

PR15 - XUV590i S4 Power Steering winch ready (MY16)
Equipment for Base Machine

ENGINE:
 586cc, 32 HP (23.9kW)*
 4-cycle, Inline twin, gas,
 Electronic Fuel Injection (EFI)
 Liquid Cooled
 Wet sump lubrication
 Replaceable single dry-type
 element air cleaner with remote
 intake
 Digital IDI, ECU controlled
 ignition
 Spark-arresting muffler with
 catalyst

ELECTRICAL:
 Electric start
 65 amp belt driven alternator
 340 CCA battery
 Two 37.5 watt halogen headlights
 (1) 12V power outlet
 Pre-wired for winch on power
 steering models
 Standard OPS mounted brake /
 taillight

TRANSAXLE/TRANSMISSION:
 Continuously Variable
 Transmission (CVT) with full
 clutch enclosure
 H, L, N, R transaxle with
 lockable rear differential
 Operator selectable 4WD
 Limited slip front differential
 45 mph (72 kph) maximum forward
 speed
 Large diameter half shafts with
 TPE boots

BRAKES:
 Front and rear hydraulic disk
 brakes with large 196mm
 stainless steel rotors
 Foot-operated park brake

STEERING/SUSPENSION:
 Rack and Pinion Steering
 Optional power steering
 19.7 ft. (6.0m) Turning Circle
 Independent front dual A-arm
 suspension with anti-roll bar; 8
 in. (203mm) of travel

Independent rear H-arm
 suspension with camber link; 8
 in. (203mm) of travel

FRAME:
 Robotically welded high-strength
 steel frame
 Integrated 2 in. (50mm) rear
 receiver
 Optional 2 in. (50mm) front
 receiver with recovery loops

**OCCUPANT PROTECTIVE STRUCTURE
 (OPS):**
 OSR (Occupant Side Retention)
 Nets standard
 1.75 In. (44.4 mm) steel tubular
 overhead structure
 Passenger handhold
 SAE J2194 & OSHA ROPS Certified

OPERATOR STATION:
 4 occupant capacity bench seats
 3-point seat belts
 Hip restraint bars for driver
 and passengers
 Sealed glove box
 Sealed storage compartment under
 hood
 Optional sealed storage
 compartment under seat
 Two cup holders in dash
 Digital instrument cluster
 displays system diagnostic
 light, engine oil pressure
 light, park brake light, seat
 belt indicator light, fuel
 level, 4WD indicator, vehicle
 speed/rpm, coolant temperature,
 odometer, battery indicator,
 hour meter, and clock

DIMENSIONS:
 144 in. (3.7m) long x 56.5 in.
 (1.4m) wide x 73.5 in. (1.9m)
 high
 Front tread centers: 48 in.
 (1.2m)
 Rear tread centers: 46 in.
 (1.16m)
 Wheelbase: 108 in. (2.7m)

Ground Clearance: 9.3 in.
 (236mm)

WEIGHT/CAPACITIES:
 Weight (including fuel/fluids):
 1646 lbs. (746 kg.)
 Payload Capacity: 1200 lbs. (544
 kg.)
 Towing Capacity: 1,100 lbs. (499
 kg.)
 7.4 Gallon (28L) fuel tank

CARGO BOX:
 Material: High-density composite
 Dimensions: 32.3 In. (82cm) Long
 x 47.6 In. (121cm) Wide x 11.7
 In. (29.7cm) Deep
 Volume: 8.9 cu. ft. (0.25 cu.m)
 Capacity: 400 lbs. (181 kg)
 Dump: 2-sided manual release
 with optional power lift
 Tailgate: Hinged, one-handed
 operation, tool-less removal

CONVERTIBLE CARGO RACK:
 23.5 in. (59.7 cm.) Long x 38.8
 in. (98.6 cm) Wide x 8.1 in.
 (20.6 cm) Deep
 4.3 cu. ft. (0.12 cu.m) Capacity
 200 lbs. (90.7 kg) Rack Capacity

MISCELLANEOUS:
 Safety and Operational DVD
 Operator's Manual

*Engine HP is Provided by the
 Engine Manufacturer to be Used
 for Comparison Purposes Only,
 Actual Operating HP will be
 Less.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Janesville, Wisconsin

5181M	PR15 - XUV590i S4 Power Steering winch ready (MY16) <i>Base Machine Suggested List Price Does Not Include 650 USD Destination Charge.</i>	12,959.00
-------	--	-----------

DESTINATION

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

PR15 - XUV590i S4 Power Steering winch ready (MY16)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
001A		DESTINATION Continued... US / CANADA	In Base Price
COLOR			
2500		Green & Yellow	In Base Price
2501		Olive & Black	100.00
2502		Realtree Hardwoods HD Camo	650.00
WHEELS AND TIRES			
1000		25 in. Terra Hawk All Terrain Tires (4 Ply) on 12 In. Yellow steel wheels	In Base Price
1003		25 in. Ancla M-T Extreme Terrain Tires (4 Ply) on 12 in. Black steel wheels	Same Price
1008		26 in. Maxxis Bighorn 2.0 Tires (6 Ply) on 14 in. Yellow alloy wheels	862.00
1009		26 in. Maxxis Bighorn 2.0 Tires (6 Ply) on 14 in. Black alloy wheels	862.00
SEAT			
2022		Bench Seat Front/Rear - Yellow	In Base Price
2023		Bench Seat Front/Rear - Black	Same Price
OCCUPANT PROTECTION STRUCTURES (OPS)			
4002		OPS with brake / taillight and OSR nets	In Base Price
CARGO BOX LIFT			
3100		Manual Lift	In Base Price
ATTACHMENTS FOR FIELD CONVERSION			
BM25411		Ag Management Solutions: AMS Integration Kit <i>Compatible with poly roof, or on the OPS alone. Kit includes components to mount the Starfire iTC or 3000 receiver and GreenStar 2 1800, GreenStar 2 2600, or GreenStar 3 2630 display.</i>	456.89
BM25259		Cabs/Roofs/Windshields: Abrasion Resistant Half Windshield	266.43
BM26298		Cab Heater	863.49
BM26000		Canvas Rear Panel <i>Compatible with poly roof, poly doors. Installed with full windshield will help keep dust out of operator station.</i>	204.37
BM26476		Canvas Roof / Rear Panel <i>Includes one piece roof / rear panel. Compatible with poly doors, full flip-out windshield. NOT compatible with glass windshield.</i>	426.93
BM23373		Full Abrasion Resistant Flip-out Windshield	556.40
BM24737		OPS Side Mirrors	190.46

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

PR15 - XUV590i S4 Power Steering winch ready (MY16)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM25959		ORS Net Kit (S4) <i>Available through Parts.</i>	301.74
BM25969		Poly Cab Door Closeout Panels <i>Required with poly cab doors on XUV590i and XUV590i S4.</i>	108.07
BM24796		Poly Cab Door Side Mirrors	171.20
BM24818		Poly Cab Doors - S4 <i>Requires poly cab door closeout panels. Includes left and right poly doors. Requires full windshield, OPS rear panel, and poly roof to complete poly cab.</i>	3,945.09
BM25015		Poly Rear Panel (S4) <i>Can be mounted on the OPS alone. Requires full windshield, poly cab doors, and poly roof to complete poly cab. Installed with full windshield will help keep dust out of operator station.</i>	570.31
BM23398		Poly Roof - Black (S4)	548.91
BM25967		Rear Dust Panel <i>Not compatible with OPS Poly Cab. Installed with full windshield will help keep dust out of operator station.</i>	355.24
BM25103		Windshield Washer Kit	306.01
		Cargo Box Options / Storage:	
BM23849		5 Gallon Pail Holder <i>Cargo box rails required.</i>	40.66
BM23371		Box Mat	123.06
BM24812		Cargo Box Power Lift	808.91
BM23526		Cargo Box Rails	117.70
BM23384		Cargo Box Wall Extensions <i>Requires cargo box rails. Not compatible with poly cab.</i>	353.10
BM23360		Front Rack <i>Requires Front Brushguard for mounting.</i>	260.01
BM24200		Glove Box Lock	12.84
LP66151		MOLLE Device Pouch - Black <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	24.95
LP66150		MOLLE Device Pouch - Camo <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	28.95
LP66153		MOLLE Fire Extinguisher Pouch - Black <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	33.95

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

PR15 - XUV590i S4 Power Steering winch ready (MY16)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LP66152		MOLLE Fire Extinguisher Pouch - Camo <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	38.95
LP66149		MOLLE Large Pouch - Black <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	33.95
LP66148		MOLLE Large Pouch - Camo <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	38.95
LP66147		MOLLE Small Pouch - Black <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	28.95
LP66146		MOLLE Small Pouch - Camo <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	33.95
LP37044		OPS Overhead Organizer - Black <i>Available through Order Zone.</i>	65.99
LP37045		OPS Overhead Organizer - Camo <i>Available through Order Zone.</i>	59.95
BM23385		Tire Rack <i>Requires cargo box rails.</i>	223.63
BM26307		Underseat Storage	112.36
		Carts / Hitches:	
LPPCT17ATJD		17AT Cart <i>Available through Order Zone.</i>	799.00
BM23363		2" Front Receiver Hitch and Recovery Loops	117.70
LPUT21JD		21 Steel Utility Cart <i>Available through Order Zone.</i>	919.00
PM05101		Ball Mount - 1.875 in. (48mm)	11.03
PM05201		Ball Mount - 2 in. (51mm)	11.80
BM22290		Drawbar - 2 in. (51mm)	41.73
		Custom & High Performance:	
BM25923		Seat-Belt Comfort Strap (2)	93.09
BM23933		Sport Steering Wheel	211.86

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

PR15 - XUV590i S4 Power Steering winch ready (MY16)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM23379		Stereo and Speaker Kit <i>Includes mounting kit only; must choose one of the following three head units to have complete stereo: Radio, Heavy Duty AM / FM / WB / AUX (SWJHD1130) Radio, Heavy Duty AM / FM / WB / AUX / SAT / I-POD (SWJHD1630) Radio, AM / FM / WB / CD / AUX / SAT / I-POD / Bluetooth / Microphone (SWJHD3630MIC) Must order head unit through Parts. Reference Parts for additional accessories such as external antennas and Bluetooth microphones.</i>	676.24
BM25800		Engine: Speed Limiter Kit <i>Reduces vehicle top speed to 28mph (45kph).</i>	103.79
LP37039		Hunting / Camo: Vehicle Cover (S4) - Camo <i>Available through Order Zone.</i>	129.95
LP37043		Vehicle Cover (S4) - Transportable (Camo) <i>Available through Order Zone.</i>	189.95
BM23369		Lights / Signals: Backup Alarm	105.93
BM25553		Beacon Light <i>Requires OPS Poly Roof and OPS Switch Bank. Also requires Beacon Light Harness Kit.</i>	248.24
BM26181		Beacon Light Harness Kit (S4) <i>Required with Beacon Light.</i>	70.61
BM25619		Brush Guard Light Harness Kit <i>Required with LED light kits or Work Lights (Halogens).</i>	118.77
BM25620		Front OPS/Roof Light Harness Kit <i>Required with LED light kits or Work Lights (Halogens). Also requires OPS Switch Bank.</i>	86.67
BM23370		Horn Kit	99.51
BM25704		LED Driving Lights <i>Can be installed on brushguard, OPS and roof (front or rear). Requires OPS Switch Bank for OPS or roof mounting. Requires necessary Light Harness Kit based on desired light mounting location.</i>	432.29
BM25705		LED Work Lights <i>Can be installed on brushguard, OPS and roof (front or rear). Requires OPS Switch Bank for OPS or roof mounting. Requires necessary Light Harness Kit based on desired light mounting location.</i>	345.61
BM24273		Mid-Range Light Kit (rear S4 Only) <i>Requires OPS Switch Bank. Compatible with OPS Poly Roofs, or on the OPS alone.</i>	128.40
BM24089		OPS Switch Bank <i>Accommodates up to three separate OPS accessory kits.</i>	72.76
BM25621		Rear OPS/Roof Light Harness Kit (S4) <i>Required with LED light kits or Work Lights (Halogens). Also requires OPS Switch Bank.</i>	86.67

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

PR15 - XUV590i S4 Power Steering winch ready (MY16)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM26180		Turn Signal Kit <i>Includes flashers, turn signals (front & rear), and back-up lights. Requires OPS Poly Roof for installation. Also requires Turn Signal Light Harness Kit.</i>	334.91
BM26183		Turn Signal Light Harness Kit <i>Required with Turn Signal Kit.</i>	140.17
BM25544		Work Lights (Halogens) <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brush Guard for brush guard mounting, also requires necessary Light Harness Kit based on desired light mounting location.</i>	118.77
		Operator Environment:	
BM25148		OPS Rear View Mirror	87.74
		Operator's Station	
BRE10015		Cell phone mount kit	61.60
		Protection:	
BM23309		CV Guards <i>Aluminum.</i>	153.01
BM25744		Floor Mat - S4 <i>Front and rear mats.</i>	165.86
BM23365		Front Brushguard	344.54
BM23394		Front Fender Guards	190.46
BM23362		Rear Bumper	202.23
LP67306		Rear Seat Cover S4 - Black <i>Available through Order Zone.</i>	172.95
LP67307		Rear Seat Cover S4 - Camo <i>Available through Order Zone.</i>	172.95
LP37038		Vehicle Cover (S4) - Black <i>Available through Order Zone.</i>	92.99
LP37042		Vehicle Cover (S4) - Transportable (Black) <i>Available through Order Zone.</i>	163.99
		Sprayers / Pressure Washers:	
LP39965		25 Gallon Bed Sprayer <i>Available through Order Zone.</i>	524.95
LP39964		45 Gallon Bed Sprayer <i>Available through Order Zone.</i>	599.95
LP39098		45 Gallon High Performance Bed Sprayer <i>Available through Order Zone.</i>	789.95
LP20485		45 Gallon Tow-Behind Sprayer <i>Available through Order Zone.</i>	624.95

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

PR15 - XUV590i S4 Power Steering winch ready (MY16)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LP22885	HP 150 in. Precision Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	239.95
	LP39963	HP 45 Gallon Sprayer - Tow Behind <i>Available through Order Zone.</i>	714.95
	LP22884	HP Boomless Nozzles <i>Compatible with HP sprayers. Available through Order Zone.</i>	145.95
	LP22911	HP Standard Gator Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	64.95
		Spreaders:	
	LP49056	3 cu. ft. Fertilizer Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	1,199.00
	LP49055	3 cu. ft. Salt Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	849.00
	LP53513	Spreader Hitch and Controls <i>Required with salt and fertilizer spreader. Available through Order Zone.</i>	549.00
		Winch:	
	BM26248	WARN ProVantage 3500 lb Winch <i>Requires winch mounting kit and also requires 2 In. Front Receiver Hitch with Recovery Loops for mounting.</i>	603.49
	BM21392	Winch Accessories Kit <i>Accessory kit includes 1/2" shackle, 9,000 lbs. maximum capacity snatch block, (2) 1"x8' tree trunk protectors.</i>	135.89
	BM26246	Winch Mounting Kit (winch ready vehicles) <i>All power steering models come winch ready. Required to mount WARN 3,500 lb winch. Kit includes wire harnesses and all necessary hardware to mount winch to bumper.</i>	41.73

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV590i S4 Power Steering with Utility & Protection and Winch Package
(MY16)**

Equipment for Base Machine

ENGINE:
586cc, 32 HP (23.9kW)*
4-cycle, Inline twin, gas,
Electronic Fuel Injection (EFI)
Liquid Cooled
Wet sump lubrication
Replaceable single dry-type
element air cleaner with remote
intake
Digital IDI, ECU controlled
ignition
Spark-arresting muffler with
catalyst

ELECTRICAL:
Electric start
65 amp belt driven alternator
340 CCA battery
Two 37.5 watt halogen headlights
(1) 12V power outlet
Pre-wired for winch on power
steering models
Standard OPS mounted brake /
taillight

TRANSAXLE/TRANSMISSION:
Continuously Variable
Transmission (CVT) with full
clutch enclosure
H, L, N, R transaxle with
lockable rear differential
Operator selectable 4WD
Limited slip front differential
45 mph (72 kph) maximum forward
speed
Large diameter half shafts with
TPE boots

BRAKES:
Front and rear hydraulic disk
brakes with large 196mm
stainless steel rotors
Foot-operated park brake

STEERING/SUSPENSION:
Rack and Pinion Steering
Optional power steering
19.7 ft. (6.0m) Turning Circle
Independent front dual A-arm
suspension with anti-roll bar; 8
in. (203mm) of travel

Independent rear H-arm
suspension with camber link; 8
in. (203mm) of travel

FRAME:
Robotically welded high-strength
steel frame
Integrated 2 in. (50mm) rear
receiver
Optional 2 in. (50mm) front
receiver with recovery loops

**OCCUPANT PROTECTIVE STRUCTURE
(OPS):**
OSR (Occupant Side Retention)
Nets standard
1.75 In. (44.4 mm) steel tubular
overhead structure
Passenger handhold
SAE J2194 & OSHA ROPS Certified

OPERATOR STATION:
4 occupant capacity bench seats
3-point seat belts
Hip restraint bars for driver
and passengers
Sealed glove box
Sealed storage compartment under
hood
Optional sealed storage
compartment under seat
Two cup holders in dash
Digital instrument cluster
displays system diagnostic
light, engine oil pressure
light, park brake light, seat
belt indicator light, fuel
level, 4WD indicator, vehicle
speed/rpm, coolant temperature,
odometer, battery indicator,
hour meter, and clock

DIMENSIONS:
144 in. (3.7m) long x 56.5 in.
(1.4m) wide x 73.5 in. (1.9m)
high
Front tread centers: 48 in.
(1.2m)
Rear tread centers: 46 in.
(1.16m)
Wheelbase: 108 in. (2.7m)

Ground Clearance: 9.3 in.
(236mm)

WEIGHT/CAPACITIES:
Weight (including fuel/fluids):
1646 lbs. (746 kg.)
Payload Capacity: 1200 lbs. (544
kg.)
Towing Capacity: 1,100 lbs. (499
kg.)
7.4 Gallon (28L) fuel tank

CARGO BOX:
Material: High-density composite
Dimensions: 32.3 In. (82cm) Long
x 47.6 In. (121cm) Wide x 11.7
In. (29.7cm) Deep
Volume: 8.9 cu. ft. (0.25 cu.m)
Capacity: 400 lbs. (181 kg)
Dump: 2-sided manual release
with optional power lift
Tailgate: Hinged, one-handed
operation, tool-less removal

CONVERTIBLE CARGO RACK:
23.5 in. (59.7 cm.) Long x 38.8
in. (98.6 cm) Wide x 8.1 in.
(20.6 cm) Deep
4.3 cu. ft. (0.12 cu.m) Capacity
200 lbs. (90.7 kg) Rack Capacity

MISCELLANEOUS:
Safety and Operational DVD
Operator's Manual

*Engine HP is Provided by the
Engine Manufacturer to be Used
for Comparison Purposes Only,
Actual Operating HP will be
Less.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Janesville, Wisconsin

5182M	PR15 - XUV590i S4 Power Steering with Utility & Protection and Winch Package (MY16) <i>Base Machine Suggested List Price Does Not Include 650 USD Destination Charge.</i>	12,959.00
-------	--	-----------

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV590i S4 Power Steering with Utility & Protection and Winch Package
(MY16)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
DESTINATION			
001A		US / CANADA	In Base Price
COLOR			
2500		Green & Yellow	In Base Price
2502		Realtree Hardwoods HD Camo	650.00
WHEELS AND TIRES			
1008		26 in. Maxxis Bighorn 2.0 Tires (6 Ply) on 14 in. Yellow alloy wheels	862.00
1009		26 in. Maxxis Bighorn 2.0 Tires (6 Ply) on 14 in. Black alloy wheels	862.00
SEAT			
2022		Bench Seat Front/Rear - Yellow	In Base Price
2023		Bench Seat Front/Rear - Black	Same Price
OCCUPANT PROTECTION STRUCTURES (OPS)			
4002		OPS with brake / taillight and OSR nets	In Base Price
CARGO BOX LIFT			
3100		Manual Lift	In Base Price
PROTECTION PACKAGE			
4107		Utility and Protection Package <i>Package Consists of: Front Brushguard, OPS S4 Black Poly Roof, Cargo Box Rail, Underseat storage</i>	1,124.00
WINCH			
6313		Winch Package <i>Package consists of WARN ProVantage 3500 lb. winch and 2" Front Receiver Hitch and Recovery Loops</i>	721.00
ATTACHMENTS FOR FIELD CONVERSION			
		Ag Management Solutions:	
BM25411		AMS Integration Kit <i>Compatible with poly roof, or on the OPS alone. Kit includes components to mount the Starfire iTC or 3000 receiver and GreenStar 2 1800, GreenStar 2 2600, or GreenStar 3 2630 display.</i>	456.89
		Cabs/Roofs/Windshields:	
BM25259		Abrasion Resistant Half Windshield	266.43
BM26298		Cab Heater	863.49

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV590i S4 Power Steering with Utility & Protection and Winch Package
(MY16)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM26000		Canvas Rear Panel <i>Compatible with poly roof, poly doors. Installed with full windshield will help keep dust out of operator station.</i>	204.37
BM26476		Canvas Roof / Rear Panel <i>Includes one piece roof / rear panel. Compatible with poly doors, full flip-out windshield. NOT compatible with glass windshield.</i>	426.93
BM23373		Full Abrasion Resistant Flip-out Windshield	556.40
BM24737		OPS Side Mirrors	190.46
BM25959		ORS Net Kit (S4) <i>Available through Parts.</i>	301.74
BM25969		Poly Cab Door Closeout Panels <i>Required with poly cab doors on XUV590i and XUV590i S4.</i>	108.07
BM24796		Poly Cab Door Side Mirrors	171.20
BM24818		Poly Cab Doors - S4 <i>Requires poly cab door closeout panels. Includes left and right poly doors. Requires full windshield, OPS rear panel, and poly roof to complete poly cab.</i>	3,945.09
BM25015		Poly Rear Panel (S4) <i>Can be mounted on the OPS alone. Requires full windshield, poly cab doors, and poly roof to complete poly cab. Installed with full windshield will help keep dust out of operator station.</i>	570.31
BM23398		Poly Roof - Black (S4)	548.91
BM25967		Rear Dust Panel <i>Not compatible with OPS Poly Cab. Installed with full windshield will help keep dust out of operator station.</i>	355.24
BM25103		Windshield Washer Kit	306.01
		Cargo Box Options / Storage:	
BM23849		5 Gallon Pail Holder <i>Cargo box rails required.</i>	40.66
BM23371		Box Mat	123.06
BM24812		Cargo Box Power Lift	808.91
BM23526		Cargo Box Rails	117.70
BM23384		Cargo Box Wall Extensions <i>Requires cargo box rails. Not compatible with poly cab.</i>	353.10
BM23360		Front Rack <i>Requires Front Brushguard for mounting.</i>	260.01
BM24200		Glove Box Lock	12.84

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV590i S4 Power Steering with Utility & Protection and Winch Package
(MY16)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
LP66151		MOLLE Device Pouch - Black <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	24.95
LP66150		MOLLE Device Pouch - Camo <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	28.95
LP66153		MOLLE Fire Extinguisher Pouch - Black <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	33.95
LP66152		MOLLE Fire Extinguisher Pouch - Camo <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	38.95
LP66149		MOLLE Large Pouch - Black <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	33.95
LP66148		MOLLE Large Pouch - Camo <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	38.95
LP66147		MOLLE Small Pouch - Black <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	28.95
LP66146		MOLLE Small Pouch - Camo <i>Available through Order Zone. Compatible with bench seat covers and OPS MOLLE storage panel.</i>	33.95
LP37044		OPS Overhead Organizer - Black <i>Available through Order Zone.</i>	65.99
LP37045		OPS Overhead Organizer - Camo <i>Available through Order Zone.</i>	59.95
BM23385		Tire Rack <i>Requires cargo box rails.</i>	223.63
LPPCT17ATJD		Carts / Hitches: 17AT Cart <i>Available through Order Zone.</i>	799.00
BM23363		2" Front Receiver Hitch and Recovery Loops	117.70
LPUT21JD		21 Steel Utility Cart <i>Available through Order Zone.</i>	919.00
PM05101		Ball Mount - 1.875 in. (48mm)	11.03
PM05201		Ball Mount - 2 in. (51mm)	11.80
BM22290		Drawbar - 2 in. (51mm)	41.73

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV590i S4 Power Steering with Utility & Protection and Winch Package
(MY16)**
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Custom & High Performance:	
BM25923		Seat-Belt Comfort Strap (2)	93.09
BM23933		Sport Steering Wheel	211.86
BM23379		Stereo and Speaker Kit <i>Includes mounting kit only; must choose one of the following three head units to have complete stereo:</i> <i>Radio, Heavy Duty AM / FM / WB / AUX (SWJHD1130)</i> <i>Radio, Heavy Duty AM / FM / WB / AUX / SAT / I-POD (SWJHD1630)</i> <i>Radio, AM / FM / WB / CD / AUX / SAT / I-POD / Bluetooth / Microphone (SWJHD3630MIC)</i> <i>Must order head unit through Parts. Reference Parts for additional accessories such as external antennas and Bluetooth microphones.</i>	676.24
BM25800		Engine: Speed Limiter Kit <i>Reduces vehicle top speed to 28mph (45kph).</i>	103.79
LP37039		Hunting / Camo: Vehicle Cover (S4) - Camo <i>Available through Order Zone.</i>	129.95
LP37043		Vehicle Cover (S4) - Transportable (Camo) <i>Available through Order Zone.</i>	189.95
BM23369		Lights / Signals: Backup Alarm	105.93
BM25553		Beacon Light <i>Requires OPS Poly Roof and OPS Switch Bank. Also requires Beacon Light Harness Kit.</i>	248.24
BM26181		Beacon Light Harness Kit (S4) <i>Required with Beacon Light.</i>	70.61
BM25619		Brush Guard Light Harness Kit <i>Required with LED light kits or Work Lights (Halogens).</i>	118.77
BM25620		Front OPS/Roof Light Harness Kit <i>Required with LED light kits or Work Lights (Halogens). Also requires OPS Switch Bank.</i>	86.67
BM23370		Horn Kit	99.51
BM25704		LED Driving Lights <i>Can be installed on brushguard, OPS and roof (front or rear). Requires OPS Switch Bank for OPS or roof mounting. Requires necessary Light Harness Kit based on desired light mounting location.</i>	432.29
BM25705		LED Work Lights <i>Can be installed on brushguard, OPS and roof (front or rear). Requires OPS Switch Bank for OPS or roof mounting. Requires necessary Light Harness Kit based on desired light mounting location.</i>	345.61
BM24273		Mid-Range Light Kit (rear S4 Only) <i>Requires OPS Switch Bank. Compatible with OPS Poly Roofs, or on the OPS alone.</i>	128.40
BM24089		OPS Switch Bank <i>Accommodates up to three separate OPS accessory kits.</i>	72.76

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV590i S4 Power Steering with Utility & Protection and Winch Package
(MY16)**
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM25621		Rear OPS/Roof Light Harness Kit (S4) <i>Required with LED light kits or Work Lights (Halogens). Also requires OPS Switch Bank.</i>	86.67
BM26180		Turn Signal Kit <i>Includes flashers, turn signals (front & rear), and back-up lights. Requires OPS Poly Roof for installation. Also requires Turn Signal Light Harness Kit.</i>	334.91
BM26183		Turn Signal Light Harness Kit <i>Required with Turn Signal Kit.</i>	140.17
BM25544		Work Lights (Halogens) <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brush Guard for brush guard mounting, also requires necessary Light Harness Kit based on desired light mounting location.</i>	118.77
		Operator Environment:	
BM25148		OPS Rear View Mirror	87.74
		Operator's Station	
BRE10015		Cell phone mount kit	61.60
		Protection:	
BM23309		CV Guards <i>Aluminum.</i>	153.01
BM25744		Floor Mat - S4 <i>Front and rear mats.</i>	165.86
BM23365		Front Brushguard	344.54
BM23394		Front Fender Guards	190.46
BM23362		Rear Bumper	202.23
LP67306		Rear Seat Cover S4 - Black <i>Available through Order Zone.</i>	172.95
LP67307		Rear Seat Cover S4 - Camo <i>Available through Order Zone.</i>	172.95
LP37038		Vehicle Cover (S4) - Black <i>Available through Order Zone.</i>	92.99
LP37042		Vehicle Cover (S4) - Transportable (Black) <i>Available through Order Zone.</i>	163.99
		Sprayers / Pressure Washers:	
LP39965		25 Gallon Bed Sprayer <i>Available through Order Zone.</i>	524.95
LP39964		45 Gallon Bed Sprayer <i>Available through Order Zone.</i>	599.95
LP39098		45 Gallon High Performance Bed Sprayer <i>Available through Order Zone.</i>	789.95

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV590i S4 Power Steering with Utility & Protection and Winch Package
(MY16)**
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LP20485	45 Gallon Tow-Behind Sprayer <i>Available through Order Zone.</i>	624.95
	LP22885	HP 150 in. Precision Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	239.95
	LP39963	HP 45 Gallon Sprayer - Tow Behind <i>Available through Order Zone.</i>	714.95
	LP22884	HP Boomless Nozzles <i>Compatible with HP sprayers. Available through Order Zone.</i>	145.95
	LP22911	HP Standard Gator Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	64.95
		Spreaders:	
	LP49056	3 cu. ft. Fertilizer Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	1,199.00
	LP49055	3 cu. ft. Salt Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	849.00
	LP53513	Spreader Hitch and Controls <i>Required with salt and fertilizer spreader. Available through Order Zone.</i>	549.00
		Winch:	
	BM26248	WARN ProVantage 3500 lb Winch <i>Requires winch mounting kit and also requires 2 In. Front Receiver Hitch with Recovery Loops for mounting.</i>	603.49
	BM21392	Winch Accessories Kit <i>Accessory kit includes 1/2" shackle, 9,000 lbs. maximum capacity snatch block, (2) 1"x8' tree trunk protectors.</i>	135.89
	BM26246	Winch Mounting Kit (winch ready vehicles) <i>All power steering models come winch ready. Required to mount WARN 3,500 lb winch. Kit includes wire harnesses and all necessary hardware to mount winch to bumper.</i>	41.73

**JOHN DEERE TURF & UTILITY PRODUCTS
UTILITY VEHICLES AND EQUIPMENT**

1.7m (66 in.) Straight Blade
Equipment for Base Machine

66 in. (1.7m) wide straight blade
Replaceable cutting edge
Five-position manual angling
Two adjusting skid shoes
Trip protection

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

8018M		1.7m (66 in.) Straight Blade <i>For XUV550, XUV550 S4, XUV560, XUV560 S4, XUV590i, XUV590i S4, RSX850i, RSX860i</i> Includes front blade, lift arms, and lift components. A winch is needed for blade lift operations, and 2 in. front receiver hitch is needed for mounting the winch (if not already installed). RSX850i/860i also requires Blade Mount Adapter Kit	1,140.00
-------	--	---	----------

DESTINATION

001A	US/Canada		In Base Price
001C	Australia/New Zealand		Same Price
001B	Europe		Same Price
0195	Mexico		Same Price
001D	All Other Countries		Same Price

LIFT FRAME KITS

3153		Blade Mount Adapter Kit <i>Required on RSX850i/860i, NOT required on XUV550, XUV550 S4, XUV560, XUV560 S4, XUV590i, XUV590i S4</i>	192.00
3160		Less Implement Lift Frame Kit <i>For use on XUV550, XUV550 S4, XUV560, XUV560 S4, XUV590i, XUV590i S4</i>	In Base Price

ATTACHMENTS FOR FIELD CONVERSION

	Blades:		
BM23029	Plow Markers		40.66
	Carts / Hitches:		
BM23363	2" Front Receiver Hitch and Recovery Loops		117.70
	Winch:		
BM24723	WARN ProVantage 3500 lb Winch <i>Requires winch mounting kit.</i>		603.49
BM24019	Warn Winch (3,000 lbs) - S4 <i>Requires 2 In. Front Receiver Hitch with Recovery Loops for mounting.</i>		889.17

JOHN DEERE TURF & UTILITY PRODUCTS
UTILITY VEHICLES AND EQUIPMENT

1.7m (66 in.) Straight Blade
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM25079	Winch Mounting Kit (for non winch ready vehicles) <i>Requires WARN ProVantage 3500 lb Winch. Kit includes wire harnesses and all necessary hardware to mount winch to bumper.</i>	187.26