

FRONTIER PRODUCTS

Golf Equipment

---

**BG1000 - Manual Bedknife Grinder - Stationary Grind Motor**  
Equipment for Base Machine

Power:  
115 Volt AC, 50 or 60 Hz 15 Amp Circuit  
Grind Motor:  
1/2 HP Totally Enclosed  
3450 rpm  
White Vitrified Grinding Wheel  
Manual Dressing Brick  
Steel Fabricated Frame with Tool Tray  
Carriage Includes Supports with Centers  
Precision Ground, Hard-Chromed, 1.75" Diameter  
Steel Rails for Smooth Bed Knife Carriage Travel  
Rails are Rotatable for Longer Life

Machine Dimensions:  
Depth = 24"  
Width = 84"  
Height = 62"  
Weight = 310 lbs  
Setup Time = 2 Hrs

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

---

1701XF		BG1000 - Manual Bedknife Grinder - Stationary Grind Motor	5,836.00
--------	--	---	----------

---

FRONTIER PRODUCTS

Golf Equipment

---

**BG1000 - Manual Bedknife Grinder - Stationary Grind Motor**  
Continued

---

THIS PAGE IS INTENTIONALLY LEFT BLANK

---

FRONTIER PRODUCTS  
Golf Equipment

**BG1500 - Semi-Automatic Bedknife Grinder - Automatic Travel, Manual Infeed**  
Equipment for Base Machine

<p>Power: 115 Volt AC, 50 or 60 Hz 15 Amp Circuit</p> <p>Grind Motor: 3/4 HP Totally Enclosed 3450 rpm</p> <p>Grinding Wheel: Borzon 6" OD X 1-1/4" ID X 2" Thick X 1/2" face</p> <p>Grinding Carriage Mounted Diamond Dresser Partially Enclosed Cabinet Carriage Moves on Precision Ground Round Rails Magnetic Mount for Bedknife Travel, Automatic Variable Speed Adjustable Carriage Travel Lengths</p>	<p>Flood Coolant System</p> <p>Machine Dimensions: Depth = 32" Width = 61" Height = 58" Weight = 730 lbs Setup Time = 1 Hr</p>
--	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

1711XF	BG1500 - Semi-Automatic Bedknife Grinder - Automatic Travel, Manual Infeed	17,550.00
--------	--	-----------

FRONTIER PRODUCTS

Golf Equipment

---

**BG1500 - Semi-Automatic Bedknife Grinder - Automatic Travel, Manual Infeed**  
Continued

---

THIS PAGE IS INTENTIONALLY LEFT BLANK

---

**FRONTIER PRODUCTS**  
**Golf Equipment**

**RG5000 - Manual Spin and Relief Reel Grinder**  
 Equipment for Base Machine

Power:  
 115 Volt AC, 50 or 60 Hz 15 Amp Circuit  
 Grind Motor:  
 1 HP Totally Enclosed  
 3450 rpm  
 Spin Motor:  
 1/5 HP DC variable speed  
 50-350 rpm  
 Travel Motor:  
 1/20 HP DC variable speed  
 0-34 rpm  
 Spin Grinding Wheel:  
 Resinoid 6" OD X 1/2" ID X 1" Face  
 Relief Grinding Wheel:  
 Resinoid 6" OD X 1/2" ID X 3/8" Face  
 Manual Dressing Brick  
 Auto-Index Relief Assembly

Magnetic Mount for Bedknife  
 Steel Fabricated Frame  
 Dial Indicator Alignment Gauge  
 Grinding Carriage Travels on  
 Precision Ground Round Rails  
 Machine Dimensions:  
 Depth = 42"  
 Width = 67"  
 Height = 83"  
 Weight = 790 lbs  
 Setup Time = 2 Hrs

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

1721XF	RG5000 - Manual Spin and Relief Reel Grinder	19,370.00
--------	--	-----------

**ATTACHMENTS - ORDER AS DESIRED**

9523	RG5000 Pull Gang Mounting Kit	640.36
9524	RG5000 Walking Greens Mower Kit	151.00

**ATTACHMENTS FOR FIELD CONVERSION**

<b>Miscellaneous:</b>		
5NT18574	RG5000 Pull Gang Mounting Kit	691.59
5NT6000550	RG5000 Walking Greens Mower Kit	163.08

FRONTIER PRODUCTS

Golf Equipment

---

**RG5000 - Manual Spin and Relief Reel Grinder**  
Continued

---

THIS PAGE IS INTENTIONALLY LEFT BLANK

---

# FRONTIER PRODUCTS

## Golf Equipment

### RG5500 - Semi-Automatic Spin and Relief Reel Grinder Equipment for Base Machine

Power:  
115 Volt AC, 50 or 60 Hz 20 Amp Circuit  
Grind Motor:  
1 HP Totally Enclosed  
3450 rpm  
Spin Motor:  
1/5 HP DC variable speed  
0-350 rpm  
Travel Motor:  
1/20 HP DC variable speed  
0-34 rpm  
Spin Grinding Wheel:  
Resinoid 6" OD X 1/2" ID X 1" Face  
Relief Grinding Wheel:  
Resinoid 6" OD X 1/2" ID X 3/8" Face  
Manual Diamond Dresser  
Digital Indicator Alignment System  
Multi-Position Brackets  
Front Roller Mounts  
Wheel Wrench

Steel Fabricated Frame  
Grinding Wheel Hubs Travel on a  
Precision Ground Alloy Steel Drive Shaft  
Travel Length and Speed are Adjustable  
Quick and Easy Setup with Table Top Style  
Auto-Index Relief Grinding is Adjustable  
to Factory Recommendations  
Patented Auto Index System Assures Quick Set Up  
Machine Dimensions:  
Depth = 45"  
Width = 71"  
Height = 70"  
Weight = 1200 lbs  
Setup Time = 1 Hr

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

1731XF	RG5500 - Semi-Automatic Spin and Relief Reel Grinder	30,365.00
--------	--	-----------

#### REEL LIFT OPTIONS

2095	No Lift	In Base Price
2010	Boom & Manual Hoist	1,475.00
2020	Boom & Electric Winch	2,880.00
2030	Platform Lift System - 115 VAC	6,225.00

#### ATTACHMENTS - ORDER AS DESIRED

9520	RG5500 Boom & Manual Hoist	1,475.00
9521	RG5500 Boom & Electric Winch	2,880.00
9522	RG5500 Platform Lift System - 115 VAC	6,225.00

#### ATTACHMENTS FOR FIELD CONVERSION

<b>Miscellaneous:</b>		
5NT16210901	RG5500 Boom & Electric Winch	3,110.40
5NT16210902	RG5500 Boom & Electric Winch (French)	3,110.40
5NT16200901	RG5500 Boom & Manual Hoist	1,593.00
5NT16200902	RG5500 Boom & Manual Hoist (French)	1,593.00

FRONTIER PRODUCTS  
Golf Equipment

---

**RG5500 - Semi-Automatic Spin and Relief Reel Grinder**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION ...Continued...</b>	
	5NT16220901	RG5500 Platform Lift System - 115 VAC	6,723.40
	5NT16220902	RG5500 Platform Lift System - 115 VAC (French)	6,723.40

FRONTIER PRODUCTS  
Golf Equipment

---

**BG1000 - Manual Bedknife Grinder - Stationary Grind Motor - Quebec**  
Equipment for Base Machine

Power:  
115 Volt AC, 50 or 60 Hz 15 Amp Circuit  
Grind Motor:  
1/2 HP Totally Enclosed  
3450 rpm  
White Vitriified Grinding Wheel  
Manual Dressing Brick  
Steel Fabricated Frame with Tool Tray  
Carriage Includes Supports with Centers  
Precision Ground, Hard-Chromed, 1.75" Diameter  
Steel Rails for Smooth Bed Knife Carriage Travel  
Rails are Rotatable for Longer Life

Machine Dimensions:  
Depth = 24"  
Width = 84"  
Height = 62"  
Weight = 310 lbs  
Setup Time = 2 Hrs

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

170AXF		BG1000 - Manual Bedknife Grinder - Stationary Grind Motor - Quebec	5,836.00
--------	--	--	----------

FRONTIER PRODUCTS

Golf Equipment

---

**BG1000 - Manual Bedknife Grinder - Stationary Grind Motor - Quebec**  
Continued

---

THIS PAGE IS INTENTIONALLY LEFT BLANK

---

FRONTIER PRODUCTS  
Golf Equipment

**BG1500 - Semi-Automatic Bedknife Grinder - Automatic Travel, Manual Infeed - Quebec**  
Equipment for Base Machine

<p>Power: 115 Volt AC, 50 or 60 Hz 15 Amp Circuit</p> <p>Grind Motor: 3/4 HP Totally Enclosed 3450 rpm</p> <p>Grinding Wheel: Borzon 6" OD X 1-1/4" ID X 2" Thick X 1/2" face</p> <p>Grinding Carriage Mounted Diamond Dresser Partially Enclosed Cabinet Carriage Moves on Precision Ground Round Rails Magnetic Mount for Bedknife Travel, Automatic Variable Speed Adjustable Carriage Travel Lengths</p>	<p>Flood Coolant System</p> <p>Machine Dimensions: Depth = 32" Width = 61" Height = 58" Weight = 730 lbs Setup Time = 1 Hr</p>
--	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

171AXF		BG1500 - Semi-Automatic Bedknife Grinder - Automatic Travel, Manual Infeed - Quebec	17,550.00
--------	--	---	-----------

FRONTIER PRODUCTS

Golf Equipment

---

**BG1500 - Semi-Automatic Bedknife Grinder - Automatic Travel, Manual Infeed - Quebec**  
Continued

---

THIS PAGE IS INTENTIONALLY LEFT BLANK

---

**FRONTIER PRODUCTS**  
**Golf Equipment**

**RG5000 - Manual Spin and Relief Reel Grinder - Quebec**  
 Equipment for Base Machine

Power: 115 Volt AC, 50 or 60 Hz 15 Amp Circuit Grind Motor: 1 HP Totally Enclosed 3450 rpm Spin Motor: 1/5 HP DC variable speed 50-350 rpm Travel Motor: 1/20 HP DC variable speed 0-34 rpm Spin Grinding Wheel: Resinoid 6" OD X 1/2" ID X 1" Face Relief Grinding Wheel: Resinoid 6" OD X 1/2" ID X 3/8" Face Manual Dressing Brick Auto-Index Relief Assembly	Magnetic Mount for Bedknife Steel Fabricated Frame Dial Indicator Alignment Gauge Grinding Carriage Travels on Precision Ground Round Rails Machine Dimensions: Depth = 42" Width = 67" Height = 83" Weight = 790 lbs Setup Time = 2 Hrs
--	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

172AXF	RG5000 - Manual Spin and Relief Reel Grinder - Quebec	19,370.00
--------	---	-----------

**ATTACHMENTS - ORDER AS DESIRED**

9523	RG5000 Pull Gang Mounting Kit	640.36
9524	RG5000 Walking Greens Mower Kit	151.00

**ATTACHMENTS FOR FIELD CONVERSION**

<b>Miscellaneous:</b>		
5NT18574	RG5000 Pull Gang Mounting Kit	691.59
5NT6000550	RG5000 Walking Greens Mower Kit	163.08

FRONTIER PRODUCTS

Golf Equipment

---

**RG5000 - Manual Spin and Relief Reel Grinder - Quebec**  
Continued

---

THIS PAGE IS INTENTIONALLY LEFT BLANK

---

**FRONTIER PRODUCTS**  
**Golf Equipment**

**RG5500 - Semi-Automatic Spin and Relief Reel Grinder - Quebec**  
 Equipment for Base Machine

Power:  
 115 Volt AC, 50 or 60 Hz 20 Amp Circuit  
 Grind Motor:  
 1 HP Totally Enclosed  
 3450 rpm  
 Spin Motor:  
 1/5 HP DC variable speed  
 0-350 rpm  
 Travel Motor:  
 1/20 HP DC variable speed  
 0-34 rpm  
 Spin Grinding Wheel:  
 Resinoid 6" OD X 1/2" ID X 1" Face  
 Relief Grinding Wheel:  
 Resinoid 6" OD X 1/2" ID X 3/8" Face  
 Manual Diamond Dresser  
 Digital Indicator Alignment System  
 Multi-Position Brackets  
 Front Roller Mounts  
 Wheel Wrench

Steel Fabricated Frame  
 Grinding Wheel Hubs Travel on a  
 Precision Ground Alloy Steel Drive Shaft  
 Travel Length and Speed are Adjustable  
 Quick and Easy Setup with Table Top Style  
 Auto-Index Relief Grinding is Adjustable  
 to Factory Recommendations  
 Patented Auto Index System Assures Quick Set Up  
 Machine Dimensions:  
 Depth = 45"  
 Width = 71"  
 Height = 70"  
 Weight = 1200 lbs  
 Setup Time = 1 Hr

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

173AXF	RG5500 - Semi-Automatic Spin and Relief Reel Grinder - Quebec	30,365.00
--------	---	-----------

**REEL LIFT OPTIONS**

2095	No Lift	In Base Price
2010	Boom & Manual Hoist	1,475.00
2020	Boom & Electric Winch	2,880.00
2030	Platform Lift System - 115 VAC	6,225.00

**ATTACHMENTS - ORDER AS DESIRED**

9520	RG5500 Boom & Manual Hoist (French)	1,475.00
9521	RG5500 Boom & Electric Winch (French)	2,880.00
9522	RG5500 Platform Lift System - 115 VAC (French)	6,225.00

**ATTACHMENTS FOR FIELD CONVERSION**

<b>Miscellaneous:</b>		
5NT16210901	RG5500 Boom & Electric Winch	3,110.40
5NT16210902	RG5500 Boom & Electric Winch (French)	3,110.40
5NT16200901	RG5500 Boom & Manual Hoist	1,593.00
5NT16200902	RG5500 Boom & Manual Hoist (French)	1,593.00

FRONTIER PRODUCTS  
Golf Equipment

---

**RG5500 - Semi-Automatic Spin and Relief Reel Grinder - Quebec**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION ...Continued...</b>	
	5NT16220901	RG5500 Platform Lift System - 115 VAC	6,723.40
	5NT16220902	RG5500 Platform Lift System - 115 VAC (French)	6,723.40