

October 3, 2016

Subject: Farmall 100A Price List

To: U.S. Case IH Dealers

Attached is a complete revision of the Farmall 100A Utility Tractors price list, PL-100 FAM Rev. 5, effective October 3, 2016.

This price list has incorporated a 2% increase across the models above the previous price list for the base and option codes pricing levels. This new price list reflects cost trends and recent competitive price actions in the marketplace



Good Selling,

A handwritten signature in black ink that reads "Greg Lucey". The signature is fluid and cursive, with the first name "Greg" and last name "Lucey" clearly distinguishable.

Greg Lucey
Farmall Marketing Manager, NAFTA



AGRICULTURAL EQUIPMENT

**U.S. Price List
Effective October 3, 2016**

**FARMALL® 100A SERIES TRACTORS
PL-100 FAM REVISION 5
SAP PRICE LIST 012 CJ**

THIS IS A COMPLETE REVISION

This price list is intended for dealers with the AG and AL contract only.

Products included in this price list are eligible for Performance Plus Program.

The prices included in this revision supersede any prices established prior to the effective date shown unless specifically identified in a price bulletin as superseding this price list.

Dealers should retain prior price list pages for any discontinued equipment or attachments remaining in inventory.

Prices in this revision are subject to change. Check eEquipment for the most current pricing.



GENERAL INFORMATION

ADVANCE FREIGHT

Advance freight will be added to the machinery invoice as a separate net charge for machinery shipped from field locations or from other than specified Ex Works locations.

PRICES

Prices are Ex Works factory, where the goods are manufactured, except where noted. For detailed information concerning prices, please refer to your OPERATING GUIDE. Prices and specifications are subject to change without notice.

CONTENTS OF ORGANIZATION

CNH Industrial N.V. issues price lists and revisions covering each Case IH contract. The U.S. Price List is published in U.S. funds and the Canadian Price List is published in Canadian funds. Ensure that you are using the correct price list. U.S. or Canada is referenced at the top of each page and the Canadian price lists have a Maple Leaf on the price list cover page.

Freight, duty and sales taxes are NOT included in any wholegoods or attachment prices shown in the price list. Any appropriate freight, duty, Federal, State, and Provincial taxes will be added to the machinery invoice as separate net charges.

PROCEDURE

The price pages for each machine (or group of machines) lists both "Factory Supplied Options" and "Factory Supplied Accessories."

Each price list is comprised of the various machines sold under that contract. Each price book section has "Factory Supplied Options" and "Factory Supplied Accessories" price pages. When ordering and pricing a machine, follow the ordering instructions listed for that machine. Accessories listed following the "Factory Supplied Accessories" heading are available for installation in the field.

DISTRIBUTION OF PRICE LISTS

Price lists and periodic price list revisions will be posted on the Dealer Portal and distributed electronically when possible.

Printed copies of current price lists, index tabs and binders can be purchased from the Document Management Center (DMC). Orders should be placed only through the DMC web site link located on the Dealer Portal. For DMC customer service inquiries, other than placing orders, call (262) 636-7540.

Internal E-mail: #NA DMC ORDER CENTER
Complete U.S. Price List is PL-100
Complete Canadian Price List is PLC-100

Periodic price list revisions are usually accompanied by a cover sheet which carries instructions on price page changes and where to insert replacement or new price pages. The revisions are dated and are effective as of that date. However, PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.



FARMALL® 100A SERIES TRACTORS TABLE OF CONTENTS

FARMALL ® 100A SERIES TRACTORS

| | |
|--|---------|
| FARMALL 110A TRACTOR | |
| Standard Features | 1 |
| Price List | 4 |
| FARMALL 120A TRACTOR | |
| Standard Features | 13 |
| Price List | 16 |
| FARMALL 130A TRACTOR | |
| Standard Features | 25 |
| Price List | 28 |
| FARMALL 140A TRACTOR | |
| Standard Features | 35 |
| Price List | 38 |
| FARMALL ® 100A SERIES TIRE CHART | 45 - 46 |
| CASE IH PURCHASED PROTECTION PLAN..... | 47 |

**FARMALL® 110A TRACTOR TIER 4B/FINAL
US PRICE LIST**

Standard Equipment

ENGINE:

90 PTO hp @ 2200 RPM
273 cu. in. (4.5 L) Displacement
4 Cylinder Turbocharged and
Intercooled Engine with electronic
management
Tier 4 B/Final Emissions Compliant
4 valves per cylinder
Bosch fuel injection pump (electronic)
Air Cleaner w/ Precleaner Dual element
air filter
Hand and foot throttle
Grid Heater Starting Aid
56.8-Gallon (215 L) Fuel Tank
with guard
7.9-Gallon (30L) Diesel Exhaust
Fluid (DEF) Tank
Viscous fan (9 Blades)
Fuel Cooler

EXHAUST:

A-Post exhaust with integral muffler

OPERATIVE PROTECTIVE STRUCTURE:

CAB MODELS

ROPS/FOPS protected, flat deck
platform
with heat and air conditioning, tinted
windshield, retractable sun screen,
front wiper and washer, two doors
with locks, two external mirrors,
openable side windows, hinged rear
window (fully opens)
Steering Wheel - adjustable tilt and
telescope
Seat - Cloth covered with mechanical
suspension, operator's presence
sensor, retractable seat belt, arm rests
Suspended pedals
Radio, speakers and antenna

OPERATIVE PROTECTIVE STRUCTURE

(cont):

ROPS MODELS

2-Post Foldable ROPS with ISO and
mounted flat deck platform
Steering Wheel - adjustable tilt
Seat - Vinyl covered with mechanical
suspension, operator's presence
sensor, retractable seat belts,
arm rests
Suspended pedals
Locking brake pedals

INSTRUMENTATION:

Analog/Digital instrumentation cluster
with LCD display
Warning lights for air cleaner service,
alternator, oil pressure, fuel
sediment/water sensor, headlight
high beam and parking brake
Gauges for fuel level, engine
temperature, tachometer
and hour meter.

TRANSMISSION:

8F x 8R Synchronized Mechanical
Reverser (Optional)
Steering column mounted Left Hand
synchronized mechanical shuttle.
4 (Synchronized) Gears in
2 (Non-synchronized) Ranges
14 in. Cerametallic Clutch

8F x 8R with Power Shuttle
Steering column mounted Left Hand
Power clutchless shuttle (F/R)
4 (Synchronized) Gears in
2 (Non-synchronized) Ranges
Multiplate wet clutch design

**FARMALL® 110A TRACTOR TIER 4B/FINAL
US PRICE LIST**

Standard Equipment

TRANSMISSION (cont):

16F x 8R with Power Shuttle and Hi/Lo
(optional)
Steering column mounted Left Hand
Power clutchless shuttle (F/R)
Fully Synchronized
Two speed Hi/Lo powershift
Multiplate wet clutch design

All transmission versions:

19 mph (30 kph)
25 mph (40 kph) (optional)
Speed varies with tire selection

STEERING/BRAKES:

Hydrostatic Power Steering
Hydraulically actuated wet disc brakes
(self-equalizing and self-adjusting)
Independent Parking brake
(automotive style)

HYDRAULICS:

Fixed Displacement (FD) system
GearPump:
Maximum flow at rated engine speed:
22 gpm (83 l/m) flow
(implement pump)
9 gpm (34 l/m) flow
(steering and operating circuits)
31 gpm (121 l/m) total tractor
hydraulic flow
Two closed-center load sense (CCLS)
remote valves with quick couplers and
flow control.
Dual individual levers on RH console

AXLES:

2WD Front Axle:
55 degree Turning Angle
Single steering cylinder
Adjustable Tread Width from
64.0 in. to 80.0 in. (May vary
up to 1 in. depending on tires)
Standard front tires:
10.00-16 8PR (F2)

AXLES (cont):

MFD Front Axle:
Class III MFD Axle
55 degree Turning Angle
Dual steering cylinders
12 degree Axle Oscillation
Electro-hydraulic MFD engagement
Limited Slip Differential
Drive Shaft Shield
Adjustable tread width from
64 in. to 80 in. (May vary
up to 1 in. depending on tires)
Standard front tires:
14.9R24 6PR (R1)
Rear Axle:
Heavy-duty Flange type
Electro-hydraulic engaged differential
lock
Standard rear tires:
18.4R34 8PR (R1)

HITCH:

CAB and ROPS versions:
3-point hitch category II with flex link
ends and telescoping stabilizers
Mechanical draft control (MDC)
(Top link sensing)
Single lift rod turnbuckle adjuster
7200 lb./3266 kg lift capacity (SAE)
with a single internal and dual
external lift cylinder
Category II Offset swinging drawbar

PTO:

Independent 540/1000 RPM with
two individual shafts
Multi-plate wet clutch design
Single lever - mechanical engagement
Flip-up PTO shaft guard

**FARMALL® 110A TRACTOR TIER 4B/FINAL
US PRICE LIST**

Standard Equipment

ELECTRICAL:

CAB and ROPS:

(1) 12-volt 950 cca / 132 amp hr
battery
120 Amp Alternator
Geared starter motor (4.2kW)
7-pin outlet for trailer / implement
lighting
Rear 3-pin implement socket (40 amp)

MISCELLANEOUS:

Pivoting engine hood
Operators manual
SMV emblem
Horn

NEBRASKA TEST REPORT STATUS:

Not available in Nebraska pending
Temporary Sales Permit

LIGHTING:

CAB

Front: (2) Halogen Headlights and
(2) cab mounted worklights
Rear: (2) cab mounted worklights
Turn Signals/Flashers/Rear Lights

ROPS

Front: (2) Halogen Headlights
Rear: (1) Worklight,
Turn Signals/Flashers/Rear Lights

**FARMALL® 110A TRACTOR TIER 4B/FINAL
US PRICE LIST**

Models

| COMMERCIAL MODEL | VERSION | TRACTION | Weight | Factory Data | List Price |
|-----------------------------|---------|----------|----------|--------------|-------------|
| FARMALL 110A TIER 4B/FIN | Rops | 2WD | 7,000 LB | | \$60,701.00 |
| FARMALL 110A TIER 4B/FIN | Rops | MFD | 7,000 LB | | \$67,621.00 |
| FARMALL 110A TIER 4B/FIN | Cab | 2WD | 7,000 LB | | \$72,124.00 |
| FARMALL 110A TIER 4B/FIN | Cab | MFD | 7,000 LB | | \$79,044.00 |

Factory Supplied Options

| Order Code | Description | Weight | Factory Data | List Price |
|------------|-------------|--------|--------------|------------|
|------------|-------------|--------|--------------|------------|

OPERATOR STRUCTURE

SD_T8771 CANOPY

| | | | | |
|--------------|---------|-------------|--|-----------|
| CAB and ROPS | | | | |
| | XT8771X | Less Canopy | | No Charge |
| ROPS | | | | |
| | 335857 | Canopy | | \$765.00 |

SD_T9150 REAR WIPER & WASHER

| | | | | |
|------|---------|----------------------------|--|-----------|
| CAB | | | | |
| | 390642 | Less Rear Wiper Washer | | No Charge |
| | 330642 | Rear wiper/washer - CAB | | \$262.00 |
| ROPS | | | | |
| | XT9150X | Std less rear wiper/washer | | No Charge |

SD_T9411 HIGH VISIBILITY WINDOW

| | | | | |
|------|---------|-----------------------------|--|-----------|
| CAB | | | | |
| | 391126 | Less High-visibility window | | No Charge |
| | 334743 | High-visibility window | | \$510.00 |
| ROPS | | | | |
| | XT9411X | No High-visibility window | | No Charge |

**FARMALL® 110A TRACTOR TIER 4B/FINAL
US PRICE LIST**

WORK LIGHTING

SD_T9130 WORK LAMPS

| | | | | | | |
|-----|--|--------|---|--|--|-----------|
| | | 391293 | 1 Rear work light | | | No Charge |
| CAB | | | | | | |
| | | 390786 | 4 Worklights 2 Front and 2 Rear Worklights | | | No Charge |
| | | 336924 | 4 Front/4 Rear cab lights 4 Front and 4 Rear Worklights | | | \$255.00 |

TRANSPORT LIGHTS

SD_T8708 EXTREMITY LIGHTING

| | | | | | | |
|--|--|--------|-------------------------------|--|--|-----------|
| | | 391206 | Std Less Extremity Light Pkg. | | | No Charge |
| | | 336936 | Extremity light F/dual | | | \$290.00 |

SEAT

SD_T5702 INSTRUCTOR SEAT

| | | | | | | |
|------|--|---------|----------------------|--|--|-----------|
| ROPS | | | | | | |
| | | XT5702X | Less Instructor seat | | | No Charge |
| CAB | | | | | | |
| | | 391127 | No Instructor seat | | | No Charge |
| | | 336937 | Instructor seat | | | \$554.00 |

SD_T8500 SEAT

| | | | | | | |
|--------------|--|--------|------------------------------|--|--|-----------|
| CAB and ROPS | | | | | | |
| | | 391268 | Deluxe seat | | | No Charge |
| CAB | | | | | | |
| | | 336923 | Air suspension seat w/swivel | | | \$904.00 |

TRANSMISSION

TRANSMISSION

SD_T2800 SPEED

| | | | | | | |
|----------|--|--------|---------------|--|--|-----------|
| 2WD/MFD | | | | | | |
| | | 391266 | 30 KPH 391266 | | | No Charge |
| MFD Only | | | | | | |
| | | 337280 | 40 KPH | | | \$242.00 |

SD_T2810 TRANSMISSION

| | | | | | | |
|--|--|--------|---|--|--|--------------|
| | | 390340 | 8x8 with Synch Mech Rev 8x8 with Synchronized Mechanical Reverser Synchro-speeds and Dry Clutch | | | (\$1,839.00) |
|--|--|--------|---|--|--|--------------|

**FARMALL® 110A TRACTOR TIER 4B/FINAL
US PRICE LIST**

| | | | | | | |
|--|--|--------|--|--|--|------------|
| | | 330059 | 8x8 With Power Shuttle 8x8 with Power Shuttle Synchro-speeds | | | No Charge |
| | | 330061 | 16x8 With Power Shuttle 16x8 with Power Shuttle and Hi-Lo Synchro-speeds | | | \$1,958.00 |

SD_T3230 CREEPER or Interlock

| | | | | | | |
|--|--|--------|--|--|--|------------|
| | | 390266 | Less Creeper. | | | No Charge |
| | | 330066 | 10:1 Creeper Creeper Transmission (10:1 Ratio) Creeper compatible with EITHER 16x8 transmission (330061) OR 14.9R46 rear tires (8360781) but NOT with the combination. | | | \$2,423.00 |

BACK-UP ALARM

SD_T9249 REVERSE ALARM

| | | | | | | |
|--|--|---------|-----------------|--|--|-----------|
| | | X92491X | L/Reverse Alarm | | | No Charge |
| | | 330692 | Reverse Alarm | | | \$163.00 |

TRAILER BRAKES

TRAILER BRAKES

SD_T7130 TRLR BRK VLV

| | | | | | | |
|--|--|---------|-----------------------------|--|--|-----------|
| | | 330718 | Hydraulic trailer brakes | | | \$898.00 |
| | | XT7130X | No Hydraulic Trailer Brakes | | | No Charge |

HITCH

SD_T8950 AUX RAMS

| | | | | | | |
|--|--|--------|--|--|--|------------|
| | | 336784 | Hyd Lift w/ 1 int. & 1 ext cyl Hydraulic lift with 1 internal and 1 external lift cylinders (5,400 lbs/2,449 kgs lift capacity) with telescopic stabilizers. | | | (\$605.00) |
| | | 339784 | Hyd Lift w/ 1 int. & 2 ext cyl Hydraulic lift with 1 internal and 2 external lift cylinders (7,200 lbs/3,266 kgs lift capacity) with telescopic stabilizers | | | No Charge |

HITCH AND DRAWBAR

SD_T8900 REAR HITCHES/DRAWBAR

| | | | | | | |
|--|--|--------|---|--|--|-----------|
| | | 337890 | Less Drawbar | | | No Charge |
| | | 392905 | Swinging Drawbar Less Clevis Independent swinging drawbar less clevis | | | No Charge |
| | | 330937 | Swinging Drawbar With Clevis Independent swinging drawbar with clevis | | | \$141.00 |

**FARMALL® 110A TRACTOR TIER 4B/FINAL
US PRICE LIST**

REAR 3-POINT

SD_T8960 DRAWBAR AND 3 POINT HITCH

| | | | | | | |
|--|--|--------|--|--|--|-----------|
| | | 390351 | Cat 2 Flex Links MDC Cat 2 flex links for MDC (Mechanical Draft Control) | | | No Charge |
| | | 330148 | Cat 2 QA Links MDC Cat 2 Quick attach Open Claw Link Ends for MDC (Mechanical Draft Control) | | | \$413.00 |

HYDRAULICS

SD_T8270 REAR REMOTES

| | | | | | | |
|--|--|--------|----------------------|--|--|------------|
| | | 429472 | 2 Bosch RR Flow Ctrl | | | No Charge |
| | | 429473 | 3 Bosch RR Flow Ctrl | | | \$999.00 |
| | | 429474 | 4 Bosch RR Flow Ctrl | | | \$1,997.00 |

FRONT AXLE

SD_T4010 FRONT AXLE

| | | | | | | |
|-----|--|---------|-------------------------|--|--|------------|
| MFD | | | | | | |
| | | XT401XX | Less 2WD Front Axle | | | No Charge |
| 2WD | | | | | | |
| | | 330403 | Standard 2WD front axle | | | No Charge |
| | | 390373 | 2WD Front Axle HD | | | \$2,561.00 |

FRONT WHEELS AND TIRES

SD_T4940 FRONT WHEELS AND TIRES

| | | | | | | |
|-----|--|---------|---|--|--|--------------|
| MFD | | | | | | |
| | | 8299905 | Front Shipping Wheels-4WD | | | (\$1,596.00) |
| | | 8230202 | 13.6 x 24 6PR R1 ANY B Any brand | | | (\$72.00) |
| | | 8240606 | 13.6X24 6PR R1 JK | | | (\$72.00) |
| | | 8235301 | 12.4-24 6PR Any Brand | | | (\$72.00) |
| | | 8240304 | 14.9-24 6PR R1 Firestone Brand | | | No Charge |
| | | 8282401 | 13.6 x 28 6PR R1 Any Brand Requires Rear Tire 8380200 | | | \$142.00 |
| | | 8241304 | 14.9-28 6PR R1 Firestone Brand | | | \$254.00 |

**FARMALL® 110A TRACTOR TIER 4B/FINAL
US PRICE LIST**

| | | | | | | |
|-----|--|---------|---|--|--|------------|
| | | 8282201 | 12.4 x 28 6PR R1 Any Brand | | | \$288.00 |
| | | 8282501 | 14.9 x 28 6PR R2 Any Brand R2 Pattern-Twice the tread depth as a conventional R1 tire | | | \$307.00 |
| | | 8248621 | 250/95 R34 R1 | | | \$575.00 |
| | | 8248631 | 320/85 R34 R1 Any brand | | | \$2,248.00 |
| 2WD | | | | | | |
| | | 8199101 | Front Shipping Wheels-2wd | | | (\$722.00) |
| | | 8843901 | Front Shipping Wheels 2WD HD | | | (\$722.00) |
| | | 8114404 | 10.00-16 8PR F2 Firestone Brand Not for use with the following Rear Tire Codes: 8365601, 8322891, 8480701, 8334606, 8390601, 8480802 | | | No Charge |
| | | 8180522 | 10.00 x 16 8ply For HD Axle Firestone Brand Not for use with the following Rear Tire Codes: 8365601, 8322891, 8480701, 8334606, 8390601, 8480802 Not compatible with Std 2WD Front Axle | | | No Charge |

REAR AXLE

SD_T3200 REAR AXLE

| | | | | | | |
|--|--|--------|--------------------------------|--|--|------------|
| | | 390331 | Heavy-duty Flange Axle | | | No Charge |
| | | 330331 | 98 in. bar axle (Steel Wheels) | | | \$1,592.00 |

REAR WHEELS AND TIRES

SD_T4950 REAR WHEELS AND TIRES

| | | | | | | |
|----------------------|--|---------|---|--|--|--------------|
| Duals for Bar Axle | | | | | | |
| | | 8480702 | DUAL 18.4x34 8480702 Firestone Brand Requires Extremity Lights (336936) | | | \$3,458.00 |
| | | 8480803 | DUAL 18.4X38 8480803 Firestone Brand Requires Extremity Lights (336936) | | | \$4,593.00 |
| | | 8318690 | DUAL 12.4x42 R1 - An Any Brand Requires Extremity Lights (336936) | | | \$5,436.00 |
| Singles for Bar Axle | | | | | | |
| | | 8399906 | Rear Shipping Wheels | | | (\$2,751.00) |
| | | 8321891 | SINGLE 18.4 x 34 8 ply Firestone Brand Requires Extremity Lights (336936) | | | No Charge |

**FARMALL® 110A TRACTOR TIER 4B/FINAL
US PRICE LIST**

| | | | | | | |
|-------------------------|--|---------|--|--|--|--------------|
| | | 8390503 | 18.4 x 38 8 ply R1-BAX Firestone Brand Requires Extremity Lights (336936) | | | \$567.00 |
| | | 8318590 | Single 12.4 x 42 R1 Any Brand Requires Extremity Lights (336936) | | | \$989.00 |
| | | 8360761 | 320/90R46 R-1 – Bar Single Requires Extremity Lights (336936) | | | \$1,979.00 |
| | | 8360781 | 380/85R46 R1W - Bar Single Not compatible with 16x8 transmission w/power shuttle (330061) Requires Extremity Lights (336936) | | | \$2,102.00 |
| Singles for Flange Axle | | | | | | |
| | | 8399905 | Shipping Wheels-Rear | | | (\$2,751.00) |
| | | 8357601 | 18.4x30 8 ply R1 Any brand | | | (\$509.00) |
| | | 8340610 | 18.4x30 8 PLY R1 JK | | | (\$509.00) |
| | | 8391505 | 19.5Lx24 10PR R4 ROPS Only | | | (\$497.00) |
| | | 8355301 | 16.9-30 6PR Any brand | | | (\$443.00) |
| | | 8320891 | 18.4 x 30 10 ply R1 Any Brand 10 Ply Tire and Heavy-duty Non-adjustable Rim | | | (\$407.00) |
| | | 8380200 | 23.1x30 10PR R1 Any Brand | | | (\$301.00) |
| | | 8380400 | 23.1x30 10PR R2 Any Brand R2 Pattern-Twice the tread depth as a conventional R1 tire Not allowed with Rear Wheel Weights (330471). | | | (\$301.00) |
| | | 8365440 | 18.4 x 34 8 PLY R1 Firestone Brand | | | No Charge |
| | | 8328604 | 18.4-38 8 PR R1 Firestone Brand | | | \$567.00 |
| | | 8380100 | 12.4x42 8PR R1 Any Brand | | | \$989.00 |

FENDERS

FRONT FENDERS

SD_T8740 FRONT FENDERS

| | | | | | | |
|-----|--|---------|-----------------------------|--|--|-----------|
| 2WD | | | | | | |
| | | XT8740X | Standard Less Front Fenders | | | No Charge |
| MFD | | | | | | |
| | | 390860 | Less Front Fenders | | | No Charge |

**FARMALL® 110A TRACTOR TIER 4B/FINAL
US PRICE LIST**

| | | | | | | |
|--|--|--------|---|--|--|----------|
| | | 336940 | Front Fenders-Dynamic Dynamic Front Fenders – includes oscillation stops (Axle oscillation is limited to 8 degrees) | | | \$706.00 |
|--|--|--------|---|--|--|----------|

LOADER

LOADER EQUIPMENT

SD_T8110 LOADER BRACKETS

| | | | | | | |
|--|--|--------|---------------------|--|--|------------|
| | | 390819 | Less Loader Ready | | | No Charge |
| | | 429475 | Loader Ready 429475 | | | \$5,095.00 |

OTHER EQUIPMENT

FRONT BALLAST

SD_T2150 FRONT BALLAST

| | | | | | | |
|--|--|--------|--------------------------------|--|--|------------|
| | | 390215 | Less Front Carrier and Weights | | | No Charge |
| | | 334923 | Carrier less front weights | | | \$301.00 |
| | | 334924 | Carrier - 10 weights | | | \$1,677.00 |

REAR BALLAST

SD_T4961 REAR BALLAST

| | | | | | | |
|----------|--|---------|---|--|--|------------|
| | | XT4961X | Standard Less Rear Ballast | | | No Charge |
| Flange | | | | | | |
| | | 330138 | 6 rear wheel wts 6 rear wheel weights for flange axle, 88 lbs/40 kgs each For use with 30" tires only | | | \$812.00 |
| | | 330471 | 6 Rear Wheel Weights 6 rear wheel weights for flange axle, 88 lbs/40 kgs each Not compatible with 30" tires or 19.5L24 R4 (8391505) | | | \$812.00 |
| | | 332497 | 12 Rear wheel weights 12 rear wheel weights for flange axle, 88 lbs/ 40 kgs each For use with 18.4x38 (8334606 or 8328604) | | | \$1,623.00 |
| Bar Axle | | | | | | |
| | | 336935 | 6 Rear wheel weights 6 rear wheel weights for bar axle, 88 lbs/65 kgs each | | | \$812.00 |
| | | 334354 | 10 rear wheel weight 10 rear wheel weights for bar axle, 143 lbs/65 kg each | | | \$1,355.00 |

OPERATOR'S MANUAL

SD_T9802 OPERATORS MANUAL

| | | | | | | |
|--|--|--------|-------------------|--|--|-----------|
| | | 429481 | Spanish Bosch T4B | | | No Charge |
| | | 429482 | French Bosch T4B | | | No Charge |



**FARMALL® 110A TRACTOR TIER 4B/FINAL
US PRICE LIST**

| | | | | | | |
|--|--|---------|---|--|--|-----------|
| | | XT9802X | Less Add'l Operator Manual English Manual is supplied as base equipment | | | No Charge |
|--|--|---------|---|--|--|-----------|

**FARMALL® 120A TRACTOR TIER 4B/FINAL
US PRICE LIST**

Standard Equipment

ENGINE:

96 PTO hp @ 2200 RPM
 273 cu. in. (4.5 L) Displacement
 4 Cylinder Turbocharged and
 Intercooled Engine with electronic
 management
 Tier 4 B/Final Emissions Compliant
 4 valves per cylinder
 Bosch fuel injection pump (electronic)
 Air Cleaner w/ Precleaner
 Dual element air filter
 Hand and foot throttle
 Grid Heater Starting Aid
 56.8-Gallon (215 L) Fuel Tank
 with guard
 7.9-Gallon (30L) Diesel Exhaust
 Fluid (DEF) Tank
 Fixed fan (9 Blades)
 Fuel Cooler

EXHAUST:

A-Post exhaust with integral muffler

OPERATIVE PROTECTIVE STRUCTURE:
CAB MODELS

ROPS/FOPS protected, flat deck
 platform
 with heat and air conditioning, tinted
 windshield, retractable sun screen,
 front wiper and washer, two doors
 with locks, two external mirrors,
 openable side windows, hinged rear
 window (fully opens)
 Steering Wheel - adjustable tilt and
 telescope
 Seat - Cloth covered with mechanical
 suspension, operator's presence
 sensor, retractable seat belt, arm rests
 Suspended pedals
 Radio, speakers and antenna

OPERATIVE PROTECTIVE STRUCTURE

(cont):

ROPS MODELS

2-Post Foldable ROPS with ISO and
 mounted flat deck platform
 Steering Wheel - adjustable tilt
 Seat - Vinyl covered with mechanical
 suspension, operator's presence
 sensor, retractable seat belts,
 arm rests
 Suspended pedals
 Locking brake pedals

INSTRUMENTATION:

Analog/Digital instrumentation cluster
 with LCD display
 Warning lights for air cleaner service,
 alternator, oil pressure, fuel
 sediment/water sensor, headlight
 high beam and parking brake
 Gauges for fuel level, engine
 temperature, tachometer
 and hour meter.

TRANSMISSION:

8F x 8R Synchronized Mechanical
 Reverser (Optional)
 Steering column mounted Left Hand
 synchronized mechanical shuttle.
 4 (Synchronized) Gears in
 2 (Non-synchronized) Ranges
 14 in. Cerametallic Clutch

 8F x 8R with Power Shuttle
 Steering column mounted Left Hand
 Power clutchless shuttle (F/R)
 4 (Synchronized) Gears in
 2 (Non-synchronized) Ranges
 Multiplate wet clutch design

**FARMALL® 120A TRACTOR TIER 4B/FINAL
US PRICE LIST**

Standard Equipment

TRANSMISSION (cont):

16F x 8R with Power Shuttle and Hi/Lo
(optional)
Steering column mounted Left Hand
Power clutchless shuttle (F/R)
Fully Synchronized
Two speed Hi/Lo powershift
Multiplate wet clutch design

All transmission versions:

19 mph (30 kph)
25 mph (40 kph) (optional)
Speed varies with tire selection

STEERING/BRAKES:

Hydrostatic Power Steering
Hydraulically actuated wet disc brakes
(self-equalizing and self-adjusting)
Independent Parking brake
(automotive style)

HYDRAULICS:

Fixed Displacement (FD) system
GearPump:
Maximum flow at rated engine speed:
22 gpm (83 l/m) flow
(implement pump)
9 gpm (34 l/m) flow
(steering and operating circuits)
31 gpm (121 l/m) total tractor
hydraulic flow
Two closed-center load sense (CCLS)
remote valves with quick couplers and
flow control.
Dual individual levers on RH console

AXLES:

2WD Front Axle:
55 degree Turning Angle
Single steering cylinder
Adjustable Tread Width from
64.0 in. to 80.0 in. (May vary
up to 1 in. depending on tires)
Standard front tires:
10.00-16 8PR (F2)

AXLES (cont):

MFD Front Axle:
Class III MFD Axle
55 degree Turning Angle
Dual steering cylinders
12 degree Axle Oscillation
Electro-hydraulic MFD engagement
Limited Slip Differential
Drive Shaft Shield
Adjustable tread width from
64 in. to 80 in. (May vary
up to 1 in. depending on tires)
Standard front tires:
14.9R24 6PR (R1)
Rear Axle:
Heavy-duty Flange type
Electro-hydraulic engaged differential
lock
Standard rear tires:
18.4R34 8PR (R1)

HITCH:

CAB and ROPS versions:
3-point hitch category II with flex link
ends and telescoping stabilizers
Mechanical draft control (MDC)
(Top link sensing)
Single lift rod turnbuckle adjuster
7200 lb./3266 kg lift capacity (SAE)
with a single internal and dual
external lift cylinder
Category II Offset swinging drawbar

PTO:

Independent 540/1000 RPM with
two individual shafts
Multi-plate wet clutch design
Single lever - mechanical engagement
Flip-up PTO shaft guard

**FARMALL® 120A TRACTOR TIER 4B/FINAL
US PRICE LIST**

Standard Equipment

ELECTRICAL:

CAB and ROPS:

(1) 12-volt 950 cca / 132 amp hr
battery
120 Amp Alternator
Geared starter motor (4.2kW)
7-pin outlet for trailer / implement
lighting
Rear 3-pin implement socket (40 amp)

MISCELLANEOUS:

Pivoting engine hood
Operators manual
SMV emblem
Horn

NEBRASKA TEST REPORT STATUS:

Not available in Nebraska pending
Temporary Sales Permit

LIGHTING:

CAB

Front: (2) Halogen Headlights and
(2) cab mounted worklights
Rear: (2) cab mounted worklights
Turn Signals/Flashers/Rear Lights

ROPS

Front: (2) Halogen Headlights
Rear: (1) Worklight,
Turn Signals/Flashers/Rear Lights

**FARMALL® 120A TRACTOR TIER 4B/FINAL
US PRICE LIST**

Models

| COMMERCIAL MODEL | VERSION | TRACTION | Weight | Factory Data | List Price |
|-----------------------------|---------|----------|-----------|--------------|-------------|
| FARMALL 120A TIER 4B/FIN | Rops | 2WD | 7,000 LB | | \$65,123.00 |
| FARMALL 120A TIER 4B/FIN | Rops | MFD | 11,000 LB | | \$72,043.00 |
| FARMALL 120A TIER 4B/FIN | Cab | 2WD | 11,000 LB | | \$76,546.00 |
| FARMALL 120A TIER 4B/FIN | Cab | MFD | 7,000 LB | | \$83,466.00 |

Factory Supplied Options

| Order Code | Description | Weight | Factory Data | List Price |
|------------|-------------|--------|--------------|------------|
|------------|-------------|--------|--------------|------------|

OPERATOR STRUCTURE

SD_T8771 CANOPY

| | | | | |
|--------------|---------|-------------|--|-----------|
| CAB and ROPS | | | | |
| | XT8771X | Less Canopy | | No Charge |
| ROPS | | | | |
| | 335857 | Canopy | | \$765.00 |

SD_T9150 REAR WIPER & WASHER

| | | | | |
|------|---------|----------------------------|--|-----------|
| CAB | | | | |
| | 390642 | Less Rear Wiper Washer | | No Charge |
| | 330642 | Rear wiper/washer - CAB | | \$262.00 |
| ROPS | | | | |
| | XT9150X | Std less rear wiper/washer | | No Charge |

SD_T9411 HIGH VISIBILITY WINDOW

| | | | | |
|------|---------|-----------------------------|--|-----------|
| CAB | | | | |
| | 391126 | Less High-visibility window | | No Charge |
| | 334743 | High-visibility window | | \$510.00 |
| ROPS | | | | |
| | XT9411X | No High-visibility window | | No Charge |

**FARMALL® 120A TRACTOR TIER 4B/FINAL
US PRICE LIST**

WORK LIGHTING

SD_T9130 WORK LAMPS

| | | | | | | |
|-----|--|--------|---|--|--|-----------|
| | | 391293 | 1 Rear work light | | | No Charge |
| CAB | | | | | | |
| | | 390786 | 4 Worklights 2 Front and 2 Rear Worklights | | | No Charge |
| | | 336924 | 4 Front/4 Rear cab lights 4 Front and 4 Rear Worklights | | | \$255.00 |

TRANSPORT LIGHTS

SD_T8708 EXTREMITY LIGHTING

| | | | | | | |
|--|--|--------|-------------------------------|--|--|-----------|
| | | 391206 | Std Less Extremity Light Pkg. | | | No Charge |
| | | 336936 | Extremity light F/dual | | | \$290.00 |

SEAT

SD_T5702 INSTRUCTOR SEAT

| | | | | | | |
|------|--|---------|----------------------|--|--|-----------|
| ROPS | | | | | | |
| | | XT5702X | Less Instructor seat | | | No Charge |
| CAB | | | | | | |
| | | 391127 | No Instructor seat | | | No Charge |
| | | 336937 | Instructor seat | | | \$554.00 |

SD_T8500 SEAT

| | | | | | | |
|--------------|--|--------|------------------------------|--|--|-----------|
| CAB and ROPS | | | | | | |
| | | 391268 | Deluxe seat | | | No Charge |
| CAB | | | | | | |
| | | 336923 | Air suspension seat w/swivel | | | \$904.00 |

TRANSMISSION

TRANSMISSION

SD_T2800 SPEED

| | | | | | | |
|----------|--|--------|---------------|--|--|-----------|
| 2WD/MFD | | | | | | |
| | | 391266 | 30 KPH 391266 | | | No Charge |
| MFD Only | | | | | | |
| | | 337280 | 40 KPH | | | \$242.00 |

SD_T2810 TRANSMISSION

| | | | | | | |
|--|--|--------|---|--|--|--------------|
| | | 390340 | 8x8 with Synch Mech Rev 8x8 with Synchronized Mechanical Reverser Synchro-speeds and Dry Clutch | | | (\$1,839.00) |
|--|--|--------|---|--|--|--------------|

**FARMALL® 120A TRACTOR TIER 4B/FINAL
US PRICE LIST**

| | | | | | | |
|--|--|--------|--|--|--|------------|
| | | 330059 | 8x8 With Power Shuttle 8x8 with Power Shuttle Synchro-speeds | | | No Charge |
| | | 330061 | 16x8 With Power Shuttle 16x8 with Power Shuttle and Hi-Lo Synchro-speeds | | | \$1,958.00 |

SD_T3230 CREEPER or Interlock

| | | | | | | |
|--|--|--------|--|--|--|------------|
| | | 390266 | Less Creeper. | | | No Charge |
| | | 330066 | 10:1 Creeper Creeper Transmission (10:1 Ratio) Creeper compatible with EITHER 16x8 transmission (330061) OR 14.9R46 rear tires (8360781) but NOT with the combination. | | | \$2,423.00 |

BACK-UP ALARM

SD_T9249 REVERSE ALARM

| | | | | | | |
|--|--|---------|-----------------|--|--|-----------|
| | | X92491X | L/Reverse Alarm | | | No Charge |
| | | 330692 | Reverse Alarm | | | \$163.00 |

TRAILER BRAKES

TRAILER BRAKES

SD_T7130 TRLR BRK VLV

| | | | | | | |
|--|--|---------|-----------------------------|--|--|-----------|
| | | 330718 | Hydraulic trailer brakes | | | \$898.00 |
| | | XT7130X | No Hydraulic Trailer Brakes | | | No Charge |

HITCH

SD_T8950 AUX RAMS

| | | | | | | |
|--|--|--------|--|--|--|------------|
| | | 336784 | Hyd Lift w/ 1 int. & 1 ext cyl Hydraulic lift with 1 internal and 1 external lift cylinders (5,400 lbs/2,449 kgs lift capacity) with telescopic stabilizers. | | | (\$605.00) |
| | | 339784 | Hyd Lift w/ 1 int. & 2 ext cyl Hydraulic lift with 1 internal and 2 external lift cylinders (7,200 lbs/3,266 kgs lift capacity) with telescopic stabilizers | | | No Charge |

HITCH AND DRAWBAR

SD_T8900 REAR HITCHES/DRAWBAR

| | | | | | | |
|--|--|--------|---|--|--|-----------|
| | | 337890 | Less Drawbar | | | No Charge |
| | | 392905 | Swinging Drawbar Less Clevis Independent swinging drawbar less clevis | | | No Charge |
| | | 330937 | Swinging Drawbar With Clevis Independent swinging drawbar with clevis | | | \$141.00 |

**FARMALL® 120A TRACTOR TIER 4B/FINAL
US PRICE LIST**

REAR 3-POINT

SD_T8960 DRAWBAR AND 3 POINT HITCH

| | | | | | | |
|--|--|--------|--|--|--|-----------|
| | | 390351 | Cat 2 Flex Links MDC Cat 2 flex links for MDC (Mechanical Draft Control) | | | No Charge |
| | | 330148 | Cat 2 QA Links MDC Cat 2 Quick attach Open Claw Link Ends for MDC (Mechanical Draft Control) | | | \$413.00 |

HYDRAULICS

SD_T8270 REAR REMOTES

| | | | | | | |
|--|--|--------|----------------------|--|--|------------|
| | | 429472 | 2 Bosch RR Flow Ctrl | | | No Charge |
| | | 429473 | 3 Bosch RR Flow Ctrl | | | \$999.00 |
| | | 429474 | 4 Bosch RR Flow Ctrl | | | \$1,997.00 |

FRONT AXLE

SD_T4010 FRONT AXLE

| | | | | | | |
|-----|--|---------|-------------------------|--|--|------------|
| MFD | | | | | | |
| | | XT401XX | Less 2WD Front Axle | | | No Charge |
| 2WD | | | | | | |
| | | 330403 | Standard 2WD front axle | | | No Charge |
| | | 390373 | 2WD Front Axle HD | | | \$2,561.00 |

FRONT WHEELS AND TIRES

SD_T4940 FRONT WHEELS AND TIRES

| | | | | | | |
|-----|--|---------|---|--|--|--------------|
| MFD | | | | | | |
| | | 8299905 | Front Shipping Wheels-4WD | | | (\$1,596.00) |
| | | 8230202 | 13.6 x 24 6PR R1 ANY B Any brand | | | (\$72.00) |
| | | 8240606 | 13.6X24 6PR R1 JK | | | (\$72.00) |
| | | 8235301 | 12.4-24 6PR Any Brand | | | (\$72.00) |
| | | 8240304 | 14.9-24 6PR R1 Firestone Brand | | | No Charge |
| | | 8282401 | 13.6 x 28 6PR R1 Any Brand Requires Rear Tire 8380200 | | | \$142.00 |
| | | 8241304 | 14.9-28 6PR R1 Firestone Brand | | | \$254.00 |

**FARMALL® 120A TRACTOR TIER 4B/FINAL
US PRICE LIST**

| | | | | | | |
|-----|--|---------|---|--|--|------------|
| | | 8282201 | 12.4 x 28 6PR R1 Any Brand | | | \$288.00 |
| | | 8282501 | 14.9 x 28 6PR R2 Any Brand R2 Pattern-Twice the tread depth as a conventional R1 tire | | | \$307.00 |
| | | 8248621 | 250/95 R34 R1 | | | \$575.00 |
| | | 8248631 | 320/85 R34 R1 Any brand | | | \$2,248.00 |
| 2WD | | | | | | |
| | | 8199101 | Front Shipping Wheels-2wd | | | (\$722.00) |
| | | 8843901 | Front Shipping Wheels 2WD HD | | | (\$722.00) |
| | | 8114404 | 10.00-16 8PR F2 Firestone Brand Not for use with the following Rear Tire Codes: 8365601, 8322891, 8480701, 8334606, 8390601, 8480802 | | | No Charge |
| | | 8180522 | 10.00 x 16 8ply For HD Axle Firestone Brand Not for use with the following Rear Tire Codes: 8365601, 8322891, 8480701, 8334606, 8390601, 8480802 Not compatible with Std 2WD Front Axle | | | No Charge |

REAR AXLE

SD_T3200 REAR AXLE

| | | | | | | |
|--|--|--------|--------------------------------|--|--|------------|
| | | 390331 | Heavy-duty Flange Axle | | | No Charge |
| | | 330331 | 98 in. bar axle (Steel Wheels) | | | \$1,592.00 |

REAR WHEELS AND TIRES

SD_T4950 REAR WHEELS AND TIRES

| | | | | | | |
|----------------------|--|---------|---|--|--|--------------|
| Duals for Bar Axle | | | | | | |
| | | 8480702 | DUAL 18.4x34 8480702 Firestone Brand Requires Extremity Lights (336936) | | | \$3,458.00 |
| | | 8480803 | DUAL 18.4X38 8480803 Firestone Brand Requires Extremity Lights (336936) | | | \$4,593.00 |
| | | 8318690 | DUAL 12.4x42 R1 - An Any Brand Requires Extremity Lights (336936) | | | \$5,436.00 |
| Singles for Bar Axle | | | | | | |
| | | 8399906 | Rear Shipping Wheels | | | (\$2,751.00) |
| | | 8321891 | SINGLE 18.4 x 34 8 ply Firestone Brand Requires Extremity Lights (336936) | | | No Charge |

**FARMALL® 120A TRACTOR TIER 4B/FINAL
US PRICE LIST**

| | | | | | | |
|-------------------------|--|---------|--|--|--|--------------|
| | | 8390503 | 18.4 x 38 8 ply R1-BAX Firestone Brand Requires Extremity Lights (336936) | | | \$567.00 |
| | | 8318590 | Single 12.4 x 42 R1 Any Brand Requires Extremity Lights (336936) | | | \$989.00 |
| | | 8360761 | 320/90R46 R-1 – Bar Single Requires Extremity Lights (336936) | | | \$1,979.00 |
| | | 8360781 | 380/85R46 R1W - Bar Single Not compatible with 16x8 transmission w/power shuttle (330061) Requires Extremity Lights (336936) | | | \$2,102.00 |
| Singles for Flange Axle | | | | | | |
| | | 8399905 | Shipping Wheels-Rear | | | (\$2,751.00) |
| | | 8357601 | 18.4x30 8 ply R1 Any brand | | | (\$509.00) |
| | | 8340610 | 18.4x30 8 PLY R1 JK | | | (\$509.00) |
| | | 8391505 | 19.5Lx24 10PR R4 ROPS Only | | | (\$497.00) |
| | | 8355301 | 16.9-30 6PR Any brand | | | (\$443.00) |
| | | 8320891 | 18.4 x 30 10 ply R1 Any Brand 10 Ply Tire and Heavy-duty Non-adjustable Rim | | | (\$407.00) |
| | | 8380200 | 23.1x30 10PR R1 Any Brand | | | (\$301.00) |
| | | 8380400 | 23.1x30 10PR R2 Any Brand R2 Pattern-Twice the tread depth as a conventional R1 tire Not allowed with Rear Wheel Weights (330471). | | | (\$301.00) |
| | | 8365440 | 18.4 x 34 8 PLY R1 Firestone Brand | | | No Charge |
| | | 8328604 | 18.4-38 8 PR R1 Firestone Brand | | | \$567.00 |
| | | 8380100 | 12.4x42 8PR R1 Any Brand | | | \$989.00 |

FENDERS

FRONT FENDERS

SD_T8740 FRONT FENDERS

| | | | | | | |
|-----|--|---------|-----------------------------|--|--|-----------|
| 2WD | | | | | | |
| | | XT8740X | Standard Less Front Fenders | | | No Charge |
| MFD | | | | | | |
| | | 390860 | Less Front Fenders | | | No Charge |

**FARMALL® 120A TRACTOR TIER 4B/FINAL
US PRICE LIST**

| | | | | | | |
|--|--|--------|---|--|--|----------|
| | | 336940 | Front Fenders-Dynamic Dynamic Front Fenders – includes oscillation stops (Axle oscillation is limited to 8 degrees) | | | \$706.00 |
|--|--|--------|---|--|--|----------|

LOADER

LOADER EQUIPMENT

SD_T8110 LOADER BRACKETS

| | | | | | | |
|--|--|--------|---------------------|--|--|------------|
| | | 390819 | Less Loader Ready | | | No Charge |
| | | 429475 | Loader Ready 429475 | | | \$5,095.00 |

OTHER EQUIPMENT

FRONT BALLAST

SD_T2150 FRONT BALLAST

| | | | | | | |
|--|--|--------|--------------------------------|--|--|------------|
| | | 390215 | Less Front Carrier and Weights | | | No Charge |
| | | 334923 | Carrier less front weights | | | \$301.00 |
| | | 334924 | Carrier - 10 weights | | | \$1,677.00 |

REAR BALLAST

SD_T4961 REAR BALLAST

| | | | | | | |
|----------|--|---------|---|--|--|------------|
| | | XT4961X | Standard Less Rear Ballast | | | No Charge |
| Flange | | | | | | |
| | | 330138 | 6 rear wheel wts 6 rear wheel weights for flange axle, 88 lbs/40 kgs each For use with 30" tires only | | | \$812.00 |
| | | 330471 | 6 Rear Wheel Weights 6 rear wheel weights for flange axle, 88 lbs/40 kgs each Not compatible with 30" tires or 19.5L24 R4 (8391505) | | | \$812.00 |
| | | 332497 | 12 Rear wheel weights 12 rear wheel weights for flange axle, 88 lbs/ 40 kgs each For use with 18.4x38 (8334606 or 8328604) | | | \$1,623.00 |
| Bar Axle | | | | | | |
| | | 336935 | 6 Rear wheel weights 6 rear wheel weights for bar axle, 88 lbs/65 kgs each | | | \$812.00 |
| | | 334354 | 10 rear wheel weight 10 rear wheel weights for bar axle, 143 lbs/65 kg each | | | \$1,355.00 |

OPERATOR'S MANUAL

SD_T9802 OPERATORS MANUAL

| | | | | | | |
|--|--|--------|-------------------|--|--|-----------|
| | | 429481 | Spanish Bosch T4B | | | No Charge |
| | | 429482 | French Bosch T4B | | | No Charge |

**FARMALL® 120A TRACTOR TIER 4B/FINAL
US PRICE LIST**

| | | | | | | |
|--|--|---------|---|--|--|-----------|
| | | XT9802X | Less Add'l Operator Manual English Manual is supplied as base equipment | | | No Charge |
|--|--|---------|---|--|--|-----------|

**FARMALL® 130A TRACTOR TIER 4B/FINAL
US PRICE LIST**

Standard Equipment

ENGINE:

108 PTO hp @ 2200 RPM
273 cu. in. (4.5 L) Displacement
4 Cylinder Turbocharged and
Intercooled Engine with electronic
management
Tier 4 B/Final Emissions Compliant
4 valves per cylinder
Bosch fuel injection pump (electronic)
Air Cleaner w/ Precleaner Dual element
air filter
Hand and foot throttle
Grid Heater Starting Aid
56.8-Gallon (215 L) Fuel Tank
with guard
7.9-Gallon (30L) Diesel Exhaust
Fluid (DEF) Tank
Fixed fan (9 Blades)
Fuel Cooler

EXHAUST:

A-Post exhaust with integral muffler

OPERATIVE PROTECTIVE STRUCTURE:

CAB MODELS

ROPS/FOPS protected, flat deck
platform
with heat and air conditioning, tinted
windshield, retractable sun screen,
front wiper and washer, two doors
with locks, two external mirrors,
openable side windows, hinged rear
window (fully opens)
Steering Wheel - adjustable tilt and
telescope
Seat - Cloth covered with mechanical
suspension, operator's presence
sensor, retractable seat belt, arm rests
Suspended pedals
Radio, speakers and antenna

OPERATIVE PROTECTIVE STRUCTURE

(cont):

ROPS MODELS

2-Post Foldable ROPS with ISO and
mounted flat deck platform
Steering Wheel - adjustable tilt
Seat - Vinyl covered with mechanical
suspension, operator's presence
sensor, retractable seat belts,
arm rests
Suspended pedals
Locking brake pedals

INSTRUMENTATION:

Analog/Digital instrumentation cluster
with LCD display
Warning lights for air cleaner service,
alternator, oil pressure, fuel
sediment/water sensor, headlight
high beam and parking brake
Gauges for fuel level, engine
temperature, tachometer
and hour meter.

TRANSMISSION:

8F x 8R Synchronized Mechanical
Reverser (Optional)
Steering column mounted Left Hand
synchronized mechanical shuttle.
4 (Synchronized) Gears in
2 (Non-synchronized) Ranges
14 in. Cerametallic Clutch

8F x 8R with Power Shuttle
Steering column mounted Left Hand
Power clutchless shuttle (F/R)
4 (Synchronized) Gears in
2 (Non-synchronized) Ranges
Multiplate wet clutch design

**FARMALL® 130A TRACTOR TIER 4B/FINAL
US PRICE LIST**

Standard Equipment

TRANSMISSION (cont):

16F x 8R with Power Shuttle and Hi/Lo
(optional)
Steering column mounted Left Hand
Power clutchless shuttle (F/R)
Fully Synchronized
Two speed Hi/Lo powershift
Multiplate wet clutch design

All transmission versions:

19 mph (30 kph)
25 mph (40 kph) (optional)
Speed varies with tire selection

STEERING/BRAKES:

Hydrostatic Power Steering
Hydraulically actuated wet disc brakes
(self-equalizing and self-adjusting)
Independent Parking brake
(automotive style)

HYDRAULICS:

Fixed Displacement (FD) system
GearPump:
Maximum flow at rated engine speed:
22 gpm (83 l/m) flow
(implement pump)
9 gpm (34 l/m) flow
(steering and operating circuits)
31 gpm (121 l/m) total tractor
hydraulic flow
Two closed-center load sense (CCLS)
remote valves with quick couplers and
flow control.
Dual individual levers on RH console

AXLES:

2WD Front Axle:
55 degree Turning Angle
Single steering cylinder
Adjustable Tread Width from
64.0 in. to 80.0 in. (May vary
up to 1 in. depending on tires)
Standard front tires:
10.00-16 8PR (F2)

AXLES (cont):

MFD Front Axle:
Class III MFD Axle
55 degree Turning Angle
Dual steering cylinders
12 degree Axle Oscillation
Electro-hydraulic MFD engagement
Limited Slip Differential
Drive Shaft Shield
Adjustable tread width from
64 in. to 80 in. (May vary
up to 1 in. depending on tires)
Standard front tires:
14.9R24 6PR (R1)
Rear Axle:
Heavy-duty Flange type
Electro-hydraulic engaged differential
lock
Standard rear tires:
18.4R34 8PR (R1)

HITCH:

CAB and ROPS versions:
3-point hitch category II with flex link
ends and telescoping stabilizers
Mechanical draft control (MDC)
(Top link sensing)
Single lift rod turnbuckle adjuster
7200 lb./3266 kg lift capacity (SAE)
with a single internal and dual
external lift cylinder
Category II Offset swinging drawbar

PTO:

Independent 540/1000 RPM with
two individual shafts
Multi-plate wet clutch design
Single lever - mechanical engagement
Flip-up PTO shaft guard

**FARMALL® 130A TRACTOR TIER 4B/FINAL
US PRICE LIST**

Standard Equipment

ELECTRICAL:

CAB and ROPS:

(1) 12-volt 950 cca / 132 amp hr
battery
120 Amp Alternator
Geared starter motor (4.2kW)
7-pin outlet for trailer / implement
lighting
Rear 3-pin implement socket (40 amp)

MISCELLANEOUS:

Pivoting engine hood
Operators manual
SMV emblem
Horn

NEBRASKA TEST REPORT STATUS:

Not available in Nebraska pending
Temporary Sales Permit

LIGHTING:

CAB

Front: (2) Halogen Headlights and
(2) cab mounted worklights
Rear: (2) cab mounted worklights
Turn Signals/Flashers/Rear Lights

ROPS

Front: (2) Halogen Headlights
Rear: (1) Worklight,
Turn Signals/Flashers/Rear Lights

**FARMALL® 130A TRACTOR TIER 4B/FINAL
US PRICE LIST**

Models

| COMMERCIAL MODEL | VERSION | TRACTION | Weight | Factory Data | List Price |
|-----------------------------|---------|----------|----------|--------------|-------------|
| FARMALL 130A TIER 4B/FIN | Rops | 2WD | 7,000 LB | | \$70,082.00 |
| FARMALL 130A TIER 4B/FIN | Rops | MFD | 7,000 LB | | \$77,002.00 |
| FARMALL 130A TIER 4B/FIN | Cab | 2WD | 7,000 LB | | \$81,505.00 |
| FARMALL 130A TIER 4B/FIN | Cab | MFD | 7,000 LB | | \$88,425.00 |

Factory Supplied Options

| Order Code | Description | Weight | Factory Data | List Price |
|------------|-------------|--------|--------------|------------|
|------------|-------------|--------|--------------|------------|

OPERATOR STRUCTURE

SD_T8771 CANOPY

| | | | | |
|--------------|---------|-------------|--|-----------|
| CAB and ROPS | | | | |
| | XT8771X | Less Canopy | | No Charge |
| ROPS | | | | |
| | 335857 | Canopy | | \$765.00 |

SD_T9150 REAR WIPER & WASHER

| | | | | |
|------|---------|----------------------------|--|-----------|
| CAB | | | | |
| | 390642 | Less Rear Wiper Washer | | No Charge |
| | 330642 | Rear wiper/washer - CAB | | \$262.00 |
| ROPS | | | | |
| | XT9150X | Std less rear wiper/washer | | No Charge |

SD_T9411 HIGH VISIBILITY WINDOW

| | | | | |
|------|---------|-----------------------------|--|-----------|
| CAB | | | | |
| | 391126 | Less High-visibility window | | No Charge |
| | 334743 | High-visibility window | | \$510.00 |
| ROPS | | | | |
| | XT9411X | No High-visibility window | | No Charge |

**FARMALL® 130A TRACTOR TIER 4B/FINAL
US PRICE LIST**

WORK LIGHTING

SD_T9130 WORK LAMPS

| | | | | | | |
|------------|--|--------|---|--|--|-----------|
| | | 391293 | 1 Rear work light | | | No Charge |
| CAB | | | | | | |
| | | 390786 | 4 Worklights 2 Front and 2 Rear Worklights | | | No Charge |
| | | 336924 | 4 Front/4 Rear cab lights 4 Front and 4 Rear Worklights | | | \$255.00 |

TRANSPORT LIGHTS

SD_T8708 EXTREMITY LIGHTING

| | | | | | | |
|--|--|--------|-------------------------------|--|--|-----------|
| | | 391206 | Std Less Extremity Light Pkg. | | | No Charge |
| | | 336936 | Extremity light F/dual | | | \$290.00 |

SEAT

SD_T5702 INSTRUCTOR SEAT

| | | | | | | |
|-------------|--|---------|----------------------|--|--|-----------|
| ROPS | | | | | | |
| | | XT5702X | Less Instructor seat | | | No Charge |
| CAB | | | | | | |
| | | 391127 | No Instructor seat | | | No Charge |
| | | 336937 | Instructor seat | | | \$554.00 |

SD_T8500 SEAT

| | | | | | | |
|---------------------|--|--------|------------------------------|--|--|-----------|
| CAB and ROPS | | | | | | |
| | | 391268 | Deluxe seat | | | No Charge |
| CAB | | | | | | |
| | | 336923 | Air suspension seat w/swivel | | | \$904.00 |

TRANSMISSION

TRANSMISSION

SD_T2800 SPEED

| | | | | | | |
|-----------------|--|--------|---------------|--|--|-----------|
| 2WD/MFD | | | | | | |
| | | 391266 | 30 KPH 391266 | | | No Charge |
| MFD Only | | | | | | |
| | | 337280 | 40 KPH | | | \$242.00 |

SD_T2810 TRANSMISSION

| | | | | | | |
|--|--|--------|---|--|--|--------------|
| | | 390340 | 8x8 with Synch Mech Rev 8x8 with Synchronized Mechanical Reverser Synchro-speeds and Dry Clutch | | | (\$1,839.00) |
|--|--|--------|---|--|--|--------------|

**FARMALL® 130A TRACTOR TIER 4B/FINAL
US PRICE LIST**

| | | | | | | |
|--|--|--------|--|--|--|------------|
| | | 330059 | 8x8 With Power Shuttle 8x8 with Power Shuttle Synchro-speeds | | | No Charge |
| | | 330061 | 16x8 With Power Shuttle 16x8 with Power Shuttle and Hi-Lo Synchro-speeds | | | \$1,958.00 |

SD_T3230 CREEPER or Interlock

| | | | | | | |
|--|--|--------|--|--|--|------------|
| | | 390266 | Less Creeper. | | | No Charge |
| | | 330066 | 10:1 Creeper Creeper Transmission (10:1 Ratio) Creeper compatible with EITHER 16x8 transmission (330061) OR 14.9R46 rear tires (8360781) but NOT with the combination. | | | \$2,423.00 |

BACK-UP ALARM

SD_T9249 REVERSE ALARM

| | | | | | | |
|--|--|---------|-----------------|--|--|-----------|
| | | X92491X | L/Reverse Alarm | | | No Charge |
| | | 330692 | Reverse Alarm | | | \$163.00 |

TRAILER BRAKES

TRAILER BRAKES

SD_T7130 TRLR BRK VLV

| | | | | | | |
|--|--|---------|-----------------------------|--|--|-----------|
| | | 330718 | Hydraulic trailer brakes | | | \$898.00 |
| | | XT7130X | No Hydraulic Trailer Brakes | | | No Charge |

HITCH

SD_T8950 AUX RAMS

| | | | | | | |
|--|--|--------|--|--|--|------------|
| | | 336784 | Hyd Lift w/ 1 int. & 1 ext cyl Hydraulic lift with 1 internal and 1 external lift cylinders (5,400 lbs/2,449 kgs lift capacity) with telescopic stabilizers. | | | (\$605.00) |
| | | 339784 | Hyd Lift w/ 1 int. & 2 ext cyl Hydraulic lift with 1 internal and 2 external lift cylinders (7,200 lbs/3,266 kgs lift capacity) with telescopic stabilizers | | | No Charge |

HITCH AND DRAWBAR

SD_T8900 REAR HITCHES/DRAWBAR

| | | | | | | |
|--|--|--------|---|--|--|-----------|
| | | 337890 | Less Drawbar | | | No Charge |
| | | 392905 | Swinging Drawbar Less Clevis Independent swinging drawbar less clevis | | | No Charge |
| | | 330937 | Swinging Drawbar With Clevis Independent swinging drawbar with clevis | | | \$141.00 |

**FARMALL® 130A TRACTOR TIER 4B/FINAL
US PRICE LIST**

REAR 3-POINT

SD_T8960 DRAWBAR AND 3 POINT HITCH

| | | | | | | |
|--|--|--------|--|--|--|-----------|
| | | 390351 | Cat 2 Flex Links MDC Cat 2 flex links for MDC (Mechanical Draft Control) | | | No Charge |
| | | 330148 | Cat 2 QA Links MDC Cat 2 Quick attach Open Claw Link Ends for MDC (Mechanical Draft Control) | | | \$413.00 |

HYDRAULICS

SD_T8270 REAR REMOTES

| | | | | | | |
|--|--|--------|----------------------|--|--|------------|
| | | 429472 | 2 Bosch RR Flow Ctrl | | | No Charge |
| | | 429473 | 3 Bosch RR Flow Ctrl | | | \$999.00 |
| | | 429474 | 4 Bosch RR Flow Ctrl | | | \$1,997.00 |

FRONT AXLE

SD_T4010 FRONT AXLE

| | | | | | | |
|-----|--|---------|---------------------|--|--|-----------|
| MFD | | | | | | |
| | | XT401XX | Less 2WD Front Axle | | | No Charge |
| 2WD | | | | | | |
| | | 390373 | 2WD Front Axle HD | | | No Charge |

FRONT WHEELS AND TIRES

SD_T4940 FRONT WHEELS AND TIRES

| | | | | | | |
|-----|--|---------|---|--|--|--------------|
| MFD | | | | | | |
| | | 8299905 | Front Shipping Wheels-4WD | | | (\$1,596.00) |
| | | 8240304 | 14.9-24 6PR R1 Firestone Brand | | | No Charge |
| | | 8282401 | 13.6 x 28 6PR R1 Any Brand Requires Rear Tire 8380200 | | | \$142.00 |
| | | 8241304 | 14.9-28 6PR R1 Firestone Brand | | | \$254.00 |
| | | 8282201 | 12.4 x 28 6PR R1 Any Brand | | | \$288.00 |
| | | 8282501 | 14.9 x 28 6PR R2 Any Brand R2 Pattern-Twice the tread depth as a conventional R1 tire | | | \$307.00 |
| | | 8248621 | 250/95 R34 R1 | | | \$575.00 |

**FARMALL® 130A TRACTOR TIER 4B/FINAL
US PRICE LIST**

| | | | | | | |
|-----|--|---------|---|--|--|------------|
| | | 8248631 | 320/85 R34 R1 Any brand | | | \$2,248.00 |
| 2WD | | | | | | |
| | | 8843901 | Front Shipping Wheels 2WD HD | | | (\$722.00) |
| | | 8180522 | 10.00 x 16 8ply For HD Axle Firestone Brand Not for use with the following Rear Tire Codes: 8365601, 8322891, 8480701, 8334606, 8390601, 8480802 Not compatible with Std 2WD Front Axle | | | No Charge |

REAR AXLE

SD_T3200 REAR AXLE

| | | | | | | |
|--|--|--------|--------------------------------|--|--|------------|
| | | 390331 | Heavy-duty Flange Axle | | | No Charge |
| | | 330331 | 98 in. bar axle (Steel Wheels) | | | \$1,592.00 |

REAR WHEELS AND TIRES

SD_T4950 REAR WHEELS AND TIRES

| | | | | | | |
|----------------------|--|---------|--|--|--|--------------|
| Duals for Bar Axle | | | | | | |
| | | 8480702 | DUAL 18.4x34 8480702 Firestone Brand Requires Extremity Lights (336936) | | | \$3,458.00 |
| | | 8480803 | DUAL 18.4X38 8480803 Firestone Brand Requires Extremity Lights (336936) | | | \$4,593.00 |
| | | 8318690 | DUAL 12.4x42 R1 - An Any Brand Requires Extremity Lights (336936) | | | \$5,436.00 |
| Singles for Bar Axle | | | | | | |
| | | 8399906 | Rear Shipping Wheels | | | (\$2,751.00) |
| | | 8321891 | SINGLE 18.4 x 34 8 ply Firestone Brand Requires Extremity Lights (336936) | | | No Charge |
| | | 8390503 | 18.4 x 38 8 ply R1-BAX Firestone Brand Requires Extremity Lights (336936) | | | \$567.00 |
| | | 8318590 | Single 12.4 x 42 R1 Any Brand Requires Extremity Lights (336936) | | | \$989.00 |
| | | 8360761 | 320/90R46 R-1 – Bar Single Requires Extremity Lights (336936) | | | \$1,979.00 |
| | | 8360781 | 380/85R46 R1W - Bar Single Not compatible with 16x8 transmission w/power shuttle (330061) Requires Extremity Lights (336936) | | | \$2,102.00 |

**FARMALL® 130A TRACTOR TIER 4B/FINAL
US PRICE LIST**

| | | | | | | |
|-------------------------|--|---------|--|--|--|--------------|
| Singles for Flange Axle | | | | | | |
| | | 8399905 | Shipping Wheels-Rear | | | (\$2,751.00) |
| | | 8391505 | 19.5Lx24 10PR R4 ROPS Only | | | (\$497.00) |
| | | 8380200 | 23.1x30 10PR R1 Any Brand | | | (\$301.00) |
| | | 8380400 | 23.1x30 10PR R2 Any Brand R2 Pattern-Twice the tread depth as a conventional R1 tire Not allowed with Rear Wheel Weights (330471). | | | (\$301.00) |
| | | 8365440 | 18.4 x 34 8 PLY R1 Firestone Brand | | | No Charge |
| | | 8328604 | 18.4-38 8 PR R1 Firestone Brand | | | \$567.00 |
| | | 8380100 | 12.4x42 8PR R1 Any Brand | | | \$989.00 |

FENDERS

FRONT FENDERS

SD_T8740 FRONT FENDERS

| | | | | | | |
|-----|--|---------|---|--|--|-----------|
| 2WD | | | | | | |
| | | XT8740X | Standard Less Front Fenders | | | No Charge |
| MFD | | | | | | |
| | | 390860 | Less Front Fenders | | | No Charge |
| | | 337496 | Fix Fron Fenders F Fixed Front Fenders – for 130A/140A only (Not compatible with Complete Loader Ready) | | | \$461.00 |
| | | 336940 | Front Fenders-Dynamic Dynamic Front Fenders – includes oscillation stops (Axle oscillation is limited to 8 degrees) | | | \$706.00 |

LOADER

LOADER EQUIPMENT

SD_T8110 LOADER BRACKETS

| | | | | | | |
|--|--|--------|---------------------|--|--|------------|
| | | 390819 | Less Loader Ready | | | No Charge |
| | | 429475 | Loader Ready 429475 | | | \$5,095.00 |

OTHER EQUIPMENT

FRONT BALLAST

SD_T2150 FRONT BALLAST

| | | | | | | |
|--|--|--------|--------------------------------|--|--|-----------|
| | | 390215 | Less Front Carrier and Weights | | | No Charge |
|--|--|--------|--------------------------------|--|--|-----------|

**FARMALL® 130A TRACTOR TIER 4B/FINAL
US PRICE LIST**

| | | | | | | |
|--|--|--------|----------------------------|--|--|------------|
| | | 334923 | Carrier less front weights | | | \$301.00 |
| | | 334924 | Carrier - 10 weights | | | \$1,677.00 |

REAR BALLAST

SD_T4961 REAR BALLAST

| | | | | | | |
|----------|--|---------|---|--|--|------------|
| | | XT4961X | Standard Less Rear Ballast | | | No Charge |
| Flange | | | | | | |
| | | 330138 | 6 rear wheel wts 6 rear wheel weights for flange axle, 88 lbs/40 kgs each For use with 30" tires only | | | \$812.00 |
| | | 330471 | 6 Rear Wheel Weights 6 rear wheel weights for flange axle, 88 lbs/40 kgs each Not compatible with 30" tires or 19.5L24 R4 (8391505) | | | \$812.00 |
| | | 332497 | 12 Rear wheel weights 12 rear wheel weights for flange axle, 88 lbs/ 40 kgs each For use with 18.4x38 (8334606 or 8328604) | | | \$1,623.00 |
| Bar Axle | | | | | | |
| | | 336935 | 6 Rear wheel weights 6 rear wheel weights for bar axle, 88 lbs/65 kgs each | | | \$812.00 |
| | | 334354 | 10 rear wheel weight 10 rear wheel weights for bar axle, 143 lbs/65 kg each | | | \$1,355.00 |

OPERATOR'S MANUAL

SD_T9802 OPERATORS MANUAL

| | | | | | | |
|--|--|---------|---|--|--|-----------|
| | | 429481 | Spanish Bosch T4B | | | No Charge |
| | | 429482 | French Bosch T4B | | | No Charge |
| | | XT9802X | Less Add'l Operator Manual English Manual is supplied as base equipment | | | No Charge |

**FARMALL® 140A TRACTOR TIER 4B/FINAL
US PRICE LIST**

Standard Equipment

ENGINE:

115 PTO hp @ 2200 RPM
273 cu. in. (4.5 L) Displacement
4 Cylinder Turbocharged and
Intercooled Engine with electronic
management
Tier 4 B/Final Emissions Compliant
4 valves per cylinder
Bosch fuel injection pump (electronic)
Air Cleaner w/ Precleaner Dual element
air filter
Hand and foot throttle
Grid Heater Starting Aid
56.8-Gallon (215 L) Fuel Tank
with guard
7.9-Gallon (30L) Diesel Exhaust
Fluid (DEF) Tank
Fixed fan (9 Blades)
Fuel Cooler

EXHAUST:

A-Post exhaust with integral muffler

OPERATIVE PROTECTIVE STRUCTURE:
CAB MODELS

ROPS/FOPS protected, flat deck
platform
with heat and air conditioning, tinted
windshield, retractable sun screen,
front wiper and washer, two doors
with locks, two external mirrors,
openable side windows, hinged rear
window (fully opens)
Steering Wheel - adjustable tilt and
telescope
Seat - Cloth covered with mechanical
suspension, operator's presence
sensor, retractable seat belt, arm rests
Suspended pedals
Radio, speakers and antenna

OPERATIVE PROTECTIVE STRUCTURE

(cont):

ROPS MODELS

2-Post Foldable ROPS with ISO and
mounted flat deck platform
Steering Wheel - adjustable tilt
Seat - Vinyl covered with mechanical
suspension, operator's presence
sensor, retractable seat belts,
arm rests
Suspended pedals
Locking brake pedals

INSTRUMENTATION:

Analog/Digital instrumentation cluster
with LCD display
Warning lights for air cleaner service,
alternator, oil pressure, fuel
sediment/water sensor, headlight
high beam and parking brake
Gauges for fuel level, engine
temperature, tachometer
and hour meter.

TRANSMISSION:

8F x 8R Synchronized Mechanical
Reverser (Optional)
Steering column mounted Left Hand
synchronized mechanical shuttle.
4 (Synchronized) Gears in
2 (Non-synchronized) Ranges
14 in. Cerametallic Clutch

8F x 8R with Power Shuttle
Steering column mounted Left Hand
Power clutchless shuttle (F/R)
4 (Synchronized) Gears in
2 (Non-synchronized) Ranges
Multiplate wet clutch design

**FARMALL® 140A TRACTOR TIER 4B/FINAL
US PRICE LIST**

Standard Equipment

TRANSMISSION (cont):

16F x 8R with Power Shuttle and Hi/Lo
(optional)
Steering column mounted Left Hand
Power clutchless shuttle (F/R)
Fully Synchronized
Two speed Hi/Lo powershift
Multiplate wet clutch design

All transmission versions:

19 mph (30 kph)
25 mph (40 kph) (optional)
Speed varies with tire selection

STEERING/BRAKES:

Hydrostatic Power Steering
Hydraulically actuated wet disc brakes
(self-equalizing and self-adjusting)
Independent Parking brake
(automotive style)

HYDRAULICS:

Fixed Displacement (FD) system
GearPump:
Maximum flow at rated engine speed:
22 gpm (83 l/m) flow
(implement pump)
9 gpm (34 l/m) flow
(steering and operating circuits)
31 gpm (121 l/m) total tractor
hydraulic flow
Two closed-center load sense (CCLS)
remote valves with quick couplers and
flow control.
Dual individual levers on RH console

AXLES:

2WD Front Axle:
55 degree Turning Angle
Single steering cylinder
Adjustable Tread Width from
64.0 in. to 80.0 in. (May vary
up to 1 in. depending on tires)
Standard front tires:
10.00-16 8PR (F2)

AXLES (cont):

MFD Front Axle:
Class III MFD Axle
55 degree Turning Angle
Dual steering cylinders
12 degree Axle Oscillation
Electro-hydraulic MFD engagement
Limited Slip Differential
Drive Shaft Shield
Adjustable tread width from
64 in. to 80 in. (May vary
up to 1 in. depending on tires)
Standard front tires:
14.9R24 6PR (R1)
Rear Axle:
Heavy-duty Flange type
Electro-hydraulic engaged differential
lock
Standard rear tires:
18.4R34 8PR (R1)

HITCH:

CAB and ROPS versions:
3-point hitch category II with flex link
ends and telescoping stabilizers
Mechanical draft control (MDC)
(Top link sensing)
Single lift rod turnbuckle adjuster
7200 lb./3266 kg lift capacity (SAE)
with a single internal and dual
external lift cylinder
Category II Offset swinging drawbar

PTO:

Independent 540/1000 RPM with
two individual shafts
Multi-plate wet clutch design
Single lever - mechanical engagement
Flip-up PTO shaft guard

**FARMALL® 140A TRACTOR TIER 4B/FINAL
US PRICE LIST**

Standard Equipment

ELECTRICAL:

CAB and ROPS:

(1) 12-volt 950 cca / 132 amp hr
battery
120 Amp Alternator
Geared starter motor (4.2kW)
7-pin outlet for trailer / implement
lighting
Rear 3-pin implement socket (40 amp)

MISCELLANEOUS:

Pivoting engine hood
Operators manual
SMV emblem
Horn

NEBRASKA TEST REPORT STATUS:

Not available in Nebraska pending
Temporary Sales Permit

LIGHTING:

CAB

Front: (2) Halogen Headlights and
(2) cab mounted worklights
Rear: (2) cab mounted worklights
Turn Signals/Flashers/Rear Lights

ROPS

Front: (2) Halogen Headlights
Rear: (1) Worklight,
Turn Signals/Flashers/Rear Lights

**FARMALL® 140A TRACTOR TIER 4B/FINAL
US PRICE LIST**

Models

| COMMERCIAL MODEL | VERSION | TRACTION | Weight | Factory Data | List Price |
|-----------------------------|---------|----------|-----------|--------------|-------------|
| FARMALL 140A TIER 4B/FIN | Rops | 2WD | 7,000 LB | | \$77,358.00 |
| FARMALL 140A TIER 4B/FIN | Rops | MFD | 7,000 LB | | \$84,278.00 |
| FARMALL 140A TIER 4B/FIN | Cab | 2WD | 7,000 LB | | \$88,781.00 |
| FARMALL 140A TIER 4B/FIN | Cab | MFD | 12,000 LB | | \$95,701.00 |

Factory Supplied Options

| Order Code | Description | Weight | Factory Data | List Price |
|------------|-------------|--------|--------------|------------|
|------------|-------------|--------|--------------|------------|

OPERATOR STRUCTURE

SD_T8771 CANOPY

| | | | | |
|--------------|---------|-------------|--|-----------|
| CAB and ROPS | | | | |
| | XT8771X | Less Canopy | | No Charge |
| ROPS | | | | |
| | 335857 | Canopy | | \$765.00 |

SD_T9150 REAR WIPER & WASHER

| | | | | |
|------|---------|----------------------------|--|-----------|
| CAB | | | | |
| | 390642 | Less Rear Wiper Washer | | No Charge |
| | 330642 | Rear wiper/washer - CAB | | \$262.00 |
| ROPS | | | | |
| | XT9150X | Std less rear wiper/washer | | No Charge |

SD_T9411 HIGH VISIBILITY WINDOW

| | | | | |
|------|---------|-----------------------------|--|-----------|
| CAB | | | | |
| | 391126 | Less High-visibility window | | No Charge |
| | 334743 | High-visibility window | | \$510.00 |
| ROPS | | | | |
| | XT9411X | No High-visibility window | | No Charge |

**FARMALL® 140A TRACTOR TIER 4B/FINAL
US PRICE LIST**

WORK LIGHTING

SD_T9130 WORK LAMPS

| | | | | | | |
|-----|--|--------|---|--|--|-----------|
| | | 391293 | 1 Rear work light | | | No Charge |
| CAB | | | | | | |
| | | 390786 | 4 Worklights 2 Front and 2 Rear Worklights | | | No Charge |
| | | 336924 | 4 Front/4 Rear cab lights 4 Front and 4 Rear Worklights | | | \$255.00 |

TRANSPORT LIGHTS

SD_T8708 EXTREMITY LIGHTING

| | | | | | | |
|--|--|--------|-------------------------------|--|--|-----------|
| | | 391206 | Std Less Extremity Light Pkg. | | | No Charge |
| | | 336936 | Extremity light F/dual | | | \$290.00 |

SEAT

SD_T5702 INSTRUCTOR SEAT

| | | | | | | |
|------|--|---------|----------------------|--|--|-----------|
| ROPS | | | | | | |
| | | XT5702X | Less Instructor seat | | | No Charge |
| CAB | | | | | | |
| | | 391127 | No Instructor seat | | | No Charge |
| | | 336937 | Instructor seat | | | \$554.00 |

SD_T8500 SEAT

| | | | | | | |
|--------------|--|--------|------------------------------|--|--|-----------|
| CAB and ROPS | | | | | | |
| | | 391268 | Deluxe seat | | | No Charge |
| CAB | | | | | | |
| | | 336923 | Air suspension seat w/swivel | | | \$904.00 |

TRANSMISSION

TRANSMISSION

SD_T2800 SPEED

| | | | | | | |
|----------|--|--------|---------------|--|--|-----------|
| 2WD/MFD | | | | | | |
| | | 391266 | 30 KPH 391266 | | | No Charge |
| MFD Only | | | | | | |
| | | 337280 | 40 KPH | | | \$242.00 |

SD_T2810 TRANSMISSION

| | | | | | | |
|--|--|--------|---|--|--|--------------|
| | | 390340 | 8x8 with Synch Mech Rev 8x8 with Synchronized Mechanical Reverser Synchro-speeds and Dry Clutch | | | (\$1,839.00) |
|--|--|--------|---|--|--|--------------|

**FARMALL® 140A TRACTOR TIER 4B/FINAL
US PRICE LIST**

| | | | | | | |
|--|--|--------|--|--|--|------------|
| | | 330059 | 8x8 With Power Shuttle 8x8 with Power Shuttle Synchro-speeds | | | No Charge |
| | | 330061 | 16x8 With Power Shuttle 16x8 with Power Shuttle and Hi-Lo Synchro-speeds | | | \$1,958.00 |

SD_T3230 CREEPER or Interlock

| | | | | | | |
|--|--|--------|--|--|--|------------|
| | | 390266 | Less Creeper. | | | No Charge |
| | | 330066 | 10:1 Creeper Creeper Transmission (10:1 Ratio) Creeper compatible with EITHER 16x8 transmission (330061) OR 14.9R46 rear tires (8360781) but NOT with the combination. | | | \$2,423.00 |

BACK-UP ALARM

SD_T9249 REVERSE ALARM

| | | | | | | |
|--|--|---------|-----------------|--|--|-----------|
| | | X92491X | L/Reverse Alarm | | | No Charge |
| | | 330692 | Reverse Alarm | | | \$163.00 |

TRAILER BRAKES

TRAILER BRAKES

SD_T7130 TRLR BRK VLV

| | | | | | | |
|--|--|---------|-----------------------------|--|--|-----------|
| | | 330718 | Hydraulic trailer brakes | | | \$898.00 |
| | | XT7130X | No Hydraulic Trailer Brakes | | | No Charge |

HITCH

SD_T8950 AUX RAMS

| | | | | | | |
|--|--|--------|--|--|--|------------|
| | | 336784 | Hyd Lift w/ 1 int. & 1 ext cyl Hydraulic lift with 1 internal and 1 external lift cylinders (5,400 lbs/2,449 kgs lift capacity) with telescopic stabilizers. | | | (\$605.00) |
| | | 339784 | Hyd Lift w/ 1 int. & 2 ext cyl Hydraulic lift with 1 internal and 2 external lift cylinders (7,200 lbs/3,266 kgs lift capacity) with telescopic stabilizers | | | No Charge |

HITCH AND DRAWBAR

SD_T8900 REAR HITCHES/DRAWBAR

| | | | | | | |
|--|--|--------|---|--|--|-----------|
| | | 337890 | Less Drawbar | | | No Charge |
| | | 392905 | Swinging Drawbar Less Clevis Independent swinging drawbar less clevis | | | No Charge |
| | | 330937 | Swinging Drawbar With Clevis Independent swinging drawbar with clevis | | | \$141.00 |

**FARMALL® 140A TRACTOR TIER 4B/FINAL
US PRICE LIST**

REAR 3-POINT

SD_T8960 DRAWBAR AND 3 POINT HITCH

| | | | | | | |
|--|--|--------|--|--|--|-----------|
| | | 390351 | Cat 2 Flex Links MDC Cat 2 flex links for MDC (Mechanical Draft Control) | | | No Charge |
| | | 330148 | Cat 2 QA Links MDC Cat 2 Quick attach Open Claw Link Ends for MDC (Mechanical Draft Control) | | | \$413.00 |

HYDRAULICS

SD_T8270 REAR REMOTES

| | | | | | | |
|--|--|--------|----------------------|--|--|------------|
| | | 429472 | 2 Bosch RR Flow Ctrl | | | No Charge |
| | | 429473 | 3 Bosch RR Flow Ctrl | | | \$999.00 |
| | | 429474 | 4 Bosch RR Flow Ctrl | | | \$1,997.00 |

FRONT AXLE

SD_T4010 FRONT AXLE

| | | | | | | |
|------------|--|---------|---------------------|--|--|-----------|
| MFD | | | | | | |
| | | XT401XX | Less 2WD Front Axle | | | No Charge |
| 2WD | | | | | | |
| | | 390373 | 2WD Front Axle HD | | | No Charge |

FRONT WHEELS AND TIRES

SD_T4940 FRONT WHEELS AND TIRES

| | | | | | | |
|------------|--|---------|---|--|--|--------------|
| MFD | | | | | | |
| | | 8299905 | Front Shipping Wheels-4WD | | | (\$1,596.00) |
| | | 8240304 | 14.9-24 6PR R1 Firestone Brand | | | No Charge |
| | | 8282401 | 13.6 x 28 6PR R1 Any Brand Requires Rear Tire 8380200 | | | \$142.00 |
| | | 8241304 | 14.9-28 6PR R1 Firestone Brand | | | \$254.00 |
| | | 8282201 | 12.4 x 28 6PR R1 Any Brand | | | \$288.00 |
| | | 8282501 | 14.9 x 28 6PR R2 Any Brand R2 Pattern-Twice the tread depth as a conventional R1 tire | | | \$307.00 |
| | | 8248621 | 250/95 R34 R1 | | | \$575.00 |

**FARMALL® 140A TRACTOR TIER 4B/FINAL
US PRICE LIST**

| | | | | | | |
|-----|--|---------|---|--|--|------------|
| | | 8248631 | 320/85 R34 R1 Any brand | | | \$2,248.00 |
| 2WD | | | | | | |
| | | 8843901 | Front Shipping Wheels 2WD HD | | | (\$722.00) |
| | | 8180522 | 10.00 x 16 8ply For HD Axle Firestone Brand Not for use with the following Rear Tire Codes: 8365601, 8322891, 8480701, 8334606, 8390601, 8480802 Not compatible with Std 2WD Front Axle | | | No Charge |

REAR AXLE

SD_T3200 REAR AXLE

| | | | | | | |
|--|--|--------|--------------------------------|--|--|------------|
| | | 390331 | Heavy-duty Flange Axle | | | No Charge |
| | | 330331 | 98 in. bar axle (Steel Wheels) | | | \$1,592.00 |

REAR WHEELS AND TIRES

SD_T4950 REAR WHEELS AND TIRES

| | | | | | | |
|----------------------|--|---------|--|--|--|--------------|
| Duals for Bar Axle | | | | | | |
| | | 8480702 | DUAL 18.4x34 8480702 Firestone Brand Requires Extremity Lights (336936) | | | \$3,458.00 |
| | | 8480803 | DUAL 18.4X38 8480803 Firestone Brand Requires Extremity Lights (336936) | | | \$4,593.00 |
| | | 8318690 | DUAL 12.4x42 R1 - An Any Brand Requires Extremity Lights (336936) | | | \$5,436.00 |
| Singles for Bar Axle | | | | | | |
| | | 8399906 | Rear Shipping Wheels | | | (\$2,751.00) |
| | | 8321891 | SINGLE 18.4 x 34 8 ply Firestone Brand Requires Extremity Lights (336936) | | | No Charge |
| | | 8390503 | 18.4 x 38 8 ply R1-BAX Firestone Brand Requires Extremity Lights (336936) | | | \$567.00 |
| | | 8318590 | Single 12.4 x 42 R1 Any Brand Requires Extremity Lights (336936) | | | \$989.00 |
| | | 8360761 | 320/90R46 R-1 – Bar Single Requires Extremity Lights (336936) | | | \$1,979.00 |
| | | 8360781 | 380/85R46 R1W - Bar Single Not compatible with 16x8 transmission w/power shuttle (330061) Requires Extremity Lights (336936) | | | \$2,102.00 |

**FARMALL® 140A TRACTOR TIER 4B/FINAL
US PRICE LIST**

| | | | | | | |
|-------------------------|--|---------|--|--|--|--------------|
| Singles for Flange Axle | | | | | | |
| | | 8399905 | Shipping Wheels-Rear | | | (\$2,751.00) |
| | | 8391505 | 19.5Lx24 10PR R4 ROPS Only | | | (\$497.00) |
| | | 8380200 | 23.1x30 10PR R1 Any Brand | | | (\$301.00) |
| | | 8380400 | 23.1x30 10PR R2 Any Brand R2 Pattern-Twice the tread depth as a conventional R1 tire Not allowed with Rear Wheel Weights (330471). | | | (\$301.00) |
| | | 8365440 | 18.4 x 34 8 PLY R1 Firestone Brand | | | No Charge |
| | | 8328604 | 18.4-38 8 PR R1 Firestone Brand | | | \$567.00 |
| | | 8380100 | 12.4x42 8PR R1 Any Brand | | | \$989.00 |

FENDERS

FRONT FENDERS

SD_T8740 FRONT FENDERS

| | | | | | | |
|-----|--|---------|---|--|--|-----------|
| 2WD | | | | | | |
| | | XT8740X | Standard Less Front Fenders | | | No Charge |
| MFD | | | | | | |
| | | 390860 | Less Front Fenders | | | No Charge |
| | | 337496 | Fix Fron Fenders F Fixed Front Fenders – for 130A/140A only (Not compatible with Complete Loader Ready) | | | \$461.00 |
| | | 336940 | Front Fenders-Dynamic Dynamic Front Fenders – includes oscillation stops (Axle oscillation is limited to 8 degrees) | | | \$706.00 |

LOADER

LOADER EQUIPMENT

SD_T8110 LOADER BRACKETS

| | | | | | | |
|--|--|--------|---------------------|--|--|------------|
| | | 390819 | Less Loader Ready | | | No Charge |
| | | 429475 | Loader Ready 429475 | | | \$5,095.00 |

OTHER EQUIPMENT

FRONT BALLAST

SD_T2150 FRONT BALLAST

| | | | | | | |
|--|--|--------|--------------------------------|--|--|-----------|
| | | 390215 | Less Front Carrier and Weights | | | No Charge |
|--|--|--------|--------------------------------|--|--|-----------|

**FARMALL® 140A TRACTOR TIER 4B/FINAL
US PRICE LIST**

| | | | | | | |
|--|--|--------|----------------------------|--|--|------------|
| | | 334923 | Carrier less front weights | | | \$301.00 |
| | | 334924 | Carrier - 10 weights | | | \$1,677.00 |

REAR BALLAST

SD_T4961 REAR BALLAST

| | | | | | | |
|----------|--|---------|---|--|--|------------|
| | | XT4961X | Standard Less Rear Ballast | | | No Charge |
| Flange | | | | | | |
| | | 330138 | 6 rear wheel wts 6 rear wheel weights for flange axle, 88 lbs/40 kgs each For use with 30" tires only | | | \$812.00 |
| | | 330471 | 6 Rear Wheel Weights 6 rear wheel weights for flange axle, 88 lbs/40 kgs each Not compatible with 30" tires or 19.5L24 R4 (8391505) | | | \$812.00 |
| | | 332497 | 12 Rear wheel weights 12 rear wheel weights for flange axle, 88 lbs/ 40 kgs each For use with 18.4x38 (8334606 or 8328604) | | | \$1,623.00 |
| Bar Axle | | | | | | |
| | | 336935 | 6 Rear wheel weights 6 rear wheel weights for bar axle, 88 lbs/65 kgs each | | | \$812.00 |
| | | 334354 | 10 rear wheel weight 10 rear wheel weights for bar axle, 143 lbs/65 kg each | | | \$1,355.00 |

OPERATOR'S MANUAL

SD_T9802 OPERATORS MANUAL

| | | | | | | |
|--|--|---------|---|--|--|-----------|
| | | 429481 | Spanish Bosch T4B | | | No Charge |
| | | 429482 | French Bosch T4B | | | No Charge |
| | | XT9802X | Less Add'l Operator Manual English Manual is supplied as base equipment | | | No Charge |



Farmall 110A, 120A, 130A, and 140A Tire Chart

| FRONT TIRES | Front Axle | TRACTION MODELS | Rear Singles for Flange Axle | | | | | | | | | |
|------------------------------|------------|--------------------|------------------------------|-------------|---------------------|------------------------|-----------------------|--------------------|---------------------|--------------------|--------------------|-----------------------------|
| | | | 8380100 | 8355301 | 8357601 | 8320891 | 8365440 | 8328604 | 8391505 | 8380200 | 8380400 | 8399905 |
| | | | 12.4x42 8PR R1 | 16.9-30 6PR | 18.4x30 8 ply R1 | 18.4 x 30 10 ply R1 | 18.4 x 34 8 PLY R1 | 18.4-38 8 PR R1 | 19.5Lx24 10PR R4 | 23.1x30 10PR R1 | 23.1x30 10PR R2 | Shipping Wheels- Rear |
| | | | BOTH | BOTH | BOTH | BOTH | BOTH | BOTH | BOTH | 4WD | 4WD | BOTH |
| | | | ALL | 110A, 120A | 110A, 120A | 110A, 120A | ALL | ALL | ALL | ALL | ALL | ALL |
| 8114401 - 10.00-16 8PR | 2WD | 110A, 120A | X | X | X | X | | | X | | | |
| 8114404 - 10.00-16 8PR F2 | 2WD | 110A, 120A | | | | | X | X | | | | |
| 8199101 - FR.SHIPPING WHEELS | 2WD | 110A, 120A | X | X | X | X | X | X | X | | | |

| | | | | | | | | | | | | |
|--------------------------------|--------|-----|---|---|---|---|---|---|---|--|--|--|
| 8180520 - 10.00x16 8 ply F2 HD | 2WD HD | ALL | X | X | X | X | | | X | | | |
| 8180522 - 10.00x16 8 ply F2 (1 | 2WD HD | ALL | | | | | X | X | | | | |
| 8843901 - FR SHIP WHL 2WD HD | 2WD HD | ALL | X | X | X | X | X | X | X | | | |

| | | | | | | | | | | | | |
|------------------------------|-----|------------|---|---|---|---|---|---|---|---|---|---|
| 8230202 - 13.6x24 6PR R1 | 4WD | 110A, 120A | | | X | X | | | | | | X |
| 8235301 - 12.4-24 6PR | 4WD | 110A, 120A | | X | | | | | | | | X |
| 8240304 - 14.9-24 6PR R1 | 4WD | ALL | | | | | X | | | | | X |
| 8241304 - 14.9-28 6PR R1 | 4WD | ALL | | | | | | X | | | | |
| 8248621 - 250/95 R34 | 4WD | ALL | | | | | | | | | | X |
| 8248631 - 320/85R34 R1 | 4WD | ALL | | | | | | | | | | X |
| 8282201 - 12.4x28 6PR R1 | 4WD | ALL | X | | | | | | | | | X |
| 8282401 - 13.6x28 6PR R1 | 4WD | ALL | | | | | | | | X | | X |
| 8282501 - 14.9x28 6PR R2 | 4WD | ALL | | | | | | | | | X | X |
| 8299905 - FR.SHIPPING WHEELS | 4WD | ALL | X | X | X | X | X | X | X | X | X | |



Farmall 110A, 120A, 130A, and 140A Tire Chart

| FRONT TIRES | Front Axle | MODELS | Rear Singles for Bar Axle | | | | | |
|--------------------------------|------------|------------|---------------------------|------------------|----------------|------------------------|------------------------|----------------------|
| | | | 8318590 | 8360761 | 8360781 | 8321891 | 8390503 | 8399906 |
| | | | Single 12.4 x 42 R1 | 320/90R46 Single | 14.9R46 SINGLE | SINGLE 18.4 x 34 8 ply | 18.4 x 38 8 ply R1-BAX | Rear Shipping Wheels |
| | | | ALL | ALL | ALL | ALL | ALL | ALL |
| 8114401 - 10.00-16 8PR | 2WD | 110A, 120A | X | X | X | | | |
| 8114404 - 10.00-16 8PR F2 | 2WD | 110A, 120A | | | | X | X | |
| 8199101 - FR.SHIPPING WHEELS | 2WD | 110A, 120A | X | X | X | X | X | |
| 8180520 - 10.00x16 8 ply F2 HD | 2WD HD | ALL | X | X | X | | | |
| 8180522 - 10.00x16 8 ply F2 (1 | 2WD HD | ALL | | | | X | X | |
| 8843901 - FR SHIP WHL 2WD HD | 2WD HD | ALL | X | X | X | X | X | |
| 8240304 - 14.9-24 6PR R1 | 4WD | ALL | | | | X | | X |
| 8241304 - 14.9-28 6PR R1 | 4WD | ALL | | | | | X | |
| 8248621 - 250/95 R34 | 4WD | ALL | | X | | | | X |
| 8248631 - 320/85R34 R1 | 4WD | ALL | | | X | | | X |
| 8282201 - 12.4x28 6PR R1 | 4WD | ALL | X | | | | | X |
| 8299905 - FR.SHIPPING WHEELS | 4WD | ALL | X | X | X | X | X | |

| Rear Duals for Bar axle | | |
|-------------------------|----------------------|----------------------|
| 8318690 | 8480702 | 8480803 |
| DUAL 12.4x42 R1 | DUAL 18.4x34 8480702 | DUAL 18.4X38 8480803 |
| ALL | ALL | ALL |
| X | | |
| | X | X |
| X | X | X |

| | | |
|---|---|---|
| X | | |
| | X | X |
| X | X | X |

| | | |
|---|---|---|
| | X | |
| | | X |
| | | |
| | | |
| X | | |
| X | X | X |



PURCHASED PROTECTION

Pricing and program details can be found on the Dealer Portal or by contacting the CPP hotline @ 1-866-606-1802. Not all models are eligible for CPP.